

Event Stream Processing with Kafka

Tim Lossen · atlossen · Wooga

Kafka?













Apache Kafka

A high-throughput distributed messaging system.

download api docs quickstart design configuration performance operations faq wiki bugs mailing lists powered by developers

- code
- projects
- contributing
- coding guide
- unit tests

Apache Kafka is a distributed publish-subscribe messaging system

Apache Kafka is a distributed publish-subscribe messaging system. It is designed to support the following


- Persistent messaging with O(1) disk structures that provide constant time performance even with many TB of stored messages.
- · High-throughput: even with very modest hardware Kafka can support hundreds of thousands of messages per second.
- Explicit support for partitioning messages over Kafka servers and distributing consumption over a cluster of consumer machines while maintaining per-partition ordering semantics.
- Support for parallel data load into Hadoop.


Kafka provides a publish-subscribe solution that can handle all activity stream data and processing on a consumer-scale web site. This kind of activity (page views, searches, and other user actions) are a key ingredient in many of the social feature on the modern web. This data is typically handled by "logging" and ad hoc log aggregation solutions due to the throughput requirements. This kind of ad hoc solution is a viable solution to providing logging data to an offline analysis system like Hadoop, but is very limiting for building real-time processing. Kafka aims to unify offline and online processing by providing a mechanism for parallel load into Hadoop as well as the ability to partition real-time consumption over a cluster of machines.

The use for activity stream processing makes Kafka comparable to Facebook's Scribe or Apache Flume (incubating), though the architecture and primitives are very different for these systems and make Kafka more comparable to a traditional messaging system. See our design page for more details.


Apache Kafka is an effort undergoing incubation at The Apache Software Foundation (ASF), sponsored by the Incubator PMC. Incubation is required of all newly accepted projects until a further review indicates that the infrastructure, communications, and decision making process have stabilized in a manner consistent











Foo bat


















Case Study: Tracking



From: Report Guy

Subject: Daily Happy Hospital report: 2011-06-05

Date: June 6, 2011 7:35:26 AM GMT+02:00

To: HH-Report


User Summary (FB)


DAU (login last 24h)	426.315	(+3.305)
New users (last 24h)	58.417	(-119)
1-Day Retention	25,3%	(+0,9%)
DRU/WAU	32,02%	(+0,12%)
Unique user visits coming from Requests as % of DAU	17,7%	(+1,8%)
Unique user visits coming from Feeds as % of DAU	2,2%	(+0,0%)


User Summary (FB)

DAU (login last 24h)	426.315	(+3.305)
% of DAU from A-Countries	45,4%	(+2,7%)
DRU	367.898	(+3.424)
WAU	1.149.013	(+6.548)
MAU (login last 30d)	2.572.241	(+34.306)
Sticky Factor (DAU/MAU)	16,6%	(-0,1%)














requests per second














installs per minute





Kafkaesque

setcher fetcher



```
consumer.rb
1 require 'kafkaesque'
3 Kafkaesque::Consumer.new(
    :handler => StatsHandler,
   :kafka => {
6
      :host => '192.168.0.22',
      :topics => StatsHandler::GAMES
9).start
```

‡ ③ ▼ Soft Tabs: 2 ‡ -

Ruby on Rails

Line: 4 Column: 24

```
stats handler.rb
  require 'redis'
  class StatsHandler
    GAMES = %w[mw hh dd ml bi]
 5
    TIMEOUT = 4 * 60 * 60 #4 hours
 6
    def initialize(config)
 8
      @redis = Redis.new(:host => config[:kafka][:host], :db => 0)
9
    end
10
11
    def handle(event)
      @redis.pipelined do
12
         key = event.time.strftime("stats:#{event.game}:%Y_%m%d_%H%M")
13
        @redis.hincrby(key, event.call, 1)
14
         @redis.expire(key, TIMEOUT)
15
      end
16
    end
18 end
```

handle(event)

‡ 💮 ▼ Soft Tabs: 2 ‡

Line: 13 Column: 26

Ruby on Rails

github.com/wooga/kafka-rb
github.com/wooga/kafka-erlang
github.com/wooga/kafkaesque

Questions?





