



THE UNIVERSITY OF
WAIKATO
Te Whare Wānanga o Waikato

WEKA KnowledgeFlow Tutorial
for Version 3-5-6

Mark Hall
Peter Reutemann


June 1, 2007

Contents

1	Introduction	2
2	Features	3
3	Components	4
3.1	DataSources	4
3.2	DataSinks	4
3.3	Filters	4
3.4	Classifiers	4
3.5	Clusterers	4
3.6	Evaluation	5
3.7	Visualization	6
4	Examples	7
4.1	Cross-validated J48	7
4.2	Plotting multiple ROC curves	9

1 Introduction

The KnowledgeFlow provides an alternative to the Explorer as a graphical front end to WEKA's core algorithms. The KnowledgeFlow is a work in progress so some of the functionality from the Explorer is not yet available. On the other hand, there are things that can be done in the KnowledgeFlow but not in the Explorer.



The KnowledgeFlow presents a *data-flow* inspired interface to WEKA. The user can select WEKA components from a tool bar, place them on a layout canvas and connect them together in order to form a *knowledge flow* for processing and analyzing data. At present, all of WEKA's classifiers, filters, clusterers, loaders and savers are available in the KnowledgeFlow along with some extra tools.

The KnowledgeFlow can handle data either incrementally or in batches (the Explorer handles batch data only). Of course learning from data incrementally requires a classifier that can be updated on an instance by instance basis. Currently in WEKA there are ten classifiers that can handle data incrementally:

- AODE
- IB1
- IBk
- KStar
- NaiveBayesMultinomialUpdateable
- NaiveBayesUpdateable
- NNge
- Winnow

And two of them are meta classifiers:

- *RacedIncrementalLogitBoost* - that can use of any regression base learner to learn from discrete class data incrementally.
- *LWL* - locally weighted learning.

This manual is also available online on the *WekaDoc Wiki* [2].

2 Features

The KnowledgeFlow offers the following features:


- intuitive data flow style layout
- process data in batches or incrementally
- process multiple batches or streams in parallel (each separate flow executes in its own thread)
- chain filters together
- view models produced by classifiers for each fold in a cross validation
- visualize performance of incremental classifiers during processing (scrolling plots of classification accuracy, RMS error, predictions etc.)

3 Components

Components available in the KnowledgeFlow:

3.1 DataSources

All of WEKA's loaders are available.



3.2 DataSinks

All of WEKA's savers are available.




3.3 Filters

All of WEKA's filters are available.




3.4 Classifiers

All of WEKA's classifiers are available.




3.5 Clusterers

All of WEKA's clusterers are available.



3.6 Evaluation



- *TrainingSetMaker* - make a data set into a training set.
- *TestSetMaker* - make a data set into a test set.
- *CrossValidationFoldMaker* - split any data set, training set or test set into folds.
- *TrainTestSplitMaker* - split any data set, training set or test set into a training set and a test set.
- *ClassAssigner* - assign a column to be the class for any data set, training set or test set.
- *ClassValuePicker* - choose a class value to be considered as the “positive” class. This is useful when generating data for ROC style curves (see *ModelPerformanceChart* below and example 4.2).
- *ClassifierPerformanceEvaluator* - evaluate the performance of batch trained/tested classifiers.
- *IncrementalClassifierEvaluator* - evaluate the performance of incrementally trained classifiers.
- *ClustererPerformanceEvaluator* - evaluate the performance of batch trained/tested clusterers.
- *PredictionAppender* - append classifier predictions to a test set. For discrete class problems, can either append predicted class labels or probability distributions.

3.7 Visualization




- *DataVisualizer* - component that can pop up a panel for visualizing data in a single large 2D scatter plot.
- *ScatterPlotMatrix* - component that can pop up a panel containing a matrix of small scatter plots (clicking on a small plot pops up a large scatter plot).
- *AttributeSummarizer* - component that can pop up a panel containing a matrix of histogram plots - one for each of the attributes in the input data.
- *ModelPerformanceChart* - component that can pop up a panel for visualizing threshold (i.e. ROC style) curves.
- *TextViewer* - component for showing textual data. Can show data sets, classification performance statistics etc.
- *GraphViewer* - component that can pop up a panel for visualizing tree based models.
- *StripChart* - component that can pop up a panel that displays a scrolling plot of data (used for viewing the online performance of incremental classifiers).

4 Examples

4.1 Cross-validated J48

Setting up a flow to load an ARFF file (batch mode) and perform a cross-validation using J48 (WEKA's C4.5 implementation).



- Click on the DataSources tab and choose *ArffLoader* from the toolbar (the mouse pointer will change to a *cross hairs*).
- Next place the *ArffLoader* component on the layout area by clicking somewhere on the layout (a copy of the *ArffLoader* icon will appear on the layout area).
- Next specify an ARFF file to load by first right clicking the mouse over the *ArffLoader* icon on the layout. A pop-up menu will appear. Select *Configure* under *Edit* in the list from this menu and browse to the location of your ARFF file.
- Next click the *Evaluation* tab at the top of the window and choose the *ClassAssigner* (allows you to choose which column to be the class) component from the toolbar. Place this on the layout.
- Now connect the *ArffLoader* to the *ClassAssigner*: first right click over the *ArffLoader* and select the *dataSet* under *Connections* in the menu. A *rubber band* line will appear. Move the mouse over the *ClassAssigner* component and left click - a red line labeled *dataSet* will connect the two components.
- Next right click over the *ClassAssigner* and choose *Configure* from the menu. This will pop up a window from which you can specify which column is the class in your data (last is the default).
- Next grab a *CrossValidationFoldMaker* component from the *Evaluation* toolbar and place it on the layout. Connect the *ClassAssigner* to the *CrossValidationFoldMaker* by right clicking over *ClassAssigner* and selecting *dataSet* from under *Connections* in the menu.
- Next click on the *Classifiers* tab at the top of the window and scroll along the toolbar until you reach the *J48* component in the *trees* section. Place a *J48* component on the layout.


- Connect the `CrossValidationFoldMaker` to `J48` TWICE by first choosing *trainingSet* and then *testSet* from the pop-up menu for the `CrossValidationFoldMaker`.
- Next go back to the *Evaluation* tab and place a *ClassifierPerformanceEvaluator* component on the layout. Connect `J48` to this component by selecting the *batchClassifier* entry from the pop-up menu for `J48`.
- Next go to the *Visualization* toolbar and place a *TextViewer* component on the layout. Connect the `ClassifierPerformanceEvaluator` to the `TextViewer` by selecting the *text* entry from the pop-up menu for `ClassifierPerformanceEvaluator`.
- Now start the flow executing by selecting *Start loading* from the pop-up menu for `ArffLoader`. Depending on how big the data set is and how long cross-validation takes you will see some animation from some of the icons in the layout (`J48`'s tree will *grow* in the icon and the ticks will animate on the `ClassifierPerformanceEvaluator`). You will also see some progress information in the *Status* bar and *Log* at the bottom of the window.

When finished you can view the results by choosing *Show results* from the pop-up menu for the *TextViewer* component.

Other cool things to add to this flow: connect a *TextViewer* and/or a *GraphViewer* to `J48` in order to view the textual or graphical representations of the trees produced for each fold of the cross validation (this is something that is not possible in the Explorer).

4.2 Plotting multiple ROC curves


The KnowledgeFlow can draw multiple ROC curves in the same plot window, something that the Explorer cannot do. In this example we use *J48* and *RandomForest* as classifiers. This example can be found on the *Weka Wiki* as well [4].



- Click on the DataSources tab and choose *ArffLoader* from the toolbar (the mouse pointer will change to a *cross hairs*).
- Next place the *ArffLoader* component on the layout area by clicking somewhere on the layout (a copy of the *ArffLoader* icon will appear on the layout area).
- Next specify an ARFF file to load by first right clicking the mouse over the *ArffLoader* icon on the layout. A pop-up menu will appear. Select *Configure* under *Edit* in the list from this menu and browse to the location of your ARFF file.
- Next click the *Evaluation* tab at the top of the window and choose the *ClassAssigner* (allows you to choose which column to be the class) component from the toolbar. Place this on the layout.
- Now connect the *ArffLoader* to the *ClassAssigner*: first right click over the *ArffLoader* and select the *dataSet* under *Connections* in the menu. A *rubber band* line will appear. Move the mouse over the *ClassAssigner* component and left click - a red line labeled *dataSet* will connect the two components.
- Next right click over the *ClassAssigner* and choose *Configure* from the menu. This will pop up a window from which you can specify which column is the class in your data (last is the default).
- Next choose the *ClassValuePicker* (allows you to choose which class label to be evaluated in the ROC) component from the toolbar. Place this on the layout and right click over *ClassAssigner* and select *dataSet* from under *Connections* in the menu and connect it with the *ClassValuePicker*.
- Next grab a *CrossValidationFoldMaker* component from the Evaluation toolbar and place it on the layout. Connect the *ClassAssigner* to the *CrossValidationFoldMaker* by right clicking over *ClassAssigner* and selecting *dataSet* from under *Connections* in the menu.

- Next click on the *Classifiers* tab at the top of the window and scroll along the toolbar until you reach the *J48* component in the *trees* section. Place a J48 component on the layout.
- Connect the *CrossValidationFoldMaker* to J48 TWICE by first choosing *trainingSet* and then *testSet* from the pop-up menu for the *CrossValidationFoldMaker*.
- Repeat these two steps with the *RandomForest* classifier.
- Next go back to the *Evaluation* tab and place a *ClassifierPerformanceEvaluator* component on the layout. Connect J48 to this component by selecting the *batchClassifier* entry from the pop-up menu for J48. Add another *ClassifierPerformanceEvaluator* for *RandomForest* and connect them via *batchClassifier* as well.
- Next go to the *Visualization* toolbar and place a *ModelPerformanceChart* component on the layout. Connect both *ClassifierPerformanceEvaluator*s to the *ModelPerformanceChart* by selecting the *thresholdData* entry from the pop-up menu for *ClassifierPerformanceEvaluator*.
- Now start the flow executing by selecting *Start loading* from the pop-up menu for *ArffLoader*. Depending on how big the data set is and how long cross validation takes you will see some animation from some of the icons in the layout. You will also see some progress information in the *Status* bar and *Log* at the bottom of the window.
- Select *Show plot* from the popup-menu of the *ModelPerformanceChart* under the *Actions* section.

Here are the two ROC curves generated from the UCI dataset *credit-g*, evaluated on the class label *good*:



References

- [1] Witten, I.H. and Frank, E. (2005) *Data Mining: Practical machine learning tools and techniques. 2nd edition* Morgan Kaufmann, San Francisco.
- [2] *WekaDoc* – <http://weka.sourceforge.net/wekadoc/>
- [3] *WekaWiki* – <http://weka.sourceforge.net/wekawiki/>
- [4] *Plotting multiple ROC curves on WekaWiki* – http://weka.sourceforge.net/wiki/index.php/Plotting_multiple_ROC_curves