


STOP SCAFFOLDING START CODING

A half-day tutorial on
developing domain-driven apps
with Apache Isis

DOMAIN DRIVEN DESIGN

- Ubiquitous Language
- With a conscious effort by the team, the domain model can provide the backbone for that common language



NAKED OBJECTS


- An architectural pattern
- A principle
- “Problem solver, not process follower”

DON'T REPEAT YOURSELF

- UI corresponds to the domain objects
- Object instances exposed as web pages
 - or as RESTful representations
- Object actions exposed as links/buttons
 - Or hypermedia controls

<http://isis.apache.org/intro/tutorials/apacheconeu-2014.html>

```
mvn archetype:generate \
-D archetypeGroupId=org.apache.isis.archetype \
-D archetypeArtifactId=simpleapp-archetype \
-D archetypeVersion=1.8.0-SNAPSHOT \
-D groupId=com.mycompany \
-D artifactId=myapp \
-D version=1.0-SNAPSHOT \
-D archetypeRepository=
  http://repository-estatio.forge.cloudbees.com/snapshot/ \
-B
```



Apache Isis

<http://isis.apache.org>

<http://www.isisaddons.org>

Restful Objects

<http://restfulobjects.org>

Estatio

<http://estatio.org>

<http://github.com/estatio/estatio>

Dan Haywood

danhaywood@apache.org

@dkhaywood

Jeroen van der Wal

jcvanderwal@apache.org

@jeroenvndrwl