




Choosing the Right Cocoa Container View




Raleigh Ledet, AppKit Engineer
Troy Stephens, AppKit Engineer

Let's Play a Game




Which of These is Not Like the Other...



Which of These is Not Like the Other...




Which of These is Not Like the Other...




Which of These is Not Like the Other...

NSTableView




NSTableView


NSTableView



NSOutlineView



NSTableView



Which of These is Not Like the Other...



Subject Name

Country IL
Organization StartCom Ltd.
Organizational Unit Secure Digital Certificate Signing
Common Name StartCom Certification Authority

Issuer Name

Country IL
Organization StartCom Ltd.
Organizational Unit Secure Digital Certificate Signing
Common Name StartCom Certification Authority

Serial Number 1
Version 3
Signature Algorithm (1.2.840.113549.1.1.5)
Parameters None


Not Valid Before Sunday, September 17, 2006 at 2:46:36 PM Central Daylight Time
Not Valid After Wednesday, September 17, 2036 at 2:46:36 PM Central Daylight Time

Public Key Info

Algorithm RSA Encryption (1.2.840.113549.1.1.1)
Parameters None
Public Key 512 bytes : C1 88 DB 09 BC 6C 46 7C ...
Exponent 65537
Key Size 4,096 bits

▼ usc26@115-30.pdf	
6536	6537
6538	6539
6540	
6541	6542
6543	6544
6545	
6546	6547
6548	

Which of These is Not Like the Other...



Subject Name

Country IL
Organization StartCom Ltd.
Organizational Unit Secure Digital Certificate Signing
Common Name StartCom Certification Authority

Issuer Name

Country IL
Organization StartCom Ltd.
Organizational Unit Secure Digital Certificate Signing
Common Name StartCom Certification Authority

Serial Number 1
Version 3
Signature Algorithm (1.2.840.113549.1.1.5)
Parameters None


Not Valid Before Sunday, September 17, 2006 at 2:46:36 PM Central Daylight Time
Not Valid After Wednesday, September 17, 2036 at 2:46:36 PM Central Daylight Time

Public Key Info

Algorithm RSA Encryption (1.2.840.113549.1.1.1)
Parameters None
Public Key 512 bytes : C1 88 DB 09 BC 6C 46 7C ...
Exponent 65537
Key Size 4,096 bits

▼ usc26@115-30.pdf	
6536	6537
6538	6539
6540	
6541	6542
6543	6544
6545	
6546	6547
6548	

Which of These is Not Like the Other...



Subject Name

Country IL
Organization StartCom Ltd.
Organizational Unit Secure Digital Certificate Signing
Common Name StartCom Certification Authority

Issuer Name

Country IL
Organization StartCom Ltd.
Organizational Unit Secure Digital Certificate Signing
Common Name StartCom Certification Authority

Serial Number 1
Version 3
Signature Algorithm (1.2.840.113549.1.1.5)
Parameters None

Not Valid Before Sunday, September 17, 2006 at 2:46:36 PM Central Daylight Time
Not Valid After Wednesday, September 17, 2036 at 2:46:36 PM Central Daylight Time

Public Key Info

Algorithm RSA Encryption (1.2.840.113549.1.1.1)
Parameters None
Public Key 512 bytes : C1 88 DB 09 BC 6C 46 7C ...
Exponent 65537
Key Size 4,096 bits

▼ usc26@115-30.pdf	
6536	6537
6538	6539
6540	
6541	6542
6543	6544
6545	
6546	6547
6548	

Which of These is Not Like the Other...

NSCollectionView



NSGridView

Subject Name

Country IL
Organization StartCom Ltd.
Organizational Unit Secure Digital Certificate Signing
Common Name StartCom Certification Authority

Issuer Name

Country IL
Organization StartCom Ltd.
Organizational Unit Secure Digital Certificate Signing
Common Name StartCom Certification Authority


Serial Number 1
Version 3
Signature Algorithm (1.2.840.113549.1.1.5)
Parameters None

Not Valid Before Sunday, September 17, 2006 at 2:46:36 PM Central Daylight Time
Not Valid After Wednesday, September 17, 2036 at 2:46:36 PM Central Daylight Time

Public Key Info

Algorithm RSA Encryption (1.2.840.113549.1.1.1)
Parameters None
Public Key 512 bytes : C1 88 DB 09 BC 6C 46 7C ...
Exponent 65537
Key Size 4,096 bits

NSCollectionView



Agenda

Container view tour

- NSStackView, NSGridView
- NSTableView, NSOutlineView, NSBrowser, NSCollectionView

Choosing the right container view

Case studies

Let's Unpack Some Container Views

Troy Stephens, AppKit Engineer

Fundamentals

Fundamentals

Present content

Fundamentals

Present content

Apply desired layout

Fundamentals

Present content

Apply desired layout

Keep it simple, reuse common solutions

Fundamentals

Present content

Apply desired layout

Keep it simple, reuse common solutions

Accommodate arbitrary content


0


1

3

4

2





0

1

2

3

4

0


1

2

3


4

NSScrollView



NSScrollView


Flows views in a single column or row



NSStackView

Flows views in a single column or row

Configurable edge insets




NSStackView

Flows views in a single column or row

Configurable edge insets

Configurable alignment




NSStackView

Flows views in a single column or row

Configurable edge insets

Configurable alignment




NSStackView

Flows views in a single column or row

Configurable edge insets

Configurable alignment




NSStackView

Flows views in a single column or row

Configurable edge insets

Configurable alignment




NSStackView

Flows views in a single column or row

Configurable edge insets

Configurable alignment

Optionally fill cross dimension



NSScrollView


Flows views in a single column or row

Configurable edge insets

Configurable alignment

Optionally fill cross dimension

Your Auto Layout constraints set heights



NSScrollView


Flows views in a single column or row

Configurable edge insets

Configurable alignment

Optionally fill cross dimension

Your Auto Layout constraints set heights



NSScrollView


Flows views in a single column or row

Configurable edge insets

Configurable alignment

Optionally fill cross dimension

Your Auto Layout constraints set heights



NSScrollView


Flows views in a single column or row

Configurable edge insets

Configurable alignment

Optionally fill cross dimension

Your Auto Layout constraints set heights



NSStackView

Flows views in a single column or row


Configurable edge insets

Configurable alignment


Optionally fill cross dimension

Your Auto Layout constraints set heights

Configurable spacing




NSStackView



NSStackView


Adapts on resize



NSScrollView

Adapts on resize


Can automatically drop low-priority views



NSScrollView

Adapts on resize


Can automatically drop low-priority views



NSStackView

Adapts on resize


Can automatically drop low-priority views



NSStackView

NSScrollView

“Gravity” areas (sections)




NSScrollView

“Gravity” areas (sections)



NSScrollView


“Gravity” areas (sections)



NSScrollView

“Gravity” areas (sections)


Left-to-Right (LTR)



NSScrollView

“Gravity” areas (sections)

Right-to-Left (RTL)




NSScrollView

“Gravity” areas (sections)


Easier UI layout localization

Right-to-Left (RTL)




NSStackView


NSStackView



NSStackView



NSStackView




NSStackView



NSStackView



NSStackView



NSStackView



NSScrollView



Advanced layouts through composition!

NSStackView

[Learn more](#)

Mysteries of Auto Layout, Part 1


WWDC15


Guides

- Auto Layout Cookbook

Sample Code

- InfoBarStackView, Exhibition






Appearance: Blue For Buttons, Menus, and Windows

Use dark menu bar and Dock


Automatically hide and show the menu bar

Highlight color: Blue


Sidebar icon size: Medium




NSStackView?



NSStackView?




NSStackView?




Appearance:	<input type="color" value="#0070C0"/> Blue	For Buttons, Menus, and Windows
	<input type="checkbox"/>	Use dark menu bar and Dock
	<input type="checkbox"/>	Automatically hide and show the menu bar
Highlight color:	<input type="color" value="#0070C0"/> Blue	
Sidebar icon size:	<input type="button" value="Medium"/>	

NSGridView




NSGridView



NSGridView


Coordinated rows and columns



NSGridView

Coordinated rows and columns

Align corresponding views




NSGridView

Coordinated rows and columns

Align corresponding views

Simple control over size, alignment, and spacing




NSGridView

Coordinated rows and columns

Align corresponding views

Simple control over size, alignment, and spacing




NSGridView

Coordinated rows and columns

Align corresponding views

Simple control over size, alignment, and spacing

Automatically adapts for right-to-left languages





NSGridView

Coordinated rows and columns

Align corresponding views

Simple control over size, alignment, and spacing

Automatically adapts for right-to-left languages





NSGridView

Coordinated rows and columns

Align corresponding views

Simple control over size, alignment, and spacing

Automatically adapts for right-to-left languages



NSGridView

Learn more

What's New in Auto Layout

WWDC16

NSGridView and NSScrollView

NSGridView and NSScrollView

Great for easy layout and presentation of arrays of views

NSGridView and NSScrollView

Great for easy layout and presentation of arrays of views

But what if we need:

NSGridView and NSScrollView

Great for easy layout and presentation of arrays of views

But what if we need:

- Other kinds of layouts

NSGridView and NSScrollView

Great for easy layout and presentation of arrays of views

But what if we need:

- Other kinds of layouts
- Item selection

NSGridView and NSScrollView

Great for easy layout and presentation of arrays of views

But what if we need:

- Other kinds of layouts
- Item selection
- Drag and Drop

NSGridView and NSScrollView

Great for easy layout and presentation of arrays of views

But what if we need:

- Other kinds of layouts
- Item selection
- Drag and Drop
- Scalability to unbounded item sets

**What if We Want to
Build a More Interactive Grid?**

	accountsd	0.1	3.15	4	0	395	appleseed
 Activity Monitor		1.6	20.96	9	1	921	appleseed
 AirPlayUIAgent		0.0	0.37	4	0	471	appleseed
akd		0.0	0.63	3	0	447	appleseed
 AppleConnectAgent		0.0	1.08	5	0	457	appleseed
AppleIDAuthAgent		0.0	0.35	5	0	467	appleseed
AppleSpell		0.0	2.92	2	0	565	appleseed
askpermissiond		0.0	0.04	2	0	470	appleseed
AssetCacheLocatorService		0.0	0.14	3	0	544	appleseed
assistant_service		0.0	0.80	2	0	541	appleseed
assistantd		0.0	0.87	4	0	453	appleseed
bash		0.0	0.01	1	0	808	appleseed
bird		0.0	4.20	2	0	407	appleseed
CalendarAgent		0.0	1.89	3	0	436	appleseed
CallHistoryPluginHelper		0.0	0.04	2	0	487	appleseed
CallHistorySyncHelper		0.0	0.07	2	0	503	appleseed
callservicesd		0.0	0.45	2	0	391	appleseed
CalNCService		0.0	0.67	2	0	443	appleseed
cdpd		0.0	0.03	2	0	558	appleseed
cfprefsd		0.1	1.76	6	0	369	appleseed
cloudd		0.1	8.44	18	2	448	appleseed
CloudKeychainProxy		0.0	0.03	2	0	446	appleseed
cloudnaird		0.0	0.46	2	0	472	appleseed

	accountsd	0.1	3.15	4	0	395	appleseed
	Activity Monitor	1.6	20.96	9	1	921	appleseed
	AirPlayUIAgent	0.0	0.37	4	0	471	appleseed
	akd	0.0	0.63	3	0	447	appleseed
	AppleConnectAgent	0.0	1.08	5	0	457	appleseed
	AppleIDAuthAgent	0.0	0.35	5	0	467	appleseed
	AppleSpell	0.0	2.92	2	0	565	appleseed
	askpermissiond	0.0	0.04	2	0	470	appleseed
	AssetCacheLocatorService	0.0	0.14	3	0	544	appleseed
	assistant_service	0.0	0.80	2	0	541	appleseed
	assistantd	0.0	0.87	4	0	453	appleseed
	bash	0.0	0.01	1	0	808	appleseed
	bird	0.0	4.20	2	0	407	appleseed
	CalendarAgent	0.0	1.89	3	0	436	appleseed
	CallHistoryPluginHelper	0.0	0.04	2	0	487	appleseed
	CallHistorySyncHelper	0.0	0.07	2	0	503	appleseed
	callservicesd	0.0	0.45	2	0	391	appleseed
	CalNCService	0.0	0.67	2	0	443	appleseed
	cdpd	0.0	0.03	2	0	558	appleseed
	cfprefsd	0.1	1.76	6	0	369	appleseed
	cloudd	0.1	8.44	18	2	448	appleseed
	CloudKeychainProxy	0.0	0.03	2	0	446	appleseed
	cloudnaird	0.0	0.46	2	0	472	appleseed

	accountsd	0.1	3.15	4	0	395	appleseed
	Activity Monitor	1.6	20.96	9	1	921	appleseed
	AirPlayUIAgent	0.0	0.37	4	0	471	appleseed
	akd	0.0	0.63	3	0	447	appleseed
	AppleConnectAgent	0.0	1.08	5	0	457	appleseed
	AppleIDAuthAgent	0.0	0.35	5	0	467	appleseed
	AppleSpell	0.0	2.92	2	0	565	appleseed
	askpermissiond	0.0	0.04	2	0	470	appleseed
	AssetCacheLocatorService	0.0	0.14	3	0	544	appleseed
	assistant_service	0.0	0.80	2	0	541	appleseed
	assistantd	0.0	0.87	4	0	453	appleseed
	bash	0.0	0.01	1	0	808	appleseed
	bird	0.0	4.20	2	0	407	appleseed
	CalendarAgent	0.0	1.89	3	0	436	appleseed
	CallHistoryPluginHelper	0.0	0.04	2	0	487	appleseed
	CallHistorySyncHelper	0.0	0.07	2	0	503	appleseed
	callservicesd	0.0	0.45	2	0	391	appleseed
	CalNCService	0.0	0.67	2	0	443	appleseed
	cdpd	0.0	0.03	2	0	558	appleseed
	cfprefsd	0.1	1.76	6	0	369	appleseed
	cloudd	0.1	8.44	18	2	448	appleseed
	CloudKeychainProxy	0.0	0.03	2	0	446	appleseed
	cloudnaird	0.0	0.46	2	0	472	appleseed

	accountsd	0.1	3.15	4	0	395	appleseed
	Activity Monitor	1.6	20.96	9	1	921	appleseed
	AirPlayUIAgent	0.0	0.37	4	0	471	appleseed
	akd	0.0	0.63	3	0	447	appleseed
	AppleConnectAgent	0.0	1.08	5	0	457	appleseed
	AppleIDAuthAgent	0.0	0.35	5	0	467	appleseed
	AppleSpell	0.0	2.92	2	0	565	appleseed
	askpermissiond	0.0	0.04	2	0	470	appleseed
	AssetCacheLocatorService	0.0	0.14	3	0	544	appleseed
	assistant_service	0.0	0.80	2	0	541	appleseed
	assistantd	0.0	0.87	4	0	453	appleseed
	bash	0.0	0.01	1	0	808	appleseed
	bird	0.0	4.20	2	0	407	appleseed
	CalendarAgent	0.0	1.89	3	0	436	appleseed
	CallHistoryPluginHelper	0.0	0.04	2	0	487	appleseed
	CallHistorySyncHelper	0.0	0.07	2	0	503	appleseed
	callservicesd	0.0	0.45	2	0	391	appleseed
	CalNCService	0.0	0.67	2	0	443	appleseed
	cdpd	0.0	0.03	2	0	558	appleseed
	cfprefsd	0.1	1.76	6	0	369	appleseed
	cloudd	0.1	8.44	18	2	448	appleseed
	CloudKeychainProxy	0.0	0.03	2	0	446	appleseed
	cloudnaird	0.0	0.46	2	0	472	appleseed

accountsd	0.0	3.15	2	1	395	appleseed
 Activity Monitor	1.5	21.03	9	0	921	appleseed
 AirPlayUIAgent	0.0	0.37	4	0	471	appleseed
akd	0.0	0.63	3	0	447	appleseed
 AppleConnectAgent	0.0	1.08	5	0	457	appleseed
AppleIDAuthAgent	0.0	0.35	5	0	467	appleseed
AppleSpell	0.0	2.92	2	0	565	appleseed
askpermissiond	0.0	0.04	2	0	470	appleseed
AssetCacheLocatorService	0.0	0.14	3	0	544	appleseed
assistant_service	0.0	0.80	2	0	541	appleseed
assistantd	0.0	0.87	4	0	453	appleseed
bash	0.0	0.01	1	0	808	appleseed
bird	0.0	4.20	2	0	407	appleseed
CalendarAgent	0.0	1.89	3	0	436	appleseed
CallHistoryPluginHelper	0.0	0.04	2	0	487	appleseed
CallHistorySyncHelper	0.0	0.07	2	0	503	appleseed
callservicesd	0.0	0.45	2	0	391	appleseed
CalNCService	0.0	0.67	2	0	443	appleseed
cdpd	0.0	0.03	2	0	558	appleseed
cfprefsd	0.1	1.76	6	0	369	appleseed
cloudd	0.0	8.44	6	3	448	appleseed
CloudKeychainProxy	0.0	0.03	2	0	446	appleseed
cloudnaird	0.0	0.46	2	0	472	appleseed

accountsd	0.0	3.15	2	0	395	appleseed	
 Activity Monitor	3.4	21.35	9	4	921	appleseed	
 AirPlayUIAgent	0.0	0.38	4	1	471	appleseed	
akd	0.0	0.63	3	0	447	appleseed	
 AppleConnectAgent	0.0	1.08	5	1	457	appleseed	
AppleIDAuthAgent	0.0	0.35	5	0	467	appleseed	
AppleSpell	0.0	2.92	2	0	565	appleseed	
askpermissiond	0.0	0.04	2	0	470	appleseed	
AssetCacheLocatorService	0.0	0.14	3	0	544	appleseed	
assistant_service	0.0	0.80	2	0	541	appleseed	
assistantd	0.0	0.87	4	0	453	appleseed	
bash	0.0	0.01	1	0	808	appleseed	
bird	0.0	4.20	2	0	407	appleseed	
CalendarAgent	0.0	1.89	3	0	436	appleseed	
CallHistoryPluginHelper	0.0	0.04	2	0	487	appleseed	
CallHistorySyncHelper	0.0	0.07	2	0	503	appleseed	
callservicesd	0.0	0.45	2	0	391	appleseed	
CalNCService	0.0	0.67	2	0	443	appleseed	
cdpd	0.0	0.03	2	0	558	appleseed	
cfprefsd	0.0	1.77	4	0	369	appleseed	
cloudd	0.0	8.44	9	1	448	appleseed	
CloudKeychainProxy	0.0	0.03	2	0	446	appleseed	
cloudnaird	0.0	0.46	2	0	472	appleseed	

	accountsd	0.1	3.15	4	0	395	appleseed
 Activity Monitor		1.6	20.96	9	1	921	appleseed
 AirPlayUIAgent		0.0	0.37	4	0	471	appleseed
akd		0.0	0.63	3	0	447	appleseed
 AppleConnectAgent		0.0	1.08	5	0	457	appleseed
AppleIDAuthAgent		0.0	0.35	5	0	467	appleseed
AppleSpell		0.0	2.92	2	0	565	appleseed
askpermissiond		0.0	0.04	2	0	470	appleseed
AssetCacheLocatorService		0.0	0.14	3	0	544	appleseed
assistant_service		0.0	0.80	2	0	541	appleseed
assistantd		0.0	0.87	4	0	453	appleseed
bash		0.0	0.01	1	0	808	appleseed
bird		0.0	4.20	2	0	407	appleseed
CalendarAgent		0.0	1.89	3	0	436	appleseed
CallHistoryPluginHelper		0.0	0.04	2	0	487	appleseed
CallHistorySyncHelper		0.0	0.07	2	0	503	appleseed
callservicesd		0.0	0.45	2	0	391	appleseed
CalNCService		0.0	0.67	2	0	443	appleseed
cdpd		0.0	0.03	2	0	558	appleseed
cfprefsd		0.1	1.76	6	0	369	appleseed
cloudd		0.1	8.44	18	2	448	appleseed
CloudKeychainProxy		0.0	0.03	2	0	446	appleseed
cloudnaird		0.0	0.46	2	0	472	appleseed

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
accountsd	0.1	3.15	4	0	395	appleseed
Activity Monitor	1.6	20.96	9	1	921	appleseed
AirPlayUIAgent	0.0	0.37	4	0	471	appleseed
akd	0.0	0.63	3	0	447	appleseed
AppleConnectAgent	0.0	1.08	5	0	457	appleseed
AppleIDAuthAgent	0.0	0.35	5	0	467	appleseed
AppleSpell	0.0	2.92	2	0	565	appleseed
askpermissiond	0.0	0.04	2	0	470	appleseed
AssetCacheLocatorService	0.0	0.14	3	0	544	appleseed
assistant_service	0.0	0.80	2	0	541	appleseed
assistantd	0.0	0.87	4	0	453	appleseed
bash	0.0	0.01	1	0	808	appleseed
bird	0.0	4.20	2	0	407	appleseed
CalendarAgent	0.0	1.89	3	0	436	appleseed
CallHistoryPluginHelper	0.0	0.04	2	0	487	appleseed
CallHistorySyncHelper	0.0	0.07	2	0	503	appleseed
callservicesd	0.0	0.45	2	0	391	appleseed
CalNCService	0.0	0.67	2	0	443	appleseed
cdpd	0.0	0.03	2	0	558	appleseed
cfprefsd	0.1	1.76	6	0	369	appleseed
cloudd	0.1	8.44	18	2	448	appleseed
CloudKeychainProxy	0.0	0.03	2	0	446	appleseed
cloudnaird	0.0	0.46	2	0	472	appleseed

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
accountsd	0.1	3.15	4	0	395	appleseed
Activity Monitor	1.6	20.96	9	1	921	appleseed
AirPlayUIAgent	0.0	0.37	4	0	471	appleseed
akd	0.0	0.63	3	0	447	appleseed
AppleConnectAgent	0.0	1.08	5	0	457	appleseed
AppleIDAuthAgent	0.0	0.35	5	0	467	appleseed
AppleSpell	0.0	2.92	2	0	565	appleseed
askpermissiond	0.0	0.04	2	0	470	appleseed
AssetCacheLocatorService	0.0	0.14	3	0	544	appleseed
assistant_service	0.0	0.80	2	0	541	appleseed
assistantd	0.0	0.87	4	0	453	appleseed
bash	0.0	0.01	1	0	808	appleseed
bird	0.0	4.20	2	0	407	appleseed
CalendarAgent	0.0	1.89	3	0	436	appleseed
CallHistoryPluginHelper	0.0	0.04	2	0	487	appleseed
CallHistorySyncHelper	0.0	0.07	2	0	503	appleseed
callservicesd	0.0	0.45	2	0	391	appleseed
CalNCService	0.0	0.67	2	0	443	appleseed
cdpd	0.0	0.03	2	0	558	appleseed
cfprefsd	0.1	1.76	6	0	369	appleseed
cloudd	0.1	8.44	18	2	448	appleseed
CloudKeychainProxy	0.0	0.03	2	0	446	appleseed
cloudnaird	0.0	0.46	2	0	472	appleseed

Process Name		% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
accountsd		0.1	3.15	4	0	395	appleseed
Activity Monitor		1.6	20.96	9	1	921	appleseed
AirPlayUIAgent		0.0	0.37	4	0	471	appleseed
akd		0.0	0.63	3	0	447	appleseed
AppleConnectAgent		0.0	1.08	5	0	457	appleseed
AppleIDAuthAgent		0.0	0.35	5	0	467	appleseed
AppleSpell		0.0	2.92	2	0	565	appleseed
askpermissiond		0.0	0.04	2	0	470	appleseed
AssetCacheLocatorService		0.0	0.14	3	0	544	appleseed
assistant_service		0.0	0.80	2	0	541	appleseed
assistantd		0.0	0.87	4	0	453	appleseed
bash		0.0	0.01	1	0	808	appleseed
bird		0.0	4.20	2	0	407	appleseed
CalendarAgent		0.0	1.89	3	0	436	appleseed
CallHistoryPluginHelper		0.0	0.04	2	0	487	appleseed
CallHistorySyncHelper		0.0	0.07	2	0	503	appleseed
callservicesd		0.0	0.45	2	0	391	appleseed
CalNCService		0.0	0.67	2	0	443	appleseed
cdpd		0.0	0.03	2	0	558	appleseed
cfprefsd		0.1	1.76	6	0	369	appleseed
cloudd		0.1	8.44	18	2	448	appleseed
CloudKeychainProxy		0.0	0.03	2	0	446	appleseed
cloudnaird		0.0	0.46	2	0	472	appleseed

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
WiFiVelocityAgent	0.0	0.14	2	0	556	appleseed
WiFiProxy	0.0	0.15	2	0	493	appleseed
Wi-Fi	0.0	0.34	5	0	475	appleseed
warmd_agent	0.0	0.02	2	0	598	appleseed
ViewBridgeAuxiliary	0.0	0.53	2	0	492	appleseed
videosubscriptionsd	0.0	0.11	2	0	509	appleseed
usernoted	0.0	0.84	2	0	427	appleseed
UserEventAgent	0.0	1.22	3	0	370	appleseed
useractivityd	0.0	0.54	2	0	449	appleseed
USBAgent	0.0	0.02	2	0	705	appleseed
trustd	0.0	6.82	6	0	377	appleseed
Touch Bar agent	0.0	0.65	2	0	374	appleseed
Terminal	0.0	1.10	7	1	806	appleseed
tccd	0.0	0.37	2	0	404	appleseed
SystemUIServer	0.0	2.23	5	0	397	appleseed
System Preferences	0.0	3.90	18	1	390	appleseed
swcd	0.0	0.05	2	0	923	appleseed
suggestd	0.0	48.65	2	0	439	appleseed
storelegacy	0.0	0.05	2	0	547	appleseed
storedownloadd	0.0	0.09	2	0	417	appleseed
storeassetted	0.0	0.19	2	0	494	appleseed
storeaccountd	0.0	0.29	3	0	444	appleseed
Spotlight	0.0	1.92	6	0	450	appleseed

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
WiFiVelocityAgent	0.0	0.14	2	0	556	appleseed
WiFiProxy	0.0	0.15	2	0	493	appleseed
Wi-Fi	0.0	0.34	5	0	475	appleseed
warmd_agent	0.0	0.02	2	0	598	appleseed
ViewBridgeAuxiliary	0.0	0.53	2	0	492	appleseed
videosubscriptionsd	0.0	0.11	2	0	509	appleseed
usernoted	0.0	0.84	2	0	427	appleseed
UserEventAgent	0.0	1.22	3	0	370	appleseed
useractivityd	0.0	0.54	2	0	449	appleseed
USBAgent	0.0	0.02	2	0	705	appleseed
trustd	0.0	6.82	6	0	377	appleseed
Touch Bar agent	0.0	0.65	2	0	374	appleseed
Terminal	0.0	1.10	7	1	806	appleseed
tccd	0.0	0.37	2	0	404	appleseed
SystemUIServer	0.0	2.23	5	0	397	appleseed
System Preferences	0.0	3.90	18	1	390	appleseed
swcd	0.0	0.05	2	0	923	appleseed
suggestd	0.0	48.65	2	0	439	appleseed
storelegacy	0.0	0.05	2	0	547	appleseed
storedownloadd	0.0	0.09	2	0	417	appleseed
storeassetted	0.0	0.19	2	0	494	appleseed
storeaccountd	0.0	0.29	3	0	444	appleseed
Spotlight	0.0	1.92	6	0	450	appleseed

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
Activity Monitor	1.4	22.82	7	1	921	appleseed
SystemUIServer	0.1	2.24	5	1	397	appleseed
Keynote	0.0	1:44.21	7	1	630	appleseed
SafariCloudHistoryPushAgent	0.0	1.16	4	1	543	appleseed
Mail	0.0	1:42.54	10	0	878	appleseed
nsurlstoraged	0.0	3.19	5	0	426	appleseed
Safari Networking	0.0	57.01	8	0	499	appleseed
Dock	0.0	3.37	3	0	392	appleseed
Finder	0.0	3.06	6	0	398	appleseed
useractivityd	0.0	0.54	3	0	449	appleseed
accountsd	0.0	3.16	5	0	395	appleseed
cfprefsd	0.0	1.79	3	0	369	appleseed
com.apple.appkit.xpc.openA...	0.0	2.26	4	1	634	appleseed
com.apple.preference.energy...	0.0	0.58	5	0	855	appleseed
sharingd	0.0	1.56	3	0	451	appleseed
cloudd	0.0	8.46	6	0	448	appleseed
Safari	0.0	2:36.79	9	1	386	appleseed
Safari Database Storage	0.0	0.23	4	0	655	appleseed
Mail Web Content	0.0	0.40	7	1	885	appleseed
LaterAgent	0.0	0.32	4	0	549	appleseed
com.apple.dock.extra	0.0	0.50	4	1	452	appleseed
com.apple.preference.displa...	0.0	0.24	4	0	857	appleseed
AppleConnectAgent	0.0	1.08	6	0	457	appleseed

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
 Activity Monitor	1.4	22.82	7	1	921	appleseed
 SystemUIServer	0.1	2.24	5	1	397	appleseed
 Keynote	0.0	1:44.21	7	1	630	appleseed
SafariCloudHistoryPushAgent	0.0	1.16	4	1	543	appleseed
 Mail	0.0	1:42.54	10	0	878	appleseed
nsurlstoraged	0.0	3.19	5	0	426	appleseed
 Safari Networking	0.0	57.01	8	0	499	appleseed
 Dock	0.0	3.37	3	0	392	appleseed
 Finder	0.0	3.06	6	0	398	appleseed
useractivityd	0.0	0.54	3	0	449	appleseed
accountsd	0.0	3.16	5	0	395	appleseed
cfprefsd	0.0	1.79	3	0	369	appleseed
 com.apple.appkit.xpc.openA...	0.0	2.26	4	1	634	appleseed
 com.apple.preference.energy...	0.0	0.58	5	0	855	appleseed
sharingd	0.0	1.56	3	0	451	appleseed
cloudd	0.0	8.46	6	0	448	appleseed
 Safari	0.0	2:36.79	9	1	386	appleseed
 Safari Database Storage	0.0	0.23	4	0	655	appleseed
 Mail Web Content	0.0	0.40	7	1	885	appleseed
 LaterAgent	0.0	0.32	4	0	549	appleseed
 com.apple.dock.extra	0.0	0.50	4	1	452	appleseed
 com.apple.preference.displa...	0.0	0.24	4	0	857	appleseed
 AppleConnectAgent	0.0	1.08	6	0	457	appleseed

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
QuickTime Player	20.0	4.64	13	407	1019	appleseed
Activity Monitor	6.3	31.47	9	3	921	appleseed
cloudd	1.0	9.52	14	1	448	appleseed
Control Strip	0.6	3.25	4	0	378	appleseed
nsurlsessiond	0.4	3.11	7	0	433	appleseed
bird	0.3	4.47	6	0	407	appleseed
Keynote	0.2	1:44.36	7	0	630	appleseed
Mail	0.2	1:42.85	10	0	878	appleseed
Finder	0.2	3.21	5	1	398	appleseed
Safari	0.1	2:42.07	8	1	386	appleseed
Terminal	0.1	1.12	6	0	806	appleseed
System Preferences	0.1	3.92	17	0	390	appleseed
Spotlight	0.1	1.95	5	0	450	appleseed
akd	0.1	0.75	5	0	447	appleseed
accountsda	0.1	3.45	3	0	395	appleseed
Touch Bar agent	0.1	0.69	2	0	374	appleseed
Safari Networking	0.1	59.01	7	1	499	appleseed
cfprefsd	0.0	1.88	3	0	369	appleseed
trustd	0.0	7.15	7	0	377	appleseed
loginwindow	0.0	5.37	2	1	102	appleseed
AppleConnectAgent	0.0	1.11	6	1	457	appleseed
SafariCloudHistoryPushAgent	0.0	1.21	4	1	543	appleseed
SystemUIServer	0.0	2.28	5	0	397	appleseed

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
QuickTime Player	20.0	4.64	13	407	1019	appleseed
Activity Monitor	6.3	31.47	9	3	921	appleseed
cloudd	1.0	9.52	14	1	448	appleseed
Control Strip	0.6	3.25	4	0	378	appleseed
nsurlsessiond	0.4	3.11	7	0	433	appleseed
bird	0.3	4.47	6	0	407	appleseed
Keynote	0.2	1:44.36	7	0	630	appleseed
Mail	0.2	1:42.85	10	0	878	appleseed
Finder	0.2	3.21	5	1	398	appleseed
Safari	0.1	2:42.07	8	1	386	appleseed
Terminal	0.1	1.12	6	0	806	appleseed
System Preferences	0.1	3.92	17	0	390	appleseed
Spotlight	0.1	1.95	5	0	450	appleseed
akd	0.1	0.75	5	0	447	appleseed
accountsda	0.1	3.45	3	0	395	appleseed
Touch Bar agent	0.1	0.69	2	0	374	appleseed
Safari Networking	0.1	59.01	7	1	499	appleseed
cfprefsd	0.0	1.88	3	0	369	appleseed
trustd	0.0	7.15	7	0	377	appleseed
loginwindow	0.0	5.37	2	1	102	appleseed
AppleConnectAgent	0.0	1.11	6	1	457	appleseed
SafariCloudHistoryPushAgent	0.0	1.21	4	1	543	appleseed
SystemUIServer	0.0	2.28	5	0	397	appleseed

NSTableView

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
QuickTime Player	20.0	4.64	13	407	1019	appleseed
Activity Monitor	6.3	31.47	9	3	921	appleseed
cloudd	1.0	9.52	14	1	448	appleseed
Control Strip	0.6	3.25	4	0	378	appleseed
nsurlsessiond	0.4	3.11	7	0	433	appleseed
bird	0.3	4.47	6	0	407	appleseed
Keynote	0.2	1:44.36	7	0	630	appleseed
Mail	0.2	1:42.85	10	0	878	appleseed
Finder	0.2	3.21	5	1	398	appleseed
Safari	0.1	2:42.07	8	1	386	appleseed
Terminal	0.1	1.12	6	0	806	appleseed
System Preferences	0.1	3.92	17	0	390	appleseed
Spotlight	0.1	1.95	5	0	450	appleseed
akd	0.1	0.75	5	0	447	appleseed
accountsd	0.1	3.45	3	0	395	appleseed
Touch Bar agent	0.1	0.69	2	0	374	appleseed
Safari Networking	0.1	59.01	7	1	499	appleseed
cfprefsd	0.0	1.88	3	0	369	appleseed
trustd	0.0	7.15	7	0	377	appleseed
loginwindow	0.0	5.37	2	1	102	appleseed
AppleConnectAgent	0.0	1.11	6	1	457	appleseed
SafariCloudHistoryPushAgent	0.0	1.21	4	1	543	appleseed
SystemUIServer	0.0	2.28	5	0	397	appleseed

NSTableView

Interactive, vertical list view

Process Name	% CPU	CPU Time	Threads
Activity Monitor	1.4	22.82	7
SystemUIServer	0.1	2.24	5
Keynote	0.0	1:44.21	7
SafariCloudHistoryPushAgent	0.0	1.16	4
Mail	0.0	1:42.54	10
nsurlstoraged	0.0	3.19	5
Safari Networking	0.0	57.01	8
Dock	0.0	3.37	3
Finder	0.0	3.06	6
useractivityd	0.0	0.54	3
accountsd	0.0	3.16	5
cfprefsd	0.0	1.79	3
com.apple.appkit.xpc.openA...	0.0	2.26	4
com.apple.preference.energy...	0.0	0.58	5
sharingd	0.0	1.56	3
cloudd	0.0	8.46	6
Safari	0.0	2:36.79	9
Safari Database Storage	0.0	0.23	4
Mail Web Content	0.0	0.40	7
LaterAgent	0.0	0.32	4
com.apple.dock.extra	0.0	0.50	4
com.apple.preference.displa...	0.0	0.24	4
AppleConnectAgent	0.0	1.08	6

NSTableView

Interactive, vertical list view


Can be single-column

Process Name
Activity Monitor
SystemUIServer
Keynote
SafariCloudHistoryPushAgent
Mail
nsurlstoraged
Safari Networking
Dock
Finder
useractivityd
accountsd
cfprefsd
com.apple.appkit.xpc.openA...
com.apple.preference.energy...
sharingd
cloudd
Safari
Safari Database Storage
Mail Web Content
LaterAgent
com.apple.dock.extra
com.apple.preference.displa...
AppleConnectAgent

NSTableView

Interactive, vertical list view


Can be single-column



NSTableView

Interactive, vertical list view


Can be single-column



NSTableView

Interactive, vertical list view

Can be single-column




NSTableView

Interactive, vertical list view

Can be single-column

Arbitrary item content



NSTableView

Interactive, vertical list view

Can be single-column

Arbitrary item content

Type-selection, keyboard navigation

NSTableView

Interactive, vertical list view

Can be single-column

Arbitrary item content

Type-selection, keyboard navigation

Group rows

	Images	Date Modified	Kind
	family.jpg	Today at 1:40 PM	JPEG image
	kids.jpg	Today at 1:41 PM	JPEG image
	troop42.jpg	Today at 1:41 PM	JPEG image
	PDF Documents		
	2017-4037-Form-5498.pdf	Today at 1:35 PM	PDF docume
	HID User Tables.pdf	Today at 1:34 PM	PDF docume
	My Great Novel.pdf	Today at 1:33 PM	PDF docume
	Sales Report.pdf	Today at 1:35 PM	PDF docume
	Sun Palace Manual.pdf	Today at 1:33 PM	PDF docume
	Movies		
	Jammin.mov	Today at 1:36 PM	QT movie
	Developer		
	HelloWorld.m	Today at 1:37 PM	Objective-C
	HelloWorld.py	Today at 1:37 PM	Python Sourc
	HellowWorld.swift	Today at 1:37 PM	Swift Source
	Other		
	Contracts.zip	Today at 1:39 PM	ZIP archive
	Documents.zip	Today at 1:40 PM	ZIP archive
	Installer.dmg	Today at 1:39 PM	Disk Image
	Resources.zip	Today at 1:38 PM	ZIP archive
	Scanned	Today at 1:40 PM	TextEdit

NSTableView

Interactive, vertical list view

Can be single-column

Arbitrary item content

Type-selection, keyboard navigation

Group rows

Images	Date Modified	Kind
family.jpg	Today at 1:40 PM	JPEG image
kids.jpg	Today at 1:41 PM	JPEG image
troop42.jpg	Today at 1:41 PM	JPEG image
PDF Documents		
2017-4037-Form-5498.pdf	Today at 1:35 PM	PDF docume
HID User Tables.pdf	Today at 1:34 PM	PDF docume
My Great Novel.pdf	Today at 1:33 PM	PDF docume
Sales Report.pdf	Today at 1:35 PM	PDF docume
Sun Palace Manual.pdf	Today at 1:33 PM	PDF docume
Movies		
Jammin.mov	Today at 1:36 PM	QT movie
Developer		
HelloWorld.m	Today at 1:37 PM	Objective-C
HelloWorld.py	Today at 1:37 PM	Python Sourc
HellowWorld.swift	Today at 1:37 PM	Swift Sourc
Other		
Contracts.zip	Today at 1:39 PM	ZIP archive
Documents.zip	Today at 1:40 PM	ZIP archive
Installer.dmg	Today at 1:39 PM	Disk Image
Resources.zip	Today at 1:38 PM	ZIP archive
Scanned	Today at 1:40 PM	TextEdit

NSTableView


Interactive, vertical list view

Can be single-column

Arbitrary item content

Type-selection, keyboard navigation

Group rows



NSTableView


Interactive, vertical list view

Can be single-column

Arbitrary item content

Type-selection, keyboard navigation

Group rows



NSTableView

Interactive, vertical list view


Can be single-column

Arbitrary item content

Type-selection, keyboard navigation

Group rows

Variable row height



NSTableView

Interactive, vertical list view


Can be single-column

Arbitrary item content

Type-selection, keyboard navigation

Group rows

Variable row height



NSTableView

Interactive, vertical list view

Can be single-column


Arbitrary item content

Type-selection, keyboard navigation

Group rows

Variable row height

Row actions, change animations



NSTableView

Interactive, vertical list view

Can be single-column


Arbitrary item content

Type-selection, keyboard navigation

Group rows

Variable row height

Row actions, change animations



NSTableView

Scalable to large item counts

NSTableView

Scalable to large item counts

Populate using Bindings, or a row-index-based data source

NSTableView

Scalable to large item counts

Populate using Bindings, or a row-index-based data source

Versatile, easy way to present tabular data or lists

NSTableView

[Learn more](#)

Crafting Modern Cocoa Apps

WWDC16

Guides: Table View Programming Guide for Mac


Sample Code: TableViewPlayground

What About Trees? 🌲

NSOutlineView

NSOutlineView


All the capabilities of NSTableView, plus:



NSOutlineView

All the capabilities of NSTableView, plus:


- A hierarchical data model



NSOutlineView

All the capabilities of NSTableView, plus:


- A hierarchical data model
- Tracks model objects and their children



NSOutlineView

All the capabilities of NSTableView, plus:


- A hierarchical data model
- Tracks model objects and their children
- Expandable/collapsible container nodes



NSOutlineView

All the capabilities of NSTableView, plus:

- A hierarchical data model
- Tracks model objects and their children
- Expandable/collapsible container nodes
- User can explore multiple branches simultaneously





NSOutlineView

[Learn more](#)


Guides: [Outline View Programming Topics](#), [Table View Programming Guide](#)

Sample Code: [TableViewPlayground](#)







NSBrowser




NSBrowser






NSBrowser



NSBrowser


Column-based “drill down” UI



NSBrowser

Column-based “drill down” UI

User-sizable columns




NSBrowser

Column-based “drill down” UI

User-sizable columns

Optional custom header views




NSBrowser

Column-based “drill down” UI

User-sizable columns

Optional custom header views

Optional custom preview ViewController




NSBrowser

Column-based “drill down” UI

User-sizable columns

Optional custom header views

Optional custom preview ViewController



NSBrowser


Column-based “drill down” UI

User-sizable columns

Optional custom header views

Optional custom preview ViewController

User can explore one branch at a time



NSBrowser

[Learn more](#)

Guides: [Browser Programming Topics](#)

Sample Code: [SimpleCocoaBrowser](#), [ComplexBrowser](#)

What About Custom Layouts?

NSCollectionView

A customizable, scalable data view

NSCollectionView

A customizable, scalable data view

Arbitrary, developer-defined layouts



NSCollectionView

A customizable, scalable data view

Arbitrary, developer-defined layouts


Easy, wrapped layout

NSCollectionView

A customizable, scalable data view

Arbitrary, developer-defined layouts

Easy, wrapped layout




NSCollectionView

A customizable, scalable data view

Arbitrary, developer-defined layouts

Easy, wrapped layout

Optional sections, header and footer views



NSCollectionView


A customizable, scalable data view

Arbitrary, developer-defined layouts

Easy, wrapped layout

Optional sections, header and footer views

Item selection, drag and drop



NSCollectionView

A customizable, scalable data view

Arbitrary, developer-defined layouts

Easy, wrapped layout

Optional sections, header and footer views

Item selection, drag and drop

Arbitrary item representation (view subtree)



NSCollectionView

A customizable, scalable data view

Arbitrary, developer-defined layouts

Easy, wrapped layout

Optional sections, header and footer views

Item selection, drag and drop

Arbitrary item representation (view subtree)



NSCollectionView

A customizable, scalable data view

Arbitrary, developer-defined layouts

Easy, wrapped layout

Optional sections, header and footer views

Item selection, drag and drop

Arbitrary item representation (view subtree)

Scalable, sparing item instantiation and reuse

NSCollectionView

A customizable, scalable data view

Arbitrary, developer-defined layouts

Easy, wrapped layout

Optional sections, header and footer views

Item selection, drag and drop

Arbitrary item representation (view subtree)

Scalable, sparing item instantiation and reuse

Can animate inserts/deletes/moves, transitions



NSCollectionView

A customizable, scalable data view

Arbitrary, developer-defined layouts

Easy, wrapped layout

Optional sections, header and footer views

Item selection, drag and drop

Arbitrary item representation (view subtree)

Scalable, sparing item instantiation and reuse

Can animate inserts/deletes/moves, transitions



NSCollectionView

[Learn more](#)

[What's New in NSCollectionView](#)

WWDC15

Sample Code: [CocoaSlideCollection](#)

Reference: [NSCollectionView](#), [NSCollectionViewLayout](#), and friends

Choosing the Right Container View

Raleigh Ledet, AppKit Engineer

NSStackView
NSGridView

NSCollectionView
NSTableView
NSOutlineView
NSBrowser

High level layout;
Simple, configurable

NSStackView
NSGridView

Display dynamic data
Interactivity

NSCollectionView
NSTableView
NSOutlineView
NSBrowser

Tabular

NSCollectionView
NSTableView
NSOutlineView
NSBrowser

Tree structure

Grid or custom layout

Tabular

NSTableView,
NSOutlineView

Tree structure

NSOutlineView,
NSBrowser

Grid or custom layout

NSCollectionView

Case Studies

Raleigh Ledet, AppKit Engineer

Mail: Message List

Inbox (172 messages)

Search

Mailboxes Inbox VIPs Sent Drafts (39) Flags

Sort by Date

Jennifer Baker	10/2/14
Saturday	471 bytes
Craig, Want to get a BBQ going for this Saturday? Sam and Mic...	
Nina Stewart	9/24/14
Troy's Birthday	2.7 MB
Hey Everyone, Thanks for joining us for Troy's birthday. We all...	
Darin Adler via OpenTable	6/2/14
Restaurant Invitation to Kuleto's	5 KB
Darin Adler has invited you to dine! Kuleto's Monday, June 2, 2...	
Kim Vorrath	5/12/14
X-Men Opening Day	2 KB
Anyone want to see X-Men opening day? It's getting great revie...	
Neil Maclare	3/22/14
Place for dinner	1.5 MB
Details on the team dinner below. I've heard this place is great!	

☆ Nina Stewart 1/4/12 NS

Breakfast Reservations

To: John Appleseed

Hi John,

I was thinking we could take the kids out for brunch one of these days. It'd be nice to get everyone together and the kids will have a blast. Maybe we could get four or five families together. If you're interested, let me know so I can talk to the other Dads and start looking into restaurants. The peninsula seems like a pretty central location for this event. In downtown Palo Alto, Il Fornaio and Saint Michael's Alley both do a full brunch. Il Fornaio has a private room that could work well for a large group like this. There are also some parks that are walking distance. Maybe we could give the moms some time together and take the kids to the park.

Another option is to make this a day in the city. There are a lot of great brunch spots in San Francisco. I hear Mama's is really good but I need to

Mail: Message List

Inbox (172 messages)

Search

Mailboxes Inbox VIPs Sent Drafts (39) Flags

Sort by Date

Jennifer Baker	10/2/14
Saturday	471 bytes
Craig, Want to get a BBQ going for this Saturday? Sam and Mic...	
Nina Stewart	9/24/14
Troy's Birthday	2.7 MB
Hey Everyone, Thanks for joining us for Troy's birthday. We all...	
Darin Adler via OpenTable	6/2/14
Restaurant Invitation to Kuleto's	5 KB
Darin Adler has invited you to dine! Kuleto's Monday, June 2, 2...	
Kim Vorrath	5/12/14
X-Men Opening Day	2 KB
Anyone want to see X-Men opening day? It's getting great revie...	
Neil Maclare	3/22/14
Place for dinner	1.5 MB
Details on the team dinner below. I've heard this place is great!	

☆ Nina Stewart 1/4/12 NS

Breakfast Reservations

To: John Appleseed

Hi John,

I was thinking we could take the kids out for brunch one of these days. It'd be nice to get everyone together and the kids will have a blast. Maybe we could get four or five families together. If you're interested, let me know so I can talk to the other Dads and start looking into restaurants. The peninsula seems like a pretty central location for this event. In downtown Palo Alto, Il Fornaio and Saint Michael's Alley both do a full brunch. Il Fornaio has a private room that could work well for a large group like this. There are also some parks that are walking distance. Maybe we could give the moms some time together and take the kids to the park.

Another option is to make this a day in the city. There are a lot of great brunch spots in San Francisco. I hear Mama's is really good but I need to

Mail: Message List

NSStackView

NSGridView

NSCollectionView

NSTableView

NSOutlineView

NSBrowser

Mail: Message List

Unbounded number of emails

NSStackView

NSGridView

NSCollectionView

NSTableView

NSOutlineView

NSBrowser

Mail: Message List

Unbounded number of emails

~~NSStackView~~

~~NSGridView~~

NSCollectionView

NSTableView

NSOutlineView

NSBrowser

Mail: Message List

Unbounded number of emails

~~NSStackView~~

Selectable

~~NSGridView~~

NSCollectionView

NSTableView

NSOutlineView

NSBrowser

Mail: Message List

Unbounded number of emails

~~NSStackView~~

Selectable

~~NSGridView~~

Lots of properties: sender, subject, etc...

NSCollectionView

NSTableView

NSOutlineView

NSBrowser

Mail: Message List

Unbounded number of emails

~~NSStackView~~

Selectable

~~NSGridView~~

Lots of properties: sender, subject, etc...

~~NSCollectionView~~

NSTableView

NSOutlineView

~~NSBrowser~~


Mail: Message List

Unbounded number of emails

Selectable

Lots of properties: sender, subject, etc...

NSOutlineView




Mail: Message List

Unbounded number of emails

Selectable

Lots of properties: sender, subject, etc...

NSOutlineView



Mail: Message List


Unbounded number of emails

Selectable

Lots of properties: sender, subject, etc...

Critique use of space

NSOutlineView



Mail: Message List


Unbounded number of emails

Selectable

Lots of properties: sender, subject, etc...

Critique use of space


NSOutlineView



Mail: Message List

Critique use of space

NSTableView




Mail: Message List

Critique use of space

Consider tradeoffs

NSTableView




Mail: Message List

Critique use of space

Consider tradeoffs

- Add new way to sort

NSTableView



Mail: Message List


Critique use of space

Consider tradeoffs

- Add new way to sort



NSTableView



Inbox (172 messages)

Sort by Date

Jennifer Baker 10/2/14
Saturday 471 bytes
Craig, Want to get a BBQ going for this Saturday? Sam and Mic...

Nina Stewart 9/24/14
Troy's Birthday 2.7 MB
Hey Everyone, Thanks for joining us for Troy's birthday. We all...

Darin Adler via OpenTable 6/2/14
Restaurant Invitation to Kuleto's 5 KB
Darin Adler has invited you to dine! Kuleto's Monday, June 2, 2...

Kim Vorra 5/12/14
X-Men Opening Day 2 KB
Anyone want to see X-Men opening day? It's getting great revie...

Neil Maclare 3/22/14
Place for dinner 1.5 MB
Details on the team dinner below. I've heard this place is great!

Gary Dunn 3/21/14
Exciting news! 3 KB
I've got exciting news. Do you have time to discuss next week?

Sydney Bailey 3/20/14
Breakfast Reservations 3 KB
Hi John, I was thinking we could take the kids out for brunch on...

Neil Maclare 3/13/14
Vacation 198 KB
Hey Everyone, We just got back from our vacation to the beach...

David Connelly 3/12/14
Knicks Tickets 561 bytes

Nina Stewart 1/4/12 NS

Hi John,

I was thinking we could take the kids out for brunch one of these days. It'd be nice to get everyone together and the kids will have a blast. Maybe we could get four or five families together. If you're interested, let me know so I can talk to the other Dads and start looking into restaurants. The peninsula seems like a pretty central location for this event. In downtown Palo Alto, Il Fornaio and Saint Michael's Alley both do a full brunch. Il Fornaio has a private room that could work well for a large group like this. There are also some parks that are walking distance. Maybe we could give the moms some time together and take the kids to the park.

Another option is to make this a day in the city. There are a lot of great brunch spots in San Francisco. I hear Mama's is really good but I need to find out if they take reservations. Otherwise, I hear the wait can be pretty long. After brunch, there are a lot of things we could do. The kids would love the Academy of Sciences or the Exploratorium. If we went to the Academy, we could hang out in Golden Gate Park afterwards.

Let me know what you think.

Dan

Mail: Message List


Critique use of space

Consider tradeoffs

- Add new way to sort
- Less control over size of each property



NSTableView



Inbox (172 messages)

Sort by Date

Jennifer Baker 10/2/14
Saturday 471 bytes
Craig, Want to get a BBQ going for this Saturday? Sam and Mic...

Nina Stewart 9/24/14
Troy's Birthday 2.7 MB
Hey Everyone, Thanks for joining us for Troy's birthday. We all...

Darin Adler via OpenTable 6/2/14
Restaurant Invitation to Kuleto's 5 KB
Darin Adler has invited you to dine! Kuleto's Monday, June 2, 2...

Kim Vorrath 5/12/14
X-Men Opening Day 2 KB
Anyone want to see X-Men opening day? It's getting great revie...

Neil Maclarens 3/22/14
Place for dinner 1.5 MB
Details on the team dinner below. I've heard this place is great!

Gary Dunn 3/21/14
Exciting news! 3 KB
I've got exciting news. Do you have time to discuss next week?

Sydney Bailey 3/20/14
Breakfast Reservations 3 KB
Hi John, I was thinking we could take the kids out for brunch on...

Neil Maclarens 3/13/14
Vacation 198 KB
Hey Everyone, We just got back from our vacation to the beach...

David Conelly 3/12/14
Knicks Tickets 561 bytes

NS 1/4/12

Hi John,

I was thinking we could take the kids out for brunch one of these days. It'd be nice to get everyone together and the kids will have a blast. Maybe we could get four or five families together. If you're interested, let me know so I can talk to the other Dads and start looking into restaurants. The peninsula seems like a pretty central location for this event. In downtown Palo Alto, Il Fornaio and Saint Michael's Alley both do a full brunch. Il Fornaio has a private room that could work well for a large group like this. There are also some parks that are walking distance. Maybe we could give the moms some time together and take the kids to the park.

Another option is to make this a day in the city. There are a lot of great brunch spots in San Francisco. I hear Mama's is really good but I need to find out if they take reservations. Otherwise, I hear the wait can be pretty long. After brunch, there are a lot of things we could do. The kids would love the Academy of Sciences or the Exploratorium. If we went to the Academy, we could hang out in Golden Gate Park afterwards.

Let me know what you think.

Dan


Mail: Message List

Critique use of space

Consider tradeoffs

- Add new way to sort
- Less control over size of each property
- Emphasizes most used content

NSTableView




Mail: Message List

Critique use of space

Consider tradeoffs

- Add new way to sort
- Less control over size of each property
- Emphasizes most used content




Mail: Message List

Critique use of space

Consider tradeoffs

- Add new way to sort
- Less control over size of each property
- Emphasizes most used content




Mail: Message List

Critique use of space

Consider tradeoffs

- Add new way to sort
- Less control over size of each property
- Emphasizes most used content

NSStackView




Mail: Message List

Critique use of space

Consider tradeoffs

- Add new way to sort
- Less control over size of each property
- Emphasizes most used content

NSStackView



Mail: Message List

Critique use of space

Consider tradeoffs

- Add new way to sort
- Less control over size of each property
- Emphasizes most used content

NSGridView


	Nina Stewart	9/24/14
	Troy's Birthday	2.7 MB
	Hey Everyone, Thanks for joining us for Troy's birthday. We all...	

Mail: Message List

Critique use of space

Consider tradeoffs

- Add new way to sort
- Less control over size of each property
- Emphasizes most used content




Mail: Message List

Critique use of space

Consider tradeoffs

- Add new way to sort
- Less control over size of each property
- Emphasizes most used content

NSTableView



Preview: Sidebar

The screenshot shows a PDF viewer window with two panels. The left panel displays a table titled 'TABLE I' comparing section numbers between the 1939 Code and the 1986 Code. The right panel shows the first page of the 'TITLE 26—INTERNAL REVENUE CODE' document, including its title, subtitle '(Release Point 115-30)', and a note about its preparation as aids in comparing provisions of the Internal Revenue Code of 1954 and 1939.

(Release Point 115-30)

TITLE 26—INTERNAL REVENUE CODE

ACT AUG. 16, 1954, CH. 736, 68A STAT. 3

The following tables have been prepared as aids in comparing provisions of the Internal Revenue Code of 1954 (redesignated the Internal Revenue Code of 1986 by Pub. L. 99-514, §2, Oct. 22, 1986, 100 Stat. 2095) with provisions of the Internal Revenue Code of 1939. No inferences, implications, or presumptions of legislative construction or intent are to be drawn or made by reason of such tables.

Citations to "R.A." refer to the sections of earlier Revenue Acts.

TABLE I

1939 Code section number	1986 Code section number
1	Omitted
2	7806(a)
3, 4	Omitted
11	1
12(a), (b)(1), (2)	Omitted
12(b)(3), (c)	1
12(d)	2
12(e)	Omitted
12(f)	1
12(g), 13(a)	Omitted
13(b)	11
13(c)-(f), 14	Omitted
15(a), (b)	11
15(c)	1551
21	63
22(a)	61
22(b)(1)	101
22(b)(2)(A)	72
22(b)(2)(B)	403
22(b)(3)-(5)	72
22(b)(6)	102-104
22(b)(7)	107
22(b)(8)	894
22(b)(9), (10)	115, 526, 892, 893, 911, 912, 933, 943
22(b)(11)-(14)	108
22(b)(15)	109, 111-113
22(b)(16), (17)	62
22(c)	114, 121
22(d)(1)-(5)	471
22(d)(6)	472
22(d)(7)	1321, 6155(a)
22(e)	301(a)
22(f)	1001
22(g)	861, 862, 863, 864

(Release Point 115-30)

TITLE 26—INTERNAL REVENUE CODE

ACT AUG. 16, 1954, CH. 736, 68A STAT. 3

The following tables have been prepared as aids in comparing provisions of the Internal Revenue Code of 1954 (redesignated the Internal Revenue Code of 1986 by Pub. L. 99-514, §2, Oct. 22, 1986, 100 Stat. 2095) with provisions of the Internal Revenue Code of 1939. No inferences, implications, or presumptions of legislative construction or intent are to be drawn or made by reason of such tables.

Citations to "R.A." refer to the sections of earlier Revenue Acts.

1939 Code section number	1986 Code section number
1	Omitted
2	7806(a)
3, 4	Omitted
11	1
12(a), (b)(1), (2)	Omitted
12(b)(3), (c)	1
12(d)	2
12(e)	Omitted
12(f)	1
12(g), 13(a)	Omitted
13(b)	11
13(c)-(f), 14	Omitted
15(a), (b)	11
15(c)	1551
21	63
22(a)	61
22(b)(1)	101
22(b)(2)(A)	72
22(b)(2)(B)	403
22(b)(2)(C)	72
22(b)(3)-(5)	102-104
22(b)(6)	107
22(b)(7)	894

Preview: Sidebar

The following tables have been prepared as aids in comparing provisions of the Internal Revenue Code of 1954 (redesignated the Internal Revenue Code of 1986 by Pub. L. 99-514, §2, Oct. 22, 1986, 100 Stat. 2095) with provisions of the Internal Revenue Code of 1939. No inferences, implications, or presumptions of legislative construction or intent are to be drawn or made by reason of such tables.

Citations to "R.A." refer to the sections of earlier Revenue Acts.

TABLE I

1939 Code section number	1986 Code section number
1	Omitted
2	7806(a)
3, 4	Omitted
11	1
12(a), (b)(1), (2)	Omitted
12(b)(3), (c)	1
12(d)	2
12(e)	Omitted
12(f)	1
12(g), 13(a)	Omitted
13(b)	11
13(c)-(f), 14	Omitted
15(a), (b)	11
15(c)	1551
21	63
22(a)	61
22(b)(1)	101
22(b)(2)(A)	72
22(b)(2)(B)	403
22(b)(2)(C)	72
22(b)(3)-(5)	102-104
22(b)(6)	107
22(b)(7)	894
22(b)(8)	115, 526, 892, 893, 911, 912, 933, 943
22(b)(9), (10)	108
22(b)(11)-(14)	109, 111-113
22(b)(15)	62
22(b)(16), (17)	114, 121
22(c)	471
22(d)(1)-(5)	472
22(d)(6)	1321, 6155(a)
22(e)	301(a)
22(f)	1001
22(g)	861, 862, 863, 864

TABLE II

1939 Code section number	1986 Code section number
1	Omitted
2	7806(a)
3, 4	Omitted
11	1
12(a), (b)(1), (2)	Omitted
12(b)(3), (c)	1
12(d)	2
12(e)	Omitted
12(f)	1
12(g), 13(a)	Omitted
13(b)	11
13(c)-(f), 14	Omitted
15(a), (b)	11
15(c)	1551
21	63
22(a)	61
22(b)(1)	101
22(b)(2)(A)	72
22(b)(2)(B)	403
22(b)(2)(C)	72
22(b)(3)-(5)	102-104
22(b)(6)	107
22(b)(7)	894

Preview: Sidebar

NSStackView

NSGridView

NSCollectionView

NSTableView

NSOutlineView

NSBrowser

Preview: Sidebar

Large number of pages

`NSStackView`

Selectable

`NSGridView`

Reorderable

`NSCollectionView`

`NSTableView`

`NSOutlineView`

`NSBrowser`

Preview: Sidebar

Large number of pages

~~NSStackView~~

Selectable

~~NSGridView~~

Reorderable

NSCollectionView

NSTableView

NSOutlineView

NSBrowser

Preview: Sidebar

Large number of pages

~~NSStackView~~

Selectable

~~NSGridView~~

Reorderable

NSCollectionView

Vertical layout

NSTableView

NSOutlineView

NSBrowser

Preview: Sidebar

Large number of pages

~~NSStackView~~

Selectable

~~NSGridView~~

Reorderable

NSCollectionView

Vertical layout

NSTableView

NSOutlineView

~~NSBrowser~~

Preview: Sidebar

~~NSStackView~~

~~NSGridView~~

NSCollectionView

NSTableView

NSOutlineView

~~NSBrowser~~

Preview: Sidebar

Need collapsable categories

~~NSStackView~~

~~NSGridView~~

NSCollectionView


NSTableView

NSOutlineView

~~NSBrowser~~

Preview: Sidebar

Need collapsable categories



~~NSStackView~~

~~NSGridView~~

NSCollectionView


NSTableView

NSOutlineView

~~NSBrowser~~

Preview: Sidebar

Need collapsable categories



~~NSStackView~~

~~NSGridView~~

NSCollectionView

~~NSTableView~~

NSOutlineView

~~NSBrowser~~

Preview: Sidebar

Need collapsable categories

NSOutlineView

or

NSCollectionView

The screenshot shows the Mac OS X Preview application window. On the left, there is a sidebar with two collapsed categories, each indicated by a small blue number (1 and 2) and a plus sign (+). The main content area displays the title "TITLE 26—INTERNAL REVENUE CODE" and the subtitle "(Release Point 115-30)". Below this, it says "ACT AUG. 16, 1954, CH. 736, 68A STAT. 3". A note states: "The following tables have been prepared as aids in comparing provisions of the Internal Revenue Code of 1954 (redesignated the Internal Revenue Code of 1986 by Pub. L. 99-514, §2, Oct. 22, 1986, 100 Stat. 2095) with provisions of the Internal Revenue Code of 1939. No inferences, implications, or presumptions of legislative construction or intent are to be drawn or made by reason of such tables." Citations to "R.A." refer to the sections of earlier Revenue Acts.

TABLE I

<i>1939 Code section number</i>	<i>1986 Code section number</i>
1	Omitted
2	7806(a)
3, 4	Omitted
11	1
12(a), (b)(1), (2)	Omitted
12(b)(3), (c)	1
12(d)	2
12(e)	Omitted
12(f)	1
12(g), 13(a)	Omitted
13(b)	11
13(c)–(f), 14	Omitted
15(a), (b)	11
15(c)	1551
21	63
22(a)	61

Preview: Sidebar

Need collapsable categories

NSOutlineView

or

NSCollectionView

The screenshot shows a Mac OS X Preview application window titled "usc26@115-30.pdf (page 1 of 6,548)". The window has a toolbar at the top with various icons. On the left, there is a sidebar containing two collapsed categories, each labeled with a number: "1" and "2". Category "1" contains several small thumbnail previews of document pages. Category "2" also contains a few small thumbnail previews. The main content area displays the title "TITLE 26—INTERNAL REVENUE CODE" and the subtitle "(Release Point 115-30)". Below this, it says "ACT AUG. 16, 1954, CH. 736, 68A STAT. 3". A note states: "The following tables have been prepared as aids in comparing provisions of the Internal Revenue Code of 1954 (redesignated the Internal Revenue Code of 1986 by Pub. L. 99-514, §2, Oct. 22, 1986, 100 Stat. 2095) with provisions of the Internal Revenue Code of 1939. No inferences, implications, or presumptions of legislative construction or intent are to be drawn or made by reason of such tables." It also mentions "Citations to 'R.A.' refer to the sections of earlier Revenue Acts." To the right of the sidebar, there is a table titled "TABLE I" comparing section numbers from the 1939 Code and the 1986 Code.

1939 Code section number	1986 Code section number
1	Omitted
2	7806(a)
3, 4	Omitted
11	1
12(a), (b)(1), (2)	Omitted
12(b)(3), (c)	1
12(d)	2
12(e)	Omitted
12(f)	1
12(g), 13(a)	Omitted
13(b)	11
13(c)–(f), 14	Omitted
15(a), (b)	11
15(c)	1551
21	63
22(a)	61


Preview: Sidebar

Need collapsable categories

NSOutlineView

or

NSCollectionView



Preview: Sidebar


Need collapsable categories

Reusable data source

NSOutlineView

or

NSCollectionView



Preview: Sidebar

Need collapsable categories

Reusable data source

NSCollectionView

The screenshot shows a Mac OS X application window titled "usc26@115-30.pdf (page 1 of 6,548)". The window has a standard OS X title bar with icons for close, minimize, and zoom. Below the title bar is a toolbar with various icons. The main content area is divided into two sections: a sidebar on the left and a main view on the right.

(Release Point 115-30)

TITLE 26—INTERNAL REVENUE CODE

ACT AUG. 16, 1954, CH. 736, 68A STAT. 3


The following tables have been prepared as aids in comparing provisions of the Internal Revenue Code of 1954 (redesignated the Internal Revenue Code of 1986 by Pub. L. 99-514, §2, Oct. 22, 1986, 100 Stat. 2095) with provisions of the Internal Revenue Code of 1939. No inferences, implications, or presumptions of legislative construction or intent are to be drawn or made by reason of such tables.

Citations to "R.A." refer to the sections of earlier Revenue Acts.


TABLE I

<i>1939 Code section number</i>	<i>1986 Code section number</i>
1	Omitted
2	7806(a)
3, 4	Omitted
11	1
12(a), (b)(1), (2)	Omitted
12(b)(3), (c)	1
12(d)	2
12(e)	Omitted
12(f)	1
12(g), 13(a)	Omitted
13(b)	11
13(c)–(f), 14	Omitted
15(a), (b)	11
15(c)	1551
21	63
22(a)	61

Internet Accounts: Account Types



Internet Accounts: Account Types



Internet Accounts: Account Types

NSStackView

NSGridView

NSCollectionView

NSTableView

NSOutlineView

NSBrowser

Internet Accounts: Account Types

Small number of account types

`NSStackView`

One dimensional, vertical layout

`NSGridView`

`NSCollectionView`

`NSTableView`

`NSOutlineView`

`NSBrowser`

Internet Accounts: Account Types

Small number of account types

One dimensional, vertical layout

NSStackView

~~NSGridView~~

~~NSCollectionView~~

NSTableView

~~NSOutlineView~~

~~NSBrowser~~

Internet Accounts: Account Types

Small number of account types

NSStackView

One dimensional, vertical layout

~~NSGridView~~

No selection: each item is a button

~~NSCollectionView~~

NSTableView

~~NSOutlineView~~

~~NSBrowser~~

Internet Accounts: Account Types

Small number of account types

NSStackView

One dimensional, vertical layout

~~NSGridView~~

No selection: each item is a button

~~NSCollectionView~~

~~NSTableView~~

~~NSOutlineView~~

~~NSBrowser~~


Internet Accounts: Account Types

Small number of account types

One dimensional, vertical layout

No selection: each item is a button

NSStackView




Internet Accounts: Account Types

Small number of account types

One dimensional, vertical layout


No selection: each item is a button

NSTableView



Internet Accounts: Account Types


NSTableView



Internet Accounts: Account Types

Historical


NSTableView



Internet Accounts: Account Types

Historical

NSTableView




Internet Accounts: Account Types


Historical

Dynamic data

NSTableView




Terminal: New Remote Connection



Terminal: New Remote Connection


NSBrowser



Terminal: New Remote Connection

Size and shape of UI

NSBrowser




Terminal: New Remote Connection

Size and shape of UI

Vertical space versus horizontal space

NSBrowser




Terminal: New Remote Connection

Size and shape of UI

Vertical space versus horizontal space

NSOutlineView




Terminal: New Remote Connection

Size and shape of UI

Vertical space versus horizontal space

NSOutlineView




Terminal: New Remote Connection

Size and shape of UI

Vertical space versus horizontal space

Interactive division

NSBrowser




Terminal: New Remote Connection

Size and shape of UI

Vertical space versus horizontal space


Interactive division

NSBrowser




User Preferences

Finder




User Preferences

Finder




Users preferences

Image capture




Users preferences

Image capture




Users preferences

Image capture




Users preferences

Image capture




Printers




Printers


NSTableView




Printers



Printers




Printers



← NSStackView

Printers




Printers




Review

Ready-Made Views for Many Uses

Ready-Made Views for Many Uses




NSStackView




NSOutlineView

Process Name	% CPU	CPU Time	Threads	Idle Wake Ups	PID	User
Activity Monitor	1.4	22.82	7	1	921	appleseed
SystemUIServer	0.1	2.24	5	1	397	appleseed
Keynote	0.0	1:44.21	7	1	630	appleseed
SafariCloudHistoryPushAgent	0.0	1.16	4	1	543	appleseed
Mail	0.0	1:42.54	10	0	878	appleseed
nsurlstoraged	0.0	3.19	5	0	426	appleseed
Safari Networking	0.0	57.01	8	0	499	appleseed
Dock	0.0	3.37	3	0	392	appleseed
Finder	0.0	3.06	6	0	398	appleseed
useractivityd	0.0	0.54	3	0	449	appleseed
accountsd	0.0	3.16	5	0	395	appleseed
cfprefsd	0.0	1.79	3	0	369	appleseed
com.apple.appkit.xpc.openA...	0.0	2.26	4	1	634	appleseed
com.apple.preference.energy...	0.0	0.58	5	0	855	appleseed
sharingd	0.0	1.56	3	0	451	appleseed
cloudsd	0.0	8.46	6	0	448	appleseed
Safari	0.0	2:36.79	9	1	386	appleseed
Safari Database Storage	0.0	0.23	4	0	655	appleseed
Mail Web Content	0.0	0.40	7	1	885	appleseed
LaterAgent	0.0	0.32	4	0	549	appleseed
com.apple.dock.extra	0.0	0.50	4	1	452	appleseed
com.apple.preference.displa...	0.0	0.24	4	0	857	appleseed
AppleConnectAgent	0.0	1.08	6	0	457	appleseed


NSTableView



NSBrowser



NSGridView



NSCollectionView

Learn More

NSStackView

Mysteries of Auto Layout, Part 1

WWDC15

- Guides: Auto Layout Cookbook
- Sample Code: InfoBarStackView, Exhibition

NSGridView

What's New in Auto Layout

WWDC16

Learn More

NSTableView and NSOutlineView

Crafting Modern Cocoa Apps

WWDC16

- Guides: Table View Programming Guide for Mac, Outline View Programming Topics, Table View Programming Guide
- Sample Code: TableViewPlayground

NSBrowser

- Guides: Browser Programming Topics
- Sample Code: SimpleCocoaBrowser, ComplexBrowser

Learn More

What's New in NSCollectionView

WWDC15

NSCollectionView

- Sample Code: CocoaSlideCollection
- Reference: NSCollectionView, NSCollectionViewLayout, and friends

More Information

<https://developer.apple.com/wwdc17/218>

Related Sessions

Advanced Touch Bar

Grand Ballroom A

Wednesday 5:10PM

Cocoa Development Tips

Grand Ballroom B

Friday 9:00AM

Labs

Cocoa Touch Bar Lab

Technology Lab C

Thu 9:00AM-11:00AM

Cocoa Lab

Technology Lab B

Fri 1:50PM-3:20PM

WWDC17