Python API for Spark

Josh Rosen

UC Berkeley

www.spark-project.org



PySpark at a Glance

Write Spark jobs in Python

» Supports Python C extensions; not Jython

Interactive use through the Python REPL


Under development, but a beta should be available soon

Examples: Word Count

Interactive Console

Demo

Implementation



Implementation

Built on top of the Java API

» Communicates with a local Java process using Py4J.

Python RDDs are stored in Spark as RDD[Array[Byte]] of serialized Python objects.

Implementation cont'd

Functions are executed in Python worker processes that communicate with Spark Worker » Communicate with Spark over local pipes

Python functions are serialized and shipped to workers

» Can serialize closures

Pipelining

To minimize serialization and communication costs, transformations are pipelined

```
E.g: lines.flatMap(lambda x: x.split(' ')) \
.map(lambda x: (x, 1))

MappedRDD
func = split(...)

MappedRDD
func = lambda x: (x, 1)

MappedRDD
func = lambda x: (x, 1)
```

Scala and Java Integration

RDDs produced by Java and Scala Spark jobs can be further transformed using Python

Planned support for processing Python-created RDDs in Java / Scala

Coming Soon

PySpark will be released once its performance improves and additional Spark features are added

Planned support for

- » Accumulators
- » Broadcast variables
- » Python-friendly input and output formats