



Big Fish eCommerce

BF Admin Module Lookup Data.doc

Last Updated: 21-Apr-2014

TABLE OF CONTENTS

<u>1</u>	<u>Modification History</u>	3
<u>2</u>	<u>Lookup Data</u>	4
2.1	<u>Technical Note</u>	4
2.2	<u>List Screen</u>	4
<u>3</u>	<u>Contact Us Reasons</u>	5
3.1	<u>Processing Notes</u>	5
3.2	<u>Technical Note</u>	5
3.3	<u>Detail Screen</u>	5
3.4	<u>Detail Screen</u>	5
<u>4</u>	<u>Credit Cards</u>	7
4.1	<u>Technical Note</u>	7
4.2	<u>Detail Screen</u>	7
4.3	<u>Detail Screen</u>	7
<u>5</u>	<u>Titles</u>	9
5.1	<u>Technical Note</u>	9
5.2	<u>Detail Screen</u>	9
5.3	<u>Detail Screen</u>	9
<u>6</u>	<u>Review Ages</u>	11
6.1	<u>Technical Note</u>	11
6.2	<u>Detail Screen</u>	11
6.3	<u>Detail Screen</u>	11
<u>7</u>	<u>Review Custom Attribute</u>	13
7.1	<u>Technical Note</u>	13
7.2	<u>Detail Screen</u>	13
7.3	<u>Detail Screen</u>	13
<u>8</u>	<u>Gift Message</u>	15
8.1	<u>Technical Note</u>	15
8.2	<u>Detail Screen</u>	15
8.3	<u>Detail Screen</u>	16
<u>9</u>	<u>Recurrence Frequency</u>	18
9.1	<u>Technical Note</u>	18
9.2	<u>Detail Screen</u>	18
9.3	<u>Detail Screen</u>	18

1 Modification History

Date	Who	Comments
22-Aug-12	Solveda	Split from "BF Admin Module Admin" document.
22-Aug-12	Solveda	Added maintenance for "Review Ages"
7-Sep-12	Solveda	Renamed from "Entity Maintenance" to "Lookup Data"
11-Jun-13	Solveda	Added "Gift Messages"
23-Apr-14	Solveda	Added "Recurrence Frequency" to Lookup Data

2 Lookup Data

2.1 Technical Note

- Multi-Store Consideration:
 - For "Multi Store" implementations, the Lookup Data functions need to consider the "active store"

NOTE 27-JUNE-2013 (NR)

The Lookup Data features uses the OFBiz entity "ENUMERATION". This is NOT currently multi-store compliant.

Since there are no client requirements for multi-store capability within Lookup Data this requirement is not needed. The likelihood is that, even within a multi-store implementation, the client would re-use Lookup Data across all Stores.

At such time that a client specifically needs multi-store capability we will re-evaluate.

2.2 List Screen

lookup data

Lookup Data	
Function	Description
Contact Us Reasons	Control the reasons that are offered in the Contact Us form
Credit Cards	Ability to maintain which credit cards are offered during the Check Out process. Example: Visa, Mastercard etc.
Titles	Ability to maintain which Titles are offered during the Registration process. Example: Mr, Mrs etc.
Review Ages	Ability to maintain which Ages are offered during the Write a Review process. Example: 10-21, 22-30 etc.
Review Custom Attribute	Ability to maintain the custom review attribute.
Gift Messages	Ability to maintain a set of pre-canned Gift Messages to be used within the Show Cart function.
Recurrence Frequency	Ability to maintain a set of pre-canned Recurrence Frequencies to be used within the Show Cart function

Back

3 Contact Us Reasons

3.1 Processing Notes

- Contact-Us reasons can be added, modified or deleted

3.2 Technical Note

- OFBiz Mapping (ENUMERATION):

ENUM_TYPE_ID = "CONTACT_US_REASON"
ENUM_ID = CR_xxxx
ENUM_CODE = CR_xxxx (hidden on UI)
DESCRIPTION = Reason Desc
SEQUENCE_ID = Seq#

- Multi-Store Consideration:

- For "Multi Store" implementations, the maintenance of the Contact Us Reasons needs to consider the "active store"

3.3 Detail Screen

- pre-retrieve ALL rows

contact us reasons list

Contact Us Reasons				
Reason ID	Reason Desc	Seq#	Created Date	Updated Date
CR_ORDER_INQUIRY	Order Inquiry	10	07/27/11	07/27/11
CR BILLING INQUIRY	Billing Inquiry	20	07/27/11	07/27/11
CR DELIVERY QUESTION	Delivery Question	30	07/29/11	07/29/11
CR_ETC	Etc.	40	08/01/11	08/01/11

Back

Add

- Sort Sequence: Seq#

3.4 Detail Screen

contact us reasons detail

Contact Us Reason: CR_ORDER_INQUIRY	
Reason ID:	<input type="text" value="CR_ORDER_INQUIRY"/>
Reason Desc:	<input type="text" value="Order Inquiry"/>

Seq#:	<input type="text" value="23"/>	
Created Date:	07/27/11 at 9:00am	
Updated Date:	08/01/2011 at 3:00pm	
<input type="button" value="Back"/>	<input type="button" value="Save"/>	<input type="button" value="Delete"/>

- Add Mode:
 - Reason ID will be available for entry
 - The ID field must be a valid OFBiz Identifier, see *BF-Admin-Module-General* for validation rules
- Edit Mode:
 - Reason ID will be read-only
- "Save" message. "Your changes to [contact-us-reason] have been saved"
- "Back", return to List Screen
- "Delete", will prompt for confirmation
 - Are you sure you want to delete the reason [reason-desc]?
 - Yes / No
- Validation:
 - Reason ID cannot be blank
 - Error: "The Reason ID field cannot be blank"
 - Reason ID cannot be a duplicate
 - Error: "The Reason ID field must be unique"
 - Reason Desc cannot be blank
 - Error: "The Reason DESC field cannot be blank"
 - Seq# must be numeric and non-blank
 - Error: "The Seq# must be entered, numeric and between 0 and 9999"
- Helper Text
 - Seq#: "Set to 0 (zero) to hide"

4 Credit Cards

4.1 Technical Note

- OFBiz Mapping (ENUMERATION):

ENUM_TYPE_ID = "CREDIT_CARD_TYPE"
ENUM_ID = CCT_xxxx
DESCRIPTION = Full Description
ENUM_CODE = Credit Card Name ("Type" in UI below)
SEQUENCE_ID = Seq#

- Multi-Store Consideration:

- For "Multi Store" implementations, the maintenance of the Credit Cards needs to consider the "active store"

4.2 Detail Screen

- pre-retrieve ALL rows

credit card list

Credit Card					
Credit Card ID	Credit Card Description	Credit Card Type	Seq#	Created Date	Updated Date
CCT_VISA	Visa	Visa	01	07/27/11	07/27/11
CCT_MASTERCARD	Master Cards	MasterCard	02	07/27/11	07/27/11
CCT_AMERICANEXPRESS	American Express	AmericanExpress	03	07/29/11	07/29/11
CCT_DINERSCLUB	Diners Club	DinersClub	04	08/01/11	08/01/11

Back

Add

- Sort Sequence: Seq#

4.3 Detail Screen

credit card detail

Credit Card: CCT_AMERICANEXPRESS	
Credit Card ID:	<input type="text" value="CCT_AMERICANEXPRESS"/>
Credit Card Desc:	<input type="text" value="American Express"/>
Credit Card Type:	<input type="text" value="AmericanExpress"/>
Seq#:	<input type="text" value="03"/>

Created Date: 07/27/11 at 9:00am

Updated Date: 08/01/2011 at 3:00pm

Back

Save

Delete

- Add Mode:
 - Credit Card ID will be available for entry
 - The ID field must be a valid OFBiz Identifier, see *BF-Admin-Module-General* for validation rules
- Edit Mode:
 - Credit Card ID will be read-only
- "Save" message. "Your changes to [credit-card-id] have been saved"
- "Back", return to List Screen
- "Delete", will prompt for confirmation
 - Are you sure you want to delete the Credit Card [credit-card-id]?
 - Yes / No
- Validation:
 - Credit Card ID cannot be blank
 - Error: "The Credit Card ID field cannot be blank"
 - Credit Card ID cannot be a duplicate
 - Error: "The Credit Card ID field must be unique"
 - Credit Card Desc cannot be blank
 - Error: "The Credit Card DESC field cannot be blank"
 - Credit Card Code cannot be blank
 - Error: "The Credit Card Code field cannot be blank"
 - Seq# must be numeric and non-blank
 - Error: "The Seq# must be entered, numeric and between 0 and 9999"
- Helper Text
 - Credit Card Type: "Required by the Payment Gateway in order to match the customer Credit Card Number to the correct Credit Card Type."
 - Seq#: "Set to 0 (zero) to hide"

5 Titles

5.1 Technical Note

- OFBiz Mapping (ENUMERATION):

ENUM_TYPE_ID = "PERSONAL_TITLE"
ENUM_ID = PT_xxxx
ENUM_CODE = PT_xxxx (hidden in UI)
DESCRIPTION = Full Description
SEQUENCE_ID = Seq#

- Multi-Store Consideration:

- For "Multi Store" implementations, the maintenance of the Titles needs to consider the "active store"

5.2 Detail Screen

- pre-retrieve ALL rows

title list

Titles				
Title ID	Title Description	Seq#	Created Date	Updated Date
PT_MR	Mr	01	07/27/11	07/27/11
PT_MRS	Mrs	02	07/27/11	07/27/11
PT_MISS	Miss	03	07/29/11	07/29/11
PT_DR	Doctor	04	08/01/11	08/01/11

Back

Add

- Sort Sequence: Seq#

5.3 Detail Screen

title detail

Title: PT_DOCTOR	
Title ID:	<input type="text" value="PT_DOCTOR"/>
Title Desc:	<input type="text" value="Doctor"/>
Seq#:	<input type="text" value="03"/>
Created Date:	07/27/11 at 9:00am

Updated Date: 08/01/2011 at 3:00pm

Back

Save

Delete

- Add Mode:
 - Title ID will be available for entry
 - The ID field must be a valid OFBiz Identifier, see *BF-Admin-Module-General* for validation rules
- Edit Mode:
 - Title ID will be read-only
- "Save" message. "Your changes to [title-id] have been saved"
- "Back", return to List Screen
- "Delete", will prompt for confirmation
 - Are you sure you want to delete the Title [title-id]?
 - Yes / No
- Validation:
 - Title ID cannot be blank
 - Error: "The Title ID field cannot be blank"
 - Title ID cannot be a duplicate
 - Error: "The Title ID field must be unique"
 - Title Desc cannot be blank
 - Error: "The Title DESC field cannot be blank"
 - Seq# must be numeric and non-blank
 - Error: "The Seq# must be entered, numeric and between 0 and 9999"
- Helper Text
 - Seq#: "Set to 0 (zero) to hide"

6 Review Ages

6.1 Technical Note

- OFBiz Mapping (ENUMERATION):

ENUM_TYPE_ID = "REVIEW_AGE"
ENUM_ID = RA_xxxx
ENUM_CODE = RA_xxxx (hidden in UI)
DESCRIPTION = Full Description
SEQUENCE_ID = Seq#

- Multi-Store Consideration:

- For "Multi Store" implementations, the maintenance of the Review Ages needs to consider the "active store"

6.2 Detail Screen

- pre-retrieve ALL rows

review ages

Review Ages				
Review Age ID	Review Age Description	Seq#	Created Date	Updated Date
RA_0_TO_10	0 - 10	01	07/27/11	07/27/11
RA_11_TO_20	11 - 20	02	07/27/11	07/27/11
RA_21_TO_30	21 - 30	03	07/29/11	07/29/11
RA_31_TO_40	31 - 40	04	08/01/11	08/01/11
RA_41_TO_50	41 - 50	05	07/27/11	07/27/11
RA_51_TO_60	51 - 60	06	07/27/11	07/27/11
RA_61_AND_OLDER	61 and older	07	07/29/11	07/29/11

Back

Add

- Sort Sequence: Seq#

6.3 Detail Screen

review age detail

Review Age: RA_41_TO_50	
Review Age ID:	RA_41_TO_50
Review Age Desc:	41 - 50
Seq#:	05
Created Date:	07/27/11 at 9:00am

Updated Date: 08/01/2011 at 3:00pm

Back

Save

Delete

- Add Mode:
 - Review Age ID will be available for entry
 - The ID field must be a valid OFBiz Identifier, see *BF-Admin-Module-General* for validation rules
- Edit Mode:
 - Review Age ID will be read-only
- "Save" message. "Your changes to [review-age-ID] have been saved"
- "Back", return to List Screen
- "Delete", will prompt for confirmation
 - Are you sure you want to delete the Review Age [review-age-id]?
 - Yes / No
- Validation:
 - Review Age ID cannot be blank
 - Error: "The Review Age ID field cannot be blank"
 - Review Age ID cannot be a duplicate
 - Error: "The Review Age ID field must be unique"
 - Review Age Desc cannot be blank
 - Error: "The Review Age DESC field cannot be blank"
 - Seq# must be numeric and non-blank
 - Error: "The Seq# must be entered, numeric and between 0 and 9999"
- Helper Text
 - Seq#: "Set to 0 (zero) to hide"

7 Review Custom Attribute

7.1 Technical Note

- OFBiz Mapping (ENUMERATION):

ENUM_TYPE_ID = "REVIEW_CUSTOM_01"
ENUM_ID = RC01_xxxx
ENUM_CODE = RC01_xxxx (hidden in UI)
DESCRIPTION = Full Description
SEQUENCE_ID = Seq#

- Multi-Store Consideration:

- For "Multi Store" implementations, the maintenance of the Review custom attribute needs to consider the "active store"

7.2 Detail Screen

- pre-retrieve ALL rows

review custom attribute 01

Review Custom Attribute 01				
Review Custom ID	Description	Seq#	Created Date	Updated Date
RC01_01	Digestive Health	01	07/27/11	07/27/11
RC01_02	Heart Health	02	07/27/11	07/27/11
RC01_03	Weight Loss	03	07/29/11	07/29/11
RC01_04	General Health	04	08/01/11	08/01/11
RC01_05	Skin Health	05	07/27/11	07/27/11

[Back](#)

[Add](#)

- Sort Sequence: Seq#

7.3 Detail Screen

review custom attribute 01 detail

Review Custom Attribute 01: RC01_04	
Review Custom ID:	<input type="text" value="RC01_04"/>
Review Desc:	<input type="text" value="General Health"/>
Seq#:	<input type="text" value="04"/>
Created Date:	07/27/11 at 9:00am
Updated Date:	08/01/2011 at 3:00pm

Back**Save****Delete**

- Add Mode:
 - See "Review Ages" above
- Edit Mode:
 - See "Review Ages" above
- "Save" message. "Your changes to [review-custom-ID] have been saved"
- "Delete", will prompt for confirmation
 - Are you sure you want to delete the Review Custom Attribute [review-id]?
 - Yes / No
- Validation:
 - Review Custom ID cannot be blank
 - Error: "The Review Custom ID field cannot be blank"
 - Review Custom ID cannot be a duplicate
 - Error: "The Review ID field must be unique"
 - Review Desc cannot be blank
 - Error: "The Review DESC field cannot be blank"
 - Seq# must be numeric and non-blank
 - See "Review Ages" above
- Helper Text
 - See "Review Ages" above

8 Gift Message

8.1 Technical Note

- OFBiz Mapping (ENUMERATION):

ENUM_TYPE_ID = "GIFT_MESSAGE"
ENUM_ID = GM_xxxx
ENUM_CODE = GM_xxxx (hidden in UI)
DESCRIPTION = Full Description
SEQUENCE_ID = Seq#

- Multi-Store Consideration:

- For "Multi Store" implementations, the maintenance of the Gift Message needs to consider the "active store"

8.2 Detail Screen

- pre-retrieve ALL rows

gift messages

Gift Messages				
Gift Message ID	Gift Message	Seq #	Created Date	Updated Date
<u>GM_MOTHERS_DAY</u>	Happy Mother's Day.	01	07/27/11	07/27/11
<u>GM_SYMBOL</u>	A symbol of my love and appreciation for you.	02	07/27/11	07/27/11
<u>GM_MY_LOVE</u>	My love for you will last as long as this rose, forever.	03	07/29/11	07/29/11
<u>GM_HATE_SS</u>	I Love You! But I Hate Steven Singer!	04	08/01/11	08/01/11
<u>GM_FINALLY</u>	Finally, flowers that won't end up in the trash in a week.	05	07/27/11	07/27/11
<u>GM_HAPPY_ANNIV</u>	Happy Anniversary. Every year it gets better.	06	07/27/11	07/27/11
<u>GM_NEXT_TIME</u>	Next time I am in big trouble, remember this note.	07	07/29/11	07/29/11
<u>GM_I_KNOW</u>	I know it's not the ring, but you've gotta admit it is pretty sweet.	08		
<u>GM_YES_ITS_REAL</u>	YES IT'S REAL!	09		
<u>GM_ONLY_THING</u>	The only thing that sparkles more are your eyes.	10		
<u>GM_PRINCESS</u>	For my princess.	11		
<u>GM_TONIGHT</u>	Is tonight the night?	12		
<u>GM_NAUGHTY</u>	You sure have been naughty, here's some coal!	13		
<u>GM_PERFECT</u>	Perfect for someone soooo pretty.	14		
<u>GM_POINTS</u>	How many points can I score with this great gift?	15		

Back**Add**

- Sort Sequence: Seq#

8.3 Detail Screen

gift message detail

Gift Message: GM_SYMBOL	
Gift Message ID:	<input type="text" value="GM_SYMBOL"/>
Gift Message Desc:	<input type="text" value="A symbol of my love and appreciation for you."/>
Seq#:	<input type="text" value="02"/>
Created Date:	07/27/11 at 9:00am
Updated Date:	08/01/2011 at 3:00pm
Back	Save Delete

- Add Mode:
 - Gift Message ID will be available for entry
 - The ID field must be a valid OFBiz Identifier, see *BF-Admin-Module-General* for validation rules
- Edit Mode:
 - Gift Message ID will be read-only
- "Save" message. "Your changes to [Gift-Message-ID] have been saved"
- "Back", return to List Screen
- "Delete", will prompt for confirmation
 - Are you sure you want to delete the Gift Message [Gift-Message-id]?
 - Yes / No
- Validation:
 - Gift Message ID cannot be blank
 - Error: "The Gift Message ID field cannot be blank"
 - Gift Message ID cannot be a duplicate
 - Error: "The Gift Message ID field must be unique"
 - Gift Message Desc cannot be blank
 - Error: "The Gift Message DESC field cannot be blank"

- Seq# must be numeric and non-blank
 - Error: "The Seq# must be entered, numeric and between 0 and 9999"
- Helper Text
 - Seq#: "Set to 0 (zero) to hide"

9 Recurrence Frequency

9.1 Technical Note

- OFBiz Mapping (ENUMERATION):

ENUM_TYPE_ID = "RECURRENCE_FREQUENCY"
ENUM_ID = FREQ_xxxx
ENUM_CODE = The actual frequency value (interval)
DESCRIPTION = Full Description
SEQUENCE_ID = Seq#

- Multi-Store Consideration:

- For "Multi Store" implementations, the maintenance of the Recurrence Frequency needs to consider the "active store"

9.2 Detail Screen

- pre-retrieve ALL rows

recurrence frequency

Recurrence Frequency

Recurrence Freq ID	Interval	Description	Seq#	Created Date	Updated Date
FREQ_30	30	1 Month	01	07/27/11	07/27/11
FREQ_60	60	2 Months	02	07/27/11	07/27/11
FREQ_90	90	3 Months	03	07/29/11	07/29/11
FREQ_120	120	4 Months	04	08/01/11	08/01/11

Back

Add

- Sort Sequence: Seq#

9.3 Detail Screen

recurrence frequency detail

Recurrence Frequency: FREQ_120

Recurrence Freq ID:	FREQ_120
Interval:	120
Recurrence Freq Desc:	4 Months
Seq#:	04

Created Date: 07/27/11 at 9:00am
Updated Date: 08/01/2011 at 3:00pm

Back

Save

Delete

- Add Mode:
 - Recurrence Frequency ID will be available for entry
 - The ID field must be a valid OFBiz Identifier, see *BF-Admin-Module-General* for validation rules.
 - The ID Field represents the "Interval Number" in days for the Recurrence (Shipping) Frequency.
- Edit Mode:
 - Recurrence Frequency ID will be read-only
- "Save" message. "Your changes to [recurrence-frequency-ID] have been saved"
- "Back", return to List Screen
- "Delete", will prompt for confirmation
 - Are you sure you want to delete the Recurrence Frequency [recurrence-frequency-id]?
 - Yes / No
- Validation:
 - Recurrence Freq ID cannot be blank
 - Error: "The Recurrence Freq ID field cannot be blank"
 - Recurrence Freq ID cannot be a duplicate
 - Error: "The Recurrence Freq ID field must be unique"
 - Recurrence Freq Desc cannot be blank
 - Error: "The Recurrence Freq DESC field cannot be blank"
 - Seq# must be numeric and non-blank
 - Error: "The Seq# must be entered, numeric and between 0 and 9999"
- Helper Text
 - Seq#: "Set to 0 (zero) to hide"