



BF Technical Markup and CSS Guidelines.doc

Last Updated: 20-Aug-2014

TABLE OF CONTENTS

<u>1</u>	<u>Modification History</u>	5
<u>2</u>	<u>Purpose</u>	6
2.1	<u>Introduction</u>	6
2.2	<u>Purpose</u>	6
2.3	<u>Examples</u>	7
<u>3</u>	<u>Basic Components</u>	8
3.1	<u>Display Box</u>	8
3.2	<u>Display Box List</u>	8
3.3	<u>Display List</u>	8
3.4	<u>Display Action List</u>	8
3.5	<u>Action Result Item</u>	8
3.6	<u>Display Detail</u>	8
3.7	<u>Box List Item Tabular</u>	8
3.8	<u>Box List Item Grid</u>	8
3.9	<u>Entry Form</u>	8
3.10	<u>Data Table</u>	9
<u>4</u>	<u>Display Box</u>	10
4.1	<u>Usages</u>	10
4.2	<u>Example Markup</u>	10
4.3	<u>UI Visual Example (Full Screen)</u>	10
<u>5</u>	<u>Display List</u>	11
5.1	<u>Usages</u>	11
5.2	<u>Display List Markup (Standard)</u>	11
5.3	<u>UI Visual Example (Standard)</u>	11
5.4	<u>Display List Markup (With Labels)</u>	11
5.5	<u>UI Visual Example (With Labels)</u>	12
5.6	<u>Display List Markup (Summary)</u>	12
5.7	<u>UI Visual Example (Summary)</u>	13
<u>6</u>	<u>Display Action List</u>	14
6.1	<u>Usages</u>	14
6.2	<u>Example Markup</u>	14
6.3	<u>UI Visual Example</u>	14
<u>7</u>	<u>Action Result Item</u>	15
7.1	<u>Usages</u>	15
7.2	<u>Example Markup</u>	15
7.3	<u>UI Visual Examples</u>	15
7.3.1	<u>Desktop</u>	15
7.3.2	<u>RWD, Small Device</u>	16
<u>8</u>	<u>Display Detail</u>	17
8.1	<u>Usages</u>	17
8.2	<u>Example Markup</u>	17
8.3	<u>UI Visual Example</u>	17
<u>9</u>	<u>Display Box List</u>	18
9.1	<u>Usages</u>	18

9.2	Example Markup	18
9.3	UI Visual Example (Full Screen)	18
10	Box List Item Tabular	20
10.1	Usages	20
10.2	Example Markup	20
10.3	UI Visual Example	21
11	Box List Item Grid	22
11.1	Usages	22
11.2	Example Markup	22
11.3	UI Visual Example	22
12	Entry Form	24
12.1	Usages	24
12.2	Example Markup	24
12.3	Example CSS	24
12.4	UI Visual Example	24
13	Entry Form, Helper and Errors	26
13.1	Example: Password Entry field	26
13.2	CSS and Standard Display	26
13.3	CSS and Small Device	26
14	Entry Lists	27
14.1	entryListItemTabular	27
14.2	entryListItemGrid	27
15	Display Box & Display List	29
15.1	Usages	29
15.2	Example Markup	29
15.3	UI Visual Example	29
16	Order History Example	30
16.1	Usages	30
16.2	Example Markup	30
16.3	UI Visual Example (Standard Device)	31
16.4	UI Visual Example (Small Device)	32
17	Navigation Bar Component	33
17.1	Overview	33
17.2	Markup	33
17.3	Home Page	34
17.4	Other Pages, default display	34
17.5	Other Pages, expand navbar	35
17.6	Mega Menu	35
18	Display Address Format	36
18.1	References	36
18.2	Assumptions	36
18.3	Format "MULTI LINE FULL ADDRESS"	36
18.4	Format "SINGLE LINE FULL ADDRESS"	37
18.5	Format "MULTI LINE STREET CITY"	37
18.6	Format "SINGLE LINE STREET CITY"	38
19	Data Table	39

19.1	Usages	39
19.2	Example Markup	39
19.3	UI Visual Example (Standard Device)	40
19.4	UI Visual Example (Small Device)	41
20	Appendix A: Component Class Names	43

1 Modification History

Date	Who	Comments
31-Jul-13	Solveda	Initial
7-Aug-13	Solveda	Basic Components
9-Aug-13	Solveda	Added Entry Form component
21-Aug-13	Solveda	Removed BoxListItem and replaced with BoxListItemGrid and BoxListItemTabular
16-Sep-13	Solveda	Added GUI Component DisplayBoxList
5-Nov-13	Solveda	Added RWD/Small Device section
7-Nov-13	Solveda	Added Action-Result-Item
10-Dec-13	Solveda	Added Markup for Display Address Format
18-Aug-14	Solveda	Added Data Table component

2 Purpose

2.1 Introduction

Spec "*BF Admin Module DIV Sequencer.doc*" has additional information. Specifically as to how the class names are generated and subsequently targeted in the CSS.

- The purpose of this document is to provide guidelines to both the DEV and UI teams
 - DEV have guidelines as to what HTML "Markup" should be generated for certain types of display objects
 - UI have guidelines as to the variation and default style values in the CSS
- The decisions made in this document are critical for the following reasons:
 - to have consistency between markup and CSS
 - to have reusability of CSS styling
 - to have solutions that are appropriate for full-screen browser AND small device rendering

2.2 Purpose

- The main factor when considering these styles is multi size device rendering
- The primary objective is for a BigFish eCommerce implementation to be truly a Responsive Web Design (RWD)
- CSS style changes should NOT be required, other than for specific reasons
- For many items, the RWD design is to simply string each item in a list, and let the browser do the work of wrapping based on the available real estate, for example:

- Showing items on a very wide device:

ITEM1 ITEM2 ITEM3 ITEM4 ITEM5 ITEM6 ITEM7

- Showing items on a workstation monitor device:

ITEM1 ITEM2 ITEM3
ITEM4 ITEM5 ITEM6
ITEM7

- Showing items on a small device:

ITEM1
ITEM2
ITEM3
ITEM4
ITEM5
ITEM6
ITEM7

2.3 Examples

- Examples in this doc are to provide development with the appropriate “markup” to be generated for specific components
- CSS is NOT provided in this example, there is a basic assumption that the CSS will target specific components and style appropriately

3 Basic Components

3.1 Display Box

- Surrounding container that holds content
- Typically with a heading as the first component in the container
- A Display Box may contain many different or the same types of other visual components

3.2 Display Box List

- Surrounding container that holds a list of Display Box Components

3.3 Display List

- A list containing one or more items
- Typically displayed within a display box component

3.4 Display Action List

- A list containing one or more items with one of the items of the list having an “action”
- Typically displayed within a display box component

3.5 Action Result Item

- An item that is displayed in a list a result of a successful “action”
- Typically displayed within a Display Action List component
- E.g. Promo Code, Loyalty Code, Gift Card components in Check Out

3.6 Display Detail

- A list containing one or more items to be displayed in “columnar” format
- Typically displayed within a display box component

3.7 Box List Item Tabular

- A list containing one or more items to be displayed in “Boxed Tabular” format
 - E.g. Cart Items, Order History

3.8 Box List Item Grid

- A list containing one or more items to be displayed in “Boxed Grid” format
 - E.g. PLP, Address Book

3.9 Entry Form

- A form containing components to accept customer “inputs”

3.10 Data Table

- A list containing one or more items to be displayed in “columnar” format using table headers, body, rows, and footer components.

4 Display Box

4.1 Usages

- Class Name: UL.displayBox
- Examples are:
 - Promotions and Coupon Codes
 - Gift Card

4.2 Example Markup

```
<div class="displayBox promo">  
  <h3>Promotions and Coupon Codes</h3>  
</div>
```

4.3 UI Visual Example (Full Screen)

Promotions and Coupon Codes

5 Display List

5.1 Usages

- Class Name:
 - UL.displayList
 - UL.displayList summary
- Examples are:
 - Checkout Shipping Address
 - Checkout Payment Information

5.2 Display List Markup (Standard)

- Display List
- Note the multiple DIV in a single LI to represent data displayed in row format

```
<ul class="displayList address">
  <li class="string customerName">
    <div>
      <span>Customer Name</span>
    </div>
  </li>
  <li class="string addressOne">
    <div>
      <span>10 Ship Ave</span>
    </div>
  </li>
  <li class="string addressTwo">
    <div>
      <span>Suite 10</span>
    </div>
  </li>
  <li class="string addressCSZ"> (ROW FORMAT)
    <div>
      <span>Sunrise</span>
      <span>FL</span>
      <span>10356</span>
    </div>
  </li>
</ul>
```

5.3 UI Visual Example (Standard)

Customer Name

10 Ship Ave

Suite 10

Sunrise FL 10356

5.4 Display List Markup (With Labels)

- Display List (Labels)

```

<ul class="displayList payment">
  <li class="string cardType">
    <div>
      <label>Card Type:</label>
      <span>Visa</span>
    </div>
  </li>
  <li class="string cardNumber">
    <div>
      <label>Card Number:</label>
      <span>4111111111111111</span>
    </div>
  </li>
  <li class="date expiration">
    <div>
      <label>Exp Date:</label>
      <span>03/2017</span>
    </div>
  </li>
</ul>

```

5.5 UI Visual Example (With Labels)

Card Type:	Visa
Card Number:	4111111111111111
Exp Date:	03/2017

5.6 Display List Markup (Summary)

- Note: The secondary classification of 'summary'.

```

<ul class="displayList cartSummary showCartOrderItemsSummary">
  <li class="currency subTotal">
    <div>
      <label>Sub Total:</label>
      <span>$22.97</span>
    </div>
  </li>
  <li class="string shippingMethod showCartOrderItemsSummaryShippingMethod">
    <div>
      <label>Shipping Method:</label>
      <span>UPS</span>
    </div>
  </li>
  <li class="currency promo showCartOrderItemsSummarypromo">
    <div>
      <label>Promotion (Free Shipping):</label>
      <span>($6.95)</span>
    </div>
  </li>
  <li class="currency loyalty showCartOrderItemsSummaryloyalty">
    <div>
      <label>Loyalty Point Redemption:</label>
      <span>($2.00)</span>
    </div>
  </li>
  <li class="currency shipping showCartOrderItemsSummaryshipping">

```

```

        <div>
            <label>Estimated Shipping:</label>
            <span>$6.95</span>
        </div>
    </li>
    <li class="currency tax showCartOrderItemsSummarytax">
        <div>
            <label>Estimated Tax:</label>
            <span>$1.87</span>
        </div>
    </li>
    <li class="currency total showCartOrderItemsSummarytotal">
        <div>
            <label>Total:</label>
            <span>$22.84</span>
        </div>
    </li>
</ul>

```

5.7 UI Visual Example (Summary)

Sub Total:	\$22.97
Shipping Method:	UPS
Promotion (Free Shipping):	(\$6.95)
Loyalty Point Redemption:	(\$2.00)
Estimated Shipping:	\$6.95
Estimated Tax (8.125%):	\$1.87
Total	\$22.84

6 Display Action List

6.1 Usages

- Class Name: UL.displayActionList
- Examples are:
 - Enter Promotion Code
 - Enter Loyalty Card Code
 - Enter Gift Card Code

6.2 Example Markup

```
<ul class="displayActionList promoCodeEntry">
  <li class="string instructions">
    <div>
      <label>If you have an "Coupon" code, please enter it here:</label>
      <input type="text" name=" productPromoCodeId"/>
      <a href="addPromoCode"><span>Apply Promo Code</span></a>
      <@fieldErrors fieldName="productPromoCodeId"/>
    </div>
  </li>
</ul>
```

6.3 UI Visual Example

| If you have an Coupon code, please enter it here: [Apply Coupon Code](#) |

7 Action Result Item

7.1 Usages

- Class Name: DIV.displayActionList
- Examples are:
 - Entered Promotion Code
 - Entered Loyalty Card Code
 - Entered Gift Card Code

7.2 Example Markup

```
<div class="boxListItemTabular actionResultItem promoCode">
  <ul class="displayList actionResultItemList promoCode">
    <li class="id promoCode">
      <div>
        <label>Coupon Code:</label>
        <span>50FF</span>
      </div>
    </li>
    <li class="string promoDescription">
      <div>
        <label>Promotion:</label>
        <span>15% on 8</span>
      </div>
    </li>
    <li class="string promoSummary">
      <div>
        <label>Message:</label>
        <span>Added but does not apply</span>
      </div>
    </li>
    <li class="action remove">
      <div>
        <a href="javascript:removePromoCode('50FF');"><span>Remove offer</span></a>
      </div>
    </li>
  </ul>
</div>
```

7.3 UI Visual Examples

7.3.1 Desktop

If you have an Coupon code, please enter it here:			Apply Coupon Code
Coupon Code	Promotion	Message	Remove Offer
50OFF	50%	Promotion Applied	

7.3.2 RWD, Small Device

If you have an Coupon code, please enter it here:	
Apply Coupon Code	
Coupon Code	50OFF
Promotion	50%
Message	Promotion Applied
Remove Offer	

8 Display Detail

8.1 Usages

- Class Name: UL.displayDetail
- Examples are:
 - Order History
 - Re-Order Items

8.2 Example Markup

```
<ul class="displayDetail order">
  <li>
    <div class="id order">
      <label>Order Number:</label>
      <span> BF-33002940</span>
    </div>
    <div class="string customerName">
      <label>Customer:</label>
      <span> Joe Smith</span>
    </div>
  </li>
  <li>
    <div class="status order">
      <label>Order Status:</label>
      <span>Approved</span>
    </div>
    <div class="date order">
      <label>Order Date:</label>
      <span> 01/19/2011</span>
    </div>
  </li>
</ul>
```

-

8.3 UI Visual Example

Order Number:	BF-33002940	Customer :	Joe Smith
Order Status:	Approved	Order Date:	01/19/2011

OR

Order Number:	BF-33002940
Customer :	Joe Smith
Order Status:	Approved
Order Date:	01/19/2011

9 Display Box List

9.1 Usages

- Class Name: DIV displayBoxList
- Examples are:
 - My Account

9.2 Example Markup

```
<div class="displayBoxList">

  <div class="displayBox">
    <h3>Personal Information</h3>
    <ul class="displayList">
      <li>
        <div>
          <p>Need to update your name or other personal information?</p>
        </div>
      </li>
      <li>
        <div>
          <a href="href"><span>Click here</span></a>
        </div>
      </li>
    </ul>
  </div>

  <div class="displayBox">
    <h3>Login Information</h3>
    <ul class="displayList">
      <li>
        <div>
          <p>Need to update your Login information?</p>
        </div>
      </li>
      <li>
        <div>
          <a href="href"><span>Click here</span></a>
        </div>
      </li>
    </ul>
  </div>

</div>
```

9.3 UI Visual Example (Full Screen)

Personal Information
Need to update your name or other personal information? Click Here

Login Information

Need to update your Login information?

[Click Here](#)

10 Box List Item Tabular

10.1 Usages

- Class Name:
 - boxList
 - boxListItemTabular
- Examples are:
 - Cart Items
 - Order History

10.2 Example Markup

```
<div class="boxList orderList">
  <div class="boxListItemTabular order">
    <ul class="displayList">
      <li class="id order">
        <div>
          <label>Order Number:</label>
          <a href="eCommerceOrderStatus"><span>WSOD13822</span></a>
        </div>
      </li>
      <li class="date order">
        <div>
          <label>Order Date:</label>
          <span>07/25/13</span>
        </div>
      </li>
      <li class="status order">
        <div>
          <label>Order Status:</label>
          <span>Approved</span>
        </div>
      </li>
      <li class="string trackingNumber">
        <div>
          <label>Tracking Number:</label>
          <span>1101110001</span>
        </div>
      </li>
      <li class="currency price">
        <div>
          <label>Total Price:</label>
          <span>$7,606.95</span>
        </div>
      </li>
      <li class="action reOrder">
        <div>
          <a href="eCommerceReOrderItems"><span>Re Order Button</span></a>
        </div>
      </li>
    </ul>
  </div>
</div>
```

- The DIV 'boxListItemTabular' is iterative.
- Note: the usage of the secondary class 'orderList' and "order", this classification signifies the name of the specific 'type' of list and item being listed.

10.3 UI Visual Example

Order Number:	Date:	Order Status:	Tracking Number:	Total Price:	
WSOD13822	07/25/13	Approved	1100110011001	\$7,606.95	Reorder

Order Number:	Date:	Order Status:	Tracking Number:	Total Price:	
WSOD13822	07/25/13	Approved	1100110011001	\$7,606.95	Reorder

11 Box List Item Grid

11.1 Usages

- Class Name:
 - boxList
 - boxListItemGrid
- Examples are:
 - PLP
 - Address Book

11.2 Example Markup

```
<div class="boxList productList">
  <div class="boxListItemGrid productItem">
    <ul class="displayList">
      <li class="image">
        <div>
          <image>product Image</image>
        </div>
      </li>
      <li class="string">
        <div>
          <span>Red Shirt</span>
        </div>
      </li>
      <li class="currency">
        <div>
          <label>Online Price:label>
          <span>$99.99</span>
        </div>
      </li>
      <li class="action">
        <div>
          <a href="" class="standardBtn"><span>Buy Now</span></a>
        </div>
      </li>
    </ul>
  </div>
</div>
```

- The DIV 'boxListItemGrid' is iterative.
- Note: the usage of the secondary class 'productList' and "productItem", this classification signifies the name of the specific 'type' of list and item being listed.

11.3 UI Visual Example



Red Shirt
Online Price: \$99.99
BUY NOW

Blue Shirt
Online Price: \$89.99
BUY NOW

Yellow Shirt
Online Price: \$109.99
BUY NOW

PRODUCT IMAGE

Green Shirt
Online Price: \$79.99
BUY NOW

PRODUCT IMAGE

Purple Shirt
Online Price: \$94.99
BUY NOW

PRODUCT IMAGE

White Shirt
Online Price: \$83.99
BUY NOW

12 Entry Form

12.1 Usages

- Class Name:
 - entryForm
 - entry
- Examples are:
 - Account Registration
 - Address Entry
 - Contact Us
 - Request a Quote
 - Request a Catalog

12.2 Example Markup

```
<div class="entryForm">

    <div class="entry firstName personalInfoFirstName">
        <label>First Name:</label>
        <input name="firstName" type="text"/>
        <@filedErrors fieldName ="firstName"/>
        <@fieldErrors fieldName="${fieldPurpose?if_exists}_ADDRESS3"/>
    </div>

    <div class="entry lastName personalInfoLastName">
        <label><@required/>Last Name:</label>
        <input name="lastName" type="text"/>
        <@filedErrors fieldName ="lastName"/>
    </div>

    <div class="entry addressOne personalInfoAddressOne">
        <label><@required/>Address 1:</label>
        <input name="address1" type="text"/>
        <@filedErrors fieldName ="address1"/>
    </div>

</div>
```

12.3 Example CSS

```
.entryForm .entry {
    margin: 0 0 10px 0;
}

.entryForm .entry label {
    float: left;
    padding: 0 5px 0 0;
    text-align: right;
    width: 180px;
}
```

12.4 UI Visual Example

First Name:	Joe
* Last Name:	Smith
* Address 1:	

Please enter address information

13 Entry Form, Helper and Errors

13.1 Example: Password Entry field

```
<div class="entry userPassword">
  <label for="PASSWORD">
    <span class="required">*</span>Password:
  </label>
  <div class="entryField">
    <input type="password" maxlength="60" class="password" name="PASSWORD"
      id="PASSWORD" value="" maxlength="50"/>
    <span class="entryHelper">Minimum 6 characters.</span>
    <ul class="fieldErrorMessage">
      <li>The password must contain at least 6 characters.</li>
    </ul>
  </div>
</div>
```

13.2 CSS and Standard Display

```
label{width:150px}
  {text-align:right}
  {margin:0,2,0,0}

entryField{display:inline-block}
```

* Password:

Minimum 6 characters

The password must contain at least 6 characters

13.3 CSS and Small Device

```
.entryForm .entry label
{width: 100%!important;
text-align: left;}
```

* Password:

Minimum 6 characters

The password must contain at least 6 characters

TODO: <div class="entryField"> to be coded as <div class="entryField entryFieldError"> to enable box line coloring as shown, not currently support (Oct-2013)

14 Entry Lists

14.1 entryListItemTabular

- Essentially the same as `boxListItemTabular` to be used for multiple row entry
 - Normal display

* String-1	* String-2	Money
Joe	Smith	100
* String-1	* String-2	Money
Helen	Jones	200
* String-1	* String-2	Money
Bob	Jenkins	300

- RWD Display

* String-1

Joe

* String-2

Smith

Money

100

* String-1

Helen

* String-2

Jones

Money

200

* String-1

Bob

* String-2

Jenkins

Money

300

14.2 entryListItemGrid

- Essentially the same as `boxListItemGrid` to be used for multiple row entry

- Normal display

* String-1

* String-2

Money

* String-1

* String-2

Money

* String-1

* String-2

Money

- RWD Display

* String-1

* String-2

Money

* String-1

* String-2

Money

* String-1

* String-2

Money

15 Display Box & Display List

15.1 Usages

- Class Name:
 - DIV.displayBox
 - UL.displayList
- Examples are:
 - Checkout Shipping Address

15.2 Example Markup

```
<div class="displayBox">

  <h3>Shipping Address</h3>

  <ul class="displayList address">
    <li class="string customerName">
      <div>
        <span>Customer Name</span>
      </div>
    </li>
    <li class="string addressOne">
      <div>
        <span>10 Ship Ave</span>
      </div>
    </li>
    <li class="string addressTwo">
      <div>
        <span>Suite 10</span>
      </div>
    </li>
    <li class="string addressCSZ"> (ROW FORMAT)
      <div>
        <span>Sunrise</span>
        <span>FL</span>
        <span>10356</span>
      </div>
    </li>
  </ul>
</div>
```

15.3 UI Visual Example

Shipping Address
Customer Name 10 Ship Ave Suite 10 Sunrise FL 10356

16 Order History Example

16.1 Usages

- Class Name:
 - displayBox
 - displayList
 - boxList
 - boxListItem
- Examples are:
 - Order History

16.2 Example Markup

```
<div class="displayBox">
  <h3>List of historical Orders</h3>
</div>

<div class="boxList orderHistory">

  <div class="boxListItem order">
    <ul class="displayList odd">
      <li class="id order">
        <div>
          <label>Order Number:</label>
          <a href="eCommerceOrderStatus"><span> WSOD13822</span></a>
        </div>
      </li>
      <li class="date order">
        <div>
          <label>Order Date:</label>
          <span>07/25/13</span>
        </div>
      </li>
      <li class="status order">
        <div>
          <label>Order Status:</label>
          <span>Approved</span>
        </div>
      </li>
      <li class="string trackingNumber">
        <div>
          <label>Tracking Number:</label>
          <span>1101110001</span>
        </div>
      </li>
      <li class="currency price">
        <div>
          <label>Total Price:</label>
          <span>$7,606.95</span>
        </div>
      </li>
      <li class="action reOrder">
        <div>
          <a href="eCommerceReOrderItems"><span>Re Order Button</span></a>
        </div>
      </li>
    </ul>
  </div>
</div>
```

```

    </ul>
</div>

<div class="boxListItem order">
  <ul class="displayList even">
    <li class="id order">
      <div>
        <label>Order Number:</label>
        <a href="eCommerceOrderStatus"><span>WSOD13823</span></a>
      </div>
    </li>
    <li class="date order">
      <div>
        <label>Order Date:</label>
        <span>07/26/13</span>
      </div>
    </li>
    <li class="status order">
      <div>
        <label>Order Status:</label>
        <span>Approved</span>
      </div>
    </li>
    <li class="string trackingNumber">
      <div>
        <label>Tracking Number:</label>
        <span>1101110001</span>
      </div>
    </li>
    <li class="currency Price">
      <div>
        <label>Total Price:</label>
        <span>$7,606.99</span>
      </div>
    </li>
    <li class="action reOrder">
      <div>
        <a href="eCommerceReOrderItems"><span>Re Order Button</span></a>
      </div>
    </li>
  </ul>
</div>
</div>

```

16.3 UI Visual Example (Standard Device)

List of Historical Orders

Order Number:	WSOD13822
Date:	07/25/13
Order Status:	Complete
Tracking Number:	1100110011001
Total Price:	\$7,606.95
Re-order:	<u>Reorder</u>

Order Number:	WSOD13823
Date:	07/26/13
Order Status:	Shipped
Tracking Number:	1100110011001
Total Price:	\$7,606.99
Re-order:	<u>Reorder</u>

16.4 UI Visual Example (Small Device)

List of Historical Orders	
Order Number:	WSOD13822
Date:	07/25/13
Order Status:	Approved
Tracking Number:	1100110011001
Total Price:	\$7,606.95
Re-order:	Reorder
Order Number:	WSOD13823
Date:	07/26/13
Order Status:	Approved
Tracking Number:	1100110011001
Total Price:	\$7,606.99
Re-order:	Reorder

17 Navigation Bar Component

17.1 Overview

- This section outlines specific requirements and considerations for a small device and how the Navigation Bar interacts with a customer
- This document is intended to provide recommended guidelines
 - Final implementations may be different
 - For example: Home Page may show a “collapsed” menu

17.2 Markup

```
<div id="eCommerceNavBar">

  <div id="eCommerceNavBarWidget">
    <a href="javascript:onclick showNav" class="showNavWidget"><span>SHOW NAV</span></a>
    <a href="javascript:onclick showNav" class="hideNavWidget"><span>HIDE NAV</span></a>
  </div>

  <ul id="eCommerceNavBarMenu">

    <li class="topLevel navfirstitem">
      <a class="topLevel" href="url/apparel">APPAREL</a>
      <ul>
        <li class="subLevel navfirstitem">
          <a class="subLevel" href="url/active">ACTIVE</a>
        </li>
        <li class="subLevel">
          <a class="subLevel" href="url/active">BLOUSES</a>
        </li>
        <li class="subLevel">
          <a class="subLevel" href="url/etc">ETC</a>
        </li>
      </ul>
    </li>

    <li class="topLevel">
      <a class="topLevel" href="url/apparel">HANDBAGS / SHOES</a>

      <ul class="ecommerceMegaMenu handbagsShoes">
        <Mega Menu Content>
      </ul>

      <ul class="eCommerceMegaMenuAlt handbagsShoes">
        <li class="subLevel navfirstitem">
          <a class="subLevel" href="url/etc">etc</a>
        </li>
      </ul>
    </li>

    <li class="topLevel">
      <a class="topLevel" href="url/apparel">ETC</a>
      <ul>
        <li class="subLevel navfirstitem">
          <a class="subLevel" href="url/etc">etc</a>
        </li>
      </ul>
    </li>

  </ul>

</div>
```

```

        </li>
      </ul>
    </li>
  </ul>
</div>

```

17.3 Home Page

- CSS Styling

```

homePageClass.showNavWidget      {display:none;}
homePageClass.hideNavWidget      {display:none;}
homePageClass.eCommerceNavBarMenu {display:block;}
homePageClass.eCommerceMegaMenu  {display:none;}

```



- FH Demo specifics (could apply as guidelines for other implementations)
 - RWD message hidden
 - Carousel hidden
 - **TODO: strategy for header links**

17.4 Other Pages, default display

- CSS Styling

```

.showNavWidget      {display:block;}
.hideNavWidget      {display:none;}
.eCommerceNavBarMenu {display:none;}
.eCommerceMegaMenu  {display:none;}

```

- Show sub-categories as menu bar items

Header Links
FASHION H O U S E
Site Search
Shopping Bag
 SHOW NAV
Content Spots
Footer Links

17.5 Other Pages, expand navbar

■ CSS Styling

```
.showNavWidget          {display:none;}
.hideNavWidget           {display:block;}
.eCommerceNavBarMenu    {display:block;}
.eCommerceMegaMenu       {display:none;}
```

■ Show sub-categories as menu bar items

Header Links
FASHION H O U S E
Site Search
Shopping Bag
HIDE NAV
APPAREL
HANDBAGS / SHOES
JEWELRY / ACCESSORIES
SAMPLE SALES
TOP TRENDS
WHAT'S NEW
OUR DESIGNERS
Content Spots
Footer Links

17.6 Mega Menu

- “Regular” drop-down navbar markup needs to be generated *IN ADDITION* to the mega menu code

18 Display Address Format

18.1 References

- See spec "*BF General Concepts.doc*" for the functionality requirements for Address Formatting

18.2 Assumptions

- The illustrations in this section will use the following example data:

Name: John Smith
Address-1: 220 Old Country Road
City: Mineola
Zip: 11501
Country: USA

18.3 Format "MULTI LINE FULL ADDRESS"

- Markup

```
<ul class="displayList address">
  <li>
    <div>
      <span>John Smith</span>
    </div>
  </li>
  <li>
    <div>
      <span>220 Old Country Road</span>
    </div>
  </li>
  <li>
    <div>
      <span>ADDRESS 2</span>
    </div>
  </li>
  <li>
    <div>
      <span>ADDRESS 3</span>
    </div>
  </li>
  <li>
    <div>
      <span>Mineola,</span>
      <span>NY</span>
      <span>11701</span>
    </div>
  </li>
  <li>
    <div>
```

```

        <span>USA</span>
      </div>
    </li>
  </ul>

```

■ UI

John Smith
220 Old Country Road
Mineola, NY 11701
USA

18.4 Format “SINGLE LINE FULL ADDRESS”

■ Markup

```

<ul class="displayList address">
  <li>
    <div>
      <span>John Smith</span>
      <span>220 Old Country Road</span>
      <span>ADDRESS 2</span>
      <span>ADDRESS 3</span>
      <span>Mineola,</span>
      <span>NY</span>
      <span>11701</span>
      <span>USA</span>
    </div>
  </li>
</ul>

```

■ UI

John Smith 220 Old Country Road, Mineola, NY 11701 USA

18.5 Format “MULTI LINE STREET CITY”

■ Markup

```

<ul class="displayList address">
  <li>
    <div>
      <span>John Smith</span>
    </div>
  </li>
  <li>
    <div>
      <span>220 Old Country Road</span>
    </div>
  </li>
  <li>
    <div>
      <span>Mineola</span>
    </div>
  </li>
</ul>

```

```
        </div>
      </li>
    </ul>
```

■ UI

John Smith
220 Old Country Road
Mineola

18.6 Format “SINGLE LINE STREET CITY”

■ Markup

```
<ul class="displayList address">
  <li>
    <div>
      <span>John Smith</span>
      <span>220 Old Country Road</span>
      <span>Mineola</span>
    </div>
  </li>
</ul>
```

■ UI

John Smith 220 Old Country Road, Mineola

19 Data Table

19.1 Usages

- Class Name:
 - dataTable
 - oddRow
 - evenRow
 - firstRow
 - lastRow

19.2 Example Markup

```
<table class="dataTable summary registrationSummary">

  <thead>
    <tr>
      <th><label>Summary Option</label></th>
      <th><label>Count</label></th>
      <th><label>Price Per</label></th>
      <th><label>Total</label></th>
    </tr>
  </thead>

  <tbody>
    <tr class="oddRow firstRow">
      <td data-th="Option"><span>Number Registered</span></td>
      <td data-th="Count"><span>147</span></td>
      <td data-th="Price Per"><span>$175</span></td>
      <td data-th="Total"><span>$25,725</span></td>
    </tr>
    <tr class="evenRow lastRow">
      <td data-th="Option"><span>Number of Registered Paid</span></td>
      <td data-th="Count"><span>83</span></td>
      <td data-th="Price"><span>$175</span></td>
      <td data-th="Total"><span>$14,525</span></td>
    </tr>
  </tbody>

  <tfoot>
    <tr>
      <td data-th="Option"><span>TOTAL DUE FOR REGISTRATIONS</span></td>
      <td data-th="Count"><span>64</span></td>
      <td data-th="Price"><span>$175</span></td>
      <td data-th="Total"><span>$11,200</span></td>
    </tr>
  </tfoot>

</table>
```

19.3 UI Visual Example (Standard Device)

Summary Option	Count	Price	Total
Number Registered	147	\$175	\$25,725
Number of Registered Paid	83	\$175	\$14,525
TOTAL DUE FOR REGISTRATIONS	64	\$175	\$11,200

■ CSS Styling

```
.dataTable {  
  margin: 1em 0;  
  min-width: 300px;  
}  
.dataTable th {  
  display: none;  
}  
.dataTable td {  
  display: block;  
}  
  
.dataTable tr.firstRow {  
}  
  
.dataTable tr.lastRow {  
}  
  
.dataTable tr.evenRow {  
  background-color: #FFFFFF;  
}  
  
.dataTable tr.oddRow {  
}  
  
.dataTable tfoot {  
  background-color: #eeeeee;  
}  
  
.dataTable tfoot td span {  
  color: #FF0000;  
}  
  
.dataTable td:first-child {  
  padding-top: .5em;  
}  
.dataTable td:last-child {  
  padding-bottom: .5em;  
}  
.dataTable td:before {  
  content: attr(data-th) " ";  
  width: 100%;  
  display: none;  
  color: #808080;  
}
```



```

    font-size: 14px; /* Default Font Size; consider default font sizes above */
    font-weight: 700;
}

.dataTables th, .dataTable td {
    text-align: left;
}

@media (min-width: 480px) {
    .dataTable th, .dataTable td {
        display: table-cell;
        padding: .25em .5em;
    }
    .dataTable th:first-child, .dataTable td:first-child {
        padding-left: 0;
    }
    .dataTable th:last-child, .dataTable td:last-child {
        padding-right: 0;
    }
}

.dataTable {
    background: #FFFFFF;
    border-radius: .4em;
    overflow: hidden;
    width: 100%;
    border: 1px solid #CCCCCC;
}

.dataTable tbody {
    background-color: #FFFFFF;
}

.dataTable thead{
    background-color: #F8FEDC;
    border-bottom: 1px solid #CCCCCC;
}

.dataTables th, .dataTable td {
    margin: .5em 1em;
}

.dataTables th, .dataTable td {
    padding: 1em !important;
}

```

19.4 UI Visual Example (Small Device)

Summary Option

Number Registered

Count

147
Price
\$175
Total
\$25,725
Summary Option
Number of Registered Paid
Count
83
Price
\$175
Total
\$14,525
Summary Option
TOTAL DUE FOR REGISTRATIONS
Count
64
Price
\$175
Total
\$11,200

■ CSS Styling

```
@media only screen and (max-width:480px) {
  .dataTable tbody {
    background-color: #F8FEDC;
  }

  .dataTable th, .dataTable td {
    padding: 0 !important;
  }

  .dataTable td:before {
    display: inline-block;
  }
}
```

20 Appendix A: Component Class Names

20.1 Cross Reference

Component	Class	Function / Page
entryForm		Contact Us
		Account Registration
		Address Entry
		Request a Quote
		Request a Catalog
		Forgot Password
		Multi Shopping List Search
boxList	giftMessageList	Checkout: Enter a Gift Message
	cartList	Checkout: View Cart Cart Shipping Groups Light Box Order Confirm Order Summary Multi Shipping Address Multi Shipping Options Wishlist Order Shipping Groups
	productList	PLP Manufacturer PDP Accessory PDP Complement PDP Recently Viewed
	categoryList	CLP
	orderItemList	Order History
	reviewList	PDP
	giftCardList	Checkout
	loyaltyPointList	Checkout
	promoCodeList	Checkout
	orderList	Order History
	reOrderList	
	addressBookList	Address Book
	paymentMethodList	My Account
	storeLocationList	Store Locator
boxListItemGrid	productItem	PLP PDP Complement PDP Accessory PDP Recently Reviewed Manufacturer
	categoryItem	CLP
	addressBookItem	Address Book
boxListItemTabular	reviewItem	PDP Review Quicklook

	cartItem	Show Cart Cart Shipping Groups Light Box Order Confirm Order Summary Multi Shipping Address Multi Shipping Options Wishlist Order Shipping Groups
	orderItem	Re Order History Order Detail Shipping Group
	giftCardItem	Checkout
	loyaltyPointItem	Checkout
	promoCodeItem	Checkout
	order	Order History Recurring Orders
	shippingGroupSummary	Cart Shipping Groups
	paymentMethodItem	My Account
	paymentMethodEFTItem	My Account
	location	Store Locator
displayList	pdpList	PDP
	cartItemList	Show Cart Cart Shipping Groups Light Box Order Confirm Order Summary Multi Shipping Address Multi Shipping Options Wishlist Order Shipping Groups
	reviewListItemList	PDP Quicklook
	productItemList	PLP PDP Complement PDP Accessory PDP Recently Viewed Manufacturer
	categoryItemList	CLP
	quickLookList	QuickLook
	summary	Wishlist PayPal Order Confirm Order Item Lightbox Order Detail Gift Card Promotions Loyalty Points
	writeReviewProductList	Write Review
	orderList	Order History Recurring Order History

	orderItemList	Re Order History Order Detail
	paymentMethodItemList	My Account
	paymentMethodEFTItemList	My Account
	storeLocationList	Store Locator
	shippingGroupList	Order Detail
displayActionList	reOrderFilter	Re order History
		Sign In Checkout Gift Card Checkout Loyalty Checkout Promo Code Checkout Store Credit My Account Personal Info Store Locator
displayDetail	order	Order Detail
	store	Store Detail
	creditCardInfo	Checkout
	payPalInfo	Checkout
	creditCardInfo	Checkout
	ebsInfo	Checkout
	payNetzInfo	Checkout
	giftCardInfo	Checkout
	codInfo	Checkout
	finAccountInfo	Checkout
	payInfo	Checkout
actionResultItem	giftCardItem	Checkout
	loyaltyPointItem	Checkout
	promoCodeItem	Checkout
displayBox	confirmDialog	