



"Smart" Parking Meter Implementations, Globalism, and You

Black Hat USA 2009



Joe Grand aka *KINGPIN*, Grand Idea Studio, Inc.
Jacob Appelbaum, Noisebridge
Chris Tarnovsky, Flylogic Engineering

Joe Grand

- Electrical engineer
- Hardware hacker
- Grand Idea Studio: Product development & licensing, consumer devices and electronics modules for hobbyists
- Member of the L0pht hacker think-tank in 1990s
- Prior security work includes numerous USB authentication token & PDA vulnerabilities/forensics



Jacob Appelbaum

● Developer for The Tor Project



● cDc member



● Founding member of Noisebridge hacker space in San Francisco



● Notable work includes Cold Boot Attacks, Rogue CA Certificate creation, Reversing File Vault

Chris Tarnovsky

- Flylogic Engineering: Security analysis of silicon die and semiconductor devices
- Early satellite TV hacking of smartcard-based systems
- Recent work includes glitching attacks on smartcards using sewing needles

Why Parking Meters?

- ◎ We take these systems for granted and rely heavily on them, so they deserve a review
- ◎ Many U.S. cities are spending millions of dollars deploying "smart" electronic systems
 - Ex.: San Francisco, 2003, \$35 million pilot program to replace 23,000 mechanical meters
 - Others include Atlanta, Boston, Chicago, Los Angeles, New York, Philadelphia, Portland, San Diego
- ◎ Is proper security due diligence really being done by parking meter vendors before implementation?

Why Parking Meters? 2

- Parking industry generates \$28 billion annually
- Where there's money, there's risk for fraud and abuse
- Attacks/breaches can have serious implications
 - Fiscal
 - Legal
 - Social

Our Goals

- ◎ Understand the current state of (un)fare collection infrastructure
- ◎ Demonstrate attacks, explain potential weaknesses, present fixes
- ◎ Educate attendees on the hardware hacking process
- ◎ Case study: San Francisco Municipal Transportation Agency (MTA)

Fare Collection Infrastructure

- ◎ Parking meters
 - Single space
 - Multiple space
- ◎ Audit log retrieval
- ◎ Coin/payment retrieval
- ◎ Maintenance/repair
- ◎ Intentional role separation/distribution of trust

Parking Meter Technology

- Pure mechanical replaced with hybrid electromechanical in early 1990s
 - Mechanical coin slot
 - Minimal electronics used for timekeeping and administrator access (audit, debug, programming?)
- Now, we're seeing pure electronic "smart" systems
 - Microprocessor, memory, user interface
 - Has potential for problems like any other hardware-based embedded system

Parking Meter Technology 2

◎ User Interfaces

- Coin
- Smartcard
- Credit card

◎ Administrator Interfaces

- Coin
- Smartcard
- Infrared
- Wireless (RF, GPRS)
- Other (Serial via key, etc.)



Austin, TX



Chicago, IL



Vancouver, BC, Canada



Jerusalem, Israel



Prior Problems and/or Failures

- New York City reset via infrared (universal remote control), 2001,
<http://tinyurl.com/mae3g8>
- San Diego stored value card by H1kari, 2004, www.uninformed.org/?v=1&a=6&t=txt
- Chicago multi-space failures, June 2009
 - Firmware bug or intentional social disobedience?
 - <http://tinyurl.com/nt7g19>
 - <http://theexpiredmeter.com/?p=3081>

General Process

- Attack postulation
- Information gathering
- Hardware analysis
- Firmware reverse engineering
- Smartcard analysis

Attack Postulations

- Covert channels/message passing via LCD
- Meter-to-meter virus propagation via RF
- Denial-of-service
 - Set meter to "Out of Order"
 - Destruction of smartcard or coin processing circuitry/fuses via ESD
 - Cause a legitimate user to be added to fraud blacklist (if used)

Attack Postulations 2

- ◎ Immediate deduction of credit
 - Ex.: Cause a targeted law-abiding citizen to receive a ticket
- ◎ Audit log retrieval/modification
- ◎ Changing time/date
 - Ex.: Every day is Sunday, Sunday, Sunday!
- ◎ Unlimited payment via smartcard

Information Gathering

- ◎ Social engineering
- ◎ Crawling the Internet for specific information
 - Product specifications, design documents, etc.
 - What is the core business competency?
 - Do they have technical troubles?
- ◎ Dumpster diving
- ◎ Acquire target hardware
 - Purchase, borrow, or ask the vendor

Hardware Analysis

- ◎ Meter hardware and electronics disassembly
- ◎ Component and subsystem identification
- ◎ Gives us clues about design techniques, potential attacks, and meter functionality
- ◎ Typically there are similarities between older and newer designs
 - Even between competing products
- ◎ Explored a selection of single space meters
 - All purchased on eBay, prices range from \$0.99 to \$500
 - * Duncan EMM 7700
 - * POM APM
 - * MacKay Guardian



Meter Disassembly: Duncan EMM 7700





Meter Disassembly: Duncan EMM 7700 2




Meter Disassembly: Duncan EMM 7700 3




Meter Disassembly: Duncan EMM 7700 4



Meter Disassembly: POM APM






Meter Disassembly: POM APM 2



Meter Disassembly: POM APM 3




Meter Disassembly: POM APM 4





Meter Disassembly: MacKay Guardian




Meter Disassembly: MacKay Guardian 2




Meter Disassembly: MacKay Guardian 3



Meter Disassembly: MacKay Guardian 4



Meter Disassembly: MacKay Guardian 5



Firmware Analysis

- Extract program code/data from on-board memory devices (Flash or ROM)
- Quick run through w/ *strings* and hex editor to pick most interesting area to begin with
- Disassembly and reverse engineering
- Gives clues to possible entry/access points to administrative menus or ideas of further attacks

Smartcard Analysis

- Communications monitoring
- Protocol decoding and emulation
- Silicon die analysis (if resources allow)

Case Study: San Francisco MTA



Case Study: San Francisco MTA



Case Study: San Francisco MTA

Introduction

- Part of a \$35 million pilot program to replace 23,000 mechanical meters in 2003
- City is considering adding more meters to fill every available parking spot
 - 320,000 of them!
 - <http://tinyurl.com/nhpgzm>
- Infrastructure currently comprised of MacKay Guardian XLE meters

Case Study: San Francisco MTA

Introduction 2

- ◎ Stored value smart card
 - \$20 or \$50 quantities
 - Can purchase online with credit card or in cash from selected locations
- ◎ Easy to replay transaction w/ modified data to obtain unlimited parking
 - Determined solely by looking at oscilloscope captures of smartcard transactions
 - Succeeded in three days



Case Study: San Francisco MTA Process

- Information Gathering
- Smartcard & Silicon Die Analysis
 - Treated as a black box attack, no meter required

Case Study: San Francisco MTA

Caveats

- ◎ Released code is solely for educational purposes
 - Commands/data will be changed to prevent fraud against SFMTA
 - The goal is to show how attack was successful without putting any company at risk
 - Get it from www.grandideastudio.com/portfolio/smart-parking-meters/

Case Study: San Francisco MTA

Information Gathering

- ◎ A chance encounter w/ Department of Parking & Transportation technician on the streets of SF
 - Ask smart, but technically awkward questions to elicit corrections
- ◎ Crawling the Internet for specific information
 - Product specifications, design documents, etc.
 - What is the core business competency?
 - Do they have technical troubles?

Case Study: San Francisco MTA

They Do Have Technical Troubles!

```
# From: xxx <xxx at jjmackay dot ca>  
# Date: Wed, 14 Mar 2001 10:27:29 -0400
```

I am learning how to use CVS and as part of this process I set up a test repository to 'play' with.

```
D:\src\working\epurse\cvstest>cygcheck -s -v -r -h
```

```
Cygnus Win95/NT Configuration Diagnostics  
Current System Time: Wed Mar 14 09:39:50 2001
```

```
Win9X Ver 4.10 build 67766446 A
```

```
Path: /cygdrive/c/NOVELL/CLIENT32  
      /cygdrive/c/WINDOWS  
      /cygdrive/c/WINDOWS/COMMAND  
      /usr/bin  
      /cygdrive/c/JJMACKAY/MET_TALK  
      /cygdrive/c/JJMACKAY/UTILITY
```

```
GEMPLUS_LIB_PATH = `C:\WINDOWS\GEMPLUS`
```

```
Found: C:\cygwin\bin\gcc.exe  
Found: C:\cygwin\bin\gdb.exe
```

```
xxx, Sr. Software Designer
```

Case Study: San Francisco MTA Silicon Die Analysis



- Purchased and decapsulated multiple cards to look for clues of manufacturer and functionality
- Decapsulation process for smartcards
 1. Remove plastic surrounding the die (usually w/ acetone)
 2. Throw die into small Pyrex of heated Fuming Nitric Acid (HNO_3)
 3. Rinse in acetone
 4. Glue die into a ceramic DIP package (for probing)
 5. If part is for analysis, prevent scratching!

Case Study: San Francisco MTA

Silicon Die Analysis 2

- Visually identified that two different smartcard types exist
 - Gemplus GemClub-Memo (ASIC)
 - 8051 microcontroller *emulating* GemClub-Memo
- Dependent on card serial number
 - Older cards are ASIC, newer cards are MCU
- Microcontroller has potential for hidden/undocumented commands
 - One could retrieve the code from the card and reverse engineer (we didn't)

Case Study: San Francisco MTA Silicon Die Analysis 3




Case Study: San Francisco MTA

ISO7816 Overview

- ◎ International specification for smartcards
- ◎ Multiple sections
 - ISO7816-1: Physical Characteristics
 - ISO7816-2: Dimensions and Locations of Contacts
 - ISO7816-3: Electronic Signals and Transmissions Protocols
 - ...and many more!
- ◎ http://en.wikipedia.org/wiki/ISO/IEC_7816

Case Study: San Francisco MTA

ISO7816 Overview 2



Case Study: San Francisco MTA

ISO7816 Overview 3

◎ Transmission Protocols

- Asynchronous


- No external clock needed ala RS232
- T=0: Half-duplex character transmission
- T=1: Half-duplex block transmission
- Operates at a set baud rate (ex.: 9600bps)
- Uses APDU (Application Protocol Data Unit) protocol
- Ex.: Processor-based, Java, PKI, SIM cards

- Synchronous


- Data shifted in/out in relation to CLK ala I2C/SPI
- Ex.: "Dumb" stored value/memory cards

Case Study: San Francisco MTA Communications Monitoring

- Used "shim" between smartcard and meter
 - Unpopulated Season 2 Interface
- Monitored I/O transaction w/ digital oscilloscope
- Asynchronous serial data @ 9600, 8E1 captured and decoded
 - Correct baud rate determined by measuring bit width on scope



Case Study: San Francisco MTA Communications Monitoring 2



Bit width

Data to/from smartcard/meter

ATR (Answer-to-Reset)

$\Delta X = 105.000000\mu s$

$1/\Delta X = 9.5238\text{kHz}$

$\Delta Y(1) = -10.5625\text{V}$

#Bits
8

Parity
Even

Baud
9600 b/s


Polarity
Idle high

Bit Order
LSB

Case Study: San Francisco MTA Protocol Decoding

- ◎ Captured multiple transactions to gather clues on operation
 - Different valued cards
 - Different serial numbers
- ◎ Based on what values changed per transaction & per card, could narrow down what data meant what
- ◎ Decoded transaction functionality by hand, no computer needed!

Case Study: San Francisco MTA Initialization




Case Study: San Francisco MTA Initialization 2

Meter

Card


[4 byte responses unless noted]

Read CSCI
Ratification Counter




0

CSCI Password
[Password calculated by meter and
sent to card for authentication]




Password OK (2)

Read Address 14



0

Read CTCI
Card Transaction Counter




CTCI [value varies]

Case Study: San Francisco MTA Initialization 3


Meter

Read Balance 2



Read CTCI

Card Transaction Counter



Card

[4 byte responses unless noted]

Maximum Card Value


Ex.: 0xFF FF F0 AF = \$20

Ex.: 0xFF FF F1 27 = \$50

CTCI [value varies]

Case Study: San Francisco MTA

Deduction of Single Unit (\$0.25)



- By updating the Balance I Value (8 bytes), CTCI automatically increments
- CTCI is the only value that changes during the entire transaction!

Case Study: San Francisco MTA

Computation of Card Value

- ◎ Maximum card value = (Balance 2 - 95d)
 - Ex.: \$0AF (175d) - 95d = 80 units
 - $80 * 0.25 = \$20$
 - Ex.: \$127 (295d) - 95d = 200 units
 - $200 * 0.25 = \$50$

Case Study: San Francisco MTA Protocol Emulation

- ◎ First attempt to replay exact transaction captured w/ scope
 - Microchip PIC16F648A
 - Written in C using MPLAB + CCS PIC-C
 - Challenge for code to be fast enough and incorporate required short delays while still be readable/useful C

Case Study: San Francisco MTA

Protocol Emulation 2

```
card.c
card.c:5 <No selected symbol>
1 #include "card.h"
2
3 void main (void)
4 {
5     port_b_pullups(FALSE); // disable pprt B pull-ups
6
7     atr();
8     manufacturer();
9     issuer();
10    current_value();
11
12    while(1)
13    {
14        issuer();
15        deposit_coin();
16    }
17 }
18
19 void atr(void)
20 {
21     delay_ms(1);
22
23     putc(0x3B);delay_us(170); // guard time
24     putc(0x02);delay_us(170);
25     putc(0x53);delay_us(170);
26     putc(0x01);
27 }
28
29 void manufacturer(void)
30 {
31     output_float(SIO);
32     while (getc() != 0x00);
33     while (getc() != 0xBE);
34     while (getc() != 0x00);
35     while (getc() != 0x00);
36     while (getc() != 0x04);
37     delay_us(500);
38     putc(0xBE);delay_us(170); // guard time
39     putc(0x7A);delay_us(170);
40     putc(0x11);delay_us(170);
41     putc(0x11);delay_us(170);
42     putc(0xFF);delay_us(170);
43     putc(0x90);delay_us(170);
44     putc(0x00);
45 }
46
47
```

Code snippet

Case Study: San Francisco MTA

Protocol Emulation 3


- ◎ Then, modified code to change various values until success
 - Knowing how "remaining value" is computed, what happens if we change Balance 2 to \$FFF?
 - Ex.: \$FFF (4095d) - 95d = 4000 units?
 - Meter believes card has the maximum possible value
 - Could also have the code never increment CTCI so stored value never decreases

Case Study: San Francisco MTA

Protocol Emulation 4

- ◎ Ported code to Silver Card (PIC16F877-based smart card)
 - PIC-based smartcards have been popular for satellite TV hackers for years, so required equipment is readily available
 - Ex.: <http://tinyurl.com/mqphcj>


Case Study: San Francisco MTA Hardware Evolution



1) Custom PCB + shim



2) MM2 card w/
external PIC



3) Silver Card PIC16F877
smartcard

Case Study: San Francisco MTA Results



Case Study: San Francisco MTA

Recommended Fixes

- ◎ Daily audit log/serial number correlation/blocklisting
 - There are serious privacy implications with this...
- ◎ Reduce number of access methods
 - Every access point is an avenue of attack
 - Ex.: MacKay Guardian XLE specification requires no fewer than *five*
- ◎ Incorporate anti-tamper mechanisms into parking meter circuitry
 - Will prevent easy access to firmware and other internals

Case Study: San Francisco MTA

Recommended Fixes 2

- ◎ Abandon the use of an offline system
 - An isolated meter is no match for a dedicated attacker
- ◎ Meters could communicate with a mothership
 - Incorporate digital signatures for all transactions
 - New attacks may present themselves...
- ◎ See David Chaum's work on anonymous ecash
 - <http://en.wikipedia.org/wiki/Ecash>
 - Trust and verify: Don't contribute to counterfeiting

Final Thoughts

- ◎ Systems need to be fully tested before deployment
 - Why is hardware always inherently trusted?
- ◎ We are barely scratching the surface of what can be done against parking meters
 - Different cities have different implementations
 - Different vendors have different designs and exploitable features
- ◎ Parking meters are like real-world DRM
 - Good luck with that.
- ◎ Consider a world without parking meters
 - Ride a bicycle!

Thank You

© Jennifer Granick

- Electronic Frontier Foundation, www.eff.org



Q & A

