



EMF-IncQuery gets Sirius: faster and better diagrams

Ákos Horváth, Ábel Hegedüs, Zoltán Ujhelyi
IncQuery Labs Ltd.

Ádám Lengyel, István Ráth, Dániel Varró
Budapest University of Technology and Economics



Outline of the talk

Motivation and background

Sirius and queries

Interpreter based integration

- Overview
- Demo and evaluation

Query-based viewpoint definition

- Overview
- Demo and evaluation

Conclusion

- Current status
- Future work

■ Main Contributors



○ Ádám Lengyel



○ Ábel Hegedüs



○ Zoltán Ujhelyi

○ István Ráth



○ Ákos Horváth



Introduction

Viewpoint:

- Different view of underlying model
- Abstraction → hides complexity

??


I don't need all that information

Can I define a simplified model?

Can I define a viewpoint to visualize it?


Maintenance:

- Incrementally
- Immediately



Motivating scenario: CONCERTO

- EU-ECSEL project (started in 2013)
 - General MDD toolchain for safety-critical systems
 - Analysis and code generation for component based systems
 - UML based modeling
 - Non-modifiable PSM
- Simplified Example



More details on *Matlab Simulink and Eclipse* integration: <https://github.com/FTSRG/massif>

Background: Sirius

■ Sirius

- Custom concrete syntax for visualization
 - Tree, table, graph, etc.
- Provides viewpoint definition over EMF models
- Abstraction can be defined using interpreted expressions
 - MTL – Acceleo Model-to-Text language
 - OCL- Object Constraint language
 - *AQL (recommended as of 3.1) – Acceleo Query Language*
- Supports several viewpoints over the same abstract syntax




More details on *Sirius*: <https://eclipse.org/sirius/>

Background: EMF-IncQuery

■ EMF-IncQuery

- Incremental model query engine
- Own query language = IQPL
 - declarative
 - graph pattern based




More details on *EMF-IncQuery* integration: <http://www.eclipse.org/incquery/>

IncQuery as a query language in Sirius

Overview: IQPL as query language for Sirius


- Sirius provides API to provide custom expression interpreter
 - `org.eclipse.sirius.common.expressionInterpreter`
 - `org.eclipse.sirius.common.proposalProvider`



DEMO Using IncQuery in Sirius

- Same model query written in

- MTL
- AQL
- IncQuery



Evaluation: Interpreted expression

- Profiler was used to isolate **query execution time**


Models	EObjects	EReferences	EAttributes	Diagram nodes	Diagram edges
Small	3550	34222	9471	12	17
Medium	6994	124708	22129	17	13
Large	63580	1233581	457230	167	6154

- **AQL**

- provides good performance
- Low memory profile

- **IncQuery**


- Recalculations < 50 ms
- Requires up to 2x memory
 - Large ~1.2 Gb



Query-based resource

Viewpoints as separate EMF resources


VIEW MODELS AND SIRIUS



More details on EVM: <http://wiki.eclipse.org/EMFIncQuery/DeveloperDocumentation/EventDrivenVM>


Execution of motivating example

- More matches can appear at the same time
 - Ordered execution schema (priority for rules)
- Internal traceability for created objects
 - Explicit definition
- Configuration model hides underlying EVM rule definitions
 - Predefined set of manipulation rules available
- In summary: *One way incremental synchronization* → *arbitrary transformation*



Updating derived models

- Initial setup of derivation rules
 - *EClassifiers, EStructuralFeatures*
- Query result deltas
 - *Delta = (Found, Lost, Updated)*
- *Based on EMF-IncQuery Event-Driven Virtual machine*
- Integration architecture




DEMO Using IncQuery in Sirius

- Standard Sirius domain
 - Family representation
 - Incremental synchronization
 - On-the-fly
- Concerto EMF-UML2
 - Viewpoint for simplified representation

Evaluation - Concerto

- First time execution
- 10+ derivation rules
- Transformation ~33% of overall runtime
- Memory consumption ~3.5x of original model


Models	EObjects	EReferences	Diagram nodes	Diagram edges
9+16	38	89	9	16
81+160	371	890	81	160
201+400	926	2225	201	400
401+800	1851	4450	401	800
601+1200	2776	6675	601	1200
801+1600	3701	8900	801	1600
1201+2400	5551	13350	1201	2400



Evaluation - Concerto

- Incremental recalculation
- Transformation re-execution < 50 ms
- Refreshing < 1 s
- Refreshing is also faster

Models	EObjects	EReferences	Diagram nodes	Diagram edges
9+16	38	89	9	16
81+160	371	890	81	160
201+400	926	2225	201	400
401+800	1851	4450	401	800
601+1200	2776	6675	601	1200
801+1600	3701	8900	801	1600
1201+2400	5551	13350	1201	2400



Conclusions

What we have done and where to move forward

Conclusions

- *Proof-of-concept version is available*
 - **IncQuery** does well **as expected** in incremental recalculations
 - Incremental refreshing is not available
 - *Would be nice to have explicit API 😊*
 - Usage requires deep knowledge of both Sirius and IncQuery
 - Common base with new EMF-IncQuery Viewers
- *Experience*
 - *Concerto EU-ECSEL project*
 - Works with Papyrus and EMF-UML2!
 - Aimed application scenario
 - Viewpoint definition directly for EMF models (one-to-one mapping)
 - **Online synchronization**

Final points

- The examples and more details are available from
 - <https://github.com/FTSRG/iq-sirius-integration>
 - Contributors:
 - Main: BME-FTSRG, IncQuery Labs Ltd.
 - Supporting projects: Concerto (EU-Artemis)
 - (Hopefully) future partner: **Obeo** 😊
- **Your contributions (feedback, forum posts, ideas, patches) are very welcome!**
 - *To what direction should we enhance this approach?*



eclipsecon Europe

Ludwigsburg, Germany, 3 - 5 November 2015

Evaluate the sessions at www.eclipsecon.org

+1

0

-1