

10 stories in  
10 minutes

1

BitPesa



1

BitPesa



2

Coins.ph

FRANKI EXCHANGE CO.

WANTED

WANTED

WANTED

ANGE

VIP  
NO PILA

PARTNERS WITH

CEBUANA LHUILLIER

Damang Pera Padala



3

AlignCommerce




4

Lamassu



5

Hedgy



6

Mirror





6

Mirror




7

Swarm



# 8

## ChangeTip



**TOM ARCARIMAN**

It's a great work @alex, go on! 1\$ @changetip



**PAULA TIBELAR**

Wow! @alex Thanks for sharing! This **cookie** is for u! @changetip



**JACK GARCIA**

9

OneName



## Naval Ravikant

+naval

following **6**


Co-founder AngelList • Founder Epinions, Vast •  
Author Startupboy, Venture Hacks • Investor Twitter,  
Uber, Yammer, Postmates

San Francisco, CA · <https://angel.co/naval>

Send Bitcoins ₿

🐦 naval ·  proof

f navalr ·  proof

🐱 navalr ·  proof


profile data

10

LibraTax



1 thing



chain.com

chain.com

OVERVIEW

- Introduction
- Libraries
- Authentication
- Block Chains
- Pagination
- Versioning
- Security
- Errors
- Changelog

DATA API

- Address
- Transaction
- Block

TRANSACTIONS BETA

- Overview
- Transact
- Build
- Sign
- Send

NOTIFICATIONS BETA

- Overview
- Definitions

API v2 Documentation

cURL Ruby Obj-C Swift Node jQuery

API v2 ENDPOINT

## Introduction

Chain's enterprise-grade block chain API makes it easy to build applications that are fast, reliable, and secure.

We want to build the API you need, so please send us your suggestions to [hello@chain.com](mailto:hello@chain.com).

## Libraries

The following language libraries are available:

- Ruby
- iOS/OS X
- Node.js

## Authentication


### HTTP BASIC AUTH

The preferred method of authentication is via your API Key ID as the basic auth username and your API Key as the basic auth password.

### QUERY PARAMETER


If you are unable to authenticate using HTTP

## A suite of configurable Notifications to meet your needs




**Address**

Know when a new transaction occurs on a given address.




**Transaction**

Know when a given transaction is confirmed on the network.



**New-Block**

Know when a new block is created and confirmed on the network.



**New-Transaction**

Know when an unconfirmed transaction appears on the network.

## Setup, Manage & Debug

The Chain Dashboard makes it easy to configure your application, create Notifications & trouble-shoot in real-time.

chain

Notification Logs

new transaction: K8e0952d96020e488227348e2399e5222e5940cc078e47203e075e0d284e less than 10 seconds ago 200

http://webhooks-demo-ruby.herokuapp.com/

Notification Result

Notification ID	ee88e4b8-f153-485a-a347-09e65131056
Result ID	-2e2ccc6-50ee-4c74-e801-794438723e02
Type	new transaction
Block Chain	Bitcoin



# Thank you

adam@chain.com

 chain.com