

## NAME

CPANPLUS::Shell::Default::Plugins::Remote

## SYNOPSIS

```
CPAN Terminal> /connect localhost 1337 --user=foo --pass=bar
...
CPAN Terminal@localhost> /disconnect
```

## DESCRIPTION

This is a `CPANPLUS::Shell::Default` plugin that allows you to connect to a machine running an instance of `CPANPLUS::Daemon`, allowing remote usage of the `CPANPLUS Shell`.

A sample session, updating all modules on a remote machine, might look like this:

```
CPAN Terminal> /connect --user=my_user --pass=secret localhost 1337

Connection accepted

Successfully connected to 'localhost' on port '11337'

Note that no output will appear until a command has completed
-- this may take a while

CPAN Terminal@localhost> o; i *

[....]

CPAN Terminal@localhost> /disconnect

CPAN Terminal>
```

## BUG REPORTS

Please report bugs or other issues to [bug-cpanplus@rt.cpan.org](mailto:bug-cpanplus@rt.cpan.org).

## AUTHOR

This module by Jos Boumans [kane@cpan.org](mailto:kane@cpan.org).

## COPYRIGHT

The CPAN++ interface (of which this module is a part of) is copyright (c) 2001 - 2007, Jos Boumans [kane@cpan.org](mailto:kane@cpan.org). All rights reserved.

This library is free software; you may redistribute and/or modify it under the same terms as Perl itself.

## SEE ALSO

*CPANPLUS::Shell::Default*, *CPANPLUS::Shell*, *cpanp*