

NAME

perlapi - autogenerated documentation for the perl public API

DESCRIPTION

This file contains the documentation of the perl public API generated by `embed.pl`, specifically a listing of functions, macros, flags, and variables that may be used by extension writers. *At the end* is a list of functions which have yet to be documented. The interfaces of those are subject to change without notice. Any functions not listed here are not part of the public API, and should not be used by extension writers at all. For these reasons, blindly using functions listed in `proto.h` is to be avoided when writing extensions.

Note that all Perl API global variables must be referenced with the `PL_` prefix. Some macros are provided for compatibility with the older, unadorned names, but this support may be disabled in a future release.

Perl was originally written to handle US-ASCII only (that is characters whose ordinal numbers are in the range 0 - 127). And documentation and comments may still use the term ASCII, when sometimes in fact the entire range from 0 - 255 is meant.

Note that Perl can be compiled and run under EBCDIC (See *perlebcdic*) or ASCII. Most of the documentation (and even comments in the code) ignore the EBCDIC possibility. For almost all purposes the differences are transparent. As an example, under EBCDIC, instead of UTF-8, UTF-EBCDIC is used to encode Unicode strings, and so whenever this documentation refers to `utf8` (and variants of that name, including in function names), it also (essentially transparently) means `UTF-EBCDIC`. But the ordinals of characters differ between ASCII, EBCDIC, and the UTF- encodings, and a string encoded in UTF-EBCDIC may occupy more bytes than in UTF-8.

Also, on some EBCDIC machines, functions that are documented as operating on US-ASCII (or Basic Latin in Unicode terminology) may in fact operate on all 256 characters in the EBCDIC range, not just the subset corresponding to US-ASCII.

The listing below is alphabetical, case insensitive.

"Gimme" Values

GIMME

A backward-compatible version of `GIMME_V` which can only return `G_SCALAR` or `G_ARRAY`; in a void context, it returns `G_SCALAR`. Deprecated. Use `GIMME_V` instead.

U32 GIMME

GIMME_V

The XSUB-writer's equivalent to Perl's `wantarray`. Returns `G_VOID`, `G_SCALAR` or `G_ARRAY` for void, scalar or list context, respectively. See *percall* for a usage example.

U32 GIMME_V

G_ARRAY

Used to indicate list context. See `GIMME_V`, `GIMME` and *percall*.

G_DISCARD

Indicates that arguments returned from a callback should be discarded. See *percall*.

G_EVAL

Used to force a Perl `eval` wrapper around a callback. See *percall*.

G_NOARGS

Indicates that no arguments are being sent to a callback. See *percall*.

G_SCALAR

Used to indicate scalar context. See `GIMME_V`, `GIMME`, and *perllcall*.

G_VOID

Used to indicate void context. See `GIMME_V` and *perllcall*.

Array Manipulation Functions**AvFILL**

Same as `av_len()`. Deprecated, use `av_len()` instead.

```
int AvFILL(AV* av)
```

av_clear

Clears an array, making it empty. Does not free the memory used by the array itself. Perl equivalent: `@myarray = ();`.

```
void av_clear(AV *av)
```

av_create_and_push

Push an SV onto the end of the array, creating the array if necessary. A small internal helper function to remove a commonly duplicated idiom.

NOTE: this function is experimental and may change or be removed without notice.

```
void av_create_and_push(AV **const avp, SV *const val)
```

av_create_and_unshift_one

Unshifts an SV onto the beginning of the array, creating the array if necessary. A small internal helper function to remove a commonly duplicated idiom.

NOTE: this function is experimental and may change or be removed without notice.

```
SV** av_create_and_unshift_one(AV **const avp, SV *const val)
```

av_delete

Deletes the element indexed by `key` from the array, makes the element mortal, and returns it. If `flags` equals `G_DISCARD`, the element is freed and null is returned. Perl equivalent: `my $elem = delete($myarray[$idx]);` for the non-`G_DISCARD` version and a void-context `delete($myarray[$idx]);` for the `G_DISCARD` version.

```
SV* av_delete(AV *av, I32 key, I32 flags)
```

av_exists

Returns true if the element indexed by `key` has been initialized.

This relies on the fact that uninitialized array elements are set to `&PL_sv_undef`.

Perl equivalent: `exists($myarray[$key])`.

```
bool av_exists(AV *av, I32 key)
```

av_extend

Pre-extend an array. The `key` is the index to which the array should be extended.

```
void av_extend(AV *av, I32 key)
```

av_fetch

Returns the SV at the specified index in the array. The `key` is the index. If `lval` is true,

you are guaranteed to get a real SV back (in case it wasn't real before), which you can then modify. Check that the return value is non-null before dereferencing it to a SV*.

See *"Understanding the Magic of Tied Hashes and Arrays"* in *perlguts* for more information on how to use this function on tied arrays.

The rough perl equivalent is `$myarray[$idx]`. SV** `av_fetch(AV *av, I32 key, I32 lval)`

av_fill

Set the highest index in the array to the given number, equivalent to Perl's `$#array = $fill;`

The number of elements in the an array will be `fill + 1` after `av_fill()` returns. If the array was previously shorter, then the additional elements appended are set to `PL_sv_undef`. If the array was longer, then the excess elements are freed. `av_fill(av, -1)` is the same as `av_clear(av)`.

```
void av_fill(AV *av, I32 fill)
```

av_len

Returns the highest index in the array. The number of elements in the array is `av_len(av) + 1`. Returns -1 if the array is empty.

The Perl equivalent for this is `$#myarray`.

```
I32 av_len(AV *av)
```

av_make

Creates a new AV and populates it with a list of SVs. The SVs are copied into the array, so they may be freed after the call to `av_make`. The new AV will have a reference count of 1.

Perl equivalent: `my @new_array = ($scalar1, $scalar2, $scalar3...);`

```
AV* av_make(I32 size, SV **strp)
```

av_pop

Pops an SV off the end of the array. Returns `&PL_sv_undef` if the array is empty.

```
SV* av_pop(AV *av)
```

av_push

Pushes an SV onto the end of the array. The array will grow automatically to accommodate the addition. This takes ownership of one reference count.

```
void av_push(AV *av, SV *val)
```

av_shift

Shifts an SV off the beginning of the array. Returns `&PL_sv_undef` if the array is empty.

```
SV* av_shift(AV *av)
```

av_store

Stores an SV in an array. The array index is specified as `key`. The return value will be NULL if the operation failed or if the value did not need to be actually stored within the array (as in the case of tied arrays). Otherwise it can be dereferenced to get the original SV*. Note that the caller is responsible for suitably incrementing the reference

count of `val` before the call, and decrementing it if the function returned `NULL`.

See "*Understanding the Magic of Tied Hashes and Arrays*" in *perlguits* for more information on how to use this function on tied arrays.

```
SV** av_store(AV *av, I32 key, SV *val)
```

av_undef

Undefines the array. Frees the memory used by the array itself.

```
void av_undef(AV *av)
```

av_unshift

Unshift the given number of `undef` values onto the beginning of the array. The array will grow automatically to accommodate the addition. You must then use `av_store` to assign values to these new elements.

```
void av_unshift(AV *av, I32 num)
```

get_av

Returns the AV of the specified Perl array. `flags` are passed to `gv_fetchpv`. If `GV_ADD` is set and the Perl variable does not exist then it will be created. If `flags` is zero and the variable does not exist then `NULL` is returned.

NOTE: the `perl_` form of this function is deprecated.

```
AV* get_av(const char *name, I32 flags)
```

newAV

Creates a new AV. The reference count is set to 1.

```
AV* newAV()
```

sortsv

Sort an array. Here is an example:

```
sortsv(AvARRAY(av), av_len(av)+1, Perl_sv_cmp_locale);
```

Currently this always uses mergesort. See `sortsv_flags` for a more flexible routine.

```
void sortsv(SV** array, size_t num_elts, SVCOMPARE_t cmp)
```

sortsv_flags

Sort an array, with various options.

```
void sortsv_flags(SV** array, size_t num_elts, SVCOMPARE_t cmp,
U32 flags)
```

Callback Functions

call_argv

Performs a callback to the specified Perl sub. See *perlcall*.

NOTE: the `perl_` form of this function is deprecated.

```
I32 call_argv(const char* sub_name, I32 flags, char** argv)
```

call_method

Performs a callback to the specified Perl method. The blessed object must be on the

stack. See *percall*.

NOTE: the `perl_` form of this function is deprecated.

```
I32 call_method(const char* methname, I32 flags)
```

`call_pv`

Performs a callback to the specified Perl sub. See *percall*.

NOTE: the `perl_` form of this function is deprecated.

```
I32 call_pv(const char* sub_name, I32 flags)
```

`call_sv`

Performs a callback to the Perl sub whose name is in the SV. See *percall*.

NOTE: the `perl_` form of this function is deprecated.

```
I32 call_sv(SV* sv, VOL I32 flags)
```

`ENTER`

Opening bracket on a callback. See `LEAVE` and *percall*.

```
ENTER;
```

`eval_pv`

Tells Perl to `eval` the given string and return an SV* result.

NOTE: the `perl_` form of this function is deprecated.

```
SV* eval_pv(const char* p, I32 croak_on_error)
```

`eval_sv`

Tells Perl to `eval` the string in the SV. It supports the same flags as `call_sv`, with the obvious exception of `G_EVAL`. See *percall*.

NOTE: the `perl_` form of this function is deprecated.

```
I32 eval_sv(SV* sv, I32 flags)
```

`FREETMPS`

Closing bracket for temporaries on a callback. See `SAVETMPS` and *percall*.

```
FREETMPS;
```

`LEAVE`

Closing bracket on a callback. See `ENTER` and *percall*.

```
LEAVE;
```

`SAVETMPS`

Opening bracket for temporaries on a callback. See `FREETMPS` and *percall*.

```
SAVETMPS;
```

Character case changing

`toLOWER`

Converts the specified character to lowercase in the platform's native character set, if possible; otherwise returns the input character itself.

```
char toLOWER(char ch)
```

toUPPER

Converts the specified character to uppercase in the platform's native character set, if possible; otherwise returns the input character itself.

```
char toUPPER(char ch)
```

Character classes

There are three variants for all the functions in this section. The base ones operate using the character set of the platform Perl is running on. The ones with an `_A` suffix operate on the ASCII character set, and the ones with an `_L1` suffix operate on the full Latin1 character set. All are unaffected by locale

For ASCII platforms, the base function with no suffix and the one with the `_A` suffix are identical. The function with the `_L1` suffix imposes the Latin-1 character set onto the platform. That is, the code points that are ASCII are unaffected, since ASCII is a subset of Latin-1. But the non-ASCII code points are treated as if they are Latin-1 characters. For example, `isSPACE_L1()` will return true when called with the code point `0xA0`, which is the Latin-1 NO-BREAK SPACE.

For EBCDIC platforms, the base function with no suffix and the one with the `_L1` suffix should be identical, since, as of this writing, the EBCDIC code pages that Perl knows about all are equivalent to Latin-1. The function that ends in an `_A` suffix will not return true unless the specified character also has an ASCII equivalent.

isALPHA

Returns a boolean indicating whether the specified character is an alphabetic character in the platform's native character set. See the *top of this section* for an explanation of variants `isALPHA_A` and `isALPHA_L1`.

```
bool isALPHA(char ch)
```

isASCII

Returns a boolean indicating whether the specified character is one of the 128 characters in the ASCII character set. On non-ASCII platforms, it is if this character corresponds to an ASCII character. Variants `isASCII_A()` and `isASCII_L1()` are identical to `isASCII()`.

```
bool isASCII(char ch)
```

isDIGIT

Returns a boolean indicating whether the specified character is a digit in the platform's native character set. Variants `isDIGIT_A` and `isDIGIT_L1` are identical to `isDIGIT`.

```
bool isDIGIT(char ch)
```

isLOWER

Returns a boolean indicating whether the specified character is a lowercase character in the platform's native character set. See the *top of this section* for an explanation of variants `isLOWER_A` and `isLOWER_L1`.

```
bool isLOWER(char ch)
```

isOCTAL

Returns a boolean indicating whether the specified character is an octal digit, [0-7] in the platform's native character set. Variants `isOCTAL_A` and `isOCTAL_L1` are

identical to `isOCTAL`.

```
bool isOCTAL(char ch)
```

isSPACE

Returns a boolean indicating whether the specified character is a whitespace character in the platform's native character set. This is the same as what `\s` matches in a regular expression. See the *top of this section* for an explanation of variants `isSPACE_A` and `isSPACE_L1`.

```
bool isSPACE(char ch)
```

isUPPER

Returns a boolean indicating whether the specified character is an uppercase character in the platform's native character set. See the *top of this section* for an explanation of variants `isUPPER_A` and `isUPPER_L1`.

```
bool isUPPER(char ch)
```

isWORDCHAR

Returns a boolean indicating whether the specified character is a character that is any of: alphabetic, numeric, or an underscore. This is the same as what `\w` matches in a regular expression. `isALNUM()` is a synonym provided for backward compatibility. Note that it does not have the standard C language meaning of alphanumeric, since it matches an underscore and the standard meaning does not. See the *top of this section* for an explanation of variants `isWORDCHAR_A` and `isWORDCHAR_L1`.

```
bool isWORDCHAR(char ch)
```

isXDIGIT

Returns a boolean indicating whether the specified character is a hexadecimal digit, [0-9A-Fa-f]. Variants `isXDIGIT_A()` and `isXDIGIT_L1()` are identical to `isXDIGIT()`.

```
bool isXDIGIT(char ch)
```

Cloning an interpreter

perl_clone

Create and return a new interpreter by cloning the current one.

`perl_clone` takes these flags as parameters:

`CLONEf_COPY_STACKS` - is used to, well, copy the stacks also, without it we only clone the data and zero the stacks, with it we copy the stacks and the new perl interpreter is ready to run at the exact same point as the previous one. The pseudo-fork code uses `COPY_STACKS` while the `threads->create` doesn't.

`CLONEf_KEEP_PTR_TABLE` `perl_clone` keeps a `ptr_table` with the pointer of the old variable as a key and the new variable as a value, this allows it to check if something has been cloned and not clone it again but rather just use the value and increase the refcount. If `KEEP_PTR_TABLE` is not set then `perl_clone` will kill the `ptr_table` using the function `ptr_table_free(PL_ptr_table); PL_ptr_table = NULL;`, reason to keep it around is if you want to dup some of your own variable who are outside the graph perl scans, example of this code is in `threads.xs` create

`CLONEf_CLONE_HOST` This is a win32 thing, it is ignored on unix, it tells perls win32host code (which is c++) to clone itself, this is needed on win32 if you want to run two threads at the same time, if you just want to do some stuff in a separate perl

interpreter and then throw it away and return to the original one, you don't need to do anything.

```
PerlInterpreter* perl_clone(PerlInterpreter *proto_perl, UV flags)
```

Compile-time scope hooks

BhkDISABLE

Temporarily disable an entry in this BHK structure, by clearing the appropriate flag. *which* is a preprocessor token indicating which entry to disable.

NOTE: this function is experimental and may change or be removed without notice.

```
void BhkDISABLE(BHK *hk, which)
```

BhkENABLE

Re-enable an entry in this BHK structure, by setting the appropriate flag. *which* is a preprocessor token indicating which entry to enable. This will assert (under -DDEBUGGING) if the entry doesn't contain a valid pointer.

NOTE: this function is experimental and may change or be removed without notice.

```
void BhkENABLE(BHK *hk, which)
```

BhkENTRY_set

Set an entry in the BHK structure, and set the flags to indicate it is valid. *which* is a preprocessing token indicating which entry to set. The type of *ptr* depends on the entry.

NOTE: this function is experimental and may change or be removed without notice.

```
void BhkENTRY_set(BHK *hk, which, void *ptr)
```

blockhook_register

Register a set of hooks to be called when the Perl lexical scope changes at compile time. See "*Compile-time scope hooks*" in *perlguts*.

NOTE: this function is experimental and may change or be removed without notice.

NOTE: this function must be explicitly called as `Perl_blockhook_register` with an `aTHX_` parameter.

```
void Perl_blockhook_register(pTHX_ BHK *hk)
```

COP Hint Hashes

cophh_2hv

Generates and returns a standard Perl hash representing the full set of key/value pairs in the cop hints hash *cophh*. *flags* is currently unused and must be zero.

NOTE: this function is experimental and may change or be removed without notice.

```
HV * cophh_2hv(const COPHH *cophh, U32 flags)
```

cophh_copy

Make and return a complete copy of the cop hints hash *cophh*.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_copy(COPHH *cophh)
```

`cophh_delete_pv`

Like `cophh_delete_pvn`, but takes a nul-terminated string instead of a string/length pair.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_delete_pv(const COPHH *cophh, const char *key,
U32 hash, U32 flags)
```

`cophh_delete_pvn`

Delete a key and its associated value from the cop hints hash `cophh`, and returns the modified hash. The returned hash pointer is in general not the same as the hash pointer that was passed in. The input hash is consumed by the function, and the pointer to it must not be subsequently used. Use `cophh_copy` if you need both hashes.

The key is specified by `keypv` and `keylen`. If `flags` has the `COPHH_KEY_UTF8` bit set, the key octets are interpreted as UTF-8, otherwise they are interpreted as Latin-1. `hash` is a precomputed hash of the key string, or zero if it has not been precomputed.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_delete_pvn(COPHH *cophh, const char *keypv,
STRLEN keylen, U32 hash, U32 flags)
```

`cophh_delete_pvs`

Like `cophh_delete_pvn`, but takes a literal string instead of a string/length pair, and no precomputed hash.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_delete_pvs(const COPHH *cophh, const char *key,
U32 flags)
```

`cophh_delete_sv`

Like `cophh_delete_pvn`, but takes a Perl scalar instead of a string/length pair.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_delete_sv(const COPHH *cophh, SV *key, U32 hash,
U32 flags)
```

`cophh_fetch_pv`

Like `cophh_fetch_pvn`, but takes a nul-terminated string instead of a string/length pair.

NOTE: this function is experimental and may change or be removed without notice.

```
SV * cophh_fetch_pv(const COPHH *cophh, const char *key, U32
hash, U32 flags)
```

`cophh_fetch_pvn`

Look up the entry in the cop hints hash `cophh` with the key specified by `keypv` and `keylen`. If `flags` has the `COPHH_KEY_UTF8` bit set, the key octets are interpreted as UTF-8, otherwise they are interpreted as Latin-1. `hash` is a precomputed hash of the key string, or zero if it has not been precomputed. Returns a mortal scalar copy of the value associated with the key, or `&PL_sv_placeholder` if there is no value associated with the key.

NOTE: this function is experimental and may change or be removed without notice.

```
SV * cophh_fetch_pvn(const COPHH *cophh, const char *keypv,
STRLEN keylen, U32 hash, U32 flags)
```

`cophh_fetch_pvs`

Like `cophh_fetch_pvn`, but takes a literal string instead of a string/length pair, and no precomputed hash.

NOTE: this function is experimental and may change or be removed without notice.

```
SV * cophh_fetch_pvs(const COPHH *cophh, const char *key, U32 flags)
```

`cophh_fetch_sv`

Like `cophh_fetch_pvn`, but takes a Perl scalar instead of a string/length pair.

NOTE: this function is experimental and may change or be removed without notice.

```
SV * cophh_fetch_sv(const COPHH *cophh, SV *key, U32 hash, U32 flags)
```

`cophh_free`

Discard the cop hints hash `cophh`, freeing all resources associated with it.

NOTE: this function is experimental and may change or be removed without notice.

```
void cophh_free(COPHH *cophh)
```

`cophh_new_empty`

Generate and return a fresh cop hints hash containing no entries.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_new_empty()
```

`cophh_store_pv`

Like `cophh_store_pvn`, but takes a nul-terminated string instead of a string/length pair.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_store_pv(const COPHH *cophh, const char *key, U32 hash, SV *value, U32 flags)
```

`cophh_store_pvn`

Stores a value, associated with a key, in the cop hints hash `cophh`, and returns the modified hash. The returned hash pointer is in general not the same as the hash pointer that was passed in. The input hash is consumed by the function, and the pointer to it must not be subsequently used. Use `cophh_copy` if you need both hashes.

The key is specified by `keypv` and `keylen`. If `flags` has the `COPHH_KEY_UTF8` bit set, the key octets are interpreted as UTF-8, otherwise they are interpreted as Latin-1. `hash` is a precomputed hash of the key string, or zero if it has not been precomputed.

`value` is the scalar value to store for this key. `value` is copied by this function, which thus does not take ownership of any reference to it, and later changes to the scalar will not be reflected in the value visible in the cop hints hash. Complex types of scalar will not be stored with referential integrity, but will be coerced to strings.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_store_pvn(COPHH *cophh, const char *keypv, STRLEN keylen, U32 hash, SV *value, U32 flags)
```

`cophh_store_pvs`

Like `cophh_store_pvn`, but takes a literal string instead of a string/length pair, and no

precomputed hash.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_store_pvs(const COPHH *cophh, const char *key, SV
*value, U32 flags)
```

`cophh_store_sv`

Like `cophh_store_pvn`, but takes a Perl scalar instead of a string/length pair.

NOTE: this function is experimental and may change or be removed without notice.

```
COPHH * cophh_store_sv(const COPHH *cophh, SV *key, U32 hash,
SV *value, U32 flags)
```

COP Hint Reading

`cop_hints_2hv`

Generates and returns a standard Perl hash representing the full set of hint entries in the cop `cop`. `flags` is currently unused and must be zero.

```
HV * cop_hints_2hv(const COP *cop, U32 flags)
```

`cop_hints_fetch_pv`

Like `cop_hints_fetch_pvn`, but takes a nul-terminated string instead of a string/length pair.

```
SV * cop_hints_fetch_pv(const COP *cop, const char *key, U32
hash, U32 flags)
```

`cop_hints_fetch_pvn`

Look up the hint entry in the cop `cop` with the key specified by `keypv` and `keylen`. If `flags` has the `COPHH_KEY_UTF8` bit set, the key octets are interpreted as UTF-8, otherwise they are interpreted as Latin-1. `hash` is a precomputed hash of the key string, or zero if it has not been precomputed. Returns a mortal scalar copy of the value associated with the key, or `&PL_sv_placeholder` if there is no value associated with the key.

```
SV * cop_hints_fetch_pvn(const COP *cop, const char *keypv,
STRLEN keylen, U32 hash, U32 flags)
```

`cop_hints_fetch_pvs`

Like `cop_hints_fetch_pvn`, but takes a literal string instead of a string/length pair, and no precomputed hash.

```
SV * cop_hints_fetch_pvs(const COP *cop, const char *key, U32
flags)
```

`cop_hints_fetch_sv`

Like `cop_hints_fetch_pvn`, but takes a Perl scalar instead of a string/length pair.

```
SV * cop_hints_fetch_sv(const COP *cop, SV *key, U32 hash, U32
flags)
```

Custom Operators

`custom_op_register`

Register a custom op. See "*Custom Operators*" in *perlguts*.

NOTE: this function must be explicitly called as `Perl_custom_op_register` with an `aTHX_` parameter.

```
void Perl_custom_op_register(pTHX_ Perl_ppaddr_t ppaddr, const
XOP *xop)
```

custom_op_xop

Return the XOP structure for a given custom op. This function should be considered internal to `OP_NAME` and the other access macros: use them instead.

NOTE: this function must be explicitly called as `Perl_custom_op_xop` with an `aTHX_` parameter.

```
const XOP * Perl_custom_op_xop(pTHX_ const OP *o)
```

XopDISABLE

Temporarily disable a member of the XOP, by clearing the appropriate flag.

```
void XopDISABLE(XOP *xop, which)
```

XopENABLE

Reenable a member of the XOP which has been disabled.

```
void XopENABLE(XOP *xop, which)
```

XopENTRY

Return a member of the XOP structure. *which* is a cpp token indicating which entry to return. If the member is not set this will return a default value. The return type depends on *which*.

```
XopENTRY(XOP *xop, which)
```

XopENTRY_set

Set a member of the XOP structure. *which* is a cpp token indicating which entry to set. See "*Custom Operators*" in *perlguts* for details about the available members and how they are used.

```
void XopENTRY_set(XOP *xop, which, value)
```

XopFLAGS

Return the XOP's flags.

```
U32 XopFLAGS(XOP *xop)
```

CV Manipulation Functions

CvSTASH

Returns the stash of the CV.

```
HV* CvSTASH(CV* cv)
```

get_cv

Uses `strlen` to get the length of `name`, then calls `get_cvn_flags`.

NOTE: the `perl_` form of this function is deprecated.

```
CV* get_cv(const char* name, I32 flags)
```

get_cv_n_flags

Returns the CV of the specified Perl subroutine. *flags* are passed to `gv_fetchpvn_flags`. If `GV_ADD` is set and the Perl subroutine does not exist then it will be declared (which has the same effect as saying `sub name;`). If `GV_ADD` is not set and the subroutine does not exist then `NULL` is returned.

NOTE: the `perl_` form of this function is deprecated.

```
CV* get_cv_n_flags(const char* name, STRLEN len, I32 flags)
```

Embedding Functions

cv_undef

Clear out all the active components of a CV. This can happen either by an explicit `undef &foo`, or by the reference count going to zero. In the former case, we keep the `CvOUTSIDE` pointer, so that any anonymous children can still follow the full lexical scope chain.

```
void cv_undef(CV* cv)
```

load_module

Loads the module whose name is pointed to by the string part of *name*. Note that the actual module name, not its filename, should be given. Eg, "Foo::Bar" instead of "Foo/Bar.pm". *flags* can be any of `PERL_LOADMOD_DENY`, `PERL_LOADMOD_NOIMPORT`, or `PERL_LOADMOD_IMPORT_OPS` (or 0 for no flags). *ver*, if specified, provides version semantics similar to `use Foo::Bar VERSION`. The optional trailing `SV*` arguments can be used to specify arguments to the module's `import()` method, similar to `use Foo::Bar VERSION LIST`. They must be terminated with a final `NULL` pointer. Note that this list can only be omitted when the `PERL_LOADMOD_NOIMPORT` flag has been used. Otherwise at least a single `NULL` pointer to designate the default import list is required.

```
void load_module(U32 flags, SV* name, SV* ver, ...)
```

nothreadhook

Stub that provides thread hook for `perl_destruct` when there are no threads.

```
int nothreadhook()
```

pad_findmy

Given a lexical name, try to find its offset, first in the current pad, or failing that, in the pads of any lexically enclosing subs (including the complications introduced by `eval`). If the name is found in an outer pad, then a fake entry is added to the current pad. Returns the offset in the current pad, or `NOT_IN_PAD` on failure.

NOTE: this function is experimental and may change or be removed without notice.

```
PADOFFSET pad_findmy(const char* name, STRLEN len, U32 flags)
```

pad_sv

Get the value at offset *po* in the current pad. Use macro `PAD_SV` instead of calling this function directly.

```
SV* pad_sv(PADOFFSET po)
```

perl_alloc

Allocates a new Perl interpreter. See *perlembed*.

```
PerlInterpreter* perl_alloc()
```

perl_construct

Initializes a new Perl interpreter. See *perlembd*.

```
void perl_construct(PerlInterpreter *my_perl)
```

perl_destruct

Shuts down a Perl interpreter. See *perlembd*.

```
int perl_destruct(PerlInterpreter *my_perl)
```

perl_free

Releases a Perl interpreter. See *perlembd*.

```
void perl_free(PerlInterpreter *my_perl)
```

perl_parse

Tells a Perl interpreter to parse a Perl script. See *perlembd*.

```
int perl_parse(PerlInterpreter *my_perl, XSINIT_t xsinit, int  
argc, char** argv, char** env)
```

perl_run

Tells a Perl interpreter to run. See *perlembd*.

```
int perl_run(PerlInterpreter *my_perl)
```

require_pv

Tells Perl to *require* the file named by the string argument. It is analogous to the Perl code `eval "require '$file'".` It's even implemented that way; consider using `load_module` instead.

NOTE: the `perl_` form of this function is deprecated.

```
void require_pv(const char* pv)
```

Functions in file dump.c

pv_display

Similar to

```
pv_escape(dsv, pv, cur, pvlm, PERL_PV_ESCAPE_QUOTE);
```

except that an additional `"\0"` will be appended to the string when `len > cur` and `pv[cur]` is `"\0"`.

Note that the final string may be up to 7 chars longer than `pvlm`.

```
char* pv_display(SV *dsv, const char *pv, STRLEN cur, STRLEN  
len, STRLEN pvlm)
```

pv_escape

Escapes at most the first "count" chars of `pv` and puts the results into `dsv` such that the size of the escaped string will not exceed "max" chars and will not contain any incomplete escape sequences.

If `flags` contains `PERL_PV_ESCAPE_QUOTE` then any double quotes in the string will also be escaped.

Normally the SV will be cleared before the escaped string is prepared, but when PERL_PV_ESCAPE_NOCLEAR is set this will not occur.

If PERL_PV_ESCAPE_UNI is set then the input string is treated as Unicode, if PERL_PV_ESCAPE_UNI_DETECT is set then the input string is scanned using `is_utf8_string()` to determine if it is Unicode.

If PERL_PV_ESCAPE_ALL is set then all input chars will be output using `\x01F1` style escapes, otherwise if PERL_PV_ESCAPE_NONASCII is set, only chars above 127 will be escaped using this style; otherwise, only chars above 255 will be so escaped; other non printable chars will use octal or common escaped patterns like `\n`. Otherwise, if PERL_PV_ESCAPE_NOBACKSLASH then all chars below 255 will be treated as printable and will be output as literals.

If PERL_PV_ESCAPE_FIRSTCHAR is set then only the first char of the string will be escaped, regardless of max. If the output is to be in hex, then it will be returned as a plain hex sequence. Thus the output will either be a single char, an octal escape sequence, a special escape like `\n` or a hex value.

If PERL_PV_ESCAPE_RE is set then the escape char used will be a `'%'` and not a `'\'`. This is because regexes very often contain backslashed sequences, whereas `'%'` is not a particularly common character in patterns.

Returns a pointer to the escaped text as held by `dsv`.

```
char* pv_escape(SV *dsv, char const * const str, const STRLEN
count, const STRLEN max, STRLEN * const escaped, const U32
flags)
```

pv_pretty

Converts a string into something presentable, handling escaping via `pv_escape()` and supporting quoting and ellipses.

If the PERL_PV_PRETTY_QUOTE flag is set then the result will be double quoted with any double quotes in the string escaped. Otherwise if the PERL_PV_PRETTY_LTGT flag is set then the result be wrapped in angle brackets.

If the PERL_PV_PRETTY_ELLIPSES flag is set and not all characters in string were output then an ellipsis `. . .` will be appended to the string. Note that this happens AFTER it has been quoted.

If `start_color` is non-null then it will be inserted after the opening quote (if there is one) but before the escaped text. If `end_color` is non-null then it will be inserted after the escaped text but before any quotes or ellipses.

Returns a pointer to the prettified text as held by `dsv`.

```
char* pv_pretty(SV *dsv, char const * const str, const STRLEN
count, const STRLEN max, char const * const start_color, char
const * const end_color, const U32 flags)
```

Functions in file `mathoms.c`

custom_op_desc

Return the description of a given custom op. This was once used by the `OP_DESC` macro, but is no longer: it has only been kept for compatibility, and should not be used.

```
const char * custom_op_desc(const OP *o)
```

custom_op_name

Return the name for a given custom op. This was once used by the `OP_NAME` macro, but is no longer: it has only been kept for compatibility, and should not be used.

```
const char * custom_op_name(const OP *o)
```

gv_fetchmethod

See *gv_fetchmethod_autoload*.

```
GV* gv_fetchmethod(HV* stash, const char* name)
```

pack_cat

The engine implementing pack() Perl function. Note: parameters next_in_list and flags are not used. This call should not be used; use packlist instead.

```
void pack_cat(SV *cat, const char *pat, const char *patend, SV
**beglist, SV **endlist, SV ***next_in_list, U32 flags)
```

sv_2pvbyte_nolen

Return a pointer to the byte-encoded representation of the SV. May cause the SV to be downgraded from UTF-8 as a side-effect.

Usually accessed via the SvPVbyte_nolen macro.

```
char* sv_2pvbyte_nolen(SV* sv)
```

sv_2pvutf8_nolen

Return a pointer to the UTF-8-encoded representation of the SV. May cause the SV to be upgraded to UTF-8 as a side-effect.

Usually accessed via the SvPVutf8_nolen macro.

```
char* sv_2pvutf8_nolen(SV* sv)
```

sv_2pv_nolen

Like sv_2pv(), but doesn't return the length too. You should usually use the macro wrapper SvPV_nolen(sv) instead. char* sv_2pv_nolen(SV* sv)

sv_catpvn_mg

Like sv_catpvn, but also handles 'set' magic.

```
void sv_catpvn_mg(SV *sv, const char *ptr, STRLEN len)
```

sv_catsv_mg

Like sv_catsv, but also handles 'set' magic.

```
void sv_catsv_mg(SV *dsv, SV *ssv)
```

sv_force_normal

Undo various types of fakery on an SV: if the PV is a shared string, make a private copy; if we're a ref, stop refing; if we're a glob, downgrade to an xpvmg. See also sv_force_normal_flags.

```
void sv_force_normal(SV *sv)
```

sv_iv

A private implementation of the SvIVx macro for compilers which can't cope with complex macro expressions. Always use the macro instead.

```
IV sv_iv(SV* sv)
```

sv_nolocking

Dummy routine which "locks" an SV when there is no locking module present. Exists to avoid test for a NULL function pointer and because it could potentially warn under some level of strict-ness.

"Superseded" by `sv_nosharing()`.

```
void sv_nolocking(SV *sv)
```

sv_nounlocking

Dummy routine which "unlocks" an SV when there is no locking module present. Exists to avoid test for a NULL function pointer and because it could potentially warn under some level of strict-ness.

"Superseded" by `sv_nosharing()`.

```
void sv_nounlocking(SV *sv)
```

sv_nv

A private implementation of the `SvNVx` macro for compilers which can't cope with complex macro expressions. Always use the macro instead.

```
NV sv_nv(SV* sv)
```

sv_pv

Use the `SvPV_nolen` macro instead

```
char* sv_pv(SV *sv)
```

sv_pvbyte

Use `SvPVbyte_nolen` instead.

```
char* sv_pvbyte(SV *sv)
```

sv_pvbyten

A private implementation of the `SvPVbyte` macro for compilers which can't cope with complex macro expressions. Always use the macro instead.

```
char* sv_pvbyten(SV *sv, STRLEN *lp)
```

sv_pvn

A private implementation of the `SvPV` macro for compilers which can't cope with complex macro expressions. Always use the macro instead.

```
char* sv_pvn(SV *sv, STRLEN *lp)
```

sv_pvutf8

Use the `SvPVutf8_nolen` macro instead

```
char* sv_pvutf8(SV *sv)
```

sv_pvutf8n

A private implementation of the `SvPVutf8` macro for compilers which can't cope with complex macro expressions. Always use the macro instead.

```
char* sv_pvutf8n(SV *sv, STRLEN *lp)
```

sv_taint

Taint an SV. Use `SvTAINTED_on` instead. `void sv_taint(SV* sv)`

sv_unref

Unsets the RV status of the SV, and decrements the reference count of whatever was being referenced by the RV. This can almost be thought of as a reversal of `newSVrv`. This is `sv_unref_flags` with the `flag` being zero. See `SvROK_off`.

```
void sv_unref(SV* sv)
```

sv_usepvn

Tells an SV to use `ptr` to find its string value. Implemented by calling `sv_usepvn_flags` with `flags` of 0, hence does not handle 'set' magic. See `sv_usepvn_flags`.

```
void sv_usepvn(SV* sv, char* ptr, STRLEN len)
```

sv_usepvn_mg

Like `sv_usepvn`, but also handles 'set' magic.

```
void sv_usepvn_mg(SV *sv, char *ptr, STRLEN len)
```

sv_uv

A private implementation of the `SvUVx` macro for compilers which can't cope with complex macro expressions. Always use the macro instead.

```
UV sv_uv(SV* sv)
```

unpack_str

The engine implementing `unpack()` Perl function. Note: parameters `strbeg`, `new_s` and `ocnt` are not used. This call should not be used, use `unpackstring` instead.

```
I32 unpack_str(const char *pat, const char *patend, const char
*s, const char *strbeg, const char *strend, char **new_s, I32
ocnt, U32 flags)
```

Functions in file op.c**op_contextualize**

Applies a syntactic context to an op tree representing an expression. `o` is the op tree, and `context` must be `G_SCALAR`, `G_ARRAY`, or `G_VOID` to specify the context to apply. The modified op tree is returned.

```
OP * op_contextualize(OP *o, I32 context)
```

Functions in file perl.h**PERL_SYS_INIT**

Provides system-specific tune up of the C runtime environment necessary to run Perl interpreters. This should be called only once, before creating any Perl interpreters.

```
void PERL_SYS_INIT(int argc, char** argv)
```

PERL_SYS_INIT3

Provides system-specific tune up of the C runtime environment necessary to run Perl interpreters. This should be called only once, before creating any Perl interpreters.

```
void PERL_SYS_INIT3(int argc, char** argv, char** env)
```

PERL_SYS_TERM

Provides system-specific clean up of the C runtime environment after running Perl interpreters. This should be called only once, after freeing any remaining Perl interpreters.

```
void PERL_SYS_TERM()
```

Functions in file pp_ctl.c

caller_cx

The XSUB-writer's equivalent of *caller()*. The returned PERL_CONTEXT structure can be interrogated to find all the information returned to Perl by *caller*. Note that XSUBs don't get a stack frame, so *caller_cx(0, NULL)* will return information for the immediately-surrounding Perl code.

This function skips over the automatic calls to `&DB:::sub` made on the behalf of the debugger. If the stack frame requested was a sub called by `DB:::sub`, the return value will be the frame for the call to `DB:::sub`, since that has the correct line number/etc. for the call site. If *dbcxp* is non-NULL, it will be set to a pointer to the frame for the sub call itself.

```
const PERL_CONTEXT * caller_cx(I32 level, const PERL_CONTEXT
**dbcxp)
```

find_runcv

Locate the CV corresponding to the currently executing sub or eval. If *db_seqp* is non-null, skip CVs that are in the DB package and populate **db_seqp* with the cop sequence number at the point that the `DB::` code was entered. (allows debuggers to eval in the scope of the breakpoint rather than in the scope of the debugger itself).

```
CV* find_runcv(U32 *db_seqp)
```

Functions in file pp_pack.c

packlist

The engine implementing `pack()` Perl function.

```
void packlist(SV *cat, const char *pat, const char *patend, SV
**beglist, SV **endlist)
```

unpackstring

The engine implementing `unpack()` Perl function. `unpackstring` puts the extracted list items on the stack and returns the number of elements. Issue `PUTBACK` before and `SPAGAIN` after the call to this function.

```
I32 unpackstring(const char *pat, const char *patend, const
char *s, const char *strend, U32 flags)
```

Functions in file pp_sys.c

setdefout

Sets `PL_defoutgv`, the default file handle for output, to the passed in `typeglob`. As `PL_defoutgv` "owns" a reference on its `typeglob`, the reference count of the passed in `typeglob` is increased by one, and the reference count of the `typeglob` that `PL_defoutgv` points to is decreased by one.

```
void setdefout(GV* gv)
```

Functions in file utf8.h

ibcmp_utf8

This is a synonym for (! foldEQ_utf8())

```
I32 ibcmp_utf8(const char *s1, char **pe1, UV l1, bool u1,
const char *s2, char **pe2, UV l2, bool u2)
```

Functions in file util.h

ibcmp

This is a synonym for (! foldEQ())

```
I32 ibcmp(const char* a, const char* b, I32 len)
```

ibcmp_locale

This is a synonym for (! foldEQ_locale())

```
I32 ibcmp_locale(const char* a, const char* b, I32 len)
```

Global Variables

PL_keyword_plugin

Function pointer, pointing at a function used to handle extended keywords. The function should be declared as

```
int keyword_plugin_function(pTHX_
char *keyword_ptr, STRLEN keyword_len,
OP **op_ptr)
```

The function is called from the tokeniser, whenever a possible keyword is seen. `keyword_ptr` points at the word in the parser's input buffer, and `keyword_len` gives its length; it is not null-terminated. The function is expected to examine the word, and possibly other state such as `%^H`, to decide whether it wants to handle it as an extended keyword. If it does not, the function should return `KEYWORD_PLUGIN_DECLINE`, and the normal parser process will continue.

If the function wants to handle the keyword, it first must parse anything following the keyword that is part of the syntax introduced by the keyword. See *Lexer interface* for details.

When a keyword is being handled, the plugin function must build a tree of `OP` structures, representing the code that was parsed. The root of the tree must be stored in `*op_ptr`. The function then returns a constant indicating the syntactic role of the construct that it has parsed: `KEYWORD_PLUGIN_STMT` if it is a complete statement, or `KEYWORD_PLUGIN_EXPR` if it is an expression. Note that a statement construct cannot be used inside an expression (except via `do BLOCK` and similar), and an expression is not a complete statement (it requires at least a terminating semicolon).

When a keyword is handled, the plugin function may also have (compile-time) side effects. It may modify `%^H`, define functions, and so on. Typically, if side effects are the main purpose of a handler, it does not wish to generate any ops to be included in the normal compilation. In this case it is still required to supply an op tree, but it suffices to generate a single null op.

That's how the `*PL_keyword_plugin` function needs to behave overall. Conventionally, however, one does not completely replace the existing handler function. Instead, take a copy of `PL_keyword_plugin` before assigning your own function pointer to it. Your handler function should look for keywords that it is interested in and handle those. Where it is not interested, it should call the saved plugin function, passing on the arguments it received. Thus `PL_keyword_plugin`

actually points at a chain of handler functions, all of which have an opportunity to handle keywords, and only the last function in the chain (built into the Perl core) will normally return `KEYWORD_PLUGIN_DECLINE`.

NOTE: this function is experimental and may change or be removed without notice.

GV Functions

GvSV

Return the SV from the GV.

```
SV* GvSV(GV* gv)
```

gv_const_sv

If `gv` is a typeglob whose subroutine entry is a constant sub eligible for inlining, or `gv` is a placeholder reference that would be promoted to such a typeglob, then returns the value returned by the sub. Otherwise, returns `NULL`.

```
SV* gv_const_sv(GV* gv)
```

gv_fetchmeth

Returns the glob with the given `name` and a defined subroutine or `NULL`. The glob lives in the given `stash`, or in the stashes accessible via `@ISA` and `UNIVERSAL::`.

The argument `level` should be either 0 or -1. If `level==0`, as a side-effect creates a glob with the given `name` in the given `stash` which in the case of success contains an alias for the subroutine, and sets up caching info for this glob.

This function grants "SUPER" token as a postfix of the stash name. The GV returned from `gv_fetchmeth` may be a method cache entry, which is not visible to Perl code. So when calling `call_sv`, you should not use the GV directly; instead, you should use the method's CV, which can be obtained from the GV with the `GvCV` macro.

```
GV* gv_fetchmeth(HV* stash, const char* name, STRLEN len, I32 level)
```

gv_fetchmethod_autoload

Returns the glob which contains the subroutine to call to invoke the method on the `stash`. In fact in the presence of autoloading this may be the glob for "AUTOLOAD". In this case the corresponding variable `$AUTOLOAD` is already setup.

The third parameter of `gv_fetchmethod_autoload` determines whether AUTOLOAD lookup is performed if the given method is not present: non-zero means yes, look for AUTOLOAD; zero means no, don't look for AUTOLOAD. Calling `gv_fetchmethod` is equivalent to calling `gv_fetchmethod_autoload` with a non-zero `autoload` parameter.

These functions grant "SUPER" token as a prefix of the method name. Note that if you want to keep the returned glob for a long time, you need to check for it being "AUTOLOAD", since at the later time the call may load a different subroutine due to `$AUTOLOAD` changing its value. Use the glob created via a side effect to do this.

These functions have the same side-effects and as `gv_fetchmeth` with `level==0`. `name` should be writable if contains ':' or ' '. The warning against passing the GV returned by `gv_fetchmeth` to `call_sv` apply equally to these functions.

```
GV* gv_fetchmethod_autoload(HV* stash, const char* name, I32 autoload)
```

gv_fetchmeth_autoload

Same as `gv_fetchmeth()`, but looks for autoloaded subroutines too. Returns a glob for

the subroutine.

For an autoloader subroutine without a GV, will create a GV even if `level < 0`. For an autoloader subroutine without a stub, `GvCV()` of the result may be zero.

```
GV* gv_fetchmeth_autoload(HV* stash, const char* name, STRLEN
len, I32 level)
```

gv_stashpv

Returns a pointer to the stash for a specified package. Uses `strlen` to determine the length of `name`, then calls `gv_stashpvn()`.

```
HV* gv_stashpv(const char* name, I32 flags)
```

gv_stashpvn

Returns a pointer to the stash for a specified package. The `namelen` parameter indicates the length of the name, in bytes. `flags` is passed to `gv_fetchpvn_flags()`, so if set to `GV_ADD` then the package will be created if it does not already exist. If the package does not exist and `flags` is 0 (or any other setting that does not create packages) then `NULL` is returned.

```
HV* gv_stashpvn(const char* name, U32 namelen, I32 flags)
```

gv_stashpvs

Like `gv_stashpvn`, but takes a literal string instead of a string/length pair.

```
HV* gv_stashpvs(const char* name, I32 create)
```

gv_stashsv

Returns a pointer to the stash for a specified package. See `gv_stashpvn`.

```
HV* gv_stashsv(SV* sv, I32 flags)
```

Handy Values

Nullav

Null AV pointer.

(deprecated - use `(AV *)NULL` instead)

Nullch

Null character pointer. (No longer available when `PERL_CORE` is defined.)

Nullcv

Null CV pointer.

(deprecated - use `(CV *)NULL` instead)

Nullhv

Null HV pointer.

(deprecated - use `(HV *)NULL` instead)

Nullsv

Null SV pointer. (No longer available when `PERL_CORE` is defined.)

Hash Manipulation Functions

get_hv

Returns the HV of the specified Perl hash. `flags` are passed to `gv_fetchpv`. If

`GV_ADD` is set and the Perl variable does not exist then it will be created. If `flags` is zero and the variable does not exist then `NULL` is returned.

NOTE: the `perl_` form of this function is deprecated.

```
HV* get_hv(const char *name, I32 flags)
```

HEf_SVKEY

This flag, used in the length slot of hash entries and magic structures, specifies the structure contains an `SV*` pointer where a `char*` pointer is to be expected. (For information only--not to be used).

HeHASH

Returns the computed hash stored in the hash entry.

```
U32 HeHASH(HE* he)
```

HeKEY

Returns the actual pointer stored in the key slot of the hash entry. The pointer may be either `char*` or `SV*`, depending on the value of `HeKLEN()`. Can be assigned to. The `HePV()` or `HeSVKEY()` macros are usually preferable for finding the value of a key.

```
void* HeKEY(HE* he)
```

HeKLEN

If this is negative, and amounts to `HEf_SVKEY`, it indicates the entry holds an `SV*` key. Otherwise, holds the actual length of the key. Can be assigned to. The `HePV()` macro is usually preferable for finding key lengths.

```
STRLEN HeKLEN(HE* he)
```

HePV

Returns the key slot of the hash entry as a `char*` value, doing any necessary dereferencing of possibly `SV*` keys. The length of the string is placed in `len` (this is a macro, so do *not* use `&len`). If you do not care about what the length of the key is, you may use the global variable `PL_na`, though this is rather less efficient than using a local variable. Remember though, that hash keys in perl are free to contain embedded nulls, so using `strlen()` or similar is not a good way to find the length of hash keys. This is very similar to the `SvPV()` macro described elsewhere in this document. See also `HeUTF8`.

If you are using `HePV` to get values to pass to `newSVpvn()` to create a new `SV`, you should consider using `newSVhek(HeKEY_hek(he))` as it is more efficient.

```
char* HePV(HE* he, STRLEN len)
```

HeSVKEY

Returns the key as an `SV*`, or `NULL` if the hash entry does not contain an `SV*` key.

```
SV* HeSVKEY(HE* he)
```

HeSVKEY_force

Returns the key as an `SV*`. Will create and return a temporary mortal `SV*` if the hash entry contains only a `char*` key.

```
SV* HeSVKEY_force(HE* he)
```

HeSVKEY_set

Sets the key to a given `SV*`, taking care to set the appropriate flags to indicate the presence of an `SV*` key, and returns the same `SV*`.

```
SV* HeSVKEY_set(HE* he, SV* sv)
```

HeUTF8

Returns whether the `char *` value returned by `HePV` is encoded in UTF-8, doing any necessary dereferencing of possibly `SV*` keys. The value returned will be 0 or non-0, not necessarily 1 (or even a value with any low bits set), so **do not** blindly assign this to a `bool` variable, as `bool` may be a typedef for `char`.

```
char* HeUTF8(HE* he)
```

HeVAL

Returns the value slot (type `SV*`) stored in the hash entry.

```
SV* HeVAL(HE* he)
```

HvENAME

Returns the effective name of a stash, or `NULL` if there is none. The effective name represents a location in the symbol table where this stash resides. It is updated automatically when packages are aliased or deleted. A stash that is no longer in the symbol table has no effective name. This name is preferable to `HvNAME` for use in MRO linearisations and isa caches.

```
char* HvENAME(HV* stash)
```

HvNAME

Returns the package name of a stash, or `NULL` if `stash` isn't a stash. See `SvSTASH`, `CvSTASH`.

```
char* HvNAME(HV* stash)
```

hv_assert

Check that a hash is in an internally consistent state.

```
void hv_assert(HV *hv)
```

hv_clear

Clears a hash, making it empty.

```
void hv_clear(HV *hv)
```

hv_clear_placeholders

Clears any placeholders from a hash. If a restricted hash has any of its keys marked as readonly and the key is subsequently deleted, the key is not actually deleted but is marked by assigning it a value of `&PL_sv_placeholder`. This tags it so it will be ignored by future operations such as iterating over the hash, but will still allow the hash to have a value reassigned to the key at some future point. This function clears any such placeholder keys from the hash. See `Hash::Util::lock_keys()` for an example of its use.

```
void hv_clear_placeholders(HV *hv)
```

hv_copy_hints_hv

A specialised version of `newHVhv` for copying `%^H`. `ohv` must be a pointer to a hash (which may have `%^H` magic, but should be generally non-magical), or `NULL`

(interpreted as an empty hash). The content of *ohv* is copied to a new hash, which has the `%^H`-specific magic added to it. A pointer to the new hash is returned.

```
HV * hv_copy_hints_hv(HV *ohv)
```

hv_delete

Deletes a key/value pair in the hash. The value's SV is removed from the hash, made mortal, and returned to the caller. The `klen` is the length of the key. The `flags` value will normally be zero; if set to `G_DISCARD` then `NULL` will be returned. `NULL` will also be returned if the key is not found.

```
SV* hv_delete(HV *hv, const char *key, I32 klen, I32 flags)
```

hv_delete_ent

Deletes a key/value pair in the hash. The value SV is removed from the hash, made mortal, and returned to the caller. The `flags` value will normally be zero; if set to `G_DISCARD` then `NULL` will be returned. `NULL` will also be returned if the key is not found. `hash` can be a valid precomputed hash value, or 0 to ask for it to be computed.

```
SV* hv_delete_ent(HV *hv, SV *keysv, I32 flags, U32 hash)
```

hv_exists

Returns a boolean indicating whether the specified hash key exists. The `klen` is the length of the key.

```
bool hv_exists(HV *hv, const char *key, I32 klen)
```

hv_exists_ent

Returns a boolean indicating whether the specified hash key exists. `hash` can be a valid precomputed hash value, or 0 to ask for it to be computed.

```
bool hv_exists_ent(HV *hv, SV *keysv, U32 hash)
```

hv_fetch

Returns the SV which corresponds to the specified key in the hash. The `klen` is the length of the key. If `lval` is set then the fetch will be part of a store. Check that the return value is non-null before dereferencing it to an `SV*`.

See "*Understanding the Magic of Tied Hashes and Arrays*" in *perlguts* for more information on how to use this function on tied hashes.

```
SV** hv_fetch(HV *hv, const char *key, I32 klen, I32 lval)
```

hv_fetchs

Like `hv_fetch`, but takes a literal string instead of a string/length pair.

```
SV** hv_fetchs(HV* tb, const char* key, I32 lval)
```

hv_fetch_ent

Returns the hash entry which corresponds to the specified key in the hash. `hash` must be a valid precomputed hash number for the given `key`, or 0 if you want the function to compute it. IF `lval` is set then the fetch will be part of a store. Make sure the return value is non-null before accessing it. The return value when `hv` is a tied hash is a pointer to a static location, so be sure to make a copy of the structure if you need to store it somewhere.

See "*Understanding the Magic of Tied Hashes and Arrays*" in *perlguts* for more

information on how to use this function on tied hashes.

```
HE* hv_fetch_ent(HV *hv, SV *keysv, I32 lval, U32 hash)
```

hv_fill

Returns the number of hash buckets that happen to be in use. This function is wrapped by the macro `HvFILL`.

Previously this value was stored in the HV structure, rather than being calculated on demand.

```
STRLEN hv_fill(HV const *const hv)
```

hv_iterinit

Prepares a starting point to traverse a hash table. Returns the number of keys in the hash (i.e. the same as `HvKEYS(hv)`). The return value is currently only meaningful for hashes without tie magic.

NOTE: Before version 5.004_65, `hv_iterinit` used to return the number of hash buckets that happen to be in use. If you still need that esoteric value, you can get it through the macro `HvFILL(hv)`.

```
I32 hv_iterinit(HV *hv)
```

hv_iterkey

Returns the key from the current position of the hash iterator. See `hv_iterinit`.

```
char* hv_iterkey(HE* entry, I32* retlen)
```

hv_iterkeysv

Returns the key as an `SV*` from the current position of the hash iterator. The return value will always be a mortal copy of the key. Also see `hv_iterinit`.

```
SV* hv_iterkeysv(HE* entry)
```

hv_iternext

Returns entries from a hash iterator. See `hv_iterinit`.

You may call `hv_delete` or `hv_delete_ent` on the hash entry that the iterator currently points to, without losing your place or invalidating your iterator. Note that in this case the current entry is deleted from the hash with your iterator holding the last reference to it. Your iterator is flagged to free the entry on the next call to `hv_iternext`, so you must not discard your iterator immediately else the entry will leak - call `hv_iternext` to trigger the resource deallocation.

```
HE* hv_iternext(HV *hv)
```

hv_iternextsv

Performs an `hv_iternext`, `hv_iterkey`, and `hv_interval` in one operation.

```
SV* hv_iternextsv(HV *hv, char **key, I32 *retlen)
```

hv_iternext_flags

Returns entries from a hash iterator. See `hv_iterinit` and `hv_iternext`. The `flags` value will normally be zero; if `HV_ITERNEXT_WANTPLACEHOLDERS` is set the placeholders keys (for restricted hashes) will be returned in addition to normal keys. By default placeholders are automatically skipped over. Currently a placeholder is implemented with a value that is `&Perl_sv_placeholder`. Note that the

implementation of placeholders and restricted hashes may change, and the implementation currently is insufficiently abstracted for any change to be tidy.

NOTE: this function is experimental and may change or be removed without notice.

```
HE* hv_iternext_flags(HV *hv, I32 flags)
```

hv_interval

Returns the value from the current position of the hash iterator. See `hv_iterkey`.

```
SV* hv_interval(HV *hv, HE *entry)
```

hv_magic

Adds magic to a hash. See `sv_magic`.

```
void hv_magic(HV *hv, GV *gv, int how)
```

hv_scalar

Evaluates the hash in scalar context and returns the result. Handles magic when the hash is tied.

```
SV* hv_scalar(HV *hv)
```

hv_store

Stores an SV in a hash. The hash key is specified as `key` and `klen` is the length of the key. The `hash` parameter is the precomputed hash value; if it is zero then Perl will compute it. The return value will be NULL if the operation failed or if the value did not need to be actually stored within the hash (as in the case of tied hashes). Otherwise it can be dereferenced to get the original SV*. Note that the caller is responsible for suitably incrementing the reference count of `val` before the call, and decrementing it if the function returned NULL. Effectively a successful `hv_store` takes ownership of one reference to `val`. This is usually what you want; a newly created SV has a reference count of one, so if all your code does is create SVs then store them in a hash, `hv_store` will own the only reference to the new SV, and your code doesn't need to do anything further to tidy up. `hv_store` is not implemented as a call to `hv_store_ent`, and does not create a temporary SV for the key, so if your key data is not already in SV form then use `hv_store` in preference to `hv_store_ent`.

See *"Understanding the Magic of Tied Hashes and Arrays" in perlguides* for more information on how to use this function on tied hashes.

```
SV** hv_store(HV *hv, const char *key, I32 klen, SV *val, U32 hash)
```

hv_stores

Like `hv_store`, but takes a literal string instead of a string/length pair and omits the hash parameter.

```
SV** hv_stores(HV* tb, const char* key, NULLOK SV* val)
```

hv_store_ent

Stores `val` in a hash. The hash key is specified as `key`. The `hash` parameter is the precomputed hash value; if it is zero then Perl will compute it. The return value is the new hash entry so created. It will be NULL if the operation failed or if the value did not need to be actually stored within the hash (as in the case of tied hashes). Otherwise the contents of the return value can be accessed using the `HE?` macros described here. Note that the caller is responsible for suitably incrementing the reference count

of `val` before the call, and decrementing it if the function returned `NULL`. Effectively a successful `hv_store_ent` takes ownership of one reference to `val`. This is usually what you want; a newly created SV has a reference count of one, so if all your code does is create SVs then store them in a hash, `hv_store` will own the only reference to the new SV, and your code doesn't need to do anything further to tidy up. Note that `hv_store_ent` only reads the `key`; unlike `val` it does not take ownership of it, so maintaining the correct reference count on `key` is entirely the caller's responsibility. `hv_store` is not implemented as a call to `hv_store_ent`, and does not create a temporary SV for the key, so if your key data is not already in SV form then use `hv_store` in preference to `hv_store_ent`.

See "*Understanding the Magic of Tied Hashes and Arrays*" in *perlguts* for more information on how to use this function on tied hashes.

```
HE* hv_store_ent(HV *hv, SV *key, SV *val, U32 hash)
```

hv_undef

Undefines the hash.

```
void hv_undef(HV *hv)
```

newHV

Creates a new HV. The reference count is set to 1.

```
HV* newHV()
```

Lexer interface

lex_bufutf8

Indicates whether the octets in the lexer buffer (`PL_parser->linestr`) should be interpreted as the UTF-8 encoding of Unicode characters. If not, they should be interpreted as Latin-1 characters. This is analogous to the `SvUTF8` flag for scalars.

In UTF-8 mode, it is not guaranteed that the lexer buffer actually contains valid UTF-8. Lexing code must be robust in the face of invalid encoding.

The actual `SvUTF8` flag of the `PL_parser->linestr` scalar is significant, but not the whole story regarding the input character encoding. Normally, when a file is being read, the scalar contains octets and its `SvUTF8` flag is off, but the octets should be interpreted as UTF-8 if the `use utf8` pragma is in effect. During a string eval, however, the scalar may have the `SvUTF8` flag on, and in this case its octets should be interpreted as UTF-8 unless the `use bytes` pragma is in effect. This logic may change in the future; use this function instead of implementing the logic yourself.

NOTE: this function is experimental and may change or be removed without notice.

```
bool lex_bufutf8()
```

lex_discard_to

Discards the first part of the `PL_parser->linestr` buffer, up to `ptr`. The remaining content of the buffer will be moved, and all pointers into the buffer updated appropriately. `ptr` must not be later in the buffer than the position of `PL_parser->bufptr`. It is not permitted to discard text that has yet to be lexed.

Normally it is not necessarily to do this directly, because it suffices to use the implicit discarding behaviour of `lex_next_chunk` and things based on it. However, if a token stretches across multiple lines, and the lexing code has kept multiple lines of text in the buffer for that purpose, then after completion of the token it would be wise to explicitly discard the now-unneeded earlier lines, to avoid future multi-line tokens growing the buffer without bound.

NOTE: this function is experimental and may change or be removed without notice.

```
void lex_discard_to(char *ptr)
```

lex_grow_linestr

Reallocates the lexer buffer (*PL_parser->linestr*) to accommodate at least *len* octets (including terminating NUL). Returns a pointer to the reallocated buffer. This is necessary before making any direct modification of the buffer that would increase its length. *lex_stuff_pvn* provides a more convenient way to insert text into the buffer.

Do not use `SvGROW` or `sv_grow` directly on *PL_parser->linestr*; this function updates all of the lexer's variables that point directly into the buffer.

NOTE: this function is experimental and may change or be removed without notice.

```
char * lex_grow_linestr(STRLEN len)
```

lex_next_chunk

Reads in the next chunk of text to be lexed, appending it to *PL_parser->linestr*. This should be called when lexing code has looked to the end of the current chunk and wants to know more. It is usual, but not necessary, for lexing to have consumed the entirety of the current chunk at this time.

If *PL_parser->bufptr* is pointing to the very end of the current chunk (i.e., the current chunk has been entirely consumed), normally the current chunk will be discarded at the same time that the new chunk is read in. If *flags* includes `LEX_KEEP_PREVIOUS`, the current chunk will not be discarded. If the current chunk has not been entirely consumed, then it will not be discarded regardless of the flag.

Returns true if some new text was added to the buffer, or false if the buffer has reached the end of the input text.

NOTE: this function is experimental and may change or be removed without notice.

```
bool lex_next_chunk(U32 flags)
```

lex_peek_unichar

Looks ahead one (Unicode) character in the text currently being lexed. Returns the codepoint (unsigned integer value) of the next character, or -1 if lexing has reached the end of the input text. To consume the peeked character, use *lex_read_unichar*.

If the next character is in (or extends into) the next chunk of input text, the next chunk will be read in. Normally the current chunk will be discarded at the same time, but if *flags* includes `LEX_KEEP_PREVIOUS` then the current chunk will not be discarded.

If the input is being interpreted as UTF-8 and a UTF-8 encoding error is encountered, an exception is generated.

NOTE: this function is experimental and may change or be removed without notice.

```
I32 lex_peek_unichar(U32 flags)
```

lex_read_space

Reads optional spaces, in Perl style, in the text currently being lexed. The spaces may include ordinary whitespace characters and Perl-style comments. `#line` directives are processed if encountered. *PL_parser->bufptr* is moved past the spaces, so that it points at a non-space character (or the end of the input text).

If spaces extend into the next chunk of input text, the next chunk will be read in. Normally the current chunk will be discarded at the same time, but if *flags* includes `LEX_KEEP_PREVIOUS` then the current chunk will not be discarded.

NOTE: this function is experimental and may change or be removed without notice.

```
void lex_read_space(U32 flags)
```

lex_read_to

Consume text in the lexer buffer, from *PL_parser->bufptr* up to *ptr*. This advances *PL_parser->bufptr* to match *ptr*, performing the correct bookkeeping whenever a newline character is passed. This is the normal way to consume lexed text.

Interpretation of the buffer's octets can be abstracted out by using the slightly higher-level functions *lex_peek_unichar* and *lex_read_unichar*.

NOTE: this function is experimental and may change or be removed without notice.

```
void lex_read_to(char *ptr)
```

lex_read_unichar

Reads the next (Unicode) character in the text currently being lexed. Returns the codepoint (unsigned integer value) of the character read, and moves *PL_parser->bufptr* past the character, or returns -1 if lexing has reached the end of the input text. To non-destructively examine the next character, use *lex_peek_unichar* instead.

If the next character is in (or extends into) the next chunk of input text, the next chunk will be read in. Normally the current chunk will be discarded at the same time, but if *flags* includes *LEX_KEEP_PREVIOUS* then the current chunk will not be discarded.

If the input is being interpreted as UTF-8 and a UTF-8 encoding error is encountered, an exception is generated.

NOTE: this function is experimental and may change or be removed without notice.

```
I32 lex_read_unichar(U32 flags)
```

lex_start

Creates and initialises a new lexer/parser state object, supplying a context in which to lex and parse from a new source of Perl code. A pointer to the new state object is placed in *PL_parser*. An entry is made on the save stack so that upon unwinding the new state object will be destroyed and the former value of *PL_parser* will be restored. Nothing else need be done to clean up the parsing context.

The code to be parsed comes from *line* and *rsfp*. *line*, if non-null, provides a string (in SV form) containing code to be parsed. A copy of the string is made, so subsequent modification of *line* does not affect parsing. *rsfp*, if non-null, provides an input stream from which code will be read to be parsed. If both are non-null, the code in *line* comes first and must consist of complete lines of input, and *rsfp* supplies the remainder of the source.

The *flags* parameter is reserved for future use, and must always be zero, except for one flag that is currently reserved for perl's internal use.

NOTE: this function is experimental and may change or be removed without notice.

```
void lex_start(SV *line, PerlIO *rsfp, U32 flags)
```

lex_stuff_pv

Insert characters into the lexer buffer (*PL_parser->linestr*), immediately after the current lexing point (*PL_parser->bufptr*), reallocating the buffer if necessary. This means that lexing code that runs later will see the characters as if they had appeared in the input. It is not recommended to do this as part of normal parsing, and most uses of this facility run the risk of the inserted characters being interpreted in an unintended manner.

The string to be inserted is represented by octets starting at *pv* and continuing to the

first nul. These octets are interpreted as either UTF-8 or Latin-1, according to whether the `LEX_STUFF_UTF8` flag is set in *flags*. The characters are recoded for the lexer buffer, according to how the buffer is currently being interpreted (*lex_bufutf8*). If it is not convenient to nul-terminate a string to be inserted, the *lex_stuff_pvn* function is more appropriate.

NOTE: this function is experimental and may change or be removed without notice.

```
void lex_stuff_pv(const char *pv, U32 flags)
```

lex_stuff_pvn

Insert characters into the lexer buffer (*PL_parser->linestr*), immediately after the current lexing point (*PL_parser->bufptr*), reallocating the buffer if necessary. This means that lexing code that runs later will see the characters as if they had appeared in the input. It is not recommended to do this as part of normal parsing, and most uses of this facility run the risk of the inserted characters being interpreted in an unintended manner.

The string to be inserted is represented by *len* octets starting at *pv*. These octets are interpreted as either UTF-8 or Latin-1, according to whether the `LEX_STUFF_UTF8` flag is set in *flags*. The characters are recoded for the lexer buffer, according to how the buffer is currently being interpreted (*lex_bufutf8*). If a string to be inserted is available as a Perl scalar, the *lex_stuff_sv* function is more convenient.

NOTE: this function is experimental and may change or be removed without notice.

```
void lex_stuff_pvn(const char *pv, STRLEN len, U32 flags)
```

lex_stuff_pvs

Like *lex_stuff_pvn*, but takes a literal string instead of a string/length pair.

NOTE: this function is experimental and may change or be removed without notice.

```
void lex_stuff_pvs(const char *pv, U32 flags)
```

lex_stuff_sv

Insert characters into the lexer buffer (*PL_parser->linestr*), immediately after the current lexing point (*PL_parser->bufptr*), reallocating the buffer if necessary. This means that lexing code that runs later will see the characters as if they had appeared in the input. It is not recommended to do this as part of normal parsing, and most uses of this facility run the risk of the inserted characters being interpreted in an unintended manner.

The string to be inserted is the string value of *sv*. The characters are recoded for the lexer buffer, according to how the buffer is currently being interpreted (*lex_bufutf8*). If a string to be inserted is not already a Perl scalar, the *lex_stuff_pvn* function avoids the need to construct a scalar.

NOTE: this function is experimental and may change or be removed without notice.

```
void lex_stuff_sv(SV *sv, U32 flags)
```

lex_unstuff

Discards text about to be lexed, from *PL_parser->bufptr* up to *ptr*. Text following *ptr* will be moved, and the buffer shortened. This hides the discarded text from any lexing code that runs later, as if the text had never appeared.

This is not the normal way to consume lexed text. For that, use *lex_read_to*.

NOTE: this function is experimental and may change or be removed without notice.

```
void lex_unstuff(char *ptr)
```

parse_arithexpr

Parse a Perl arithmetic expression. This may contain operators of precedence down to the bit shift operators. The expression must be followed (and thus terminated) either by a comparison or lower-precedence operator or by something that would normally terminate an expression such as semicolon. If *flags* includes `PARSE_OPTIONAL` then the expression is optional, otherwise it is mandatory. It is up to the caller to ensure that the dynamic parser state (`PL_parser` et al) is correctly set to reflect the source of the code to be parsed and the lexical context for the expression.

The op tree representing the expression is returned. If an optional expression is absent, a null pointer is returned, otherwise the pointer will be non-null.

If an error occurs in parsing or compilation, in most cases a valid op tree is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. Some compilation errors, however, will throw an exception immediately.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * parse_arithexpr(U32 flags)
```

parse_barestmt

Parse a single unadorned Perl statement. This may be a normal imperative statement or a declaration that has compile-time effect. It does not include any label or other affixture. It is up to the caller to ensure that the dynamic parser state (`PL_parser` et al) is correctly set to reflect the source of the code to be parsed and the lexical context for the statement.

The op tree representing the statement is returned. This may be a null pointer if the statement is null, for example if it was actually a subroutine definition (which has compile-time side effects). If not null, it will be ops directly implementing the statement, suitable to pass to `newSTATEOP`. It will not normally include a `nextstate` or equivalent op (except for those embedded in a scope contained entirely within the statement).

If an error occurs in parsing or compilation, in most cases a valid op tree (most likely null) is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. Some compilation errors, however, will throw an exception immediately.

The *flags* parameter is reserved for future use, and must always be zero.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * parse_barestmt(U32 flags)
```

parse_block

Parse a single complete Perl code block. This consists of an opening brace, a sequence of statements, and a closing brace. The block constitutes a lexical scope, so `my` variables and various compile-time effects can be contained within it. It is up to the caller to ensure that the dynamic parser state (`PL_parser` et al) is correctly set to reflect the source of the code to be parsed and the lexical context for the statement.

The op tree representing the code block is returned. This is always a real op, never a null pointer. It will normally be a `lineseq` list, including `nextstate` or equivalent ops. No ops to construct any kind of runtime scope are included by virtue of it being a block.

If an error occurs in parsing or compilation, in most cases a valid op tree (most likely null) is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. Some compilation errors, however, will throw an exception immediately.

The *flags* parameter is reserved for future use, and must always be zero.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * parse_block(U32 flags)
```

parse_fullexpr

Parse a single complete Perl expression. This allows the full expression grammar, including the lowest-precedence operators such as `or`. The expression must be followed (and thus terminated) by a token that an expression would normally be terminated by: end-of-file, closing bracketing punctuation, semicolon, or one of the keywords that signals a postfix expression-statement modifier. If *flags* includes `PARSE_OPTIONAL` then the expression is optional, otherwise it is mandatory. It is up to the caller to ensure that the dynamic parser state (*PL_parser* et al) is correctly set to reflect the source of the code to be parsed and the lexical context for the expression.

The op tree representing the expression is returned. If an optional expression is absent, a null pointer is returned, otherwise the pointer will be non-null.

If an error occurs in parsing or compilation, in most cases a valid op tree is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. Some compilation errors, however, will throw an exception immediately.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * parse_fullexpr(U32 flags)
```

parse_fullstmt

Parse a single complete Perl statement. This may be a normal imperative statement or a declaration that has compile-time effect, and may include optional labels. It is up to the caller to ensure that the dynamic parser state (*PL_parser* et al) is correctly set to reflect the source of the code to be parsed and the lexical context for the statement.

The op tree representing the statement is returned. This may be a null pointer if the statement is null, for example if it was actually a subroutine definition (which has compile-time side effects). If not null, it will be the result of a *newSTATEOP* call, normally including a *nextstate* or equivalent op.

If an error occurs in parsing or compilation, in most cases a valid op tree (most likely null) is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. Some compilation errors, however, will throw an exception immediately.

The *flags* parameter is reserved for future use, and must always be zero.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * parse_fullstmt(U32 flags)
```

parse_label

Parse a single label, possibly optional, of the type that may prefix a Perl statement. It is up to the caller to ensure that the dynamic parser state (*PL_parser* et al) is correctly set to reflect the source of the code to be parsed. If *flags* includes `PARSE_OPTIONAL` then the label is optional, otherwise it is mandatory.

The name of the label is returned in the form of a fresh scalar. If an optional label is absent, a null pointer is returned.

If an error occurs in parsing, which can only occur if the label is mandatory, a valid label is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred.

NOTE: this function is experimental and may change or be removed without notice.

```
SV * parse_label(U32 flags)
```

parse_listexpr

Parse a Perl list expression. This may contain operators of precedence down to the comma operator. The expression must be followed (and thus terminated) either by a low-precedence logic operator such as `or` or by something that would normally terminate an expression such as semicolon. If *flags* includes `PARSE_OPTIONAL` then the expression is optional, otherwise it is mandatory. It is up to the caller to ensure that the dynamic parser state (*PL_parser* et al) is correctly set to reflect the source of the code to be parsed and the lexical context for the expression.

The op tree representing the expression is returned. If an optional expression is absent, a null pointer is returned, otherwise the pointer will be non-null.

If an error occurs in parsing or compilation, in most cases a valid op tree is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. Some compilation errors, however, will throw an exception immediately.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * parse_listexpr(U32 flags)
```

parse_stmtseq

Parse a sequence of zero or more Perl statements. These may be normal imperative statements, including optional labels, or declarations that have compile-time effect, or any mixture thereof. The statement sequence ends when a closing brace or end-of-file is encountered in a place where a new statement could have validly started. It is up to the caller to ensure that the dynamic parser state (*PL_parser* et al) is correctly set to reflect the source of the code to be parsed and the lexical context for the statements.

The op tree representing the statement sequence is returned. This may be a null pointer if the statements were all null, for example if there were no statements or if there were only subroutine definitions (which have compile-time side effects). If not null, it will be a `lineseq` list, normally including `nextstate` or equivalent ops.

If an error occurs in parsing or compilation, in most cases a valid op tree is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. Some compilation errors, however, will throw an exception immediately.

The *flags* parameter is reserved for future use, and must always be zero.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * parse_stmtseq(U32 flags)
```

parse_termexpr

Parse a Perl term expression. This may contain operators of precedence down to the assignment operators. The expression must be followed (and thus terminated) either by a comma or lower-precedence operator or by something that would normally terminate an expression such as semicolon. If *flags* includes `PARSE_OPTIONAL` then the expression is optional, otherwise it is mandatory. It is up to the caller to ensure that the dynamic parser state (*PL_parser* et al) is correctly set to reflect the source of the code to be parsed and the lexical context for the expression.

The op tree representing the expression is returned. If an optional expression is absent, a null pointer is returned, otherwise the pointer will be non-null.

If an error occurs in parsing or compilation, in most cases a valid op tree is returned

anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. Some compilation errors, however, will throw an exception immediately.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * parse_termexpr(U32 flags)
```

PL_parser

Pointer to a structure encapsulating the state of the parsing operation currently in progress. The pointer can be locally changed to perform a nested parse without interfering with the state of an outer parse. Individual members of `PL_parser` have their own documentation.

PL_parser->bufend

Direct pointer to the end of the chunk of text currently being lexed, the end of the lexer buffer. This is equal to `SvPVX(PL_parser->linestr) + SvCUR(PL_parser->linestr)`. A NUL character (zero octet) is always located at the end of the buffer, and does not count as part of the buffer's contents.

NOTE: this function is experimental and may change or be removed without notice.

PL_parser->bufptr

Points to the current position of lexing inside the lexer buffer. Characters around this point may be freely examined, within the range delimited by `SvPVX(PL_parser->linestr)` and `PL_parser->bufend`. The octets of the buffer may be intended to be interpreted as either UTF-8 or Latin-1, as indicated by `lex_bufutf8`.

Lexing code (whether in the Perl core or not) moves this pointer past the characters that it consumes. It is also expected to perform some bookkeeping whenever a newline character is consumed. This movement can be more conveniently performed by the function `lex_read_to`, which handles newlines appropriately.

Interpretation of the buffer's octets can be abstracted out by using the slightly higher-level functions `lex_peek_unichar` and `lex_read_unichar`.

NOTE: this function is experimental and may change or be removed without notice.

PL_parser->linestr

Points to the start of the current line inside the lexer buffer. This is useful for indicating at which column an error occurred, and not much else. This must be updated by any lexing code that consumes a newline; the function `lex_read_to` handles this detail.

NOTE: this function is experimental and may change or be removed without notice.

PL_parser->linestr

Buffer scalar containing the chunk currently under consideration of the text currently being lexed. This is always a plain string scalar (for which `SvPOK` is true). It is not intended to be used as a scalar by normal scalar means; instead refer to the buffer directly by the pointer variables described below.

The lexer maintains various `char*` pointers to things in the `PL_parser->linestr` buffer. If `PL_parser->linestr` is ever reallocated, all of these pointers must be updated. Don't attempt to do this manually, but rather use `lex_grow_linestr` if you need to reallocate the buffer.

The content of the text chunk in the buffer is commonly exactly one complete line of input, up to and including a newline terminator, but there are situations where it is otherwise. The octets of the buffer may be intended to be interpreted as either UTF-8 or Latin-1. The function `lex_bufutf8` tells you which. Do not use the `SvUTF8` flag on this scalar, which may disagree with it.

For direct examination of the buffer, the variable `PL_parser->bufend` points to the end of the buffer. The current lexing position is pointed to by `PL_parser->bufptr`. Direct use of these pointers is usually preferable to examination of the scalar through normal scalar means.

NOTE: this function is experimental and may change or be removed without notice.

Magical Functions

`mg_clear`

Clear something magical that the SV represents. See `sv_magic`.

```
int mg_clear(SV* sv)
```

`mg_copy`

Copies the magic from one SV to another. See `sv_magic`.

```
int mg_copy(SV *sv, SV *nsv, const char *key, I32 klen)
```

`mg_find`

Finds the magic pointer for type matching the SV. See `sv_magic`.

```
MAGIC* mg_find(const SV* sv, int type)
```

`mg_findext`

Finds the magic pointer of `type` with the given `vtbl` for the SV. See `sv_magicext`.

```
MAGIC* mg_findext(const SV* sv, int type, const MGVTBL *vtbl)
```

`mg_free`

Free any magic storage used by the SV. See `sv_magic`.

```
int mg_free(SV* sv)
```

`mg_free_type`

Remove any magic of type `how` from the SV `sv`. See `sv_magic`.

```
void mg_free_type(SV *sv, int how)
```

`mg_get`

Do magic after a value is retrieved from the SV. See `sv_magic`.

```
int mg_get(SV* sv)
```

`mg_length`

Report on the SV's length. See `sv_magic`.

```
U32 mg_length(SV* sv)
```

`mg_magical`

Turns on the magical status of an SV. See `sv_magic`.

```
void mg_magical(SV* sv)
```

`mg_set`

Do magic after a value is assigned to the SV. See `sv_magic`.

```
int mg_set(SV* sv)
```

SvGETMAGIC

Invokes `mg_get` on an SV if it has 'get' magic. This macro evaluates its argument more than once.

```
void SvGETMAGIC(SV* sv)
```

SvLOCK

Arranges for a mutual exclusion lock to be obtained on `sv` if a suitable module has been loaded.

```
void SvLOCK(SV* sv)
```

SvSETMAGIC

Invokes `mg_set` on an SV if it has 'set' magic. This macro evaluates its argument more than once.

```
void SvSETMAGIC(SV* sv)
```

SvSetMagicSV

Like `SvSetSV`, but does any set magic required afterwards.

```
void SvSetMagicSV(SV* dsb, SV* ssv)
```

SvSetMagicSV_nosteal

Like `SvSetSV_nosteal`, but does any set magic required afterwards.

```
void SvSetMagicSV_nosteal(SV* dsb, SV* ssv)
```

SvSetSV

Calls `sv_setsv` if `dsb` is not the same as `ssv`. May evaluate arguments more than once.

```
void SvSetSV(SV* dsb, SV* ssv)
```

SvSetSV_nosteal

Calls a non-destructive version of `sv_setsv` if `dsb` is not the same as `ssv`. May evaluate arguments more than once.

```
void SvSetSV_nosteal(SV* dsb, SV* ssv)
```

SvSHARE

Arranges for `sv` to be shared between threads if a suitable module has been loaded.

```
void SvSHARE(SV* sv)
```

SvUNLOCK

Releases a mutual exclusion lock on `sv` if a suitable module has been loaded.

```
void SvUNLOCK(SV* sv)
```

Memory Management

Copy

The XSUB-writer's interface to the C `memcpy` function. The `src` is the source, `dest` is the destination, `nitems` is the number of items, and `type` is the type. May fail on overlapping copies. See also `Move`.

```
void Copy(void* src, void* dest, int nitems, type)
```

CopyD

Like `Copy` but returns `dest`. Useful for encouraging compilers to tail-call optimise.

```
void * CopyD(void* src, void* dest, int nitems, type)
```

Move

The XSUB-writer's interface to the C `memmove` function. The `src` is the source, `dest` is the destination, `nitems` is the number of items, and `type` is the type. Can do overlapping moves. See also `Copy`.

```
void Move(void* src, void* dest, int nitems, type)
```

MoveD

Like `Move` but returns `dest`. Useful for encouraging compilers to tail-call optimise.

```
void * MoveD(void* src, void* dest, int nitems, type)
```

Newx

The XSUB-writer's interface to the C `malloc` function.

In 5.9.3, `Newx()` and friends replace the older `New()` API, and drops the first parameter, `x`, a debug aid which allowed callers to identify themselves. This aid has been superseded by a new build option, `PERL_MEM_LOG` (see "*PERL_MEM_LOG*" in *perlhack*). The older API is still there for use in XS modules supporting older perls.

```
void Newx(void* ptr, int nitems, type)
```

Newxc

The XSUB-writer's interface to the C `malloc` function, with cast. See also `Newx`.

```
void Newxc(void* ptr, int nitems, type, cast)
```

Newxz

The XSUB-writer's interface to the C `malloc` function. The allocated memory is zeroed with `memzero`. See also `Newx`.

```
void Newxz(void* ptr, int nitems, type)
```

Poison

`PoisonWith(0xEF)` for catching access to freed memory.

```
void Poison(void* dest, int nitems, type)
```

PoisonFree

`PoisonWith(0xEF)` for catching access to freed memory.

```
void PoisonFree(void* dest, int nitems, type)
```

PoisonNew

`PoisonWith(0xAB)` for catching access to allocated but uninitialized memory.

```
void PoisonNew(void* dest, int nitems, type)
```

PoisonWith

Fill up memory with a byte pattern (a byte repeated over and over again) that hopefully catches attempts to access uninitialized memory.

```
void PoisonWith(void* dest, int nitems, type, U8 byte)
```

Renew

The XSUB-writer's interface to the C `realloc` function.

```
void Renew(void* ptr, int nitems, type)
```

Renewc

The XSUB-writer's interface to the C `realloc` function, with cast.

```
void Renewc(void* ptr, int nitems, type, cast)
```

Safefree

The XSUB-writer's interface to the C `free` function.

```
void Safefree(void* ptr)
```

savepv

Perl's version of `strdup()`. Returns a pointer to a newly allocated string which is a duplicate of `pv`. The size of the string is determined by `strlen()`. The memory allocated for the new string can be freed with the `Safefree()` function.

```
char* savepv(const char* pv)
```

savepvn

Perl's version of what `strndup()` would be if it existed. Returns a pointer to a newly allocated string which is a duplicate of the first `len` bytes from `pv`, plus a trailing NUL byte. The memory allocated for the new string can be freed with the `Safefree()` function.

```
char* savepvn(const char* pv, I32 len)
```

savepvs

Like `savepvn`, but takes a literal string instead of a string/length pair.

```
char* savepvs(const char* s)
```

savesharedpv

A version of `savepv()` which allocates the duplicate string in memory which is shared between threads.

```
char* savesharedpv(const char* pv)
```

savesharedpvn

A version of `savepvn()` which allocates the duplicate string in memory which is shared between threads. (With the specific difference that a NULL pointer is not acceptable)

```
char* savesharedpvn(const char *const pv, const STRLEN len)
```

savesharedpvs

A version of `savepvs()` which allocates the duplicate string in memory which is shared between threads.

```
char* savesharedpvs(const char* s)
```

savesharedsvpv

A version of `savesharedpv()` which allocates the duplicate string in memory which is shared between threads.

```
char* savesharedsvpv(SV *sv)
```

savesvpv

A version of `savepv()/savepvn()` which gets the string to duplicate from the passed in SV using `SvPV()`

```
char* savesvpv(SV* sv)
```

StructCopy

This is an architecture-independent macro to copy one structure to another.

```
void StructCopy(type src, type dest, type)
```

Zero

The XSUB-writer's interface to the C `memzero` function. The `dest` is the destination, `nitems` is the number of items, and `type` is the type.

```
void Zero(void* dest, int nitems, type)
```

ZeroD

Like `Zero` but returns `dest`. Useful for encouraging compilers to tail-call optimise.

```
void * ZeroD(void* dest, int nitems, type)
```

Miscellaneous Functions

fbm_compile

Analyses the string in order to make fast searches on it using `fbm_instr()` -- the Boyer-Moore algorithm.

```
void fbm_compile(SV* sv, U32 flags)
```

fbm_instr

Returns the location of the SV in the string delimited by `str` and `strend`. It returns `NULL` if the string can't be found. The `sv` does not have to be `fbm_compiled`, but the search will not be as fast then.

```
char* fbm_instr(unsigned char* big, unsigned char* bigend, SV* littlestr, U32 flags)
```

foldEQ

Returns true if the leading `len` bytes of the strings `s1` and `s2` are the same case-insensitively; false otherwise. Uppercase and lowercase ASCII range bytes match themselves and their opposite case counterparts. Non-cased and non-ASCII range bytes match only themselves.

```
I32 foldEQ(const char* a, const char* b, I32 len)
```

foldEQ_locale

Returns true if the leading `len` bytes of the strings `s1` and `s2` are the same

case-insensitively in the current locale; false otherwise.

```
I32 foldEQ_locale(const char* a, const char* b, I32 len)
```

form

Takes a sprintf-style format pattern and conventional (non-SV) arguments and returns the formatted string.

```
(char *) Perl_form(pTHX_ const char* pat, ...)
```

can be used any place a string (char *) is required:

```
char * s = Perl_form("%d.%d",major,minor);
```

Uses a single private buffer so if you want to format several strings you must explicitly copy the earlier strings away (and free the copies when you are done).

```
char* form(const char* pat, ...)
```

getcwd_sv

Fill the sv with current working directory

```
int getcwd_sv(SV* sv)
```

mess

Take a sprintf-style format pattern and argument list. These are used to generate a string message. If the message does not end with a newline, then it will be extended with some indication of the current location in the code, as described for *mess_sv*.

Normally, the resulting message is returned in a new mortal SV. During global destruction a single SV may be shared between uses of this function.

```
SV * mess(const char *pat, ...)
```

mess_sv

Expands a message, intended for the user, to include an indication of the current location in the code, if the message does not already appear to be complete.

basemsg is the initial message or object. If it is a reference, it will be used as-is and will be the result of this function. Otherwise it is used as a string, and if it already ends with a newline, it is taken to be complete, and the result of this function will be the same string. If the message does not end with a newline, then a segment such as `at foo.pl line 37` will be appended, and possibly other clauses indicating the current state of execution. The resulting message will end with a dot and a newline.

Normally, the resulting message is returned in a new mortal SV. During global destruction a single SV may be shared between uses of this function. If *consume* is true, then the function is permitted (but not required) to modify and return *basemsg* instead of allocating a new SV.

```
SV * mess_sv(SV *basemsg, bool consume)
```

my_snprintf

The C library `snprintf` functionality, if available and standards-compliant (uses `vsnprintf`, actually). However, if the `vsnprintf` is not available, will unfortunately use the unsafe `vsprintf` which can overrun the buffer (there is an overrun check, but that may be too late). Consider using `sv_vcatpvf` instead, or getting `vsnprintf`.

```
int my_snprintf(char *buffer, const Size_t len, const char *format, ...)
```

my_sprintf

The C library `sprintf`, wrapped if necessary, to ensure that it will return the length of the string written to the buffer. Only rare pre-ANSI systems need the wrapper function - usually this is a direct call to `sprintf`.

```
int my_sprintf(char *buffer, const char *pat, ...)
```

my_vsnprintf

The C library `vsnprintf` if available and standards-compliant. However, if the `vsnprintf` is not available, will unfortunately use the unsafe `vsprintf` which can overrun the buffer (there is an overrun check, but that may be too late). Consider using `sv_vcatpvf` instead, or getting `vsnprintf`.

```
int my_vsnprintf(char *buffer, const Size_t len, const char
*format, va_list ap)
```

new_version

Returns a new version object based on the passed in SV:

```
SV *sv = new_version(SV *ver);
```

Does not alter the passed in ver SV. See "upg_version" if you want to upgrade the SV.

```
SV* new_version(SV *ver)
```

prescan_version

Validate that a given string can be parsed as a version object, but doesn't actually perform the parsing. Can use either strict or lax validation rules. Can optionally set a number of hint variables to save the parsing code some time when tokenizing.

```
const char* prescan_version(const char *s, bool strict, const
char** errstr, bool *sqv, int *ssaw_decimal, int *swidth, bool
*salpha)
```

scan_version

Returns a pointer to the next character after the parsed version string, as well as upgrading the passed in SV to an RV.

Function must be called with an already existing SV like

```
sv = newSV(0);
s = scan_version(s, SV *sv, bool qv);
```

Performs some preprocessing to the string to ensure that it has the correct characteristics of a version. Flags the object if it contains an underscore (which denotes this is an alpha version). The boolean `qv` denotes that the version should be interpreted as if it had multiple decimals, even if it doesn't.

```
const char* scan_version(const char *s, SV *rv, bool qv)
```

strEQ

Test two strings to see if they are equal. Returns true or false.

```
bool strEQ(char* s1, char* s2)
```

strGE

Test two strings to see if the first, `s1`, is greater than or equal to the second, `s2`. Returns true or false.

```
bool strGE(char* s1, char* s2)
```

strGT

Test two strings to see if the first, `s1`, is greater than the second, `s2`. Returns true or false.

```
bool strGT(char* s1, char* s2)
```

strLE

Test two strings to see if the first, `s1`, is less than or equal to the second, `s2`. Returns true or false.

```
bool strLE(char* s1, char* s2)
```

strLT

Test two strings to see if the first, `s1`, is less than the second, `s2`. Returns true or false.

```
bool strLT(char* s1, char* s2)
```

strNE

Test two strings to see if they are different. Returns true or false.

```
bool strNE(char* s1, char* s2)
```

strnEQ

Test two strings to see if they are equal. The `len` parameter indicates the number of bytes to compare. Returns true or false. (A wrapper for `strncmp`).

```
bool strnEQ(char* s1, char* s2, STRLEN len)
```

strnNE

Test two strings to see if they are different. The `len` parameter indicates the number of bytes to compare. Returns true or false. (A wrapper for `strncmp`).

```
bool strnNE(char* s1, char* s2, STRLEN len)
```

sv_destroyable

Dummy routine which reports that object can be destroyed when there is no sharing module present. It ignores its single SV argument, and returns 'true'. Exists to avoid test for a NULL function pointer and because it could potentially warn under some level of strict-ness.

```
bool sv_destroyable(SV *sv)
```

sv_nosharing

Dummy routine which "shares" an SV when there is no sharing module present. Or "locks" it. Or "unlocks" it. In other words, ignores its single SV argument. Exists to avoid test for a NULL function pointer and because it could potentially warn under some level of strict-ness.

```
void sv_nosharing(SV *sv)
```

upg_version

In-place upgrade of the supplied SV to a version object.

```
SV *sv = upg_version(SV *sv, bool qv);
```

Returns a pointer to the upgraded SV. Set the boolean `qv` if you want to force this SV to be interpreted as an "extended" version.

```
SV* upg_version(SV *ver, bool qv)
```

vcmp

Version object aware cmp. Both operands must already have been converted into version objects.

```
int vcmp(SV *lhv, SV *rhv)
```

vmess

`pat` and `args` are a printf-style format pattern and encapsulated argument list. These are used to generate a string message. If the message does not end with a newline, then it will be extended with some indication of the current location in the code, as described for `mess_sv`.

Normally, the resulting message is returned in a new mortal SV. During global destruction a single SV may be shared between uses of this function.

```
SV * vmess(const char *pat, va_list *args)
```

vnormal

Accepts a version object and returns the normalized string representation. Call like:

```
sv = vnormal(rv);
```

NOTE: you can pass either the object directly or the SV contained within the RV.

The SV returned has a refcount of 1.

```
SV* vnormal(SV *vs)
```

vnumify

Accepts a version object and returns the normalized floating point representation. Call like:

```
sv = vnumify(rv);
```

NOTE: you can pass either the object directly or the SV contained within the RV.

The SV returned has a refcount of 1.

```
SV* vnumify(SV *vs)
```

vstringify

In order to maintain maximum compatibility with earlier versions of Perl, this function will return either the floating point notation or the multiple dotted notation, depending on whether the original version contained 1 or more dots, respectively.

The SV returned has a refcount of 1.

```
SV* vstringify(SV *vs)
```

vverify

Validates that the SV contains valid internal structure for a version object. It may be passed either the version object (RV) or the hash itself (HV). If the structure is valid, it returns the HV. If the structure is invalid, it returns NULL.

```
SV *hv = vverify(sv);
```

Note that it only confirms the bare minimum structure (so as not to get confused by derived classes which may contain additional hash entries):

```
SV* vverify(SV *vs)
```

MRO Functions

mro_get_linear_isa

Returns either `mro_get_linear_isa_c3` or `mro_get_linear_isa_dfs` for the given stash, dependant upon which MRO is in effect for that stash. The return value is a read-only AV*.

You are responsible for `SvREFCNT_inc()` on the return value if you plan to store it anywhere semi-permanently (otherwise it might be deleted out from under you the next time the cache is invalidated).

```
AV* mro_get_linear_isa(HV* stash)
```

mro_method_changed_in

Invalidates method caching on any child classes of the given stash, so that they might notice the changes in this one.

Ideally, all instances of `PL_sub_generation++` in perl source outside of `mro.c` should be replaced by calls to this.

Perl automatically handles most of the common ways a method might be redefined. However, there are a few ways you could change a method in a stash without the cache code noticing, in which case you need to call this method afterwards:

- 1) Directly manipulating the stash HV entries from XS code.
- 2) Assigning a reference to a readonly scalar constant into a stash entry in order to create a constant subroutine (like `constant.pm` does).

This same method is available from pure perl via,
`mro::method_changed_in(classname)`.

```
void mro_method_changed_in(HV* stash)
```

Multicall Functions

dMULTICALL

Declare local variables for a multicall. See *"Lightweight Callbacks" in perlcalls*.

```
dMULTICALL;
```

MULTICALL

Make a lightweight callback. See *"Lightweight Callbacks" in perlcalls*.

```
MULTICALL;
```

POP_MULTICALL

Closing bracket for a lightweight callback. See *"Lightweight Callbacks" in perlcalls*.

```
POP_MULTICALL;
```

PUSH_MULTICALL

Opening bracket for a lightweight callback. See *"Lightweight Callbacks" in perlcalls*.

```
PUSH_MULTICALL;
```

Numeric functions

grok_bin

converts a string representing a binary number to numeric form.

On entry *start* and **len* give the string to scan, **flags* gives conversion flags, and *result* should be NULL or a pointer to an NV. The scan stops at the end of the string, or the first invalid character. Unless `PERL_SCAN_SILENT_ILLDIGIT` is set in **flags*, encountering an invalid character will also trigger a warning. On return **len* is set to the length of the scanned string, and **flags* gives output flags.

If the value is \leq `UV_MAX` it is returned as a UV, the output flags are clear, and nothing is written to **result*. If the value is $>$ `UV_MAX` `grok_bin` returns `UV_MAX`, sets `PERL_SCAN_GREATER_THAN_UV_MAX` in the output flags, and writes the value to **result* (or the value is discarded if *result* is NULL).

The binary number may optionally be prefixed with "0b" or "b" unless `PERL_SCAN_DISALLOW_PREFIX` is set in **flags* on entry. If `PERL_SCAN_ALLOW_UNDERSCORES` is set in **flags* then the binary number may use '_' characters to separate digits.

```
UV grok_bin(const char* start, STRLEN* len_p, I32* flags, NV
*result)
```

grok_hex

converts a string representing a hex number to numeric form.

On entry *start* and **len* give the string to scan, **flags* gives conversion flags, and *result* should be NULL or a pointer to an NV. The scan stops at the end of the string, or the first invalid character. Unless `PERL_SCAN_SILENT_ILLDIGIT` is set in **flags*, encountering an invalid character will also trigger a warning. On return **len* is set to the length of the scanned string, and **flags* gives output flags.

If the value is \leq `UV_MAX` it is returned as a UV, the output flags are clear, and nothing is written to **result*. If the value is $>$ `UV_MAX` `grok_hex` returns `UV_MAX`, sets `PERL_SCAN_GREATER_THAN_UV_MAX` in the output flags, and writes the value to **result* (or the value is discarded if *result* is NULL).

The hex number may optionally be prefixed with "0x" or "x" unless `PERL_SCAN_DISALLOW_PREFIX` is set in **flags* on entry. If `PERL_SCAN_ALLOW_UNDERSCORES` is set in **flags* then the hex number may use '_' characters to separate digits.

```
UV grok_hex(const char* start, STRLEN* len_p, I32* flags, NV
*result)
```

grok_number

Recognise (or not) a number. The type of the number is returned (0 if unrecognised), otherwise it is a bit-ORed combination of `IS_NUMBER_IN_UV`, `IS_NUMBER_GREATER_THAN_UV_MAX`, `IS_NUMBER_NOT_INT`, `IS_NUMBER_NEG`, `IS_NUMBER_INFINITY`, `IS_NUMBER_NAN` (defined in `perl.h`).

If the value of the number can fit in UV, it is returned in the **valuep*. `IS_NUMBER_IN_UV` will be set to indicate that **valuep* is valid, `IS_NUMBER_IN_UV` will never be set unless **valuep* is valid, but **valuep* may have been assigned to during processing even though `IS_NUMBER_IN_UV` is not set on return. If *valuep* is NULL, `IS_NUMBER_IN_UV` will be set for the same cases as when *valuep* is non-NULL, but no actual assignment (or SEGV) will occur.

`IS_NUMBER_NOT_INT` will be set with `IS_NUMBER_IN_UV` if trailing decimals were seen (in which case **valuep* gives the true value truncated to an integer), and `IS_NUMBER_NEG` if the number is negative (in which case **valuep* holds the absolute

value). IS_NUMBER_IN_UV is not set if e notation was used or the number is larger than a UV.

```
int grok_number(const char *pv, STRLEN len, UV *valuep)
```

grok_numeric_radix

Scan and skip for a numeric decimal separator (radix).

```
bool grok_numeric_radix(const char **sp, const char *send)
```

grok_oct

converts a string representing an octal number to numeric form.

On entry *start* and **len* give the string to scan, **flags* gives conversion flags, and *result* should be NULL or a pointer to an NV. The scan stops at the end of the string, or the first invalid character. Unless PERL_SCAN_SILENT_ILLDIGIT is set in **flags*, encountering an 8 or 9 will also trigger a warning. On return **len* is set to the length of the scanned string, and **flags* gives output flags.

If the value is \leq UV_MAX it is returned as a UV, the output flags are clear, and nothing is written to **result*. If the value is $>$ UV_MAX grok_oct returns UV_MAX, sets PERL_SCAN_GREATER_THAN_UV_MAX in the output flags, and writes the value to **result* (or the value is discarded if *result* is NULL).

If PERL_SCAN_ALLOW_UNDERSCORES is set in **flags* then the octal number may use '_' characters to separate digits.

```
UV grok_oct(const char* start, STRLEN* len_p, I32* flags, NV *result)
```

Perl_signbit

Return a non-zero integer if the sign bit on an NV is set, and 0 if it is not.

If Configure detects this system has a signbit() that will work with our NVs, then we just use it via the #define in perl.h. Otherwise, fall back on this implementation. As a first pass, this gets everything right except -0.0. Alas, catching -0.0 is the main use for this function, so this is not too helpful yet. Still, at least we have the scaffolding in place to support other systems, should that prove useful.

Configure notes: This function is called 'Perl_signbit' instead of a plain 'signbit' because it is easy to imagine a system having a signbit() function or macro that doesn't happen to work with our particular choice of NVs. We shouldn't just re-#define signbit as Perl_signbit and expect the standard system headers to be happy. Also, this is a no-context function (no pTHX_) because Perl_signbit() is usually re-#defined in perl.h as a simple macro call to the system's signbit(). Users should just always call Perl_signbit().

NOTE: this function is experimental and may change or be removed without notice.

```
int Perl_signbit(NV f)
```

scan_bin

For backwards compatibility. Use grok_bin instead.

```
NV scan_bin(const char* start, STRLEN len, STRLEN* retlen)
```

scan_hex

For backwards compatibility. Use grok_hex instead.

```
NV scan_hex(const char* start, STRLEN len, STRLEN* retlen)
```

scan_oct

For backwards compatibility. Use `grok_oct` instead.

```
NV scan_oct(const char* start, STRLEN len, STRLEN* retlen)
```

Optree construction

newASSIGNOP

Constructs, checks, and returns an assignment op. *left* and *right* supply the parameters of the assignment; they are consumed by this function and become part of the constructed op tree.

If *optype* is `OP_ANDASSIGN`, `OP_ORASSIGN`, or `OP_DORASSIGN`, then a suitable conditional optree is constructed. If *optype* is the opcode of a binary operator, such as `OP_BIT_OR`, then an op is constructed that performs the binary operation and assigns the result to the left argument. Either way, if *optype* is non-zero then *flags* has no effect.

If *optype* is zero, then a plain scalar or list assignment is constructed. Which type of assignment it is is automatically determined. *flags* gives the eight bits of `op_flags`, except that `OPf_KIDS` will be set automatically, and, shifted up eight bits, the eight bits of `op_private`, except that the bit with value 1 or 2 is automatically set as required.

```
OP * newASSIGNOP(I32 flags, OP *left, I32 optype, OP *right)
```

newBINOP

Constructs, checks, and returns an op of any binary type. *type* is the opcode. *flags* gives the eight bits of `op_flags`, except that `OPf_KIDS` will be set automatically, and, shifted up eight bits, the eight bits of `op_private`, except that the bit with value 1 or 2 is automatically set as required. *first* and *last* supply up to two ops to be the direct children of the binary op; they are consumed by this function and become part of the constructed op tree.

```
OP * newBINOP(I32 type, I32 flags, OP *first, OP *last)
```

newCONDOP

Constructs, checks, and returns a conditional-expression (`cond_expr`) op. *flags* gives the eight bits of `op_flags`, except that `OPf_KIDS` will be set automatically, and, shifted up eight bits, the eight bits of `op_private`, except that the bit with value 1 is automatically set. *first* supplies the expression selecting between the two branches, and *trueop* and *falseop* supply the branches; they are consumed by this function and become part of the constructed op tree.

```
OP * newCONDOP(I32 flags, OP *first, OP *trueop, OP *falseop)
```

newFOROP

Constructs, checks, and returns an op tree expressing a `foreach` loop (iteration through a list of values). This is a heavyweight loop, with structure that allows exiting the loop by `last` and `suchlike`.

sv optionally supplies the variable that will be aliased to each item in turn; if null, it defaults to `$_` (either lexical or global). *expr* supplies the list of values to iterate over. *block* supplies the main body of the loop, and *cont* optionally supplies a `continue` block that operates as a second half of the body. All of these optree inputs are consumed by this function and become part of the constructed op tree.

flags gives the eight bits of `op_flags` for the `leaveloop` op and, shifted up eight bits, the eight bits of `op_private` for the `leaveloop` op, except that (in both cases) some bits will be set automatically.

```
OP * newFOROP(I32 flags, OP *sv, OP *expr, OP *block, OP *cont)
```

newGIVENOP

Constructs, checks, and returns an op tree expressing a `given` block. *cond* supplies the expression that will be locally assigned to a lexical variable, and *block* supplies the body of the `given` construct; they are consumed by this function and become part of the constructed op tree. *defsv_off* is the pad offset of the scalar lexical variable that will be affected.

```
OP * newGIVENOP(OP *cond, OP *block, PADOFFSET defsv_off)
```

newGVOP

Constructs, checks, and returns an op of any type that involves an embedded reference to a GV. *type* is the opcode. *flags* gives the eight bits of `op_flags`. *gv* identifies the GV that the op should reference; calling this function does not transfer ownership of any reference to it.

```
OP * newGVOP(I32 type, I32 flags, GV *gv)
```

newLISTOP

Constructs, checks, and returns an op of any list type. *type* is the opcode. *flags* gives the eight bits of `op_flags`, except that `OPf_KIDS` will be set automatically if required. *first* and *last* supply up to two ops to be direct children of the list op; they are consumed by this function and become part of the constructed op tree.

```
OP * newLISTOP(I32 type, I32 flags, OP *first, OP *last)
```

newLOGOP

Constructs, checks, and returns a logical (flow control) op. *type* is the opcode. *flags* gives the eight bits of `op_flags`, except that `OPf_KIDS` will be set automatically, and, shifted up eight bits, the eight bits of `op_private`, except that the bit with value 1 is automatically set. *first* supplies the expression controlling the flow, and *other* supplies the side (alternate) chain of ops; they are consumed by this function and become part of the constructed op tree.

```
OP * newLOGOP(I32 type, I32 flags, OP *first, OP *other)
```

newLOOPEX

Constructs, checks, and returns a loop-exiting op (such as `goto` or `last`). *type* is the opcode. *label* supplies the parameter determining the target of the op; it is consumed by this function and become part of the constructed op tree.

```
OP * newLOOPEX(I32 type, OP *label)
```

newLOOPOP

Constructs, checks, and returns an op tree expressing a loop. This is only a loop in the control flow through the op tree; it does not have the heavyweight loop structure that allows exiting the loop by `last` and `suchlike`. *flags* gives the eight bits of `op_flags` for the top-level op, except that some bits will be set automatically as required. *expr* supplies the expression controlling loop iteration, and *block* supplies the body of the loop; they are consumed by this function and become part of the constructed op tree. *debuggable* is currently unused and should always be 1.

```
OP * newLOOPOP(I32 flags, I32 debuggable, OP *expr, OP *block)
```

newNULLLIST

Constructs, checks, and returns a new `stub op`, which represents an empty list expression.

```
OP * newNULLLIST()
```

newOP

Constructs, checks, and returns an op of any base type (any type that has no extra fields). *type* is the opcode. *flags* gives the eight bits of `op_flags`, and, shifted up eight bits, the eight bits of `op_private`.

```
OP * newOP(I32 type, I32 flags)
```

newPADOP

Constructs, checks, and returns an op of any type that involves a reference to a pad element. *type* is the opcode. *flags* gives the eight bits of `op_flags`. A pad slot is automatically allocated, and is populated with *sv*; this function takes ownership of one reference to it.

This function only exists if Perl has been compiled to use `ithreads`.

```
OP * newPADOP(I32 type, I32 flags, SV *sv)
```

newPMOP

Constructs, checks, and returns an op of any pattern matching type. *type* is the opcode. *flags* gives the eight bits of `op_flags` and, shifted up eight bits, the eight bits of `op_private`.

```
OP * newPMOP(I32 type, I32 flags)
```

newPVOP

Constructs, checks, and returns an op of any type that involves an embedded C-level pointer (PV). *type* is the opcode. *flags* gives the eight bits of `op_flags`. *pv* supplies the C-level pointer, which must have been allocated using `PerlMemShared_malloc`; the memory will be freed when the op is destroyed.

```
OP * newPVOP(I32 type, I32 flags, char *pv)
```

newRANGE

Constructs and returns a `range op`, with subordinate `flip` and `flop` ops. *flags* gives the eight bits of `op_flags` for the `flip` op and, shifted up eight bits, the eight bits of `op_private` for both the `flip` and `range` ops, except that the bit with value 1 is automatically set. *left* and *right* supply the expressions controlling the endpoints of the range; they are consumed by this function and become part of the constructed op tree.

```
OP * newRANGE(I32 flags, OP *left, OP *right)
```

newSLICEOP

Constructs, checks, and returns an `lslice` (list slice) op. *flags* gives the eight bits of `op_flags`, except that `OPF_KIDS` will be set automatically, and, shifted up eight bits, the eight bits of `op_private`, except that the bit with value 1 or 2 is automatically set as required. *listval* and *subscript* supply the parameters of the slice; they are consumed by this function and become part of the constructed op tree.

```
OP * newSLICEOP(I32 flags, OP *subscript, OP *listval)
```

newSTATEOP

Constructs a state op (COP). The state op is normally a `nextstate` op, but will be a

dbstate op if debugging is enabled for currently-compiled code. The state op is populated from *PL_curcop* (or *PL_compiling*). If *label* is non-null, it supplies the name of a label to attach to the state op; this function takes ownership of the memory pointed at by *label*, and will free it. *flags* gives the eight bits of *op_flags* for the state op.

If *o* is null, the state op is returned. Otherwise the state op is combined with *o* into a *lineseq* list op, which is returned. *o* is consumed by this function and becomes part of the returned op tree.

```
OP * newSTATEOP(I32 flags, char *label, OP *o)
```

newSVOP

Constructs, checks, and returns an op of any type that involves an embedded SV. *type* is the opcode. *flags* gives the eight bits of *op_flags*. *sv* gives the SV to embed in the op; this function takes ownership of one reference to it.

```
OP * newSVOP(I32 type, I32 flags, SV *sv)
```

newUNOP

Constructs, checks, and returns an op of any unary type. *type* is the opcode. *flags* gives the eight bits of *op_flags*, except that *OPf_KIDS* will be set automatically if required, and, shifted up eight bits, the eight bits of *op_private*, except that the bit with value 1 is automatically set. *first* supplies an optional op to be the direct child of the unary op; it is consumed by this function and become part of the constructed op tree.

```
OP * newUNOP(I32 type, I32 flags, OP *first)
```

newWHENOP

Constructs, checks, and returns an op tree expressing a *when* block. *cond* supplies the test expression, and *block* supplies the block that will be executed if the test evaluates to true; they are consumed by this function and become part of the constructed op tree. *cond* will be interpreted DWIMically, often as a comparison against *\$_*, and may be null to generate a *default* block.

```
OP * newWHENOP(OP *cond, OP *block)
```

newWHILEOP

Constructs, checks, and returns an op tree expressing a *while* loop. This is a heavyweight loop, with structure that allows exiting the loop by *last* and *suchlike*.

loop is an optional preconstructed *enterloop* op to use in the loop; if it is null then a suitable op will be constructed automatically. *expr* supplies the loop's controlling expression. *block* supplies the main body of the loop, and *cont* optionally supplies a *continue* block that operates as a second half of the body. All of these optree inputs are consumed by this function and become part of the constructed op tree.

flags gives the eight bits of *op_flags* for the *leaveloop* op and, shifted up eight bits, the eight bits of *op_private* for the *leaveloop* op, except that (in both cases) some bits will be set automatically. *debuggable* is currently unused and should always be 1. *has_my* can be supplied as true to force the loop body to be enclosed in its own scope.

```
OP * newWHILEOP(I32 flags, I32 debuggable, LOOP *loop, OP *expr, OP *block, OP *cont, I32 has_my)
```

Optree Manipulation Functions

ck_entersub_args_list

Performs the default fixup of the arguments part of an `entersub` op tree. This consists of applying list context to each of the argument ops. This is the standard treatment used on a call marked with `&`, or a method call, or a call through a subroutine reference, or any other call where the callee can't be identified at compile time, or a call where the callee has no prototype.

```
OP * ck_entersub_args_list(OP *entersubop)
```

ck_entersub_args_proto

Performs the fixup of the arguments part of an `entersub` op tree based on a subroutine prototype. This makes various modifications to the argument ops, from applying context up to inserting `refgen` ops, and checking the number and syntactic types of arguments, as directed by the prototype. This is the standard treatment used on a subroutine call, not marked with `&`, where the callee can be identified at compile time and has a prototype.

protosv supplies the subroutine prototype to be applied to the call. It may be a normal defined scalar, of which the string value will be used. Alternatively, for convenience, it may be a subroutine object (a `CV*` that has been cast to `SV*`) which has a prototype. The prototype supplied, in whichever form, does not need to match the actual callee referenced by the op tree.

If the argument ops disagree with the prototype, for example by having an unacceptable number of arguments, a valid op tree is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. In the error message, the callee is referred to by the name defined by the *namegv* parameter.

```
OP * ck_entersub_args_proto(OP *entersubop, GV *namegv, SV *protosv)
```

ck_entersub_args_proto_or_list

Performs the fixup of the arguments part of an `entersub` op tree either based on a subroutine prototype or using default list-context processing. This is the standard treatment used on a subroutine call, not marked with `&`, where the callee can be identified at compile time.

protosv supplies the subroutine prototype to be applied to the call, or indicates that there is no prototype. It may be a normal scalar, in which case if it is defined then the string value will be used as a prototype, and if it is undefined then there is no prototype. Alternatively, for convenience, it may be a subroutine object (a `CV*` that has been cast to `SV*`), of which the prototype will be used if it has one. The prototype (or lack thereof) supplied, in whichever form, does not need to match the actual callee referenced by the op tree.

If the argument ops disagree with the prototype, for example by having an unacceptable number of arguments, a valid op tree is returned anyway. The error is reflected in the parser state, normally resulting in a single exception at the top level of parsing which covers all the compilation errors that occurred. In the error message, the callee is referred to by the name defined by the *namegv* parameter.

```
OP * ck_entersub_args_proto_or_list(OP *entersubop, GV *namegv, SV *protosv)
```

cv_const_sv

If *cv* is a constant sub eligible for inlining, returns the constant value returned by the

sub. Otherwise, returns NULL.

Constant subs can be created with `newCONSTSUB` or as described in "*Constant Functions*" in *perlsb*.

```
SV* cv_const_sv(const CV *const cv)
```

cv_get_call_checker

Retrieves the function that will be used to fix up a call to *cv*. Specifically, the function is applied to an `entersub` op tree for a subroutine call, not marked with `&`, where the callee can be identified at compile time as *cv*.

The C-level function pointer is returned in `*ckfun_p`, and an SV argument for it is returned in `*ckobj_p`. The function is intended to be called in this manner:

```
entersubop = (*ckfun_p)(aTHX_ entersubop, namegv,
(*ckobj_p));
```

In this call, *entersubop* is a pointer to the `entersub` op, which may be replaced by the check function, and *namegv* is a GV supplying the name that should be used by the check function to refer to the callee of the `entersub` op if it needs to emit any diagnostics. It is permitted to apply the check function in non-standard situations, such as to a call to a different subroutine or to a method call.

By default, the function is `Perl_ck_entersub_args_proto_or_list`, and the SV parameter is *cv* itself. This implements standard prototype processing. It can be changed, for a particular subroutine, by `cv_set_call_checker`.

```
void cv_get_call_checker(CV *cv, Perl_call_checker *ckfun_p, SV
**ckobj_p)
```

cv_set_call_checker

Sets the function that will be used to fix up a call to *cv*. Specifically, the function is applied to an `entersub` op tree for a subroutine call, not marked with `&`, where the callee can be identified at compile time as *cv*.

The C-level function pointer is supplied in *ckfun*, and an SV argument for it is supplied in *ckobj*. The function is intended to be called in this manner:

```
entersubop = ckfun(aTHX_ entersubop, namegv, ckobj);
```

In this call, *entersubop* is a pointer to the `entersub` op, which may be replaced by the check function, and *namegv* is a GV supplying the name that should be used by the check function to refer to the callee of the `entersub` op if it needs to emit any diagnostics. It is permitted to apply the check function in non-standard situations, such as to a call to a different subroutine or to a method call.

The current setting for a particular CV can be retrieved by `cv_get_call_checker`.

```
void cv_set_call_checker(CV *cv, Perl_call_checker ckfun, SV
*ckobj)
```

LINKLIST

Given the root of an optree, link the tree in execution order using the `op_next` pointers and return the first op executed. If this has already been done, it will not be redone, and `o->op_next` will be returned. If `o->op_next` is not already set, *o* should be at least an UNOP.

```
OP* LINKLIST(OP *o)
```

newCONSTSUB

Creates a constant sub equivalent to Perl `sub FOO () { 123 }` which is eligible for inlining at compile-time.

Passing NULL for SV creates a constant sub equivalent to `sub BAR () {}`, which won't be called if used as a destructor, but will suppress the overhead of a call to `AUTOLOAD`. (This form, however, isn't eligible for inlining at compile time.)

```
CV* newCONSTSUB(HV* stash, const char* name, SV* sv)
```

newXS

Used by `xsubpp` to hook up XSUBs as Perl subs. *filename* needs to be static storage, as it is used directly as `CvFILE()`, without a copy being made.

op_append_elem

Append an item to the list of ops contained directly within a list-type op, returning the lengthened list. *first* is the list-type op, and *last* is the op to append to the list. *optype* specifies the intended opcode for the list. If *first* is not already a list of the right type, it will be upgraded into one. If either *first* or *last* is null, the other is returned unchanged.

```
OP * op_append_elem(I32 optype, OP *first, OP *last)
```

op_append_list

Concatenate the lists of ops contained directly within two list-type ops, returning the combined list. *first* and *last* are the list-type ops to concatenate. *optype* specifies the intended opcode for the list. If either *first* or *last* is not already a list of the right type, it will be upgraded into one. If either *first* or *last* is null, the other is returned unchanged.

```
OP * op_append_list(I32 optype, OP *first, OP *last)
```

OP_CLASS

Return the class of the provided OP: that is, which of the *OP structures it uses. For core ops this currently gets the information out of `PL_opargs`, which does not always accurately reflect the type used. For custom ops the type is returned from the registration, and it is up to the registree to ensure it is accurate. The value returned will be one of the `OA_*` constants from `op.h`.

```
U32 OP_CLASS(OP *o)
```

OP_DESC

Return a short description of the provided OP.

```
const char * OP_DESC(OP *o)
```

op_linklist

This function is the implementation of the `LINKLIST` macro. It should not be called directly.

```
OP* op_linklist(OP *o)
```

op_lvalue

Propagate lvalue ("modifiable") context to an op and its children. *type* represents the context type, roughly based on the type of op that would do the modifying, although `local()` is represented by `OP_NULL`, because it has no op type of its own (it is signalled by a flag on the lvalue op).

This function detects things that can't be modified, such as `$x+1`, and generates errors for them. For example, `$x+1 = 2` would cause it to be called with an op of type

OP_ADD and a `type` argument of OP_SASSIGN.

It also flags things that need to behave specially in an lvalue context, such as `$$x = 5` which might have to vivify a reference in `$x`.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * op_lvalue(OP *o, I32 type)
```

OP_NAME

Return the name of the provided OP. For core ops this looks up the name from the `op_type`; for custom ops from the `op_ppaddr`.

```
const char * OP_NAME(OP *o)
```

op_prepend_elem

Prepend an item to the list of ops contained directly within a list-type op, returning the lengthened list. *first* is the op to prepend to the list, and *last* is the list-type op. *optype* specifies the intended opcode for the list. If *last* is not already a list of the right type, it will be upgraded into one. If either *first* or *last* is null, the other is returned unchanged.

```
OP * op_prepend_elem(I32 optype, OP *first, OP *last)
```

op_scope

Wraps up an op tree with some additional ops so that at runtime a dynamic scope will be created. The original ops run in the new dynamic scope, and then, provided that they exit normally, the scope will be unwound. The additional ops used to create and unwind the dynamic scope will normally be an `enter/leave` pair, but a `scope` op may be used instead if the ops are simple enough to not need the full dynamic scope structure.

NOTE: this function is experimental and may change or be removed without notice.

```
OP * op_scope(OP *o)
```

rv2cv_op_cv

Examines an op, which is expected to identify a subroutine at runtime, and attempts to determine at compile time which subroutine it identifies. This is normally used during Perl compilation to determine whether a prototype can be applied to a function call. *cvop* is the op being considered, normally an `rv2cv` op. A pointer to the identified subroutine is returned, if it could be determined statically, and a null pointer is returned if it was not possible to determine statically.

Currently, the subroutine can be identified statically if the RV that the `rv2cv` is to operate on is provided by a suitable `gv` or `const` op. A `gv` op is suitable if the GV's CV slot is populated. A `const` op is suitable if the constant value must be an RV pointing to a CV. Details of this process may change in future versions of Perl. If the `rv2cv` op has the `OPpENTERSUB_AMP` flag set then no attempt is made to identify the subroutine statically: this flag is used to suppress compile-time magic on a subroutine call, forcing it to use default runtime behaviour.

If *flags* has the bit `RV2CVOPCV_MARK_EARLY` set, then the handling of a GV reference is modified. If a GV was examined and its CV slot was found to be empty, then the `gv` op has the `OPpEARLY_CV` flag set. If the op is not optimised away, and the CV slot is later populated with a subroutine having a prototype, that flag eventually triggers the warning "called too early to check prototype".

If *flags* has the bit `RV2CVOPCV_RETURN_NAME_GV` set, then instead of returning a pointer to the subroutine it returns a pointer to the GV giving the most appropriate name for the subroutine in this context. Normally this is just the `CvGV` of the

subroutine, but for an anonymous (`CvANON`) subroutine that is referenced through a GV it will be the referencing GV. The resulting `GV*` is cast to `CV*` to be returned. A null pointer is returned as usual if there is no statically-determinable subroutine.

```
CV * rv2cv_op_cv(OP *cvop, U32 flags)
```

Per-Interpreter Variables

PL_modglobal

`PL_modglobal` is a general purpose, interpreter global HV for use by extensions that need to keep information on a per-interpreter basis. In a pinch, it can also be used as a symbol table for extensions to share data among each other. It is a good idea to use keys prefixed by the package name of the extension that owns the data.

```
HV* PL_modglobal
```

PL_na

A convenience variable which is typically used with `SvPV` when one doesn't care about the length of the string. It is usually more efficient to either declare a local variable and use that instead or to use the `SvPV_nolen` macro.

```
STRLEN PL_na
```

PL_opfreehook

When non-NULL, the function pointed by this variable will be called each time an OP is freed with the corresponding OP as the argument. This allows extensions to free any extra attribute they have locally attached to an OP. It is also assured to first fire for the parent OP and then for its kids.

When you replace this variable, it is considered a good practice to store the possibly previously installed hook and that you recall it inside your own.

```
Perl_ophook_t PL_opfreehook
```

PL_peepp

Pointer to the per-subroutine peephole optimiser. This is a function that gets called at the end of compilation of a Perl subroutine (or equivalently independent piece of Perl code) to perform fixups of some ops and to perform small-scale optimisations. The function is called once for each subroutine that is compiled, and is passed, as sole parameter, a pointer to the op that is the entry point to the subroutine. It modifies the op tree in place.

The peephole optimiser should never be completely replaced. Rather, add code to it by wrapping the existing optimiser. The basic way to do this can be seen in *"Compile pass 3: peephole optimization" in perl guts*. If the new code wishes to operate on ops throughout the subroutine's structure, rather than just at the top level, it is likely to be more convenient to wrap the `PL_rpeepp` hook.

```
peep_t PL_peepp
```

PL_rpeepp

Pointer to the recursive peephole optimiser. This is a function that gets called at the end of compilation of a Perl subroutine (or equivalently independent piece of Perl code) to perform fixups of some ops and to perform small-scale optimisations. The function is called once for each chain of ops linked through their `op_next` fields; it is recursively called to handle each side chain. It is passed, as sole parameter, a pointer to the op that is at the head of the chain. It modifies the op tree in place.

The peephole optimiser should never be completely replaced. Rather, add code to it

by wrapping the existing optimiser. The basic way to do this can be seen in "*Compile pass 3: peephole optimization*" in *perlguts*. If the new code wishes to operate only on ops at a subroutine's top level, rather than throughout the structure, it is likely to be more convenient to wrap the *PL_peekp* hook.

```
peek_t PL_rpeekp
```

PL_sv_no

This is the `false` SV. See `PL_sv_yes`. Always refer to this as `&PL_sv_no`.

```
SV PL_sv_no
```

PL_sv_undef

This is the `undef` SV. Always refer to this as `&PL_sv_undef`.

```
SV PL_sv_undef
```

PL_sv_yes

This is the `true` SV. See `PL_sv_no`. Always refer to this as `&PL_sv_yes`.

```
SV PL_sv_yes
```

REGEXP Functions

SvRX

Convenience macro to get the REGEXP from a SV. This is approximately equivalent to the following snippet:

```
if (SvMAGICAL(sv))
    mg_get(sv);
if (SvROK(sv))
    sv = MUTABLE_SV(SvRV(sv));
if (SvTYPE(sv) == SVt_REGEXP)
    return (REGEXP*) sv;
```

NULL will be returned if a REGEXP* is not found.

```
REGEXP * SvRX(SV *sv)
```

SvRXOK

Returns a boolean indicating whether the SV (or the one it references) is a REGEXP. If you want to do something with the REGEXP* later use SvRX instead and check for NULL.

```
bool SvRXOK(SV* sv)
```

Simple Exception Handling Macros

dXCPT

Set up necessary local variables for exception handling. See "*Exception Handling*" in *perlguts*.

```
dXCPT;
```

XCPT_CATCH

Introduces a catch block. See "*Exception Handling*" in *perlguts*.

XCPT_RETHROW

Rethrows a previously caught exception. See *"Exception Handling" in perlguits*.

```
XCPT_RETHROW;
```

XCPT_TRY_END

Ends a try block. See *"Exception Handling" in perlguits*.

XCPT_TRY_START

Starts a try block. See *"Exception Handling" in perlguits*.

Stack Manipulation Macros

dMARK

Declare a stack marker variable, `mark`, for the XSUB. See `MARK` and `dORIGMARK`.

```
dMARK;
```

dORIGMARK

Saves the original stack mark for the XSUB. See `ORIGMARK`.

```
dORIGMARK;
```

dSP

Declares a local copy of perl's stack pointer for the XSUB, available via the `SP` macro. See `SP`.

```
dSP;
```

EXTEND

Used to extend the argument stack for an XSUB's return values. Once used, guarantees that there is room for at least `nitems` to be pushed onto the stack.

```
void EXTEND(SP, int nitems)
```

MARK

Stack marker variable for the XSUB. See `dMARK`.

mPUSHi

Push an integer onto the stack. The stack must have room for this element. Does not use `TARG`. See also `PUSHi`, `mXPUSHi` and `XPUSHi`.

```
void mPUSHi(IV iv)
```

mPUSHn

Push a double onto the stack. The stack must have room for this element. Does not use `TARG`. See also `PUSHn`, `mXPUSHn` and `XPUSHn`.

```
void mPUSHn(NV nv)
```

mPUSHp

Push a string onto the stack. The stack must have room for this element. The `len` indicates the length of the string. Does not use `TARG`. See also `PUSHp`, `mXPUSHp` and `XPUSHp`.

```
void mPUSHp(char* str, STRLEN len)
```

mPUSHs

Push an SV onto the stack and mortalizes the SV. The stack must have room for this element. Does not use TARG. See also PUSHs and mXPUSHs.

```
void mPUSHs(SV* sv)
```

mPUSHu

Push an unsigned integer onto the stack. The stack must have room for this element. Does not use TARG. See also PUSHu, mXPUSHu and XPUSHu.

```
void mPUSHu(UV uv)
```

mXPUSHi

Push an integer onto the stack, extending the stack if necessary. Does not use TARG. See also XPUSHi, mPUSHi and PUSHi.

```
void mXPUSHi(IV iv)
```

mXPUSHn

Push a double onto the stack, extending the stack if necessary. Does not use TARG. See also XPUSHn, mPUSHn and PUSHn.

```
void mXPUSHn(NV nv)
```

mXPUSHp

Push a string onto the stack, extending the stack if necessary. The len indicates the length of the string. Does not use TARG. See also XPUSHp, mPUSHp and PUSHp.

```
void mXPUSHp(char* str, STRLEN len)
```

mXPUSHs

Push an SV onto the stack, extending the stack if necessary and mortalizes the SV. Does not use TARG. See also XPUSHs and mPUSHs.

```
void mXPUSHs(SV* sv)
```

mXPUSHu

Push an unsigned integer onto the stack, extending the stack if necessary. Does not use TARG. See also XPUSHu, mPUSHu and PUSHu.

```
void mXPUSHu(UV uv)
```

ORIGMARK

The original stack mark for the XSUB. See dORIGMARK.

POPi

Pops an integer off the stack.

```
IV POPi
```

POPi

Pops a long off the stack.

```
long POPl
```

POPn

Pops a double off the stack.

NV POPn

POPP

Pops a string off the stack. Deprecated. New code should use POPpx.

```
char* POPp
```

POPpbytex

Pops a string off the stack which must consist of bytes i.e. characters < 256.

```
char* POPpbytex
```

POPpx

Pops a string off the stack.

```
char* POPpx
```

POPs

Pops an SV off the stack.

```
SV* POPs
```

PUSHi

Push an integer onto the stack. The stack must have room for this element. Handles 'set' magic. Uses TARG, so dTARGET or dXSTARG should be called to declare it. Do not call multiple TARG-oriented macros to return lists from XSUB's - see mPUSHi instead. See also XPUSHi and mXPUSHi.

```
void PUSHi(IV iv)
```

PUSHMARK

Opening bracket for arguments on a callback. See PUTBACK and *perlcall*.

```
void PUSHMARK(SP)
```

PUSHmortal

Push a new mortal SV onto the stack. The stack must have room for this element. Does not use TARG. See also PUSHs, XPUSHmortal and XPUSHs.

```
void PUSHmortal()
```

PUSHn

Push a double onto the stack. The stack must have room for this element. Handles 'set' magic. Uses TARG, so dTARGET or dXSTARG should be called to declare it. Do not call multiple TARG-oriented macros to return lists from XSUB's - see mPUSHn instead. See also XPUSHn and mXPUSHn.

```
void PUSHn(NV nv)
```

PUSHp

Push a string onto the stack. The stack must have room for this element. The len indicates the length of the string. Handles 'set' magic. Uses TARG, so dTARGET or dXSTARG should be called to declare it. Do not call multiple TARG-oriented macros to return lists from XSUB's - see mPUSHp instead. See also XPUSHp and mXPUSHp.

```
void PUSHp(char* str, STRLEN len)
```

PUSHs

Push an SV onto the stack. The stack must have room for this element. Does not handle 'set' magic. Does not use TARG. See also `PUSHmortal`, `XPUSHs` and `XPUSHmortal`.

```
void PUSHs(SV* sv)
```

PUSHu

Push an unsigned integer onto the stack. The stack must have room for this element. Handles 'set' magic. Uses TARG, so `dTARGET` or `dxSTARG` should be called to declare it. Do not call multiple TARG-oriented macros to return lists from XSUB's - see `mPUSHu` instead. See also `XPUSHu` and `mXPUSHu`.

```
void PUSHu(UV uv)
```

PUTBACK

Closing bracket for XSUB arguments. This is usually handled by `xsubpp`. See `PUSHMARK` and *percall* for other uses.

```
PUTBACK;
```

SP

Stack pointer. This is usually handled by `xsubpp`. See `dSP` and `SPAGAIN`.

SPAGAIN

Refetch the stack pointer. Used after a callback. See *percall*.

```
SPAGAIN;
```

XPUSHi

Push an integer onto the stack, extending the stack if necessary. Handles 'set' magic. Uses TARG, so `dTARGET` or `dxSTARG` should be called to declare it. Do not call multiple TARG-oriented macros to return lists from XSUB's - see `mXPUSHi` instead. See also `PUSHi` and `mPUSHi`.

```
void XPUSHi(IV iv)
```

XPUSHmortal

Push a new mortal SV onto the stack, extending the stack if necessary. Does not use TARG. See also `XPUSHs`, `PUSHmortal` and `PUSHs`.

```
void XPUSHmortal()
```

XPUSHn

Push a double onto the stack, extending the stack if necessary. Handles 'set' magic. Uses TARG, so `dTARGET` or `dxSTARG` should be called to declare it. Do not call multiple TARG-oriented macros to return lists from XSUB's - see `mXPUSHn` instead. See also `PUSHn` and `mPUSHn`.

```
void XPUSHn(NV nv)
```

XPUSHp

Push a string onto the stack, extending the stack if necessary. The `len` indicates the length of the string. Handles 'set' magic. Uses TARG, so `dTARGET` or `dxSTARG` should be called to declare it. Do not call multiple TARG-oriented macros to return lists from XSUB's - see `mXPUSHp` instead. See also `PUSHp` and `mPUSHp`.

```
void XPUSHp(char* str, STRLEN len)
```

XPUSHs

Push an SV onto the stack, extending the stack if necessary. Does not handle 'set' magic. Does not use TARG. See also XPUSHmortal, PUSHs and PUSHmortal.

```
void XPUSHs(SV* sv)
```

XPUSHu

Push an unsigned integer onto the stack, extending the stack if necessary. Handles 'set' magic. Uses TARG, so dTARGET or dXSTARG should be called to declare it. Do not call multiple TARG-oriented macros to return lists from XSUB's - see mXPUSHu instead. See also PUSHu and mPUSHu.

```
void XPUSHu(UV uv)
```

XSRETURN

Return from XSUB, indicating number of items on the stack. This is usually handled by xsubpp.

```
void XSRETURN(int nitems)
```

XSRETURN_EMPTY

Return an empty list from an XSUB immediately.

```
XSRETURN_EMPTY;
```

XSRETURN_IV

Return an integer from an XSUB immediately. Uses XST_mIV.

```
void XSRETURN_IV(IV iv)
```

XSRETURN_NO

Return &PL_sv_no from an XSUB immediately. Uses XST_mNO.

```
XSRETURN_NO;
```

XSRETURN_NV

Return a double from an XSUB immediately. Uses XST_mNV.

```
void XSRETURN_NV(NV nv)
```

XSRETURN_PV

Return a copy of a string from an XSUB immediately. Uses XST_mPV.

```
void XSRETURN_PV(char* str)
```

XSRETURN_UNDEF

Return &PL_sv_undef from an XSUB immediately. Uses XST_mUNDEF.

```
XSRETURN_UNDEF;
```

XSRETURN_UV

Return an integer from an XSUB immediately. Uses XST_mUV.

```
void XSRETURN_UV(IV uv)
```

XSRETURN_YES

Return `&PL_sv_yes` from an XSUB immediately. Uses `XST_mYES`.

```
XSRETURN_YES;
```

XST_mIV

Place an integer into the specified position `pos` on the stack. The value is stored in a new mortal SV.

```
void XST_mIV(int pos, IV iv)
```

XST_mNO

Place `&PL_sv_no` into the specified position `pos` on the stack.

```
void XST_mNO(int pos)
```

XST_mNV

Place a double into the specified position `pos` on the stack. The value is stored in a new mortal SV.

```
void XST_mNV(int pos, NV nv)
```

XST_mPV

Place a copy of a string into the specified position `pos` on the stack. The value is stored in a new mortal SV.

```
void XST_mPV(int pos, char* str)
```

XST_mUNDEF

Place `&PL_sv_undef` into the specified position `pos` on the stack.

```
void XST_mUNDEF(int pos)
```

XST_mYES

Place `&PL_sv_yes` into the specified position `pos` on the stack.

```
void XST_mYES(int pos)
```

SV Flags**svtype**

An enum of flags for Perl types. These are found in the file `sv.h` in the `svtype` enum. Test these flags with the `SVTYPE` macro.

SVt_IV

Integer type flag for scalars. See `svtype`.

SVt_NV

Double type flag for scalars. See `svtype`.

SVt_PV

Pointer type flag for scalars. See `svtype`.

SVt_PVAV

Type flag for arrays. See `svtype`.

SVt_PVCV

Type flag for code refs. See `svtype`.

`SVt_PVHV`

Type flag for hashes. See `svtype`.

`SVt_PVMG`

Type flag for blessed scalars. See `svtype`.

SV Manipulation Functions

`croak_xs_usage`

A specialised variant of `croak()` for emitting the usage message for xsubs

```
croak_xs_usage(cv, "eee_yow");
```

works out the package name and subroutine name from `cv`, and then calls `croak()`. Hence if `cv` is `&ouch::awk`, it would call `croak` as:

```
Perl_croak(aTHX_ "Usage: %s::%s(%s)", "ouch" "awk",
"eee_yow");
```

```
void croak_xs_usage(const CV *const cv, const char *const
params)
```

`get_sv`

Returns the SV of the specified Perl scalar. `flags` are passed to `gv_fetchpv`. If `GV_ADD` is set and the Perl variable does not exist then it will be created. If `flags` is zero and the variable does not exist then `NULL` is returned.

NOTE: the `perl_` form of this function is deprecated.

```
SV* get_sv(const char *name, I32 flags)
```

`newRV_inc`

Creates an RV wrapper for an SV. The reference count for the original SV is incremented.

```
SV* newRV_inc(SV* sv)
```

`newSVpvn_utf8`

Creates a new SV and copies a string into it. If `utf8` is true, calls `SvUTF8_on` on the new SV. Implemented as a wrapper around `newSVpvn_flags`.

```
SV* newSVpvn_utf8(NULLOK const char* s, STRLEN len, U32 utf8)
```

`SvCUR`

Returns the length of the string which is in the SV. See `SvLEN`.

```
STRLEN SvCUR(SV* sv)
```

`SvCUR_set`

Set the current length of the string which is in the SV. See `SvCUR` and `SvIV_set`.

```
void SvCUR_set(SV* sv, STRLEN len)
```

`SvEND`

Returns a pointer to the last character in the string which is in the SV. See `SvCUR`. Access the character as `*(SvEND(sv))`.

```
char* SvEND(SV* sv)
```

SvGAMAGIC

Returns true if the SV has get magic or overloading. If either is true then the scalar is active data, and has the potential to return a new value every time it is accessed. Hence you must be careful to only read it once per user logical operation and work with that returned value. If neither is true then the scalar's value cannot change unless written to.

```
U32 SvGAMAGIC(SV* sv)
```

SvGROW

Expands the character buffer in the SV so that it has room for the indicated number of bytes (remember to reserve space for an extra trailing NUL character). Calls `sv_grow` to perform the expansion if necessary. Returns a pointer to the character buffer.

```
char * SvGROW(SV* sv, STRLEN len)
```

SvIOK

Returns a U32 value indicating whether the SV contains an integer.

```
U32 SvIOK(SV* sv)
```

SvIOKp

Returns a U32 value indicating whether the SV contains an integer. Checks the **private** setting. Use `SvIOK` instead.

```
U32 SvIOKp(SV* sv)
```

SvIOK_notUV

Returns a boolean indicating whether the SV contains a signed integer.

```
bool SvIOK_notUV(SV* sv)
```

SvIOK_off

Unsets the IV status of an SV.

```
void SvIOK_off(SV* sv)
```

SvIOK_on

Tells an SV that it is an integer.

```
void SvIOK_on(SV* sv)
```

SvIOK_only

Tells an SV that it is an integer and disables all other OK bits.

```
void SvIOK_only(SV* sv)
```

SvIOK_only_UV

Tells and SV that it is an unsigned integer and disables all other OK bits.

```
void SvIOK_only_UV(SV* sv)
```

SvIOK_UV

Returns a boolean indicating whether the SV contains an unsigned integer.

```
bool SvIOK_UV(SV* sv)
```

SvIsCOW

Returns a boolean indicating whether the SV is Copy-On-Write. (either shared hash key scalars, or full Copy On Write scalars if 5.9.0 is configured for COW)

```
bool SvIsCOW(SV* sv)
```

SvIsCOW_shared_hash

Returns a boolean indicating whether the SV is Copy-On-Write shared hash key scalar.

```
bool SvIsCOW_shared_hash(SV* sv)
```

SvIV

Coerces the given SV to an integer and returns it. See `SvIVx` for a version which guarantees to evaluate `sv` only once.

```
IV SvIV(SV* sv)
```

SvIVX

Returns the raw value in the SV's IV slot, without checks or conversions. Only use when you are sure `SvIOK` is true. See also `SvIV()`.

```
IV SvIVX(SV* sv)
```

SvIVx

Coerces the given SV to an integer and returns it. Guarantees to evaluate `sv` only once. Only use this if `sv` is an expression with side effects, otherwise use the more efficient `SvIV`.

```
IV SvIVx(SV* sv)
```

SvIV_nomg

Like `SvIV` but doesn't process magic.

```
IV SvIV_nomg(SV* sv)
```

SvIV_set

Set the value of the IV pointer in `sv` to `val`. It is possible to perform the same function of this macro with an lvalue assignment to `SvIVX`. With future Perls, however, it will be more efficient to use `SvIV_set` instead of the lvalue assignment to `SvIVX`.

```
void SvIV_set(SV* sv, IV val)
```

SvLEN

Returns the size of the string buffer in the SV, not including any part attributable to `SvOOK`. See `SvCUR`.

```
STRLEN SvLEN(SV* sv)
```

SvLEN_set

Set the actual length of the string which is in the SV. See `SvIV_set`.

```
void SvLEN_set(SV* sv, STRLEN len)
```

SvMAGIC_set

Set the value of the MAGIC pointer in *sv* to *val*. See `SvIV_set`.

```
void SvMAGIC_set(SV* sv, MAGIC* val)
```

SvNIOK

Returns a U32 value indicating whether the SV contains a number, integer or double.

```
U32 SvNIOK(SV* sv)
```

SvNIOKp

Returns a U32 value indicating whether the SV contains a number, integer or double. Checks the **private** setting. Use `SvNIOK` instead.

```
U32 SvNIOKp(SV* sv)
```

SvNIOK_off

Unsets the NV/IV status of an SV.

```
void SvNIOK_off(SV* sv)
```

SvNOK

Returns a U32 value indicating whether the SV contains a double.

```
U32 SvNOK(SV* sv)
```

SvNOKp

Returns a U32 value indicating whether the SV contains a double. Checks the **private** setting. Use `SvNOK` instead.

```
U32 SvNOKp(SV* sv)
```

SvNOK_off

Unsets the NV status of an SV.

```
void SvNOK_off(SV* sv)
```

SvNOK_on

Tells an SV that it is a double.

```
void SvNOK_on(SV* sv)
```

SvNOK_only

Tells an SV that it is a double and disables all other OK bits.

```
void SvNOK_only(SV* sv)
```

SvNV

Coerce the given SV to a double and return it. See `SvNVx` for a version which guarantees to evaluate *sv* only once.

```
NV SvNV(SV* sv)
```

SvNVX

Returns the raw value in the SV's NV slot, without checks or conversions. Only use when you are sure `SvNOK` is true. See also `SvNV()`.

```
NV SvNVX(SV* sv)
```

SvNVx

Coerces the given SV to a double and returns it. Guarantees to evaluate `sv` only once. Only use this if `sv` is an expression with side effects, otherwise use the more efficient `SvNV`.

```
NV SvNVx(SV* sv)
```

SvNV_nomg

Like `SvNV` but doesn't process magic.

```
NV SvNV_nomg(SV* sv)
```

SvNV_set

Set the value of the NV pointer in `sv` to `val`. See `SvIV_set`.

```
void SvNV_set(SV* sv, NV val)
```

SvOK

Returns a U32 value indicating whether the value is defined. This is only meaningful for scalars.

```
U32 SvOK(SV* sv)
```

SvOOK

Returns a U32 indicating whether the pointer to the string buffer is offset. This hack is used internally to speed up removal of characters from the beginning of a SvPV. When SvOOK is true, then the start of the allocated string buffer is actually `SvOOK_offset()` bytes before SvPVX. This offset used to be stored in SvIVX, but is now stored within the spare part of the buffer.

```
U32 SvOOK(SV* sv)
```

SvOOK_offset

Reads into `len` the offset from SvPVX back to the true start of the allocated buffer, which will be non-zero if `sv_chop` has been used to efficiently remove characters from start of the buffer. Implemented as a macro, which takes the address of `len`, which must be of type `STRLEN`. Evaluates `sv` more than once. Sets `len` to 0 if `SvOOK(sv)` is false.

```
void SvOOK_offset(NN SV*sv, STRLEN len)
```

SvPOK

Returns a U32 value indicating whether the SV contains a character string.

```
U32 SvPOK(SV* sv)
```

SvPOKp

Returns a U32 value indicating whether the SV contains a character string. Checks the **private** setting. Use `SvPOK` instead.

```
U32 SvPOKp(SV* sv)
```

SvPOK_off

Unsets the PV status of an SV.

```
void SvPOK_off(SV* sv)
```

SvPOK_on

Tells an SV that it is a string.

```
void SvPOK_on(SV* sv)
```

SvPOK_only

Tells an SV that it is a string and disables all other OK bits. Will also turn off the UTF-8 status.

```
void SvPOK_only(SV* sv)
```

SvPOK_only_UTF8

Tells an SV that it is a string and disables all other OK bits, and leaves the UTF-8 status as it was.

```
void SvPOK_only_UTF8(SV* sv)
```

SvPV

Returns a pointer to the string in the SV, or a stringified form of the SV if the SV does not contain a string. The SV may cache the stringified version becoming `SvPOK`. Handles 'get' magic. See also `SvPVx` for a version which guarantees to evaluate `sv` only once.

```
char* SvPV(SV* sv, STRLEN len)
```

SvPVbyte

Like `SvPV`, but converts `sv` to byte representation first if necessary.

```
char* SvPVbyte(SV* sv, STRLEN len)
```

SvPVbytex

Like `SvPV`, but converts `sv` to byte representation first if necessary. Guarantees to evaluate `sv` only once; use the more efficient `SvPVbyte` otherwise.

```
char* SvPVbytex(SV* sv, STRLEN len)
```

SvPVbytex_force

Like `SvPV_force`, but converts `sv` to byte representation first if necessary. Guarantees to evaluate `sv` only once; use the more efficient `SvPVbyte_force` otherwise.

```
char* SvPVbytex_force(SV* sv, STRLEN len)
```

SvPVbyte_force

Like `SvPV_force`, but converts `sv` to byte representation first if necessary.

```
char* SvPVbyte_force(SV* sv, STRLEN len)
```

SvPVbyte_nolen

Like `SvPV_nolen`, but converts `sv` to byte representation first if necessary.

```
char* SvPVbyte_nolen(SV* sv)
```

SvPVutf8

Like `SvPV`, but converts `sv` to utf8 first if necessary.

```
char* SvPVutf8(SV* sv, STRLEN len)
```

SvPVutf8x

Like `SvPV`, but converts `sv` to utf8 first if necessary. Guarantees to evaluate `sv` only once; use the more efficient `SvPVutf8` otherwise.

```
char* SvPVutf8x(SV* sv, STRLEN len)
```

SvPVutf8x_force

Like `SvPV_force`, but converts `sv` to utf8 first if necessary. Guarantees to evaluate `sv` only once; use the more efficient `SvPVutf8_force` otherwise.

```
char* SvPVutf8x_force(SV* sv, STRLEN len)
```

SvPVutf8_force

Like `SvPV_force`, but converts `sv` to utf8 first if necessary.

```
char* SvPVutf8_force(SV* sv, STRLEN len)
```

SvPVutf8_nolen

Like `SvPV_nolen`, but converts `sv` to utf8 first if necessary.

```
char* SvPVutf8_nolen(SV* sv)
```

SvPVX

Returns a pointer to the physical string in the SV. The SV must contain a string.

```
char* SvPVX(SV* sv)
```

SvPVx

A version of `SvPV` which guarantees to evaluate `sv` only once. Only use this if `sv` is an expression with side effects, otherwise use the more efficient `SvPVX`.

```
char* SvPVx(SV* sv, STRLEN len)
```

SvPV_force

Like `SvPV` but will force the SV into containing just a string (`SvPOK_only`). You want force if you are going to update the `SvPVX` directly.

```
char* SvPV_force(SV* sv, STRLEN len)
```

SvPV_force_nomg

Like `SvPV` but will force the SV into containing just a string (`SvPOK_only`). You want force if you are going to update the `SvPVX` directly. Doesn't process magic.

```
char* SvPV_force_nomg(SV* sv, STRLEN len)
```

SvPV_nolen

Returns a pointer to the string in the SV, or a stringified form of the SV if the SV does not contain a string. The SV may cache the stringified form becoming `SvPOK`. Handles 'get' magic.

```
char* SvPV_nolen(SV* sv)
```

SvPV_nomg

Like SvPV but doesn't process magic.

```
char* SvPV_nomg(SV* sv, STRLEN len)
```

SvPV_nomg_nolen

Like SvPV_nolen but doesn't process magic.

```
char* SvPV_nomg_nolen(SV* sv)
```

SvPV_set

Set the value of the PV pointer in sv to val. See SvIV_set.

```
void SvPV_set(SV* sv, char* val)
```

SvREFCNT

Returns the value of the object's reference count.

```
U32 SvREFCNT(SV* sv)
```

SvREFCNT_dec

Decrements the reference count of the given SV.

```
void SvREFCNT_dec(SV* sv)
```

SvREFCNT_inc

Increments the reference count of the given SV.

All of the following SvREFCNT_inc* macros are optimized versions of SvREFCNT_inc, and can be replaced with SvREFCNT_inc.

```
SV* SvREFCNT_inc(SV* sv)
```

SvREFCNT_inc_NN

Same as SvREFCNT_inc, but can only be used if you know sv is not NULL. Since we don't have to check the NULLness, it's faster and smaller.

```
SV* SvREFCNT_inc_NN(SV* sv)
```

SvREFCNT_inc_simple

Same as SvREFCNT_inc, but can only be used with expressions without side effects. Since we don't have to store a temporary value, it's faster.

```
SV* SvREFCNT_inc_simple(SV* sv)
```

SvREFCNT_inc_simple_NN

Same as SvREFCNT_inc_simple, but can only be used if you know sv is not NULL. Since we don't have to check the NULLness, it's faster and smaller.

```
SV* SvREFCNT_inc_simple_NN(SV* sv)
```

SvREFCNT_inc_simple_void

Same as SvREFCNT_inc_simple, but can only be used if you don't need the return value. The macro doesn't need to return a meaningful value.

```
void SvREFCNT_inc_simple_void(SV* sv)
```

SvREFCNT_inc_simple_void_NN

Same as SvREFCNT_inc, but can only be used if you don't need the return value, and you know that *sv* is not NULL. The macro doesn't need to return a meaningful value, or check for NULLness, so it's smaller and faster.

```
void SvREFCNT_inc_simple_void_NN(SV* sv)
```

SvREFCNT_inc_void

Same as SvREFCNT_inc, but can only be used if you don't need the return value. The macro doesn't need to return a meaningful value.

```
void SvREFCNT_inc_void(SV* sv)
```

SvREFCNT_inc_void_NN

Same as SvREFCNT_inc, but can only be used if you don't need the return value, and you know that *sv* is not NULL. The macro doesn't need to return a meaningful value, or check for NULLness, so it's smaller and faster.

```
void SvREFCNT_inc_void_NN(SV* sv)
```

SvROK

Tests if the SV is an RV.

```
U32 SvROK(SV* sv)
```

SvROK_off

Unsets the RV status of an SV.

```
void SvROK_off(SV* sv)
```

SvROK_on

Tells an SV that it is an RV.

```
void SvROK_on(SV* sv)
```

SvRV

Dereferences an RV to return the SV.

```
SV* SvRV(SV* sv)
```

SvRV_set

Set the value of the RV pointer in *sv* to *val*. See SvIV_set.

```
void SvRV_set(SV* sv, SV* val)
```

SvSTASH

Returns the stash of the SV.

```
HV* SvSTASH(SV* sv)
```

SvSTASH_set

Set the value of the STASH pointer in *sv* to *val*. See SvIV_set.

```
void SvSTASH_set(SV* sv, HV* val)
```

SvTAINT

Taints an SV if tainting is enabled.

```
void SvTAINT(SV* sv)
```

SvTAINTED

Checks to see if an SV is tainted. Returns TRUE if it is, FALSE if not.

```
bool SvTAINTED(SV* sv)
```

SvTAINTED_off

Untaints an SV. Be very careful with this routine, as it short-circuits some of Perl's fundamental security features. XS module authors should not use this function unless they fully understand all the implications of unconditionally untainting the value.

Untainting should be done in the standard perl fashion, via a carefully crafted regexp, rather than directly untainting variables.

```
void SvTAINTED_off(SV* sv)
```

SvTAINTED_on

Marks an SV as tainted if tainting is enabled.

```
void SvTAINTED_on(SV* sv)
```

SvTRUE

Returns a boolean indicating whether Perl would evaluate the SV as true or false. See SvOK() for a defined/undefined test. Handles 'get' magic unless the scalar is already SvPOK, SvIOK or SvNOK (the public, not the private flags).

```
bool SvTRUE(SV* sv)
```

SvTRUE_nomg

Returns a boolean indicating whether Perl would evaluate the SV as true or false. See SvOK() for a defined/undefined test. Does not handle 'get' magic.

```
bool SvTRUE_nomg(SV* sv)
```

SvTYPE

Returns the type of the SV. See svtype.

```
svtype SvTYPE(SV* sv)
```

SvUOK

Returns a boolean indicating whether the SV contains an unsigned integer.

```
bool SvUOK(SV* sv)
```

SvUPGRADE

Used to upgrade an SV to a more complex form. Uses sv_upgrade to perform the upgrade if necessary. See svtype.

```
void SvUPGRADE(SV* sv, svtype type)
```

SvUTF8

Returns a U32 value indicating whether the SV contains UTF-8 encoded data. Call this after SvPV() in case any call to string overloading updates the internal flag.

```
U32 SvUTF8(SV* sv)
```

SvUTF8_off

Unsets the UTF-8 status of an SV.

```
void SvUTF8_off(SV *sv)
```

SvUTF8_on

Turn on the UTF-8 status of an SV (the data is not changed, just the flag). Do not use frivolously.

```
void SvUTF8_on(SV *sv)
```

SvUV

Coerces the given SV to an unsigned integer and returns it. See `SvUVx` for a version which guarantees to evaluate `sv` only once.

```
UV SvUV(SV* sv)
```

SvUVX

Returns the raw value in the SV's UV slot, without checks or conversions. Only use when you are sure `SvIOK` is true. See also `SvUV()`.

```
UV SvUVX(SV* sv)
```

SvUVx

Coerces the given SV to an unsigned integer and returns it. Guarantees to `sv` only once. Only use this if `sv` is an expression with side effects, otherwise use the more efficient `SvUV`.

```
UV SvUVx(SV* sv)
```

SvUV_nomg

Like `SvUV` but doesn't process magic.

```
UV SvUV_nomg(SV* sv)
```

SvUV_set

Set the value of the UV pointer in `sv` to `val`. See `SvIV_set`.

```
void SvUV_set(SV* sv, UV val)
```

SvVOK

Returns a boolean indicating whether the SV contains a v-string.

```
bool SvVOK(SV* sv)
```

sv_catpvn_nomg

Like `sv_catpvn` but doesn't process magic.

```
void sv_catpvn_nomg(SV* sv, const char* ptr, STRLEN len)
```

sv_catpv_nomg

Like `sv_catpv` but doesn't process magic.

```
void sv_catpv_nomg(SV* sv, const char* ptr)
```

sv_catsv_nomg

Like `sv_catsv` but doesn't process magic.

```
void sv_catsv_nomg(SV* dsv, SV* ssv)
```

sv_derived_from

Returns a boolean indicating whether the SV is derived from the specified class *at the C level*. To check derivation at the Perl level, call `isa()` as a normal Perl method.

```
bool sv_derived_from(SV* sv, const char *const name)
```

sv_does

Returns a boolean indicating whether the SV performs a specific, named role. The SV can be a Perl object or the name of a Perl class.

```
bool sv_does(SV* sv, const char *const name)
```

sv_report_used

Dump the contents of all SVs not yet freed. (Debugging aid).

```
void sv_report_used()
```

sv_setsv_nomg

Like `sv_setsv` but doesn't process magic.

```
void sv_setsv_nomg(SV* dsv, SV* ssv)
```

sv_utf8_upgrade_nomg

Like `sv_utf8_upgrade`, but doesn't do magic on `sv`

```
STRLEN sv_utf8_upgrade_nomg(NN SV *sv)
```

SV-Body Allocation

looks_like_number

Test if the content of an SV looks like a number (or is a number). `Inf` and `Infinity` are treated as numbers (so will not issue a non-numeric warning), even if your `atof()` doesn't grok them.

```
I32 looks_like_number(SV *const sv)
```

newRV_noinc

Creates an RV wrapper for an SV. The reference count for the original SV is **not** incremented.

```
SV* newRV_noinc(SV *const sv)
```

newSV

Creates a new SV. A non-zero `len` parameter indicates the number of bytes of preallocated string space the SV should have. An extra byte for a trailing NUL is also reserved. (SvPOK is not set for the SV even if string space is allocated.) The reference count for the new SV is set to 1.

In 5.9.3, `newSV()` replaces the older `NEWSV()` API, and drops the first parameter, `x`, a debug aid which allowed callers to identify themselves. This aid has been superseded by a new build option, `PERL_MEM_LOG` (see "`PERL_MEM_LOG`" in *perlhack*). The older API is still there for use in XS modules supporting older perls.

```
SV* newSV(const STRLEN len)
```

newSVhek

Creates a new SV from the hash key structure. It will generate scalars that point to the shared string table where possible. Returns a new (undefined) SV if the hek is NULL.

```
SV* newSVhek(const HEK *const hek)
```

newSViv

Creates a new SV and copies an integer into it. The reference count for the SV is set to 1.

```
SV* newSViv(const IV i)
```

newSVnv

Creates a new SV and copies a floating point value into it. The reference count for the SV is set to 1.

```
SV* newSVnv(const NV n)
```

newSVpv

Creates a new SV and copies a string into it. The reference count for the SV is set to 1. If `len` is zero, Perl will compute the length using `strlen()`. For efficiency, consider using `newSVpvn` instead.

```
SV* newSVpv(const char *const s, const STRLEN len)
```

newSVpvf

Creates a new SV and initializes it with the string formatted like `sprintf`.

```
SV* newSVpvf(const char *const pat, ...)
```

newSVpvn

Creates a new SV and copies a string into it. The reference count for the SV is set to 1. Note that if `len` is zero, Perl will create a zero length string. You are responsible for ensuring that the source string is at least `len` bytes long. If the `s` argument is NULL the new SV will be undefined.

```
SV* newSVpvn(const char *const s, const STRLEN len)
```

newSVpvn_flags

Creates a new SV and copies a string into it. The reference count for the SV is set to 1. Note that if `len` is zero, Perl will create a zero length string. You are responsible for ensuring that the source string is at least `len` bytes long. If the `s` argument is NULL the new SV will be undefined. Currently the only flag bits accepted are `SVf_UTF8` and `SVs_TEMP`. If `SVs_TEMP` is set, then `sv_2mortal()` is called on the result before returning. If `SVf_UTF8` is set, `s` is considered to be in UTF-8 and the `SVf_UTF8` flag will be set on the new SV. `newSVpvn_utf8()` is a convenience wrapper for this function, defined as

```
#define newSVpvn_utf8(s, len, u) \
newSVpvn_flags((s), (len), (u) ? SVf_UTF8 : 0)
```

```
SV* newSVpvn_flags(const char *const s, const STRLEN len, const
U32 flags)
```

newSVpvn_share

Creates a new SV with its `SvPVX_const` pointing to a shared string in the string table.

If the string does not already exist in the table, it is created first. Turns on READONLY and FAKE. If the `hash` parameter is non-zero, that value is used; otherwise the hash is computed. The string's hash can be later be retrieved from the SV with the `SvSHARED_HASH()` macro. The idea here is that as the string table is used for shared hash keys these strings will have `SvPVX_const == HeKEY` and hash lookup will avoid string compare.

```
SV* newSVpvn_share(const char* s, I32 len, U32 hash)
```

newSVpvs

Like `newSVpvn`, but takes a literal string instead of a string/length pair.

```
SV* newSVpvs(const char* s)
```

newSVpvs_flags

Like `newSVpvn_flags`, but takes a literal string instead of a string/length pair.

```
SV* newSVpvs_flags(const char* s, U32 flags)
```

newSVpvs_share

Like `newSVpvn_share`, but takes a literal string instead of a string/length pair and omits the hash parameter.

```
SV* newSVpvs_share(const char* s)
```

newSVpv_share

Like `newSVpvn_share`, but takes a nul-terminated string instead of a string/length pair.

```
SV* newSVpv_share(const char* s, U32 hash)
```

newSVrv

Creates a new SV for the RV, `rv`, to point to. If `rv` is not an RV then it will be upgraded to one. If `classname` is non-null then the new SV will be blessed in the specified package. The new SV is returned and its reference count is 1.

```
SV* newSVrv(SV *const rv, const char *const classname)
```

newSVsv

Creates a new SV which is an exact duplicate of the original SV. (Uses `sv_setsv`).

```
SV* newSVsv(SV *const old)
```

newSVuv

Creates a new SV and copies an unsigned integer into it. The reference count for the SV is set to 1.

```
SV* newSVuv(const UV u)
```

newSV_type

Creates a new SV, of the type specified. The reference count for the new SV is set to 1.

```
SV* newSV_type(const svtype type)
```

sv_2bool

This macro is only used by `sv_true()` or its macro equivalent, and only if the latter's argument is neither `SvPOK`, `SvIOK` nor `SvNOK`. It calls `sv_2bool_flags` with the `SV_GMAGIC` flag.

```
bool sv_2bool(SV *const sv)
```

`sv_2bool_flags`

This function is only used by `sv_true()` and friends, and only if the latter's argument is neither `SvPOK`, `SvIOK` nor `SvNOK`. If the flags contain `SV_GMAGIC`, then it does an `mg_get()` first.

```
bool sv_2bool_flags(SV *const sv, const I32 flags)
```

`sv_2cv`

Using various gambits, try to get a CV from an SV; in addition, try if possible to set `*st` and `*gvp` to the stash and GV associated with it. The flags in `lref` are passed to `gv_fetchsv`.

```
CV* sv_2cv(SV* sv, HV **const st, GV **const gvp, const I32 lref)
```

`sv_2io`

Using various gambits, try to get an IO from an SV: the IO slot if its a GV; or the recursive result if we're an RV; or the IO slot of the symbol named after the PV if we're a string.

```
IO* sv_2io(SV *const sv)
```

`sv_2iv_flags`

Return the integer value of an SV, doing any necessary string conversion. If flags includes `SV_GMAGIC`, does an `mg_get()` first. Normally used via the `SvIV(sv)` and `SvIVx(sv)` macros.

```
IV sv_2iv_flags(SV *const sv, const I32 flags)
```

`sv_2mortal`

Marks an existing SV as mortal. The SV will be destroyed "soon", either by an explicit call to `FREETMPS`, or by an implicit call at places such as statement boundaries. `SvTEMP()` is turned on which means that the SV's string buffer can be "stolen" if this SV is copied. See also `sv_newmortal` and `sv_mortalcopy`.

```
SV* sv_2mortal(SV *const sv)
```

`sv_2nv_flags`

Return the num value of an SV, doing any necessary string or integer conversion. If flags includes `SV_GMAGIC`, does an `mg_get()` first. Normally used via the `SvNV(sv)` and `SvNVx(sv)` macros.

```
NV sv_2nv_flags(SV *const sv, const I32 flags)
```

`sv_2pvbyte`

Return a pointer to the byte-encoded representation of the SV, and set `*lp` to its length. May cause the SV to be downgraded from UTF-8 as a side-effect.

Usually accessed via the `SvPVbyte` macro.

```
char* sv_2pvbyte(SV *const sv, STRLEN *const lp)
```

sv_2pvutf8

Return a pointer to the UTF-8-encoded representation of the SV, and set *lp to its length. May cause the SV to be upgraded to UTF-8 as a side-effect.

Usually accessed via the `SvPVutf8` macro.

```
char* sv_2pvutf8(SV *const sv, STRLEN *const lp)
```

sv_2pv_flags

Returns a pointer to the string value of an SV, and sets *lp to its length. If flags includes `SV_GMAGIC`, does an `mg_get()` first. Coerces sv to a string if necessary. Normally invoked via the `SvPV_flags` macro. `sv_2pv()` and `sv_2pv_nomg` usually end up here too.

```
char* sv_2pv_flags(SV *const sv, STRLEN *const lp, const I32 flags)
```

sv_2uv_flags

Return the unsigned integer value of an SV, doing any necessary string conversion. If flags includes `SV_GMAGIC`, does an `mg_get()` first. Normally used via the `SvUV(sv)` and `SvUVx(sv)` macros.

```
UV sv_2uv_flags(SV *const sv, const I32 flags)
```

sv_backoff

Remove any string offset. You should normally use the `SvOOK_off` macro wrapper instead.

```
int sv_backoff(SV *const sv)
```

sv_bless

Blesses an SV into a specified package. The SV must be an RV. The package must be designated by its stash (see `gv_stashpv()`). The reference count of the SV is unaffected.

```
SV* sv_bless(SV *const sv, HV *const stash)
```

sv_catpv

Concatenates the string onto the end of the string which is in the SV. If the SV has the UTF-8 status set, then the bytes appended should be valid UTF-8. Handles 'get' magic, but not 'set' magic. See `sv_catpv_mg`.

```
void sv_catpv(SV *const sv, const char* ptr)
```

sv_catpvf

Processes its arguments like `sprintf` and appends the formatted output to an SV. If the appended data contains "wide" characters (including, but not limited to, SVs with a UTF-8 PV formatted with `%s`, and characters `>255` formatted with `%c`), the original SV might get upgraded to UTF-8. Handles 'get' magic, but not 'set' magic. See `sv_catpvf_mg`. If the original SV was UTF-8, the pattern should be valid UTF-8; if the original SV was bytes, the pattern should be too.

```
void sv_catpvf(SV *const sv, const char *const pat, ...)
```

sv_catpvf_mg

Like `sv_catpvf`, but also handles 'set' magic.

```
void sv_catpvf_mg(SV *const sv, const char *const pat, ...)
```

sv_catpvn

Concatenates the string onto the end of the string which is in the SV. The `len` indicates number of bytes to copy. If the SV has the UTF-8 status set, then the bytes appended should be valid UTF-8. Handles 'get' magic, but not 'set' magic. See `sv_catpvn_mg`.

```
void sv_catpvn(SV *dsv, const char *sstr, STRLEN len)
```

sv_catpvn_flags

Concatenates the string onto the end of the string which is in the SV. The `len` indicates number of bytes to copy. If the SV has the UTF-8 status set, then the bytes appended should be valid UTF-8. If `flags` has `SV_GMAGIC` bit set, will `mg_get` on `dsv` if appropriate, else not. `sv_catpvn` and `sv_catpvn_nomg` are implemented in terms of this function.

```
void sv_catpvn_flags(SV *const dstr, const char *sstr, const STRLEN len, const I32 flags)
```

sv_catpvs

Like `sv_catpvn`, but takes a literal string instead of a string/length pair.

```
void sv_catpvs(SV* sv, const char* s)
```

sv_catpvs_flags

Like `sv_catpvn_flags`, but takes a literal string instead of a string/length pair.

```
void sv_catpvs_flags(SV* sv, const char* s, I32 flags)
```

sv_catpvs_mg

Like `sv_catpvn_mg`, but takes a literal string instead of a string/length pair.

```
void sv_catpvs_mg(SV* sv, const char* s)
```

sv_catpvs_nomg

Like `sv_catpvn_nomg`, but takes a literal string instead of a string/length pair.

```
void sv_catpvs_nomg(SV* sv, const char* s)
```

sv_catpv_flags

Concatenates the string onto the end of the string which is in the SV. If the SV has the UTF-8 status set, then the bytes appended should be valid UTF-8. If `flags` has `SV_GMAGIC` bit set, will `mg_get` on the SVs if appropriate, else not.

```
void sv_catpv_flags(SV *dstr, const char *sstr, const I32 flags)
```

sv_catpv_mg

Like `sv_catpv`, but also handles 'set' magic.

```
void sv_catpv_mg(SV *const sv, const char *const ptr)
```

sv_catsv

Concatenates the string from SV `ssv` onto the end of the string in SV `dsv`. Modifies

`dsv` but not `ssv`. Handles 'get' magic, but not 'set' magic. See `sv_catsv_mg`.

```
void sv_catsv(SV *dstr, SV *sstr)
```

sv_catsv_flags

Concatenates the string from SV `ssv` onto the end of the string in SV `dsv`. Modifies `dsv` but not `ssv`. If `flags` has `SV_GMAGIC` bit set, will `mg_get` on the SVs if appropriate, else not. `sv_catsv` and `sv_catsv_nomg` are implemented in terms of this function.

```
void sv_catsv_flags(SV *const dsv, SV *const ssv, const I32 flags)
```

sv_chop

Efficient removal of characters from the beginning of the string buffer. `SvPOK(sv)` must be true and the `ptr` must be a pointer to somewhere inside the string buffer. The `ptr` becomes the first character of the adjusted string. Uses the "OOK hack". Beware: after this function returns, `ptr` and `SvPVX_const(sv)` may no longer refer to the same chunk of data.

```
void sv_chop(SV *const sv, const char *const ptr)
```

sv_clear

Clear an SV: call any destructors, free up any memory used by the body, and free the body itself. The SV's head is *not* freed, although its type is set to all 1's so that it won't inadvertently be assumed to be live during global destruction etc. This function should only be called when `REFCNT` is zero. Most of the time you'll want to call `sv_free()` (or its macro wrapper `SvREFCNT_dec`) instead.

```
void sv_clear(SV *const orig_sv)
```

sv_cmp

Compares the strings in two SVs. Returns -1, 0, or 1 indicating whether the string in `sv1` is less than, equal to, or greater than the string in `sv2`. Is UTF-8 and 'use bytes' aware, handles get magic, and will coerce its args to strings if necessary. See also `sv_cmp_locale`.

```
I32 sv_cmp(SV *const sv1, SV *const sv2)
```

sv_cmp_flags

Compares the strings in two SVs. Returns -1, 0, or 1 indicating whether the string in `sv1` is less than, equal to, or greater than the string in `sv2`. Is UTF-8 and 'use bytes' aware and will coerce its args to strings if necessary. If the flags include `SV_GMAGIC`, it handles get magic. See also `sv_cmp_locale_flags`.

```
I32 sv_cmp_flags(SV *const sv1, SV *const sv2, const U32 flags)
```

sv_cmp_locale

Compares the strings in two SVs in a locale-aware manner. Is UTF-8 and 'use bytes' aware, handles get magic, and will coerce its args to strings if necessary. See also `sv_cmp`.

```
I32 sv_cmp_locale(SV *const sv1, SV *const sv2)
```

sv_cmp_locale_flags

Compares the strings in two SVs in a locale-aware manner. Is UTF-8 and 'use bytes'

aware and will coerce its args to strings if necessary. If the flags contain `SV_GMAGIC`, it handles get magic. See also `sv_cmp_flags`.

```
I32 sv_cmp_locale_flags(SV *const sv1, SV *const sv2, const U32
flags)
```

`sv_collxfrm`

This calls `sv_collxfrm_flags` with the `SV_GMAGIC` flag. See `sv_collxfrm_flags`.

```
char* sv_collxfrm(SV *const sv, STRLEN *const npx)
```

`sv_collxfrm_flags`

Add Collate Transform magic to an SV if it doesn't already have it. If the flags contain `SV_GMAGIC`, it handles get-magic.

Any scalar variable may carry `PERL_MAGIC_collxfrm` magic that contains the scalar data of the variable, but transformed to such a format that a normal memory comparison can be used to compare the data according to the locale settings.

```
char* sv_collxfrm_flags(SV *const sv, STRLEN *const npx, I32
const flags)
```

`sv_copypv`

Copies a stringified representation of the source SV into the destination SV. Automatically performs any necessary `mg_get` and coercion of numeric values into strings. Guaranteed to preserve UTF8 flag even from overloaded objects. Similar in nature to `sv_2pv[_flags]` but operates directly on an SV instead of just the string. Mostly uses `sv_2pv_flags` to do its work, except when that would lose the UTF-8'ness of the PV.

```
void sv_copypv(SV *const dsv, SV *const ssv)
```

`sv_dec`

Auto-decrement of the value in the SV, doing string to numeric conversion if necessary. Handles 'get' magic and operator overloading.

```
void sv_dec(SV *const sv)
```

`sv_dec_nomg`

Auto-decrement of the value in the SV, doing string to numeric conversion if necessary. Handles operator overloading. Skips handling 'get' magic.

```
void sv_dec_nomg(SV *const sv)
```

`sv_eq`

Returns a boolean indicating whether the strings in the two SVs are identical. Is UTF-8 and 'use bytes' aware, handles get magic, and will coerce its args to strings if necessary.

```
I32 sv_eq(SV* sv1, SV* sv2)
```

`sv_eq_flags`

Returns a boolean indicating whether the strings in the two SVs are identical. Is UTF-8 and 'use bytes' aware and coerces its args to strings if necessary. If the flags include `SV_GMAGIC`, it handles get-magic, too.

```
I32 sv_eq_flags(SV* sv1, SV* sv2, const U32 flags)
```

sv_force_normal_flags

Undo various types of fakery on an SV: if the PV is a shared string, make a private copy; if we're a ref, stop refing; if we're a glob, downgrade to an xpvmg; if we're a copy-on-write scalar, this is the on-write time when we do the copy, and is also used locally. If `SV_COW_DROP_PV` is set then a copy-on-write scalar drops its PV buffer (if any) and becomes `SvPOK_off` rather than making a copy. (Used where this scalar is about to be set to some other value.) In addition, the `flags` parameter gets passed to `sv_unref_flags()` when unrefing. `sv_force_normal` calls this function with `flags` set to 0.

```
void sv_force_normal_flags(SV *const sv, const U32 flags)
```

sv_free

Decrement an SV's reference count, and if it drops to zero, call `sv_clear` to invoke destructors and free up any memory used by the body; finally, deallocate the SV's head itself. Normally called via a wrapper macro `SvREFCNT_dec`.

```
void sv_free(SV *const sv)
```

sv_gets

Get a line from the filehandle and store it into the SV, optionally appending to the currently-stored string.

```
char* sv_gets(SV *const sv, PerlIO *const fp, I32 append)
```

sv_grow

Expands the character buffer in the SV. If necessary, uses `sv_unref` and upgrades the SV to `SVt_PV`. Returns a pointer to the character buffer. Use the `SvGROW` wrapper instead.

```
char* sv_grow(SV *const sv, STRLEN newlen)
```

sv_inc

Auto-increment of the value in the SV, doing string to numeric conversion if necessary. Handles 'get' magic and operator overloading.

```
void sv_inc(SV *const sv)
```

sv_inc_nomg

Auto-increment of the value in the SV, doing string to numeric conversion if necessary. Handles operator overloading. Skips handling 'get' magic.

```
void sv_inc_nomg(SV *const sv)
```

sv_insert

Inserts a string at the specified offset/length within the SV. Similar to the Perl `substr()` function. Handles get magic.

```
void sv_insert(SV *const bigstr, const STRLEN offset, const STRLEN len, const char *const little, const STRLEN littlelen)
```

sv_insert_flags

Same as `sv_insert`, but the extra `flags` are passed the `SvPV_force_flags` that

applies to `bigstr`.

```
void sv_insert_flags(SV *const bigstr, const STRLEN offset,
const STRLEN len, const char *const little, const STRLEN
littlelen, const U32 flags)
```

sv_isa

Returns a boolean indicating whether the SV is blessed into the specified class. This does not check for subtypes; use `sv_derived_from` to verify an inheritance relationship.

```
int sv_isa(SV* sv, const char *const name)
```

sv_isobject

Returns a boolean indicating whether the SV is an RV pointing to a blessed object. If the SV is not an RV, or if the object is not blessed, then this will return false.

```
int sv_isobject(SV* sv)
```

sv_len

Returns the length of the string in the SV. Handles magic and type coercion. See also `SvCUR`, which gives raw access to the `xpv_cur` slot.

```
STRLEN sv_len(SV *const sv)
```

sv_len_utf8

Returns the number of characters in the string in an SV, counting wide UTF-8 bytes as a single character. Handles magic and type coercion.

```
STRLEN sv_len_utf8(SV *const sv)
```

sv_magic

Adds magic to an SV. First upgrades `sv` to type `SVt_PVMG` if necessary, then adds a new magic item of type `how` to the head of the magic list.

See `sv_magicext` (which `sv_magic` now calls) for a description of the handling of the `name` and `namlen` arguments.

You need to use `sv_magicext` to add magic to `SvREADONLY` SVs and also to add more than one instance of the same 'how'.

```
void sv_magic(SV *const sv, SV *const obj, const int how, const
char *const name, const I32 namlen)
```

sv_magicext

Adds magic to an SV, upgrading it if necessary. Applies the supplied `vtable` and returns a pointer to the magic added.

Note that `sv_magicext` will allow things that `sv_magic` will not. In particular, you can add magic to `SvREADONLY` SVs, and add more than one instance of the same 'how'.

If `namlen` is greater than zero then a `savepv` copy of `name` is stored, if `namlen` is zero then `name` is stored as-is and - as another special case - if `(name && namlen == HEf_SVKEY)` then `name` is assumed to contain an `SV*` and is stored as-is with its `REFCNT` incremented.

(This is now used as a subroutine by `sv_magic`.)

```
MAGIC * sv_magicext(SV *const sv, SV *const obj, const int how,
const MGVTBL *const vtbl, const char *const name, const I32
```

`sv_mortalcopy(namlen)`

Creates a new SV which is a copy of the original SV (using `sv_setsv`). The new SV is marked as mortal. It will be destroyed "soon", either by an explicit call to `FREETMPS`, or by an implicit call at places such as statement boundaries. See also `sv_newmortal` and `sv_2mortal`.

```
SV* sv_mortalcopy(SV *const oldsv)
```

`sv_newmortal`

Creates a new null SV which is mortal. The reference count of the SV is set to 1. It will be destroyed "soon", either by an explicit call to `FREETMPS`, or by an implicit call at places such as statement boundaries. See also `sv_mortalcopy` and `sv_2mortal`.

```
SV* sv_newmortal()
```

`sv_newref`

Increment an SV's reference count. Use the `SvREFCNT_inc()` wrapper instead.

```
SV* sv_newref(SV *const sv)
```

`sv_pos_b2u`

Converts the value pointed to by `offsetp` from a count of bytes from the start of the string, to a count of the equivalent number of UTF-8 chars. Handles magic and type coercion.

```
void sv_pos_b2u(SV *const sv, I32 *const offsetp)
```

`sv_pos_u2b`

Converts the value pointed to by `offsetp` from a count of UTF-8 chars from the start of the string, to a count of the equivalent number of bytes; if `lenp` is non-zero, it does the same to `lenp`, but this time starting from the offset, rather than from the start of the string. Handles magic and type coercion.

Use `sv_pos_u2b_flags` in preference, which correctly handles strings longer than 2Gb.

```
void sv_pos_u2b(SV *const sv, I32 *const offsetp, I32 *const lenp)
```

`sv_pos_u2b_flags`

Converts the value pointed to by `offsetp` from a count of UTF-8 chars from the start of the string, to a count of the equivalent number of bytes; if `lenp` is non-zero, it does the same to `lenp`, but this time starting from the offset, rather than from the start of the string. Handles type coercion. `flags` is passed to `SvPV_flags`, and usually should be `SV_GMAGIC|SV_CONST_RETURN` to handle magic.

```
STRLEN sv_pos_u2b_flags(SV *const sv, STRLEN uoffset, STRLEN *const lenp, U32 flags)
```

`sv_pvbyten_force`

The backend for the `SvPVbytex_force` macro. Always use the macro instead.

```
char* sv_pvbyten_force(SV *const sv, STRLEN *const lp)
```

`sv_pvn_force`

Get a sensible string out of the SV somehow. A private implementation of the

`SvPV_force` macro for compilers which can't cope with complex macro expressions. Always use the macro instead.

```
char* sv_pvn_force(SV* sv, STRLEN* lp)
```

`sv_pvn_force_flags`

Get a sensible string out of the SV somehow. If `flags` has `SV_GMAGIC` bit set, will `mg_get` on `sv` if appropriate, else not. `sv_pvn_force` and `sv_pvn_force_nomg` are implemented in terms of this function. You normally want to use the various wrapper macros instead: see `SvPV_force` and `SvPV_force_nomg`

```
char* sv_pvn_force_flags(SV *const sv, STRLEN *const lp, const I32 flags)
```

`sv_pvutf8n_force`

The backend for the `SvPVutf8x_force` macro. Always use the macro instead.

```
char* sv_pvutf8n_force(SV *const sv, STRLEN *const lp)
```

`sv_reftype`

Returns a string describing what the SV is a reference to.

```
const char* sv_reftype(const SV *const sv, const int ob)
```

`sv_replace`

Make the first argument a copy of the second, then delete the original. The target SV physically takes over ownership of the body of the source SV and inherits its flags; however, the target keeps any magic it owns, and any magic in the source is discarded. Note that this is a rather specialist SV copying operation; most of the time you'll want to use `sv_setsv` or one of its many macro front-ends.

```
void sv_replace(SV *const sv, SV *const nsv)
```

`sv_reset`

Underlying implementation for the `reset` Perl function. Note that the perl-level function is vaguely deprecated.

```
void sv_reset(const char* s, HV *const stash)
```

`sv_rvweaken`

Weaken a reference: set the `SVWEAKREF` flag on this RV; give the referred-to SV `PERL_MAGIC_backref` magic if it hasn't already; and push a back-reference to this RV onto the array of backreferences associated with that magic. If the RV is magical, set magic will be called after the RV is cleared.

```
SV* sv_rvweaken(SV *const sv)
```

`sv_setiv`

Copies an integer into the given SV, upgrading first if necessary. Does not handle 'set' magic. See also `sv_setiv_mg`.

```
void sv_setiv(SV *const sv, const IV num)
```

`sv_setiv_mg`

Like `sv_setiv`, but also handles 'set' magic.

```
void sv_setiv_mg(SV *const sv, const IV i)
```

sv_setnv

Copies a double into the given SV, upgrading first if necessary. Does not handle 'set' magic. See also `sv_setnv_mg`.

```
void sv_setnv(SV *const sv, const NV num)
```

sv_setnv_mg

Like `sv_setnv`, but also handles 'set' magic.

```
void sv_setnv_mg(SV *const sv, const NV num)
```

sv_setpv

Copies a string into an SV. The string must be null-terminated. Does not handle 'set' magic. See `sv_setpv_mg`.

```
void sv_setpv(SV *const sv, const char *const ptr)
```

sv_setpvf

Works like `sv_catpvf` but copies the text into the SV instead of appending it. Does not handle 'set' magic. See `sv_setpvf_mg`.

```
void sv_setpvf(SV *const sv, const char *const pat, ...)
```

sv_setpvf_mg

Like `sv_setpvf`, but also handles 'set' magic.

```
void sv_setpvf_mg(SV *const sv, const char *const pat, ...)
```

sv_setpviv

Copies an integer into the given SV, also updating its string value. Does not handle 'set' magic. See `sv_setpviv_mg`.

```
void sv_setpviv(SV *const sv, const IV num)
```

sv_setpviv_mg

Like `sv_setpviv`, but also handles 'set' magic.

```
void sv_setpviv_mg(SV *const sv, const IV iv)
```

sv_setpvn

Copies a string into an SV. The `len` parameter indicates the number of bytes to be copied. If the `ptr` argument is NULL the SV will become undefined. Does not handle 'set' magic. See `sv_setpvn_mg`.

```
void sv_setpvn(SV *const sv, const char *const ptr, const STRLEN len)
```

sv_setpvn_mg

Like `sv_setpvn`, but also handles 'set' magic.

```
void sv_setpvn_mg(SV *const sv, const char *const ptr, const STRLEN len)
```

sv_setpvs

Like `sv_setpvn`, but takes a literal string instead of a string/length pair.

```
void sv_setpvs(SV* sv, const char* s)
```

sv_setpvs_mg

Like `sv_setpvn_mg`, but takes a literal string instead of a string/length pair.

```
void sv_setpvs_mg(SV* sv, const char* s)
```

sv_setpv_mg

Like `sv_setpv`, but also handles 'set' magic.

```
void sv_setpv_mg(SV *const sv, const char *const ptr)
```

sv_setref_iv

Copies an integer into a new SV, optionally blessing the SV. The `rv` argument will be upgraded to an RV. That RV will be modified to point to the new SV. The `classname` argument indicates the package for the blessing. Set `classname` to `NULL` to avoid the blessing. The new SV will have a reference count of 1, and the RV will be returned.

```
SV* sv_setref_iv(SV *const rv, const char *const classname,  
const IV iv)
```

sv_setref_nv

Copies a double into a new SV, optionally blessing the SV. The `rv` argument will be upgraded to an RV. That RV will be modified to point to the new SV. The `classname` argument indicates the package for the blessing. Set `classname` to `NULL` to avoid the blessing. The new SV will have a reference count of 1, and the RV will be returned.

```
SV* sv_setref_nv(SV *const rv, const char *const classname,  
const NV nv)
```

sv_setref_pv

Copies a pointer into a new SV, optionally blessing the SV. The `rv` argument will be upgraded to an RV. That RV will be modified to point to the new SV. If the `pv` argument is `NULL` then `PL_sv_undef` will be placed into the SV. The `classname` argument indicates the package for the blessing. Set `classname` to `NULL` to avoid the blessing. The new SV will have a reference count of 1, and the RV will be returned.

Do not use with other Perl types such as HV, AV, SV, CV, because those objects will become corrupted by the pointer copy process.

Note that `sv_setref_pvn` copies the string while this copies the pointer.

```
SV* sv_setref_pv(SV *const rv, const char *const classname,  
void *const pv)
```

sv_setref_pvn

Copies a string into a new SV, optionally blessing the SV. The length of the string must be specified with `n`. The `rv` argument will be upgraded to an RV. That RV will be modified to point to the new SV. The `classname` argument indicates the package for the blessing. Set `classname` to `NULL` to avoid the blessing. The new SV will have a reference count of 1, and the RV will be returned.

Note that `sv_setref_pv` copies the pointer while this copies the string.

```
SV* sv_setref_pvn(SV *const rv, const char *const classname,  
const char *const pv, const STRLEN n)
```

sv_setref_pvs

Like `sv_setref_pvn`, but takes a literal string instead of a string/length pair.

```
SV * sv_setref_pvs(const char* s)
```

`sv_setref_uv`

Copies an unsigned integer into a new SV, optionally blessing the SV. The `rv` argument will be upgraded to an RV. That RV will be modified to point to the new SV. The `classname` argument indicates the package for the blessing. Set `classname` to `NULL` to avoid the blessing. The new SV will have a reference count of 1, and the RV will be returned.

```
SV* sv_setref_uv(SV *const rv, const char *const classname,  
const UV uv)
```

`sv_setsv`

Copies the contents of the source SV `ssv` into the destination SV `dsv`. The source SV may be destroyed if it is mortal, so don't use this function if the source SV needs to be reused. Does not handle 'set' magic. Loosely speaking, it performs a copy-by-value, obliterating any previous content of the destination.

You probably want to use one of the assortment of wrappers, such as `SvSetSV`, `SvSetSV_nosteal`, `SvSetMagicSV` and `SvSetMagicSV_nosteal`.

```
void sv_setsv(SV *dstr, SV *sstr)
```

`sv_setsv_flags`

Copies the contents of the source SV `ssv` into the destination SV `dsv`. The source SV may be destroyed if it is mortal, so don't use this function if the source SV needs to be reused. Does not handle 'set' magic. Loosely speaking, it performs a copy-by-value, obliterating any previous content of the destination. If the `flags` parameter has the `SV_GMAGIC` bit set, will `mg_get` on `ssv` if appropriate, else not. If the `flags` parameter has the `NOSTEAL` bit set then the buffers of temps will not be stolen. `<sv_setsv>` and `sv_setsv_nomg` are implemented in terms of this function.

You probably want to use one of the assortment of wrappers, such as `SvSetSV`, `SvSetSV_nosteal`, `SvSetMagicSV` and `SvSetMagicSV_nosteal`.

This is the primary function for copying scalars, and most other copy-ish functions and macros use this underneath.

```
void sv_setsv_flags(SV *dstr, SV *sstr, const I32 flags)
```

`sv_setsv_mg`

Like `sv_setsv`, but also handles 'set' magic.

```
void sv_setsv_mg(SV *const dstr, SV *const sstr)
```

`sv_setuv`

Copies an unsigned integer into the given SV, upgrading first if necessary. Does not handle 'set' magic. See also `sv_setuv_mg`.

```
void sv_setuv(SV *const sv, const UV num)
```

`sv_setuv_mg`

Like `sv_setuv`, but also handles 'set' magic.

```
void sv_setuv_mg(SV *const sv, const UV u)
```

sv_tainted

Test an SV for taintedness. Use `SvTAINTED` instead. `bool sv_tainted(SV *const sv)`

sv_true

Returns true if the SV has a true value by Perl's rules. Use the `SvTRUE` macro instead, which may call `sv_true()` or may instead use an in-line version.

```
I32 sv_true(SV *const sv)
```

sv_unmagic

Removes all magic of type `type` from an SV.

```
int sv_unmagic(SV *const sv, const int type)
```

sv_unmagicext

Removes all magic of type `type` with the specified `vtbl` from an SV.

```
int sv_unmagicext(SV *const sv, const int type, MGVTBL *vtbl)
```

sv_unref_flags

Unsets the RV status of the SV, and decrements the reference count of whatever was being referenced by the RV. This can almost be thought of as a reversal of `newSVrv`. The `cflags` argument can contain `SV_IMMEDIATE_UNREF` to force the reference count to be decremented (otherwise the decrementing is conditional on the reference count being different from one or the reference being a readonly SV). See `SvROK_off`.

```
void sv_unref_flags(SV *const ref, const U32 flags)
```

sv_untaint

Untaint an SV. Use `SvTAINTED_off` instead. `void sv_untaint(SV *const sv)`

sv_upgrade

Upgrade an SV to a more complex form. Generally adds a new body type to the SV, then copies across as much information as possible from the old body. You generally want to use the `SvUPGRADE` macro wrapper. See also `svtype`.

```
void sv_upgrade(SV *const sv, svtype new_type)
```

sv_usepvn_flags

Tells an SV to use `ptr` to find its string value. Normally the string is stored inside the SV but `sv_usepvn` allows the SV to use an outside string. The `ptr` should point to memory that was allocated by `malloc`. The string length, `len`, must be supplied. By default this function will `realloc` (i.e. move) the memory pointed to by `ptr`, so that pointer should not be freed or used by the programmer after giving it to `sv_usepvn`, and neither should any pointers from "behind" that pointer (e.g. `ptr + 1`) be used.

If `flags & SV_SMAGIC` is true, will call `SvSETMAGIC`. If `flags & SV_HAS_TRAILING_NUL` is true, then `ptr[len]` must be `NUL`, and the `realloc` will be skipped. (i.e. the buffer is actually at least 1 byte longer than `len`, and already meets the requirements for storing in `SvPVX`)

```
void sv_usepvn_flags(SV *const sv, char* ptr, const STRLEN len, const U32 flags)
```

sv_utf8_decode

If the PV of the SV is an octet sequence in UTF-8 and contains a multiple-byte character, the `SvUTF8` flag is turned on so that it looks like a character. If the PV contains only single-byte characters, the `SvUTF8` flag stays being off. Scans PV for validity and returns false if the PV is invalid UTF-8.

NOTE: this function is experimental and may change or be removed without notice.

```
bool sv_utf8_decode(SV *const sv)
```

sv_utf8_downgrade

Attempts to convert the PV of an SV from characters to bytes. If the PV contains a character that cannot fit in a byte, this conversion will fail; in this case, either returns false or, if `fail_ok` is not true, croaks.

This is not as a general purpose Unicode to byte encoding interface: use the Encode extension for that.

NOTE: this function is experimental and may change or be removed without notice.

```
bool sv_utf8_downgrade(SV *const sv, const bool fail_ok)
```

sv_utf8_encode

Converts the PV of an SV to UTF-8, but then turns the `SvUTF8` flag off so that it looks like octets again.

```
void sv_utf8_encode(SV *const sv)
```

sv_utf8_upgrade

Converts the PV of an SV to its UTF-8-encoded form. Forces the SV to string form if it is not already. Will `mg_get` on `sv` if appropriate. Always sets the `SvUTF8` flag to avoid future validity checks even if the whole string is the same in UTF-8 as not. Returns the number of bytes in the converted string

This is not as a general purpose byte encoding to Unicode interface: use the Encode extension for that.

```
STRLEN sv_utf8_upgrade(SV *sv)
```

sv_utf8_upgrade_flags

Converts the PV of an SV to its UTF-8-encoded form. Forces the SV to string form if it is not already. Always sets the `SvUTF8` flag to avoid future validity checks even if all the bytes are invariant in UTF-8. If `flags` has `SV_GMAGIC` bit set, will `mg_get` on `sv` if appropriate, else not. Returns the number of bytes in the converted string
`sv_utf8_upgrade` and `sv_utf8_upgrade_nomg` are implemented in terms of this function.

This is not as a general purpose byte encoding to Unicode interface: use the Encode extension for that.

```
STRLEN sv_utf8_upgrade_flags(SV *const sv, const I32 flags)
```

sv_utf8_upgrade_nomg

Like `sv_utf8_upgrade`, but doesn't do magic on `sv`

```
STRLEN sv_utf8_upgrade_nomg(SV *sv)
```

sv_vcatpvf

Processes its arguments like `vsprintf` and appends the formatted output to an SV. Does not handle 'set' magic. See `sv_vcatpvf_mg`.

Usually used via its frontend `sv_catpvf`.

```
void sv_vcatpvf(SV *const sv, const char *const pat, va_list
*const args)
```

`sv_vcatpvfn`

Processes its arguments like `vsprintf` and appends the formatted output to an SV. Uses an array of SVs if the C style variable argument list is missing (NULL). When running with taint checks enabled, indicates via `maybe_tainted` if results are untrustworthy (often due to the use of locales).

Usually used via one of its frontends `sv_vcatpvf` and `sv_vcatpvf_mg`.

```
void sv_vcatpvfn(SV *const sv, const char *const pat, const
STRLEN patlen, va_list *const args, SV **const svargs, const I32
svmax, bool *const maybe_tainted)
```

`sv_vcatpvf_mg`

Like `sv_vcatpvf`, but also handles 'set' magic.

Usually used via its frontend `sv_catpvf_mg`.

```
void sv_vcatpvf_mg(SV *const sv, const char *const pat, va_list
*const args)
```

`sv_vsetpvf`

Works like `sv_vcatpvf` but copies the text into the SV instead of appending it. Does not handle 'set' magic. See `sv_vsetpvf_mg`.

Usually used via its frontend `sv_setpvf`.

```
void sv_vsetpvf(SV *const sv, const char *const pat, va_list
*const args)
```

`sv_vsetpvfn`

Works like `sv_vcatpvfn` but copies the text into the SV instead of appending it.

Usually used via one of its frontends `sv_vsetpvf` and `sv_vsetpvf_mg`.

```
void sv_vsetpvfn(SV *const sv, const char *const pat, const
STRLEN patlen, va_list *const args, SV **const svargs, const I32
svmax, bool *const maybe_tainted)
```

`sv_vsetpvf_mg`

Like `sv_vsetpvf`, but also handles 'set' magic.

Usually used via its frontend `sv_setpvf_mg`.

```
void sv_vsetpvf_mg(SV *const sv, const char *const pat, va_list
*const args)
```

Unicode Support

`bytes_cmp_utf8`

Compares the sequence of characters (stored as octets) in `b`, `blen` with the sequence of characters (stored as UTF-8) in `u`, `ulen`. Returns 0 if they are equal, -1 or -2 if the first string is less than the second string, +1 or +2 if the first string is greater than the second string.

-1 or +1 is returned if the shorter string was identical to the start of the longer string. -2 or +2 is returned if there was a difference between characters within the strings.

```
int bytes_cmp_utf8(const U8 *b, STRLEN blen, const U8 *u,
STRLEN ulen)
```

bytes_from_utf8

Converts a string *s* of length *len* from UTF-8 into native byte encoding. Unlike `utf8_to_bytes` but like `bytes_to_utf8`, returns a pointer to the newly-created string, and updates *len* to contain the new length. Returns the original string if no conversion occurs, *len* is unchanged. Do nothing if *is_utf8* points to 0. Sets *is_utf8* to 0 if *s* is converted or consisted entirely of characters that are invariant in utf8 (i.e., US-ASCII on non-EBCDIC machines).

NOTE: this function is experimental and may change or be removed without notice.

```
U8* bytes_from_utf8(const U8 *s, STRLEN *len, bool *is_utf8)
```

bytes_to_utf8

Converts a string *s* of length *len* bytes from the native encoding into UTF-8. Returns a pointer to the newly-created string, and sets *len* to reflect the new length in bytes.

A NUL character will be written after the end of the string.

If you want to convert to UTF-8 from encodings other than the native (Latin1 or EBCDIC), see `sv_recode_to_utf8()`.

NOTE: this function is experimental and may change or be removed without notice.

```
U8* bytes_to_utf8(const U8 *s, STRLEN *len)
```

foldEQ_utf8

Returns true if the leading portions of the strings *s1* and *s2* (either or both of which may be in UTF-8) are the same case-insensitively; false otherwise. How far into the strings to compare is determined by other input parameters.

If *u1* is true, the string *s1* is assumed to be in UTF-8-encoded Unicode; otherwise it is assumed to be in native 8-bit encoding. Correspondingly for *u2* with respect to *s2*.

If the byte length *l1* is non-zero, it says how far into *s1* to check for fold equality. In other words, *s1+l1* will be used as a goal to reach. The scan will not be considered to be a match unless the goal is reached, and scanning won't continue past that goal. Correspondingly for *l2* with respect to *s2*.

If *pe1* is non-NULL and the pointer it points to is not NULL, that pointer is considered an end pointer beyond which scanning of *s1* will not continue under any circumstances. This means that if both *l1* and *pe1* are specified, and *pe1* is less than *s1+l1*, the match will never be successful because it can never get as far as its goal (and in fact is asserted against). Correspondingly for *pe2* with respect to *s2*.

At least one of *s1* and *s2* must have a goal (at least one of *l1* and *l2* must be non-zero), and if both do, both have to be reached for a successful match. Also, if the fold of a character is multiple characters, all of them must be matched (see `tr21` reference below for 'folding').

Upon a successful match, if *pe1* is non-NULL, it will be set to point to the beginning of the *next* character of *s1* beyond what was matched. Correspondingly for *pe2* and *s2*.

For case-insensitiveness, the "casefolding" of Unicode is used instead of upper/lowercasing both the characters, see <http://www.unicode.org/unicode/reports/tr21/> (Case Mappings).

```
I32 foldEQ_utf8(const char *s1, char **pe1, UV l1, bool u1,
const char *s2, char **pe2, UV l2, bool u2)
```

is_ascii_string

Returns true if the first `len` bytes of the given string are the same whether or not the string is encoded in UTF-8 (or UTF-EBCDIC on EBCDIC machines). That is, if they are invariant. On ASCII-ish machines, only ASCII characters fit this definition, hence the function's name.

If `len` is 0, it will be calculated using `strlen(s)`.

See also `is_utf8_string()`, `is_utf8_string_loclen()`, and `is_utf8_string_loc()`.

```
bool is_ascii_string(const U8 *s, STRLEN len)
```

is_utf8_char

Tests if some arbitrary number of bytes begins in a valid UTF-8 character. Note that an INVARIANT (i.e. ASCII on non-EBCDIC machines) character is a valid UTF-8 character. The actual number of bytes in the UTF-8 character will be returned if it is valid, otherwise 0.

```
STRLEN is_utf8_char(const U8 *s)
```

is_utf8_string

Returns true if first `len` bytes of the given string form a valid UTF-8 string, false otherwise. If `len` is 0, it will be calculated using `strlen(s)`. Note that 'a valid UTF-8 string' does not mean 'a string that contains code points above 0x7F encoded in UTF-8' because a valid ASCII string is a valid UTF-8 string.

See also `is_ascii_string()`, `is_utf8_string_loclen()`, and `is_utf8_string_loc()`.

```
bool is_utf8_string(const U8 *s, STRLEN len)
```

is_utf8_string_loc

Like `is_utf8_string()` but stores the location of the failure (in the case of "utf8ness failure") or the location `s+len` (in the case of "utf8ness success") in the `ep`.

See also `is_utf8_string_loclen()` and `is_utf8_string()`.

```
bool is_utf8_string_loc(const U8 *s, STRLEN len, const U8 **p)
```

is_utf8_string_loclen

Like `is_utf8_string()` but stores the location of the failure (in the case of "utf8ness failure") or the location `s+len` (in the case of "utf8ness success") in the `ep`, and the number of UTF-8 encoded characters in the `e1`.

See also `is_utf8_string_loc()` and `is_utf8_string()`.

```
bool is_utf8_string_loclen(const U8 *s, STRLEN len, const U8 **ep, STRLEN *e1)
```

pv_uni_display

Build to the scalar `dsv` a displayable version of the string `spv`, length `len`, the displayable version being at most `pvlm` bytes long (if longer, the rest is truncated and "... " will be appended).

The `flags` argument can have `UNI_DISPLAY_ISPRINT` set to display `isPRINT()`able characters as themselves, `UNI_DISPLAY_BACKSLASH` to display the `\\[nrfta\\]` as the backslashed versions (like `'\n'`) (`UNI_DISPLAY_BACKSLASH` is preferred over `UNI_DISPLAY_ISPRINT` for `\\`). `UNI_DISPLAY_QQ` (and its alias `UNI_DISPLAY_REGEX`) have both `UNI_DISPLAY_BACKSLASH` and `UNI_DISPLAY_ISPRINT` turned on.

The pointer to the PV of the dsv is returned.

```
char* pv_uni_display(SV *dsv, const U8 *spv, STRLEN len, STRLEN
pvlm, UV flags)
```

sv_cat_decode

The encoding is assumed to be an Encode object, the PV of the ssv is assumed to be octets in that encoding and decoding the input starts from the position which (PV + *offset) pointed to. The dsv will be concatenated the decoded UTF-8 string from ssv. Decoding will terminate when the string tstr appears in decoding output or the input ends on the PV of the ssv. The value which the offset points will be modified to the last input position on the ssv.

Returns TRUE if the terminator was found, else returns FALSE.

```
bool sv_cat_decode(SV* dsv, SV *encoding, SV *ssv, int *offset,
char* tstr, int tlen)
```

sv_recode_to_utf8

The encoding is assumed to be an Encode object, on entry the PV of the sv is assumed to be octets in that encoding, and the sv will be converted into Unicode (and UTF-8).

If the sv already is UTF-8 (or if it is not POK), or if the encoding is not a reference, nothing is done to the sv. If the encoding is not an Encode::XS Encoding object, bad things will happen. (See *lib/encoding.pm* and *Encode*).

The PV of the sv is returned.

```
char* sv_recode_to_utf8(SV* sv, SV *encoding)
```

sv_uni_display

Build to the scalar dsv a displayable version of the scalar sv, the displayable version being at most pvlm bytes long (if longer, the rest is truncated and "... " will be appended).

The flags argument is as in pv_uni_display().

The pointer to the PV of the dsv is returned.

```
char* sv_uni_display(SV *dsv, SV *ssv, STRLEN pvlm, UV flags)
```

to_utf8_case

The "p" contains the pointer to the UTF-8 string encoding the character that is being converted.

The "ustrp" is a pointer to the character buffer to put the conversion result to. The "lenp" is a pointer to the length of the result.

The "swashp" is a pointer to the swash to use.

Both the special and normal mappings are stored in lib/unicore/To/Foo.pl, and loaded by SWASHNEW, using lib/utf8_heavy.pl. The special (usually, but not always, a multicharacter mapping), is tried first.

The "special" is a string like "utf8::ToSpecLower", which means the hash %utf8::ToSpecLower. The access to the hash is through Perl_to_utf8_case().

The "normal" is a string like "ToLower" which means the swash %utf8::ToLower.

```
UV to_utf8_case(const U8 *p, U8* ustrp, STRLEN *lenp, SV
**swashp, const char *normal, const char *special)
```

to_utf8_fold

Convert the UTF-8 encoded character at `p` to its foldcase version and store that in UTF-8 in `ustrp` and its length in bytes in `lenp`. Note that the `ustrp` needs to be at least `UTF8_MAXBYTES_CASE+1` bytes since the foldcase version may be longer than the original character (up to three characters).

The first character of the foldcased version is returned (but note, as explained above, that there may be more.)

```
UV to_utf8_fold(const U8 *p, U8* ustrp, STRLEN *lenp)
```

to_utf8_lower

Convert the UTF-8 encoded character at `p` to its lowercase version and store that in UTF-8 in `ustrp` and its length in bytes in `lenp`. Note that the `ustrp` needs to be at least `UTF8_MAXBYTES_CASE+1` bytes since the lowercase version may be longer than the original character.

The first character of the lowercased version is returned (but note, as explained above, that there may be more.)

```
UV to_utf8_lower(const U8 *p, U8* ustrp, STRLEN *lenp)
```

to_utf8_title

Convert the UTF-8 encoded character at `p` to its titlecase version and store that in UTF-8 in `ustrp` and its length in bytes in `lenp`. Note that the `ustrp` needs to be at least `UTF8_MAXBYTES_CASE+1` bytes since the titlecase version may be longer than the original character.

The first character of the titlecased version is returned (but note, as explained above, that there may be more.)

```
UV to_utf8_title(const U8 *p, U8* ustrp, STRLEN *lenp)
```

to_utf8_upper

Convert the UTF-8 encoded character at `p` to its uppercase version and store that in UTF-8 in `ustrp` and its length in bytes in `lenp`. Note that the `ustrp` needs to be at least `UTF8_MAXBYTES_CASE+1` bytes since the uppercase version may be longer than the original character.

The first character of the uppercased version is returned (but note, as explained above, that there may be more.)

```
UV to_utf8_upper(const U8 *p, U8* ustrp, STRLEN *lenp)
```

utf8n_to_uvchr

Returns the native character value of the first character in the string `s` which is assumed to be in UTF-8 encoding; `retlen` will be set to the length, in bytes, of that character.

length and flags are the same as `utf8n_to_uvuni()`.

```
UV utf8n_to_uvchr(const U8 *s, STRLEN curlen, STRLEN *retlen,  
U32 flags)
```

utf8n_to_uvuni

Bottom level UTF-8 decode routine. Returns the code point value of the first character in the string `s` which is assumed to be in UTF-8 (or UTF-EBCDIC) encoding and no longer than `curlen` bytes; `retlen` will be set to the length, in bytes, of that character.

The value of `flags` determines the behavior when `s` does not point to a well-formed

UTF-8 character. If `flags` is 0, when a malformation is found, `retlen` is set to the expected length of the UTF-8 character in bytes, zero is returned, and if UTF-8 warnings haven't been lexically disabled, a warning is raised.

Various ALLOW flags can be set in `flags` to allow (and not warn on) individual types of malformations, such as the sequence being overlong (that is, when there is a shorter sequence that can express the same code point; overlong sequences are expressly forbidden in the UTF-8 standard due to potential security issues). Another malformation example is the first byte of a character not being a legal first byte. See *utf8.h* for the list of such flags. Of course, the value returned by this function under such conditions is not reliable.

The UTF8_CHECK_ONLY flag overrides the behavior when a non-allowed (by other flags) malformation is found. If this flag is set, the routine assumes that the caller will raise a warning, and this function will silently just set `retlen` to -1 and return zero.

Certain code points are considered problematic. These are Unicode surrogates, Unicode non-characters, and code points above the Unicode maximum of 0x10FFF. By default these are considered regular code points, but certain situations warrant special handling for them. If `flags` contains

UTF8_DISALLOW_ILLEGAL_INTERCHANGE, all three classes are treated as malformations and handled as such. The flags UTF8_DISALLOW_SURROGATE, UTF8_DISALLOW_NONCHAR, and UTF8_DISALLOW_SUPER (meaning above the legal Unicode maximum) can be set to disallow these categories individually.

The flags UTF8_WARN_ILLEGAL_INTERCHANGE, UTF8_WARN_SURROGATE, UTF8_WARN_NONCHAR, and UTF8_WARN_SUPER will cause warning messages to be raised for their respective categories, but otherwise the code points are considered valid (not malformations). To get a category to both be treated as a malformation and raise a warning, specify both the WARN and DISALLOW flags. (But note that warnings are not raised if lexically disabled nor if UTF8_CHECK_ONLY is also specified.)

Very large code points (above 0x7FFF_FFFF) are considered more problematic than the others that are above the Unicode legal maximum. There are several reasons, one of which is that the original UTF-8 specification never went above this number (the current 0x10FFF limit was imposed later). The UTF-8 encoding on ASCII platforms for these large code point begins with a byte containing 0xFE or 0xFF. The UTF8_DISALLOW_FE_FF flag will cause them to be treated as malformations, while allowing smaller above-Unicode code points. (Of course UTF8_DISALLOW_SUPER will treat all above-Unicode code points, including these, as malformations.) Similarly, UTF8_WARN_FE_FF acts just like the other WARN flags, but applies just to these code points.

All other code points corresponding to Unicode characters, including private use and those yet to be assigned, are never considered malformed and never warn.

Most code should use `utf8_to_uvchr()` rather than call this directly.

```
UV utf8n_to_uvuni(const U8 *s, STRLEN curlen, STRLEN *retlen,
U32 flags)
```

utf8_distance

Returns the number of UTF-8 characters between the UTF-8 pointers `a` and `b`.

WARNING: use only if you **know** that the pointers point inside the same UTF-8 buffer.

```
IV utf8_distance(const U8 *a, const U8 *b)
```

utf8_hop

Return the UTF-8 pointer *s* displaced by *off* characters, either forward or backward.

WARNING: do not use the following unless you *know* *off* is within the UTF-8 data pointed to by *s* *and* that on entry *s* is aligned on the first byte of character or just after the last byte of a character.

```
U8* utf8_hop(const U8 *s, I32 off)
```

utf8_length

Return the length of the UTF-8 char encoded string *s* in characters. Stops at *e* (inclusive). If *e* < *s* or if the scan would end up past *e*, croaks.

```
STRLEN utf8_length(const U8* s, const U8 *e)
```

utf8_to_bytes

Converts a string *s* of length *len* from UTF-8 into native byte encoding. Unlike `bytes_to_utf8`, this over-writes the original string, and updates *len* to contain the new length. Returns zero on failure, setting *len* to -1.

If you need a copy of the string, see `bytes_from_utf8`.

NOTE: this function is experimental and may change or be removed without notice.

```
U8* utf8_to_bytes(U8 *s, STRLEN *len)
```

utf8_to_uvchr

Returns the native code point of the first character in the string *s* which is assumed to be in UTF-8 encoding; *retlen* will be set to the length, in bytes, of that character.

If *s* does not point to a well-formed UTF-8 character, zero is returned and *retlen* is set, if possible, to -1.

```
UV utf8_to_uvchr(const U8 *s, STRLEN *retlen)
```

utf8_to_uvuni

Returns the Unicode code point of the first character in the string *s* which is assumed to be in UTF-8 encoding; *retlen* will be set to the length, in bytes, of that character.

This function should only be used when the returned UV is considered an index into the Unicode semantic tables (e.g. swashes).

If *s* does not point to a well-formed UTF-8 character, zero is returned and *retlen* is set, if possible, to -1.

```
UV utf8_to_uvuni(const U8 *s, STRLEN *retlen)
```

uvchr_to_utf8

Adds the UTF-8 representation of the Native code point *uv* to the end of the string *d*; *d* should have at least `UTF8_MAXBYTES+1` free bytes available. The return value is the pointer to the byte after the end of the new character. In other words,

```
d = uvchr_to_utf8(d, uv);
```

is the recommended wide native character-aware way of saying

```
*(d++) = uv;
```

```
U8* uvchr_to_utf8(U8 *d, UV uv)
```

uvuni_to_utf8_flags

Adds the UTF-8 representation of the code point *uv* to the end of the string *d*; *d* should

have at least `UTF8_MAXBYTES+1` free bytes available. The return value is the pointer to the byte after the end of the new character. In other words,

```
d = uvuni_to_utf8_flags(d, uv, flags);
```

or, in most cases,

```
d = uvuni_to_utf8(d, uv);
```

(which is equivalent to)

```
d = uvuni_to_utf8_flags(d, uv, 0);
```

This is the recommended Unicode-aware way of saying

```
*(d++) = uv;
```

This function will convert to UTF-8 (and not warn) even code points that aren't legal Unicode or are problematic, unless `flags` contains one or more of the following flags. If `uv` is a Unicode surrogate code point and `UNICODE_WARN_SURROGATE` is set, the function will raise a warning, provided UTF8 warnings are enabled. If instead `UNICODE_DISALLOW_SURROGATE` is set, the function will fail and return `NULL`. If both flags are set, the function will both warn and return `NULL`.

The `UNICODE_WARN_NONCHAR` and `UNICODE_DISALLOW_NONCHAR` flags correspondingly affect how the function handles a Unicode non-character. And, likewise for the `UNICODE_WARN_SUPER` and `UNICODE_DISALLOW_SUPER` flags, and code points that are above the Unicode maximum of `0x10FFFF`. Code points above `0x7FFF_FFFF` (which are even less portable) can be warned and/or disallowed even if other above-Unicode code points are accepted by the `UNICODE_WARN_FE_FF` and `UNICODE_DISALLOW_FE_FF` flags.

And finally, the flag `UNICODE_WARN_ILLEGAL_INTERCHANGE` selects all four of the above `WARN` flags; and `UNICODE_DISALLOW_ILLEGAL_INTERCHANGE` selects all four `DISALLOW` flags.

```
U8* uvuni_to_utf8_flags(U8 *d, UV uv, UV flags)
```

Variables created by `xsubpp` and `xsubpp` internal functions

`ax`

Variable which is setup by `xsubpp` to indicate the stack base offset, used by the `ST`, `XSpREPUSH` and `XSRETURN` macros. The `dMARK` macro must be called prior to setup the `MARK` variable.

```
I32 ax
```

`CLASS`

Variable which is setup by `xsubpp` to indicate the class name for a C++ XS constructor. This is always a `char*`. See `THIS`.

```
char* CLASS
```

`dAX`

Sets up the `ax` variable. This is usually handled automatically by `xsubpp` by calling `dXSARGS`.

```
dAX;
```

`dAXMARK`

Sets up the `ax` variable and stack marker variable `mark`. This is usually handled

automatically by `xsubpp` by calling `dXSARGS`.

```
dAXMARK;
```

dITEMS

Sets up the `items` variable. This is usually handled automatically by `xsubpp` by calling `dXSARGS`.

```
dITEMS;
```

dUNDERBAR

Sets up any variable needed by the `UNDERBAR` macro. It used to define `padoff_du`, but it is currently a noop. However, it is strongly advised to still use it for ensuring past and future compatibility.

```
dUNDERBAR;
```

dXSARGS

Sets up stack and mark pointers for an XSUB, calling `dSP` and `dMARK`. Sets up the `ax` and `items` variables by calling `dAX` and `dITEMS`. This is usually handled automatically by `xsubpp`.

```
dXSARGS;
```

dXSI32

Sets up the `ix` variable for an XSUB which has aliases. This is usually handled automatically by `xsubpp`.

```
dXSI32;
```

items

Variable which is setup by `xsubpp` to indicate the number of items on the stack. See "*Variable-length Parameter Lists*" in *perlx*.

```
I32 items
```

ix

Variable which is setup by `xsubpp` to indicate which of an XSUB's aliases was used to invoke it. See "*The ALIAS: Keyword*" in *perlx*.

```
I32 ix
```

newXSproto

Used by `xsubpp` to hook up XSUBs as Perl subs. Adds Perl prototypes to the subs.

RETVAL

Variable which is setup by `xsubpp` to hold the return value for an XSUB. This is always the proper type for the XSUB. See "*The RETVAL Variable*" in *perlx*.

```
(whatever) RETVAL
```

ST

Used to access elements on the XSUB's stack.

```
SV* ST(int ix)
```

THIS

Variable which is setup by `xsubpp` to designate the object in a C++ XSUB. This is always the proper type for the C++ object. See `CLASS` and "Using XS With C++" in *perlx*.

```
(whatever) THIS
```

UNDERBAR

The SV* corresponding to the `$_` variable. Works even if there is a lexical `$_` in scope.

XS

Macro to declare an XSUB and its C parameter list. This is handled by `xsubpp`.

XS_APIVERSION_BOOTCHECK

Macro to verify that the perl api version an XS module has been compiled against matches the api version of the perl interpreter it's being loaded into.

```
XS_APIVERSION_BOOTCHECK;
```

XS_VERSION

The version identifier for an XS module. This is usually handled automatically by `ExtUtils::MakeMaker`. See `XS_VERSION_BOOTCHECK`.

XS_VERSION_BOOTCHECK

Macro to verify that a PM module's `$VERSION` variable matches the XS module's `XS_VERSION` variable. This is usually handled automatically by `xsubpp`. See "The *VERSIONCHECK: Keyword*" in *perlx*.

```
XS_VERSION_BOOTCHECK;
```

Warning and Dieing**croak**

This is an XS interface to Perl's `die` function.

Take a `sprintf`-style format pattern and argument list. These are used to generate a string message. If the message does not end with a newline, then it will be extended with some indication of the current location in the code, as described for *mess_sv*.

The error message will be used as an exception, by default returning control to the nearest enclosing `eval`, but subject to modification by a `$_SIG{__DIE__}` handler. In any case, the `croak` function never returns normally.

For historical reasons, if `pat` is null then the contents of `ERRSV` (`$@`) will be used as an error message or object instead of building an error message from arguments. If you want to throw a non-string object, or build an error message in an SV yourself, it is preferable to use the `croak_sv` function, which does not involve clobbering `ERRSV`.

```
void croak(const char *pat, ...)
```

croak_no_modify

Exactly equivalent to `Perl_croak(aTHX_ "%s", PL_no_modify)`, but generates terser object code than using `Perl_croak`. Less code used on exception code paths reduces CPU cache pressure.

```
void croak_no_modify()
```

croak_sv

This is an XS interface to Perl's `die` function.

`baseex` is the error message or object. If it is a reference, it will be used as-is. Otherwise it is used as a string, and if it does not end with a newline then it will be extended with some indication of the current location in the code, as described for `mess_sv`.

The error message or object will be used as an exception, by default returning control to the nearest enclosing `eval`, but subject to modification by a `$_SIG{__DIE__}` handler. In any case, the `croak_sv` function never returns normally.

To die with a simple string message, the `croak` function may be more convenient.

```
void croak_sv(SV *baseex)
```

die

Behaves the same as `croak`, except for the return type. It should be used only where the `OP *` return type is required. The function never actually returns.

```
OP * die(const char *pat, ...)
```

die_sv

Behaves the same as `croak_sv`, except for the return type. It should be used only where the `OP *` return type is required. The function never actually returns.

```
OP * die_sv(SV *baseex)
```

vcroak

This is an XS interface to Perl's `die` function.

`pat` and `args` are a `sprintf`-style format pattern and encapsulated argument list. These are used to generate a string message. If the message does not end with a newline, then it will be extended with some indication of the current location in the code, as described for `mess_sv`.

The error message will be used as an exception, by default returning control to the nearest enclosing `eval`, but subject to modification by a `$_SIG{__DIE__}` handler. In any case, the `croak` function never returns normally.

For historical reasons, if `pat` is null then the contents of `ERRSV` (`$@`) will be used as an error message or object instead of building an error message from arguments. If you want to throw a non-string object, or build an error message in an `SV` yourself, it is preferable to use the `croak_sv` function, which does not involve clobbering `ERRSV`.

```
void vcroak(const char *pat, va_list *args)
```

vwarn

This is an XS interface to Perl's `warn` function.

`pat` and `args` are a `sprintf`-style format pattern and encapsulated argument list. These are used to generate a string message. If the message does not end with a newline, then it will be extended with some indication of the current location in the code, as described for `mess_sv`.

The error message or object will by default be written to standard error, but this is subject to modification by a `$_SIG{__WARN__}` handler.

Unlike with `vcroak`, `pat` is not permitted to be null.

```
void vwarn(const char *pat, va_list *args)
```

warn

This is an XS interface to Perl's `warn` function.

Take a `sprintf`-style format pattern and argument list. These are used to generate a string message. If the message does not end with a newline, then it will be extended with some indication of the current location in the code, as described for `mess_sv`.

The error message or object will by default be written to standard error, but this is subject to modification by a `$SIG{__WARN__}` handler.

Unlike with `croak`, `pat` is not permitted to be null.

```
void warn(const char *pat, ...)
```

warn_sv

This is an XS interface to Perl's `warn` function.

`baseex` is the error message or object. If it is a reference, it will be used as-is. Otherwise it is used as a string, and if it does not end with a newline then it will be extended with some indication of the current location in the code, as described for `mess_sv`.

The error message or object will by default be written to standard error, but this is subject to modification by a `$SIG{__WARN__}` handler.

To warn with a simple string message, the `warn` function may be more convenient.

```
void warn_sv(SV *baseex)
```

Undocumented functions

The following functions have been flagged as part of the public API, but are currently undocumented. Use them at your own risk, as the interfaces are subject to change.

If you use one of them, you may wish to consider creating and submitting documentation for it. If your patch is accepted, this will indicate that the interface is stable (unless it is explicitly marked otherwise).

GetVars

Gv_AMupdate

PerlIO_clearerr

PerlIO_close

PerlIO_context_layers

PerlIO_eof

PerlIO_error

PerlIO_fileno

PerlIO_fill

PerlIO_flush

PerlIO_get_base

PerlIO_get_bufsiz

PerlIO_get_cnt

PerlIO_get_ptr

PerlIO_read

PerlIO_seek

PerlIO_set_cnt

PerlIO_set_ptrcnt

PerlIO_setlinebuf

PerlIO_stderr
PerlIO_stdin
PerlIO_stdout
PerlIO_tell
PerlIO_unread
PerlIO_write
Slab_Alloc
Slab_Free
_to_uni_fold_flags
_to_utf8_fold_flags
amagic_call
amagic_deref_call
any_dup
apply_attrs_string
atfork_lock
atfork_unlock
av_arylen_p
av_iter_p
block_gimme
call_atexit
call_list
calloc
cast_i32
cast_iv
cast_ulong
cast_uv
ck_warner
ck_warner_d
ckwarn
ckwarn_d
clone_params_del
clone_params_new
croak_nocontext
csighandler
cx_dump
cx_dup
cxinc
deb
deb_nocontext
debop
debprofdump
debstack

debstackptrs
delimcpy
despatch_signals
die_nocontext
dirp_dup
do_aspawn
do_binmode
do_close
do_gv_dump
do_gvgv_dump
do_hv_dump
do_join
do_magic_dump
do_op_dump
do_open
do_open9
do_openn
do_pmop_dump
do_spawn
do_spawn_nowait
do_sprintf
do_sv_dump
doing_taint
doref
dounwind
dowantarray
dump_all
dump_eval
dump_fds
dump_form
dump_indent
dump_mstats
dump_packsubs
dump_sub
dump_vindent
fetch_cop_label
filter_add
filter_del
filter_read
find_rundefsv
find_rundefsvoffset
foldEQ_latin1

foldEQ_utf8_flags
form_nocontext
fp_dup
fprintf_nocontext
free_global_struct
free_tmpls
get_context
get_mstats
get_op_descs
get_op_names
get_ppaddr
get_vtbl
gp_dup
gp_free
gp_ref
gv_AVadd
gv_HVadd
gv_IOadd
gv_SVadd
gv_add_by_type
gv_autoload4
gv_check
gv_dump
gv_efullname
gv_efullname3
gv_efullname4
gv_fetchfile
gv_fetchfile_flags
gv_fetchmethod_flags
gv_fetchpv
gv_fetchpv_flags
gv_fetchsv
gv_fullname
gv_fullname3
gv_fullname4
gv_handler
gv_init
gv_name_set
he_dup
hek_dup
hv_common
hv_common_key_len

hv_delayfree_ent
hv_eiter_p
hv_eiter_set
hv_free_ent
hv_ksplit
hv_name_set
hv_placeholders_get
hv_placeholders_p
hv_placeholders_set
hv_riter_p
hv_riter_set
hv_store_flags
init_global_struct
init_i18n10n
init_i18n14n
init_stacks
init_tm
instr
is_lvalue_sub
is_uni_alnum
is_uni_alnum_lc
is_uni_alpha
is_uni_alpha_lc
is_uni_ascii
is_uni_ascii_lc
is_uni_cntrl
is_uni_cntrl_lc
is_uni_digit
is_uni_digit_lc
is_uni_graph
is_uni_graph_lc
is_uni_idfirst
is_uni_idfirst_lc
is_uni_lower
is_uni_lower_lc
is_uni_print
is_uni_print_lc
is_uni_punct
is_uni_punct_lc
is_uni_space
is_uni_space_lc
is_uni_upper

is_uni_upper_lc
is_uni_xdigit
is_uni_xdigit_lc
is_utf8_alnum
is_utf8_alpha
is_utf8_ascii
is_utf8_cntrl
is_utf8_digit
is_utf8_graph
is_utf8_idcont
is_utf8_idfirst
is_utf8_lower
is_utf8_mark
is_utf8_perl_space
is_utf8_perl_word
is_utf8_posix_digit
is_utf8_print
is_utf8_punct
is_utf8_space
is_utf8_upper
is_utf8_xdigit
is_utf8_xidcont
is_utf8_xidfirst
leave_scope
load_module_nocontext
magic_dump
malloc
markstack_grow
mess_nocontext
mfree
mg_dup
mg_size
mini_mktime
moreswitches
mro_get_from_name
mro_get_private_data
mro_register
mro_set_mro
mro_set_private_data
my_atof
my_atof2
my_bcopy

my_bzero
my_chsize
my_cxt_index
my_cxt_init
my_dirfd
my_exit
my_failure_exit
my_fflush_all
my_fork
my_htonl
my_lstat
my_memcmp
my_memset
my_ntohl
my_pclose
my_popen
my_popen_list
my_setenv
my_socketpair
my_stat
my_strftime
my_strlcat
my_strlcpy
my_swap
newANONATTRSUB
newANONHASH
newANONLIST
newANONSUB
newATTRSUB
newAVREF
newCVREF
newFORM
newGVREF
newGVgen
newHVREF
newHVhv
newIO
newMYSUB
newPROG
newRV
newSUB
newSVREF

newSVpvf_nocontext
newXS_flags
new_collate
new_ctype
new_numeric
new_stackinfo
ninstr
op_dump
op_free
op_null
op_refcnt_lock
op_refcnt_unlock
parser_dup
perl_alloc_using
perl_clone_using
pmop_dump
pop_scope
pregcomp
pregexec
pregfree
pregfree2
printf_nocontext
ptr_table_clear
ptr_table_fetch
ptr_table_free
ptr_table_new
ptr_table_split
ptr_table_store
push_scope
re_compile
re_dup_guts
re_intuit_start
re_intuit_string
realloc
reentrant_free
reentrant_init
reentrant_retry
reentrant_size
ref
reg_named_buff_all
reg_named_buff_exists
reg_named_buff_fetch

reg_named_buff_firstkey
reg_named_buff_nextkey
reg_named_buff_scalar
regclass_swash
regdump
regdupe_internal
regexec_flags
regfree_internal
reginitcolors
regnext
repeatcpy
rinstr
rsignal
rsignal_state
runops_debug
runops_standard
rvpv_dup
safesyscalloc
safesysfree
safesysmalloc
safesysrealloc
save_I16
save_I32
save_I8
save_adelete
save_aelem
save_aelem_flags
save_alloc
save_aptr
save_ary
save_bool
save_clearsv
save_delete
save_destructor
save_destructor_x
save_freeop
save_freepv
save_freesv
save_generic_pvref
save_generic_svref
save_gp
save_hash

save_hdelete
save_helem
save_helem_flags
save_hints
save_hptra
save_int
save_item
save_iv
save_list
save_long
save_mortalizesv
save_nogv
save_op
save_padsv_and_mortalize
save_pptra
save_pushi32ptr
save_pushptr
save_pushptrptr
save_re_context
save_scalar
save_set_svflags
save_shared_pvref
save_sptr
save_svref
save_vptr
savestack_grow
savestack_grow_cnt
scan_num
scan_vstring
screaminstr
seed
set_context
set_numeric_local
set_numeric_radix
set_numeric_standard
share_hek
si_dup
ss_dup
stack_grow
start_subparse
stashpv_hvname_match
str_to_version

sv_2iv
sv_2pv
sv_2uv
sv_catpvf_mg_nocontext
sv_catpvf_nocontext
sv_compile_2op
sv_dump
sv_dup
sv_dup_inc
sv_peek
sv_pvn_nomg
sv_setpvf_mg_nocontext
sv_setpvf_nocontext
sv_utf8_upgrade_flags_grow
swash_fetch
swash_init
sys_init
sys_init3
sys_intern_clear
sys_intern_dup
sys_intern_init
sys_term
taint_env
taint_proper
tmpr_grow
to_uni_fold
to_uni_lower
to_uni_lower_lc
to_uni_title
to_uni_title_lc
to_uni_upper
to_uni_upper_lc
unlnk
unsharepvn
utf16_to_utf8
utf16_to_utf8_reversed
uvchr_to_utf8_flags
uvuni_to_utf8
vdeb
vform
vload_module
vnewSVpvf

vwarner
warn_nocontext
warner
warner_nocontext
whichsig

AUTHORS

Until May 1997, this document was maintained by Jeff Okamoto <okamoto@corp.hp.com>. It is now maintained as part of Perl itself.

With lots of help and suggestions from Dean Roehrich, Malcolm Beattie, Andreas Koenig, Paul Hudson, Ilya Zakharevich, Paul Marquess, Neil Bowers, Matthew Green, Tim Bunce, Spider Boardman, Ulrich Pfeifer, Stephen McCamant, and Gurusamy Sarathy.

API Listing originally by Dean Roehrich <roehrich@cray.com>.

Updated to be autogenerated from comments in the source by Benjamin Stuhl.

SEE ALSO

perlguts, *perlxs*, *perlxstut*, *perlintern*