

NAME

perlcheat - Perl 5 Cheat Sheet

DESCRIPTION

This 'cheat sheet' is a handy reference, meant for beginning Perl programmers. Not everything is mentioned, but 195 features may already be overwhelming.

The sheet

CONTEXTS	SIGILS	ref	ARRAYS	HASHES
void	\$scalar	SCALAR	@array	%hash
scalar	@array	ARRAY	@array[0, 2]	@hash{'a', 'b'}
list	%hash	HASH	\$array[0]	\$hash{'a'}
	&sub	CODE		
	*glob	GLOB	SCALAR VALUES	
		FORMAT	number, string, ref, glob, undef	

REFERENCES

\	reference	\$\$foo[1]	aka \$foo->[1]
\$@%&*	dereference	\$\$foo{bar}	aka \$foo->{bar}
[]	anon. arrayref	\${\$foo[1]}[2]	aka \$foo->[1]->[2]
{}	anon. hashref	\${\$foo[1]}[2]	aka \$foo->[1][2]
\()	list of refs		

SYNTAX

OPERATOR PRECEDENCE	foreach (LIST) { }	for (a;b;c) { }
->	while (e) { }	until (e) { }
++ --	if (e) { } elsif (e) { } else { }	
**	unless (e) { } elsif (e) { } else { }	
! ~ \ u+ u-	given (e) { when (e) {} default { }	
=~ !~		
* / % x	NUMBERS vs STRINGS	FALSE vs TRUE
+ - .	=	= undef, "", 0, "0"
<< >>	+	. anything else
named uops	== !=	eq ne
< > <= >= lt gt le ge	< > <= >=	lt gt le ge
== != <=> eq ne cmp ~~	<=>	cmp

&

^	REGEX MODIFIERS	REGEX METACHARS
&&	/i case insensitive	^ string begin
//	/m line based ^\$	\$ str end (bfr \n)
.. ...	/s . includes \n	+ one or more
?:	/x ignore wh.space	* zero or more
= += last goto	/p preserve	? zero or one
, =>	/a ASCII /aa safe	{3,7} repeat in range
list ops	/l locale /d dual	alternation
not	/u Unicode	[] character class
and	/e evaluate /ee rpts	\b word boundary
or xor	/g global	\z string end
	/o compile pat once	() capture

DEBUG

-MO=Deparse	REGEX CHARCLASSES	(?:p) no capture
-MO=Terse	. [^\n]	(?#t) comment
-D##	\s whitespace	(?=p) ZW pos ahead
-d:Trace	\w word chars	(?!p) ZW neg ahead
	\d digits	(?<=p) ZW pos behind \K
		(?<!p) ZW neg behind
CONFIGURATION	\pP named property	(?>p) no backtrack
perl -V:ivsize	\h horiz.wh.space	(? p p)branch reset
	\R linebreak	(?<n>p)named capture

	\S \W \D \H negate	\g{n}	ref to named cap
		\K	keep left part
FUNCTION RETURN LISTS			
stat	localtime	caller	SPECIAL VARIABLES
0 dev	0 second	0 package	\$_ default variable
1 ino	1 minute	1 filename	\$0 program name
2 mode	2 hour	2 line	\$/ input separator
3 nlink	3 day	3 subroutine	\$\ output separator
4 uid	4 month-1	4 hasargs	\$ autoflush
5 gid	5 year-1900	5 wantarray	\$! sys/libcall error
6 rdev	6 weekday	6 evaltext	\$@ eval error
7 size	7 yearday	7 is_require	\$\$ process ID
8 atime	8 is_dst	8 hints	\$. line number
9 mtime		9 bitmask	@ARGV command line args
10 ctime		10 hinthash	@INC include paths
11 blksize		3..10 only	@_ subroutine args
12 blksize		with EXPR	%ENV environment

ACKNOWLEDGEMENTS

The first version of this document appeared on Perl Monks, where several people had useful suggestions. Thank you, Perl Monks.

A special thanks to Damian Conway, who didn't only suggest important changes, but also took the time to count the number of listed features and make a Perl 6 version to show that Perl will stay Perl.

AUTHOR

Juerd Waalboer <#####@juerd.nl>, with the help of many Perl Monks.

SEE ALSO

- http://perlmonks.org/?node_id=216602 - the original PM post
- http://perlmonks.org/?node_id=238031 - Damian Conway's Perl 6 version
- <http://juerd.nl/site.plp/perlcheat> - home of the Perl Cheat Sheet