

NAME

UNIVERSAL - base class for ALL classes (blessed references)

SYNOPSIS

```
$is_io = $fd->isa("IO::Handle");
$is_io = Class->isa("IO::Handle");

$sub = $obj->can("print");
$sub = Class->can("print");

use UNIVERSAL qw( isa can VERSION );
$yes = isa $ref, "HASH" ;
$sub = can $ref, "fandango" ;
$ver = VERSION $obj ;
```

DESCRIPTION

UNIVERSAL is the base class which all bless references will inherit from, see *perlobj*.

UNIVERSAL provides the following methods and functions:

```
$obj->isa( TYPE )
CLASS->isa( TYPE )
isa( VAL, TYPE )
```

Where

TYPE

is a package name

\$obj

is a blessed reference or a string containing a package name

CLASS

is a package name

VAL

is any of the above or an unblessed reference

When used as an instance or class method (`$obj->isa(TYPE)`), `isa` returns *true* if `$obj` is blessed into package `TYPE` or inherits from package `TYPE`.

When used as a class method (`CLASS->isa(TYPE)`; sometimes referred to as a static method), `isa` returns *true* if `CLASS` inherits from (or is itself) the name of the package `TYPE` or inherits from package `TYPE`.

When used as a function, like

```
use UNIVERSAL qw( isa ) ;
$yes = isa $h, "HASH";
$yes = isa "Foo", "Bar";
```

or

```
require UNIVERSAL ;
$yes = UNIVERSAL::isa $a, "ARRAY";
```

`isa` returns *true* in the same cases as above and also if `VAL` is an unblessed reference to a perl variable of type `TYPE`, such as "HASH", "ARRAY", or "Regexp".

```
$obj->can( METHOD )  
CLASS->can( METHOD )  
can( VAL, METHOD )
```

`can` checks if the object or class has a method called `METHOD`. If it does then a reference to the sub is returned. If it does not then `undef` is returned. This includes methods inherited or imported by `$obj`, `CLASS`, or `VAL`.

`can` cannot know whether an object will be able to provide a method through AUTOLOAD, so a return value of `undef` does not necessarily mean the object will not be able to handle the method call. To get around this some module authors use a forward declaration (see *perlsub*) for methods they will handle via AUTOLOAD. For such 'dummy' subs, `can` will still return a code reference, which, when called, will fall through to the AUTOLOAD. If no suitable AUTOLOAD is provided, calling the coderef will cause an error.

`can` can be called as a class (static) method, an object method, or a function.

When used as a function, if `VAL` is a blessed reference or package name which has a method called `METHOD`, `can` returns a reference to the subroutine. If `VAL` is not a blessed reference, or if it does not have a method `METHOD`, `undef` is returned.

```
VERSION ( [ REQUIRE ] )
```

`VERSION` will return the value of the variable `$VERSION` in the package the object is blessed into. If `REQUIRE` is given then it will do a comparison and die if the package version is not greater than or equal to `REQUIRE`.

`VERSION` can be called as either a class (static) method, an object method or a function.

EXPORTS

None by default.

You may request the import of all three functions (`isa`, `can`, and `VERSION`), however it isn't usually necessary to do so. Perl magically makes these functions act as methods on all objects. The one exception is `isa`, which is useful as a function when operating on non-blessed references.