

**QObject**

staticMetaObject      staticQtMetaObject  
 staticMetaObjectExtraData  
 d\_ptr

metaObject            connect  
 qt\_metacast          connect  
 tr                    disconnect  
 trUtf8                disconnect  
 tr                    disconnect  
 trUtf8                disconnect  
 qt\_metacall          dumpObjectTree  
 qt\_static\_metacall   dumpObjectInfo  
 d\_func                setProperty  
 d\_func                property  
 QObject              dynamicPropertyNamees  
 @~QObject            registerUserData  
 event                 setData  
 eventFilter          userData  
 objectName            destroyed  
 setObjectName        parent  
 isWidgetType         inherits  
 signalsBlocked        deleteLater  
 blockSignals         sender  
 thread                senderSignalIndex  
 moveToThread         receivers  
 startTimer            timerEvent  
 killTimer             childEvent  
 children              customEvent  
 setParent             connectNotify  
 installEventFilter    disconnectNotify  
 removeEventFilter    QObject  
 connect

**TQtClientFilter**

staticMetaObject      fKeyGrabber  
 staticMetaObjectExtraData    DataEventMask  
 fRootEventQueue      fgGrabPointerEventMask  
 fNotifyClient         fgGrabPointerOwner  
 fButtonGrabList      fgGrabPointerCursor  
 fgPointerGrabber     fgGrabber  
 fgButtonGrabber      fgIsA  
 fgActiveGrabber

metaObject            IsGrabSelected  
 qt\_metacast          SelectGrab  
 tr                    TQtClientFilter  
 trUtf8                @~TQtClientFilter  
 tr                    GetPointerGrabber  
 trUtf8                GetButtonGrabber  
 qt\_metacall          SetButtonGrabber  
 qt\_static\_metacall   GrabPointer  
 operator=            PointerGrabber  
 TQtClientFilter      AppendButtonGrab  
 eventFilter          RemoveButtonGrab  
 AddKeyEvent          Class  
 Queue                Class\_Name  
 SetKeyGrabber        IsA  
 UnSetKeyGrabber     ShowMembers  
 RestoreLostGrabbing