APPLICATION SECURITY RESPONSE: WHEN HACKERS COME A-KNOCKING

Katie Moussouris

Senior Security Strategist Microsoft Security Response Center

http://twitter.com/k8em0 (that's a zero)

Session ID: STU-W21A Session Classification: Intermediate Security in knowledge



Agenda

- Introductions
- A Tale of Two Standards ISO 29147 and 30111
- ISO 29147 Vulnerability Disclosure Overview
- ISO 30111 Vulnerability Handling Processes Overview
- Technical Capabilities for Handling Vulnerabilities
- Communication Capabilities Say what?!
- Other Considerations
- Timing for Publication





Who Am I

- Joined Microsoft in April 2007
- Now I run Microsoft Security Community Outreach & Strategy, MSVR, and BlueHat [©]
- My (Security*) Work in Bullet Points:
 - Linux Dev and Security Tzarina TurboLinux, circa 2000
 - Pen Tester Artist formerly known as @stake
 - Founder Symantec Vulnerability Research (SVR)
 - Founder Microsoft Vulnerability Research (MSVR)
 - Policy Maker
 - Editor for draft ISO standard on Vulnerability Handling (30111)
 - Lead SME for US National Body on Vulnerability Disclosure (29147)

* Was a molecular biologist in a past professional life, worked on the Human Genome Project





A Tale of Two Standards – for the best and worst of times

A Tale of Two Standards

ISO Standard on Vulnerability Disclosure (29147)

How vendors should deal with vulnerability reports from "external finders" (AKA: Hackers)

ISO Standard on Vulnerability Handling Processes (30111)

How vendors should investigate, triage, and resolve ALL potential vulnerabilities, whether reported from external finders, or via the vendor's internal testing





Interconnection: 29147 and 30111

KNOCK KNOCK



RSACONFERENCE2013



Interconnection: 29147 and 30111





RSACONFERENCE2013



Interconnection: 29147 and 30111



RSACONFERENCE2013

B



Receiving Vuln Reports – The Easy Way

Where is the Front Door?



Where is the Front Door?



Got it! Now what? Acknowledge Receipt of the Report



Autoreply Good Enough?



CC Attribution http://www.flickr.com/photos/_ellie_/8252498753/in/photostream/

Vendors: Ask for This Information

- Affected Product(s)/versions/URLs
- System Details (Operating System, etc.)
- Technical Description and Repro Steps
- PoC
- Other Parties/Products Involved
- Disclosure Plans/Dates





Dear Vuln Abbey: What Should the Advisory Say in Polite Company?

Example Advisory Excerpt

- Active Directory Invalid Free Vulnerability CVE-2009-1138
- A remote code execution vulnerability exists in implementations of Active Directory on Microsoft Windows 2000 Server. The vulnerability is due to incorrect freeing of memory when processing specially crafted LDAP or LDAPS requests. An attacker who successfully exploited this vulnerability could take complete control of an affected system.
- View the full advisory at http://www.microsoft.com/technet/security/bulletic/ms09-018.mspx



Vulnerability Disclosure Standard (29147)

- Vendors should have a clear way to receive vuln reports
- Vendors should acknowledge receipt of vuln reports within 7 calendar days
- Vendors should coordinate with finders
- Vendors should issue advisories that contain useful information, at a minimum:
 - Some Unique Identifier
 - Affected products
 - Impact/severity of damage if vuln is exploited
 - How to eliminate or mitigate the issue (guidance or patching instructions)
- Generally a good idea to give finders credit in the advisory if the finder wishes to be publicly acknowledged.



Great...But You Skipped the Good/Hard Parts! How to Investigate and Remediate?!

Remember: Don't Panic!



RSACONFERENCE2013



Vulnerability Handling Standard (30111)

- Vendors should have a process and organizational structure to support vuln investigation and remediation
- Vendors should perform root cause analysis
- Vendors should weigh various remediation options to adjust for real world risk factors

Balance speed with thoroughness

- Vendors should try to coordinate with other vendors if appropriate
 - multi-vendor issues
 - supply chain issues

Vulnerability Report Received

External finder vs Internal testing

- Overall process is similar, but risks may change
- If an external finder was involved, follow 29147 to
 - Understand the communication expectations
 - Take into consideration the finder's intentions and publication plans during the resolution development phase





Verification – Steps*

- Initial Investigation: The vendor attempts to confirm the potential vulnerability
- Root Cause Analysis: The vendor attempts to determine the underlying cause of the vulnerability
- Further Investigation: The vendor attempts to find other instances of the same type of vulnerability in the product or service, or in other products.
- Prioritization: The vendor considers the threat posed by the vulnerability to affected users of the product or online service.
 - For each affected product or online service, there may be different severities of the same underlying issue.
- * Some processes may occur in parallel, rather than sequentially





Verification – Possible Exit Conditions

- No Repro: The bug could not be reproduced.
 - If reported by an external finder, see 29147 before closing the case
- Duplicate Bug: The issue is a duplicate vulnerability and is already being addressed via this process or is already fixed.
- Obsolete Product Bug: The vulnerability is in a product that is no longer supported by the vendor.
- Non-security Bug: The issue is a bug that either has no security implications, or is not exploitable with currently known techniques.
 - Vendors need to keep up with current exploitation techniques
- Third-party Bug: The vulnerability is due to thirdparty code, configurations, or is present in a specification for which the vendor is not directly

responsible.

RSACONFERENCE2013





Resolution Development

- Resolution decision: The vendor determines how the vulnerability can be resolved comprehensively, how to reduce the impact of successful exploitation of the vulnerability, or how to reduce exposure.
- Produce Remediation: The vendor produces patch(es), fix(es), upgrade(s), or documentation or configuration change(s) to address a vulnerability.
- Test Remediation: The vendor develops and performs appropriate tests to ensure the vulnerability issue has been addressed on all supported platforms.





Release

Online service vulnerability resolution.

Follow your organizations' update deployment or configuration change processes for production systems.

Product vulnerability resolution:

- For vulnerabilities in products where affected users must take some action to protect themselves (e.g. Install a patch)
- Release the remediation via an advisory, as outlined via the processes defined in ISO/IEC 29147.





Post Release

- Case maintenance: After the resolution has been released, further updates to the resolution might continue.
- Security development lifecycle feedback: The vendor updates the development lifecycle using information gained during root cause analysis to prevent similar vulnerabilities in new or updated products or services. (see 27034)

Monitoring:

- For online services vulnerabilities, after the vendor applies the remediation, the vendor should monitor the stability of the product or service.
- Post-patch release monitoring for exploitation car help focus communication to most affected users.







Communication: Know What to Say and When to Say It

Communication: Say What?!

- Communication with external finders
 - Have a secure method such as PGP to communicate technical details
 - Convey fix timelines and schedule slips
- Communication with product business divisions
 - Have an SLA in place for internal teams for both emergencies and non-emergencies
 - Response Team should update with developments in threat landscape
- Communication with coordinators or other vendors
 - Get to know your counterparts at other vendors
- Communication with affected users
 - Establish a verifiable communication channel to alert users of threats



Other Vulnerability Handling Process Considerations

Monitoring Vulnerability Handling Phases

- Speed: Vendors should monitor the time it takes to address a vulnerability through this process and try to speed up without losing quality.
- Completeness: Vendors should monitor the completeness of the remediation, to ensure that it addresses the root cause of the vulnerability.



Confidentiality of Vulnerability Information

- Vendors should take care to maintain the confidentiality of sensitive vulnerability information.
 - Any PII associated with the vulnerability report (e.g. stolen SSNs, or the finder's info, if they wish to remain anonymous)
 - Vulnerability information that is not yet published or widely known, for which there is no defense yet, such as technical details that inordinately benefit attackers
- Premature disclosure of sensitive vulnerability information can increase the costs and risks associated with disclosure for vendors and users.
 - Vendors should take reasonable steps to protect vulnerability information, as they would any HBI data.



Supply Chain! Multi-Vendor!

- If the vuln is part of another vendor's supply chain (either upstream or downstream), or is a multi-vendor issue
 - Coordinate: Vendors should attempt to include other affected vendors in the discussion of potential resolutions if possible
- Common Supply Chain/Multi-vendor Scenarios:
 - Vuln affects specific platform(s) due to underlying OS or CPU
 - Flawed standard functional specification or in published algorithms;
 - vulnerabilities in commonly used libraries;
 - vulnerabilities in software components that lack a current maintainer.
- This often gets messy, so flexibility is key!
 - The focus should be to minimize risk





Vulnerability Disclosure and Handling Process Standards – Not If But When

Publication Timing

ISO Standard of Vulnerability Disclosure (29147)

- The Vote is in! DIS was approved (40.99).
- Likely publication by end of 2013

ISO Standard on Vulnerability Handling Processes (30111)

- DIS registered in October 2012 (40.20)
- Expected publication by end of 2013

40 Enquiry stage	40.00 DIS registered	40.20 DIS ballot initiated: 5 <i>months</i>	40.60 Close of voting	40.92 Full report circulated: DIS referred back to TC or SC	40.93 Full report circulated: decision for new DIS ballot	40.98 Project deleted	40.99 Full report circulated: DIS approved for registration as FDIS
50 Approval stage	50.00 FDIS registered for formal approval	50.20 FDIS ballot initiated: 2 months. Proof sent to secretariat	50.60 Close of voting. Proof returned by secretariat	50.92 FDIS referred back to TC or SC		50.98 Project deleted	50.99 FDIS approved for publication



How ISO Will Affect Vulnerability Handling

- Vuln Disclosure Standard (29147)
 - Help make it easier for finders to report vulns to vendors
 - Help make the advisories a vendor releases more useful

- Vuln Handling Standard (30111)
 - Help raise the level of security investigation and remediation that vendors do
 - Help foster appropriate vulnerability coordination between vendors



Questions for the Editor?

http://twitter.com/k8em0 (that's a zero)

