



Talend Open Studio

for Big Data

Components Reference Guide

5.1_b

Talend Open Studio: Components Reference Guide

Adapted for Talend Open Studio for Big Data v5.1.x. Supersedes previous Reference Guide releases.

Copyright

This documentation is provided under the terms of the Creative Commons Public License (CCPL).

For more information about what you can and cannot do with this documentation in accordance with the CCPL, please read: <http://creativecommons.org/licenses/by-nc-sa/2.0/>

Notices

Apache Hadoop, Hadoop, HDFS, HBase, Hive, Pig are trademarks of the Apache Software Foundation.

All other brands, product names, company names, trademarks and service marks are the properties of their respective owners.

Table of Contents

Preface	xix		
General information	xix		
Purpose	xix		
Audience	xix		
Typographical conventions	xix		
History of changes	xix		
Feedback and Support	xxi		
Big Data components	1		
tHBaseClose	2		
tHBaseClose properties	2		
Related scenario	2		
tHBaseConnection	3		
tHBaseConnection properties	3		
Related scenario	4		
tHBaseInput	5		
tHBaseInput properties	5		
Scenario: Exchanging customer data with HBase	6		
tHBaseOutput	13		
tHBaseOutput properties	13		
Related scenario	14		
tHCatalogInput	15		
tHCatalogInput Properties	15		
Related scenario	16		
tHCatalogLoad	17		
tHCatalogLoad Properties	17		
Related scenario	18		
tHCatalogOperation	19		
tHCatalogOperation Properties	19		
Scenario: HCatalog table management on Hortonworks Data Platform	24		
tHCatalogOutput	33		
tHCatalogOutput Properties	33		
Related scenario	35		
tHDFSConnection	36		
tHDFSConnection properties	36		
Related scenario	37		
tHDFSDelete	38		
tHDFSDelete properties	38		
Related scenario	39		
tHDFSGet	40		
tHDFSGet properties	40		
Scenario: Computing data with Hadoop distributed file system	41		
tHDFSInput	48		
tHDFSInput properties	48		
Related scenario	49		
tHDFSOutput	50		
tHDFSOutput properties	50		
Related scenario	51		
tHDFSPut	52		
tHDFSPut properties	52		
Related scenario	53		
tHiveClose	54		
tHiveClose properties	54		
Related scenario	54		
tHiveConnection	55		
tHiveConnection properties	55		
Related scenario	56		
tHiveInput	57		
tHiveInput properties	57		
Related scenarios	59		
tHiveRow	60		
tHiveRow properties	60		
Related scenarios	61		
tPigAggregate	63		
tPigAggregate Properties	63		
Related scenario	63		
tPigCode	64		
tPigCode Properties	64		
Scenario: Selecting a column of data from an input file and store it into a local file	64		
tPigCross	68		
tPigCross Properties	68		
Related scenario	68		
tPigDistinct	69		
tPigDistinct Properties	69		
Related scenario	69		
tPigFilterColumns	70		
tPigFilterColumns Properties	70		
Related Scenario	70		
tPigFilterRow	71		
tPigFilterRow Properties	71		
Scenario: Filtering rows of data based on a condition and saving the result to a local file	71		
tPigJoin	75		
tPigJoin Properties	75		
Scenario: Joining two files based on an exact match and saving the result to a local file	76		
tPigLoad	82		
tPigLoad Properties	82		
Related Scenario	84		
tPigSort	85		
tPigSort Properties	85		
Scenario: Sorting data in ascending order	85		
tPigStoreResult	89		
tPigStoreResult Properties	89		
Related Scenario	90		
tSqoopExport	91		
tSqoopExport Properties	91		
Related scenario	92		
tSqoopImport	93		
tSqoopImport Properties	93		
Related scenario	94		
tSqoopImportAllTables	95		
tSqoopImportAllTables Properties	95		
Related scenario	96		
Business components	97		
tAlfrescoOutput	98		
tAlfrescoOutput Properties	98		
Scenario: Creating documents on an Alfresco server	103		
tMarketoInput	108		
tMarketoInput Properties	108		
Related Scenario	110		
tMarketoListOperation	111		
tMarketoListOperation Properties	111		
Scenario: Adding a lead record to a list in the Marketo DB	112		
tMarketoOutput	116		
tMarketoOutput Properties	116		
Scenario: Data transmission between Marketo DB and an external system... ..	117		
tMicrosoftCrmInput	123		
tMicrosoftCrmInput Properties	123		
Scenario: Writing data in a Microsoft CRM database and putting conditions on columns to extract specified rows	124		
tMicrosoftCrmOutput	130		
tMicrosoftCrmOutput Properties	130		
Related Scenario	131		
tOpenbravoERPInput	132		
tOpenbravoERPInput properties	132		
Related Scenario	133		
tOpenbravoERPOutput	134		

tOpenbravoERPOutput properties	134	tSugarCRMInput Properties	204
Related scenario	134	Scenario: Extracting account data from SugarCRM	204
tSageX3Input	135	tSugarCRMOutput	207
tSageX3Input Properties	135	tSugarCRMOutput Properties	207
Scenario: Using query key to extract data from a given Sage X3 system.....	136	Related Scenario	207
tSageX3Output	140	tVtigerCRMInput	208
tSageX3Output Properties	140	tVtigerCRMInput Properties	208
Scenario: Using a Sage X3 Web service to insert data into a given Sage X3 system	141	Related Scenario	209
tSalesforceBulkExec	145	tVtigerCRMOutput	210
tSalesforceBulkExec Properties	145	tVtigerCRMOutput Properties	210
Related Scenario:	146	Related Scenario	211
tSalesforceConnection	147	Business Intelligence components	213
tSalesforceConnection properties	147	tDB2SCD	214
Related scenario	148	tDB2SCD properties	214
tSalesforceGetDeleted	149	Related scenarios	215
tSalesforceGetDeleted properties	149	tDB2SCELT	216
Scenario: Recovering deleted data from the Salesforce server	150	tDB2SCELT Properties	216
tSalesforceGetServerTimestamp	153	Related Scenario	218
tSalesforceGetServerTimestamp properties	153	tGreenplumSCD	219
Related scenarios	154	tGreenplumSCD Properties	219
tSalesforceGetUpdated	155	Related scenario	220
tSalesforceGetUpdated properties	155	tInformixSCD	221
Related scenarios	156	tInformixSCD properties	221
tSalesforceInput	157	Related scenario	222
tSalesforceInput Properties	157	tIngresSCD	223
Scenario: Using queries to extract data from a Salesforce database	159	tIngresSCD Properties	223
tSalesforceOutput	163	Related scenario	224
tSalesforceOutput Properties	163	tMSSqlSCD	225
Scenario 1: Deleting data from the Account object	165	tMSSqlSCD Properties	225
Scenario 2: Gathering erroneous data while inserting data to a module at Salesforce.com	166	Related scenario	226
tSalesforceOutputBulk	170	tMysqlSCD	227
tSalesforceOutputBulk Properties	170	tMysqlSCD Properties	227
Scenario: Inserting transformed bulk data into your Salesforce.com	170	Scenario: Tracking changes using Slowly Changing Dimensions (type 0 through type 3)	230
tSalesforceOutputBulkExec	175	tMysqlSCELT	238
tSalesforceOutputBulkExec Properties	175	tMysqlSCELT Properties	238
Scenario: Inserting bulk data into your Salesforce.com	176	Related Scenario	240
tSAPBWInput	180	tOracleSCD	241
tSAPBWInput Properties	180	tOracleSCD Properties	241
Scenario: Reading data from SAP BW database	181	Related scenario	242
tSAPCommit	185	tOracleSCELT	243
tSAPCommit Properties	185	tOracleSCELT Properties	243
Related scenario	185	Related Scenario	245
tSAPConnection	186	tPaloCheckElements	246
tSAPConnection properties	186	tPaloCheckElements Properties	246
Related scenarios	186	Related scenario	248
tSAPIInput	187	tPaloConnection	249
tSAPIInput Properties	187	tPaloConnection Properties	249
Scenario 1: Retrieving metadata from the SAP system	189	Related scenario	249
Scenario 2: Reading data in the different schemas of the RFC_READ_TABLE function	195	tPaloCube	250
tSAPOutput	201	tPaloCube Properties	250
tSAPOutput Properties	201	Scenario: Creating a cube in an existing database	252
Related scenario	202	tPaloCubeList	254
tSAPRollback	203	tPaloCubeList Properties	254
tSAPRollback properties	203	Discovering the read-only output schema of tPaloCubeList	255
Related scenarios	203	Scenario: Retrieving detailed cube information from a given database.....	256
tSugarCRMInput	204	tPaloDatabase	258
		tPaloDatabase Properties	258
		Scenario: Creating a database	259
		tPaloDatabaseList	261
		tPaloDatabaseList Properties	261
		Discovering the read-only output schema of tPaloDatabaseList	262
		Scenario: Retrieving detailed database information from a given Palo server	263
		tPaloDimension	265

tPaloDimension Properties	265	tAmazonMysqlCommit	331
Scenario: Creating a dimension with elements	269	tAmazonMysqlCommit Properties	331
tPaloDimensionList	274	Related scenario	331
tPaloDimensionList Properties	274	tAmazonMysqlConnection	332
Discovering the read-only output schema of tPaloDimensionList	276	tAmazonMysqlConnection Properties	332
Scenario: Retrieving detailed dimension information from a given database	276	Scenario: Inserting data in mother/ daughter tables	333
tPaloInputMulti	278	tAmazonMysqlInput	337
tPaloInputMulti Properties	278	tAmazonMysqlInput properties	337
Scenario: Retrieving dimension elements from a given cube	280	Scenario1: Writing columns from a MySQL database to an output file	338
tPaloOutput	284	tAmazonMysqlOutput	342
tPaloOutput Properties	284	tAmazonMysqlOutput properties	342
Related scenario	285	Scenario 1: Adding a new column and altering data in a DB table	346
tPaloOutputMulti	286	Scenario 2: Updating data in a database table	350
tPaloOutputMulti Properties	286	Scenario 3: Retrieve data in error with a Reject link	352
Scenario 1: Writing data into a given cube	288	tAmazonMysqlRollback	358
Scenario 2: Rejecting inflow data when the elements to be written do not exist in a given cube	291	tAmazonMysqlRollback properties	358
tPaloRule	295	Scenario: Rollback from inserting data in mother/daughter tables	358
tPaloRule Properties	295	tAmazonMysqlRow	360
Scenario: Creating a rule in a given cube	296	tAmazonMysqlRow properties	360
tPaloRuleList	299	Scenario 1: Removing and regenerating a MySQL table index	362
tPaloRuleList Properties	299	Scenario 2: Using PreparedStatement objects to query data	363
Discovering the read-only output schema of tPaloRuleList	300	tAmazonOracleClose	368
Scenario: Retrieving detailed rule information from a given cube	301	tAmazonOracleClose properties	368
tParAccelSCD	303	Related scenario	368
tParAccelSCD Properties	303	tAmazonOracleCommit	369
Related scenario	304	tAmazonOracleCommit Properties	369
tPostgresPlusSCD	305	Related scenario	369
tPostgresPlusSCD Properties	305	tAmazonOracleConnection	370
Related scenario	306	tAmazonOracleConnection Properties	370
tPostgresPlusSCDELT	307	Related scenario	371
tPostgresPlusSCDELT Properties	307	tAmazonOracleInput	372
Related Scenario	309	tAmazonOracleInput properties	372
tPostgresqlSCD	310	Related scenarios	373
tPostgresqlSCD Properties	310	tAmazonOracleOutput	374
Related scenario	311	tAmazonOracleOutput properties	374
tPostgresqlSCDELT	312	Related scenarios	377
tPostgresqlSCDELT Properties	312	tAmazonOracleRollback	378
Related Scenario	314	tAmazonOracleRollback properties	378
tSPSSInput	315	Related scenario	378
tSPSSInput properties	315	tAmazonOracleRow	379
Scenario: Displaying the content of an SPSS .sav file	315	tAmazonOracleRow properties	379
tSPSSOutput	318	Related scenarios	380
tSPSSOutput properties	318	tMarketoInput	382
Scenario: Writing data in an .sav file ..	318	tMarketoListOperation	383
tSPSSProperties	321	tMarketoOutput	384
tSPSSProperties properties	321	tSalesforceBulkExec	385
Related scenarios	321	tSalesforceConnection	386
tSPSSStructure	322	tSalesforceGetDeleted	387
tSPSSStructure properties	322	tSalesforceGetServerTimestamp	388
Related scenarios	322	tSalesforceGetUpdated	389
tSybaseSCD	323	tSalesforceInput	390
tSybaseSCD properties	323	tSalesforceOutput	391
Related scenarios	324	tSalesforceOutputBulk	392
tSybaseSCDELT	325	tSalesforceOutputBulkExec	393
tSybaseSCDELT Properties	325	tSugarCRMInput	394
Related Scenario	327	tSugarCRMOutput	395
Cloud components	329	Custom Code components	397
tAmazonMysqlClose	330	tGroovy	398
tAmazonMysqlClose properties	330	tGroovy properties	398
Related scenario	330	Related Scenarios	398
		tGroovyFile	399
		tGroovyFile properties	399

Scenario: Calling a file which contains Groovy code	399	Scenario 1: Checking and correcting the postal code, city and street	471
tJava	401	Scenario 2: Checking and correcting the postal code, city and street, as well as rejecting the unfeasible	475
tJava properties	401	Databases - traditional components	477
Scenario: Printing out a variable content	401	tAccessBulkExec	478
tJavaFlex	405	tAccessBulkExec properties	478
tJavaFlex properties	405	Related scenarios	479
Scenario 1: Generating data flow	405	tAccessCommit	480
Scenario 2: Processing rows of data with tJavaFlex	408	tAccessCommit Properties	480
tJavaRow	412	Related scenario	480
tJavaRow properties	412	tAccessConnection	481
Scenario: Transforming data line by line using tJavaRow	412	tAccessConnection Properties	481
tLibraryLoad	416	Scenario: Inserting data in parent/child tables	481
tLibraryLoad properties	416	tAccessInput	485
Scenario: Checking the format of an e-mail addressl	416	tAccessInput properties	485
tSetGlobalVar	419	Related scenarios	486
tSetGlobalVar properties	419	tAccessOutput	487
Scenario: Printing out the content of a global variable	419	tAccessOutput properties	487
Data Quality components	421	Related scenarios	489
tAddCRCRow	422	tAccessOutputBulk	490
tAddCRCRow properties	422	tAccessOutputBulk properties	490
Scenario: Adding a surrogate key to a file	422	Related scenarios	490
tChangeFileEncoding	425	tAccessOutputBulkExec	492
tExtractRegexFields	426	tAccessOutputBulkExec properties	492
tFuzzyMatch	427	Related scenarios	494
tFuzzyMatch properties	427	tAccessRollback	495
Scenario 1: Levenshtein distance of 0 in first names	428	tAccessRollback properties	495
Scenario 2: Levenshtein distance of 1 or 2 in first names	430	Related scenarios	495
Scenario 3: Metaphonic distance in first name	431	tAccessRow	496
tIntervalMatch	432	tAccessRow properties	496
tIntervalMatch properties	432	Related scenarios	497
Scenario: Identifying Ip country	432	tAS400Close	499
tReplaceList	435	tAS400Close properties	499
tReplaceList Properties	435	Related scenario	499
Scenario: Replacement from a reference file	436	tAS400Commit	500
tSchemaComplianceCheck	439	tAS400Commit Properties	500
tSchemaComplianceCheck Properties	439	Related scenario	500
Scenario: Validating data against schema	440	tAS400Connection	501
tUniqRow	444	tAS400Connection Properties	501
tUniqRow Properties	444	Related scenario	501
Scenario 1: Deduplicating entries	445	tAS400Input	503
tUniservBTGeneric	448	tAS400Input properties	503
tUniservBTGeneric properties	448	Related scenarios	504
Scenario: Execution of a Job in the	450	tAS400LastInsertId	505
tUniservRTConvertName	454	tAS400LastInsertId properties	505
tUniservRTConvertName properties	454	Related scenario	505
Scenario: Analysis of a name line and assignment of the salutation	455	tAS400Output	506
tUniservRTMailBulk	459	tAS400Output properties	506
tUniservRTMailBulk properties	459	Related scenarios	508
Scenario: Creating an index pool	459	tAS400Rollback	509
tUniservRTMailOutput	463	tAS400Rollback properties	509
tUniservRTMailOutput properties	463	Related scenarios	509
Related scenarios	464	tAS400Row	510
tUniservRTMailSearch	465	tAS400Row properties	510
tUniservRTMailSearch properties	465	Related scenarios	511
Scenario: Adding contacts to the mailRetrieval index pool	466	tDB2BulkExec	513
tUniservRTPost	470	tDB2BulkExec properties	513
tUniservRTPost properties	470	Related scenarios	515
		tDB2Close	516
		tDB2Close properties	516
		Related scenario	516
		tDB2Commit	517
		tDB2Commit Properties	517
		Related scenario	517
		tDB2Connection	518
		tDB2Connection properties	518
		Related scenarios	519
		tDB2Input	520
		tDB2Input properties	520

Related scenarios	521	Related scenarios	572
tDB2Output	522	tMSSqlOutputBulk	573
tDB2Output properties	522	tMSSqlOutputBulk properties	573
Related scenarios	525	Related scenarios	573
tDB2Rollback	526	tMSSqlOutputBulkExec	575
tDB2Rollback properties	526	tMSSqlOutputBulkExec properties	575
Related scenarios	526	Related scenarios	577
tDB2Row	527	tMSSqlRollback	578
tDB2Row properties	527	tMSSqlRollback properties	578
Related scenarios	528	Related scenario	578
tDB2SCD	530	tMSSqlRow	579
tDB2SCDELT	531	tMSSqlRow properties	579
tDB2SP	532	Related scenarios	581
tDB2SP properties	532	tMSSqlSCD	582
Related scenarios	533	tMSSqlSP	583
tInformixBulkExec	534	tMSSqlSP Properties	583
tInformixBulkExec Properties	534	Related scenario	584
Related scenario	536	tMSSqlTableList	586
tInformixClose	537	tMSSqlTableList Properties	586
tInformixClose properties	537	Related scenario	586
Related scenario	537	tMysqlBulkExec	587
tInformixCommit	538	tMysqlBulkExec properties	587
tInformixCommit properties	538	Related scenarios	589
Related Scenario	538	tMysqlClose	590
tInformixConnection	539	tMysqlClose properties	590
tInformixConnection properties	539	Related scenario	590
Related scenario	540	tMysqlColumnList	591
tInformixInput	541	tMysqlColumnList Properties	591
tInformixInput properties	541	Scenario: Iterating on a DB table and	
Related scenarios	541	listing its column names	591
tInformixOutput	542	tMysqlCommit	594
tInformixOutput properties	542	tMysqlCommit Properties	594
Related scenarios	544	Related scenario	594
tInformixOutputBulk	545	tMysqlConnection	595
tInformixOutputBulk properties	545	tMysqlConnection Properties	595
Related scenario	546	Scenario: Inserting data in mother/	
tInformixOutputBulkExec	547	daughter tables	595
tInformixOutputBulkExec properties	547	tMysqlInput	599
Related scenario	549	tMysqlInput properties	599
tInformixRollback	550	Scenario 1: Writing columns from a	
tInformixRollback properties	550	MySQL database to an output file	600
Related Scenario	550	Scenario 2: Using context parameters	
tInformixRow	551	when reading a table from a MySQL	
tInformixRow properties	551	database	603
Related scenarios	553	tMysqlLastInsertId	606
tInformixSCD	554	tMysqlLastInsertId properties	606
tInformixSP	555	Scenario: Get the ID for the last	
tInformixSP properties	555	inserted record	606
Related scenario	556	tMysqlOutput	611
tMSSqlBulkExec	558	tMysqlOutput properties	611
tMSSqlBulkExec properties	558	Scenario 1: Adding a new column	
Related scenarios	560	and altering data in a DB table	615
tMSSqlColumnList	561	Scenario 2: Updating data in a	
tMSSqlColumnList Properties	561	database table	619
Related scenario	561	Scenario 3: Retrieve data in error	
tMSSqlClose	562	with a Reject link	621
tMSSqlClose properties	562	tMysqlOutputBulk	626
Related scenario	562	tMysqlOutputBulk properties	626
tMSSqlCommit	563	Scenario: Inserting transformed data	
tMSSqlCommit properties	563	in MySQL database	627
Related scenarios	563	tMysqlOutputBulkExec	631
tMSSqlConnection	564	tMysqlOutputBulkExec properties	631
tMSSqlConnection properties	564	Scenario: Inserting data in MySQL	
Related scenarios	565	database	632
tMSSqlInput	566	tMysqlRollback	635
tMSSqlInput properties	566	tMysqlRollback properties	635
Related scenarios	567	Scenario: Rollback from inserting	
tMSSqlLastInsertId	568	data in mother/daughter tables	635
tMSSqlLastInsertId properties	568	tMysqlRow	637
Related scenario	568	tMysqlRow properties	637
tMSSqlOutput	569	Scenario 1: Removing and	
tMSSqlOutput properties	569	regenerating a MySQL table index	639

Scenario 2: Using PreparedStatement objects to query data	640	tPostgresqlOutputBulk	701
tMysqlSCD	645	tPostgresqlOutputBulk properties	701
tMysqlCDELT	646	Related scenarios	702
tMysqlSP	647	tPostgresqlOutputBulkExec	703
tMysqlSP Properties	647	tPostgresqlOutputBulkExec properties	703
Scenario: Finding a State Label using a stored procedure	648	Related scenarios	704
tMysqlTableList	651	tPostgresqlRollback	705
tMysqlTableList Properties	651	tPostgresqlRollback properties	705
Related scenario	651	Related scenario	705
tOracleBulkExec	652	tPostgresqlRow	706
tOracleBulkExec properties	652	tPostgresqlRow properties	706
Scenario: Truncating and inserting file data into Oracle DB	655	Related scenarios	707
tOracleClose	658	tPostgresqlSCD	708
tOracleClose properties	658	tPostgresqlSCDELT	709
Related scenario	658	tSybaseBulkExec	710
tOracleCommit	659	tSybaseBulkExec Properties	710
tOracleCommit Properties	659	Related scenarios	712
Related scenario	659	tSybaseClose	713
tOracleConnection	660	tSybaseClose properties	713
tOracleConnection Properties	660	Related scenario	713
Related scenario	661	tSybaseCommit	714
tOracleInput	662	tSybaseCommit Properties	714
tOracleInput properties	662	Related scenario	714
Scenario 1: Using context parameters when reading a table from an Oracle database	663	tSybaseConnection	715
Related scenarios	666	tSybaseConnection Properties	715
tOracleOutput	667	Related scenarios	715
tOracleOutput properties	667	tSybaseInput	716
Related scenarios	670	tSybaseInput Properties	716
tOracleOutputBulk	671	Related scenarios	717
tOracleOutputBulk properties	671	tSybaseIQBulkExec	718
Related scenarios	672	tSybaseIQBulkExec Properties	718
tOracleOutputBulkExec	673	Related scenarios	720
tOracleOutputBulkExec properties	673	tSybaseIQOutputBulkExec	721
Related scenarios	675	tSybaseIQOutputBulkExec properties	721
tOracleRollback	677	Related scenarios	723
tOracleRollback properties	677	tSybaseOutput	724
Related scenario	677	tSybaseOutput Properties	724
tOracleRow	678	Related scenarios	726
tOracleRow properties	678	tSybaseOutputBulk	728
Related scenarios	680	tSybaseOutputBulk properties	728
tOracleSCD	681	Related scenarios	729
tOracleSCDELT	682	tSybaseOutputBulkExec	730
tOracleSP	683	tSybaseOutputBulkExec properties	730
tOracleSP Properties	683	Related scenarios	732
Scenario: Checking number format using a stored procedure	685	tSybaseRollback	733
tOracleTableList	689	tSybaseRollback properties	733
tOracleTableList properties	689	Related scenarios	733
Related scenarios	689	tSybaseRow	734
tPostgresqlBulkExec	690	tSybaseRow Properties	734
tPostgresqlBulkExec properties	690	Related scenarios	736
Related scenarios	692	tSybaseSCD	737
tPostgresqlCommit	693	tSybaseSCDELT	738
tPostgresqlCommit Properties	693	tSybaseSP	739
Related scenario	693	tSybaseSP properties	739
tPostgresqlClose	694	Related scenarios	740
tPostgresqlClose properties	694	Databases - appliance/datawarehouse components	741
Related scenario	694	tGreenplumBulkExec	742
tPostgresqlConnection	695	tGreenplumBulkExec Properties	742
tPostgresqlConnection Properties	695	Related scenarios	744
Related scenario	695	tGreenplumClose	745
tPostgresqlInput	696	tGreenplumClose properties	745
tPostgresqlInput properties	696	Related scenario	745
Related scenarios	697	tGreenplumCommit	746
tPostgresqlOutput	698	tGreenplumCommit Properties	746
tPostgresqlOutput properties	698	Related scenario	746
Related scenarios	700	tGreenplumConnection	747
		tGreenplumConnection properties	747
		Related scenarios	747
		tGreenplumGPLoad	749

tGreenplumGPLoad properties	749	tParAccelBulkExec Properties	800
Related scenario	752	Related scenarios	802
tGreenplumInput	753	tParAccelClose	803
tGreenplumInput properties	753	tParAccelClose properties	803
Related scenarios	754	Related scenario	803
tGreenplumOutput	755	tParAccelCommit	804
tGreenplumOutput Properties	755	tParAccelCommit Properties	804
Related scenarios	757	Related scenario	804
tGreenplumOutputBulk	758	tParAccelConnection	805
tGreenplumOutputBulk properties	758	tParAccelConnection Properties	805
Related scenarios	759	Related scenario	805
tGreenplumOutputBulkExec	760	tParAccelInput	807
tGreenplumOutputBulkExec		tParAccelInput properties	807
properties	760	Related scenarios	808
Related scenarios	761	tParAccelOutput	809
tGreenplumRollback	762	tParAccelOutput Properties	809
tGreenplumRollback properties	762	Related scenarios	811
Related scenarios	762	tParAccelOutputBulk	812
tGreenplumRow	763	tParAccelOutputBulk properties	812
tGreenplumRow Properties	763	Related scenarios	813
Related scenarios	764	tParAccelOutputBulkExec	814
tGreenplumSCD	766	tParAccelOutputBulkExec Properties	
tIngresClose	767	814
tIngresClose properties	767	Related scenarios	815
Related scenario	767	tParAccelRollback	816
tIngresCommit	768	tParAccelRollback properties	816
tIngresCommit Properties	768	Related scenario	816
Related scenario	768	tParAccelRow	817
tIngresConnection	769	tParAccelRow Properties	817
tIngresConnection Properties	769	Related scenarios	819
Related scenarios	769	tParAccelSCD	820
tIngresInput	770	tTeradataClose	821
tIngresInput properties	770	tTeradataClose properties	821
Related scenarios	770	Related scenario	821
tIngresOutput	772	tTeradataCommit	822
tIngresOutput properties	772	tTeradataCommit Properties	822
Related scenarios	774	Related scenario	822
tIngresRollback	775	tTeradataConnection	823
tIngresRollback properties	775	tTeradataConnection Properties	823
Related scenarios	775	Related scenario	824
tIngresRow	776	tTeradataFastExport	825
tIngresRow properties	776	tTeradataFastExport Properties	825
Related scenarios	777	Related scenario	826
tIngresSCD	778	tTeradataFastLoad	827
tNetezzaBulkExec	779	tTeradataFastLoad Properties	827
tNetezzaBulkExec properties	779	Related scenario	828
Related scenarios	780	tTeradataFastLoadUtility	829
tNetezzaClose	781	tTeradataFastLoadUtility Properties ...	829
tNetezzaClose properties	781	Related scenario	830
Related scenario	781	tTeradataInput	831
tNetezzaCommit	782	tTeradataInput Properties	831
tNetezzaCommit Properties	782	Related scenarios	832
Related scenario	782	tTeradataMultiLoad	833
tNetezzaConnection	783	tTeradataMultiLoad Properties	833
tNetezzaConnection Properties	783	Related scenario	834
Related scenarios	783	tTeradataOutput	835
tNetezzaInput	784	tTeradataOutput Properties	835
tNetezzaInput properties	784	Related scenarios	838
Related scenarios	785	tTeradataRollback	839
tNetezzaNzLoad	786	tTeradataRollback Properties	839
tNetezzaNzLoad properties	786	Related scenario	839
Related scenario	791	tTeradataRow	840
tNetezzaOutput	792	tTeradataRow Properties	840
tNetezzaOutput properties	792	Related scenarios	842
Related scenarios	794	tTeradataTPTUtility	843
tNetezzaRollback	796	tTeradataTPTUtility Properties	843
tNetezzaRollback properties	796	Related scenario	845
Related scenarios	796	tTeradataTPump	846
tNetezzaRow	797	tTeradataTPump Properties	846
tNetezzaRow properties	797	Scenario: Inserting data into a	
Related scenarios	799	Teradata database table	847
tParAccelBulkExec	800	tVectorWiseCommit	851

tVectorWiseCommit Properties	851	Related scenario	851	Related scenario	903
tVectorWiseConnection	852	tEXARow	904	tEXARow properties	904
tVectorWiseConnection Properties	852	Related scenarios	905	tExistConnection	906
Related scenario	852	tExistConnection properties	906	Related scenarios	906
tVectorWiseInput	853	tExistDelete	908	tExistDelete properties	908
tVectorWiseInput Properties	853	Related scenario	909	Related scenario	909
Related scenario	854	tExistGet	910	tExistGet properties	910
tVectorWiseOutput	855	Scenario: Retrieve resources from a		remote eXist DB server	911
tVectorWiseOutput Properties	855	tExistList	914	tExistList properties	914
Related scenario	857	Related scenario	915	tExistPut	916
tVectorWiseRollback	858	tExistPut properties	916	Related scenario	917
tVectorWiseRollback Properties	858	Related scenario	917	tExistXQuery	918
Related scenario	858	tExistXUpdate	920	tExistXQuery properties	918
tVectorWiseRow	859	tExistXUpdate properties	920	Related scenario	919
tVectorWiseRow Properties	859	Related scenario	921	tExistXQuery	918
Related scenario	861	tFirebirdClose	922	tExistXQuery properties	918
tVerticaBulkExec	862	tFirebirdClose properties	922	Related scenario	919
tVerticaBulkExec Properties	862	Related scenario	922	tExistXUpdate	920
Related scenarios	863	tFirebirdCommit	923	tExistXUpdate properties	920
tVerticaClose	865	tFirebirdCommit Properties	923	Related scenario	921
tVerticaClose properties	865	Related scenario	923	tFirebirdConnection	924
Related scenario	865	tFirebirdConnection	924	tFirebirdConnection properties	924
tVerticaCommit	866	Related scenarios	924	Related scenarios	924
tVerticaCommit Properties	866	tFirebirdInput	925	tFirebirdInput	925
Related scenario	866	tFirebirdInput properties	925	Related scenarios	925
tVerticaConnection	867	Related scenarios	925	tFirebirdOutput	927
tVerticaConnection Properties	867	tFirebirdOutput	927	tFirebirdOutput properties	927
Related scenario	867	Related scenarios	929	Related scenarios	929
tVerticaInput	869	tFirebirdRollback	930	tFirebirdRollback	930
tVerticaInput Properties	869	tFirebirdRollback properties	930	tFirebirdRollback properties	930
Related scenarios	870	Related scenario	930	Related scenario	930
tVerticaOutput	871	tFirebirdRow	931	tFirebirdRow	931
tVerticaOutput Properties	871	tFirebirdRow properties	931	tFirebirdRow properties	931
Related scenarios	874	Related scenarios	932	Related scenarios	932
tVerticaOutputBulk	875	tHBaseClose	934	tHBaseClose	934
tVerticaOutputBulk Properties	875	tHBaseConnection	935	tHBaseConnection	935
Related scenarios	876	tHBaseInput	936	tHBaseInput	936
tVerticaOutputBulkExec	877	tHBaseOutput	937	tHBaseOutput	937
tVerticaOutputBulkExec Properties	877	tHiveClose	938	tHiveClose	938
Related scenarios	878	tHiveConnection	939	tHiveConnection	939
tVerticaRollback	879	tHiveInput	940	tHiveInput	940
tVerticaRollback Properties	879	tHiveRow	941	tHiveRow	941
Related scenario	879	tHSQLDbInput	942	tHSQLDbInput	942
tVerticaRow	880	tHSQLDbInput properties	942	tHSQLDbInput properties	942
tVerticaRow Properties	880	Related scenarios	943	Related scenarios	943
Related scenario	881	tHSQLDbOutput	945	tHSQLDbOutput	945
Databases - other components	883	tHSQLDbOutput properties	945	Related scenarios	948
tCreateTable	884	Related scenarios	948	tHSQLDbRow	949
tCreateTable Properties	884	tHSQLDbRow	949	tHSQLDbRow properties	949
Scenario: Creating new table in a		Related scenarios	951	Related scenarios	951
Mysql Database	886	tInterbaseClose	952	tInterbaseClose	952
tDBInput	888	tInterbaseClose properties	952	tInterbaseClose properties	952
tDBInput properties	888	Related scenario	952	Related scenario	952
Scenario 1: Displaying selected data		tInterbaseCommit	953	tInterbaseCommit	953
from DB table	889	tInterbaseCommit Properties	953	tInterbaseCommit Properties	953
Scenario 2: Using StoreSQLQuery		Related scenario	953	Related scenario	953
variable	890	tInterbaseConnection	954	tInterbaseConnection	954
tDBOutput	892	tInterbaseConnection properties	954	tInterbaseConnection properties	954
tDBOutput properties	892				
Scenario: Writing a row to a table					
in the MySql database via an ODBC					
connection	894				
tDBSQLRow	896				
tDBSQLRow properties	896				
Scenario: Resetting a DB auto-					
increment	897				
tEXAInput	899				
tEXAInput properties	899				
Related scenarios	900				
tEXAOutput	901				
tEXAOutput properties	901				

Related scenarios	954	tMaxDBOutput	1004
tInterbaseInput	955	tMaxDBOutput properties	1004
tInterbaseInput properties	955	Related scenario	1006
Related scenarios	955	tMaxDBRow	1007
tInterbaseOutput	957	tMaxDBRow properties	1007
tInterbaseOutput properties	957	Related scenario	1008
Related scenarios	959	tParseRecordSet	1009
tInterbaseRollback	960	tParseRecordSet properties	1009
tInterbaseRollback properties	960	Related Scenario	1009
Related scenarios	960	tPostgresPlusBulkExec	1010
tInterbaseRow	961	tPostgresPlusBulkExec properties	1010
tInterbaseRow properties	961	Related scenarios	1011
Related scenarios	962	tPostgresPlusClose	1012
tJavaDBInput	964	tPostgresPlusClose properties	1012
tJavaDBInput properties	964	Related scenario	1012
Related scenarios	964	tPostgresPlusCommit	1013
tJavaDBOutput	966	tPostgresPlusCommit Properties	1013
tJavaDBOutput properties	966	Related scenario	1013
Related scenarios	968	tPostgresPlusConnection	1014
tJavaDBRow	969	tPostgresPlusConnection Properties ...	1014
tJavaDBRow properties	969	Related scenario	1014
Related scenarios	970	tPostgresPlusInput	1016
tJDBCColumnList	971	tPostgresPlusInput properties	1016
tJDBCColumnList Properties	971	Related scenarios	1017
Related scenario	971	tPostgresPlusOutput	1018
tJDBCConnect	972	tPostgresPlusOutput properties	1018
tJDBCConnect properties	972	Related scenarios	1021
Related scenario	972	tPostgresPlusOutputBulk	1022
tJDBCCommit	973	tPostgresPlusOutputBulk properties ...	1022
tJDBCCommit Properties	973	Related scenarios	1023
Related scenario	973	tPostgresPlusOutputBulkExec	1024
tJDBCConnection	974	tPostgresPlusOutputBulkExec	
tJDBCConnection Properties	974	properties	1024
Related scenario	975	Related scenarios	1025
tJDBCInput	976	tPostgresPlusRollback	1026
tJDBCInput properties	976	tPostgresPlusRollback properties	1026
Related scenarios	977	Related scenarios	1026
tJDBCOutput	978	tPostgresPlusRow	1027
tJDBCOutput properties	978	tPostgresPlusRow properties	1027
Related scenarios	980	Related scenarios	1028
tJDBCRollback	981	tPostgresPlusSCD	1030
tJDBCRollback properties	981	tPostgresPlusSDELT	1031
Related scenario	981	tSasInput	1032
tJDBCRow	982	tSasInput properties	1032
tJDBCRow properties	982	Related scenarios	1033
Related scenarios	983	tSasOutput	1034
tJDBCSP	985	tSasOutput properties	1034
tJDBCSP Properties	985	Related scenarios	1036
Related scenario	986	tSQLiteClose	1037
tJDBCTableList	987	tSQLiteClose properties	1037
tJDBCTableList Properties	987	Related scenario	1037
Related scenario	987	tSQLiteCommit	1038
tLDAPAttributesInput	988	tSQLiteCommit Properties	1038
tLDAPAttributesInput Properties	988	Related scenario	1038
Related scenario	989	tSQLiteConnection	1039
tLDAPConnection	990	tSQLiteConnection properties	1039
tLDAPConnection Properties	990	Related scenarios	1039
Related scenarios	991	tSQLiteInput	1040
tLDAPInput	992	tSQLiteInput Properties	1040
tLDAPInput Properties	992	Scenario: Filtering SQLite data	1041
Scenario: Displaying LDAP		tSQLiteOutput	1043
directory's filtered content	993	tSQLiteOutput Properties	1043
tLDAPOutput	996	Related Scenario	1045
tLDAPOutput Properties	996	tSQLiteRollback	1046
Scenario: Editing data in a LDAP		tSQLiteRollback properties	1046
directory	997	Related scenarios	1046
tLDAPRenameEntry	1000	tSQLiteRow	1047
tLDAPRenameEntry properties	1000	tSQLiteRow Properties	1047
Related scenarios	1001	Scenario: Updating SQLite rows	1048
tMaxDBInput	1002	DotNET components	1051
tMaxDBInput properties	1002	tDotNETInstantiate	1052
Related scenario	1003	tDotNETInstantiate properties	1052

Related scenario	1053	tELTSybaseMap properties	1119
tDotNETRow	1054	Related scenarios	1120
tDotNETRow properties	1054	tELTSybaseOutput	1121
Scenario: Utilizing .NET in Talend...	1056	tELTSybaseOutput properties	1121
ELT components	1061	Related scenarios	1122
tCombinedSQLAggregate	1062	tELTTeradataInput	1123
tCombinedSQLAggregate properties ..	1062	tELTTeradataInput properties	1123
Scenario: Filtering and aggregating		Related scenarios	1123
table columns directly on the DBMS..	1063	tELTTeradataMap	1125
tCombinedSQLFilter	1068	tELTTeradataMap properties	1125
tCombinedSQLFilter Properties	1068	Related scenarios	1127
Related Scenario	1069	tELTTeradataOutput	1128
tCombinedSQLInput	1070	tELTTeradataOutput properties	1128
tCombinedSQLInput properties	1070	Related scenarios	1129
Related scenario	1071	tSQLTemplateAggregate	1130
tCombinedSQLOutput	1072	tSQLTemplateAggregate properties ...	1130
tCombinedSQLOutput properties	1072	Scenario: Filtering and aggregating	
Related scenario	1073	table columns directly on the DBMS..	1131
tELTJDBCInput	1074	tSQLTemplateCommit	1135
tELTJDBCInput properties	1074	tSQLTemplateCommit properties	1135
Related scenarios	1074	Related scenario	1136
tELTJDBCMap	1076	tSQLTemplateFilterColumns	1137
tELTJDBCMap properties	1076	tSQLTemplateFilterColumns	
Related scenario:	1077	Properties	1137
tELTJDBCOutput	1078	Related Scenario	1138
tELTJDBCOutput properties	1078	tSQLTemplateFilterRows	1139
Related scenarios	1079	tSQLTemplateFilterRows Properties ..	1139
tELTMSSqlInput	1080	Related Scenario	1140
tELTMSSqlInput properties	1080	tSQLTemplateMerge	1141
Related scenarios	1080	tSQLTemplateMerge properties	1141
tELTMSSqlMap	1082	Scenario: Merging data directly on	
tELTMSSqlMap properties	1082	the DBMS	1143
Related scenario:	1083	tSQLTemplateRollback	1149
tELTMSSqlOutput	1084	tSQLTemplateRollback properties	1149
tELTMSSqlOutput properties	1084	Related scenarios	1150
Related scenarios	1085	ESB components	1151
tELTMysqlInput	1086	tESBConsumer	1152
tELTMysqlInput properties	1086	tESBConsumer properties	1152
Related scenarios	1086	Scenario: Returning valid email	1154
tELTMysqlMap	1087	tESBProviderFault	1160
tELTMysqlMap properties	1087	tESBProviderFault properties	1160
Scenario 1: Aggregating table		Scenario: Returning Fault message....	1160
columns and filtering	1089	tESBProviderRequest	1170
Scenario 2: ELT using an Alias table..	1093	tESBProviderRequest properties	1170
tELTMysqlOutput	1097	Scenario: Service sending a message	
tELTMysqlOutput properties	1097	without expecting a response	1170
Related scenarios	1098	tESBProviderResponse	1180
tELTOracleInput	1099	tESBProviderResponse properties	1180
tELTOracleInput properties	1099	Scenario: Returning Hello world	
Related scenarios	1099	response	1180
tELTOracleMap	1100	tRESTRequest	1190
tELTOracleMap properties	1100	tRESTRequest properties	1190
Scenario: Updating Oracle DB		Scenario 1: REST service accepting	
entries	1102	a HTTP request and sending a	
tELTOracleOutput	1105	response	1191
tELTOracleOutput properties	1105	Scenario 2: Using URI Query	
Scenario: Using the Oracle MERGE		parameters to explore the data of a	
function to update and add data		database	1195
simultaneously	1106	tRESTResponse	1204
tELTPostgresqlInput	1111	tRESTResponse properties	1204
tELTPostgresqlInput properties	1111	Related scenario	1205
Related scenarios	1111	File components	1207
tELTPostgresqlMap	1113	tAdvancedFileOutputXML	1208
tELTPostgresqlMap properties	1113	tApacheLogInput	1209
Related scenario:	1114	tApacheLogInput properties	1209
tELTPostgresqlOutput	1115	Scenario: Reading an Apache access-	
tELTPostgresqlOutput properties	1115	log file	1210
Related scenarios	1116	tCreateTemporaryFile	1211
tELTSybaseInput	1117	tCreateTemporaryFile properties	1211
tELTSybaseInput properties	1117	Scenario: Creating a temporary file	
Related scenarios	1117	and writing data in it	1212
tELTSybaseMap	1119	tChangeFileEncoding	1216

tChangeFileEncoding Properties	1216	of different .properties files and outputting the results in a glossary	1287
Scenario: Transforming the character encoding of a file	1216	tFileInputRegex	1291
tFileArchive	1218	tFileInputRegex properties	1291
tFileArchive properties	1218	Scenario: Regex to Positional file	1292
Scenario: Zip files using a tFileArchive	1219	tFileInputXML	1295
tFileCompare	1221	tFileList	1296
tFileCompare properties	1221	tFileList properties	1296
Scenario: Comparing unzipped files	1222	Scenario: Iterating on a file directory	1298
tFileCopy	1224	tFileOutputARFF	1301
tFileCopy Properties	1224	tFileOutputARFF properties	1301
Scenario: Restoring files from bin	1225	Related scenarios	1302
tFileDelete	1227	tFileOutputDelimited	1303
tFileDelete Properties	1227	tFileOutputDelimited properties	1303
Scenario: Deleting files	1228	Scenario 1: Writing data in a delimited file	1305
tFileExist	1229	Scenario 2: Utilizing Output Stream to save filtered data to a local file	1308
tFileExist Properties	1229	tFileOutputExcel	1311
Scenario: Checking for the presence of a file and creating it if it does not exist	1230	tFileOutputExcel Properties	1311
tFileInputARFF	1234	Related scenario	1313
tFileInputARFF properties	1234	tFileOutputJSON	1314
Scenario: Display the content of a ARFF file	1234	tFileOutputJSON properties	1314
tFileInputDelimited	1238	Scenario: Writing a JSON structured file	1314
tFileInputDelimited properties	1238	tFileOutputLDIF	1318
Scenario: Delimited file content display	1239	tFileOutputLDIF Properties	1318
Scenario 2: Reading data from a remote file in streaming mode	1241	Scenario: Writing DB data into an LDIF-type file	1319
tFileInputExcel	1245	tFileOutputMSDelimited	1322
tFileInputExcel properties	1245	tFileOutputMSDelimited properties	1322
Related scenarios	1247	Related scenarios	1323
tFileInputFullRow	1248	tFileOutputMSPositional	1324
tFileInputFull Row properties	1248	tFileOutputMSPositional properties	1324
Scenario: Reading full rows in a delimited file	1249	Related scenario	1325
tFileInputJSON	1251	tFileOutputMSXML	1326
tFileInputJSON properties	1251	tFileOutputMSXML Properties	1326
Scenario: Extracting data from the fields of a JSON format file	1252	Related scenario	1331
tFileInputLDIF	1254	tFileOutputPositional	1332
tFileInputLDIF Properties	1254	tFileOutputPositional Properties	1332
Related scenario	1255	Related scenario	1333
tFileInputMail	1256	tFileOutputProperties	1335
tFileInputMail properties	1256	tFileOutputProperties properties	1335
Scenario: Extracting key fields from an email	1257	Related scenarios	1335
tFileInputMSDelimited	1259	tFileOutputXML	1336
tFileInputMSDelimited properties	1259	tFileProperties	1337
Scenario: Reading a multi structure delimited file	1261	tFileProperties Properties	1337
tFileInputMSPositional	1267	Scenario: Displaying the properties of a processed file	1337
tFileInputMSPositional properties	1267	tFileRowCount	1339
Scenario: Reading data from a positional file	1268	tFileRowCount properties	1339
tFileInputMSXML	1272	Related scenario	1340
tFileInputMSXML Properties	1272	tFileTouch	1341
Scenario: Reading a multi structure XML file	1273	tFileTouch properties	1341
tFileInputPositional	1276	Related scenario	1341
tFileInputPositional properties	1276	tFileUnarchive	1342
Scenario 1: From Positional to XML file	1278	tFileUnarchive Properties	1342
Scenario 2: Handling a positional file based on a dynamic schema	1281	Related scenario	1343
tFileInputProperties	1287	tGPGDecrypt	1344
tFileInputProperties properties	1287	tGPGDecrypt Properties	1344
Scenario: Reading and matching the keys and the values	1287	Scenario: Decrypt a GnuPG- encrypted file and display its content	1344
		tHDFSConnection	1347
		tHDFSDelete	1348
		tHDFSGet	1349
		tHDFSInput	1350
		tHDFSOutput	1351
		tHDFSPut	1352
		tNamedPipeClose	1353
		tNamedPipeClose properties	1353
		Related scenario	1353
		tNamedPipeOpen	1354

tNamedPipeOpen properties	1354	tPOP properties	1411
Related scenario	1354	Scenario: Retrieving a selection of email messages from an email server..	1412
tNamedPipeOutput	1355	tREST	1415
tNamedPipeOutput properties	1355	tREST properties	1415
Scenario: Writing and loading data through a named-pipe	1356	Scenario: Creating and retrieving data by invoking REST Web service..	1416
tPivotToColumnsDelimited	1361	tRSSInput	1419
tPivotToColumnsDelimited		tRSSInput Properties	1419
Properties	1361	Scenario: Fetching frequently updated blog entries.	1419
Scenario: Using a pivot column to aggregate data	1361	tRSSOutput	1422
tSqoopExport	1364	tRSSOutput Properties	1422
tSqoopImport	1365	Scenario 1: Creating an RSS flow and storing files on an FTP server	1423
tSqoopImportAllTables	1366	Scenario 2: Creating an RSS flow that contains metadata	1427
Internet components	1367	Scenario 3: Creating an ATOM feed XML file	1429
tFileFetch	1368	tSCPClose	1433
tFileFetch properties	1368	tSCPClose Properties	1433
Scenario 1: Fetching data through HTTP	1370	Related scenario	1433
Scenario 2: Reusing stored cookie to fetch files through HTTP	1371	tSCPConnection	1434
Related scenario	1373	tSCPConnection properties	1434
tFileInputJSON	1374	Related scenarios	1434
tFTPConnection	1375	tSCPDelete	1435
tFTPConnection properties	1375	tSCPDelete properties	1435
Related scenarios	1375	Related scenario	1435
tFTPDelete	1377	tSCPFileExists	1436
tFTPDelete properties	1377	tSCPFileExists properties	1436
Related scenario	1377	Related scenario	1436
tFTPFileExist	1378	tSCPFileList	1437
tFTPFileExist properties	1378	tSCPFileList properties	1437
Related scenario	1379	Related scenario	1437
tFTPFileList	1380	tSCPGet	1438
tFTPFileList properties	1380	tSCPGet properties	1438
Scenario: Iterating on a remote directory	1381	Scenario: Getting files from a remote SCP server	1438
tFTPFileProperties	1385	tSCPput	1440
tFTPFileProperties Properties	1385	tSCPput properties	1440
Related scenario	1386	Related scenario	1440
tFTPGet	1387	tSCPRename	1441
tFTPGet properties	1387	tSCPRename properties	1441
Related scenario	1388	Related scenario	1441
tFTPput	1389	tSCPTruncate	1442
tFTPput properties	1389	tSCPTruncate properties	1442
Scenario: Putting files on a remote FTP server	1390	Related scenario	1442
tFTPRename	1393	tSendMail	1443
tFTPRename Properties	1393	tSendMail Properties	1443
Related scenario	1394	Scenario: Email on error	1444
tFTPTruncate	1395	tSetKerberosConfiguration	1446
tFTPTruncate properties	1395	tSetKerberosConfiguration	
Related scenario	1396	properties	1446
tHttpRequest	1397	Related scenarios	1446
tHttpRequest properties	1397	tSetKeystore	1447
Scenario: Sending a HTTP request to the server and saving the response information to a local file	1398	tSetKeystore properties	1447
tJMSInput	1400	Scenario: Extracting customer information from a private WSDL file	1448
tJMSInput properties	1400	tSocketInput	1452
Related scenarios	1401	tSocketInput properties	1452
tJMSOutput	1402	Scenario: Passing on data to the listening port	1453
tJMSOutput properties	1402	tSocketOutput	1456
Related scenarios	1403	tSocketOutput properties	1456
tMicrosoftMQInput	1404	Related Scenario	1456
tMicrosoftMQInput Properties	1404	tSOAP	1457
Scenario: Writing and fetching queuing messages from Microsoft message queue	1405	tSOAP properties	1457
tMicrosoftMQOutput	1409	Scenario 1: Extracting the weather information using a Web service	1459
tMicrosoftMQOutput Properties	1409	Scenario 2: Using a SOAP message from an XML file to get	
Related scenario	1410		
tPOP	1411		

weather information and saving the information to an XML file	1461	tContextLoad	1524
tWebServiceInput	1465	tContextLoad properties	1524
tWebServiceInput Properties	1465	Scenario: Dynamic context use in MySQL DB insert	1525
Scenario 1: Extracting images through a Web service	1466	tFixedFlowInput	1528
Scenario 2: Reading the data published on a Web service using the tWebServiceInput advanced features ..	1468	tFixedFlowInput properties	1528
tXMLRPCInput	1473	Related scenarios	1528
tXMLRPCInput Properties	1473	tMemorizeRows	1530
Scenario: Guessing the State name from an XMLRPC	1473	tMemorizeRows properties	1530
Logs & Errors components	1477	Scenario: Counting the occurrences of different ages	1531
tAssert	1478	tMsgBox	1536
tAssert Properties	1478	tMsgBox properties	1536
Scenario: Setting up the assertive condition for a Job execution	1478	Scenario: 'Hello world!' type test	1536
tAssertCatcher	1484	tRowGenerator	1538
tAssertCatcher Properties	1484	tRowGenerator properties	1538
Related scenarios	1485	Scenario: Generating random java data	1539
tChronometerStart	1486	Orchestration components	1543
tChronometerStart Properties	1486	tFileList	1544
Related scenario	1486	tFlowToIterate	1545
tChronometerStop	1487	tFlowToIterate Properties	1545
tChronometerStop Properties	1487	Scenario: Transforming data flow to a list	1545
Scenario: Measuring the processing time of a subjob and part of a subjob ..	1487	tForeach	1549
tDie	1491	tForeach Properties	1549
tDie properties	1491	Scenario: Iterating on a list and retrieving the values	1549
Related scenarios	1491	tInfiniteLoop	1551
tFlowMeter	1492	tInfiniteLoop Properties	1551
tFlowMeter Properties	1492	Related scenario	1551
Related scenario	1492	tIterateToFlow	1552
tFlowMeterCatcher	1493	tIterateToFlow Properties	1552
tFlowMeterCatcher Properties	1493	Scenario: Transforming a list of files as data flow	1553
Scenario: Catching flow metrics from a Job	1494	tLoop	1555
tLogCatcher	1497	tLoop Properties	1555
tLogCatcher properties	1497	Scenario: Job execution in a loop	1556
Scenario 1: warning & log on entries ..	1497	tPostjob	1558
Scenario 2: Log & kill a Job	1499	tPostjob Properties	1558
tLogRow	1501	Related scenario	1558
tLogRow properties	1501	tPrejob	1559
Scenario: Delimited file content display	1502	tPrejob Properties	1559
tStatCatcher	1503	Related scenario	1559
tStatCatcher Properties	1503	tReplicate	1560
Scenario: Displaying job stats log	1503	tReplicate Properties	1560
tWarn	1506	Related scenario	1560
tWarn Properties	1506	tRunJob	1561
Related scenarios	1506	tSleep	1562
Misc group components	1507	tSleep Properties	1562
tAddLocationFromIP	1508	Related scenarios	1562
tAddLocationFromIP Properties	1508	tUnite	1563
Scenario: Identifying a real-world geographic location of an IP	1508	tUnite Properties	1563
tBufferInput	1511	Scenario: Iterate on files and merge the content	1564
tBufferInput properties	1511	tWaitForFile	1567
Scenario: Retrieving bufferized data ..	1511	tWaitForFile properties	1567
tBufferOutput	1514	Scenario: Waiting for a file to be removed	1569
tBufferOutput properties	1514	tWaitForSocket	1571
Scenario 1: Buffering data (Java)	1514	tWaitForSocket properties	1571
Scenario 2: Buffering output data on the webapp server	1516	Related scenario	1572
Scenario 3: Calling a Job with context variables from a browser	1519	tWaitForSqlData	1573
Scenario 4: Calling a Job exported as Webservice in another Job	1521	tWaitForSqlData properties	1573
tContextDump	1523	Scenario: Waiting for insertion of rows in a table	1574
tContextDump properties	1523	Processing components	1577
Related Scenario	1523	tAggregateRow	1578
		tAggregateRow properties	1578
		Scenario 1: Aggregating values and sorting data	1579
		tAggregateSortedRow	1582

tAggregateSortedRow properties	1582	tReplace	1661
Related scenario	1583	tReplace Properties	1661
tConvertType	1584	Scenario: multiple replacements and	
tConvertType properties	1584	column filtering	1661
Scenario: Converting java types	1584	tSampleRow	1665
tDenormalize	1589	tSampleRow properties	1665
tDenormalize Properties	1589	Scenario: Filtering rows and groups	
Scenario 1: Denormalizing on one		of rows	1665
column	1589	tSortRow	1668
Scenario 2: Denormalizing on		tSortRow properties	1668
multiple columns	1591	Scenario 1: Sorting entries	1669
tDenormalizeSortedRow	1593	tSplitRow	1671
tDenormalizeSortedRow properties	1593	tSplitRow properties	1671
Scenario: Regrouping sorted rows	1593	Scenario 1: Splitting one row into	
tExternalSortRow	1597	two rows	1671
tExternalSortRow properties	1597	tWriteJSONField	1675
Related scenario	1598	tWriteJSONField properties	1675
tExtractDelimitedFields	1599	Related Scenario	1675
tExtractDelimitedFields properties	1599	tXMLMap	1676
Scenario: Extracting fields from a		tXMLMap properties	1676
comma-delimited file	1600	Scenario 1: Mapping and	
tExtractEBCDICFields	1603	transforming XML data	1676
tExtractEBCDICFields properties	1603	Scenario 2: Launching a lookup	
Related scenario	1604	in a second XML flow to join	
tExtractPositionalFields	1605	complementary data	1681
tExtractPositionalFields properties	1605	Scenario 3: Mapping data using a	
Related scenario	1606	filter	1686
tExtractRegexFields	1607	Scenario 4: Catching the data	
tExtractRegexFields properties	1607	rejected by lookup and filter	1688
Scenario: Extracting name, domain		Scenario 5: Mapping data using a	
and TLD from e-mail addresses	1608	group element	1691
tExtractXMLField	1611	Scenario 6: classing the output data	
tFilterColumns	1612	with aggregate element	1696
tFilterColumns Properties	1612	Scenario 7: Restructuring products	
Related Scenario	1612	data using multiple loop elements	1699
tFilterRow	1613	System components	1709
tFilterRow Properties	1613	tRunJob	1710
Scenario: Filtering and searching a		tRunJob Properties	1710
list of names	1613	Scenario: Executing a child Job	1712
tJoin	1617	tSetEnv	1716
tJoin properties	1617	tSetEnv Properties	1716
Scenario 1: Doing an exact match on		Scenario: Modifying a variable	
two columns and outputting the main		during a Job execution	1716
and rejected data	1617	tSSH	1719
tMap	1622	tSSH Properties	1719
tMap properties	1622	Scenario: Remote system	
Scenario 1: Mapping data using a		information display via SSH	1721
filter and a simple explicit join	1622	tSystem	1723
Scenario 2: Mapping data using inner		tSystem Properties	1723
join rejections	1626	Scenario: Echo 'Hello World!'	1725
Scenario 3: Cascading join mapping..	1630	Talend MDM components	1727
Scenario 4: Advanced mapping using		tMDMBulkLoad	1728
filters, explicit joins and rejections	1630	tMDMBulkLoad properties	1728
Scenario 5: Advanced mapping with		Scenario: Loading records into a	
filters and different rejections	1634	business entity	1731
Scenario 6: Advanced mapping with		tMDMClose	1736
lookup reload at each row	1638	tMDMClose properties	1736
Scenario 7: Mapping with join output		Related scenario	1736
tables	1644	tMDMConnection	1737
tNormalize	1648	tMDMConnection properties	1737
tNormalize Properties	1648	Related scenario	1737
Scenario: Normalizing data	1648	tMDMDelete	1738
tPigAggregate	1651	tMDMDelete properties	1738
tPigCode	1652	Scenario: Deleting master data from	
tPigCross	1653	an MDM Hub	1739
tPigDistinct	1654	tMDMInput	1745
tPigFilterColumns	1655	tMDMInput properties	1745
tPigFilterRow	1656	Scenario: Reading master data in an	
tPigJoin	1657	MDM hub	1746
tPigLoad	1658	tMDMOutput	1749
tPigSort	1659	tMDMOutput properties	1749
tPigStoreResult	1660		

Scenario: Writing master data in an MDM hub	1752	tXSLT Properties	1849
tMDMReceive	1757	Scenario: Transforming XML to html using an XSL stylesheet	1849
tMDMReceive properties	1757		
Related scenario	1758		
tMDMRouteRecord	1759		
tMDMRouteRecord properties	1759		
Scenario: Routing a record to Event Manager	1760		
tMDMSP	1768		
tMDMSP Properties	1768		
Scenario: Executing a stored procedure in the MDM Hub	1769		
tMDMTriggerInput	1774		
tMDMTriggerInput properties	1774		
Scenario: Exchanging the event information about an MDM record	1775		
tMDMTriggerOutput	1787		
tMDMTriggerOutput properties	1787		
Related scenario	1788		
tMDMViewSearch	1789		
tMDMViewSearch properties	1789		
Scenario: Retrieving records from an MDM hub via an existing view	1791		
Technical components	1795		
tHashInput	1796		
tHashInput Properties	1796		
Scenario 1: Reading data from the cache memory for high-speed data access	1796		
Scenario 2: Clearing the memory before loading data to it in case an iterator exists in the same subjob	1800		
tHashOutput	1805		
tHashOutput Properties	1805		
Related scenarios	1806		
XML components	1807		
tAdvancedFileOutputXML	1808		
tAdvancedFileOutputXML properties	1808		
Scenario: Creating an XML file using a loop	1814		
tDTDValidator	1819		
tDTDValidator Properties	1819		
Scenario: Validating XML files	1819		
tExtractXMLField	1822		
tExtractXMLField properties	1822		
Scenario 1: Extracting XML data from a field in a database table	1823		
Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file	1825		
tFileInputXML	1829		
tFileInputXML Properties	1829		
Scenario 1: Reading and extracting data from an XML structure	1831		
Scenario 2: Extracting erroneous XML data via a reject flow	1832		
tFileOutputXML	1836		
tFileOutputXML properties	1836		
Related scenarios	1838		
tWriteXMLField	1839		
tWriteXMLField properties	1839		
Scenario: Extracting the structure of an XML file and inserting it into the fields of a database table	1840		
tXMLMap	1844		
tXSDValidator	1845		
tXSDValidator Properties	1845		
Scenario: Validating data flows against an XSD file	1845		
tXSLT	1849		

Preface

General information

Purpose

This Reference Guide provides use cases and details about how to set parameters for the major components found in the **Palette** of *Talend Open Studio for Big Data*.

Information presented in this document applies to *Talend Open Studio for Big Data* releases version 5.1.x.

Audience



This guide is for users and administrators of *Talend Open Studio for Big Data*.



The layout of GUI screens provided in this document may vary slightly from your actual GUI.

Typographical conventions

This guide uses the following typographical conventions:

- text in **bold**: window and dialog box buttons and fields, keyboard keys, menus, and menu options,
- text in [**bold**]: window, wizard, and dialog box titles,
- text in `courier`: system parameters typed in by the user,
- text in *italics*: file, schema, column, row, and variable names referred to in all use cases, and also names of the fields in the Basic and Advanced setting views referred to in the property table for each component,
- The  icon indicates an item that provides additional information about an important point. It is also used to add comments related to a table or a figure,
- The  icon indicates a message that gives information about the execution requirements or recommendation type. It is also used to refer to situations or information the end-user need to be aware of or pay special attention to.

History of changes

The following table lists changes made in the *Talend Open Studio for Big Data Reference Guide*.

Version	Date	History of Change
v5.0_a	12/12/2011	Updates in <i>Talend Open Studio for Big Data Reference Guide</i> include:

Version	Date	History of Change
		<ul style="list-style-type: none"> • Post-migration restructuring. • Updated documentation to reflect new product names. For further information , see the Talend website. • Added Cloud, Technical and DotNET chapters. • New components in the Business Intelligence, Data Quality, ESB, Technical, Processing, Cloud, DotNET chapters include: tHashInput, tHashOutput, tJasperOutput, tSplitRow, tRESTRrequest components... • Modifications in the settings and scenarios of many components to match the modifications in the GUI.
v5.0_b	13/02/2012	<p>Updates in <i>Talend Open Studio for Big Data Reference Guide</i> include:</p> <ul style="list-style-type: none"> • Updated the formatting of parts of the Components Reference Guide. • Added a legal notice to the Components Reference Guide. • Added a new component in the Business chapter: tSAPBWInput. • Updated the properties tables and scenarios of certain components to match the modifications in the GUI.
v5.1_a	28/05/2012	<p>Updates in <i>Talend Open Studio for Big Data Reference Guide</i> include:</p> <ul style="list-style-type: none"> • Created <i>Talend Open Studio for Big Data Reference Guide</i>. • Added Big Data family components. • New components in the Big Data chapter include: tHCatalogInput, tHCatalogLoad, tHCatalogOperation and tHCatalogOutput. • Updated the Properties tables and scenarios of certain components to match the modifications in the GUI. • New components in the Internet family: tSetKerberosConfiguration. • New components in the Data Quality family: tUniservBTGeneric, tUniservRTConvertName, tUniservRTMailBulk, tUniservRTMailOutput, tUniservRTMailSearch and tUniservRTPost.
v5.1_b	05/07/2012	<p>Updates in <i>Talend Open Studio for Big Data Reference Guide</i> include:</p> <ul style="list-style-type: none"> • Split the Databases chapter into three chapters: <i>Databases - traditional compoments</i>, <i>Databases - appliance components</i>, and <i>Databases - other components</i>. • Added a scenario for tFileInputMSPositional.

Version	Date	History of Change
		<ul style="list-style-type: none">• Added information regarding missing JARs for certain components.• Adapted the documentation of a number of components to <i>Talend Open Studio for Big Data</i>.

Feedback and Support

Your feedback is valuable. Do not hesitate to give your input, make suggestions or requests regarding this documentation or product and find support from the **Talend** team, on **Talend**'s Forum website at:

<http://talendforge.org/forum>

Big Data components

This chapter details the main components that you can find in **Big Data** family of the **Palette**.

This document will provide you with an overview of our big data components for Hadoop Distributed File System (HDFS), HBase, Hive, Pig and Sqoop. To reference the remainder of the studio, please refer to *Talend Open Studio for Big Data User Guide*.



*For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.*

Also, if you have any questions, concerns or general comments please take part in our product forums which can be found at: <http://www.talendforge.org/forum/index.php>

Thank you for using Talend Open Studio for Big Data.

tHBaseClose



tHBaseClose properties

Component family	Big Data / HBase	
Function	tHBaseClose closes the transaction committed in the connected DB.	
Purpose	This component closes a transaction.	
Basic settings	<i>Component list</i>	Select the tHBaseConnection component in the list if more than one connection are planned for the current Job.
Advanced settings	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component is to be used along with HBase components, especially with tHBaseConnection .	
Limitation	n/a	

Related scenario

For a scenario in which **tHBaseClose** is used, see [the section called “ Scenario: Exchanging customer data with HBase ”](#).

tHBaseConnection



tHBaseConnection properties

Component Family	Big Data / HBase	
Function	tHBaseConnection opens a connection to a database in order to make a transaction.	
Purpose	This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in . - Built-in : no property data stored centrally.
	<i>HBase version</i>	Select a HBase version from the list: Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper. Apache 0.20.203: You need to precise the access to the Apache 0.20.203 to be used. Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used.
	<i>Zookeeper quorum</i>	Type in the name or the URL of the Zookeeper service you use to coordinate the transaction between Talend and HBase.
	<i>Zookeeper client port</i>	Type in the number of the client listening port of the Zookeeper service you are using.
Advanced settings	<i>Properties</i>	If you need to use custom configuration for your HBase, complete this table with the property or properties to be customized. Then at runtime, the customized property or properties will override those corresponding ones defined earlier for your HBase. For example, you need to define the value of the <i>dfs.replication</i> property as <i>1</i> for the HBase configuration. Then you need to add one row to this table using the plus button and type in the name and the value of this property in this row.
	<i>tStatCatcher Statistics</i>	Select this check box to collect the log data at a component level.
Usage	This component is generally used with other HBase components, particularly tHBaseClose .	
Limitation	n/a	

Related scenario


For a scenario in which **tHBaseConnection** is used, see [the section called “ Scenario: Exchanging customer data with HBase ”](#).

tHBaseInput




tHBaseInput properties

Component family	Big Data / HBase	
Function	tHBaseInput reads the corresponding database and extracts fields of selection.	
Purpose	tHBaseInput extracts columns corresponding to schema definition. Then it passes these columns to the next component via a Main row link.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in . - Built-in : No property data stored centrally.
	<i>Use an existing connection</i>	Select this check box and select the appropriate tHBaseConnection component from the Component list if you want to re-use the connection parameters that you have already defined.
	<i>HBase version</i>	Select a HBase version from the list: Hortonworks Data Platform 1.0 : You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper. Apache 0.20.203 : You need to precise the access to the Apache 0.20.203 to be used. Apache 1.0.0 : You need to precise the access to the Apache Hadoop 1.0.0 to be used.
	<i>Zookeeper quorum</i>	Type in the name or the URL of the Zookeeper service you use to coordinate the transaction between Talend and HBase.
	<i>Zookeeper client port</i>	Type in the number of the client listening port of the Zookeeper service you are using.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in : The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table name</i>	Type in the name of the HBase table from which you need to extract columns.
	<i>Mapping</i>	Complete this table to specify the column or columns to be extracted and the corresponding column family or families. The Column column of this table is automatically filled once you have defined the schema.

Advanced settings	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
	<i>Properties</i>	<p>If you need to use custom configuration for your HBase, complete this table with the property or properties to be customized. Then at runtime, the customized property or properties will override those corresponding ones defined earlier for your HBase.</p> <p>For example, you need to define the value of the <i>dfs.replication</i> property as <i>1</i> for the HBase configuration. Then you need to add one row to this table using the plus button and type in the name and the value of this property in this row.</p> <p> This table is not available when you are using an existing connection by selecting the Using an existing connection check box in the Basic settings view.</p>
Usage	This component is a start component of a Job and always needs an output link.	

Scenario: Exchanging customer data with HBase

In this scenario, a six-component Job is used to exchange customer data with a given HBase.



The six components are:

- **tHBaseConnection**: creates a connection to your HBase database.
- **tFixedFlowInput**: creates the data to be written into your HBase. In the real use case, this component could be replaced by the other input components like **tFileInputDelimited**.

- **tHBaseOutput**: writes the data it receives from the preceding component into your HBase.
- **tHBaseInput**: extracts the columns of interest from your HBase.
- **tLogRow**: presents the execution result.
- **tHBaseClose**: closes the transaction.

To replicate this scenario, proceed as the following sections illustrate.



Before starting the replication, your Hbase and Zookeeper service should have been correctly installed and well configured. This scenario explains only how to use Talend solution to make data transaction with a given HBase.

Dropping and linking the components

To do this, proceed as follows:


1. Drop **tHBaseConnection**, **tFixedFlowInput**, **tHBaseOutput**, **tHBaseInput**, **tLogRow** and **tHBaseClose** from Palette onto the Design workspace.
2. Right-click **tHBaseConnection** to open its contextual menu and select the **Trigger > On Subjob Ok** link from this menu to connect this component to **tFixedFlowInput**.
3. Do the same to create the **OnSubjobOk** link from **tFixedFlowInput** to **tHBaseInput** and then to **tHBaseClose**.
4. Right-click **tFixedFlowInput** and select the **Row > Main** link to connect this component to **tHBaseOutput**.
5. Do the same to create the **Main** link from **tHBaseInput** to **tLogrow**.

The components to be used in this scenario are all placed and linked. Then you need continue to configure them successively.

Configuring the connection

To configure the connection to your Zookeeper service and thus to the HBase of interest, proceed as follows:

1. On the Design workspace of your Studio, double-click the **tHBaseConnection** component to open its **Component** view.




2. Select **Hortonworks Data Platform 1.0** from the **HBase version** list.
3. In the **Zookeeper quorum** field, type in the name or the URL of the Zookeeper service you are using. In this example, the name of the service in use is *hbase*.

- In the **Zookeeper client port** field, type in the number of client listening port. In this example, it is *2181*.


Configuring the process of writing data into the HBase

To do this, proceed as follows:

- On the Design workspace, double-click the **tFixedFlowInput** component to open its **Component** view.



- In this view, click the three-dot button next to **Edit schema** to open the schema editor.



- Click the plus button three times to add three rows and in the **Column** column, rename the three rows respectively as: *id*, *name* and *age*.
- In the **Type** column, click each of these rows and from the drop-down list, select the data type of every row. In this scenario, they are **Integer** for *id* and *age*, **String** for *name*.
- Click **OK** to validate these changes and accept the propagation prompted by the pop-up dialog box.
- In the **Mode** area, select the **Use Inline Content (delimited file)** to display the fields for editing.
- In the **Content** field, type in the delimited data to be written into the HBase, separated with the semicolon ";". In this example, they are:

```

1;Albert;23
2;Alexandre;24
3;Alfred-Hubert;22
4;André;40
5;Didier;28
6;Anthony;35
7;Artus;32
8;Benoît;56
9;Catherine;34
10;Charles;21
11;Christophe;36
12;Christian;67
13;Clément ;64
14;Danniel;54
15;Elisabeth;58
16;Emile;32
17;Gregory;30

```

8. Double-click **tHBaseOutput** to open its **Component** view.



If this component does not have the same schema of the preceding component, a warning icon appears. In this case, click the **Sync columns** button to retrieve the schema from the preceding one and once done, the warning icon disappears.

tHBaseOutput_1

Use an existing connection tHBaseConnection_1

Schema: Built-In Edit schema


Table name: "customer"

Action on table: Drop table if exists and create Custom Row Key


Column	Family name
id	"family1"
name	"family2"
age	"family1"

Die on error


9. Select the **Use an existing connection** check box and then select the connection you have configured earlier. In this example, it is *tHBaseConnection_1*.
10. In the **Table name** field, type in the name of the table to be created in the HBase. In this example, it is *customer*.
11. In the **Action on table** field, select the action of interest from the drop-down list. In this scenario, select **Drop table if exists and create**. This way, if a table named *customer* exists already in the HBase, it will be disabled and deleted before creating this current table.
12. Click the **Advanced settings** tab to open the corresponding view.



13. In the **Family parameters** table, add two rows by clicking the plus button, rename them as *family1* and *family2* respectively and then leave the other columns empty. These two column families will be created in the HBase using the default family performance options.

 The **Family parameters** table is available only when the action you have selected in the **Action on table** field is to create a table in HBase. For further information about this **Family parameters** table, see [the section called "tHBaseOutput"](#).


14. In the **Families** table of the **Basic settings** view, enter the family names in the **Family name** column, each corresponding to the column this family contains. In this example, the *id* and the *age* columns belong to *family1* and the *name* column to *family2*.

 These column families should already exist in the HBase to be connected to; if not, you need to define them in the **Family parameters** table of the **Advanced settings** view for creating them at runtime.


Configuring the process of extracting data from the HBase

To do this, perform the following operations:


1. Double-click **tHBaseInput** to open its **Component** view.



2. Select the **Use an existing connection** check box and then select the connection you have configured earlier. In this example, it is *tHBaseConnection_1*.
3. Click the three-dot button next to **Edit schema** to open the schema editor.



4. Click the plus button three times to add three rows and rename them as *id*, *name* and *age* respectively in the **Column** column. This means that you extract these three columns from the HBase.
5. Select the types for each of the three columns. In this example, **Integer** for *id* and *age*, **String** for *name*.
6. Click **OK** to validate these changes and accept the propagation prompted by the pop-up dialog box.
7. In the **Table name** field, type in the table from which you extract the columns of interest. In this scenario, the table is *customer*.
8. In the **Mapping** table, the **Column** column has been already filled automatically since the schema was defined, so simply enter the name of every family in the **Column family** column, each corresponding to the column it contains.
9. Double-click **tHBaseClose** to open its **Component** view.



10. In the **Component List** field, select the connection you need to close. In this example, this connection is *tHBaseConnection_1*.

Executing the Job

To execute this Job, press **F6**.

Once done, the **Run** view is opened automatically, where you can check the execution result.

```

11/09/21 15:55:15 INFO client.HBaseAdmin: Started disable of
customer
11/09/21 15:55:17 INFO client.HBaseAdmin: Disabled customer
11/09/21 15:55:18 INFO client.HBaseAdmin: Deleted customer
For input string: "30 "
5|Didier|28
16|Emile|32
3|Alfred-Hubert|22
10|Charles|21
1|Albert|23
12|Christian|67
7|Artus|32
11|Christophe|36
9|Catherine|34
15|Elisabeth|58
14|Danniel|54
6|Anthony|35
2|Alexandre|24
8|Benoît|56
13|Clément |64
4|André|40
11/09/21 15:55:21 INFO
client.HConnectionManager$HConnectionImplementation: Closed
zookeeper sessionid=0x1324b53e0cb0005
11/09/21 15:55:21 INFO zookeeper.ZooKeeper: Session:
0x1324b53e0cb0005 closed
11/09/21 15:55:21 INFO zookeeper.ClientCnxn: EventThread
shut down
[statistics] disconnected
Job tHBase ended at 15:55 21/09/2011. [exit code=0]

```

These columns of interest are extracted and you can process them according to your needs.



Login to your HBase database, you can check the *customer* table this Job has created.

tHBaseOutput



tHBaseOutput properties

Component family	Big Data / HBase	
Function	tHBaseOutput receives data from its preceding component, creates a table in a given HBase database and writes the received data into this HBase table.	
Purpose	tHBaseOutput writes columns of data into a given tHBase database.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in . - Built-in : No property data stored centrally.
	<i>Use an existing connection</i>	Select this check box and select the appropriate tHBaseConnection component from the Component list if you want to re-use the connection parameters that you have already defined.
	<i>HBase version</i>	Select a HBase version from the list: Hortonworks Data Platform 1.0 : You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper. Apache 0.20.203 : You need to precise the access to the Apache 0.20.203 to be used. Apache 1.0.0 : You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.
	<i>Zookeeper quorum</i>	Type in the name or the URL of the Zookeeper service you use to coordinate the transaction between Talend and HBase.
	<i>Zookeeper client port</i>	Type in the number of the client listening port of the Zookeeper service you are using.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Built-in : The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table name</i>	Type in the name of the HBase table you need create.
	<i>Action on table</i>	Select the action you need to take for creating an HBase table.
	<i>Custom Row Key</i>	Select this check box to use the customized row keys. Once selected, the corresponding field appears. Then type in the user-defined row key to index the rows of the HBase table being created.

		For example, you can type in "France"+Numeric.sequence("s1",1,1) to produce the row key series: <i>France1</i> , <i>France2</i> , <i>France3</i> and so on.
	<i>Families</i>	Complete this table to specify the column or columns to be created and the corresponding column family or families they belong to respectively. The Column column of this table is automatically filled once you have defined the schema.
Advanced settings	<i>Properties</i>	<p>If you need to use custom configuration for your HBase, complete this table with the property or properties to be customized. Then at runtime, the customized property or properties will override those corresponding ones defined earlier for your HBase.</p> <p>For example, you need to define the value of the <i>dfs.replication</i> property as <i>1</i> for the HBase configuration. Then you need to add one row to this table using the plus button and type in the name and the value of this property in this row.</p> <p> This table is not available when you are using an existing connection by selecting the Using an existing connection check box in the Basic settings view.</p>
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
 Only available for creating a HBase table	<i>Family parameters</i>	Type in the names and, when needs be, the custom performance options of the column families to be created. These options are all attributes defined by the HBase data model, so for further explanation about these options, see your HBase manual.
Usage	This component is normally an end component of a Job and always needs an input link.	



Related scenario




For related scenario to **tHBaseOutput**, see [the section called “ Scenario: Exchanging customer data with HBase ”](#).

tHCatalogInput



tHCatalogInput Properties

Component family	Big Data / HCatalog	
Function	This component allows you to read data from HCatalog managed database and send data in the talend flow.	
Purpose	The tHCatalogInput component reads data from the specified HCatalog managed database and sends data in the talend flow to the console or to a specified local file by connecting this component to a proper component.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>HCatalog version</i>	Select a Hadoop version from the list: Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.
	<i>Templeton hostname</i>	Fill this field with the URL of Templeton Webservice.  Templeton is a webservice API for Hadoop. It allows you to move data directly into/out-of HDFS through WebHDFS. For further information about Templeton, see http://people.apache.org/~thejas/templeton_doc_latest .
	<i>Templeton port</i>	Fill this field with the port of URL of Templeton Webservice. By default, this value is <i>50111</i> .  Templeton is a webservice API for Hadoop. It allows you to move data directly into/out-of HDFS through WebHDFS. For further information about Templeton, see http://people.apache.org/~thejas/templeton_doc_latest .
	<i>Database</i>	The database in which the HCatalog managed tables are placed.
	<i>Table</i>	Fill this field to operate on one or multiple tables in the specified database.
	<i>Partition</i>	Fill this field to specify one or more partitions for the partition operation on a specified table. When you specify multiple partitions, use commas to separate

		<p>every two partitions and use double quotation marks to quote the partition string.</p> <p> For further information about Partition, see https://cwiki.apache.org/Hive/languagemanual-ddl.html#LanguageManualDDL-AddPartitions.</p>
	<i>Username</i>	Fill this field with the username for the DB authentication.
	<i>Die on error</i>	This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.
Advanced settings	<i>Retrieve the HCatalog logs</i>	Select this check box to retrieve log files generated during HCatalog operations.
	<i>Standard Output Folder</i>	<p>Fill this field with the path to which log files are stored.</p> <p> This field is enabled only when you selected Retrieve the HCatalog logs check box.</p>
	<i>Error Output Folder</i>	<p>Fill this field with the path to which error log files are stored.</p> <p> This field is enabled only when you selected Retrieve the HCatalog logs check box.</p>
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used as the starting component in a Job.	
Limitation	<p>Knowledge of Hive Data Definition Language and HCatalog Data Definition Language is required. For further information about Hive Data Definition Language, see https://cwiki.apache.org/confluence/display/Hive/LanguageManual+DDL. For further information about HCatalog Data Definition Language, see https://cwiki.apache.org/confluence/display/HCATALOG/Design+Document+-+Java+APIs+for+HCatalog+DDL+Commands.</p>	




Related scenario



For a related scenario, see [the section called “Scenario: HCatalog table management on Hortonworks Data Platform”](#).

tHCatalogLoad



tHCatalogLoad Properties

Component family	Big Data / HCatalog	
Function	This component allows you to write data into an established HCatalog managed table from an existing file in HDFS.	
Purpose	The tHCatalogLoad component writes data into an established HCatalog managed table from an existing file in HDFS.	
Basic settings	<i>HCatalog version</i>	Select a Hadoop version from the list: Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.
	<i>Templeton hostname</i>	Fill this field with the URL of Templeton Webservice.  Templeton is a webservice API for Hadoop. It allows you to move data directly into/out-of HDFS through WebHDFS. For further information about Templeton, see Templeton 0.1.0 .
	<i>Templeton port</i>	Fill this field with the port of URL of Templeton Webservice. By default, this value is <i>50111</i> .  Templeton is a webservice API for Hadoop. It allows you to move data directly into/out-of HDFS through WebHDFS. For further information about Templeton, see Templeton 0.1.0 .
	<i>Database</i>	Fill this field to specify an existing database in HDFS.
	<i>Table</i>	Fill this field to specify an existing table in HDFS.
	<i>Partition</i>	Fill this field to specify one or more partitions for the partition operation on the specified table. When you specify multiple partitions, use commas to separate every two partitions and use double quotation marks to quote the partition string.  For further information about Partition , see Operation on Partitions in Hive .
	<i>Username</i>	Fill this field with the username for the DB authentication.
	<i>File location</i>	Fill this field with the HDFS location to which loaded data is stored.
Advanced settings	<i>Retrieve the HCatalog logs</i>	Select this check box to retrieve log files generated during HCatalog operations.
	<i>Standard Output Folder</i>	Fill this field with the path to which log files are stored.

		 This field is enabled only when you selected Retrieve the HCatalog logs check box.
	<i>Error Output Folder</i>	Fill this field with the path to which error log files are stored.  This field is enabled only when you selected Retrieve the HCatalog logs check box.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component can be used in a single-component Job or used together with a subjob.	
Limitation	Knowledge of Hive Data Definition Language and HCatalog Data Definition Language is required. For further information about Hive Data Definition Language, see Hive Data Definition Language . For further information about HCatalog Data Definition Language, see HCatalog Data Definition Language .	



Related scenario







For a related scenario, see [the section called “Scenario: HCatalog table management on Hortonworks Data Platform”](#).





tHCatalogOperation











tHCatalogOperation Properties

Component family	Big Data / HCatalog	
Function	This component allows you to manage the data stored in HCatalog managed database/table/partition in HDFS.	
Purpose	The tHCatalogOperation component offers a platform on which you can operate in HCatalog managed database/table/partition in HDFS.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>HCatalog version</i>	Select a Hadoop version from the list: Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.
	<i>Templeton hostname</i>	Fill this field with the URL of Templeton Webservice.  Templeton is a webservice API for Hadoop. It allows you to move data directly into/out-of HDFS through WebHDFS. For further information about Templeton, see http://people.apache.org/~thejas/templeton_doc_latest .
	<i>Templeton port</i>	Fill this field with the port of URL of Templeton Webservice. By default, the value for this field is <i>50111</i> .  Templeton is a webservice API for Hadoop. It allows you to move data directly into/out-of HDFS through WebHDFS. For further information about Templeton, see http://people.apache.org/~thejas/templeton_doc_latest .
	<i>Operation on</i>	Select an object from the list for the DB operation as follows: Database: The HCatalog managed database in HDFS. Table: The HCatalog managed table in HDFS. Partition: The partition specified by the user.
	<i>Operation</i>	Select an action from the list for the DB operation as follows: Create/Drop/Drop if exist/Drop and

		create/Drop if exist and create. For further information about the DB operation in HDFS, see https://cwiki.apache.org/Hive/languagemanual-ddl.html .
	<i>Create the table only if it doesn't exist already</i>	Select this check box to avoid creating duplicate table when you create a table.  This check box is enabled only when you select Table from the Operation on list.
	<i>Database</i>	Fill this field with the name of the database in which the HCatalog managed tables are placed.
	<i>Table</i>	Fill this field to operate on one or multiple tables in a database or on a specified HDFS location.  This field is enabled only when you select Table from the Operation on list. For further information about the operation on Table , see https://cwiki.apache.org/Hive/languagemanual-ddl.html#LanguageManualDDL-Create%252FDropTable .
	<i>Partition</i>	Fill this field to specify one or more partitions for the partition operation on a specified table. When you specify multiple partitions, use comma to separate every two partitions and use double quotation marks to quote the partition string.  This field is enabled only when you select Partition from the Operation on list. For further information about the operation on Partition , see https://cwiki.apache.org/Hive/languagemanual-ddl.html#LanguageManualDDL-AddPartitions .
	<i>Username</i>	Fill this field with the username for the DB authentication.
	<i>Database location</i>	Fill this field with the location of the database file in HDFS.  This field is enabled only when you select Database from the Operation on list.
	<i>Database description</i>	The description for the database to be created.  This field is enabled only when you select Database from the Operation on list.
	<i>Create an external table</i>	Select this field to create an external table in an alternative path defined in the Set HDFS location field in the Advanced settings view. For further information about creating external table, see https://cwiki.apache.org/Hive/languagemanual-ddl.html#LanguageManualDDL-CreateTable .  This check box is enabled only when you select Table from the Operation on list and Create/Drop and create/Drop if exist and create from the Operation list.

	<i>Format</i>	<p>Select a file format from the list to specify the format of the external table you want to create:</p> <p>TEXTFILE: Plain text files.</p> <p>RCFILE: Record Columnar files. For further information about RCFILE, see http://hive.apache.org/docs/r0.4.0/api/org/apache/hadoop/hive/ql/io/RCFile.html.</p> <p> RCFILE is only available starting with Hive 0.6.0. This list is enabled only when you select Table from the Operation on list and Create/Drop and create/Drop if exist and create from the Operation list.</p>
	<i>Set partitions</i>	<p>Select this check box to set the partition schema by clicking the Edit schema to the right of Set partitions check box. The partition schema is either built-in or remote in the Repository.</p> <p> This check box is enabled only when you select Table from the Operation on list and Create/Drop and create/Drop if exist and create from the Operation list. You must follow the rules of using partition schema in HCatalog managed tables. For more information about the rules in using partition schema, see http://incubator.apache.org/hcatalog/docs/r0.2.0/inputoutput.html#Partition+Schema+Semantics.</p>
		<p>Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
		<p>Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and Job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Set the user group to use</i>	<p>Select this check box to specify the user group.</p> <p> This check box is enabled only when you select Drop/Drop if exist/Drop and create/Drop if exist and create from the Operation list. By default, the value for this field is <i>root</i>. For more information about the user group in the server, contact your system administrator.</p>
	<i>Option</i>	<p>Select a clause when you drop a database.</p> <p> This list is enabled only when you select Database from the Operation on list and Drop/Drop if exist/Drop and create/Drop if exist and create from the Operation list. For more information about Drop operation on database, see https://cwiki.apache.org/Hive/languagemanual-</p>

		ddl.html#LanguageManualDDL-DropDatabase .
	<i>Set the permissions to use</i>	<p>Select this check box to specify the permissions needed by the operation you select from the Operation list.</p> <p> This check box is enabled only when you select Drop/Drop if exist/Drop and create/Drop if exist and create from the Operation list. By default, the value for this field is <i>rwxrwx-r-x</i>. For more information on user permissions, contact your system administrator.</p>
	<i>Set File location</i>	<p>Fill this field to specify a path to which partitioned data is stored.</p> <p> This check box is enabled only when you select Partition from the Operation on list and Create/Drop and create/Drop if exist and create from the Operation list. For further information about storing partitioned data in HDFS, see https://cwiki.apache.org/Hive/languagemanual-ddl.html#LanguageManualDDL-AddPartitions.</p>
	<i>Die on error</i>	This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.
Advanced settings	<i>Comment</i>	<p>Fill this field with the comment for the table you want to create.</p> <p> This field is enabled only when you select Table from the Operation on list and Create/Drop and create/Drop if exist and create from the Operation list in the Basic settings view.</p>
	<i>Set HDFS location</i>	<p>Select this check box to specify an HDFS location to which the table you want to create is saved. Deselect it to save the table you want to create in the warehouse directory defined in the key <i>hive.metastore.warehouse.dir</i> in Hive configuration file <i>hive-site.xml</i>.</p> <p> This check box is enabled only when you select Table from the Operation on list and Create/Drop and create/Drop if exist and create from the Operation list in the Basic settings view. For further information about saving data in HDFS, see https://cwiki.apache.org/Hive/languagemanual-ddl.html#LanguageManualDDL-CreateTable.</p>
	<i>Set row format(terminated by)</i>	<p>Select this check box to use and define the row formats when you want to create a table:</p> <p>Field: Select this check box to use Field as the row format. The default value for this field is <code>"\u0001"</code>. You can also specify a customized char in this field.</p>

		<p>Collection Item: Select this check box to use Collection Item as the row format. The default value for this field is "\u0002". You can also specify a customized char in this field.</p> <p>Map Key: Select this check box to use Map Key as the row format. The default value for this field is "\u0003". You can also specify a customized char in this field.</p> <p>Line: Select this check box to use Line as the row format. The default value for this field is "\n". You can also specify a customized char in this field.</p> <p> This check box is enabled only when you select Table from the Operation on list and Create/Drop and create/Drop if exist and create from the Operation list in the Basic settings view. For further information about row formats in the HCatalog managed table, see https://cwiki.apache.org/Hive/languagemanual-ddl.html#LanguageManualDDL-CreateTable.</p>
	<i>Properties</i>	<p>Click [+] to add one or more lines to define table properties. The table properties allow you to tag the table definition with your own metadata key/value pairs. Make sure that values in both Key row and Value row must be quoted in double quotation marks.</p> <p> This table is enabled only when you select Database/Table from the Operation on list and Create/Drop and create/Drop if exist and create from the Operation list in the Basic settings view. For further information about table properties, see https://cwiki.apache.org/Hive/languagemanual-ddl.html#LanguageManualDDL-CreateTable.</p>
	<i>Retrieve the HCatalog logs</i>	Select this check box to retrieve log files generated during HCatalog operations.
	<i>Standard Output Folder</i>	<p>Fill this field with the path to which log files are stored.</p> <p> This field is enabled only when you selected Retrieve the HCatalog logs check box.</p>
	<i>Error Output Folder</i>	<p>Fill this field with the path to which error log files are stored.</p> <p> This field is enabled only when you selected Retrieve the HCatalog logs check box.</p>
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used in a single-component Job or used together with a subjob.	
Limitation	Knowledge of Hive Data Definition Language and HCatalog Data Definition Language is required. For further information about Hive Data Definition Language, see https://cwiki.apache.org/confluence/display/Hive/	

[LanguageManual+DDL](#). For further information about HCatalog Data Definition Language, see <https://cwiki.apache.org/confluence/display/HCATALOG/Design+Document++Java+APIs+for+HCatalog+DDL+Commands>.

Scenario: HCatalog table management on Hortonworks Data Platform

This scenario describes a six-component Job that includes the common operations for the HCatalog table management on Hortonworks Data Platform. Sub-sections in this scenario covers DB operations including:


- Creating a table to the database in HDFS;
- Writing data to the HCatalog managed table;
- Writing data to the partitioned table using **tHCatalogLoad**;
- Reading data from the HCatalog managed table;
- Outputting the data read from the table in HDFS.



Knowledge of Hive Data Definition Language and HCatalog Data Definition Language is required. For further information about Hive Data Definition Language, see <https://cwiki.apache.org/confluence/display/Hive/LanguageManual+DDL>. For further information about HCatalog Data Definition Language, see <https://cwiki.apache.org/confluence/display/HCATALOG/Design+Document++Java+APIs+for+HCatalog+DDL+Commands>.

Setting up the Job

1. Drop the following components from the **Palette** to the design workspace: **tHCatalogOperation**, **tHCatalogLoad**, **tHCatalogInput**, **tHCatalogOutput**, **tFixedFlowInput**, and **tFileOutputDelimited**.



- Right-click **tHCatalogOperation** to connect it to **tFixedFlowInput** component using a **Trigger>OnSubjobOk** connection.
- Right-click **tFixedFlowInput** to connect it to **tHCatalogOutput** using a **Row > Main** connection.
- Right-click **tFixedFlowInput** to connect it to **tHCatalogLoad** using a **Trigger > OnSubjobOk** connection.
- Right-click **tHCatalogLoad** to connect it to the **tHCatalogInput** component using a **Trigger > OnSubjobOk** connection.
- Right-click **tHCatalogInput** to connect it to **tFileOutputDelimited** using a **Row > Main** connection.

Creating a table in HDFS

- Double-click **tHCatalogOperation** to open its **Basic settings** view.

The screenshot shows the 'Basic settings' view for the 'tHCatalogOperation_1' component. The left sidebar contains tabs for 'Basic settings', 'Advanced settings', 'Dynamic settings', 'View', and 'Documentation'. The main area is divided into several sections:

- Schema:** Set to 'Built-In' with an 'Edit schema' button.
- HCatalog version:** Set to 'Hortonworks Data Platform 1.0'.
- Templeton Configuration:** Includes 'Templeton hostname' ('192.168.0.131') and 'Templeton port' ('50111').
- Operation on:** Set to 'Table' and 'Operation' set to 'Drop if exist and create'.
- Create the table only it doesn't exist already
- HCatalog Configuration:** Includes 'Database' ('talend'), 'Table' ('Customer'), and 'Username' ('hdp').
- Drop Configuration:** Includes checked options for 'Set the user group to use' ('root') and 'Set the permissions to use' ('rwxrwxr-x').
- Create Table Configuration:** Includes an unchecked option for 'Create an external table', 'Format' set to 'TEXTFILE', and checked options for 'Set partitions' ('Built-In') and 'Die on error'.

- Click **Edit schema** to define the schema for the table to be created.

The screenshot shows the 'Edit schema' view for 'tHCatalogOperation_1'. It displays a table with the following columns and data:

Column	Key	Type	✓	N..	Date ...	L...	P...	D..
age	<input type="checkbox"/>	Integer	<input checked="" type="checkbox"/>					
country	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>					
name	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>					

Below the table is a toolbar with icons for adding, deleting, moving, and saving the schema.

3. Click [+] to add at least one column to the schema and click **OK** when you finish setting the schema. In this scenario, the columns added to the schema are: *name*, *country* and *age*.
4. Fill the **Templeton hostname** field with URL of the Templeton webservice you are using. In this scenario, fill this field with "192.168.0.131".
5. Fill the **Templeton port** field with the port for **Templeton hostname**. By default, the value for this field is "50111".
6. Select **Table** from the **Operation on** list and **Drop if exist and create** from the **Operation** list to create a table in HDFS.
7. Fill the **Database** field with an existing database name in HDFS. In this scenario, the database name is "talend".
8. Fill the **Table** field with the name of the table to be created. In this scenario, the table name is "Customer".
9. Fill the **Username** field with the username for the DB authentication.
10. Select the **Set the user group to use** check box to specify the user group. The default user group is "root", you need to specify the value for this field according to real practice.
11. Select the **Set the permissions to use** check box to specify the user permission. The default value for this field is "rwxrwxr-x".
12. Select the **Set partitions** check box to enable the partition schema.
13. Click the **Edit schema** button next to the **Set partitions** check box to define the partition schema.
14. Click [+] to add one column to the schema and click **OK** when you finish setting the schema. In this scenario, the column added to the partition schema is: *match_age*.

Writing data to the existing table

1. Double-click **tFixedFlowInput** to open its **Basic settings** view.

The screenshot shows the configuration for a tFixedFlowInput component. The 'Basic settings' tab is active. The 'Schema' is set to 'Built-In'. The 'Number of rows' is set to 8. Under 'Mode', 'Use Inline Table' is selected. The 'Inline Table' contains the following data:

age	country	name
"27"	"Tunisia"	"Abu"
"31"	"Senegal"	"Anelka"
"26"	"Morocco"	"Karim"
"33"	"Senegal"	"Drogba"
"27"	"Japan"	"Ito"
"26"	"Algeria"	"Zeid"
"33"	"Japan"	"Hidetoshi"
"28"	"Lebanon"	"Nasri"

At the bottom of the table, there are icons for adding (+), deleting (x), moving up (↑), moving down (↓), and a clipboard icon. Below the table, there is a radio button for 'Use Inline Content(delimited file)'.

2. Click **Edit schema** to define a same schema as the one you defined in **tHCatalogOperation**.

- Fill the **Number of rows** field with integer 8.
- Select **Use Inline Table** in the **Mode** area.
- Click [+] to add new lines in the inline table.
- Double-click **tHCatalogOutput** to open its **Basic settings** view.

The screenshot shows the 'Basic settings' view for a component named 'tHCatalogOutput_1'. The interface includes a sidebar on the left with options like 'Basic settings', 'Advanced settings', 'Dynamic settings', 'View', 'Documentation', and 'Validation Rules'. The main configuration area is divided into several sections:


- Schema:** Set to 'Built-In' with an 'Edit schema' button and a 'Sync columns' button.
- HCatalog version:** Set to 'Hortonworks Data Platform 1.0'.
- HDFS Configuration:**
 - NameNode URI: "/192.168.0.131"
 - File name: "/user/hdp/Customer/Customer.csv"
 - Action: 'Overwrite'
- Templetion Configuration:**
 - Templetion hostname: "192.168.0.131"
 - Templetion port: "50111"
- HCatalog Configuration:**
 - Database: "talend"
 - Table: "Customer"
 - Partition: "match_age=27"
 - Username: "hdp"
 - File location: "hdfs://192.168.0.131:8020/user/hdp/Customer"

At the bottom, there is a checkbox labeled 'Die on error' which is currently unchecked.

- Click **Sync columns** to retrieve the schema defined in the preceding component.
- Fill the **NameNode URI** field with the URI to the NameNode. In this scenario, this URL is "192.168.0.131".
- Fill the **File name** field with the HDFS location of the file you write data to. In this scenario, the file location is "/user/hdp/Customer/Customer.csv".
- Select **Overwrite** from the **Action** list.
- Fill the **Templetion hostname** field with URL of the Templetion webservice you are using. In this scenario, fill this field with "192.168.0.131".
- Fill the **Templetion port** field with the port for **Templetion hostname**. By default, the value for this field is "50111".
- Fill the **Database** field, the **Table** field, the **Username** field with the same value you specified in **tHCatalogOperation**.
- Fill the **Partition** field with "match_age=27".
- Fill the **File location** field with the HDFS location to which the table will be saved. In this example, use "hdfs://192.168.0.131:8020/user/hdp/Customer".

Writing data to the partitioned table using tHCatalogLoad


- Double-click **tHCatalogLoad** to open its **Basic settings** view.




2. Fill the **Partition** field with "match_age=26".
3. Do the rest of the settings in the same way as configuring **tHCatalogOperation**.

Reading data from the table in HDFS

1. Double-click **tHCatalogInput** to open its **Basic settings** view.




2. Click **Edit schema** to define the schema of the table to be read from the database.



- Click **[+]** to add at least one column to the schema. In this scenario, the columns added to the schema are *age* and *name*.
- Fill the **Partition** field with "*match_age=26*".
- Do the rest of the settings in the same way as configuring **tHCatalogOperation**.

Outputting the data read from the table in HDFS to the console

- Double-click **tLogRow** to open its **Basic settings** view.



- Click **Sync columns** to retrieve the schema defined in the preceding component.
- Select **Table** from the **Mode** area.

Job execution

Press **CTRL+S** to save your Job and **F6** to execute it.

```

+-----+
| tLogRow_1 |
+-----+
| age | name |
+-----+
| 27 | Tunisia |
| 31 | Senegal |
| 26 | Morocco |
| 33 | Senegal |
| 27 | Japan |
| 26 | Algeria |
| 33 | Japan |
| 28 | Lebanon |
| 27 | Tunisia |
| 31 | Senegal |
| 26 | Morocco |
| 33 | Senegal |
| 27 | Japan |
| 26 | Algeria |
| 33 | Japan |
| 28 | Lebanon |
| 27 | Tunisia |
| 31 | Senegal |
| 26 | Morocco |
| 33 | Senegal |
| 27 | Japan |
| 26 | Algeria |
| 33 | Japan |
| 28 | Lebanon |
| 27 | Tunisia |
| 31 | Senegal |
| 26 | Morocco |
| 33 | Senegal |
| 27 | Japan |
| 26 | Algeria |
| 33 | Japan |
| 28 | Lebanon |
| 27 | Tunisia |
| 31 | Senegal |
| 26 | Morocco |
| 33 | Senegal |
| 27 | Japan |
| 26 | Algeria |
+-----+

```

The data of the restricted table read from the HDFS is displayed onto the console.

Type in <http://talend-hdp:50075/browseDirectory.jsp?dir=/user/hdp/Customer&namenodeInfoPort=50070> to the address bar of your browser to view the table you created:

Contents of directory [/user/hdp/](#)Customer

Goto :

[Go to parent directory](#)

Name	Type	Size	Replication	Block Size	Modification Time	Permission	Owner	Group
Customer.csv	file	1.04 KB	3	64 MB	2012-04-18 16:16	rw-r--r--	hdp	hdfs

[Go back to DFS home](#)

Local logs

[Log](#) directory

This is [Apache Hadoop](#) release 1.0.2

Click the *Customer.csv* link to view the content of the table you created.

File: [/user/hdp/Customer/](#)**Customer.csv**

Goto :

[Go back to dir listing](#)

[Advanced view/download options](#)

```
27;Tunisia;Abu
31;Senegal;Anelka
26;Morocco;Karim
33;Senegal;Drogba
27;Japan;Ito
26;Algeria;Zeid
33;Japan;Hidetoshi
28;Lebanon;Nasri
27;Tunisia;Abu
31;Senegal;Anelka
26;Morocco;Karim
33;Senegal;Drogba
27;Japan;Ito
26;Algeria;Zeid
33;Japan;Hidetoshi
28;Lebanon;Nasri
27;Tunisia;Abu
31;Senegal;Anelka
26;Morocco;Karim
33;Senegal;Drogba
27;Japan;Ito
26;Algeria;Zeid
33;Japan;Hidetoshi
28;Lebanon;Nasri
27;Tunisia;Abu
31;Senegal;Anelka
```

[Download this file](#)


[Tail this file](#)





Chunk size to view (in bytes, up to file's DFS block size):

tHCatalogOutput



tHCatalogOutput Properties

Component family	Big Data / HCatalog	
Function	This component allows you to write data into an HCatalog managed table using Talend data flow.	
Purpose	The tHCatalogOutput component writes data into a HCatalog managed table using Talend data flow.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>HCatalog version</i>	Select a Hadoop version from the list: Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.
	<i>NameNode URI</i>	Type in the URI of the NameNode in HDFS.
	<i>File name</i>	Browse to, or enter the location of the file which you write data to. This file is created automatically if it does not exist.
	<i>Action</i>	Select a DB operation in HDFS: Create: Creates a file with data using the file name defined in the File Name field. Overwrite: Overwrites the data in the file specified in the File Name field. Append: Inserts the data into the file specified in the File Name field. The specified file is created automatically if it does not exist.
	<i>Templeton hostname</i>	Fill this field with the URL of Templeton Webservice.  Templeton is a webservice API for Hadoop. It allows you to move data directly into/out-of HDFS through WebHDFS. For further information about Templeton, see http://people.apache.org/~thejas/templeton_doc_latest .
	<i>Templeton port</i>	Fill this field with the port of URL of Templeton Webservice. By default, this value is <i>50111</i> .

		 Templeton is a webservice API for Hadoop. It allows you to move data directly into/out-of HDFS through WebHDFS. For further information about Templeton, see http://people.apache.org/~thejas/templeton_doc_latest .
	<i>Database</i>	Fill this field to specify an existing database in HDFS.
	<i>Table</i>	Fill this field to specify an existing table in HDFS.
	<i>Partition</i>	<p>Fill this field to specify one or more partitions for the partition operation on the specified table. When you specify multiple partitions, use commas to separate every two partitions and use double quotation marks to quote the partition string.</p> <p> For further information about Partition, see https://cwiki.apache.org/Hive/languagemanual-ddl.html#LanguageManualDDL-AddPartitions.</p>
	<i>Username</i>	Fill this field with the username for the DB authentication.
	<i>File location</i>	Fill this field with the path to which source data file is stored.
	<i>Die on error</i>	This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.
Advanced settings	<i>Retrieve the HCatalog logs</i>	Select this check box to retrieve log files generated during HCatalog operations.
	<i>Standard Output Folder</i>	<p>Fill this field with the path to which log files are stored.</p> <p> This field is enabled only when you selected Retrieve the HCatalog logs check box.</p>
	<i>Error Output Folder</i>	<p>Fill this field with the path to which error log files are stored.</p> <p> This field is enabled only when you selected Retrieve the HCatalog logs check box.</p>
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used together with an input component.	
Limitation	<p>Knowledge of Hive Data Definition Language and HCatalog Data Definition Language is required. For further information about Hive Data Definition Language, see https://cwiki.apache.org/confluence/display/Hive/LanguageManual+DDL. For further information about HCatalog Data Definition Language, see https://cwiki.apache.org/confluence/display/HCATALOG/Design+Document+-+Java+APIs+for+HCatalog+DDL+Commands.</p>	

Related scenario

For a related scenario, see [the section called “Scenario: HCatalog table management on Hortonworks Data Platform”](#).

tHDFSConnection



tHDFSConnection properties

Component family	Big Data / Hadoop	
Function	tHDFSConnection provides connection to the Hadoop distributed file system (HDFS) of interest at runtime.	
Purpose	tHDFSConnection connects to a given HDFS so that the other Hadoop components can reuse the connection it creates to communicate with this HDFS.	
Basic settings	<i>Hadoop version</i>	<p>Select a Hadoop version from the list:</p> <p>Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.</p> <p>Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.</p> <p>Apache 0.20.204: You need to precise the access to the Apache 0.20.204 to be used.</p> <p>Cloudera 0.20 CDH3U1: You need to precise the access to the Cloudera 0.20 Hadoop (CDH3 Update1) to be used.</p> <p>Apache 0.20.2: You need to precise the access to the Apache 0.20.2 to be used.</p> <p>MapR: You need to precise the access to the MapR distribution for Apache Hadoop to be used.</p>
	<i>NameNode URI</i>	Type in the URI of the NameNode corresponding to the Apache or the Cloudera Hadoop to be used.
	<i>User name</i>	User authentication name of HDFS.
	<i>Group</i>	Enter the membership including the authentication user under which the HDFS instances were started. This field is available only when you select Apache 0.20.2 or MapR from the Hadoop version list.
	<i>Hadoop properties</i>	<p>If you need to use custom configuration for the Hadoop of interest, complete this table with the property or properties to be customized. Then at runtime, the customized property or properties will override those corresponding ones defined earlier for the same Hadoop.</p> <p>For further information about the properties required by Hadoop, see the Hadoop documentation.</p>
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component is generally used with other Hadoop components.	

Limitations

To run **tHDFSConnection**, version 1.6+ of JRE is required.


Related scenario

No scenario is available for this component yet.

tHDFSDelete



tHDFSDelete properties

Component family	Big Data / Hadoop	
Function	tHDFSDelete deletes a file located on a given Hadoop distributed file system (HDFS).	
Purpose	tHDFSDelete deletes a file on a given HDFS.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Use an existing connection</i>	<p>Select this check box and in the Component List click the relevant connection component to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use Dynamic settings to share the intended connection. In this case, make sure that the connection name is unique and distinctive all over through the two Job levels. For more information about Dynamic settings, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Hadoop version</i>	<p>Select a Hadoop version from the list:</p> <p>Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.</p> <p>Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.</p> <p>Apache 0.20.204: You need to precise the access to the Apache 0.20.204 to be used.</p> <p>Cloudera 0.20 CDH3U1: You need to precise the access to the Cloudera 0.20 Hadoop (CDH3 Update1) to be used.</p>

		<p>Apache 0.20.2: You need to precise the access to the Apache 0.20.2 to be used.</p> <p>MapR: You need to precise the access to the MapR distribution for Apache Hadoop to be used.</p>
	<i>NameNode URI</i>	Type in the URI of the NameNode corresponding to the Apache or the Cloudera Hadoop to be used.
	<i>User name</i>	User authentication name of HDFS.
	<i>Group</i>	Enter the membership including the authentication user under which the HDFS instances were started. This field is available only when you select Apache 0.20.2 or MapR from the Hadoop version list.
	<i>File or Directory Path</i>	Fill this field with the path to the file or folder to be deleted on HDFS.
Advanced settings	<i>Hadoop properties</i>	<p>If you need to use custom configuration for the Hadoop of interest, complete this table with the property or properties to be customized. Then at runtime, the customized property or properties will override those corresponding ones defined earlier for the same Hadoop.</p> <p>For further information about the properties required by Hadoop, see the Hadoop documentation.</p>
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage		
Limitations	To run tHDFSDelete , version 1.6+ of JRE is required.	


Related scenario

No scenario is available for this component yet.

tHDFSGet



tHDFSGet properties

Component family	Big Data / Hadoop	
Function	tHDFSGet gets data from Hadoop distributed file system(HDFS).	
Purpose	tHDFSGet connects to Hadoop distributed file system, helping to obtain large-scale files with optimized performance.	
Basic settings	<i>Use an existing connection</i>	<p>Select this check box and in the Component List click the relevant connection component to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use Dynamic settings to share the intended connection. In this case, make sure that the connection name is unique and distinctive all over through the two Job levels. For more information about Dynamic settings, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Hadoop version</i>	<p>Select a Hadoop version from the list:</p> <p>Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.</p> <p>Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.</p> <p>Apache 0.20.204: You need to precise the access to the Apache 0.20.204 to be used.</p> <p>Cloudera 0.20 CDH3U1: You need to precise the access to the Cloudera 0.20 Hadoop (CDH3 Update1) to be used.</p> <p>Apache 0.20.2: You need to precise the access to the Apache 0.20.2 to be used.</p> <p>MapR: You need to precise the access to the MapR distribution for Apache Hadoop to be used.</p>
	<i>Host</i>	IP address of the Hadoop distributed file system server.
	<i>Port</i>	Listening port number of HDFS server.
	<i>User name</i>	User authentication name of HDFS


	<i>Group</i>	Enter the membership including the authentication user under which the HDFS instances were started. This field is available only when you select Apache 0.20.2 or MapR from the Hadoop version list.
	<i>HDFS directory</i>	Location of the source files in HDFS.
	<i>Local directory</i>	Local directory to store the files obtained from HDFS.
	<i>Overwrite file</i>	Options to overwrite or not the existing file with the new one.
	<i>Append</i>	Select this check box to add the new rows at the end of the records
	<i>Files</i>	In the Files area, the fields to be completed are: - File mask : type in the file name to be selected from HDFS. Regular expression is available. - New name : give a new name to the obtained file.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component combines HDFS connection and data extraction, thus used as a single-component subjob or to prepare data to feed the input flow of a Job. It is often connected to the Job using OnSubJobOk or OnComponentOk link, depending on the context.	
Limitations	To run tHDFSGet and tHDFSput , version 1.6+ of JRE is required.	

Scenario: Computing data with Hadoop distributed file system

The following scenario describes a simple Job that creates a file in a defined directory, get it into and out of HDFS, subsequently store it to another local directory, and read it at the end of the Job.


Setting up the Job

1. Drop the following components from the **Palette** onto the design workspace: **tFixedFlowInput**, **tFileOutputDelimited**, **tHDFSput**, **tHDFSGet**, **tFileInputDelimited** and **tLogRow**.
2. Connect **tFixedFlowInput** to **tFileOutputDelimited** using a **Row > Main** connection.
3. Connect **tFileInputDelimited** to **tLogRow** using a **Row > Main** connection.
4. Connect **tFixedFlowInput** to **tHDFSput** using an **OnSubjobOk** connection.
5. Connect **tHDFSput** to **tHDFSGet** using an **OnSubjobOk** connection.
6. Connect **tHDFSGet** to **tFileInputDelimited** using an **OnSubjobOk** connection.




Configuring the input component

1. Double-click **tFixedFlowInput** to define the component in its **Basic settings** view.
2. Set the **Schema** to **Built-In** and click the three-dot [...] button next to **Edit Schema** to describe the data structure you want to create from internal variables. In this scenario, the schema contains one column: *content*.




3. Click the plus button to add the parameter line.
4. Click **OK** to close the dialog box and accept to propagate the changes when prompted by the studio.
5. In **Basic settings**, define the corresponding value in the **Mode** area using the **Use Single Table** option. In this scenario, the value is *"Hello world!"*.



Configuring the tFileOutputDelimited component


1. Double-click **tFileOutputDelimited** to define the component in its **Basic settings** view.



2. Click the [...] button next to the **File Name** field and browse to the output file you want to write data in, *in.txt* in this example.

Loading the data from the local file

1. Double-click **tHDFSPut** to define the component in its **Basic settings** view.



2. Select Apache 0.20.2 from the **Hadoop version** list.
3. In the **Host**, the **Port**, the **Username**, the **Group** fields, enter the connection parameters to the HDFS.
4. Next to the **Local directory** field, click the three-dot [...] button to browse to the folder with the file to be loaded into the HDFS. In this scenario, the directory has been specified while configuring **tFileOutputDelimited**: *C:/hadoopfiles/putFile/*.
5. In the **HDFS directory** field, type in the intended location in HDFS to store the file to be loaded. In this example, it is */testFile*.
6. Click the **Overwrite file** field to stretch the drop-down.
7. From the menu, select **always**.
8. In the **Files** area, click the plus button to add a row in which you define the file to be loaded.
9. In the **File mask** column, enter **.*.txt* to replace *newLine* between quotation marks and leave the **New name** column as it is. This allows you to extract all the *.txt* files in the specified directory without changing their names. In this example, the file is *in.txt*.

Getting the data from the HDFS

1. Double-click **tHDFSGet** to define the component in its **Basic settings** view.

The screenshot shows the configuration window for the **tHDFSGet_1** component. The **Basic settings** tab is selected. The configuration includes:


- Use an existing connection:**
- Hadoop version:** Apache 0.20.2
- Host:** "192.168.0.206"
- Port:** 8888
- Username:** "username"
- Group:** "supergroup"
- HDFS directory:** "/testFile"
- Local directory:** "C:/hadoopfiles/putFile/"
- Overwrite file:** always
- Append:**
- Files:**

Filemask	New name
..txt	''
- Die on error:**


2. Select Apache 0.20.2 from the **Hadoop version** list.
3. In the **Host**, the **Port**, the **Username**, the **Group** fields, enter the connection parameters to the HDFS.
4. In the **HDFS directory** field, type in location storing the loaded file in HDFS. In this example, it is */testFile*.
5. Next to the **Local directory** field, click the three-dot [...] button to browse to the folder intended to store the files that are extracted out of the HDFS. In this scenario, the directory is: *C:/hadoopfiles/getFile/*.
6. Click the **Overwrite file** field to stretch the drop-down.
7. From the menu, select **always**.
8. In the **Files** area, click the plus button to add a row in which you define the file to be extracted.
9. In the **File mask** column, enter **.*.txt* to replace *newLine* between quotation marks and leave the **New name** column as it is. This allows you to extract all the *.txt* files from the specified directory in the HDFS without changing their names. In this example, the file is *in.txt*.

Reading data from the HDFS and saving the data locally

1. Double-click **tFileInputDelimited** to define the component in its **Basic settings** view.



2. Set property type to **Built-In**.
3. Next to the **File Name/Stream** field, click the three-dot button to browse to the file you have obtained from the HDFS. In this scenario, the directory is *C:/hadoopfiles/getFile/in.txt*.
4. Set **Schema** to **Built-In** and click **Edit schema** to define the data to pass on to the **tLogRow** component.




5. Click the plus button to add a new column.
6. Click **OK** to close the dialog box and accept to propagate the changes when prompted by the studio.

Executing the Job

Save the Job and press **F6** to execute it.

The *in.txt* file is created and loaded into the HDFS.




The file is also extracted from the HDFS by **tHDFSGet** and is read by **tFileInputDelimited**.

```
Starting job feature11717_hadoop_get_put at 18:09 04/05/2010.  
[statistics] connecting to socket on port 3637  
[statistics] connected  
hello world!  
[statistics] disconnected  
Job feature11717_hadoop_get_put ended at 18:09 04/05/2010.  
Exit code=0
```

tHDFSInput



tHDFSInput properties

Component family	Big Data / Hadoop	
Function	tHDFSInput reads a file located on a given Hadoop distributed file system (HDFS) and puts the data of interest from this file into a Talend schema. Then it passes the data to the component that follows.	
Purpose	tHDFSInput extracts the data in a HDFS file for other components to process it.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Use an existing connection</i>	<p>Select this check box and in the Component List click the relevant connection component to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use Dynamic settings to share the intended connection. In this case, make sure that the connection name is unique and distinctive all over through the two Job levels. For more information about Dynamic settings, see your studio user guide.</p>
	<i>Hadoop version</i>	<p>Select a Hadoop version from the list:</p> <p>Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.</p> <p>Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.</p> <p>Apache 0.20.204: You need to precise the access to the Apache 0.20.204 to be used.</p> <p>Cloudera 0.20 CDH3U1: You need to precise the access to the Cloudera 0.20 Hadoop (CDH3 Update1) to be used.</p>

		<p>Apache 0.20.2: You need to precise the access to the Apache 0.20.2 to be used.</p> <p>MapR: You need to precise the access to the MapR distribution for Apache Hadoop to be used.</p>
	<i>NameNode URI</i>	Type in the URI of the NameNode corresponding to the Apache or the Cloudera Hadoop to be used.
	<i>User name</i>	User authentication name of HDFS.
	<i>Group</i>	Enter the membership including the authentication user under which the HDFS instances were started. This field is available only when you select Apache 0.20.2 or MapR from the Hadoop version list.
	<i>File Name</i>	Browse to, or enter the path to the source files in HDFS.
Advanced settings	<i>Hadoop properties</i>	<p>If you need to use custom configuration for the Hadoop of interest, complete this table with the property or properties to be customized. Then at runtime, the customized property or properties will override those corresponding ones defined earlier for the same Hadoop.</p> <p>For further information about the properties required by Hadoop, see the Hadoop documentation.</p>
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component needs an output link.	
Limitations	To run tHDFSInput , version 1.6+ of JRE is required.	


Related scenario

For a related scenario, see [the section called “Scenario 1: Writing data in a delimited file”](#).

tHDFSOutput



tHDFSOutput properties

Component family	Big Data / Hadoop	
Function	tHDFSOutput writes data flows it receives onto a given Hadoop distributed file system (HDFS).	
Purpose	tHDFSOutput writes data of interest into a file and creates this file on a given HDFS.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Use an existing connection</i>	<p>Select this check box and in the Component List click the relevant connection component to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use Dynamic settings to share the intended connection. In this case, make sure that the connection name is unique and distinctive all over through the two Job levels. For more information about Dynamic settings, see your studio user guide.</p>
	<i>Hadoop version</i>	<p>Select a Hadoop version from the list:</p> <p>Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.</p> <p>Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.</p> <p>Apache 0.20.204: You need to precise the access to the Apache 0.20.204 to be used.</p> <p>Cloudera 0.20 CDH3U1: You need to precise the access to the Cloudera 0.20 Hadoop (CDH3 Update1) to be used.</p>

		<p>Apache 0.20.2: You need to precise the access to the Apache 0.20.2 to be used.</p> <p>MapR: You need to precise the access to the MapR distribution for Apache Hadoop to be used.</p>
	<i>NameNode URI</i>	Type in the URI of the NameNode corresponding to the Apache or the Cloudera Hadoop to be used.
	<i>User name</i>	User authentication name of HDFS.
	<i>Group</i>	Enter the membership including the authentication user under which the HDFS instances were started. This field is available only when you select Apache 0.20.2 or MapR from the Hadoop version list.
	<i>File Name</i>	Browse to, or enter the location of the file which you write data to. This file is created automatically if it does not exist.
	<i>Action</i>	<p>Select an operation in HDFS:</p> <p>Create: Creates a file with data using the file name defined in the File Name field.</p> <p>Overwrite: Overwrites the data in the file specified in the File Name field.</p> <p>Append: Inserts the data into the file specified in the File Name field. The specified file is created automatically if it does not exist.</p>
Advanced settings	<i>Hadoop properties</i>	<p>If you need to use custom configuration for the Hadoop of interest, complete this table with the property or properties to be customized. Then at runtime, the customized property or properties will override those corresponding ones defined earlier for the same Hadoop.</p> <p>For further information about the properties required by Hadoop, see the Hadoop documentation.</p>
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component needs an input component from which the input data can be retrieved.	
Limitations	To run tHDFSOutput , version 1.6+ of JRE is required.	

Related scenario

For a related scenario, see [the section called “Scenario 1: Writing data in a delimited file”](#).

tHDFSPut



tHDFSPut properties

Component family	Big Data / Hadoop	
Function	tHDFSPut loads data into Hadoop distributed file system(HDFS).	
Purpose	tHDFSPut connects to Hadoop distributed file system to load large-scale files into it with optimized performance.	
Basic settings	<i>Hadoop version</i>	<p>Select a Hadoop version from the list:</p> <p>Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.</p> <p>Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.</p> <p>Apache 0.20.204: You need to precise the access to the Apache 0.20.204 to be used.</p> <p>Cloudera 0.20 CDH3U1: You need to precise the access to the Cloudera 0.20 Hadoop (CDH3 Update1) to be used.</p> <p>Apache 0.20.2: You need to precise the access to the Apache 0.20.2 to be used.</p> <p>MapR: You need to precise the access to the MapR distribution for Apache Hadoop to be used.</p>
	<i>Host</i>	IP address of the Hadoop distributed file system server.
	<i>Port</i>	Listening port number of HDFS server.
	<i>User name</i>	User authentication name of HDFS.
	<i>Group</i>	Enter the membership including the authentication user under which the HDFS instances were started. This field is available only when you select Apache 0.20.2 or MapR from the Hadoop version list.
	<i>HDFS directory</i>	Location to store the files in HDFS.
	<i>Local directory</i>	Local directory where are stored the files to be loaded into HDFS.
	<i>Overwrite file</i>	Options to overwrite or not the existing file with the new one.
	<i>Files</i>	<p>In the Files area, the fields to be completed are:</p> <ul style="list-style-type: none"> - File mask: type in the file name to be selected from the local directory. Regular expression is available. - New name: give a new name to the loaded file.

	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component combines HDFS connection and data extraction, thus usually used as a single-component subjob but also possible as output or end object.	
Limitations	To run tHDFSGet and tHDFSPut , version 1.6+ of JRE is required.	

Related scenario

For related scenario, see [the section called “Scenario: Computing data with Hadoop distributed file system”](#).

tHiveClose



tHiveClose properties

Component Family	Big Data / Hive	
Function	tHiveClose closes an active connection to a database.	
Purpose	This component closes connection to a Hive databases.	
Basic settings	<i>Component list</i>	If there is more than one connection used in the Job, select tHiveConnection from the list.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect the log data at a component level.
Usage	This component is generally used as an input component. It requires an output component.	
Limitation	n/a	

Related scenario


This component is for use with **tHiveConnection**. It is generally used along with **tHiveConnection** as the latter allows you to open a connection for the transaction which is underway.

For a scenario in which **tHiveClose** might be used, see [the section called “tMysqlConnection”](#).

tHiveConnection



tHiveConnection properties

Database Family	Big Data / Hive	
Function	tHiveConnection opens a connection to a database in order that a transaction may be made.	
Purpose	This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Hive version</i>	Select a Hive version from the list: Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper. Apache 0.20.203: You need to precise the access to the Apache 0.20.203 to be used. Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.
	<i>Connection mode</i>	Select a connection mode from the list: Standalone: This connection mode is available when the Hive version is Apache 0.20.203 or Apache 1.0.0. Embedded: This connection mode is available when the Hive version is Apache 1.0.0 or Hortonworks Data Platform 1.0.
	<i>Host</i>	Database server IP address.
	<i>Port</i>	DB server listening port.
	<i>Database</i>	Fill this field with the name of the database.  This field is not available when you select Embedded from the Connection mode list.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Encoding</i>	Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Use or register a shared DB Connection</i>	Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.

		Shared DB Connection Name: set or type in the shared connection name.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect the log data at a component level.
Usage	This component is generally used with other Informix components, particularly tHiveClose .	
Limitation	n/a	


Related scenario



For a scenario in which **tHiveConnection**, might be used, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

tHiveInput



tHiveInput properties

Component family	Big Data / Hive	
Function	tHiveInput is the dedicated component to the Hive database (the Hive data warehouse system). It executes the given HiveQL query in order to extract the data of interest from Hive. It provides the SQLBuilder tool to help you write your HiveQL statements easily.	
Purpose	tHiveInput executes the select queries to extract the corresponding data and sends the data to the component that follows.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
Basic settings	<i>Use an existing connection</i>	<p>Select this check box and click the relevant tHiveConnection component from the Component List to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see Use or register a shared DB connection in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use Dynamic settings of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about Dynamic settings, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Hive version</i>	<p>Select a Hive version from the list:</p> <p>Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.</p> <p>Apache 0.20.203: You need to precise the access to the Apache 0.20.203 to be used.</p>

		Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.
	<i>Connection mode</i>	Select a connection mode from the list: Standalone: This connection mode is available when the Hive version is Apache 0.20.203 or Apache 1.0.0. Embedded: This connection mode is available when the Hive version is Apache 1.0.0 or Hortonworks Data Platform 1.0.
	<i>Host</i>	Database server IP address.
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Fill this field with the name of the database.  This field is not available when you select Embedded from the Connection mode list.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table Name</i>	Name of the table to be processed.
	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always Built-in .
		Built-in: Fill in manually the query statement or build it graphically using SQLBuilder
	<i>Guess Query</i>	Click the Guess Query button to generate the query which corresponds to your table schema in the Query field.
	<i>Guess schema</i>	Click this button to retrieve the schema from the table.
	<i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
Advanced settings	<i>Trim all the String/Char columns</i>	Select this check box to remove leading and trailing whitespace from all the String/Char columns.
	<i>Trim column</i>	Remove leading and trailing whitespace from defined columns.  Clear the Trim all the String/Char columns check box to enable Trim column in this field.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component offers the benefit of flexible DB queries and covers all possible Hive QL queries.	


Related scenarios


For related topic, see [the section called “Scenario 1: Writing columns from a MySQL database to an output file”](#).

tHiveRow



tHiveRow properties

Component family	Big Data / Hive	
Function	tHiveRow is the dedicated component for this database. It executes the HiveQL query stated in the specified database. The row suffix means the component implements a flow in the Job design although it does not provide output.	
Purpose	Depending on the nature of the query and the database, tHiveRow acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write your HiveQL statements easily.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant tHiveConnection component from the Component List to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see Use or register a shared DB connection in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use Dynamic settings of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about Dynamic settings, see your studio user guide.</p>
	<i>Hive version</i>	<p>Select a Hive version from the list:</p> <p>Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 which supports Apache Hadoop projects including HDFS, MapR, Hive, HBase, Pig and Zookeeper.</p> <p>Apache 0.20.203: You need to precise the access to the Apache 0.20.203 to be used.</p>

		Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.
	<i>Connection mode</i>	Select a connection mode from the list: Standalone: This connection mode is available when the Hive version is Apache 0.20.203 or Apache 1.0.0. Embedded: This connection mode is available when the Hive version is Apache 1.0.0 or Hortonworks Data Platform 1.0.
	<i>Host</i>	Database server IP address.
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Fill this field with the name of the database.  This field is not available when you select Embedded from the Connection mode list.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table Name</i>	Name of the table to be processed.
		Built-in: Fill in manually the query statement or build it graphically using SQLBuilder
	<i>Guess Query</i>	Click the Guess Query button to generate the query which corresponds to your table schema in the Query field.
	<i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a Row > Rejects link.
Advanced settings	<i>Propagate QUERY's recordset</i>	Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the use column list.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component offers the benefit of flexible DB queries and covers all possible Hive QL queries.	

Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#)

- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

tPigAggregate



tPigAggregate Properties

Component family	Big Data / Hadoop	
Function	This component allows you to group the original data by column and add one or more additional columns to the output of preceding grouped data.	
Purpose	The tPigAggregate component adds one or more additional columns to the output of the grouped data to create data to be used by Pig.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Group by</i>	Click the plus button to add one or more columns to set tuples in the source data as group condition.
	<i>Operations</i>	Click the plus button to add one or more columns to generate one or more additional output columns based on conditions: Additional Output Column: Select a column in the original data as output column. Function: Functions for operation on input data. Input Column: Select a column in the original data as input column.
Advanced settings	<i>Increase parallelism</i>	Select this check box to set the number of reduce tasks for the MapReduce Jobs.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used as intermediate step together with input component and output component.	
Limitation	Knowledge of Pig scripts is required.	

Related scenario

For a **tPigAggregate** related scenario, [the section called “Scenario 1: Aggregating values and sorting data”](#) of **tAggregateRow**.

tPigCode




tPigCode Properties

Component family	Big Data / Hadoop	
Function	This component allows you to enter personalized Pig code to integrate it in Talend program. You can execute this code only once.	
Purpose	tPigCode extends the functionalities of a Talend Job through using Pig scripts.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Scripts</i>	Type in Pig scripts you want to execute according to the task you need to perform. For further information about Pig functions syntax specific to Talend , see: http://pig.apache.org/docs/r0.8.0/udf.html
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used as intermediate step together with input component and output component.	
Limitation	Knowledge of Pig scripts is required.	

Scenario: Selecting a column of data from an input file and store it into a local file

This scenario describes a three-component Job that selects a column of data that matches filter condition defined in **tPigCode** and stores the result into a local file.




Setting up the Job


1. Drop the following components from the **Palette** to the design workspace: **tPigCode**, **tPigLoad**, **tPigStoreResult**.
2. Right-click **tPigLoad** to connect it to **tPigCode** using a **Row > Pig Combine** connection.
3. Right-click **tPigCode** to connect it to **tPigStoreResult** using a **Row > Pig Combine** connection.

Loading the data

1. Double-click **tPigLoad** to open its **Basic settings** view.



2. Click the three-dot button next to **Edit schema** to add columns for **tPigLoad**.




3. Click the plus button to add *Name*, *Country* and *Age* and click **OK** to save the setting.
4. Select **Local** from the **Mode** area.
5. Fill in the **Input filename** field with the full path to the input file.

In this scenario, the input file is *CustomerList* which contains rows of names, country names and age.

6. Select **PigStorage** from the **Load function** list.
7. Leave rest of the settings as they are.

Configuring the tPigCode component

1. Double-click **tPigCode** component to open its **Basic settings** view.




2. Click **Sync columns** to retrieve the schema structure from the preceding component.
3. Fill in the **Script Code** field with following expression:

```
tPigCode_1_RESULT = foreach tPigLoad_1_RESULT generate $0 as name;
```

This filter expression selects column *Name* from *CustomerList*.

Saving the result data to a local file

1. Double-click **tPigStoreResult** to open its **Basic settings** view.



2. Click **Sync columns** to retrieve the schema structure from the preceding component.
3. Fill in the **Result file** field with the full path to the result file.
In this scenario, the result is saved in *Result* file.
4. Select **Remove result directory if exists**.
5. Select **PigStorage** from the **Store function** list.
6. Leave rest of the settings as they are.

Executing the Job

Save your Job and press **F6** to run it.



A screenshot of a software window titled "Result" with a close button (x). The window displays a list of names in a monospaced font, one per line. The names are: Name, Mike, Silvia, Romeo, Ahmad, Toyota, Manik, Natasha, Billy, Eminem, Bill, Fenricka, Huamei, Selena, Julio, Pantalion, Simao, Nancy, Gaddafi, Zidane, Didi, Juan, Bob, Mario, and Ricky.

The *Result* file is generated containing the selected column of data.

tPigCross



tPigCross Properties

Component family	Big Data / Hadoop	
Function	This component allows you to compute the cross data of two or more relations.	
Purpose	The tPigCross component uses CROSS operator to compute the Cartesian product.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Cross filename</i>	Fill in the path of the file to be computed.
Advanced settings	<i>Use partitioner</i>	Select this check box to specify the Hadoop Partitioner that controls the partitioning of the keys of the intermediate map-outputs. For further information about the usage of Hadoop Partitioner, see: http://hadoop.apache.org/common/docs/r0.20.2/api/org/apache/hadoop/mapred/Partitioner.html
	<i>Increase parallelism</i>	Select this check box to set the number of reduce tasks for the MapReduce Jobs
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used as intermediate step together with input component and output component.	
Limitation	Knowledge of Pig scripts is required.	


Related scenario

No scenario is available for this component yet.

tPigDistinct



tPigDistinct Properties

Component family	Big Data / Hadoop	
Function	This component allows you to remove duplicate tuples in a relation.	
Purpose	The tPigDistinct component removes duplicate tuples in a relation.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>Increase parallelism</i>	Select this check box to set the number of reduce tasks for the MapReduce Jobs
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used as intermediate step together with input component and output component.  <i>This component will not maintain the original order in the input file.</i>	
Limitation	Knowledge of Pig scripts is required.	

Related scenario

For more information regarding the **tPigDistinct** component in use, see [the section called “Scenario: Filtering rows of data based on a condition and saving the result to a local file”](#) of **tPigFilterRow**.

tPigFilterColumns



tPigFilterColumns Properties

Component family	Big Data / Hadoop	
Function	This component allows you to select one or more columns from a relation based on defined condition.	
Purpose	This tPigFilterColumns component selects data or filters out data from a relation based on defined filter conditions.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used as intermediate step together with input component and output component.	
Limitation	Knowledge of Pig script is required.	


Related Scenario

For a **tPigFilterColumns** related scenario, see [the section called “Scenario: Joining two files based on an exact match and saving the result to a local file” of tPigJoin](#).

tPigFilterRow



tPigFilterRow Properties

Component family	Big Data / Hadoop	
Function	The tPigFilterRow component filters the input flow in a Pig chain based on conditions set on given column(s).	
Purpose	This component is used to filter the input flow in a Pig chain based on conditions set on one or more columns.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Filter configuration</i>	Click the Add button beneath the Filter configuration table to set one or more filter conditions.  This table disappears if you select Use advanced filter .
	<i>Use advanced filter</i>	Select this check box to define advanced filter condition by entering customized filter expression in the Filter field.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used as an intermediate step in a Pig chain.	
Limitation	Knowledge of Pig scripts is required.	

Scenario: Filtering rows of data based on a condition and saving the result to a local file

This scenario describes a four-component Job that filters a list of customers to find out customers from a particular country, and saves the result list to a local file. Before the input data is filtered, duplicate entries are first removed from the list.


The input file contains three columns: *Name*, *Country*, and *Age*, and it has some duplicate entries, as shown below:

```
Mario;PuertoRico;49
Mike;USA;22
```

```
Ricky;PuertoRico;37
Silvia;Spain;20
Billy;Canada;21
Ricky;PuertoRico;37
Romeo;UK;19
Natasha;Russia;25
Juan;Cuba;23
Bob;Jamaica;55
Mario;PuertoRico;49
```

Dropping and linking components


1. Drop the following components from the **Palette** to the design workspace: **tPigLoad**, **tPigDistinct**, **tPigFilterRow**, and **tPigStoreResult**.
2. Right-click **tPigLoad**, select **Row > Pig Combine** from the contextual menu, and click **tPigDistinct** to link these two components.
3. Repeat this operation to link **tPigDistinct** to **tPigFilterRow**, and **tPigFilterRow** to **tPigStoreResult** using **Row > Pig Combine** connections to form a Pig chain.




Configuring the components

Loading the input data and removing duplicates

1. Double-click **tPigLoad** to open its **Basic settings** view.



2. Click the [...] button next to **Edit schema** to open the [Schema] dialog box.




3. Click the [+] button to add three columns according to the data structure of the input file: *Name* (string), *Country* (string) and *Age* (integer), and then click **OK** to save the setting and close the dialog box.
4. Click **Local** in the **Mode** area.
5. Fill in the **Input file URI** field with the full path to the input file.
6. Select **PigStorage** from the **Load function** list, and leave rest of the settings as they are.
7. Double-click **tPigDistinct** to open its **Basic settings** view, and click **Sync columns** to make sure that the input schema structure is correctly propagated from the preceding component.

This component will remove any duplicates from the data flow.

Configuring the filter

1. Double-click **tPigFilterRow** to open its **Basic settings** view.




2. Click **Sync columns** to make sure that the input schema structure is correctly propagated from the preceding component.
3. Select **Use advanced filter** and fill in the **Filter** field with filter expression:

```
"Country matches 'PuertoRico'"
```

This filter expression selects rows of data that contains "PuertoRico" in the *Country* column.

Configuring the file output

1. Double-click **tPigStoreResult** to open its **Basic settings** view.




2. Click **Sync columns** to make sure that the input schema structure is correctly propagated from the preceding component.
3. Fill in the **Result file** field with the full path to the result file.
4. If the target file already exists, select the **Remove result directory if exists** check box.
5. Select **PigStorage** from the **Store function** list, and leave rest of the settings as they are.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click the **Run** button on the **Run** tab to run the Job.


The result file contains the information of customers from the specified country.



tPigJoin



tPigJoin Properties

Component family	Big Data / Hadoop	
Function	This component allows you to perform join of two files based on join keys.	
Purpose	The tPigJoin component is used to perform inner joins and outer joins of two files based on join keys to create data that will be used by Pig.	
Basic settings	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p> To make this component work, two schemas must be set: the schema of the main flow and the schema of the lookup flow. In the output part of the main schema, the columns of the main input file must be manually concatenated with those of the lookup file.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Filename</i>	Fill in the path of the Lookup file .
	<i>Join key</i>	Click the plus button to add lines to set the Join key for Input file and Lookup file .
	<i>Join mode</i>	<p>Select a join mode from the list:</p> <p>inner-join: Select this mode to perform an inner join of two or more relations based on Join keys.</p> <p>left-outer-join: Select this mode to performs a left outer join of two or more relations based on Join keys.</p> <p>right-outer-join: Select this mode to performs a right outer join of two or more relations based on Join keys.</p> <p>full-outer-join: Select this mode to combine the effect of applying both left and right outer joins.</p> <p>For further information about inner join and outer join, see: http://en.wikipedia.org/wiki/Join_%28SQL%29</p>
Advanced settings	<i>Optimize the join</i>	<p>Select this check box to optimize the performance of joins using REPLICATED, SKEWED, or MERGE joins. For further information about optimized joins, see: http://pig.apache.org/docs/r0.8.0/piglatin_ref1.html#Specialized+Joins</p>
	<i>Use partitioner</i>	Select this check box to specify the Hadoop Partitioner that controls the partitioning of the keys of the intermediate map-

		outputs. For further information about the usage of Hadoop Partitioner, see: http://hadoop.apache.org/common/docs/r0.20.2/api/org/apache/hadoop/mapred/Partitioner.html
	<i>Increase parallelism</i>	Select this check box to set the number of reduce tasks for the MapReduce Jobs
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used as intermediate step together with input component and output component.	
Limitation	Knowledge of Pig scripts is required.	

Scenario: Joining two files based on an exact match and saving the result to a local file

This scenario describes a four-component Job that combines data of an input file and a reference file that matches a given join key, removes unwanted columns, and then saves the final result to a local file.

The main input file contains the information about people's IDs, first names, last names, group IDs, and salaries, as shown below:


```
1;Woodrow;Johnson;3;1013.39
2;Millard;Monroe;2;8077.59
3;Calvin;Eisenhower;3;6866.88
4;Lyndon;Wilson;3;5726.28
5;Ronald;Garfield;2;4158.58
6;Rutherford;Buchanan;3;2897.00
7;Calvin;Coolidge;1;6650.66
8;Ulysses;Roosevelt;2;7854.78
9;Grover;Tyler;1;5226.88
10;Bill;Tyler;2;8964.66
```

The reference file contains only the information of group IDs and group names:

```
1;group_A
2;group_B
```

Dropping and linking the components


- Drop the following components from the **Palette** to the design workspace: **tPigLoad**, **tPigJoin**, **tPigFilterColumns**, and **tPigStoreResult**.
- Connect these components in a series using **Row > Pig Combine** connections.




Configuring the components

Loading the main input file

1. Double-click **tPigLoad** to open its **Basic settings** view.



2. Click the [...] button next to **Edit schema** to open the **[Schema]** dialog box.




3. Click the [+] button to add columns, name them and define the column types according to the structure of the input file. In this example, the input schema has five columns: *id* (integer), *firstName* (string), *lastName* (string), *groupId* (integer), and *salary* (double).

Then click **OK** to validate the setting and close the dialog box.


4. Click **Local** in the **Mode** area.
5. Select **PigStorage** from the **Load function** list.
6. Fill in the **Input file URI** field with the full path to the input file, and leave the rest of the setting as they are.

Loading the reference file and setting up an inner join


1. Double-click **tPigJoin** to open its **Basic settings** view.



- Click the [...] for the main schema to open the [Schema] dialog box.




- Check that input schema is correctly retrieved from the preceding component. If needed, click the [->>] button to copy all the columns of the input schema to the output schema.
- Click the [+] button under the output panel to add new columns according to the data structure of the reference file, *groupId_ref* (integer) and *groupName* (string) in this example. Then click **OK** to close the dialog box.
- Click the [...] for the schema lookup flow to open the [Schema] dialog box.




6. Click the [+] button under the output panel to add two columns: *groupId_ref* (integer) and *groupName* (string), and then click **OK** to close the dialog box.
7. In the **Filename** field, specify the full path to the reference file.
8. Click the [+] button under the **Join key** table to add a new line, and select *groupId* and *groupId_ref* respectively from the **Input** and **Lookup** lists to match data from the main input flow with data from the lookup flow based on the group ID.
9. From the **Join Mode** list, select **inner-join**.

Defining the final output schema and the output file

1. Double-click **tPigFilterColumns** to open its **Basic settings** view.




2. Click the [...] button next to **Edit schema** to open the **[Schema]** dialog box.



- From the input schema, select the columns you want to include in your result file by clicking them one after another while pressing the **Shift** key, and click the [->] button to copy them to the output schema. Then, click **OK** to validate the schema setting and close the dialog box.

In this example, we want the result file to include all the information except the group IDs.

- Double-click **tPigStoreResult** to open its **Basic settings** view.




- Click **Sync columns** to retrieve the schema structure from the preceding component.
- Fill in the **Result file** field with the full path to the result file, and select the **Remove result file directory if exists** check box.
- Select **PigStorage** from the **Store function** list, and leave rest of the settings as they are.

Saving and executing the Job

- Press **Ctrl+S** to save your Job.
- Press **F6** or click **Run** on the **Run** tab to run the Job.

The result file includes all the information related to people of group A and group B, except their group IDs.



The image shows a screenshot of a text editor window with a single tab titled 'pigResult.csv'. The window contains a list of seven lines of text, each representing a record in a CSV format. The records are as follows:






Line	Record
1	7;Calvin;Coolidge;6650.66;group_A
2	9;Grover;Tyler;5226.88;group_A
3	2;Millard;Monroe;8077.59;group_B
4	5;Ronald;Garfield;4158.58;group_B
5	8;Ulysses;Roosevelt;7854.78;group_B
6	10;Bill;Tyler;8964.66;group_B
7	

tPigLoad



tPigLoad Properties

Component family	Big Data / Hadoop	
Function	This component allows you to set up a connection to the data source for a current transaction.	
Purpose	The tPigLoad component loads original input data to an output stream in just one single transaction, once the data has been validated.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Local</i>	Click this radio button to run Pig scripts in Local mode. In this mode, all files are installed and run from your local host and file system.
	<i>Map/Reduce</i>	<p>Click this radio button to run Pig scripts in Map/Reduce mode:</p> <p>Hortonworks Data Platform 1.0: You need to precise the access to the Hortonworks Data Platform 1.0 (based upon Apache Hadoop 0.20.205) to be used.</p> <p>Apache 0.20.2: You need to precise the access to the Apache 0.20.2 to be used.</p> <p>Cloudera 0.20 CDH3U1: You need to precise the access to the Cloudera 0.20 Hadoop (CDH3 Update1) to be used.</p> <p>MapR: You need to precise the access to the MapR distribution for Apache Hadoop to be used.</p> <p>Apache 1.0.0: You need to precise the access to the Apache Hadoop 1.0.0 to be used in this mode.</p> <p>When selecting any one of the options above, you need to complete the following fields:</p> <ul style="list-style-type: none"> • NameNode URI: Type in the URI of the NameNode corresponding to the Map/Reduce version to be used. • JobTracker host: Type in the URI of the JobTracker corresponding to the Map/Reduce version to be used. • HCat Metastore: Type in the URI of the HCat metastore: "<i>thrift://<hcatalog server hostname>:9933</i>".

		 For further information about the usage of HCat Metastore, see http://incubator.apache.org/hcatalog/docs/r0.2.0/loadstore.html .
	<i>Load function</i>	<p>Select a load function for data to be loaded:</p> <p>PigStorage: Loads data in UTF-8 format.</p> <p>BinStorage: Loads data in machine-readable format.</p> <p>TextLoader: Loads unstructured data in UTF-8 format.</p> <p>HCatLoader: Loads data from HCataLog managed tables using Pig scripts.</p> <p> HCatLoader is available only when you select Hortonworks Data Platform 1.0 from the Version list. For further information about the usage of HCatLoader, see http://incubator.apache.org/hcatalog/docs/r0.2.0/loadstore.html#HCatLoader.</p>
	<i>Input file URI</i>	<p>Fill in this field with the full local path to the input file.</p> <p> This field is not available when you select HCatLoader from the Load function list.</p>
	<i>HCataLog Configuration</i>	<p>Fill the following fields to configure HCataLog managed tables on HDFS(Hadoop distributed file system):</p> <p>Database: The database in which tables are placed.</p> <p>Table: The table in which data is stored.</p> <p>Partition filter: Fill this field with the partition keys to list partitions by filter.</p> <p>Register jar: Fill the Jar path field with the path to the jar files listed in the Column field.</p> <p> HCataLog Configuration area is enabled only when you select HCatLoader from the Load function list. For further information about the usage of HCataLog, see http://incubator.apache.org/hcatalog/docs/r0.2.0/. For further information about the usage of Partition filter, see https://cwiki.apache.org/confluence/display/HCATALOG/Design+Document+-+Java+APIs+for+HCatalog+DDL+Commands.</p>
	<i>Field separator</i>	<p>Type in the separator you need to use for the input data.</p> <p> This field is enabled only when you select PigStorage from the Load function list.</p>
	<i>Die on subjob error</i>	<p>This check box is cleared by default, meaning to skip the row on subjob error and to complete the process for error-free rows.</p>

Advanced settings	<i>Hadoop Properties</i>	Complete this table using the customized Hadoop parameters, if any, to override the default ones.
	<i>Properties</i>	Complete this table using the customized Pig set configuration, if any, to override the default one. For example, the <i>default_parallel</i> key used in Pig could be set as 20.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is always used to start a Pig chain.	
Limitation	Knowledge of Pig scripts is required. If you select HCatLoader as the load function, knowledge of HCataLog DDL(HCataLog Data Definition Language, a subset of Hive Data Definition Language) is required. For further information about HCataLog DDL, see http://incubator.apache.org/hcatalog/docs/r0.2.0/cli.html .	

Related Scenario

For further information regarding the **tPigLoad** component in use, see [the section called “Scenario: Filtering rows of data based on a condition and saving the result to a local file”](#) of **tPigFilterRow**.

tPigSort




tPigSort Properties

Component family	Big Data / Hadoop	
Function	This component allows you to sort a relation based on one or more defined sort keys.	
Purpose	The tPigSort component is used to sort relation based on one or more defined sort keys.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Sort key</i>	Click the Add button beneath the Sort key table to add one or more lines to specify column and sorting order for each sort key.
Advanced settings	<i>Increase parallelism</i>	Select this check box to set the number of reduce tasks for the MapReduce Jobs
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is commonly used as intermediate step together with input component and output component.	
Limitation	Knowledge of Pig scripts is required.	

Scenario: Sorting data in ascending order

This scenario describes a three-component Job that sorts rows of data based on one or more sorting conditions and stores the result into a local file.




Setting up the Job


1. Drop the following components from the **Palette** to the design workspace: **tPigSort**, **tPigLoad**, **tPigStoreResult**.
2. Connect **tPigLoad** to **tPigFilterRow** using a **Row > Pig Combine** connection.
3. Connect **tPigFilterRow** to **tPigStoreResult** using a **Row > Pig Combine** connection.

Loading the data

1. Double-click **tPigLoad** to open its **Basic settings** view.




2. Click the [...] button next to **Edit schema** to add columns for **tPigLoad**.



3. Click the [+] button to add *Name*, *Country* and *Age* and click **OK** to save the setting.
4. Select **Local** from the **Mode** area.
5. Fill in the **Input filename** field with the full path to the input file.
In this scenario, the input file is *CustomerList* that contains rows of names, country names and age.
6. Select **PigStorage** from the **Load function** list.
7. Leave rest of the settings as they are.

Setting the sorting condition

1. Double-click **tPigSort** to open its **Basic settings** view.




2. Click **Sync columns** to retrieve the schema structure from the preceding component.
3. Click the [+] button beneath the **Sort key** table to add a new sort key. Select *Age* from the **Column** list and select **ASC** from the **Order** list.

This sort key will sort the data in *CustomerList* in ascending order based on *Age*.

Saving the data to a local file


1. Double-click **tPigStoreResult** to open its **Basic settings** view.



2. Click **Sync columns** to retrieve the schema structure from the preceding component.
3. Select **Remove result directory if exists**.
4. Fill in the **Result file** field with the full path to the result file.
In this scenario, the result of filter is saved in *Lucky_Customer* file.
5. Select **PigStorage** from the **Store function** list.
6. Leave rest of the settings as they are.

Executing the Job

Save your Job and press **F6** to run it.






The *Lucky_Customer* file is generated containing the data in ascending order based on *Age*.

tPigStoreResult



tPigStoreResult Properties

Component family	Big Data / Hadoop	
Function	This component allows you to store the result of your Pig Job into a defined data storage space.	
Purpose	The tPigStoreResult component is used to store the result into defined data storage space.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Result file</i>	Select the path to the result file in which data is stored.
	<i>Remove result directory if exists</i>	Select this check box to remove an existing result directory.  This check box is disabled when you select HCatStorer from the Store function list.
	<i>Store function</i>	Select a store function for data to be stored: PigStorage: Stores data in UTF-8 format. BinStorage: Stores data in machine-readable format. PigDump: Stores data as tuples in human-readable UTF-8 format. HCatStorer: Stores data in HCatalog managed tables using Pig scripts.
	<i>HCatalog Configuration</i>	Fill the following fields to configure HCatalog managed tables on HDFS(Hadoop distributed file system): Database: The database in which tables are placed. Table: The table in which data is stored. Partition filter: Fill this field with the partition keys to list partitions by filter. Register jar: Fill the Jar path field with the path to the jar files listed in the Column field.  HCatalog Configuration area is enabled only when you select HCatStorer from the Store function list. For further information

		<p>about the usage of HCataLog, see http://incubator.apache.org/hcatalog/docs/r0.2.0/. For further information about the usage of Partition filter, see https://cwiki.apache.org/confluence/display/HCATALOG/Design+Document+-+Java+APIs+for+HCatalog+DDL+Commands.</p>
	<i>Field separator</i>	<p>Type in the separator you need to use for the output data.</p> <p> This field is enabled only when you select PigStorage from the Store function list.</p>
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is always used to end a Pig chain.	
Limitation	<p>Knowledge of Pig scripts is required. If you select HCatStorer as the store function, knowledge of HCataLog DDL(HCataLog Data Definition Language, a subset of Hive Data Definition Language) is required. For further information about HCataLog DDL, see http://incubator.apache.org/hcatalog/docs/r0.2.0/cli.html.</p>	


Related Scenario

For more information regarding the **tPigStoreResult** component in use, see [the section called “Scenario: Sorting data in ascending order” of tPigSort](#).

tSqoopExport



tSqoopExport Properties

Component family	Big Data / Sqoop		
Function	tSqoopExport calls sqoop to transfer data from the Hadoop Distributed File System (HDFS) to a relational database management system (RDBMS).		
Purpose	tSqoopExport is used to define the arguments required by Sqoop for transferring data to a RDBMS.		
Basic settings	<i>Connection</i>	Type in the JDBC URL used to connect to the target database.	
	<i>Table Name</i>	Type in the name of the target table which data is transferred to from HDFS. This table must already exist in the target database. The input files are read and parsed into a set of records according to the user-specified delimiters.	
	<i>Export Dir</i>	Type in the path, or browse to the source data to be transferred in HDFS.	
	<i>User name</i> and <i>Password</i>	Type in the authentication information to the target database.	
	<i>Specify Number of Mappers</i>	Select this check box to precise the number of mappers, which is the degree of parallelism used.	
	<i>Print Log</i>	Select this check box to activate the Verbose check box.	
	<i>Verbose</i>	Select this check box to print more information while working, for example, the debugging information.	
	Advanced settings	<i>Direct</i>	Select this check box to use the export fast path.
		<i>Use MySQL default delimiters</i>	Select this check box to use MySQL's default delimiter set
		<i>Additional arguments</i>	Complete this table to use an additional argument.  <i>At each time, only one additional argument is allowed. Use of multiple additional arguments at the same time may lead to exception error..</i>
<i>tStatCatcher Statistics</i>		Select this check box to collect log data at the component level.	
Usage	<p>This component is used standalone.</p> <p>If your HDFS is hosted on a different server from the one hosting your Studio, install a Jobserver of equal or later version than your Studio's in the server of this HDFS and run the Job of interest remotely on this server. For further information about how to run a Job remotely, see <i>Talend Open Studio for Big Data User Guide</i>.</p>		
Connections		<p>Outgoing links (from one component to another):</p> <p>Trigger: Run if; On Subjob Ok; On Subjob Error.</p>	

Related scenario

		Incoming links (from one component to another): Row: Iterate; Trigger: Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .
Limitation	n/a	

Related scenario

No scenario is available for this component yet.


tSqoopImport



tSqoopImport Properties

Component family	Big Data / Sqoop		
Function	tSqoopImport calls Sqoop to transfer data from a relational database management system (RDBMS) such as MySQL or Oracle into the Hadoop Distributed File System (HDFS).		
Purpose	tSqoopImport is used to define the arguments required by Sqoop for writing the data of your interest into HDFS.		
Basic settings	<i>Connection</i>	Type in the JDBC URL used to connect to the database where the source data is stored.	
	<i>User name</i> and <i>Password</i>	Type in the authentication information used to connect to the source database.	
	<i>Table Name</i>	Type in the name of the table to be transferred into HDFS.	
	<i>Append</i>	Select this check box to append transferred data to an existing dataset in HDFS.	
	<i>File format</i>	Select a file format for the data to be transferred. By default, the file format is textfile , but you can as well choose the sequencefile format instead.	
	<i>Specify Number of Mappers</i>	Select this check box to precise the number of map tasks (parallel processes) used to perform the data transfer.	
	<i>Specify Target Dir</i>	Select this check box to type in the path to, or to browse to the target file which you want transfer the source data to in HDFS.	
	<i>Compress</i>	Select this check box to enable compression.	
	<i>Print Log</i>	Select this check box to activate the Verbose check box.	
	<i>Verbose</i>	Select this check box to print more information while working, for example, the debugging information.	
	Advanced settings	<i>Direct</i>	Select this check box to use the import fast path.
		<i>Specify columns</i>	Select this check box to activate the column table where you can specify the data columns you want to transfer into HDFS.
		<i>Use WHERE clause</i>	Select this check box to use a WHERE clause that controls the rows to be transferred. In the activated field, you can type in the condition used to selected the data rows you want. For example, type in <i>id >400</i> to import only rows where the <i>id</i> column has a value greater than 400.
<i>Use MySQL default delimiters</i>		Select this check box to use MySQL's default delimiter set	
	<i>Additional arguments</i>	Complete this table to use an additional argument if you need one.	

Related scenario

		 <p><i>At each time, only one additional argument is allowed. Use of multiple additional arguments at the same time may lead to exception error.</i></p>
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	<p>This component is used standalone.</p> <p>If your HDFS is hosted on a different server from the one hosting your Studio, install a Jobserver of equal or later version than your Studio's in the server of this HDFS and run the Job of interest remotely on this server. For further information about how to run a Job remotely, see <i>Talend Open Studio for Big Data User Guide</i>.</p>	
Connections		<p>Outgoing links (from one component to another):</p> <p>Trigger: Run if; On Subjob Ok; On Subjob Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Iterate;</p> <p>Trigger: Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	


Related scenario

No scenario is available for this component yet.

tSqoopImportAllTables



tSqoopImportAllTables Properties

Component family	Big Data / Sqoop	
Function	tSqoopImportAllTables calls Sqoop to transfer all of the tables of a relational database management system (RDBMS) such as MySQL or Oracle into the Hadoop Distributed File System (HDFS).	
Purpose	tSqoopImportAllTables is used to define the arguments required by Sqoop for writing all of the tables of a database into HDFS.	
Basic settings	<i>Connection</i>	Type in the JDBC URL used to connect to the database where the source data is stored.
	<i>User name and Password</i>	Type in the authentication information used to connect to the source database.
	<i>File format</i>	Select a file format for the data to be transferred. By default, the file format is textfile , but you can as well choose the sequencefile format instead.
	<i>Specify Number of Mappers</i>	Select this check box to precise the number of map tasks (parallel processes) used to perform the data transfer.
	<i>Compress</i>	Select this check box to enable compression.
	<i>Print Log</i>	Select this check box to activate the Verbose check box.
	<i>Verbose</i>	Select this check box to print more information while working, for example, the debugging information.
	Advanced settings	<i>Direct</i>
<i>Use MySQL default delimiters</i>		Select this check box to use MySQL's default delimiter set
<i>Additional arguments</i>		Complete this table to use an additional argument if you need one.  <i>At each time, only one additional argument is allowed. Use of multiple additional arguments at the same time may lead to exception error.</i>
<i>tStatCatcher Statistics</i>		Select this check box to collect log data at the component level.
Usage	<p>This component is used standalone.</p> <p>If your HDFS is hosted on a different server from the one hosting your Studio, install a Jobserver of equal or later version than your Studio's in the server of this HDFS and run the Job of interest remotely on this server. For further information about how to run a Job remotely, see <i>Talend Open Studio for Big Data User Guide</i>.</p>	
Connections		<p>Outgoing links (from one component to another):</p> <p>Trigger: Run if; On Subjob Ok; On Subjob Error.</p>

Related scenario

		Incoming links (from one component to another): Row: Iterate; Trigger: Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .
Limitation	n/a	

Related scenario

No scenario is available for this component yet.

Business components

This chapter details the major components that you can find in **Business** group of the **Palette** of *Talend Open Studio for Big Data*.

The Business component family groups connectors that covers specific Business needs, such as reading and writing CRM, or ERP types of database and reading from or writing to an SAP system.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.


tAlfrescoOutput



tAlfrescoOutput Properties

Component family	Business	
Function	Creates dematerialized documents in an Alfresco server where they are indexed under meaningful models.	
Purpose	Allows to create and manage documents in an Alfresco server.	
Basic settings	<i>URL</i>	Type in the URL to connect to the Alfresco Web application.
	<i>Login and Password</i>	Type in the user authentication data to the Alfresco server.
	<i>Base</i>	Type in the base path where to put the document, or Select the Map... check box and then in the Column list, select the target location column. Note: When you type in the base name, make sure to use the double backslash (\\) escape character.
	<i>Document Mode</i>	Select in the list the mode you want to use for the created document. Create only: creates a document if it does not exist. Note that an error message will display if you try to create a document that already exists Create or update: creates a document if it does not exist or updates the document if it exists.
	<i>Container Mode</i>	Select in the list the mode you want to use for the destination folder in Alfresco. Update only: updates a destination folder if the folder exists. Note that an error message will display if you try to update a document that does not exist Create or update: creates a destination folder if it does not exist or updates the destination folder if it exists.
	<i>Define Document Type</i>	Click the three-dot button to display the tAlfrescoOutput editor. This editor enables you to: - select the file where you defined the metadata according to which you want to save the document in Alfresco -define the type of the document

		-select any of the aspects in the available aspects list of the model file and click the plus button to add it in the list to the left.
	<i>Property Mapping</i>	Displays the parameters you set in the tAlfrescoOutput editor and according to which the document will be created in the Alfresco server. Note that in the Property Mapping area, you can modify any of the input schemas.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit Schema to make changes to the schema.
	<i>Result Log File Name</i>	Browse to the file where you want to save any logs related to the Job execution.
Advanced settings	<i>Configure Target Location Container</i>	Allows to configure the (by default) type of containers (folders) Select this check box to display new fields where you can modify the container type to use your own created types based on the father/child model.
	<i>Configure Permissions</i>	When selected, allows to manually configure access rights to containers and documents. Select the Inherit Permissions check box to synchronize access rights between containers and documents. Click the Plus button to add new lines to the Permissions list, then you can assign roles to user or group columns.
	<i>Encoding</i>	Select the encoding type from the list or select Custom and define it manually. This field is compulsory.
	<i>Association Target Mapping</i>	Allows to create new documents in Alfresco with associated links towards other documents already existing in Alfresco, to facilitate the navigation process for example. To create associations: 1. Open the tAlfresco editor. 2. Click the Add button and select a model where you have already defined aspects that contain associations. 3. Click the drop-down arrow at the top of the editor and select the corresponding document type. 4. Click OK to close the editor and display the created association in the Association Target Mapping list.

	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Usually used as an output component. An input component is required.	
Limitation/Prerequisites	<p>To be able to use the tAlfrescoOutput component, few relevant resources need to be installed: check the <i>Installation Procedure</i> sub section for more information.</p> <p> Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	

Installation procedure

To be able to use **tAlfrescoOutput** in *Talend Open Studio for Big Data*, you need first to install the Alfresco server with few relevant resources.

The below sub sections detail the prerequisite and the installation procedure.


Prerequisites

Start with the following operations:

1. Download the file `alfresco-community-tomcat-2.1.0.zip`
2. Unzip the file in an installation folder, for example:

```
C:\Program Files\Java\jdk1.6.0_27
```

3. Install JDK 1.6.0+
 4. Update the environment variable
- ```
JAVA_HOME (JAVA_HOME= C:\alfresco)
```
5. From the installation folder (`C:\alfresco`), launch the alfresco server using the script `alf_start.bat`

 *Make sure that the Alfresco server is launched correctly before start using the **tAlfrescoOutput** component.*

### Installing the Talend Alfresco module

Note that the `talendalfresco_20081014.zip` is provided with the **tAlfrescoOutput** component in *Talend Open Studio for Big Data*.

To install the `talendalfresco` module:

1. From `talendalfresco_20081014.zip` and in the `talendalfresco_20081014\alfresco` folder, look for the following jars: `stax-api-1.0.1.jar`, `wstx-lgpl-3.2.7.jar`,


talendalfresco-client\_1.0.jar, and talendalfresco-alfresco\_1.0.jar and move them to C:\alfresco\tomcat\webapps\alfresco\WEB-INF\lib

2. Add the authentication filter of the commands to the web.xml file located in the path

```
C:\alfresco\tomcat\webapps\alfresco\WEB-INF
son WEB-INF/
```

following the model of the example provided in talendalfresco\_20081014/alfresco folder of the zipped file talendalfresco\_20081014.zip

The following figures show the portion of lines (in blue) to add in the file web.xml alfresco.



## Useful information for advanced use

### Installing new types for Alfresco:

From the package\_jeu\_test.zip and in the package\_jeu\_test/fichiers\_conf\_alfresco2.1 folder, look for the following files: xml H76ModelCustom.xml (description of the model), web-client-config-custom.xml (web interface of the model), and custom-model-context.xml (registration of the new model) and paste them in the following folder: C:/alfresco/tomcat/shared/classes/alfresco/extension

### Dates:

- The dates must be of the **Talend** date type java.util.Date.
- Columns without either mapping or default values, for example of the type Date, are written as empty strings.
- Solution: delete all columns without mapping or default values. Note that any modification of the type Alfresco will put them back.

### Content:

- Do not mix up between the file path which content you want to create in Alfresco and its target location in Alfresco.

- Provide a URL! It can target various protocols, among which are file, HTTP and so on.
- For URLs referring to files on the file system, precede them by "file:" for Windows used locally, and by "file:///" for Windows on a network (which accepts as well "file: \\") or for Linux.
- Do not double the backslash in the target base path (automatic escape), unless you type in the path in the basic settings of the **tAlfrescoOutput** component, or doing concatenation in the **tMap** editor for example.

#### Multiple properties or associations:

- It is possible to create only one association by document if it is mapped to a string value, or one or more associations by document if it is mapped to a list value (object).
- You can empty an association by mapping it to an empty list, which you can create, for example, by using `new java.util.ArrayList()` in the **tMap** component.

However, it is impossible to delete an association.

#### Building `List(object)` with **tAggregate**:

- define the table of the relation n-n in a file, containing a name line for example (included in the input rows), and a category line (that can be defined with its mapping in a third file).
- group by: input name, output name.
- operation: output `categoryList`, function `list(object)`, input `category`. ATTENTION `list(object)` and non simple list.

#### - References (documents and folders):

- References are created by mapping one or more existing reference nodes (xpath or namepath) using `String` type or `List(object)`.
- An error in the association or the property of the reference type does not prevent the creation of the node that holds the reference.
- Properties of the reference type are created in the **Basic Settings** view.
- Associations are created in the **Advanced Settings** view.

## Dematerialization, tAlfrescoOutput, and Enterprise Content Management

Dematerialization is the process that convert documents held in physical form into electronic form, and thus helps to move away from the use of physical documentation to the use of electronic Enterprise Content Management (ECM) systems. The range of documents that can be managed with an Enterprise Content Management system include just about everything from basic documents to stock certificates, for example.

Enterprises dematerialize their content via a manual document handling, done by man, or an automatic document handling, machine-based.

Considering the varied nature of the content to be dematerialized, enterprises have to use varied technologies to do it. Scanning paper documents, creating interfaces to capture electronic documents from other applications, converting document images into machine-readable/editable text documents, and so on are examples of the technologies available.

Furthermore, scanned documents and digital faxes are not readable texts. To convert them into machine-readable characters, different character recognition technologies are used. Handwritten Character Recognition (HCR) and Optical Mark Recognition (OMR) are two examples of such technologies.




Equally important as the content that is captured in various formats from numerous sources in the dematerialization process is the supporting metadata that allows efficient identification of the content via specific queries.

Now how can this document content along with the related metadata be aggregated and indexed in an Enterprise Content Management system so that it can be retrieved and managed in meaningful ways? **Talend** provides the answer through the **tAlfrescoOutput** component.

The **tAlfrescoOutput** component allows you to stock and manage your electronic documents and the related metadata on the Alfresco server, the leading open source enterprise content management system.

The following figure illustrates **Talend**'s role between the dematerialization process and the Enterprise Content Management system (Alfresco).




ECMS: Enterprise Content Management System  
HCR: Handwritten Character Recognition  
OMR: Optical Mark Recognition

## Scenario: Creating documents on an Alfresco server

This Java scenario describes a two-component Job which aims at creating two document files with the related metadata in an Alfresco server, the java-based Enterprise Control Management system.


### Setting up your Job

1. Drop the **tFileInputDelimited** and **tAlfrescoOutput** components from the **Palette** onto the design workspace.
2. Connect the two components together using a **Main > Row** connection.



## Setting up the schema

1. In the design workspace, double-click **tFileInputDelimited** to display its basic settings.
2. Set the **File Name** path and all related properties.




For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.

In this scenario, the delimited file provides the metadata and path of two documents we want to create in the Alfresco server. The input schema for the documents consists of four columns: *file\_name*, *destination\_folder\_name*, *source\_path*, and *author*.


|   | A             | B                        | C                                    | D      | E | F |
|---|---------------|--------------------------|--------------------------------------|--------|---|---|
| 1 | file_name;    | destination_folder_name; | source_path;                         | author |   |   |
| 2 | PO_43278.pdf; | FINANCE\PO;              | file:D:/PO/customer1_2009-03-24.pdf; | talend |   |   |
| 3 | PO_43279.pdf; | FINANCE\PO;              | file:D:/PO/customer2_2009-03-24.pdf; | talend |   |   |

And therefore the input schema of the delimited file will be as the following:



## Setting up the connection to the Alfresco server

1. In the design workspace, double-click **tAlfrescoOutput** to display its basic settings.



2. In the **Alfresco Server** area, enter the Alfresco server URL and user authentication information in the corresponding fields.
3. In the **TargetLocation** area, either type in the base name where to put the document in the server, or Select the **Map...** check box and then in the **Column** list, select the target location column, `destination_folder_name` in this scenario.




When you type in the base name, make sure to use the double backslash (\) escape character.

4. In the **Document Mode** list, select the mode you want to use for the created documents.
5. In the **Container Mode** list, select the mode you want to use for the destination folder in Alfresco.

## Defining the document

1. Click the **Define Document Type** three-dot button to open the **tAlfrescoOutput** editor.



2. Click the **Add** button to browse and select the xml file that holds the metadata according to which you want to save the documents in Alfresco.

All available aspects in the selected model file display in the **Available Aspects** list.



You can browse for this model folder locally or on the network. After defining the aspects to use for the document to be created in Alfresco, this model folder is not needed any more.

3. If needed, select in the **Available Aspects** list the aspect(s) to be included in the metadata to write in the Alfresco server. In this scenario we want the author name to be part of the metadata registered in Alfresco.
4. Click the drop-down arrow at the top of the editor to select from the list the type to give to the created document in Alfresco, Content in this scenario.

All the defined aspects used to select the metadata to write in the Alfresco server display in the **Property Mapping** list in the **Basic Settings** view of **tAlfrescoOutput**, three aspects in this scenario, two basic for the Content type (content and name) and an additional one (author).

## Executing your Job

1. Click **Sync columns** to auto propagate all the columns of the delimited file.

If needed, click **Edit schema** to view the output data structure of **tAlfrescoOutput**.

| files_to_alfresco (Input - Main) |                          |        |         |        | tAlfrescoOutput_1 (Output) |                          |        |        |       |
|----------------------------------|--------------------------|--------|---------|--------|----------------------------|--------------------------|--------|--------|-------|
| Column                           | Key                      | Type   | ✓ Nu... | Length | Column                     | Key                      | Type   | ✓ N... | Le... |
| file_name                        | <input type="checkbox"/> | String | ✓       | 255    | file_name                  | <input type="checkbox"/> | String | ✓      | 255   |
| destination_folder_name          | <input type="checkbox"/> | String | ✓       | 255    | destination_folder_name    | <input type="checkbox"/> | String | ✓      | 255   |
| source_path                      | <input type="checkbox"/> | String | ✓       | 255    | source_path                | <input type="checkbox"/> | String | ✓      | 255   |
| author                           | <input type="checkbox"/> | String | ✓       | 6      | author                     | <input type="checkbox"/> | String | ✓      | 6     |

2. Click the three-dot button next to the **Result Log File Name** field and browse to the file where you want to save any logs after Job execution.
3. Save your Job, and press **F6** to execute it.

| row1 (Main)             | Current row : 2                     |
|-------------------------|-------------------------------------|
| file_name               | PO_43279.pdf                        |
| destination_folder_name | FINANCE\PO                          |
| source_path             | file:D:/PO/customer2_2009-03-24.pdf |
| author                  | talend                              |

The two documents are created in Alfresco using the metadata provided in the input schemas.

Created: 13 févr. 2009 15:47:38  
 Creator: admin  
 Modified: 13 févr. 2009 15:47:38  
 Modifier: admin  
 Author: talend  
 Size: 59,54 KB







Preview:  
 1 - Ordre d'installation des modules  
 square4 JVM 1.5 ou + par SUN  
 square4 d'un SGBD ( MySQL ou SOL SERVER)

# tMarketoInput



## tMarketoInput Properties

|                         |                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Cloud                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>         | The <b>tMarketoInput</b> component retrieves data from a Marketo Web server.                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>          | The <b>tMarketoInput</b> component allows you to retrieve data from a Marketo DB on a Web server. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>   | <i>Endpoint address</i>                                                                           | The URL of the Marketo Web server for the SOAP API calls to.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Secret key</i>                                                                                 | Encrypted authentication code assigned by Marketo.<br><br>💡 Contact Marketo Support via <a href="mailto:support@marketo.com">support@marketo.com</a> to get this information.                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Client Access ID</i>                                                                           | A user ID for the access to Marketo web service.<br><br>💡 Contact Marketo Support via <a href="mailto:support@marketo.com">support@marketo.com</a> to get this information.                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Operation</i>                                                                                  | Options in this list allow you to retrieve lead data from Marketo to external systems.<br><br><b>getLead</b> : This operation retrieves basic information of leads and lead activities in Marketo DB.<br><br><b>getMultipleLeads</b> : This operation retrieves lead records in batch.<br><br><b>getLeadActivities</b> : This operation retrieves the history of activity records for a single lead identified by the provided key.<br><br><b>getLeadChanges</b> : This operation checks the changes on Lead data in Marketo DB. |
|                         | <i>Schema and Edit Schema</i>                                                                     | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .<br><br>Click <b>Edit Schema</b> to make changes to the schema. .<br><br>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.                                                                                                                                   |
|                         |                                                                                                   | <b>Built-in</b> : No property data is stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Columns Mapping</i>                                                                            | You can set the mapping conditions by making changes in <b>Edit Schema</b> . By default, column names in <b>Column</b> fields are the same as what they are in the schema.                                                                                                                                                                                                                                                                                                                                                       |

|                          |                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                |  Because some column names in Marketo database may contain blank space, which is not allowed in the component schema, you need to specify the corresponding column fields in the <b>Columns in Marketo</b> field. If the defined column names in schema are the same as column names in Marketo database, it is not necessary to set the columns mapping. |
|                          | <i>LeadKey type</i>                                                            | The data types of <b>LeadKey</b> supported by Marketo DB.                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>LeadKey value</i>                                                           | The value of <b>LeadKey</b> .                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Set Include Types</i>                                                       | <p>Select this check box to include the types of LeadActivity content to be retrieved. Click the plus button under the <b>Include Types</b> area to select in the list types to add.</p>  This field is displayed only when you select <b>getLeadActivity</b> or <b>getLeadChanges</b> from the <b>Operation</b> list.                                    |
|                          | <i>Set Exclude Types</i>                                                       | <p>Select this check box to exclude the types of LeadActivity content to be retrieved. Click the plus button under the <b>Exclude Types</b> area to select in the list types to add.</p>  This field is displayed only when you select <b>getLeadActivity</b> or <b>getLeadChanges</b> from the <b>Operation</b> list.                                    |
|                          | <i>Last Updated At</i>                                                         | <p>Type in the time of last update to retrieve only the data since the last specified time. The time format is YYYY-MM-DD HH:MM:SS.</p>  This field is displayed only when you select <b>getMultipleLeads</b> from the <b>Operation</b> list.                                                                                                           |
|                          | <i>Batch Size</i>                                                              | <p>The maximum batch size in retrieving lead data in batch.</p>  This field is displayed only when you select <b>getLeadActivity</b> or <b>getLeadChanges</b> from the <b>Operation</b> list.                                                                                                                                                           |
|                          | <i>Timeout (milliseconds)</i>                                                  | <p>Type in the query timeout (in milliseconds) on the Marketo Web service.</p>  The Job will stop when Timeout exception error occurs.                                                                                                                                                                                                                  |
|                          | <i>Die on error</i>                                                            | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Reject</b> connection.                                                                                                                                                                                                                   |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                 | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                                                             |
| <b>Usage</b>             | This component is used as an input component, it requires an output component. |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Limitation</b>        | n/a                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## Related Scenario



For a related use case, see [the section called “Scenario: Data transmission between Marketo DB and an external system”](#).





# tMarketoListOperation




## tMarketoListOperation Properties

|                         |                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Cloud                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | The <b>tMarketoListOperation</b> component adds/removes one or more leads to/from a list in the Marketo DB; It also verifies if one or more leads exist in a list in Marketo DB.                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | The <b>tMarketoListOperation</b> component allows you to add/remove one or more leads to/from a list in the Marketo DB on a Web server. Also, you can verify the existence of one or more leads in a list in the Marketo DB. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Schema and Edit Schema</i>                                                                                                                                                                                                | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema. .</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>                                                                                                                                |
|                         |                                                                                                                                                                                                                              | <b>Built-in:</b> No property data is stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Endpoint address</i>                                                                                                                                                                                                      | The URL of the Marketo Web server for the SOAP API calls to.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Secret key</i>                                                                                                                                                                                                            | <p>Encrypted authentication code assigned by Marketo.</p> <p> Contact Marketo Support via <a href="mailto:support@marketo.com">support@marketo.com</a> for further information.</p>                                                                                                                                                                                                                                                             |
|                         | <i>Client Access ID</i>                                                                                                                                                                                                      | <p>A user ID for the access to Marketo web service.</p> <p> Contact Marketo Support via <a href="mailto:support@marketo.com">support@marketo.com</a> for further information.</p>                                                                                                                                                                                                                                                               |
|                         | <i>Operation</i>                                                                                                                                                                                                             | <p>Options in this list allow you carry out the adding/deletion one or more leads to/from a list in the Marketo DB; Also you can verify the existence of single or multiple leads in a list in the Marketo DB.</p> <p><b>addTo:</b> This operation adds one or more leads to a list in the Marketo DB.</p> <p><b>isMemberOf:</b> This operation checks the Marketo DB to judge whether the specific leads exist in the list.</p> <p><b>removeFrom:</b> This operation removes one or more leads from a list in the Marketo DB.</p> |
|                         | <i>Add or remove multiple leads</i>                                                                                                                                                                                          | Select this check box to add multiple leads to or remove multiple leads from a list in the Marketo DB.                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                          |                                                                                                              |                                                                                                                                                                                                                          |
|--------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                              |  This check box appears only when you select <b>addTo</b> or <b>removeFrom</b> from the <b>Operation</b> list.                          |
|                          | <i>Timeout (milliseconds)</i>                                                                                | Type in the query timeout (in milliseconds) on the Marketo Web service.<br><br> The Job will stop when Timeout exception error occurs.  |
|                          | <i>Die on error</i>                                                                                          | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Reject</b> connection. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                               | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                           |
| <b>Usage</b>             | This component is used as an intermediate component, it requires an input component and an output component. |                                                                                                                                                                                                                          |
| <b>Limitation</b>        | n/a                                                                                                          |                                                                                                                                                                                                                          |

## Scenario: Adding a lead record to a list in the Marketo DB

The following scenario describes a three-component Job that adds a lead record into a list in the Marketo database.




### Setting up the Job


1. Drop **tMarketoListOperation**, **tFixedFlowInput** and **tLogRow** onto the design workspace.
2. Connect **tFixedFlowInput** to **tMarketoListOperation** using a **Row > Main** connection.
3. Connect **tMarketoListOperation** to **tLogRow** using a **Row > Main** connection.

### Configuring the input component

1. Double-click **tFixedFlowInput** to define the component properties in its **Basic settings** view.




- Click the three-dot button next to **Edit schema** to set the schema manually.



- Click the plus button to add four columns: *ListKeyType*, *ListKeyValue*, *LeadKeyType* and *LeadKeyValue*. Keep the settings as default. Then click **OK** to save the settings.
- In the **Mode** area, select **Use Inline Table**.
- Click the plus button to add a new line and fill the line with respective values. In this example, these values are: *MKTOLISTNAME* for **ListKeyType**, *bchenTestList* for **ListKeyValue**, *IDNUM* for **LeadKeyType** and *308408* for **LeadKeyValue**.

## Configuring tMarketoListOperation


- Double-click **tMarketoListOperation** to define the component properties in its **Basic settings** view.



2. Click the **Sync columns** button to retrieve the schema defined in **tFixedFlowInput**.
3. Type in *1* in the **Number of rows** field.
4. Fill the **Endpoint address** field with the URL of the Marketo Web server. In this example, it is *https://na-c.marketo.com/soap/mktows/1\_5*.  
  
Note that the URL used in this scenario is for demonstration purpose only.
5. Fill the **Secret key** field with encrypted authentication code assigned by Marketo. In this example, it is *464407637703554044DD11AA2211998*.
6. Fill the **Client Access ID** field with the user ID. In this example, it is *mktodemo41\_785133934D1A219*.
7. From the **Operation** list, select **addTo**.
8. Type in the limit of query timeout in the **Timeout** field. In this example, use the default number: *60000*.

## Job Execution

1. Double-click **tLogRow** to define the component properties in its **Basic settings** view.



2. Click the **Sync columns** button to retrieve the schema defined in **tMarketoListOperation**.
3. In the **Mode** area, select **Table**.
4. Save your Job and press **F6** to execute it.

```
Starting job MarketoListOperation at 17:30 12/05/2011.

[statistics] connecting to socket on port 3497
[statistics] connected

+-----+-----+-----+-----+-----+
| |tLogRow_1| |
+-----+-----+-----+-----+-----+
|ListKeyType|ListKeyValue|LeadKeyType|LeadKeyValue|Success|
+-----+-----+-----+-----+-----+
|MKTPLISTNAME|bchenTestList|IDNUM |308408 |true |
+-----+-----+-----+-----+-----+




[statistics] disconnected
Job MarketoListOperation ended at 17:30 12/05/2011. [exit
code=0]
```




The result of adding a lead record to a list in Marketo DB is displayed on the **Run** console.

# tMarketoOutput




## tMarketoOutput Properties

|                         |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Cloud                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | The <b>tMarketoOutput</b> component outputs data to a Marketo Web server.                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | The <b>tMarketoOutput</b> component allows you to write data into a Marketo DB on a Web server. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Schema and Edit Schema</i>                                                                   | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema. .</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p> <p><b>Built-in:</b> No property data is stored centrally.</p>                                                                                  |
|                         | <i>Endpoint address</i>                                                                         | The URL of the Marketo Web server for the SOAP API calls to.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Secret key</i>                                                                               | <p>Encrypted authentication code assigned by Marketo.</p> <p> Contact Marketo Support via <a href="mailto:support@marketo.com">support@marketo.com</a> to get this information.</p>                                                                                                                                                                                                                                                                             |
|                         | <i>Client Access ID</i>                                                                         | <p>A user ID for the access to Marketo web service.</p> <p> Contact Marketo Support via <a href="mailto:support@marketo.com">support@marketo.com</a> to get this information.</p>                                                                                                                                                                                                                                                                               |
|                         | <i>Operation</i>                                                                                | <p>Options in this list allow you to synchronize lead data between Marketo and another external system.</p> <p><b>syncLead:</b> This operation requests an insert or update operation for a lead record.</p> <p><b>syncMultipleLeads:</b> This operation requests an insert or update operation for lead records in batch.</p>                                                                                                                                                                                                                     |
|                         | <i>Columns Mapping</i>                                                                          | <p>You can set the mapping conditions by making changes in <b>Edit Schema</b>. By default, column names in <b>Column</b> fields are the same as what they are in the schema.</p> <p> Because some column names in Marketo database may contain blank space, which is not allowed in the component schema, you need to specify the corresponding column fields in the <b>Columns in Marketo</b> field. If the defined column names in schema are the same as</p> |

|                          |                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                | column names in Marketo database, it is not necessary to set the columns mapping.                                                                                                                                                                                                                                                                                                              |
|                          | <i>De-duplicate lead record on email address</i>                               | <p>Select this check box to de-duplicate and update lead records using email address.</p> <p>Deselect this check box to create another lead which contains the same email address.</p> <p> This check box will be displayed only when you select <b>syncMultipleLeads</b> from the <b>Operation</b> list.</p> |
|                          | <i>Batch Size</i>                                                              | <p>The maximum batch size in synchronizing lead data in batch.</p> <p> This field will be displayed only when you select <b>syncMultipleLeads</b> from the <b>Operation</b> list.</p>                                                                                                                         |
|                          | <i>Timeout (milliseconds)</i>                                                  | <p>Type in the query timeout (in milliseconds) on the Marketo Web service.</p> <p> The Job will stop when Timeout exception error occurs.</p>                                                                                                                                                                 |
|                          | <i>Die on error</i>                                                            | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Reject</b> connection.</p>                                                                                                                                                                |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                 | <p>Select this check box to gather the Job processing metadata at a Job level as well as at each component level.</p>                                                                                                                                                                                                                                                                          |
| <b>Usage</b>             | This component is used as an output component, it requires an input component. |                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Limitation</b>        | n/a                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                |

## Scenario: Data transmission between Marketo DB and an external system

The following scenario describes a five-component Job that inserts Lead records into Marketo database and retrieves these records from Marketo database to a local file. Upon completing the data accessing, the Job displays the number of relevant API calls on the **Run** console.




## Setting up the Job

1. Drop **tMarketoOutput**, **tMarketoInput**, **tFileInputDelimited**, **tFileOutputDelimited** and **tJava** from the **Palette** onto the design workspace.
2. Connect **tFileInputDelimited** to **tMarketoOutput** using a **Row > Main** connection.
3. Connect **tMarketoInput** to **tFileOutputDelimited** using a **Row > Main** connection.
4. Connect **tFileInputDelimited** to **tMarketoInput** using a **Trigger > OnSubjectOk** connection.
5. Connect **tMarketoInput** to **tJava** using a **Trigger > OnSubjectOk** connection.


## Configuring tFileInputDelimited

1. Double-click **tFileInputDelimited** to define the component properties in its **Basic settings** view.






- Click the three-dot button next to the **File name/Stream** field to select the source file for data insertion. In this example, it is *D:/SendData.csv*.
- Click the three-dot button next to **Edit schema** to set the schema manually.



- Click the plus button to add four columns: *Id*, *Email*, *ForeignSysPersonId* and *ForeignSysType*. Set the **Type** of *Id* to Integer and keep the rest as default. Then click **OK** to save the settings.
- Type in *l* in the **Header** field and keep the other settings as default.

## Configuring tMarketoOutput

- Double-click **tMarketoOutput** to define the component properties in its **Basic settings** view.



2. Click the **Sync columns** button to retrieve the schema defined in **tFileInputDelimited** and fill the **Endpoint address** field with the URL of the Marketo Web server. In this example, it is *https://na-c.marketo.com/soap/demo/demo1*.

Note that the URL used in this scenario is for demonstration purpose only.

3. Fill the **Secret key** field with encrypted authentication code assigned by Marketo. In this example, it is *1234567894DEMOONLY987654321*.
4. Fill the **Client Access ID** field with the user ID. In this example, it is *mktodemo1\_1234567894DEMOONLY987654321*.
5. Select **syncMultipleLeads** from the **Operation** list and type in the limit of query timeout in the **Timeout** field. In this example, use the default number: *600000*.

## Configuring tMarketoInput

1. Double-click **tMarketoInput** to define the component properties in its **Basic settings** view.

The screenshot shows the configuration window for the **tMarketoInput\_1** component. The **Basic settings** tab is selected. The configuration includes:

- Endpoint address:** "https://na-c.marketo.com/soap/demo/demo1"
- Secret key:** "1234567894DEMOONLY987654321"
- Client Access ID:** "mktodemo1\_66419D3P"
- Operation:** getLead
- Schema:** Built-In
- Columns Mapping:**

| Column             | Columns in Marketo |
|--------------------|--------------------|
| Id                 | ""                 |
| Email              | "test@talend"      |
| ForeignSysPersonId | ""                 |
| ForeignSysType     | ""                 |
- LeadKey type:** EMAIL
- LeadKey value:** "test@talend.com"
- Timeout(millseconds):** 600000
- Die on error:**


2. From the **Operation** list, select **getLead**.
3. In **Columns Mapping** area, type in *test@talend.com* in **Columns in Marketo** column to set the **Email** column.

Note that all the data used in this scenario is for demonstration purpose only.

4. From the **LeadKey type** list, select **EMAIL** and fill the **LeadKey value** field with *test@talend.com*.
5. Keep the rest of the settings as the corresponding settings in **tMarketoOutput**.

## Configuring tFileOutputDelimited


1. Double-click **tFileOutputDelimited** to define the component properties in its **Basic settings** view.



2. Click the three-dot button next to the **File name** field to synchronize data to a local file. In this example, it is *D:/ReceiveData.csv*.
3. Click the **Sync columns** button and keep the rest of the settings as default.

## Using Java scripts to count API calls

1. Double-click **tJava** to add code in its **Basic settings** view.



2. In the **Code** field, type in following code to count the number of API calls throughout the data operations:

```
System.out.println("The Number of API calls for inserting
data to Marketo DB is:");
System.out.println((Integer)globalMap.get("tMarketoOutput_1_NB_CALL"));
System.out.println("The Number of API calls for data synchronization
from Marketo DB is:");
System.out.println((Integer)globalMap.get("tMarketoInput_1_NB_CALL"));
```

## Job execution

1. Save your Job.
2. Press **F6** to execute it.

```
Id;Email;ForeignSysPersonId;ForeignSysType
308434;;;
308436;;;
308435;;;
308431;;;
308432;;;
308433;;;
```

The inserted lead records in the Marketo DB are synchronized to *D:/ReceiveData.csv*.  
*Starting job io at 18:03 25/03/2011.*


```
[statistics] connecting to socket on port 3829
[statistics] connected
The Number of API calls for inserting data to
Marketo DB is:
1
The Number of API calls for data synchronization
from Marketo DB is:
1
[statistics] disconnected
Job io ended at 18:03 25/03/2011. [exit code=0]
```

The number of API calls throughout each data operation is displayed on the **Run** console.

# tMicrosoftCrmlInput



## tMicrosoftCrmlInput Properties


|                         |                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business / Microsoft CRM                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | Connects to an entity of Microsoft CRM database via the relevant webservice.                |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | Allows to extract data from a Microsoft CRM DB based on conditions set on specific columns. |                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Property type</i>                                                                        | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                             | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Microsoft Webservice URL</i>                                                             | Type in the webservice URL to connect to the Microsoft CRM DB.                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Organizename</i>                                                                         | Enter the name of the user or organization, set by an administrator, that needs to access the Microsoft CRM database.                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Username</i> and <i>Password</i>                                                         | Type in the Webservice user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Domain</i>                                                                               | Type in the domain name of the server on which Microsoft CRM is hosted.                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Host</i>                                                                                 | Type in the IP address of Microsoft CRM database server.                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Port</i>                                                                                 | Listening port number of Microsoft CRM database server.                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Time out (seconds)</i>                                                                   | Number of seconds for the port to listen before closing.                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Entity</i>                                                                               | Select the relevant entity in the list.                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                        | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p> In this component the schema is related to the selected entity.</p> |
|                         | <i>Logical operators used to combine conditions</i>                                         | In the case you want to combine the conditions you set on columns, select the combine mode you want to use.                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Conditions</i>                                                                           | <p>Click the plus button to add as many conditions as needed.</p> <p>The conditions are performed one after the other for each row.</p> <p><b>Input column:</b> Click in the cell and select the column of the input schema the condition is to be set on.</p>                                                                                                                                                                                     |

Scenario: Writing data in a Microsoft CRM database and putting conditions on columns to extract specified rows

|                          |                                                                     |                                                                                                                                                                                      |
|--------------------------|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                     | <p><b>Operator:</b> Click in the cell and select the operator to bind the input column with the value.</p> <p><b>Value:</b> Type in the column value, between quotes if need be.</p> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                      | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                       |
| <b>Usage</b>             | Usually used as a Start component. An output component is required. |                                                                                                                                                                                      |
| <b>Limitation</b>        | n/a                                                                 |                                                                                                                                                                                      |


## Scenario: Writing data in a Microsoft CRM database and putting conditions on columns to extract specified rows

This scenario describes a four-component Job which aims at writing the data included in a delimited input file in a custom entity in a MicrosoftCRM database. It then extracts specified rows to an output file using the conditions set on certain input columns.

 *If you want to write in a CustomEntity in Microsoft CRM database, make sure to name the columns in accordance with the naming rule set by Microsoft, that is "name\_columname" all in lower case.*

### Setting up the Job


- Drop the following components from the **Palette** to the design workspace: **tFileInputDelimited**, **tFileOutputDelimited**, **tMicrosoftCrmInput**, and **tMicrosoftCrmOutput**.



- Connect **tFileInputDelimited** to **tMicrosoftCrmOutput** using a **Row Main** connection.
- Connect **tMicrosoftCrmInput** to **tFileOutputDelimited** using a **Row Main** connection.
- Connect **tFileInputDelimited** to **tMicrosoftCrmInput** using **OnSubjobOk** connection.

## Configuring tFileInputDelimited


1. Double-click **tFileInputDelimited** to display its **Basic settings** view and define its properties



2. Click the three-dot button next to the **File Name/Input Stream** field and browse to the delimited file that holds the input data. The input file in this example contains the following columns: *new\_id*, *new\_status*, *new\_firstname*, *new\_email*, *new\_city*, *new\_initial* and *new\_zipcode*.

```
new_id;new_status;new_firstname;new_email;new_city;new_initial;new_zipcode
1;married;Paul;pnewman@comp.com;New York;P.M;55677
2;single;Raul;pnewman@comp.com;New York;R.L;55677
3;single;Mary;mnewman@comp.com;Chicago;M.B;66898
4;married;John;jnewman@comp.com;Chicago,J.M;66898
5;single;Martin;mnewman@comp.com;Sunnyvale,M.P;33662
6;married;Janet;jnewman@comp.com;Sunnyvale,J.P;33662
7;married;Harry;hnewman@comp.com;New York;H.M;55677
8;married;Jerry;jnewman@comp.com;New York;J.M;55677
9;married;Alice;anewman@comp.com;New York;A.M;55677
10;single;Jack;jnewman@comp.com;New York;J.M;55677
```

3. In the **Basic settings** view, define the **Row Separator** allowing to identify the end of a row. Then define the **Field Separator** used to delimit fields in a row.
4. If needed, define the header, footer and limit number of processed rows in the corresponding fields. In this example, the header, footer and limits are not set.
5. Click **Edit schema** to open a dialog box where you can define the input schema you want to write in Microsoft CRM database.



6. Click **OK** to close the dialog box.

## Configuring tMicrosoftCrmOutput

1. Double-click **tMicrosoftCrmOutput** to display the component **Basic settings** view and define its properties.

2. Enter the Microsoft Web Service URL as well as the user name and password in the corresponding fields.
3. In the **OrganizeName** field, enter the name that is given the right to access the Microsoft CRM database.
4. In the **Domain field**, enter the domain name of the server on which Microsoft CRM is hosted, and then enter the host IP address and the listening port number in the corresponding fields.
5. In the **Action** list, select the operation you want to carry on. In this example, we want to insert data in a custom entity in Microsoft Crm.
6. In the **Time out** field, set the amount of time (in seconds) after which the Job will time out.
7. In the **Entity** list, select one among those offered. In this example, *CustomEntity* is selected.




If *CustomEntity* is selected, a **Custom Entity Name** field displays where you need to enter a name for the custom entity.

The **Schema** is then automatically set according to the entity selected. If needed, click **Edit schema** to display a dialog box where you can modify this schema and remove the columns that you do not need in the output.


8. Click **Sync columns** to retrieve the schema from the preceding component.






## Configuring tMicrosoftCrmInput

1. Double-click **tMicrosoftCrmInput** to display the component **Basic settings** view and define its properties.



2. Enter the Microsoft Web Service URL as well as the user name and password in the corresponding fields and enter the name that is given the right to access the Microsoft CRM database in the **OrganizeName** field.


3. In the **Domain field**, enter the domain name of the server on which Microsoft CRM is hosted, and then enter the host IP address and the listening port number in the corresponding fields.
4. In the **Time out** field, set the amount of time (in seconds) after which the Job will time out.
5. In the **Entity** list, select the one among those offered you want to connect to. In this example, *CustomEntity* is selected.
6. The **Schema** is then automatically set according to the entity selected. But you can modify it according to your needs. In this example, you should set the schema manually since you want to access a custom entity. Copy the seven-column schema from **tMicrosoftCrmOutput** and paste it in the schema dialog box in **tMicrosoftCrmInput**.



7. Click **OK** to close the dialog box. You will be prompted to propagate changes. Click **Yes** in the popup message.
8. In the **Basic settings** view, select **And** or **Or** as the logical operator you want to use to combine the conditions you set on the input columns. In this example, we want to set two conditions on two different input columns and we use **And** as the logical operator.
9. In the **Condition** area, click the plus button to add as many lines as needed and then click in each line in the **Input column** list and select the column you want to set condition on. In this example, we want to set conditions on two columns, *new-city* and *new\_id*. We want to extract all customer rows whose city is equal to "New York" and whose id is greater than 2.
10. Click in each line in the **Operator** list and select the operator to bind the input column with its value, in this example **Equal** is selected for *new-city* and **Greater Than** for *new\_id*.
11. Click in each line in the **Value** list and set the column value, New York for *new-city* and 2 for *new\_id* in this example. You can use a fixed or a context value in this field.

## Configuring tFileOutputDelimited

1. Double-click **tFileOutputdelimited** to display the component **Basic settings** view and define its properties.



2. Click the three-dot button next to the **File Name** field and browse to the output file.
3. Set row and field separators in the corresponding fields.
4. Select the **Append** check box if you want to add the new rows at the end of the records.
5. Select the **Include Header** check box if the output file includes a header.
6. Click **Sync columns** to retrieve the schema from the preceding component.

## Job execution

Save the Job and press **F6** to execute it.

|   | A  | B       | C     | D                | E                  |
|---|----|---------|-------|------------------|--------------------|
| 1 | 7  | married | Harry | hnewman@comp.com | New York;H.M;55677 |
| 2 | 8  | married | Jerry | jnewman@comp.com | New York;J.M;55677 |
| 3 | 9  | married | Alice | anewman@comp.com | New York;A.M;55677 |
| 4 | 10 | single  | Jack  | jnewman@comp.com | New York;J.M;55677 |
| 5 |    |         |       |                  |                    |
| 6 |    |         |       |                  |                    |

Only customers who live in New York city and those whose “id” is greater than 2 are listed in the output file you stored locally.

# tMicrosoftCrmOutput



## tMicrosoftCrmOutput Properties

|                          |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business / Microsoft CRM                                                     |                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>          | Writes in an entity of a Microsoft CRM database via the relevant webservice. |                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>           | Allows to write data into a Microsoft CRM DB.                                |                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>    | <i>Authentication Type</i>                                                   | Two types are available, i.e. <b>On_Premise</b> and <b>Online</b> .                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Microsoft Webservice URL</i>                                              | Type in the webservice URL to connect to the Microsoft CRM DB.                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Organizename</i>                                                          | Enter the name of the organization that needs to access the Microsoft CRM database                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Username</i> and <i>Password</i>                                          | Type in the Webservice user authentication data.                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Domain</i>                                                                | Type in the domain name of the server that installs Microsoft CRM server.                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Host</i>                                                                  | Type in the IP address of Microsoft CRM database server.                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Port</i>                                                                  | Listening port number of Microsoft CRM database server.                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Action</i>                                                                | Select in the list the action you want to do on the CRM data. Available actions are: <b>insert</b> , <b>update</b> , and <b>delete</b> .                                                                                                                                                                                                                                                            |
|                          | <i>Time out (seconds)</i>                                                    | Number of seconds for the port to listen before closing.                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Entity</i>                                                                | Select the relevant entity in the list.                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                         | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema. .</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p> |
|                          | <i>Lookup Type Mapping</i>                                                   | Add lines as needed to establish mappings between the source and target tables. Select a lookup object from the <b>Input column</b> drop down list and enter the keyword of the source tables in the <b>Type</b> field.                                                                                                                                                                             |
| <b>Advanced settings</b> | <i>Reuse Http Client</i>                                                     | Select this check box to retain the current connection or deselect it to release the connection.                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStatCatcher Statistics</i>                                               | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                      |
| <b>Usage</b>             | Used as an output component. An Input component is required.                 |                                                                                                                                                                                                                                                                                                                                                                                                     |

---

|                   |     |
|-------------------|-----|
| <b>Limitation</b> | n/a |
|-------------------|-----|


## Related Scenario

For a related use case, see [the section called “Scenario: Writing data in a Microsoft CRM database and putting conditions on columns to extract specified rows”](#).

# tOpenbravoERPInput



## tOpenbravoERPInput properties

|                          |                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Business                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>          | <b>tOpenbravoERPInput</b> connects to an OpenbravoERP database entity via the appropriate Web service.                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>           | This component allows you to extract data from OpenBravoERP database according to the conditions defined in specific columns. |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>    | <i>Openbravo REST WebService URL</i>                                                                                          | Enter the URL of the Web service that allows you to connect to the OpenbravoERP database.                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Username et Password</i>                                                                                                   | User authentication information.                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Entity</i>                                                                                                                 | Select the appropriate entity from the drop-down list.                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Schema and Edit Schema</i>                                                                                                 | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p> For this component, the schema corresponds to a selected entity.</p> |
|                          | <i>WHERE Clause</i>                                                                                                           | Enter your WHERE clause.                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Order by</i>                                                                                                               | <p>Select this check bow to define how to order the results (the elements in the drop-down list depend on the entity selected)</p> <p><b>Sort:</b> Choose whether to organise the results in either <b>Ascending</b> or <b>Descending</b> order.</p>                                                                                                                                                                                                |
|                          | <i>First result</i>                                                                                                           | Enter the row number you want to retrieve first.                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Max result</i>                                                                                                             | Enter the maximum number of results you want to retrieve.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Advanced settings</b> | <i>Advanced separator (for numbers)</i>                                                                                       | <p>Select this check box to modify the separators to be used for the numbers. Either:</p> <p><b>Thousands separator</b></p> <p>or</p> <p><b>Decimal separator</b></p>                                                                                                                                                                                                                                                                               |
|                          | <i>tStatCatcher Statistics</i>                                                                                                | Select this check box to collect the log data at a component level.                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Utilisation</b>       | This component is generally used as an input component. An output component is required.                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Limitation</b>        | n/a                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Related Scenario

For a scenario in which **tOpenbravoERPInput** might be used, see [the section called “Scenario: Writing data in a Microsoft CRM database and putting conditions on columns to extract specified rows”](#)

# tOpenbravoERPOutput



## tOpenbravoERPOutput properties

|                          |                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Business                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Function</b>          | <b>tOpenbravoERPOutput</b> writes an object in an OpenbravoERP database via the appropriate Web service. |                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Purpose</b>           | This component writes data in an OpenbravoERP database.                                                  |                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Basic settings</b>    | <i>Openbravo REST Webservice URL</i>                                                                     | Enter the URL of the Web service that allows you to connect to the OpenbravoERP database.                                                                                                                                                                                                                                                                                  |
|                          | <i>Username et Password</i>                                                                              | User authentication information.                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Action on data</i>                                                                                    | From the list, select the one of the following actions:<br><br><b>Update/Create</b><br><br>or<br><br><b>Remove</b>                                                                                                                                                                                                                                                         |
|                          | <i>Use existing data file</i>                                                                            | Select this check box if desired and then select the file by browsing your directory.                                                                                                                                                                                                                                                                                      |
|                          | <i>Entity</i>                                                                                            | Select the appropriate entity from the drop-down list.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Schema and Edit Schema</i>                                                                            | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .<br><br>Click <b>Edit Schema</b> to make changes to the schema.<br><br>Click on <b>Sync columns</b> to retrieve the schema from the previous component. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                           | Select this check box to collect the log data at a component level.                                                                                                                                                                                                                                                                                                        |
| <b>Usage</b>             | This component is used as an output component. It requires an input component.                           |                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Limitation</b>        | n/a                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                            |

## Related scenario


For a scenario in which **tOpenbravoERPOutput** may be used, see [the section called “Scenario: Writing data in a Microsoft CRM database and putting conditions on columns to extract specified rows”](#).



# tSageX3Input




## tSageX3Input Properties

|                         |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Sage X3                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | This component leverages the Web service provided by a given Sage X3 Web server to extract data from the Sage X3 system (the X3 server). |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | This component extracts data from a given Sage X3 system.                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                                                          | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Edit Schema</i>                                                                                                                       | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .<br><br>Click <b>Edit Schema</b> to make changes to the schema.                                                                                                                                                                                                                |
|                         | <i>Endpoint address</i>                                                                                                                  | Type in the address of the Web service provided by the given Sage X3 Web server.                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Username</i> and <i>Password</i>                                                                                                      | Type in the Web service user authentication data that you have defined for configuring the Sage X3 Web server.                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Language</i>                                                                                                                          | Type in the name of the X3 language code used to start a connection group.                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Pool alias</i>                                                                                                                        | Type in the name of the connection pool that distributes the received requests to available connections. This name was given from the Sage X3 configuration console.                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Request config</i>                                                                                                                    | Type in the configuration string if you want to retrieve the debug or trace information. For example, the string could be:<br><br>RequestConfigDebug="adxwss .trace.on=on" ; If you need use several strings, separate them with a &, for example,<br><br>RequestConfigDebug="adxwss.trace .on=on&adxwss.trace.size=16384" ;<br><br> <i>A third party tool is needed to retrieve this kind of information.</i> |
|                         | <i>Publication name</i>                                                                                                                  | Type in the publication name of the published object, list or sub-program you want your Studio to access.                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Mapping</i>                                                                                                                           | Complete this table to map the variable elements of the object, the sub-program or the list set in the given Sage X3 Web server. The columns to be completed include:                                                                                                                                                                                                                                                                                                                             |

|                          |                                                                     |                                                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                     | <b>Column:</b> the columns defined in the schema editor for this component. <b>Group ID:</b> the identifier of each variable element group. For example, a variable element group could represent one of attributes of an object. <b>Field name:</b> the field name of each variable element. |
|                          | <i>Query condition</i>                                              | Select this check box to set up the query condition(s). The columns to be completed include:<br><br><b>Key:</b> the names of the variable elements used as the key for data extraction.<br><br><b>Value:</b> the value of the given key field used to extract the corresponding data.         |
|                          | <i>Limit</i>                                                        | Type in a number to indicate the maximum row count of the data to be extracted.                                                                                                                                                                                                               |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                      | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                |
| <b>Usage</b>             | Usually used as a Start component. An output component is required. |                                                                                                                                                                                                                                                                                               |
| <b>Limitation</b>        | n/a                                                                 |                                                                                                                                                                                                                                                                                               |

## Scenario: Using query key to extract data from a given Sage X3 system

This scenario describes a two-component Job used to extract one row of data from a given Sage X3 system. The object method is to be called, that means the variable elements of this object thus are attributes. The data used in this scenario can be found in the example provided by Sage X3.




### Setting up the Job


1. Drop the **tSageX3Input** component and the **tLogRow** components onto the workspace from **Palette**.
2. Connect the **tSageX3Input** component to the **tLogRow** component using a **Row > Main** link.

### Configuring the schema of tSageX3Input

1. Double-click **tSageX3Input** to set its properties in the **Basic Settings** view.



- Click the three-dot button next to **Edit schema** to open the schema editor.



- In this editor, click the plus button 12 times beneath the schema table to add 12 rows into this table.

4. Type in the names you want to use for each row. In this example, these rows are named after the publication names of the object attributes set in the Sage X3 Web server. These columns are used to map the corresponding attribute fields in the Sage X3 system.
5. In the **Type** column, click the *IMG* row to display its drop-down list.
6. From the drop-down list, select **List** as this attribute appears twice or even more and do the same to switch the types of the *TIT2NBLIG* row, the *ITMLNK* row and the *ZITMLNK* row to **List** as well for the same reason.
7. Click **OK** to validate this change and accept the propagation prompted by a pop-up dialog box.

## Configuring the connection to the Sage X3 Web server

1. In the **Endpoint address** field, type in the URL address of the Web service provided by the Sage X3 Web server. In this example, it is *http://10.42.20.168:28880/adxwsvc/services/CAdxWebServiceXmlCC*
2. In the **User** field, type in the user name of the given Sage X3. In this example, it is *ERP*.
3. In the **Language** field, type in the name of the X3 language code used to start a connection group. In this example, it is *FRA*.
4. In the **Pool alias** field, type in the name of connection pool to be used. In this example, this connection pool is called *TALEND*.
5. In the **Publication name** field, type in the publication name of the object to be called. In this scenario, the publication name is *ITMDET*.

## Setting up the mapping and configuring the query condition

1. In the **Group ID** column and the **Field name** column of the **Mapping** table, type in values corresponding to the attribute group IDs and the attribute publication names defined in the Sage X3 Web server. In this example, the values are presented in the figure below.


| Column      | Group ID | Field Name     |
|-------------|----------|----------------|
| ITMREF      | "TIT0_1" | "ITMREF"       |
| ZITMREF     | "TIT0_1" | "ZITMREF"      |
| INTDES1     | "TIT0_1" | "INTDES1"      |
| ENAF LG     | "TIT0_1" | "ENAF LG"      |
| VIG         | "TIT3_1" | "VIG"          |
| IMG         | "TIT3_1" | "IMG"          |
| TIT2NBLIG   | "TIT2_1" | "TIT2~NBLIG"   |
| ITMLNK      | "TIT2_1" | "ITMLNK"       |
| ZITMLNK     | "TIT2_1" | "ZITMLNK"      |
| TEXTE       | "TIT1_2" | "TEXTE"        |
| WW_MODSTAMP | "ADXTEC" | "WW_MODSTA..." |
| WW_MODUSER  | "ADXTEC" | "WW_MODUSER"   |



In the **Mapping** table, the **Column** column has been filled automatically with the columns you created in the schema editor.

2. Select the **Query condition** check box to activate the **Conditions** table.
3. Under the **Conditions** table, click the plus button to add one row into the table.
4. In the **Key** column, type in the publication name associated with the object attribute you need to extract data from.

- In the **Value** column, type in the value of the attribute you have selected as the key of the data extraction. In this scenario, it is *CONTS00059*, one of the product references.



## Job execution

- Press **Ctrl+S** to save your Job.
- Press **F6** or click **Run** on the **Run** tab to execute the Job.


The results are displayed on the **Run** console:

|            |                         |                          |             |                    |                       | tLogRow_1           |
|------------|-------------------------|--------------------------|-------------|--------------------|-----------------------|---------------------|
| ITMREF     | ZITMREF                 | INTDES1                  | ENAF LG VIG | IMG                | TIT2NBLIG ITMLNK      |                     |
| CONTS00060 | Ecran 24" premium 16/10 | Ecran 24" standard 28/10 | 2           | vig_CONTS00060.jpg | [img1_CONTS00060.jpg] | [1]   [PF SER00097] |

# tSageX3Output




## tSageX3Output Properties

|                         |                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Sage X3                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Function</b>         | This component connects to the Web service provided by a given Sage X3 Web server and therefrom insert, update or delete data in the Sage X3 system (the X3 server). |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Purpose</b>          | This component writes data into a given Sage X3 system.                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                 | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         |                                                                                                                                                                      | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Edit Schema</i>                                                                                                                                                   | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>                                                                                                                        |
|                         | <i>Endpoint address</i>                                                                                                                                              | Type in the address of the Web service provided by the given Sage X3 Web server.                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                  | Type in the Web service user authentication data that you have defined for configuring the Sage X3 Web server.                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Language</i>                                                                                                                                                      | Type in the name of the X3 language code used to start a connection group.                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Pool alias</i>                                                                                                                                                    | Type in the name of the connection pool that distributes the received requests to available connections. This name was given from the Sage X3 configuration console.                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Request config</i>                                                                                                                                                | <p>Type in the configuration string if you want to retrieve the debug or trace information.</p> <p>For example, the string could be:<br/>"RequestConfigDebug="adxwss.trace.on=on";</p> <p>If you need use several strings, separate them with a &amp;, for example,</p> <p>RequestConfigDebug="adxwss.trace.on=on&amp;adxwss.trace.size=16384";</p> <p> <i>A third party tool is needed to retrieve this kind of information.</i></p> |
|                         | <i>Publication name</i>                                                                                                                                              | Type in the publication name of the published object, list or sub-program you want your Studio to access.                                                                                                                                                                                                                                                                                                                                                                                                                |

|                          |                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Action</i>                                                        | <p>You can do any of the following operations on the data in a Sage X3 system:</p> <p><b>Insert:</b> insert data</p> <p><b>Update:</b> update data</p> <p><b>Delete:</b> delete data</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Mapping</i>                                                       | <p>Complete this table to map the variable elements of the object, the list or the sub-program your Studio access. Only the elements you need to conduct the data action of your interest on are selected and typed in for the purpose of mapping. The columns to be completed include:</p> <p><b>Column:</b> the columns defined in the schema editor for this component.</p> <p><b>Key:</b> the variable element used as key for data insertion, update or deletion. Select the corresponding check box if a variable element is the key. <b>Group ID:</b> the identifier of each variable element group. For example, a variable element group could represent one of attributes of an object. <b>Field name:</b> the field name of each selected variable element.</p> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                       | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Usage</b>             | Usually used as an output component. An input component is required. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Limitation</b>        | n/a                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## Scenario: Using a Sage X3 Web service to insert data into a given Sage X3 system

This scenario describes a two-component Job used to generate one row of data and insert the data into a given Sage X3 system. You can find the data used in this scenario in the example provided by Sage X3. The Sage X3 Web service is used to access an object.




### Setting up the Job


1. Drop the **tFixedFlowInput** and the **tSageX3Output** components onto the workspace from **Palette**.
2. Connect the **tFixedFlowInput** component to the **tSageX3Output** component using a **Row > Main** connection.

## Configuring the schema for the input data

1. Double-click the **tFixedFlowInput** component to set its **Basic Settings** in the **Component** view



2. Click the three-dot button next to **Edit schema** to open the schema editor.



3. In the schema editor and then under the schema table, click the plus button four times to add four rows.
4. Click **OK** to validate this changes and then accept the propagation prompted by the pop-up dialog box. The four rows appear automatically in the **Values** table of the **Component** view.
5. In the **Values** table within the **Mode** area, type in the values for each of the four rows in the **Value** column. In this scenario, the values downward are:

CONTS00059, Screen 24\" standard 16/10, Screen 24\" standard 28/10, 2



*These values in the Value column must be put between quotation marks.*



## Setting up the connection to the Sage X3 Web server

1. Double-click **tSageX3Output** to set its properties from the **Basic Settings** view.

The screenshot shows the configuration window for **tSageX3Output\_1**. The **Basic settings** tab is active, displaying the following fields:

- Schema:** Built-In (dropdown), Edit schema (button), Sync columns (button)
- Endpoint address:** "http://10.42.20.168:28880/adxwsvc/services/CAdxWebService" \*
- User:** "ERP" \*
- Password:** "" \*
- Language:** "FRA" \*
- Pool alias:** "TALEND" \*
- Request config:** "" \*
- Publication name:** "ITMDET" \*
- Action:** insert (dropdown) \*
- Mapping:** A table with columns: Column, Key, Group ID, Field Name.

| Column     | Key                      | Group ID | Field Name |
|------------|--------------------------|----------|------------|
| newColumn  | <input type="checkbox"/> | "TITO_1" | "ITMREF"   |
| newColumn1 | <input type="checkbox"/> | "TITO_1" | "ZITMREF"  |
| newColumn2 | <input type="checkbox"/> | "TITO_1" | "INTDES1"  |
| newColumn3 | <input type="checkbox"/> | "TITO_1" | "ENAF LG"  |

2. In the **Endpoint address** field, type in the URL address of the Web service provided by the Sage X3 Web server. In this example, it is *http://10.42.20.168:28880/adxwsvc/services/CAdxWebServiceXmlCC*
3. In the **User** field, type in the user name of the given Sage X3. In this example, it is *ERP*.
4. In the **Language** field, type in the name of the X3 language code used to start a connection group. In this example, it is *FRA*.
5. In the **Pool alias** field, type in the name of connection pool to be used. In this example, this connection pool is called *TALEND*.
6. In the **Publication name** field, type in the publication name of the object to be called. In this scenario, the publication name is *ITMDET*.
7. In the **Action** field, select **insert** from the drop-down list.

## Setting up the mapping

1. In the **Field name** column of the **Mapping** table, type in the field names of the attributes the selected data action is exercised on.
2. In the **Group ID** column of the **Mapping** table, type in values corresponding to group IDs of the selected attributes. These IDs are defined in the Sage X3 Web server

| Column     | <input type="checkbox"/> Key | Group ID | Field Name |
|------------|------------------------------|----------|------------|
| newColumn  | <input type="checkbox"/>     | "TITO_1" | "ITMREF"   |
| newColumn1 | <input type="checkbox"/>     | "TITO_1" | "ZITMREF"  |
| newColumn2 | <input type="checkbox"/>     | "TITO_1" | "INTDES1"  |
| newColumn3 | <input type="checkbox"/>     | "TITO_1" | "ENAF LG"  |



In the **Mapping** table, the **Column** column has been filled automatically with the columns retrieved from the schema of the preceding component.

## Job execution

Press CTRL+S to save your Job and press **F6** to execute it.

To verify the data that you inserted in this scenario, you can use the **tSageX3Input** component to read the concerned data from the Sage X3 server.


For further information about how to use the **tSageX3Input** component to read data, see [the section called “Scenario: Using query key to extract data from a given Sage X3 system”](#).

# tSalesforceBulkExec




## tSalesforceBulkExec Properties

**tSalesforceOutputBulk** and **tSalesforceBulkExec** components are used together to output the needed file and then execute intended actions on the file for your Salesforce.com. These two steps compose the **tSalesforceOutputBulkExec** component, detailed in a separate section. The interest in having two separate elements lies in the fact that it allows transformations to be carried out before the data loading.

|                         |                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Cloud                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | <b>tSalesforceBulkExec</b> executes the intended actions on the prepared bulk data.                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | As a dedicated component, <b>tSalesforceBulkExec</b> gains performance while carrying out the intended data operations into your Salesforce.com. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                                                | <p>Select this check box to use an established connection from <b>tSalesforceConnection</b>. Once you select it, the <b>Component list</b> field appears allowing you to choose the <b>tSalesforceConnection</b> component to be used.</p> <p>For more information on <b>tSalesforceConnection</b>, see <a href="#">the section called "tSalesforceConnection"</a>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use <b>Dynamic settings</b> to share the intended connection. In this case, make sure that the connection name is unique and distinctive. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Salesforce Webservice URL</i>                                                                                                                 | Type in the webservice URL to connect to the Salesforce DB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Username</i> and <i>Password</i>                                                                                                              | Type in the Webservice user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Salesforce Version</i>                                                                                                                        | Type in the version of the Salesforce you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Bulk file path</i>                                                                                                                            | Directory where are stored the bulk data you need to process.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Action</i>                                                                                                                                    | <p>You can do any of the following operations on the data of the Salesforce object:</p> <p><b>Insert:</b> insert data.</p> <p><b>Update:</b> update data.</p> <p><b>Upsert:</b> update and insert data.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Module</i>                                                                                                                                    | Select the relevant module in the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

Related Scenario:

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                        |  if you select the <b>Use Custom module</b> option, you display the <b>Custom Module Name</b> field where you can enter the name of the module you want to connect to.                                                                                                                                           |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                                                                                                                                                                                                          | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p> |
| <b>Advanced settings</b> | <i>Rows to commit</i>                                                                                                                                                                                                                                                                                                                                                                                                                  | Specify the number of lines per data batch to be processed.                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Bytes to commit</i>                                                                                                                                                                                                                                                                                                                                                                                                                 | Specify the number of bytes per data batch to be processed.                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use Socks Proxy</i>                                                                                                                                                                                                                                                                                                                                                                                                                 | Select this check box if you want to use a proxy server. Once selected, you need provide the connection parameters that are host, port, username and password.                                                                                                                                                                                                                                    |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                         | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             | Used as an output component. An Input component is required.                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Limitation</b>        | <p>The bulk data to be processed should be .csv format.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                   |


## Related Scenario:

For a related scenario, see [the section called “Scenario: Inserting transformed bulk data into your Salesforce.com”](#).

# tSalesforceConnection



## tSalesforceConnection properties

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business/Cloud                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | <b>tSalesforceConnection</b> opens a connection to a Salesforce system in order to carry out a transaction.                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | The component enables connection to a Salesforce.                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Salesforce Webservice URL</i>                                                                                                                                                                                                                                                                                                                                      | Enter the Webservice URL required to connect to the Salesforce database.                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Username et Password</i>                                                                                                                                                                                                                                                                                                                                           | Enter your Web service authentication details.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Timeout (milliseconds)</i>                                                                                                                                                                                                                                                                                                                                         | Type in the intended number of query timeout in Salesforce.com.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>For salesforce bulk component</i>                                                                                                                                                                                                                                                                                                                                  | Select this check box if you use bulk data processing components from the salesforce family. Once selected; the <b>Salesforce Version</b> field appears and therein you need to enter the Salesforce version you are using.<br><br>For more information on these bulk data processing components, see <a href="#">the section called "tSalesforceOutputBulk"</a> , <a href="#">the section called "tSalesforceBulkExec"</a> and <a href="#">the section called "tSalesforceOutputBulkExec"</a> . |
|                          | <i>Use Soap Compression</i>                                                                                                                                                                                                                                                                                                                                           | Select this check box if you want to activate SOAP compression.<br><br> The compression of SOAP messages results in increased performance levels.                                                                                                                                                                                                                                                             |
|                          | <i>Use Socks Proxy</i>                                                                                                                                                                                                                                                                                                                                                | Select this check box if you want to use a proxy. Once selected, you need type in the connection parameters in the fields which appear. These parameters are the host, the port, the username and the password of the Proxy you need to use.                                                                                                                                                                                                                                                     |
| <b>Advanced settings</b> | <i>Client ID</i>                                                                                                                                                                                                                                                                                                                                                      | Set the ID of the real user to differentiate between those who use the same account and password to access the salesforce website.                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect the log data at a component level.                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Usage</b>             | This component is normally used with Salesforce components..                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |



## Related scenario

For further information regarding the usage of **tSalesforceConnection**, see [the section called “tMysqlConnection”](#).

# tSalesforceGetDeleted




## tSalesforceGetDeleted properties

|                         |                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Cloud                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | <b>tSalesforceGetDeleted</b> recovers deleted data from a Salesforce object over a given period of time. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | This component can collect the deleted data from a Salesforce object during a specific period of time.   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                        | <p>Select this check box to use an established connection from <b>tSalesforceConnection</b>. Once you select it, the <b>Component list</b> field appear allowing you to choose the <b>tSalesforceConnection</b> component to be used.</p> <p>For more information on <b>tSalesforceConnection</b>, see <a href="#">the section called “tSalesforceConnection”</a>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use <b>Dynamic settings</b> to share the intended connection. In this case, make sure that the connection name is unique and distinctive. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Salesforce Webservice URL</i>                                                                         | Type in the webservice URL to connect to the Salesforce DB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Username and Password</i>                                                                             | Type in the Webservice user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Timeout (milliseconds)</i>                                                                            | Type in the intended number of query timeout in Salesforce.com.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Module</i>                                                                                            | <p>Select the relevant module in the list.</p> <p> If you select the <b>Custom module</b> option, you display the <b>Custom Module Name</b> field where you can enter the name of the module you want to connect to.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema and Edit Schema</i>                                                                            | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                                                                                              |                                                                                                                                                                                             |
|--------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Start Date</i>                                                                                            | Type in between double quotes the date at which you want to start the search. Use the following date format: “yyy-MM-dd HH:mm:ss”.<br><br>💡 You can do the search only on the past 30 days. |
|                          | <i>End Date</i>                                                                                              | Type in between double quotes the date at which you want to end the search. Use the following date format: “yyy-MM-dd HH:mm:ss”.                                                            |
| <b>Advanced settings</b> | <i>Use Soap Compression</i>                                                                                  | Select this check box to activate the SOAP compression.<br><br>💡 The compression of SOAP messages optimizes system performance.                                                             |
|                          | <i>Client ID</i>                                                                                             | Set the ID of the real user to differentiate between those who use the same account and password to access the Salesforce website.                                                          |
|                          | <i>tStatCatcher Statistics</i>                                                                               | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                              |
| <b>Usage</b>             | You can use this component as an output component. <b>tSalesforceGetDeleted</b> requires an input component. |                                                                                                                                                                                             |
| <b>Limitation</b>        | n/a                                                                                                          |                                                                                                                                                                                             |

## Scenario: Recovering deleted data from the Salesforce server

This scenario describes a two-component Job that collects the deleted data over the past 5 days from the Salesforce server.




### Setting up the Job

1. Drop **tSalesforceGetDeleted** and **tLogRow** from the **Palette** onto the design workspace.
2. Connect the two components together using a **Row > Main** connection.

### Setting up the connection to the Salesforce server

1. Double-click **tSalesforceGetDeleted** to display its **Basic settings** view and define the component properties.





**tSalesforceGetDeleted\_1**

**Basic settings**

Salesforce Webservice URL: "https://www.salesforce.com/services/Soap/u/10.0" \*

Username: "cantoine@talend.com" \*

Password: "talendSalesforcePassword" \*

Module: Account \*

Schema: Repository | Salesforce CRM:salesforce - metadata \* Edit schema

Start Date: "2009-06-20 09:00:00"

The start date cannot be older than 30 days ago.

End Date: "2009-06-25 15:55:00"

2. In the **Salesforce Webservice URL** field, use the by-default URL of the Salesforce Web service or enter the URL you want to access.
3. In the **Username** and **Password** fields, enter your login and password for the Web service.
4. From the **Module** list, select the object you want to access, **Account** in this example.

## Setting the search condition

1. Click the three-dot button next to the **Edit schema** field to open the dialog box where you can set the schema manually.
2. In the **Start Date** and **End Date** fields, enter respectively the start and end dates for collecting the deleted data using the following date format: "yyyy-MM-dd HH:mm:ss". You can collect deleted data over the past 30 days. In this example, we want to recover deleted data over the past 5 days.

## Job execution

1. Double-click **tLogRow** to display its **Basic settings** view and define the component properties.
2. Click **Sync columns** to retrieve the schema from the preceding component.
3. In the **Mode** area, select **Vertical** to display the results in a tabular form on the console.
4. Press **Ctrl+S** to save your Job and press **F6** to execute it.

*Starting job tSalesforceGetDeleted\_scenario at 17:17 25/06/2009.*


| #1. tLogRow_1      |                            |
|--------------------|----------------------------|
| key                | value                      |
| Id                 | 0017000000003smNAAR        |
| IsDeleted          | true                       |
| MasterRecordId     | null                       |
| Name               | sForce                     |
| Type               | null                       |
| ParentId           | null                       |
| BillingStreet      | The Landmark at One Market |
| BillingCity        | San Francisco              |
| BillingState       | CA                         |
| BillingPostalCode  | 94087                      |
| BillingCountry     | US                         |
| ShippingStreet     | null                       |
| ShippingCity       | null                       |
| ShippingState      | null                       |
| ShippingPostalCode | null                       |
| ShippingCountry    | null                       |
| Phone              | (415) 901-7000             |
| Fax                | (415) 901-7002             |
| AccountNumber      | CX355105                   |
| Website            | www.sforce.com             |
| Sic                | null                       |
| Industry           | null                       |
| AnnualRevenue      | 0.0                        |
| NumberOfEmployees  | null                       |
| Ownership          | null                       |
| TickerSymbol       | null                       |
| Description        | null                       |
| Rating             | null                       |

Deleted data collected by the **tSalesforceGetDeleted** component is displayed in a tabular form on the console.


# tSalesforceGetServerTimestamp



## tSalesforceGetServerTimestamp properties

|                          |                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business/Cloud                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>          | <b>tSalesforceGetServerTimestamp</b> retrieves the current date of the Salesforce server.           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>           | This component retrieves the current date of the Salesforce server presented in a timestamp format. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>    | <i>Use an existing connection</i>                                                                   | <p>Select this check box to use an established connection from <b>tSalesforceConnection</b>. Once you select it, the <b>Component list</b> field appear allowing you to choose the <b>tSalesforceConnection</b> component to be used.</p> <p>For more information on <b>tSalesforceConnection</b>, see <a href="#">the section called “tSalesforceConnection”</a>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use <b>Dynamic settings</b> to share the intended connection. In this case, make sure that the connection name is unique and distinctive. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                          | <i>Salesforce Webservice URL</i>                                                                    | Type in the webservice URL to connect to the Salesforce DB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Username</i> and <i>Password</i>                                                                 | Type in the Webservice user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Timeout (milliseconds)</i>                                                                       | Type in the intended number of query timeout in Salesforce.com.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Advanced settings</b> | <i>Use Socks Proxy</i>                                                                              | Select this check box if you want to use a proxy server Once selected, you need enter the connection parameters that are the host, the port, the username and the password of the Proxy you need to use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Use Soap Compression</i>                                                                         | Select this check box to activate the SOAP compression.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## Related scenarios

|                   |                                                                                                                      |                                                                                                                                                      |
|-------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                      |  The compression of the SOAP messages optimizes system performance. |
|                   | <i>Client ID</i>                                                                                                     | Set the ID of the real user to differentiate between those who use the same account and password to access the salesforce website.                   |
|                   | <i>tStatCatcher Statistics</i>                                                                                       | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                       |
| <b>Usage</b>      | You can use this component as an output component. <b>tSalesforceGetServerTimestamp</b> requires an input component. |                                                                                                                                                      |
| <b>Limitation</b> | n/a                                                                                                                  |                                                                                                                                                      |



## Related scenarios



No scenario is available for this component yet.

# tSalesforceGetUpdated



## tSalesforceGetUpdated properties

|                         |                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Cloud                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | <b>tSalesforceGetUpdated</b> recovers updated data from a Salesforce object over a given period of time.     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | This component can collect all updated data from a given Salesforce object during a specific period of time. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                            | <p>Select this check box to use an established connection from <b>tSalesforceConnection</b>. Once you select it, the <b>Component list</b> field appear allowing you to choose the <b>tSalesforceConnection</b> component to be used.</p> <p>For more information on <b>tSalesforceConnection</b>, see <a href="#">the section called “tSalesforceConnection”</a>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use <b>Dynamic settings</b> to share the intended connection. In this case, make sure that the connection name is unique and distinctive. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Salesforce Webservice URL</i>                                                                             | Type in the Web service URL to connect to the Salesforce DB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username and Password</i>                                                                                 | Type in the Web service user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Timeout (milliseconds)</i>                                                                                | Type in the intended number of query timeout in Salesforce.com.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Module</i>                                                                                                | <p>Select the relevant module in the list.</p> <p> if you select the <b>Custom module</b> option, you display the <b>Custom Module Name</b> field where you can enter the name of the module you want to connect to.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema and Edit Schema</i>                                                                                | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                                                                                             |                                                                                                                                                                                                                                                                             |
|--------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Start Date</i>                                                                                           | Type in between double quotes the date at which you want to start the search. Use the following date format: “yyy-MM-dd HH:mm:ss”.<br><br> You can do the search only on the past 30 days. |
|                          | <i>End Date</i>                                                                                             | Type in between double quotes the date at which you want to end the search. Use the following date format: “yyy-MM-dd HH:mm:ss”.                                                                                                                                            |
| <b>Advanced settings</b> | <i>Use Soap Compression</i>                                                                                 | Select this check box to activate the SOAP compression.<br><br> The compression of SOAP messages optimizes system performance.                                                             |
|                          | <i>Client ID</i>                                                                                            | Set the ID of the real user to differentiate between those who use the same account and password to access the Salesforce website.                                                                                                                                          |
|                          | <i>tStatCatcher Statistics</i>                                                                              | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                              |
| <b>Usage</b>             | You can use this component as an output component. <b>tSalesforceGetUpdate</b> requires an input component. |                                                                                                                                                                                                                                                                             |
| <b>Limitation</b>        | n/a                                                                                                         |                                                                                                                                                                                                                                                                             |



## Related scenarios



No scenario is available for this component yet.

# tSalesforceInput



## tSalesforceInput Properties


|                         |                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Cloud                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | <b>tSalesforceInput</b> connects to an object of a Salesforce database via the relevant Web service. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | Allows to extract data from a Salesforce DB based on a query.                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                 | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                      | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Use an existing connection</i>                                                                    | <p>Select this check box to use an established connection from <b>tSalesforceConnection</b>. Once you select it, the <b>Component list</b> field appear allowing you to choose the <b>tSalesforceConnection</b> component to be used.</p> <p>For more information on <b>tSalesforceConnection</b>, see <a href="#">the section called “tSalesforceConnection”</a>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use <b>Dynamic settings</b> to share the intended connection. In this case, make sure that the connection name is unique and distinctive. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Salesforce Webservice URL</i>                                                                     | Type in the Web service URL to connect to the Salesforce DB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username</i> and <i>Password</i>                                                                  | Type in the Web service user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Timeout (milliseconds)</i>                                                                        | Type in the intended number of query timeout in Salesforce.com.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Module</i>                                                                                        | <p>Select the relevant module in the list.</p> <p> If you select the <b>Custom Module</b> option, you display the <b>Custom Module Name</b> field where you can enter the name of the module you want to connect to.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                 | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|                          |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                     | <p>In this component the schema is related to the Module selected.</p> <p> <i>To retrieve a column from a linked module it is necessary to define the column in a particular manner in the <b>Edit schema</b> view, otherwise the relationship query will not work. The correct syntax is:</i></p> <p><i>NameofCurrentModule_Nameof-<br/>LinkedModule_NameofColumnof-<br/>Interest</i></p> |
|                          | <i>Query condition</i>                                              | Type in the query to select the data to be extracted. Example: account_name= 'Talend'                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Maunal input of SOQL query</i>                                   | Select this check box to display the <b>Query</b> field where you can manually enter the desired query.                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Query all records (include deleted records)</i>                  | Select this check box to query all the records, including the deletions.                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Advanced settings</b> | <i>Batch Size</i>                                                   | Number of registrations in each processed batch.                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Use Socks Proxy</i>                                              | Select this check box if you want to use a proxy server. Once selected, you need enter the connection parameters that are the host, the port, the username and the password of the Proxy you need to use.                                                                                                                                                                                                                                                                   |
|                          | <i>Normalize delimited (for child relationship)</i>                 | Characters, strings or regular expressions used to normalize the data that is collected by queries set on different hierarchical Salesforce objects.                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Column name delimiter (for child relationship)</i>               | Characters, strings or regular expressions used to separate the name of the parent object from the name of the child object when you use a query on the hierarchical relations among the different Salesforce objects.                                                                                                                                                                                                                                                      |
|                          | <i>Use Soap Compression</i>                                         | <p>Select this check box to activate the SOAP compression.</p> <p> The compression of SOAP messages optimizes system performance, in particular for the batch operations.</p>                                                                                                                                                                                                            |
|                          | <i>tStatCatcher Statistics</i>                                      | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Client ID</i>                                                    | Set the ID of the real user to differentiate between those who use the same account and password to access the Salesforce website.                                                                                                                                                                                                                                                                                                                                          |
| <b>Usage</b>             | Usually used as a Start component. An output component is required. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Limitation</b>        | n/a                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |



## Scenario: Using queries to extract data from a Salesforce database

This scenario describes a four-component Job used to extract specific sets of data from parent and child objects in a Salesforce database.



### Setting up the Job

1. Drop two **tSalesforceInput** components and two **tLogRow** components onto the workspace.
2. Connect each **tSalesforceInput** component to a **tLogRow** component using a **Row > Main** connection for each pair.
3. Connect **tSalesforceInput\_1** to **tSalesforceInput\_2** using an **OnSubjobOk** connection.

### Setting up the connection to the Salesforce server for the parent object

1. Double-click **tSalesforceInput\_1** to set its **Basic Settings** in the **Component** tab.

Property Type

Use an existing connection

Salesforce Webservice URL  \*

Username  \*

Password  \*

Timeout(milliseconds)

Module  \*

Schema

Manual input of SOQL query

Query

Query all records(include deleted records)


2. Enter the **Salesforce Webservice URL** of the database you want to connect to in the corresponding field.
3. Enter your authentication information in the corresponding **Username** and **Password** fields.
4. Enter the desired query **Timeout (milliseconds)** limit.

## Setting the query and the schema for the parent object

1. Select the **Module** (salesforce object) you want to query.
2. Select the **Manual input of SOQL Query** check box and enter your query scripts in the enabled **Query** field.

The query scripts you enter should follow the SOQL syntax.

3. Click [...] next to **Edit schema** to open the schema editor.



In this example, the *IsWon* and *FiscalYear* columns in the query are located in the **Opportunity** module specified. The *Name* column is in a linked module called *Account*. To return a column from a linked module the correct syntax is to enter the name of the linked module, followed by the period character, then the name of the column of interest. Hence, the query required in this example is:

```
"SELECT IsWon, FiscalYear, Account.Name FROM Opportunity"
```

4. Click the plus button to add a new column for the fields taken from the *Name* column in the *Account* module.
5. Name this column *Opportunity\_Account\_Name* and click **OK** to save the changes.



*To retrieve a column from a linked module, it is necessary to define the column in a particular manner in the **Edit schema** view. The correct syntax is: *NameofCurrentModule\_NameofLinkedModule\_NameofColumnofInterest*. Hence, in this example, the column must be named: *Opportunity\_Account\_Name*. If this syntax is not respected then the data from the linked table will not be returned.*

## Setting up the connection to the Salesforce server for the child object

1. Double-click **tSalesforceInput\_2** to set its **Basic settings** in the **Component** tab.

2. Enter the **Salesforce Webservice URL** of the database you want to connect to in the corresponding field.  
The query scripts you enter must follow the SOQL syntax.
3. Enter your authentication information in the corresponding **Username** and **Password** fields.
4. Enter the desired query **Timeout (milliseconds)** limit.

## Setting the query and the schema for the child object

1. Select the **Module** (salesforce object) you want to query.
2. Select the **Manual input of SOQL Query** check box and enter your query scripts in the enabled **Query** field.

In this example we want to extract the *Id* and *CaseNumber* fields from the *Case* module as well as the *Name* fields from the *Account* module. The query is therefore: .

```
"SELECT Id, CaseNumber, Account.Name FROM Case"
```

3. Click [...] next to **Edit schema** to open the schema editor.

| Column            | Key                                 | Type   | <input checked="" type="checkbox"/> | N. | Date Patt... | Len... | Pre... | D... | Co... |
|-------------------|-------------------------------------|--------|-------------------------------------|----|--------------|--------|--------|------|-------|
| Id                | <input checked="" type="checkbox"/> | String | <input checked="" type="checkbox"/> |    |              | 18     | 0      |      |       |
| CaseNumber        | <input type="checkbox"/>            | String | <input checked="" type="checkbox"/> |    |              | 30     | 0      |      |       |
| Case_Account_Name | <input type="checkbox"/>            | String | <input checked="" type="checkbox"/> |    |              |        |        |      |       |

4. Click the plus button to add a new column for the fields taken from the *Name* column in the *Account* module.
5. Name this column *Case\_Account\_Name* and click **OK** to save the changes.

## Job execution

1. Click each **tLogRow** component and set their component properties in the **Basic settings** view as desired.

In this example, there is no need to modify the **tLogRow** settings.

2. Press **Ctrl+S** to save your Job and press **F6** to execute it.


The results are displayed in the **Run** tab:





```
|true|2007|GenePoint
|true|2007|Burlington Textiles Corp of America
|true|2007|United Oil & Gas Corp.
|false|2007|United Oil & Gas Corp.
|true|2007|United Oil & Gas Corp.
|false|2007|United Oil & Gas Corp.
|true|2007|United Oil & Gas Corp.
|true|2007|United Oil & Gas Corp.
|false|2007|GenePoint
|true|2007|GenePoint
|true|2007|Edge Communications
|false|2007|Edge Communications
|true|2007|Edge Communications
|false|2007|Pyramid Construction Inc.
|false|2007|Dickenson plc
|true|2007|Grand Hotels & Resorts Ltd
|true|2007|Grand Hotels & Resorts Ltd
|false|2007|Grand Hotels & Resorts Ltd
50070000005DBELAA4|00001000|Edge Communications
50070000005DBEMAA4|00001001|United Oil & Gas Corp.
50070000005DBENAA4|00001002|United Oil & Gas Corp.
50070000005DBEOAA4|00001003|Express Logistics and Transport
50070000005DBEPAA4|00001004|Express Logistics and Transport
50070000005DBEQAA4|00001005|Express Logistics and Transport
50070000005DBERAA4|00001006|GenePoint
50070000005DBESAA4|00001007|Grand Hotels & Resorts Ltd
50070000005DBETAA4|00001008|Grand Hotels & Resorts Ltd
50070000005DBEUAA4|00001009|United Oil & Gas, UK
50070000005DBEVAA4|00001010|United Oil & Gas, Singapore
```

# tSalesforceOutput



## tSalesforceOutput Properties

|                         |                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Cloud                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | <b>tSalesforceoutput</b> writes in an object of a Salesforce database via the relevant Web service. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | Allows to write data into a Salesforce DB.                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                     | <b>Built-in:</b> No property data is stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                   | <p>Select this check box to use an established connection from <b>tSalesforceConnection</b>. Once you select it, the <b>Component list</b> field appear allowing you to choose the <b>tSalesforceConnection</b> component to be used.</p> <p>For more information on <b>tSalesforceConnection</b>, see <a href="#">the section called “tSalesforceConnection”</a>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use <b>Dynamic settings</b> to share the intended connection. In this case, make sure that the connection name is unique and distinctive. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Salesforce Webservice URL</i>                                                                    | Type in the Web service URL to connect to the Salesforce DB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username and Password</i>                                                                        | Type in the Web service user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Timeout (milliseconds)</i>                                                                       | Type in the intended number of query timeout in Salesforce.com.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Action</i>                                                                                       | <p>You can do any of the following operations on the data of the Salesforce object:</p> <p><b>Insert:</b> insert data.</p> <p><b>Update:</b> update data.</p> <p><b>Delete:</b> delete data.</p> <p><b>Upsert:</b> update and insert data.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Module</i>                                                                                       | Select the relevant module in the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |


|                          |                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                              |  if you select the <b>Use Custom module</b> option, you display the <b>Custom Module Name</b> field where you can enter the name of the module you want to connect to.                                                                                                                                                                                              |
|                          | <i>Schema and Edit Schema</i>                                | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>                                                    |
| <b>Advanced settings</b> | <i>Extended Output</i>                                       | This check box is selected by default. It allows to transfer output data in batches. You can specify the number of lines per batch in the <b>Rows to commit</b> field.                                                                                                                                                                                                                                                                               |
|                          | <i>Die on error</i>                                          | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Reject</b> link.</p> <p> The <b>Reject</b> link is available only when you have deselected the <b>Extended Output</b> and <b>Die on error</b> check boxes.</p> |
|                          | <i>Error logging file</i>                                    | If you want to create a file that holds all error logs, click the three-dot button next to this field and browse to the specified file to set its access path and its name.                                                                                                                                                                                                                                                                          |
|                          | <i>Use Socks Proxy</i>                                       | Select this check box if you want to use a proxy server. Once selected, you need enter the connection parameters that are the host, the port, the username and the password of the Proxy you need to use.                                                                                                                                                                                                                                            |
|                          | <i>Ignore NULL fields values</i>                             | Select this check box to ignore NULL values in <b>Update</b> or <b>Upsert</b> mode.                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Use Soap Compression</i>                                  | <p>Select this check box to activate the SOAP compression.</p> <p> The compression of SOAP messages optimizes system performance.</p>                                                                                                                                                                                                                             |
|                          | <i>Retrieve inserted ID</i>                                  | <p>Select this check box to allow Salesforce.com to return the salesforce ID produced for a new row that is to be inserted. The ID column is added to the processed data schema in Salesforce.com.</p> <p> This option is available only when you have chosen <b>insert</b> action yet not in batch mode, i.e. not in the <b>Extended Output</b> option.</p>      |
|                          | <i>tStatCatcher Statistics</i>                               | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Client ID</i>                                             | Set the ID of the real user to differentiate between those who use the same account and password to access the salesforce website.                                                                                                                                                                                                                                                                                                                   |
| <b>Usage</b>             | Used as an output component. An Input component is required. |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b>        | n/a                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## Scenario 1: Deleting data from the Account object

This scenario describes a two-component Job that removes an entry from the Account object.

### Dragging and dropping as well as connecting the components

1. Drop **tSalesforceInput** and **tSalesforceOutput** from the **Palette** onto the design workspace.
2. Connect the two components together using a **Row > Main** link.



### Configuring the components

#### Querying the content to be deleted

1. Double-click **tSalesforceInput** to display its **Basic settings** view and define the component properties.

| salesforce(tSalesforceInput_1) |                                                                              |
|--------------------------------|------------------------------------------------------------------------------|
| <b>Basic settings</b>          | Property Type: Built-In                                                      |
| Advanced settings              | Salesforce WebService URL: "https://www.salesforce.com/services/Soap/u/10.0" |
| Dynamic settings               | Username: "cantoine@talend.com"                                              |
| View                           | Password: " talendSalesforcePassword"                                        |
| Documentation                  | Module: Account                                                              |
|                                | Schema: Built-In                                                             |
|                                | Query Condition: "name='sForce'"                                             |
|                                | <input type="checkbox"/> Manual input of SOQL query                          |

2. In the **Salesforce WebService URL** field, use the default URL of the Salesforce Web service or enter the URL you want to access or select the **Use an existing connection** check box to use an established connection.
3. In the **Username** and **Password** fields, enter your login and password for the Web service.
4. Type in your intended query timeout in the **Timeout (milliseconds)** field. In this example, use the default number.
5. From the **Module** list, select the object you want to access, **Account** in this example.
6. Click the three-dot button next to the **Edit schema** field to open the dialog box where you can set the schema manually.
7. In the **Query Condition** field, enter the query you want to apply. In this example, we want to retrieve the clients whose names are *sForce*. To do this, we use the query: "name= 'sForce' ".

- For a more advanced query, select the Manual input of SOQL query and enter the query manually.

## Deleting the queried contents

- Double-click **tSalesforceOutput** to display its **Basic settings** view and define the component properties.

- In the **Salesforce Webservice URL** field, use the default URL of the Salesforce Web service or enter the URL you want to access.
- In the **Username** and **Password** fields, enter your login and password for the Web service.
- Type in your intended query timeout in the **Timeout (milliseconds)** field. In this example, use the default number.
- From the **Action** list, select the operation you want to carry out. In this example we select **Delete** to delete the *sForce* account selected in the previous component.
- From the **Module** list, select the object you want to access, **Account** in this example.
- Click **Sync columns** to retrieve the schema of the preceding component.
- Press **Ctrl+S** to save your Job.

## Executing the Job

- Press **F6** to execute the Job.

Check the content of the **Account** object and verify that the *sForce* account(s) is/are deleted from the server.

## Scenario 2: Gathering erroneous data while inserting data to a module at Salesforce.com

In this scenario, data in a local file is inserted to the **AdditionalNumber** module. Meanwhile, erroneous data in that file is collected via a **Row > Reject** link.

## Dragging and dropping components and linking them together


- Drag and drop the following components from the **Palette** onto the workspace: **tFileInputDelimited**, **tSalesforceOutput** and two **tLogRow** components.



- Rename **tFileInputDelimited** as **DataToInsert**, **tSalesforceOutput** as **InsertToSalesforce**, and the two **tLogRow** components as **DataInserted** as well as **DataRejected** respectively.
- Link **DataToInsert** to **InsertToSalesforce** using a **Row > Main** connection.
- Link **InsertToSalesforce** to **DataInserted** using a **Row > Main** connection.
- Link **InsertToSalesforce** to **DataRejected** using a **Row > Reject** connection.



Deselect the **Extended Output** and **Die on error** check boxes in the **Advanced settings** view of the **tSalesforceOutput** component so that the **Reject** link is available .



## Configuring the components

### Configuring the data source


- Double-click **DataToInsert** to open its **Basic settings** view in the **Component** tab.

| DataToInsert (tFileInputDelimited_1) |                                                                                                                                           |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Basic settings</b>                | Property Type: Built-In                                                                                                                   |
| Advanced settings                    | "When the input source is a stream or a zip file, footer and random shouldn't be bigger than 0."                                          |
| Dynamic settings                     | File name/Stream: "E:/salesforceout.csv" *                                                                                                |
| View                                 | Row Separator: "\n"      Field Separator: ";" *                                                                                           |
| Documentation                        | <input type="checkbox"/> CSV options                                                                                                      |
|                                      | Header: 1      Footer: 0      Limit:                                                                                                      |
|                                      | Schema: Built-In      Edit schema: ...                                                                                                    |
|                                      | <input checked="" type="checkbox"/> Skip empty rows <input type="checkbox"/> Uncompress as zip file <input type="checkbox"/> Die on error |

- In the **File name/Stream** field, type in the path of the source file, for example, *E:/salesforceout.csv*.
- In the **Header** field, type in *1* to retrieve the column names. Keep the default settings for other fields.

### Configuring the module for data insertion

- Double-click **InsertToSalesforce** to open its **Basic settings** view in the **Component** tab.



2. In the **Username** field, enter your username, for example, *cantoine@talend.com*.
3. In the **Password** field, enter your password, for example, *talendehmrEvHz2xZ8f2KlmTCymS0XU*.
4. In the **Action** drop-down list, select **insert**.
5. In the **Module** drop-down list, select **AdditionalNumber**.




When linking the components earlier, the **Extended Output** and **Die on error** check boxes have been deselected in the **Advanced settings** view so that the **Reject** link can appear.

6. Keep the default settings for other fields.

### Configuring the console display

1. Double-click **DataInserted** to open its **Basic settings** view in the **Component** tab.



2. In the **Mode** area, select **Table (print values in cells of a table)** for a better view.
3. Perform the same operation for **DataRejected**.
4. Press **Ctrl+S** to save your Job.

### Executing the Job

- Press **F6** to run the Job and you can find the erroneous data (if any) is displayed in the **Run** view.

```

tLogRow_2
|-----+-----+-----+-----|
|-----+-----+-----+-----|
|CallCenterId |Name |Description |Phone
|errorCode |errorFields|errorMessage |
|-----+-----+-----+-----|
|-----+-----+-----+-----|
|03m70000000CaZBAA0|Talend Testing V19|Conduct testing on
TOS|0086-010-88888888|FIELD_INTEGRITY_EXCEPTION|CallCenterId|Call Center ID:
id value of incorrect type: 03m70000000CaZBAA0|
|04m70000000CaZBAA0|Talend Testing V19|Conduct testing on
TOS|0086-010-88888888|FIELD_INTEGRITY_EXCEPTION|CallCenterId|Call Center ID:
id value of incorrect type: 04m70000000CaZBAA0|
|-----+-----+-----+-----|
|-----+-----+-----+-----|

```

As shown above, there are two **Call Center ID** fields that have incorrect data.

# tSalesforceOutputBulk




## tSalesforceOutputBulk Properties

**tSalesforceOutputBulk** and **tSalesforceBulkExec** components are used together to output the needed file and then execute intended actions on the file for your Salesforce.com. These two steps compose the **tSalesforceOutputBulkExec** component, detailed in a separate section. The interest in having two separate elements lies in the fact that it allows transformations to be carried out before the data loading.

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business/Cloud                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tSalesforceOutputBulk</b> generates files in suitable format for bulk processing.                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>           | Prepares the file to be processed by <b>tSalesforceBulkExec</b> for executions in Salesforce.com.                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>File Name</i>                                                                                                                                                                                                                                                                                                                                                      | Type in the directory where you store the generated file.                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Append</i>                                                                                                                                                                                                                                                                                                                                                         | Select the check box to write new data at the end of the existing data. Or the existing data will be overwritten.                                                                                                                                                                                                                                                                            |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .<br><br>Click <b>Edit Schema</b> to make changes to the schema.<br><br>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job. |
|                          | <i>Ignore NULL fields values</i>                                                                                                                                                                                                                                                                                                                                      | Select this check box to ignore NULL values in <b>Update</b> or <b>Upsert</b> mode.                                                                                                                                                                                                                                                                                                          |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                               |
| <b>Usage</b>             | This component is intended for the use along with <b>tSalesforceBulkExec</b> component. Used together they gain performance while feeding or modifying information in Salesforce.com.                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                              |

## Scenario: Inserting transformed bulk data into your Salesforce.com

This scenario describes a six-component Job that transforms .csv data suitable for bulk processing, load them in Salesforce.com and then displays the Job execution results in the console.



This Job is composed of two steps: preparing data by transformation and processing the transformed data.

Before starting this scenario, you need to prepare the input file which offers the data to be processed by the Job. In this use case, this file is *sforcebulk.txt*, containing some customer information.


Then to create and execute this Job, operate as follows:

## Setting up the Job

1. Drop **tFileInputDelimited**, **tMap**, **tSalesforceOutputBulk**, **tSalesforceBulkExec** and **tLogRow** from the **Palette** onto the workspace of your studio.
2. Use a **Row > Main** connection to connect **tFileInputDelimited** to **tMap**, and **Row > out1** from **tMap** to **tSalesforceOutputBulk**.
3. Use a **Row > Main** connection and a **Row > Reject** connection to connect **tSalesforceBulkExec** respectively to the two **tLogRow** components.
4. Use a **Trigger > OnSubjobOk** connection to connect **tFileInputDelimited** and **tSalesforceBulkExec**.

## Configuring the input component

1. Double-click **tFileInputDelimited** to display its **Basic settings** view and define the component properties.




- Next to the **File name/Stream** field, click the [...] button to browse to the input file you prepared for the scenario, for example, *sforcebulk.txt*.
- Click the three-dot button next to the **Edit schema** field to open the dialog box to set the schema. In this scenario, the schema is made of four columns: *Name*, *ParentId*, *Phone* and *Fax*.

| Column   | Key                      | Type   | <input checked="" type="checkbox"/> | N... | Date Patt... | Length | Pre... | D... | Co... |
|----------|--------------------------|--------|-------------------------------------|------|--------------|--------|--------|------|-------|
| Name     | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |      |              |        |        |      |       |
| ParentId | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |      |              |        |        |      |       |
| Phone    | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |      |              |        |        |      |       |
| Fax      | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |      |              |        |        |      |       |

- According to your input file to be used by the Job, set the other fields like **Row Separator**, **Field Separator**...

## Setting up the mapping


- Double-click the **tMap** component to open its editor and set the transformation.
- Drop all columns from the input table to the output table.



- Add `.toUpperCase()` behind the *Name* column.
- Click **OK** to validate the transformation.

## Defining the output path


- Double-click **tSalesforceOutputBulk** to display its **Basic settings** view and define the component properties.



2. In the **File Name** field, type in or browse to the directory where you want to store the generated `.csv` data for bulk processing.
3. Click **Sync columns** to import the schema from its preceding component.

## Setting up the connection to the Salesforce server


1. Double-click **tSalesforceBulkExec** to display its **Basic settings** view and define the component properties.



2. Use the by-default URL of the Salesforce Web service or enter the URL you want to access.
3. In the **Username** and **Password** fields, enter your username and password for the Web service.
4. In the **Bulk file path** field, browse to the directory where is stored the generated `.csv` file by **tSalesforceOutputBulk**.
5. From the **Action** list, select the action you want to carry out on the prepared bulk data. In this use case, **insert**.
6. From the **Module** list, select the object you want to access, **Account** in this example.
7. Click the three-dot button next to the **Edit schema** field to open the dialog box to set the schema. In this example, edit it conforming to the schema defined previously.

## Configuring the output component

1. Double-click **tLogRow\_1** to display its **Basic settings** view and define the component properties.



2. Click **Sync columns** to retrieve the schema from the preceding component.
3. Select **Table** mode to display the execution result.
4. Do the same with **tLogRow\_2**.

## Job execution

1. Press **CTRL+S** to save your Job.
2. Press **F6** to execute it.

You can check the execution result on the **Run** console.

```
[statistics] connected

tLogRow_1

Name|ParentId|Phone|Fax|salesforce_id|sales

BURLINGTON TEXTILES CORP OF AMERICA|null|(336) 222-7000|(336) 222-8000|0018000000gfDyDAAU|true
DICKENSON PLC|null|(785) 241-6200|(785) 241-6201|0018000000gfDyEAAU|true
GENEPOINT|null|(650) 867-3450|(650) 867-9895|0018000000gfDyFAAU|true

tLogRow_2

Name|ParentId|Phone|Fax|error

EDGE COMMUNICATIONS|wrong id|(512) 757-6000|(512) 757-9000|MALFORMED_ID:Parent Account ID: :
GRAND HOTELS & RESORTS LTD|wrong id|(312) 596-1000|(312) 596-1500|MALFORMED_ID:Parent Account ID: :

[statistics] disconnected
Job tSalesforcebulk ended at 18:17 13/04/2010. [exit code=0]
```

In the **tLogRow\_1** table, you can read the data inserted into your Salesforce.com.

In the **tLogRow\_2** table, you can read the rejected data due to the incompatibility with the **Account** objects you have accessed.

All the customer names are written in upper case.





# tSalesforceOutputBulkExec



## tSalesforceOutputBulkExec Properties


**tSalesforceOutputBulk** and **tSalesforceBulkExec** components are used together to output the needed file and then execute intended actions on the file for your Salesforce.com. These two steps compose the **tSalesforceOutputBulkExec** component, detailed in a separate section. The interest in having two separate elements lies in the fact that it allows transformations to be carried out before the data loading.

|                         |                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/Cloud                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | <b>tSalesforceOutputBulkExec</b> executes the intended actions on the <i>.csv</i> bulk data for Salesforce.com.                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | As a dedicated component, <b>tSalesforceOutputBulkExec</b> gains performance while carrying out the intended data operations into your Salesforce.com. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                                                      | <p>Select this check box to use an established connection from <b>tSalesforceConnection</b>. Once you select it, the <b>Component list</b> field appear allowing you to choose the <b>tSalesforceConnection</b> component to be used.</p> <p>For more information on <b>tSalesforceConnection</b>, see <a href="#">the section called “tSalesforceConnection”</a>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use <b>Dynamic settings</b> to share the intended connection. In this case, make sure that the connection name is unique and distinctive. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Salesforce Webservice URL</i>                                                                                                                       | Type in the Web service URL to connect to the Salesforce DB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                    | Type in the Web service user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Salesforce Version</i>                                                                                                                              | Type in the version of the Salesforce you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Bulk file path</i>                                                                                                                                  | Directory where are stored the bulk data you need to process.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Action</i>                                                                                                                                          | <p>You can do any of the following operations on the data of the Salesforce object:</p> <p><b>Insert:</b> insert data.</p> <p><b>Update:</b> update data.</p> <p><b>Upsert:</b> update and insert data.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Module</i>                                                                                                                                          | Select the relevant module in the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|                          |                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                           |  If you select the <b>Use Custom module</b> option, you display the <b>Custom Module Name</b> field where you can enter the name of the module you want to connect to.                                                                                                                                           |
|                          | <i>Schema and Edit Schema</i>                                                                                             | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p> |
| <b>Advanced settings</b> | <i>Rows to commit</i>                                                                                                     | Specify the number of lines per data batch to be processed.                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Bytes to commit</i>                                                                                                    | Specify the number of bytes per data batch to be processed.                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use Socks Proxy</i>                                                                                                    | Select this check box if you want to use a proxy server. In this case, you should fill in the proxy parameters in the <b>Proxy host</b> , <b>Proxy port</b> , <b>Proxy username</b> and <b>Proxy password</b> fields which appear beneath.                                                                                                                                                        |
|                          | <i>Ignore NULL fields values</i>                                                                                          | Select this check box to ignore NULL values in <b>Update</b> or <b>Upsert</b> mode.                                                                                                                                                                                                                                                                                                               |
|                          | <i>tStatCatcher Statistics</i>                                                                                            | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             | This component is mainly used when no particular transformation is required on the data to be loaded into Salesforce.com. |                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Limitation</b>        | The bulk data to be processed in Salesforce.com should be .csv format.                                                    |                                                                                                                                                                                                                                                                                                                                                                                                   |

## Scenario: Inserting bulk data into your Salesforce.com

This scenario describes a four-component Job that submits bulk data into Salesforce.com, executes your intended actions on the data, and ends up with displaying the Job execution results for your reference.



Before starting this scenario, you need to prepare the input file which offers the data to be processed by the Job. In this use case, this file is *sforcebulk.txt*, containing some customer information.

Then to create and execute this Job, operate as follows:

## Setting up the Job

1. Drop **tFileInputDelimited**, **tSalesforceOutputBulkExec**, and **tLogRow** from the **Palette** onto the workspace of your studio.
2. Use **Row > Main** connection to connect **tFileInputDelimited** to **tSalesforceOutputBulkExec**.
3. Use **Row > Main** and **Row > Reject** to connect **tSalesforceOutputBulkExec** respectively to the two **tLogRow** components.

## Setting the input data

1. Double-click **tFileInputDelimited** to display its **Basic settings** view and define the component properties.

The screenshot shows the 'Basic settings' view for the 'tFileInputDelimited\_1' component. The settings are as follows:

- Property Type: Built-In
- File name/Stream: "D:/products/Component/tSalesForceOutputBulk/sforceBulk/sforcebulk.txt"\*
- Row Separator: "\n" \* Field Separator: ";"\*
- CSV options:
- Header: 0 Footer: 0 Limit:
- Schema: Built-In Edit schema ...
- Skip empty rows  Uncompress as zip file  Die on error


2. Next to the **File name/Stream** field, click the [...] button to browse to the input file you prepared for the scenario, for example, *sforcebulk.txt*.
3. Click the three-dot button next to the **Edit schema** field to open the dialog box where you can set the schema manually. In this scenario, the schema is made of four columns: *Name*, *ParentId*, *Phone* and *Fax*.


| Column   | Key                      | Type   | ✓                                   | N.. | Date Patt... | Length | Pre... | D... | Co... |
|----------|--------------------------|--------|-------------------------------------|-----|--------------|--------|--------|------|-------|
| Name     | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |     |              |        |        |      |       |
| ParentId | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |     |              |        |        |      |       |
| Phone    | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |     |              |        |        |      |       |
| Fax      | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |     |              |        |        |      |       |

4. According to your input file to be used by the Job, set the other fields like **Row Separator**, **Field Separator...**

## Setting up the connection to the Salesforce server


1. Double-click **tSalesforceOutputBulkExec** to display its **Basic settings** view and define the component properties.



2. In **Salesforce Webservice URL** field, use the by-default URL of the Salesforce Web service or enter the URL you want to access.
3. In the **Username** and **Password** fields, enter your username and password for the Web service.
4. In the **Bulk file path** field, browse to the directory where you store the bulk *.csv* data to be processed.
  -  The bulk file here to be processed must be in *.csv* format.
5. From the **Action** list, select the action you want to carry out on the prepared bulk data. In this use case, **insert**.
6. From the **Module** list, select the object you want to access, **Account** in this example.
7. Click the three-dot button next to the **Edit schema** field to open the dialog box where you can set the schema manually. In this example, edit it conforming to the schema defined previously.

## Job execution

1. Double-click **tLogRow\_1** to display its **Basic settings** view and define the component properties.



2. Click **Sync columns** to retrieve the schema from the preceding component.
3. Select **Table** mode to display the execution result.
4. Do the same with **tLogRow\_2**.
5. Press **CTRL+S** to save your Job and press **F6** to execute it.

On the console of the **Run** view, you can check the execution result.

```

[statistics] connected

 tLogRow_1

Name ParentId Phone Fax salesforce_id sales
Burlington Textiles Corp of America null (336) 222-7000 (336) 222-8000 0018000000gfDyDAAU true
Dickenson plc null (785) 241-6200 (785) 241-6201 0018000000gfDyEAAU true
GenePoint null (650) 867-3450 (650) 867-9895 0018000000gfDyFAAU true

 tLogRow_2

Name ParentId Phone Fax error
Edge Communications wrong id (512) 757-6000 (512) 757-9000 MALFORMED_ID:Parent Account ID: :
Grand Hotels & Resorts Ltd wrong id (312) 596-1000 (312) 596-1500 MALFORMED_ID:Parent Account ID: :

```

In the **tLogRow\_1** table, you can read the data inserted into your Salesforce.com.


In the **tLogRow\_2** table, you can read the rejected data due to the incompatibility with the **Account** objects you have accessed.

If you want to transform the input data before submitting them, you need to use **tSalesforceOutputBulk** and **tSalesforceBulkExec** in cooperation to achieve this purpose. For further information on the use of the two components, see [the section called “Scenario: Inserting transformed bulk data into your Salesforce.com”](#).

# tSAPBWInput




## tSAPBWInput Properties

|                          |                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                    |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                    |
| <b>Function</b>          | <b>tSAPBWInput</b> reads data from an SAP BW database using a JDBC API connection and extracts fields based on an SQL query.                                                                                      |                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>           | This component executes an SQL query with a strictly defined order which must correspond to your schema definition. Then it passes on the field list to the next component via a <b>Row &gt; Main</b> connection. |                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                              | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> :<br><b>Built-in</b> : No property data stored centrally.                                                                                                                                  |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                                                                     | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .<br><br>Click <b>Edit Schema</b> to make changes to the schema. |
|                          | <i>JDBC URL</i>                                                                                                                                                                                                   | Enter the JDBC URL of the database you want to connect to. For example, enter: <i>jdbc:jdbc4olap://server_address/database_name</i> to connect to an SAP BW database.                                                                                                              |
|                          | <i>Username</i>                                                                                                                                                                                                   | Enter the username for DB access authentication.                                                                                                                                                                                                                                   |
|                          | <i>Password</i>                                                                                                                                                                                                   | Enter the password for DB access authentication.                                                                                                                                                                                                                                   |
|                          | <i>Table Name</i>                                                                                                                                                                                                 | Type in the name of the DB table.                                                                                                                                                                                                                                                  |
|                          | <i>Query Type</i>                                                                                                                                                                                                 | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> :<br><b>Built-in</b> : No property data stored centrally.                                                                                                                                     |
|                          | <i>Guess Query</i>                                                                                                                                                                                                | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                         |
| <b>Advanced settings</b> | <i>Trim all the String/Char columns</i>                                                                                                                                                                           | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                                                                                                  |
|                          | <i>Trim column</i>                                                                                                                                                                                                | Remove leading and trailing whitespace from defined columns.<br><br> Clear <b>Trim all the String/Char columns</b> to enable Trim columns in this field.                                        |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                    | Select this check box to collect log data at the component level.                                                                                                                                                                                                                  |
| <b>Usage</b>             | This component supports SQL queries for SAP BW database using a JDBC connection.                                                                                                                                  |                                                                                                                                                                                                                                                                                    |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open</i>                                                 |                                                                                                                                                                                                                                                                                    |

*Studio for Big Data.* For details, see the *Warnings and error icons on components* and *How to install external modules* sections of *Talend Open Studio for Big Data User Guide*.

## Scenario: Reading data from SAP BW database

This scenario describes a two-component Job that reads data from an SAP BW database. The data is fetched and displayed on the console.



Prior to setting up the Job, make sure the following prerequisites are met:

1. Copy the following .jar files which compose the jdbc4olap driver to your class path:

-activation.jar

-commons-codec.jar

-jdbc4olap.jar

-saaj-api.jar

-saaj-impl.jar


2. Make sure that you have the latest version of jdbc4olap driver. You can download the latest version of jdbc4olap driver from [jdbc4olap download section](#). For further information about the usage of jdbc4olap driver, see [jdbc4olap User Guide](#).

The procedure of this scenario requires 4 main steps detailed hereafter:


1. Set up the Job.
2. Set up the jdbc connection to the SAP BW server.
3. Set up a query.
4. Display the fetched data on the console.

### Set up the Job

1. Drop a **tSAPBWInput** component and a **tLogRow** component from the **Palette** onto the workspace.




2. Connect the **tSAPBWInput** component and the **tLogRow** component using a **Row > Main** connection.




## Set up the jdbc connection to the SAP BW server

1. Double-click the **tSAPBWInput** component to open its **Basic settings** view and define the component properties.



2. Fill the **JDBC URL** field with the URL of your jdbc4olap server.  
Note that the URL displayed above is for demonstration only.
3. Fill the **Username** and **Password** fields with your username and password for the DB access authentication.
4. Click the three-dot button next to **Edit schema** to define the schema to be used.





5. Click the plus button to add new columns to the schema and set the data type for each column and click **OK** to save the schema settings.

## Set up a query

1. From the **Basic settings** view of **tSAPBWInput**, fill the **Table Name** field with the table name. In this scenario, table name "*Measures*" is for demonstration only.
2. Fill the **Query** area with the query script. In this example, we use:


```
"SELECT
T1.\"[0D_CO_CODE].[LEVEL01]\" AS company,
T0.\"[Measures].[D68EEPPGGHUMSZ92PIJARDZ0KA]\" AS amount
FROM
\"0D_DECU\".\"0D_DECU/PRE_QRY4\".\"[Measures]\" T0,
\"0D_DECU\".\"0D_DECU/PRE_QRY4\".\"[0D_CO_CODE]\" T1 "
```



Due to the limitations of the supported SQL queries, the query scripts you use must be based on the grammar defined in the jdbc4olap driver. For further information about this grammar, see [jdbc4olap User Guide](#).

## Display the fetched data on the console

1. Double-click the **tLogRow** component to open its **Basic settings** view and define the component properties.



2. Click **Sync columns** to retrieve the schema defined in the preceding component.
3. Select **Table** in the **Mode** area.

4. Press **Ctrl+S** to save your Job and press **F6** to execute it.

```
[statistics] connecting to socket on port 3762
[statistics] connected
Jan 10, 2012 11:39:36 AM org.jdbc4olap.xmla.XmlaConn
execute
INFO: Query processed by OLAP server in 1199 ms, returning
4533 bytes.
```

| tLogRow_1          |           |
|--------------------|-----------|
| Country            | Amount    |
| IDES               | 976190.0  |
| Century Inc.       | 321678.0  |
| ACE Technology     | 1432954.0 |
| Haitec Enterprise  | 221580.0  |
| Cannon Electronics | 552852.0  |
| #                  | 0.0       |

```
[statistics] disconnected
Job Loop ended at 11:39 10/01/2012. [exit code=0]
```


The data in the table "Measure" is fetched and displayed on the console.

# tSAPCommit



## tSAPCommit Properties

This component is closely related to **tSAPConnection** and **tSAPRollback**. It usually does not make much sense to use these components separately in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business/SAP                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>          | Validates the data processed through the Job into the connected server.                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>           | Using a unique connection, this component commits a global transaction in one go instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>    | <i>SAPConnection</i><br><i>Component list</i>                                                                                                                             | Select the <b>tSAPConnection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Release Connection</i>                                                                                                                                                 | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt;Main</b> connection to link <b>tSAPCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Release connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Usage</b>             | This component is to be used along with SAP components, especially with <b>tSAPConnection</b> and <b>tSAPRollback</b> components.                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

## Related scenario

This component is closely related to **tSAPConnection** and **tSAPRollback**. It usually does not make much sense to use one of these without using a **tSAPConnection** component to open a connection for the current transaction.

For **tSAPCommit** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tSAPConnection



## tSAPConnection properties

|                          |                                                                                                         |                                                                                                                                                                                                                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business                                                                                                |                                                                                                                                                                                                                                                                                             |
| <b>Function</b>          | <b>tSAPConnection</b> opens a connection to the SAP system for the current transaction.                 |                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>           | <b>tSAPConnection</b> allows to commit a whole Job data in one go to the SAP system as one transaction. |                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                    | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> :                                                                                                                                                                                                   |
|                          |                                                                                                         | <b>Built-in</b> : No property data is stored centrally.                                                                                                                                                                                                                                     |
|                          | <i>Connection configuration</i>                                                                         | <b>Client type</b> : enter your usual SAP connection.<br><b>Userid</b> : enter user login.<br><b>Password</b> : enter password.<br><b>Language</b> : specify the language.<br><b>Host name</b> : enter the IP address of the SAP system.<br><b>System number</b> : enter the system number. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                          | Select this check box to collect log data at the component level.                                                                                                                                                                                                                           |
| <b>Usage</b>             | This component is to be used along with other SAP components.                                           |                                                                                                                                                                                                                                                                                             |
| <b>Limitation</b>        | n/a                                                                                                     |                                                                                                                                                                                                                                                                                             |


## Related scenarios



For a related scenarios, see [the section called “Scenario 1: Retrieving metadata from the SAP system”](#) and [the section called “Scenario 2: Reading data in the different schemas of the RFC\\_READ\\_TABLE function”](#).

# tSAPInput



## tSAPInput Properties

|                         |                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Function</b>         | <b>tSAPInput</b> connects to the SAP system using the system IP address.                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>          | <b>tSAPInput</b> allows to extract data from an SAP system at any level through calling RFC or BAPI functions. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                           | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> :                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         |                                                                                                                | <b>Built-in</b> : No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                              | Select this check box and click the relevant connection component on the <b>Component</b> list to reuse the connection details you already defined.<br><br> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use <b>Dynamic settings</b> to share the intended connection. In this case, make sure that the connection name is unique and distinctive. For more information about <b>Dynamic settings</b> , see your studio user guide. |
|                         | <i>Connection configuration</i>                                                                                | <b>Client type</b> : Enter your SAP usual connection code<br><b>Userid</b> : Enter the user connection Id.<br><b>Password</b> : Enter the password.<br><b>Language</b> : Specify a language.<br><b>Host name</b> Enter the SAP system IP address.<br><b>System number</b> Enter the system number.                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>FunName</i>                                                                                                 | Enter the name of the function you want to use to retrieve data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Initialize input</i>                                                                                        | Set input parameters.<br><br><b>Parameter Value</b> : Enter between inverted commas the value that corresponds to the parameter you set in the <b>Parameter Name</b> column.<br><br><b>Type</b> : Select the type of the input entity to retrieve.<br><br><b>Table Name (Structure Name)</b> : Enter between inverted commas the table name.                                                                                                                                                                                                                                                                                                                                                    |

|                          |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                     | <p><b>Parameter Name:</b> Enter between inverted commas the name of the field that corresponds to the table set in the <b>Table Name</b> column.</p> <p> When you need different parameter values using the same parameter name, you should enter these values in one row and delimit them with comma.</p>                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Outputs</i>                                                      | <p>Configure the parameters of the output schema to select the data to be extracted:</p> <p><b>Schema:</b> Enter the output schema name.</p> <p><b>Type (for iterate):</b> Select the type of the output entity you want to have.</p> <p><b>Table Name (Structure Name):</b> Enter between inverted commas the table name.</p> <p><b>Mapping:</b> Enter between inverted commas the name of the field you want to retrieve data from.</p> <p> You can set as many outgoing <b>Main</b> links used to output data as schemas you added to this <b>Outputs</b> table. This way, data can be grouped into different files.</p> |
| <b>Connections</b>       |                                                                     | <p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main, Iterate.</p> <p><b>Trigger:</b> Run if; On Component Ok; On Component Error, On Subjob Ok, On Subjob Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate</p> <p><b>Trigger:</b> Run if, On Component Ok, On Component Error, On Subjob Ok, On Subjob Error</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                 |
| <b>Advanced settings</b> | <i>Release Connection</i>                                           | Clear this check box to continue to use the selected connection once the component has performed its task.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>tStatCatcher Statistics</i>                                      | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Usage</b>             | Usually used as a Start component. An output component is required. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Limitation</b>        | n/a                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Scenario 1: Retrieving metadata from the SAP system

Talend SAP components (**tSAPInput** and **tSAPOutput**) as well as the SAP wizard are based on a library validated and provided by SAP (JCO) that allows the user to call functions and retrieve data from the SAP system at Table, RFC or BAPI, levels.



This scenario uses the SAP wizard that leads a user through dialog steps to create SAP connection and call RFC and BAPI functions. This SAP wizard is available only for **Talend Enterprise** users. If you are a user of **Talend Open Studio** or **Talend Integration Express**, you need to drop the **tSAPInput** component from the **Palette** and set its basic settings manually.

This scenario uses the SAP wizard to first create a connection to the SAP system, and then call a BAPI function to retrieve the details of a company from the SAP system. It finally displays in *Talend Open Studio for Big Data* the company details stored in the SAP system.

The following figure shows the company detail parameters stored in the SAP system and that we want to read in *Talend Open Studio for Big Data* using the **tSAPInput** component.

The screenshot shows the 'SAP Function wizard' dialog box, step 1/2, titled 'Retrieve SAP Function -step 1/2'. The search criteria are 'Name Filter: BAPI\_COMPANY\*' and 'Group Filter:'. The function 'BAPI\_COMPANY\_GETDETAIL' is selected, with an alias name of 'BAPI\_COMPANY\_GETDETAIL'. The purpose is 'Company details'. The dialog displays the input and output parameters for this function.

**Input Parameters:**

| Parameters: INPUT |           |
|-------------------|-----------|
| Index:            | 1         |
| Name:             | COMPANYID |
| Type:             | CHAR      |
| Size:             | 6         |
| Offset:           | 0         |
| Decimals:         | 0         |
| Value:            | " "       |

**Output Parameters:**

| Parameters: OUTPUT |                |           |
|--------------------|----------------|-----------|
| Index:             | 1              | 2         |
| Name:              | COMPANY_DETAIL | RETURN    |
| Type:              | STRUCTURE      | STRUCTURE |

## Setting and configuring the SAP connection using wizard

### Setting up the connection to the SAP system

1. Create a connection to the SAP system using the SAP connection wizard, in this scenario the SAP connection is called *sap* and is saved in the **Metadata** node.
2. Call the BAPI function *BAPI\_COMPANY\_GETDETAIL* using the SAP wizard to access the BAPI HTML document stored in the SAP system and see the company details.
3. In the **Name filter** field, type in *BAPI\** and click the **Search** button to display all available BAPI functions.
4. Select *BAPI\_COMPANY\_GETDETAIL* to display the schema that describes the company details.


The three-tab view to the right of the wizard displays the metadata of the *BAPI\_COMPANY\_GETDETAIL* function and allows you to set the necessary parameters.

The **Document** view displays the SAP html document about the *BAPI\_COMPANY\_GETDETAIL* function.

The **Parameter** view provides information about the input and output parameters required by the *BAPI\_COMPANY\_GETDETAIL* function to return values.

### Setting the input and output parameters using the wizard

1. In the **Parameter** view, click the **Input** tab to list the input parameter(s). In this scenario, there is only one input parameter required by *BAPI\_COMPANY\_GETDETAIL* and it is called *COMPANYID*.



2. In the **Parameter** view, click the **Output** tab to list the output parameters returned by *BAPI\_COMPANY\_GETDETAIL*. In this scenario, there are two output parameters: *COMPANY\_DETAIL* and *RETURN*.



**Function: BAPI\_COMPANY\_GETDETAIL**  
**Purpose: Company details**

Document Parameter Test it

| Parameter type | Name           | JCO type | Length | Value | Purpose:                               |
|----------------|----------------|----------|--------|-------|----------------------------------------|
| [-] structure  | COMPANY_DETAIL |          | 0      |       |                                        |
| single         | COMPANY        | CHAR     | 6      |       | Company                                |
| single         | NAME1          | CHAR     | 30     |       | Company name                           |
| single         | NAME2          | CHAR     | 30     |       | Name of company 2                      |
| single         | COUNTRY        | CHAR     | 3      |       | Country of company                     |
| single         | LANGU          | CHAR     | 1      |       | Language key                           |
| single         | STREET         | CHAR     | 30     |       | Street address of the company          |
| single         | PO_BOX         | CHAR     | 10     |       | Post office box of the company         |
| single         | POSTL_COD1     | CHAR     | 10     |       | Global company zip code                |
| single         | CITY           | CHAR     | 30     |       | City where company is located          |
| single         | CURRENCY       | CHAR     | 5      |       | Local currency                         |
| single         | COUNTRY_ISO    | CHAR     | 2      |       | Country ISO code                       |
| single         | CURRENCY_ISO   | CHAR     | 3      |       | ISO currency code                      |
| single         | LANGU_ISO      | CHAR     | 2      |       | Language according to ISO 639          |
| [-] structure  | RETURN         |          | 0      |       |                                        |
| single         | TYPE           | CHAR     | 1      |       | Message type: S Success, E Error, '... |
| single         | CODE           | CHAR     | 5      |       | Message code                           |
| single         | MESSAGE        | CHAR     | 220    |       | Message text                           |
| single         | LOG_NO         | CHAR     | 20     |       | Annihilation log: log number           |

Input Output Table

Add Remove

Each of these two “structure” parameters consists of numerous “single” parameters.

The **Test it** view allows you to add or delete input parameters according to the called function. In this scenario, we want to retrieve the metadata of the *COMPANY\_DETAIL* “structure” parameter that consists of 14 “single” parameters.

**Function: BAPI\_COMPANY\_GETDETAIL**  
**Purpose: Company details**

Document Parameter **Test it**

| Name      | Parameter Type | JCO type | Structure Table | Length | Value  | Purpose: |
|-----------|----------------|----------|-----------------|--------|--------|----------|
| COMPANYID | input.single   | CHAR     |                 | 6      | 000001 | Company  |
|           |                |          |                 |        |        |          |
|           |                |          |                 |        |        |          |
|           |                |          |                 |        |        |          |

← | | | →

Add Remove

| Name      | Parameter Type   | JCO type | Structure Table | Length | Value | Purpose:            |
|-----------|------------------|----------|-----------------|--------|-------|---------------------|
| COMPANY   | output.structure | CHAR     | COMPANY_DETAIL  | 6      |       | Company             |
| NAME1     | output.structure | CHAR     | COMPANY_DETAIL  | 30     |       | Company name        |
| NAME2     | output.structure | CHAR     | COMPANY_DETAIL  | 30     |       | Name of compa...    |
| COUNTRY   | output.structure | CHAR     | COMPANY_DETAIL  | 3      |       | Country of com...   |
| LANGU     | output.structure | CHAR     | COMPANY_DETAIL  | 1      |       | Language key        |
| STREET    | output.structure | CHAR     | COMPANY_DETAIL  | 30     |       | Street address ...  |
| PO_BOX    | output.structure | CHAR     | COMPANY_DETAIL  | 10     |       | Post office box ... |
| POSTI ... | output.structure | CHAR     | COMPANY DETAIL  | 10     |       | Global companv...   |

Add Remove

Output type:  Constructure|Table:

Launch

- In the **Value** column of the **COMPANYID** line in the first table, enter “000001” to send back company data corresponding to the value 000001.
- In the **Output type** list at the bottom of the wizard, select **output.table**.
- Click **Launch** at the bottom of the view to display the value of each “single” parameter returned by the *BAPI\_COMPANY\_GETDETAIL* function.
- Click **Finish** to close the wizard and create the connection.


The *sap* connection and the new schema **BAI\_COMPANY\_GETDETAIL** display under the **SAP Connections** node in the **Repository** tree view.

## Retrieving different schemas of the SAP functions

To retrieve the different schemas of the **BAPI\_COMPANY\_GETDETAIL** function, do the following:

- Right-click **BAPI\_COMPANY\_GETDETAIL** in the **Repository** tree view and select **Retrieve schema** in the contextual menu.
- In the open dialog box, select the schemas you want to retrieve, **COMPANY\_DETAIL** and **RETURN** in this scenario.
- Click **Next** to display the two selected schemas and then **Finish** to close the dialog box.

The two schemas display under the **BAPI\_COMPANY\_GETDETAIL** function in the **Repository** tree view.




## Retrieving the company metadata

To retrieve the company metadata that corresponds to the 000001 value and display it in *Talend Open Studio for Big Data*, do the following:


### Setting up the Job

1. In the **Repository** tree view, drop the SAP connection you already created to the design workspace to open a dialog box where you can select **tSAPConnection** from the component list and finally click **OK** to close the dialog box. The **tSAPConnection** component holding the SAP connection, *sap* in this example, displays on the design workspace.
2. Double-click **tSAPConnection** to display the **Basic settings** view and define the component properties.



If you store connection details in the **Metadata** node in the **Repository** tree view, the **Repository** mode is selected in the **Property Type** list and the fields that follow are pre-filled. If not, you need to select **Built-in** as “property type” and fill in the connection details manually.

3. In the **Repository** tree-view, expand **Metadata** and **sap** in succession and drop **RFC\_READ\_TABLE** to the design workspace to open a component list.
4. Select **tSAPInput** from the component list and click **OK**.
5. Drop **tFilterColumns** and **tLogRow** from the **Palette** to the design workspace.
6. Connect **tSAPConnection** and **tSAPInput** using a **Trigger > OnSubJobOk** link
7. To connect **tSAPInput** and **tLogRow**, right-click **tSAPInput** and select **Row > row\_COMPANY\_DETAIL\_1** and then click **tLogRow**.



- In the design workspace, double-click **tSAPInput** to display its **Basic settings** view and define the component properties.

The basic setting parameters for the **tSAPInput** component display automatically since the schema is stored in the **Metadata** node and the component is initialized by the SAP wizard.

(To use this component, you need first to add the SAP Java Connector (sapjco.jar) in the Modules view)

Use an existing connection    Component List: tSAPConnection\_1 - sap

FunName: "BAPI\_COMPANY\_GETDETAIL"\*

Initialize input

| ParameterValue | Type         | TableName(Str... | ParameterName |
|----------------|--------------|------------------|---------------|
| "000001"       | input_single | ""               | "COMPANYID"   |

Outputs

| Schema         | Type(for iterate) | TableName(Str... | Mapping          |
|----------------|-------------------|------------------|------------------|
| row_RETURN_1   | output_structure  | "RETURN"         | "TYPE","CODE",.. |
| row_COMPANY... | output_structure  | "COMPANY_DE...   | "COMPANY","N...  |

- Select the **Use an existing connection** check box and then in the **Component List**, select the relevant **tSAPConnection** component, **sap** in this scenario.

In the **Initialize input** area, we can see the input parameter needed by the **BAPI\_COMPANY\_GETDETAIL** function.

In the **Outputs** area, we can see all different schemas of the **BAPI\_COMPANY\_GETDETAIL** function, in particular, **COMPANY\_DETAIL** that we want to output.

### Job execution

- In the design workspace, double-click **tLogRow** to display the **Basic settings** view and define the component properties. For more information about this component, see [the section called "tLogRow"](#).
- Press **CTRL+S** to save your Job and press **F6** to execute it.

```

Starting job RAPI_SAP at 18:32 07/10/2009.

[statistics] connecting to socket on port 4100
[statistics] connected

#1. tLogRow_2

key	value
COMPANY	000001
NAME1	Gesellschaft G00000
NAME2	
COUNTRY	DE
LANGU	D
STREET	Neurottstrasse 16
PO_BOX	
POSTL_COD1	69190
CITY	Walldorf
CURRENCY	EUR
COUNTRY_ISO	DE
CURRENCY_ISO	EUR
LANGU_ISO	DE
-----	-----
[statistics] disconnected
Job RAPI_SAP ended at 18:32 07/10/2009. [exit code=0]

```

The **tSAPInput** component retrieved from the SAP system the metadata of the *COMPANY\_DETAIL* “structure” parameter and **tLogRow** displayed the information on the console.

## Scenario 2: Reading data in the different schemas of the RFC\_READ\_TABLE function

Talend SAP components (**tSAPInput** and **tSAPOutput**) as well as the SAP wizard are based on a library validated and provided by SAP (JCO) that allows the user to call functions and retrieve data from the SAP system at Table, RFC or BAPI, levels.




This scenario uses the SAP wizard that leads a user through dialog steps to create a SAP connection and call RFC and BAPI functions. This SAP wizard is available only for **Talend Enterprise** users. If you are a user of **Talend Open Studio** or **Talend Integration Express**, you need to drop the **tSAPInput** component from the **Palette** and set its basic settings manually.

This scenario uses the SAP wizard to first create a connection to the SAP system, and then call an RFC function to directly read from the SAP system a table called *SFLIGHT*. It finally displays in *Talend Open Studio for Big Data* the structure of the *SFLIGHT* table stored in the SAP system.

## Setting and configuring the SAP connection using wizard

### Setting up the connection to the SAP system

1. Create a connection to the SAP system using the SAP connection wizard, in this scenario the SAP connection is called *sap*.
2. Call the *RFC\_READ\_TABLE* RFC function using the SAP wizard to access the table in the SAP system and see its structure.
3. In the **Name filter** field, type in *RFC\** and click the **Search** button to display all available RFC functions.



4. Select *RFC\_READ\_TABLE* to display the schema that describe the table structure.


The three-tab view to the right of the wizard displays the metadata of the *RFC\_READ\_TABLE* function and allows you to set the necessary parameters.

The **Document** view displays the SAP html document about the *RFC\_READ\_TABLE* function.


The **Parameter** view provides information about the parameters required by the *RFC\_READ\_TABLE* function to return parameter values.

### Setting the input and output parameters using the wizard

1. In the **Parameter** view, click the **Table** tab to show a description of the structure of the different tables of the *RFC\_READ\_TABLE* function.



The **Test it** view allows you to add or delete input parameters according to the called function. In this example, we want to retrieve the structure of the *SFLIGHT* table and not any data.



- In the **Value** column of the **DELIMITER** line, enter “;” as field separator.
- In the **Value** column of the **QUERY\_TABLE** line, enter *SFLIGHT* as the table to query.
- In the **Output type** list at the bottom of the view, select **output.table**.
- In the **Constructure|Table** list, select **DATA**.
- Click **Launch** at the bottom of the view to display the parameter values returned by the *RFC\_READ\_TABLE* function. In this example, the delimiter is “;” and the table to read is *SFLIGHT*.

7. Click **Finish** to close the wizard and create the connection.


## Retrieving the different schemas of the RFC\_READ\_TABLE function

The *sap* connection and the **RFC\_READ\_TABLE** function display under the **SAPConnections** node in the **Repository** tree view.

To retrieve the different schemas of the **RFC\_READ\_TABLE** function, do the following:

1. In the **Repository** tree view, right-click **RFC\_READ\_TABLE** and select **Retrieve schema** in the contextual menu. A dialog box displays.
2. Select in the list the schemas you want to retrieve, **DATA**, **FIELDS** and **OPTIONS** in this example.
3. Click **Next** to open a new view on the dialog box and display these different schemas.
4. Click **Finish** to validate your operation and close the dialog box.

The three schemas display under the **RFC\_READ\_TABLE** function in the **Repository** tree view.




## Retrieving the data column names of the SFLIGHT table

In this example, we want to retrieve the data and column names of the **SFLIGHT** table and display them in *Talend Open Studio for Big Data*. To do that, proceed as the following:

### Setting up the Job

1. In the **Repository** tree view, drop the **RFC\_READ\_TABLE** function of the *sap* connection to the design workspace to open a dialog box where you can select **tSAPInput** from the component list and then click **OK** to close the dialog box. The **tSAPInput** component displays on the design workspace.
2. Drop two **tLogRow** components from the **Palette** to the design workspace.
3. Right-click **tSAPInput** and select **Row > row\_DATA\_1** and click the first **tLogRow** component.
4. Right-click **tSAPInput** and select **Row > row\_FIELDS\_1** and click the second **tLogRow** components.





In this example, we want to retrieve the **FIELDS** and **DATA** schemas and put them in two different output flows.

5. In the design workspace, double-click **tSAPInput** to open the **Basic settings** view and display the component properties.

(To use this component, you need first to add the SAP Java Connector (sapjco.jar) in the Modules view)

Property Type: Repository | SAP:sap

Use an existing connection

Connection configuration

Client: "000" \*

Userid: "TALEND" \*

Password: "\*\*\*\*\*" \*

Language: "EN" \*

Host name: "192.168.80.128" \*

System number: "00" \*

FunName: "RFC\_READ\_TABLE" \*

Initialize input

| ParameterValue | Type         | TableName(Str... | ParameterName |
|----------------|--------------|------------------|---------------|
| ","            | input_single | ""               | "DELIMITER"   |
| ""             | input_single | ""               | "NO_DATA"     |
| "SFLIGHT"      | input_single | ""               | "QUERY_TABLE" |
| 0              | input_single | ""               | "ROWCOUNT"    |
| 0              | input_single | ""               | "ROWSKIPS"    |

The basic setting parameters for the **tSAPInput** component display automatically since the schema is stored in the **Metadata** node and the component is initialized by the SAP wizard.

In the **Initialize input** area, we can see the input parameters necessary for the **RFC\_READ\_TABLE** function, the field delimiter “,” and the table name “**SFLIGHT**”.

In the **Outputs** area, we can see the different schemas of the **SFLIGHT** table.

Outputs

| Schema        | Type(for iterate) | TableName... | Mapping              |
|---------------|-------------------|--------------|----------------------|
| row_FIELDS_1  | table_output      | "FIELDS"     | "FIELDNAME","OFFSET" |
| row_OPTIONS_1 | table_output      | "OPTIONS"    | "TEXT"               |
| row_DATA_1    | table_output      | "DATA"       | "WA"                 |

### Job execution

1. In the design workspace, double click each of the two **tLogRow** components to display the **Basic settings** view and define the component properties. For more information on the properties of **tLogRow**, see [the section called "tLogRow"](#).
2. Press **CTRL+S** to save your Job and press **F6** to execute it.

*Starting job jobsap at 16:13 01/10/2009.*

```
[statistics] connecting to socket on port 4093
[statistics] connected
```

| tLogRow_3  |        |        |      |                                           |
|------------|--------|--------|------|-------------------------------------------|
| FIELDNAME  | OFFSET | LENGTH | TYPE | FIELDTEXT                                 |
| MANDT      | 0      | 3      | C    | Client for WB train. data model BC_Travel |
| CARRID     | 4      | 3      | C    | Airline carrier ID                        |
| CONNID     | 8      | 4      | N    | Flight connection Id                      |
| FLDATE     | 13     | 8      | D    | Flight date                               |
| PRICE      | 22     | 15     | P    | Airfare                                   |
| CURRENCY   | 38     | 5      | C    | Local currency of airline                 |
| PLANETYPE  | 44     | 10     | C    | Plane type                                |
| SEATSMAX   | 55     | 10     | X    | Maximum capacity                          |
| SEATSOCC   | 66     | 10     | X    | Occupied seats                            |
| PAYMENTSUM | 77     | 17     | P    | Total of current bookings                 |

| tLogRow_2 |        |           |         |      |           |           |           |          |
|-----------|--------|-----------|---------|------|-----------|-----------|-----------|----------|
| WA        |        |           |         |      |           |           |           |          |
| 000;LH    | ;0400; | 19950228; | 899.00  | ;DEM | ;A319     | ;5E010000 | ;03000000 | ;2639.00 |
| 000;LH    | ;0454; | 19951117; | 1499.00 | ;DEM | ;A319     | ;5E010000 | ;02000000 | ;2949.00 |
| 000;LH    | ;0455; | 19950606; | 1090.00 | ;USD | ;A319     | ;DC000000 | ;01000000 | ;1499.00 |
| 000;LH    | ;3577; | 19950428; | 6000.00 | ;LIT | ;A319     | ;DC000000 | ;01000000 | ;600.00  |
| 000;SQ    | ;0026; | 19950228; | 849.00  | ;DEM | ;DC-10-10 | ;7C010000 | ;02000000 | ;1684.00 |

```
[statistics] disconnected
```


*Job jobsap ended at 16:13 01/10/2009. [exit code=0]*

The **tSAPInput** component retrieves from the SAP system the column names of the *SFLIGHT* table as well as the corresponding data. The **tLogRow** components display the information in a tabular form in the Console.

# tSAPOutput



## tSAPOutput Properties

|                          |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>          | Writes to an SAP system.                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>           | Allows to write data into an SAP system. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>    | <i>Property type</i>                     | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> :<br><b>Built-in</b> : No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Use an existing connection</i>        | Select this check box and click the relevant connection component on the <b>Component</b> list to reuse the connection details you already defined.<br><br> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use <b>Dynamic settings</b> to share the intended connection. In this case, make sure that the connection name is unique and distinctive. For more information about <b>Dynamic settings</b> , see your studio user guide. |
|                          | <i>Connection configuration</i>          | <b>Client type</b> : Enter your SAP usual connection code<br><b>Userid</b> : Enter the user connection Id.<br><b>Password</b> : Enter the password.<br><b>Language</b> : Specify a language.<br><b>Host name</b> Enter the SAP system IP address.<br><b>System number</b> Enter the system number.                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Schema and Edit Schema</i>            | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .<br><br>Click <b>Edit Schema</b> to make changes to the schema.                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>FunName</i>                           | Enter the name of the function you want to use to write data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Mapping</i>                           | Set the parameters to select the data to write to the SAP system.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Advanced settings</b> | <i>Release Connection</i>                | Clear this check box to continue to use the selected connection once the component has performed its task.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Related scenario

---

|                   |                                                                      |                                                                                                                |
|-------------------|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
|                   | <i>tStatCatcher Statistics</i>                                       | Select this check box to gather the Job processing metadata at a Job level as well as at each component level. |
| <b>Usage</b>      | Usually used as an output component. An input component is required. |                                                                                                                |
| <b>Limitation</b> | n/a                                                                  |                                                                                                                |

## Related scenario

For a related scenarios, see [the section called “Scenario 1: Retrieving metadata from the SAP system”](#) and [the section called “Scenario 2: Reading data in the different schemas of the RFC\\_READ\\_TABLE function”](#).

# tSAPRollback

## tSAPRollback properties

This component is closely related to **tSAPCommit** and **tSAPConnection**. It usually does not make much sense to use these components separately in a transaction.

|                          |                                                                                                                                |                                                                                                                     |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business/SAP                                                                                                                   |                                                                                                                     |
| <b>Function</b>          | <b>tSAPRollback</b> cancels the transaction commit in the connected SAP.                                                       |                                                                                                                     |
| <b>Purpose</b>           | <b>tSAPRollback</b> avoids to commit only a fragment of a transaction.                                                         |                                                                                                                     |
| <b>Basic settings</b>    | <i>SAPConnection</i><br><i>Component list</i>                                                                                  | Select the <b>tSAPConnection</b> component in the list if more than one connection are planned for the current Job. |
|                          | <i>Release Connection</i>                                                                                                      | Clear this check box to continue to use the selected connection once the component has performed its task.          |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                 | Select this check box to collect log data at the component level.                                                   |
| <b>Usage</b>             | This component is intended to be used along with SAP components, especially with <b>tSAPConnection</b> and <b>tSAPCommit</b> . |                                                                                                                     |
| <b>Limitation</b>        | n/a                                                                                                                            |                                                                                                                     |


## Related scenarios

For **tSAPRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).

# tSugarCRMInput



## tSugarCRMInput Properties

|                          |                                                                      |                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business/Cloud                                                       |                                                                                                                                                                                                                                                                                                                                                         |
| <b>Function</b>          | Connects to a Sugar CRM database module via the relevant webservice. |                                                                                                                                                                                                                                                                                                                                                         |
| <b>Purpose</b>           | Allows you to extract data from a SugarCRM DB based on a query.      |                                                                                                                                                                                                                                                                                                                                                         |
| <b>Basic settings</b>    | <i>SugarCRM Webservice URL</i>                                       | Type in the webservice URL to connect to the SugarCRM DB.                                                                                                                                                                                                                                                                                               |
|                          | <i>Username</i> and <i>Password</i>                                  | Type in the Webservice user authentication data.                                                                                                                                                                                                                                                                                                        |
|                          | <i>Module</i>                                                        | Select the relevant module from the list<br><br> To use customized tables, select <b>Use custom module</b> from the list. The <b>Custom module package name</b> and <b>Custom module name</b> fields which appear are automatically filled in with the relevant names. |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                 | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> make changes to the schema.<br><br>In this component the schema is related to the Module selected.                                    |
|                          | <i>Query condition</i>                                               | Type in the query to select the data to be extracted. Example: account_name= 'Talend'                                                                                                                                                                                                                                                                   |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                      | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                       |
| <b>Usage</b>             | Usually used as a Start component. An output component is required.  |                                                                                                                                                                                                                                                                                                                                                         |
| <b>Limitation</b>        | n/a                                                                  |                                                                                                                                                                                                                                                                                                                                                         |

## Scenario: Extracting account data from SugarCRM

This scenario describes a two-component Job which extracts account information from a SugarCRM database and writes it to an Excel output file.



## Setting up the Job

1. Drop a **tSugarCRMInput** and a **tFileOutputExcel** component from the **Palette** onto the workspace.
2. Connect the input component to the output component using a **Row > Main** connection.

## Configuring the input component

1. Double-click **tSugarCRMInput** to define the component properties in its **Basic settings** view.

| Property                | Value                              |
|-------------------------|------------------------------------|
| SugarCRM WebService URL | "http://localhost/sugar/soap.php"  |
| Username                | "admin"                            |
| Password                | "root"                             |
| Module                  | Accounts                           |
| Schema                  | Built-In                           |
| Query Condition         | "billing_address_city='Sunnyvale'" |

2. Fill the **SugarCRM WebService URL** field with the connection information, and the **Username** and **Password** fields with the authentication you have.
3. Select the **Module** from the list of modules offered. In this example, *Accounts* is selected.

The **Schema** is then automatically set according to the module selected. But you can change it and remove the columns that you do not require in the output.


4. In the **Query Condition** field, type in the query you want to extract from the CRM. In this example: "billing\_address\_city='Sunnyvale'".

## Job execution

1. Double-click **tFileOutputExcel** to define the component properties in its **Basic settings** view.

|                |                                     |
|----------------|-------------------------------------|
| File Name      | "C:/Output/billing_city.xls"        |
| Sheet name     | "accounts"                          |
| Include header | <input checked="" type="checkbox"/> |
| Schema Type    | Built-In                            |
| Encoding Type  | ISO-8859-15                         |

2. Set the destination file name as well as the **Sheet** name and select the **Include header** check box.
3. Press **CTRL+S** to save your Job and press **F6** to execute it.




The filtered data is output in the defined spreadsheet of the specified Excel file.



# tSugarCRMOutput



## tSugarCRMOutput Properties

|                          |                                                                    |                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business/Cloud                                                     |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>          | Writes in a Sugar CRM database module via the relevant webservice. |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>           | Allows you to write data into a SugarCRM DB.                       |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>SugarCRM Webservice URL</i>                                     | Type in the webservice URL to connect to the SugarCRM DB.                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Username</i> and <i>Password</i>                                | Type in the Webservice user authentication data.                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Module</i>                                                      | Select the relevant module from the list<br><br> To use customized tables, select <b>Use custom module</b> from the list. The <b>Custom module package name</b> and <b>Custom module name</b> fields which appear are automatically filled in with the relevant names.                                      |
|                          | <i>Action</i>                                                      | Insert or Update the data in the SugarCRM module.                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Schema</i> and <i>Edit schema</i>                               | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .<br><br>Click <b>Edit Schema</b> to make changes to the schema.<br><br>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                     | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                            |
| <b>Usage</b>             | Used as an output component. An Input component is required.       |                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Limitation</b>        | n/a                                                                |                                                                                                                                                                                                                                                                                                                                                                                              |

## Related Scenario

No scenario is available for this component yet.

# tVtigerCRMInput



## tVtigerCRMInput Properties

|                          |                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business/VtigerCRM                                                                                             |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>          | Connects to a module of a VtigerCRM database.                                                                  |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>           | Allows to extract data from a VtigerCRM DB.                                                                    |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>    |                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Vtiger Version</b>    | Select the version of the Vtiger Web Services you want to use (either <b>Vtiger 5.0</b> or <b>Vtiger 5.1</b> ) |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Vtiger 5.0</b>        | <i>Server Address</i>                                                                                          | Type in the IP address of the VtigerCRM server                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Port</i>                                                                                                    | Type in the Port number to access the server                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Vtiger Path</i>                                                                                             | Type in the path to access the VtigerCRM server                                                                                                                                                                                                                                                                                                                |
|                          | <i>Username</i> and <i>Password</i>                                                                            | Type in the user authentication data.                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Version</i>                                                                                                 | Type in the version of VtigerCRM you are using.                                                                                                                                                                                                                                                                                                                |
|                          | <i>Module</i>                                                                                                  | Select the relevant module in the list                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Method</i>                                                                                                  | Select the relevant method in the list. The method specifies the action you can carry out on the VtigerCRM module selected.                                                                                                                                                                                                                                    |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                           | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>In this component the schema is related to the Module selected.</p> |
| <b>Vtiger 5.1</b>        | <i>Endpoint</i>                                                                                                | Type in the URL address of the invoked Web server.                                                                                                                                                                                                                                                                                                             |
|                          | <i>Username</i>                                                                                                | Type in the user name to log in to the vTigerCRM..                                                                                                                                                                                                                                                                                                             |
|                          | <i>Access key</i>                                                                                              | Type in the access key for the user name.                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Query condition</i>                                                                                         | Type in the query to select the data to be extracted.                                                                                                                                                                                                                                                                                                          |
|                          | <i>Manual input of SQL query</i>                                                                               | Manually type in your query in the corresponding field.                                                                                                                                                                                                                                                                                                        |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                 | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                 |
| <b>Usage</b>             | Usually used as a Start component. An output component is required.                                            |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Limitation</b>        | n/a                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                |

## Related Scenario

No scenario is available for this component yet.

# tVtigerCRMOutput



## tVtigerCRMOutput Properties

|                         |                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Business/VtigerCRM                                                                                             |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>         | Writes data into a module of a VtigerCRM database.                                                             |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>          | Allows to write data from a VtigerCRM DB.                                                                      |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>   |                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Vtiger Version</b>   | Select the version of the Vtiger Web Services you want to use (either <b>Vtiger 5.0</b> or <b>Vtiger 5.1</b> ) |                                                                                                                                                                                                                                                                                                                                                                |
| <b>Vtiger 5.0</b>       | <i>Server Address</i>                                                                                          | Type in the IP address of the VtigerCRM server.                                                                                                                                                                                                                                                                                                                |
|                         | <i>Port</i>                                                                                                    | Type in the Port number to access the server.                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Vtiger Path</i>                                                                                             | Type in the path to access the server.                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username</i> and <i>Password</i>                                                                            | Type in the user authentication data.                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Version</i>                                                                                                 | Type in the version of VtigerCRM you are using.                                                                                                                                                                                                                                                                                                                |
|                         | <i>Module</i>                                                                                                  | Select the relevant module in the list                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Method</i>                                                                                                  | Select the relevant method in the list. The method specifies the action you can carry out on the VtigerCRM module selected.                                                                                                                                                                                                                                    |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                           | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>In this component the schema is related to the Module selected.</p> |
| <b>Vtiger 5.1</b>       | <i>Endpoint</i>                                                                                                | Type in the URL address of the invoked Web server.                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i>                                                                                                | Type in the user name to log in to the VtigerCRM..                                                                                                                                                                                                                                                                                                             |
|                         | <i>Access key</i>                                                                                              | Type in the access key for the user name.                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Action</i>                                                                                                  | Insert or Update the data in the SugarCRM module.                                                                                                                                                                                                                                                                                                              |
|                         | <i>Module</i>                                                                                                  | Select the relevant module in the list                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                           | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>In this component the schema is related to the Module selected.</p> |
|                         | <i>Die on error</i>                                                                                            | This check box is clear by default to skip the row on error and complete the process for error-free rows.                                                                                                                                                                                                                                                      |

---

|                          |                                                              |                                                                                                                |
|--------------------------|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                               | Select this check box to gather the Job processing metadata at a Job level as well as at each component level. |
| <b>Usage</b>             | Used as an output component. An Input component is required. |                                                                                                                |
| <b>Limitation</b>        | n/a                                                          |                                                                                                                |

## Related Scenario

No scenario is available for this component yet.



# Business Intelligence components

This chapter details the main components which belong to the **Business Intelligence** family in the *Talend Open Studio for Big Data Palette*.

The BI family groups connectors that cover needs such as reading or writing multidimensional or OLAP databases, outputting Jasper reports, tracking DB changes in slow changing dimension tables and so on.




For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tDB2SCD



## tDB2SCD properties

|                         |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB2                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | tDB2SCD reflects and tracks changes in a dedicated DB2 SCD table.                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | tDB2SCD addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                                        | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>Property type</i>                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                                                          | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Host</i>                                                                                                                              | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Port</i>                                                                                                                              | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Database</i>                                                                                                                          | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Table Schema</i>                                                                                                                      | Name of the DB schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i> and <i>Password</i>                                                                                                      | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Table</i>                                                                                                                             | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |



|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Schema and Edit schema</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>SCD Editor</i>                                                                                                                                                                                                                                                                                                                                                     | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .        |
|                          | <i>Use memory saving Mode</i>                                                                                                                                                                                                                                                                                                                                         | Select this check box to maximize system performance.                                                                                                                                                        |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                      |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                            |
|                          | <i>Debug mode</i>                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step during processing entries in a database.                                                                                                                          |
| <b>Usage</b>             | This component is used as Output component. It requires an Input component and Row main link as input.                                                                                                                                                                                                                                                                |                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                              |


## Related scenarios

For related topics, see [the section called “tMysqlSCD”](#).

# tDB2SCDELT



## tDB2SCDELT Properties

|                         |                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB2                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | tDB2SCDELT reflects and tracks changes in a dedicated DB2 SCD table.                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | tDB2SCDELT addresses Slowly Changing Dimension needs through SQL queries (server-side processing mode), and logs the changes into a dedicated DB2 SCD table. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally. Enter properties manually.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Use an existing connection</i>                                                                                                                            | <p>Select this check box and click the relevant <b>tDB2Connection</b> component on the <b>Component List</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <i>Databases - traditional components</i>, <i>Databases - appliance/datawarehouse components</i>, or <i>Databases - other components</i>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>Host</i>                                                                                                                                                  | The IP address of the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Port</i>                                                                                                                                                  | Listening port number of database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                                              | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                          | User authentication data for a dedicated database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Source table</i>                                                                                                                                          | Name of the input DB2 SCD table.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|  |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Table</i>                  | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>Action on table</i>        | <p>Select to perform one of the following operations on the table defined:</p> <p><b>None:</b> No action carried out on the table.</p> <p><b>Drop and create table:</b> The table is removed and created again</p> <p><b>Create table:</b> A new table gets created.</p> <p><b>Create table if not exists:</b> A table gets created if it does not exist.</p> <p><b>Clear table:</b> The table content is deleted. You have the possibility to rollback the operation.</p> <p><b>Truncate table:</b> The table content is deleted. You don not have the possibility to rollback the operation.</p>                                                                                                                                                                                                                                                     |
|  | <i>Schema and Edit schema</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  |                               | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|  | <i>Surrogate Key</i>          | Select the surrogate key column from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Creation</i>               | <p>Select the method to be used for the surrogate key generation.</p> <p>For more information regarding the creation methods, see <a href="#">the section called “SCD keys”</a>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|  | <i>Source Keys</i>            | Select one or more columns to be used as keys, to ensure the unicity of incoming data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|  | <i>Use SCD Type 1 fields</i>  | Use type 1 if tracking changes is not necessary. SCD Type 1 should be used for typos corrections for example. Select the columns of the schema that will be checked for changes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|  | <i>Use SCD Type 2 fields</i>  | <p>Use type 2 if changes need to be tracked down. SCD Type 2 should be used to trace updates for example. Select the columns of the schema that will be checked for changes.</p> <p><b>Start date:</b> Adds a column to your SCD schema to hold the start date value. You can select one of the input schema columns as Start Date in the SCD table.</p> <p><b>End Date:</b> Adds a column to your SCD schema to hold the end date value for the record. When the record is currently active, the End Date column shows a null value, or you can select <b>Fixed Year value</b> and fill it in with a fictive year to avoid having a null value in the End Date field.</p> <p><b>Log Active Status:</b> Adds a column to your SCD schema to hold the <b>true</b> or <b>false</b> status value. This column helps to easily spot the active record.</p> |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                 |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Log versions:</b> Adds a column to your SCD schema to hold the version number of the record. |
| <b>Advanced settings</b> | <i>Debug mode</i>                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step during processing entries in a database.             |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                               |
| <b>Usage</b>             | This component is used as an output component. It requires an input component and Row main link as input.                                                                                                                                                                                                                                                             |                                                                                                 |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                 |


## Related Scenario

For related topics, see [the section called “tDB2SCD”](#) and [the section called “tMySQLSCD”](#).

# tGreenplumSCD



## tGreenplumSCD Properties

|                         |                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Greenplum                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Function</b>         | <b>tGreenplumSCD</b> reflects and tracks changes in a dedicated Greenplum SCD table.                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Purpose</b>          | <b>tGreenplumSCD</b> addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         |                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Use an existing connection</i>                                                                                                                     | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                                                | Select the relevant driver on the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Host</i>                                                                                                                                           | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Port</i>                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Database</i>                                                                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Schema</i>                                                                                                                                         | Name of the DB schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                          |                                 |                                                                                                                                                                                                              |
|--------------------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Table</i>                    | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                          |
|                          | <i>Schema and Edit schema</i>   | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                 | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>SCD Editor</i>               | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .        |
|                          | <i>Use memory saving Mode</i>   | Select this check box to maximize system performance.                                                                                                                                                        |
|                          | <i>Die on error</i>             | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                      |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i> | Select this check box to collect log data at the component level.                                                                                                                                            |
|                          | <i>Debug mode</i>               | Select this check box to display each step during processing entries in a database.                                                                                                                          |
| <b>Usage</b>             |                                 | This component is used as Output component. It requires an Input component and Row main link as input.                                                                                                       |


## Related scenario

For related scenarios, see [the section called “tMysqlSCD”](#).

# tInformixSCD



## tInformixSCD properties

|                         |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Business Intelligence/Informix                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Function</b>         | <b>tInformixSCD</b> tracks and shows changes which have been made to Informix SCD dedicated tables.                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purpose</b>          | <b>tInformixSCD</b> addresses Slowly Changing Dimension transformation needs, by regularly reading a data source and listing the modifications in an SCD dedicated table. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                      | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         |                                                                                                                                                                           | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Use an existing connection</i>                                                                                                                                         | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                               | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Port</i>                                                                                                                                                               | DB server listening port.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Database</i>                                                                                                                                                           | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Schema</i>                                                                                                                                                             | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Username et Password</i>                                                                                                                                               | User authentication information.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Instance</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the Informix instance to be used. This information can generally be found in the SQL hosts file.                                                                                                     |
|                          | <i>Table</i>                                                                                                                                                                                                                                                                                                                                                          | Name of the table to be created                                                                                                                                                                              |
|                          | <i>Schema and Edit schema</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>SCD Editor</i>                                                                                                                                                                                                                                                                                                                                                     | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .        |
|                          | <i>Use memory saving Mode</i>                                                                                                                                                                                                                                                                                                                                         | Select this check box to improve system performance.                                                                                                                                                         |
|                          | <i>Use Transaction</i>                                                                                                                                                                                                                                                                                                                                                | Select this check box when the database is configured in NO_LOG mode.                                                                                                                                        |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                      |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect the log data at a component level.                                                                                                                                          |
|                          | <i>Debug mode</i>                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step of the process by which data is written in the database.                                                                                                          |
| <b>Usage</b>             | This component is an output component. Consequently, it requires an input component and a connection of the <b>Row &gt; Main</b> type.                                                                                                                                                                                                                                |                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                              |

## Related scenario


For a scenario in which **tInformixSCD** might be used, see [the section called “tMysqlSCD”](#).



# tIngresSCD



## tIngresSCD Properties

|                         |                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Ingress                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Function</b>         | <b>tIngresSCD</b> reflects and tracks changes in a dedicated Ingres SCD table.                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Purpose</b>          | <b>tIngresSCD</b> addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                                                  | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your Studio user guide.</p> |
|                         | <i>Property type</i>                                                                                                                               | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         |                                                                                                                                                    | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Server</i>                                                                                                                                      | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Port</i>                                                                                                                                        | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Database</i>                                                                                                                                    | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Table</i>                                                                                                                                       | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Schema and Edit schema</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>SCD Editor</i>                                                                                                                                                                                                                                                                                                                                                     | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .        |
|                          | <i>Use memory saving Mode</i>                                                                                                                                                                                                                                                                                                                                         | Select this check box to maximize system performance.                                                                                                                                                        |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                      |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                            |
|                          | <i>Debug mode</i>                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step during processing entries in a database.                                                                                                                          |
| <b>Usage</b>             | This component is used as Output component. It requires an Input component and Row main link as input.                                                                                                                                                                                                                                                                |                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                              |


## Related scenario

For related scenarios, see [the section called “tMySQLSCD”](#).

# tMSSqlSCD



## tMSSqlSCD Properties

|                         |                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MSSQL Server                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Function</b>         | <b>tMSSqlSCD</b> reflects and tracks changes in a dedicated MSSQL SCD table.                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purpose</b>          | <b>tMSSqlSCD</b> addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                              | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         |                                                                                                                                                   | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Use an existing connection</i>                                                                                                                 | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Server</i>                                                                                                                                     | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Port</i>                                                                                                                                       | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema</i>                                                                                                                                     | Name of the DB schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Database</i>                                                                                                                                   | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Username</i> and <i>Password</i>                                                                                                               | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Table</i>                                                                                                                                                                                                                                                                                                                                                          | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                               |
|                          | <i>Schema and Edit schema</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .      |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                         |
|                          | <i>SCD Editor</i>                                                                                                                                                                                                                                                                                                                                                     | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .             |
|                          | <i>Use memory saving Mode</i>                                                                                                                                                                                                                                                                                                                                         | Select this check box to maximize system performance.                                                                                                                                                             |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                           |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>                                                                                                                                                                                                                                                                                                                                     | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> . |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                 |
|                          | <i>Debug mode</i>                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step during processing entries in a database.                                                                                                                               |
| <b>Usage</b>             | This component is used as Output component. It requires an Input component and Row main link as input.                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                   |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                   |


## Related scenario

For related topics, see [the section called “tMySQLSCD”](#).

# tMysqlSCD



## tMysqlSCD Properties

|                         |                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MySQL                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Function</b>         | <b>tMysqlSCD</b> reflects and tracks changes in a dedicated MySQL SCD table.                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Purpose</b>          | <b>tMysqlSCD</b> addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                              | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         |                                                                                                                                                   | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Use an existing connection</i>                                                                                                                 | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>DB Version</i>                                                                                                                                 | Select the Mysql version you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Host</i>                                                                                                                                       | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Port</i>                                                                                                                                       | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Database</i>                                                                                                                                   | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Username and Password</i>                                                                                                                      | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Table</i>                                                                                                                                      | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                          |                                   |                                                                                                                                                                                                                                                                                         |
|--------------------------|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Action on table</i>            | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if not exists:</b> The table is created if it does not exist. |
|                          | <i>Schema and Edit schema</i>     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                            |
|                          |                                   | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                               |
|                          | <i>SCD Editor</i>                 | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .                                                                                   |
|                          | <i>Use memory saving mode</i>     | Select this check box to maximize system performance.                                                                                                                                                                                                                                   |
|                          | <i>Die on error</i>               | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                                                                                                 |
| <b>Advanced settings</b> | <i>Additional JDBC Parameters</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                       |
|                          | <i>tStat Catcher Statistics</i>   | Select this check box to collect log data at the component level.                                                                                                                                                                                                                       |
|                          | <i>Debug mode</i>                 | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                     |
| <b>Usage</b>             |                                   | This component is used as Output component. It requires an Input component and Row main link as input.                                                                                                                                                                                  |

## SCD management methodologies

Slowly Changing Dimensions (SCDs) are dimensions that have data that slowly changes. The SCD editor offers the simplest method of building the data flow for the SCD outputs. In the SCD editor, you can map columns, select surrogate key columns, and set column change attributes through combining SCD types.

The following figure illustrates an example of the SCD editor.

SCD component editor

filter

**Unused**

age  
country

**Source keys**

id

**Surrogate keys**

name: SK  
creation: Auto increment  
complement:

**Type 0 fields**

firstname  
lastname

**Type 1 fields**

status

**Type 2 fields**

city

**Versioning**

| type                                | name      | creation       | complement |
|-------------------------------------|-----------|----------------|------------|
| start                               | scd_start | Job start time |            |
| end                                 | scd_end   | NULL           |            |
| <input checked="" type="checkbox"/> | version   | scd_version    |            |
| <input checked="" type="checkbox"/> | active    | scd_active     |            |

**Type 3 fields**

| current value | previous value   |
|---------------|------------------|
| company       | previous_company |

OK Cancel

## SCD keys

You must choose one or more source keys columns from the incoming data to ensure its unicity.

You must set one surrogate key column in the dimension table and map it to an input column in the source table. The value of the surrogate key links a record in the source to a record in the dimension table. The editor uses this mapping to locate the record in the dimension table and to determine whether a record is new or changing. The surrogate key is typically the primary key in the source, but it can be an alternate key as long as it uniquely identifies a record and its value does not change.

**Source keys:** Drag one or more columns from the **Unused** panel to the **Source keys** panel to be used as the key(s) that ensure the unicity of the incoming data.

**Surrogate keys:** Set the column where the generated surrogate key will be stored. A surrogate key can be generated based on a method selected on the **Creation** list.

**Creation:** Select any of the below methods to be used for the key generation:

**Auto increment:** auto-incremental key.

**Input field:** key is provided in an input field.

When selected, you can drag the appropriate field from the **Unused** panel to the **complement** field.

**Routine:** from the **complement** field, you can press **Ctrl+ Space** to display the autocompletion list and select the appropriate routine.

**Table max +1:** the maximum value from the SCD table is incremented to create a surrogate key.

**DB Sequence:** from the **complement** field, you can enter the name of the existing database sequence that will automatically increment the column indicated in the **name** field.



This option is only available through the **SCD Editor** of the **tOracleSCD** component.

## Combining SCD types

The Slowly Changing Dimensions support four types of changes: **Type 0** through **Type 3**. You can apply any of the SCD types to any column in a source table by a simple drag-and-drop operation.

**Type 0:** is not used frequently. Some dimension data may be overwritten and other may stay unchanged over time. This is most appropriate when no effort has been made to deal with the changing dimension issues.

**Type 1:** no history is kept in the database. New data overwrites old data. Use this type if tracking changes is not necessary. this is most appropriate when correcting certain typos, for example the spelling of a name.

**Type2:** the whole history is stored in the database. This type tracks historical data by inserting a new record in the dimensional table with a separate key each time a change is made. This is most appropriate to track updates, for example.

SCD **Type 2** principle lies in the fact that a new record is added to the SCD table when changes are detected on the columns defined. Note that although several changes may be made to the same record on various columns defined as SCD **Type 2**, only one additional line tracks these changes in the SCD table.

The SCD schema in this type should include SCD-specific extra columns that hold standard log information such as:

**-start:** adds a column to your SCD schema to hold the start date. You can select one of the input schema columns as a start date in the SCD table.

**-end:** adds a column to your SCD schema to hold the end date value for a record. When the record is currently active, the end date is **NULL** or you can select **Fixed Year Value** and fill in a fictive year to avoid having a null value in the end date field.

**-version:** adds a column to your SCD schema to hold the version number of the record.

**-active:** adds a column to your SCD schema to hold the **true** or **false** status value. this column helps to easily spot the active record.

**Type 3:** only the information about a previous value of a dimension is written into the database. This type tracks changes using separate columns. This is most appropriate to track only the previous value of a changing column.

## Scenario: Tracking changes using Slowly Changing Dimensions (type 0 through type 3)

This five-component Java scenario describes a Job that tracks changes in four of the columns in a source delimited file, writes changes and the history of changes in an SCD table, and displays error information on the **Run** console.



The source delimited file contains various personal details including *firstname*, *lastname*, *address*, *city*, *company*, *age*, and *status*. An *id* column helps ensuring the unicity of the data.

|   | A                                                                      | B | C | D | E | F |
|---|------------------------------------------------------------------------|---|---|---|---|---|
| 1 | id;firstname;lastname;address;city;company;age;status                  |   |   |   |   |   |
| 2 | 1;Janet;Anderson;511 Maple Ave. Apt. 1B;Agoura Hills;Adecco;30;married |   |   |   |   |   |
| 3 | 2;Harold;Smith;662 Lyons Circle;Alameda;Adidas;33;married              |   |   |   |   |   |
| 4 | 3;Adam;Brown;220 Vine Ave.;Albany;Bridgestone;28;single                |   |   |   |   |   |
| 5 | 4;Martin;Clinton;770 Exmoor Rd.;Alhambra;Cutco;25;single               |   |   |   |   |   |
| 6 | 5;Sue;White;1486 Oakwood;Covina;Black&White;35;married                 |   |   |   |   |   |

We want any change in the marital status to overwrite the existing old status record. This type of change is equivalent to an SCD **Type 1**.


We want to insert a new record in the dimensional table with a separate key each time a person changes his/her company. This type of change is equivalent to an SCD **Type 2**.

We want to track only the previous city and previous address of a person. This type of change is equivalent to an SCD **Type 3**.

To realize this kind of scenario, it is better to divide it into three main steps: defining the main flow of the Job, setting up the SCD editor, and finally creating the relevant SCD table in the database.

## Defining the main flow of the Job

1. Drop the following components from the **Palette** onto the design workspace: a **tMySQLConnection**, a **tFileInputDelimited**, a **tMySQLSCD**, a **tMySQLCommit**, and two **tLogRow** components.
2. Connect the **tFileInputDelimited**, the first **tLogRow**, and the **tMySQLSCD** using the **Row Main** link. This is the main flow of your Job.
3. Connect the **tMySQLConnection** to the **tFileInputDelimited** and **tMySQLSCD** to **tMySQLCommit** using the **OnComponentOk** trigger.
4. Connect the **tMySQLSCD** to the second **tLogRow** using the **Row Rejects** link. Two columns, *errorCode* and *errorMessage*, are added to the schema. This connection collects error information.



## Configuring the DB connection and the input component

1. In the design workspace, double-click **tMySQLConnection** to display its **Basic settings** view and set the database connection details. The **tMySQLConnection** component should be used to avoid setting several times the same DB connection when multiple DB components are used.

In this scenario, we want to connect to the SCD table where changes in the source delimited file will be tracked down.



For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

2. In the design workspace, double-click **tFileInputDelimited** to display its **Basic settings** view.

3. Click the three-dot button next to the **File Name** field to select the path to the source delimited file, *dataset.csv* in this scenario, that contains the personal details.
4. Define the row and field separators used in the source file.




The **File Name**, **Row separator**, and **Field separators** are mandatory.

5. If needed, set **Header**, **Footer**, and **Limit**.

In this scenario, set **Header** to *1*. Footer and limit for the number of processed rows are not set.

6. Click **Edit schema** to describe the data structure of the source delimited file.


In this scenario, the source schema is made of eight columns: *id*, *firstName*, *lastName*, *address*, *city*, *company*, *age*, and *status*.



7. Define the basic settings for the first **tLogRow** in order to view the content of the source file with varying attributes in cells of a table on the console before being processed through the SCD component.

## Configuring tMysqlSCD and tMysqlCommit


1. In the design workspace, click the **tMysqlSCD** and select the **Component** tab to define its basic settings.



2. In the **Basic settings** view, select the **Use an existing connection** check box to reuse the connection details defined on the **tMysqlConnection** properties.
3. In the **Table** field, enter the table name to be used to track changes.
4. If needed, click **Sync columns** to retrieve the output data structure from the **tFileInputDelimited**.
5. In the design workspace, double-click **tMysqlCommit** to define its basic settings.
6. Select the relevant connection on the **Component list** if more than one connection exists.
7. Define the basic settings of the second **tLogRow** in order to view reject information in cells of a table.

## Setting up the SCD editor

1. Double-click the **tMySQLSCD** component in the design workspace or click the three-dot button next to the **SCD Editor** in the component's **Basic settings** view to open the **SCD editor** and build the data flow for the SCD outputs.



All the columns from the preceding component are displayed in the **Unused** panel of the **SCD editor**. All the other panels in the **SCD editor** are empty.

2. From the **Unused** list, drop the *id* column to the **Source keys** panel to use it as the key to ensure the unicity of the incoming data.
3. In the **Surrogate keys** panel, enter a name for the surrogate key in the **Name** field, *SKI* in this scenario.
4. From the **Creation** list, select the method to be used for the surrogate key generation, **Auto-increment** in this scenario.
5. From the **Unused** list, drop the *firstname* and *lastname* columns to the **Type 0** panel, changes in these two columns do not interest us.
6. Drop the *status* column to the **Type 1** panel. The new value will overwrite the old value.
7. Drop the *company* column to the **Type 2** panel. Each time a person changes his/her company, a new record will be inserted in the dimensional table with a separate key.

In the **Versioning** area:

- Define the **start** and **end** columns of your SCD table that will hold the start and end date values. The end date is null for current records until a change is detected. Then the end date gets filled in and a new record is added with no end date.


In this scenario, we select **Fixed Year Value** for the **end** column and fill in a fictive year to avoid having a null value in the end date field.

- Select the **version** check box to hold the version number of the record.

- Select the **active** check box to spot the column that will hold the **True** or **False** status. **True** for the current active record and **False** for the modified record.

8. Drop the *address* and *city* columns to the **Type 3** panel to track only the information about the previous value of the address and city.

For more information about SCD types, see [the section called “SCD management methodologies”](#).





9. Click **OK** to validate your configuration and close the **SCD editor**.

## Creating the SCD table

1. Click **Edit schema** to view the input and output data structures.

The SCD output schema should include the SCD-specific columns defined in the **SCD editor** to hold standard log information.



 If you adjust any of the input schema definitions, you need to check, and reconfigure if necessary, the output flow definitions in the **SCD editor** to ensure that the output data structure is properly updated.

2. In the **Basic settings** view of the **tMysqlSCD** component, select **Create table if not exists** from the **Action on table** list to avoid creating and defining the SCD table manually.

## Job execution

Save your Job and press **F6** to execute it.

The console shows the content of the input delimited file, and your SCD table is created in your database, containing the initial dataset.

| SK1  | address                | city         | company     | firstName | id | lastName | previous_adr | previous_city | scd_ac                   | scd_end  | scd_st | scd_ve | status  |
|------|------------------------|--------------|-------------|-----------|----|----------|--------------|---------------|--------------------------|----------|--------|--------|---------|
| 1    | 511 Maple Ave. Apt. 1B | Agoura Hills | Adecco      | Janet     | 1  | Anderson | (NULL)       | (NULL)        | <input type="checkbox"/> | 2012-01- | 2011-0 | 1      | married |
| 2    | 662 Lyons Circle       | Alameda      | Adidas      | Harold    | 2  | Smith    | (NULL)       | (NULL)        | <input type="checkbox"/> | 2012-01- | 2011-0 | 1      | married |
| 3    | 220 Vine Ave.          | Albany       | Bridgestone | Adam      | 3  | Brown    | (NULL)       | (NULL)        | <input type="checkbox"/> | 2012-01- | 2011-0 | 1      | single  |
| 4    | 770 Exmoor Rd.         | Alhambra     | Cutco       | Martin    | 4  | Clinton  | (NULL)       | (NULL)        | <input type="checkbox"/> | 2012-01- | 2011-0 | 1      | single  |
| 5    | 1486 Oakwood           | Covina       | Black&White | Sue       | 5  | White    | (NULL)       | (NULL)        | <input type="checkbox"/> | 2012-01- | 2011-0 | 1      | married |
| JLL) | (NULL)                 | (NULL)       | (NULL)      | (NULL)    | 0  | (NULL)   | (NULL)       | (NULL)        | (NULL)                   | (NULL)   | (NULL) | (NULL) | (NULL)  |

*Janet gets divorced and moves to Adelanto at 355 Golf Rd. She works at Greenwood.*

*Adam gets married and moves to Belmont at 2505 Alisson ct. He works at Scoop.*

*Martin gets a new job at Phillips and Brothers.*

Update the delimited file with the above information and press **F6** to run your Job.


The console shows the updated personal information and the rejected data, and the SCD table shows the history of valid changes made to the input file along with the status and version number. Because the name of Martin's new company exceeds the length of the column *company* defined in the schema, this change is directed to the reject flow instead of being logged in the SCD table.

| SK1 | address                | city         | company     | firstName | id | lastName | previous_ad   | previous_city | scd_ac   | scd_end  | scd_st | scd_ve | status  |
|-----|------------------------|--------------|-------------|-----------|----|----------|---------------|---------------|----------|----------|--------|--------|---------|
| 1   | 511 Maple Ave. Apt. 1B | Agoura Hills | Adecco      | Janet     | 1  | Anderson | (NULL)        | (NULL)        | (Binary/ | 2011-02- | 2011-0 | 1      | single  |
| 2   | 662 Lyons Circle       | Alameda      | Adidas      | Harold    | 2  | Smith    | (NULL)        | (NULL)        | □        | 2012-01- | 2011-0 | 1      | married |
| 3   | 220 Vine Ave.          | Albany       | Bridgestone | Adam      | 3  | Brown    | (NULL)        | (NULL)        | (Binary/ | 2011-02- | 2011-0 | 1      | married |
| 4   | 770 Exmoor Rd.         | Alhambra     | Cutco       | Martin    | 4  | Clinton  | (NULL)        | (NULL)        | (Binary/ | 2011-02- | 2011-0 | 1      | single  |
| 5   | 1486 Oakwood           | Covina       | Black&White | Sue       | 5  | White    | (NULL)        | (NULL)        | □        | 2012-01- | 2011-0 | 1      | married |
| 6   | 355 Golf Rd.           | Adelanto     | Greenwood   | Janet     | 1  | Anderson | 511 Maple Av  | Agoura Hills  | □        | 2012-01- | 2011-0 | 2      | single  |
| 7   | 2505 Alisson ct        | Belmont      | Scoop       | Adam      | 3  | Brown    | 220 Vine Ave. | Albany        | □        | 2012-01- | 2011-0 | 2      | married |
| JLL | (NULL)                 | (NULL)       | (NULL)      | (NULL)    | 0  | (NULL)   | (NULL)        | (NULL)        | (NULL)   | (NULL)   | (NULL) | (NULL) | (NULL)  |

# tMysqlSCDELT



## tMysqlSCDELT Properties

|                         |                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MySQL                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>         | tMysqlSCDELT reflects and tracks changes in a dedicated MySQL SCD table.                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>          | tMysqlSCDELT addresses Slowly Changing Dimension needs through SQL queries (server-side processing mode), and logs the changes into a dedicated MySQL SCD table. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                             | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         |                                                                                                                                                                  | <b>Built-in:</b> No property data stored centrally. Enter properties manually.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>DB Version</i>                                                                                                                                                | Select the Mysql version you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Use an existing connection</i>                                                                                                                                | <p>Select this check box and click the relevant <b>tMySQLConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                      | The IP address of the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Port</i>                                                                                                                                                      | Listening port number of database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Database</i>                                                                                                                                                  | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                              | User authentication data for a dedicated database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |



|  |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Source table</i>           | Name of the input MySQL SCD table.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Table</i>                  | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Action on table</i>        | <p>Select to perform one of the following operations on the table defined:</p> <p><b>None:</b> No action carried out on the table.</p> <p><b>Drop and create the table:</b> The table is removed and created again</p> <p><b>Create a table:</b> A new table gets created.</p> <p><b>Create a table if not exists:</b> A table gets created if it does not exist.</p> <p><b>Clear a table:</b> The table content is deleted. You have the possibility to rollback the operation.</p> <p><b>Truncate a table:</b> The table content is deleted. You don't have the possibility to rollback the operation.</p>                                                               |
|  | <i>Schema and Edit schema</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|  |                               | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|  | <i>Surrogate Key</i>          | Select the surrogate key column from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <i>Creation</i>               | <p>Select the method to be used for the surrogate key generation.</p> <p>For more information regarding the creation methods, see <a href="#">the section called "SCD keys"</a>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|  | <i>Source Keys</i>            | Select one or more columns to be used as keys, to ensure the unicity of incoming data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>Use SCD Type 1 fields</i>  | Use type 1 if tracking changes is not necessary. SCD Type 1 should be used for typos corrections for example. Select the columns of the schema that will be checked for changes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <i>Use SCD Type 2 fields</i>  | <p>Use type 2 if changes need to be tracked down. SCD Type 2 should be used to trace updates for example. Select the columns of the schema that will be checked for changes.</p> <p><b>Start date:</b> Adds a column to your SCD schema to hold the start date value. You can select one of the input schema columns as Start Date in the SCD table.</p> <p><b>End Date:</b> Adds a column to your SCD schema to hold the end date value for the record. When the record is currently active, the End Date column shows a null value, or you can select <b>Fixed Year value</b> and fill it in with a fictive year to avoid having a null value in the End Date field.</p> |

|                          |                                                                                                           |                                                                                                                                                                                                                                                                                    |
|--------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                           | <p><b>Log Active Status:</b> Adds a column to your SCD schema to hold the <b>true</b> or <b>false</b> status value. This column helps to easily spot the active record.</p> <p><b>Log versions:</b> Adds a column to your SCD schema to hold the version number of the record.</p> |
| <b>Advanced settings</b> | <i>Debug mode</i>                                                                                         | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                |
|                          | <i>tStat Catcher Statistics</i>                                                                           | Select this check box to collect log data at the component level.                                                                                                                                                                                                                  |
| <b>Usage</b>             | This component is used as an output component. It requires an input component and Row main link as input. |                                                                                                                                                                                                                                                                                    |


## Related Scenario

For related topics, see: [the section called “tMySQLSCD”](#) and [the section called “Scenario: Tracking changes using Slowly Changing Dimensions \(type 0 through type 3\)”](#).

# tOracleSCD



## tOracleSCD Properties

|                         |                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Function</b>         | <b>tOracleSCD</b> reflects and tracks changes in a dedicated Oracle SCD table.                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purpose</b>          | <b>tOracleSCD</b> addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                               | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         |                                                                                                                                                    | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Use an existing connection</i>                                                                                                                  | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                                             | Select the relevant driver on the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>DB Version</i>                                                                                                                                  | Select the Oracle version you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Host</i>                                                                                                                                        | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Port</i>                                                                                                                                        | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Database</i>                                                                                                                                    | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Schema</i>                                                                                                                                      | Name of the DB schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                          |                                                                                                        |                    |                                                                                                                                                                                                                                                            |
|--------------------------|--------------------------------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Username</i><br><i>Password</i>                                                                     | and                | DB user authentication data.                                                                                                                                                                                                                               |
|                          | <i>Table</i>                                                                                           |                    | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                        |
|                          | <i>Action on table</i>                                                                                 |                    | Select to perform one of the following operations on the table defined:<br><br>- None: No action is carried out on the table.<br><br>- Create table: A new table is created.<br><br>- Create table if not exists: A table is created if it does not exist. |
|                          | <i>Schema</i><br><i>schema</i>                                                                         | and<br><i>Edit</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                               |
|                          |                                                                                                        |                    | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                  |
|                          | <i>SCD Editor</i>                                                                                      |                    | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .                                                      |
|                          | <i>Use memory saving Mode</i>                                                                          |                    | Select this check box to maximize system performance.                                                                                                                                                                                                      |
|                          | <i>Die on error</i>                                                                                    |                    | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                                                                    |
| <b>Advanced settings</b> | <i>Additional parameters</i>                                                                           | <i>JDBC</i>        | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                          |
|                          | <i>tStat Catcher Statistics</i>                                                                        |                    | Select this check box to collect log data at the component level.                                                                                                                                                                                          |
|                          | <i>Debug mode</i>                                                                                      |                    | Select this check box to display each step during processing entries in a database.                                                                                                                                                                        |
| <b>Usage</b>             | This component is used as Output component. It requires an Input component and Row main link as input. |                    |                                                                                                                                                                                                                                                            |


## Related scenario

For related scenarios, see [the section called “tMysqlSCD”](#).

# tOracleSCDELT



## tOracleSCDELT Properties

|                         |                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>         | <b>tOracleSCDELT</b> reflects and tracks changes in a dedicated Oracle SCD table.                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>          | <b>tOracleSCDELT</b> addresses Slowly Changing Dimension needs through SQL queries (server-side processing mode), and logs the changes into a dedicated DB2 SCD table. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         |                                                                                                                                                                        | <b>Built-in:</b> No property data stored centrally. Enter properties manually.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Use an existing connection</i>                                                                                                                                      | <p>Select this check box and click the relevant <b>tOracleConnection</b> component on the <b>Component List</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                                                                 | Select the relevant driver on the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>DB Version</i>                                                                                                                                                      | Select the Oracle version you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Host</i>                                                                                                                                                            | The IP address of the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Port</i>                                                                                                                                                            | Listening port number of database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Database</i>                                                                                                                                                        | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|  |                                    |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Username</i><br><i>Password</i> | and                | User authentication data for a dedicated database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Source table</i>                |                    | Name of the input DB2 SCD table.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <i>Table</i>                       |                    | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Action on table</i>             |                    | <p>Select to perform one of the following operations on the table defined:</p> <p><b>None:</b> No action carried out on the table.</p> <p><b>Drop and create table:</b> The table is removed and created again</p> <p><b>Create table:</b> A new table gets created.</p> <p><b>Create table if not exists:</b> A table gets created if it does not exist.</p> <p><b>Clear table:</b> The table content is deleted. You have the possibility to rollback the operation.</p> <p><b>Truncate table:</b> The table content is deleted. You don not have the possibility to rollback the operation.</p>                                                                         |
|  | <i>Schema</i><br><i>schema</i>     | and<br><i>Edit</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|  |                                    |                    | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|  | <i>Surrogate Key</i>               |                    | Select the surrogate key column from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <i>Creation</i>                    |                    | <p>Select the method to be used for the surrogate key generation.</p> <p>For more information regarding the creation methods, see <a href="#">the section called “SCD keys”</a>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|  | <i>Source Keys</i>                 |                    | Select one or more columns to be used as keys, to ensure the unicity of incoming data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>Use SCD Type 1 fields</i>       |                    | Use type 1 if tracking changes is not necessary. SCD Type 1 should be used for typos corrections for example. Select the columns of the schema that will be checked for changes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <i>Use SCD Type 2 fields</i>       |                    | <p>Use type 2 if changes need to be tracked down. SCD Type 2 should be used to trace updates for example. Select the columns of the schema that will be checked for changes.</p> <p><b>Start date:</b> Adds a column to your SCD schema to hold the start date value. You can select one of the input schema columns as Start Date in the SCD table.</p> <p><b>End Date:</b> Adds a column to your SCD schema to hold the end date value for the record. When the record is currently active, the End Date column shows a null value, or you can select <b>Fixed Year value</b> and fill it in with a fictive year to avoid having a null value in the End Date field.</p> |

|                          |                                                                                                           |                                                                                                                                                                                                                                                                                    |
|--------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                           | <p><b>Log Active Status:</b> Adds a column to your SCD schema to hold the <b>true</b> or <b>false</b> status value. This column helps to easily spot the active record.</p> <p><b>Log versions:</b> Adds a column to your SCD schema to hold the version number of the record.</p> |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                                  | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                  |
|                          | <i>Debug mode</i>                                                                                         | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                  |
| <b>Usage</b>             | This component is used as an output component. It requires an input component and Row main link as input. |                                                                                                                                                                                                                                                                                    |



## Related Scenario

For related topics, see [the section called “tOracleSCD”](#) and [the section called “tMySQLSCD”](#).

# tPaloCheckElements



## tPaloCheckElements Properties

|                                                                                                                                    |                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>                                                                                                                    | This component checks whether elements are present in an incoming data flow existing in a given cube.                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>                                                                                                                     | This component can be used along with <b>tPaloOutputMulti</b> . It checks if the elements from the input stream exist in the given cube, before writing them. It can also define a default value to be used for nonexistent elements. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                                                                                                                                                                                     | <p>Select this check box and choose the relevant DB connection component from the <b>Connection configuration</b> list to use predefined connection details.</p> <p> When a Job contains a parent Job and a child Job, <b>Connection configuration</b> only lists the connection components on the same Job level, so if you need to use an existing connection from another level, ensure that the connection components available are sharing the connection required.</p> <p>For further information about sharing DB connections across Job levels, refer to <b>Use or register a shared DB connection</b> in the properties table of the relevant connection component in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can deactivate the connection components and use the component's <b>Dynamic settings</b> to define the connection manually. In this case, ensure that the connection name is not used elsewhere in the job, on any level. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                                                                                                                                                                                      | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|  Unavailable when using an existing connection. |                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                    | <i>Server Port</i>                                                                                                                                                                                                                    | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                   | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                                                                                                                                    | <i>Database</i>                                                                                                                                                                                                                       | Type in the name of the database in which the data is to be written.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |



|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Cube</i>                                                                                                                                                                                                                                                                                                                                                                                                                         | Type in the name of the cube in which the data should be written.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>On element error</i>                                                                                                                                                                                                                                                                                                                                                                                                             | Select what should happen if an element does not exist:<br><ul style="list-style-type: none"> <li>- <b>Reject row</b>: the corresponding row is rejected and placed in the reject flow.</li> <li>- <b>Use default</b>: the defined Default value is used.</li> <li>- <b>Stop</b>: the entire process is interrupted.</li> </ul>                                                                                                                                                                                                         |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                                                                                                                                                                                                       | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                            |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>Built-in</b> : The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                              |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                     | Define the elements to be checked in the table provided.<br><ul style="list-style-type: none"> <li>- <b>Column</b>: shows the column(s) from the input schema. It is completed automatically once a schema is retrieved or created.</li> <li>- <b>Element type</b>: select the element type for the input column. Only one column can be defined as <b>Measure</b>.</li> <li>- <b>Default</b>: type in the default value to be used if you have selected the <b>Use default</b> option in the <b>On element error</b> field.</li> </ul> |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                     | Select this check box to collect log data on the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Usage</b>             | This component requires an input component.                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Connections</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                                     | Outgoing links (from one component to another):<br><b>Row</b> : Main; Rejects<br><b>Trigger</b> : Run if; On Component Ok; On Component Error.<br><br>Incoming links (from one component to another):<br><b>Row</b> : Main; Rejects<br><br>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                       |
| <b>Limitation</b>        | This component only works on <b>Normal</b> Palo cubes.<br><br>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

## Related scenario

For a related scenario, see [the section called “Scenario 2: Rejecting inflow data when the elements to be written do not exist in a given cube”](#).

# tPaloConnection



## tPaloConnection Properties

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business Intelligence/<br>Cube OLAP/Palo                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>          | This component opens a connection to a Palo Server and keeps it open throughout the duration of the process it is required for. Every other Palo component used in the process is able to use this connection.                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>           | This component allows other components involved in a process to share its connection to a Palo server for the duration of the process.                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>    | <i>Host Name</i>                                                                                                                                                                                                                                                                                                                                                      | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Server Port</i>                                                                                                                                                                                                                                                                                                                                                    | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Username</i> and<br><i>Password</i>                                                                                                                                                                                                                                                                                                                                | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Usage</b>             | This component is used along with Palo components to offer a shared connection to a Palo server.                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Connections</b>       |                                                                                                                                                                                                                                                                                                                                                                       | <p>Outgoing links (from one component to another):</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate</p> <p><b>Trigger:</b> Run if, On Subjob Ok, On Subjob Error, On Component Ok, On Component Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |



## Related scenario

For related scenarios, see [the section called “Scenario: Creating a dimension with elements”](#).

# tPaloCube



## tPaloCube Properties


|                                                                                                                                    |                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>                                                                                                                    | This component creates, deletes or clears Palo cubes from existing dimensions in a Palo database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>                                                                                                                     | This component performs operations on a given Palo cube.                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                                                 | <p>Select this check box and choose the relevant DB connection component from the <b>Connection configuration</b> list to reuse predefined connection details.</p> <p> When a Job contains a parent Job and a child Job, <b>Connection configuration</b> only lists the connection components on the same Job level, so if you need to use an existing connection from another level, ensure that the connection components available are sharing the connection required.</p> <p>For further information about sharing DB connections across Job levels, refer to <b>Use or register a shared DB connection</b> in the properties table of the relevant connection component in <i>Databases - traditional components</i>, <i>Databases - appliance/datawarehouse components</i>, or <i>Databases - other components</i>.</p> <p>Otherwise, you can deactivate the connection components and use the component's <b>Dynamic settings</b> to define the connection manually. In this case, ensure that the connection name is not used elsewhere in the job, on any level. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                                                  | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|  Unavailable when using an existing connection. |                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                                                                                                                                    | <i>Server Port</i>                                                                                | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                                               | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                                                                                                                    | <i>Database</i>                                                                                   | Type in the name of the database in which the operation is to take place.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|                          |                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Cube</i>                                                                                    | Type in the name of the cube where the operation is to take place.                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Cube type</i>                                                                               | From the drop-down list, select the type of cube on which the operation is to be carried out:<br><br>- <b>Normal</b> : this is the normal and default type of cube.<br><br>- <b>Attribut</b> : an <b>Attribute</b> cube is created with a normal cube.<br><br>- <b>User Info</b> : <b>User Info</b> cubes can be created/modified with this component.                                                                                                                                           |
|                          | <i>Action on cube</i>                                                                          | Select the operation you want to carry out on the cube defined:<br><br>- <b>Create cube</b> : the cube does not exist and will be created.<br><br>- <b>Create cube if not exists</b> : the cube is created if it does not exist.<br><br>- <b>Delete cube if exists and create</b> : the cube is deleted if it already exists and a new one will be created.<br><br>- <b>Delete cube</b> : the cube is deleted from the database.<br><br>- <b>Clear cube</b> : the data is cleared from the cube. |
|                          | <i>Dimension list</i>                                                                          | Add rows and enter the name of existing database dimension's to be used in the cube. The order of the dimensions in the list determines the order of the dimensions created.                                                                                                                                                                                                                                                                                                                     |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                                                | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Usage</b>             | Can be used as a standalone component for dynamic cube creation with a defined dimension list. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Global Variables</b>  |                                                                                                | <b>Cubename</b> : Indicates the name of the cube processed. This is available as an <b>After</b> variable.<br><br>Returns a String.<br><br>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                      |
| <b>Connections</b>       |                                                                                                | Outgoing links (from one component to another):<br><br><b>Trigger</b> : Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.<br><br>Incoming links (from one component to another):<br><br><b>Row</b> : Iterate<br><br><b>Trigger</b> : Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.<br><br>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .                                         |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Limitation</b> | <p>The cube creation process does not create dimensions from scratch, so the dimensions to be used in the cube must be created beforehand.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Scenario: Creating a cube in an existing database


The Job in this scenario creates a new two dimensional cube in the Palo demo database *Biker*.



To replicate this scenario, proceed as follows:

## Configuring the tPaloCube component

1. Drop **tPaloCube** from the **Palette** onto the design workspace.
2. Double-click **tPaloCube** to open its **Component** view.




3. In the **Host name** field, type in the host name or the IP address of the host server, *localhost* for this example.
4. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
5. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.
6. In the **Database** field, type in the database name in which you want to create the cube, *Biker* in this example.
7. In the **Cube** field, type in the name you want to use for the cube to be created, for example, *bikerTalend*.
8. In the **Cube type** field, select the **Normal** type from the drop-down list for the cube to be created, meaning this cube will be normal and default.
9. In the **Action on cube** field, select the action to be performed. In this scenario, select **Create cube**.
10. Under the **Dimension list** table, click the plus button twice to add two rows into the table.
11. In the **Dimension list** table, type in the name for each newly added row to replace the default row name. In this scenario, type in *Months* for the first row and *Products* for the second. These two dimensions exist already in the Biker database where the new cube will be created.

## Job execution

Press **F6** to run the Job.



A new cube has been created in the *Biker* database and the two dimensions are added into this cube.



# tPaloCubeList



## tPaloCubeList Properties

|                                                                                                                                    |                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>                                                                                                                    | This component retrieves a list of cube details from the given Palo database.                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>                                                                                                                     | This component lists cube names, cube types, number of assigned dimensions, the number of filled cells from the given database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                                                                               | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                                                                                | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  Unavailable when using an existing connection. |                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                    | <i>Server Port</i>                                                                                                              | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                                                                             | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                    | <i>Database</i>                                                                                                                 | Type in the name of the database whose cube details you want to retrieve.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |



|                          |                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Usage</b>             | This component can be used as a start component. It requires an output component.                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Global Variables</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                             | <p><b>Number of cubes:</b> indicates the number of the cubes processed from the given database. This is available as an <b>After</b> variable.</p> <p>Returns an Integer</p> <p><b>Cube_ID:</b> indicates the IDs of the cubes being processed from the given database. This is available as a <b>Flow</b> variable.</p> <p>Returns an Integer</p> <p><b>Cubename:</b> indicates the name of the cubes being processed from the given database. This is available as an <b>Flow</b> variable.</p> <p>Returns a String.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
| <b>Connections</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                             | <p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main, Iterate;</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                     |
| <b>Limitation</b>        | <p>The output schema is fixed and read-only.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Discovering the read-only output schema of tPaloCubeList


The below table presents information related to the read-only schema of the **tPaloCubeList** component.

| Column  | Type | Description              |
|---------|------|--------------------------|
| Cube_id | int  | Internal id of the cube. |

| Column            | Type   | Description                                                                                                                                             |
|-------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cube_name         | string | Name of the cube.                                                                                                                                       |
| Cube_dimensions   | int    | Number of dimensions inside the cube.                                                                                                                   |
| Cube_cells        | long   | Number of calculated cells inside the cube.                                                                                                             |
| Cube_filled_cells | long   | Number of filled cells inside the cube.                                                                                                                 |
| Cube_status       | int    | Status of the cube. It may be:<br>- <b>0</b> : unloaded<br>- <b>1</b> : loaded<br>- <b>2</b> : changed                                                  |
| Cube_type         | int    | Type of the cube. It may be:<br>- <b>0</b> : normal<br>- <b>1</b> : system<br>- <b>2</b> : attribute<br>- <b>3</b> : user info<br>- <b>4</b> : gpu type |

## Scenario: Retrieving detailed cube information from a given database

The Job in this scenario retrieves detailed information of the cubes pertaining to the demo Palo database, *Biker*.




To replicate this scenario, proceed as follows:

### Setting up the Job

1. Drop **tPaloCubeList** and **tLogRow** from the component **Palette** onto the design workspace.
2. Right-click **tPaloCubeList** to open the contextual menu.
3. From this menu, select **Row > Main** to link the two components.

### Configuring the tPaloCube component

1. Double-click the **tPaloCube** component to open its **Component** view.



2. In the **Host name** field, type in the host name or the IP address of the host server, *localhost* for this example.
3. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
4. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.
5. In the **Database** field, type in the database name in which you want to create the cube, *Biker* in this example.

## Job execution

Press **F6** to run the Job.

The cube details are retrieved from the *Biker* database and are listed in the console of the **Run** view.



```
[statistics] connected
26 | Orders | 8 | 45291236390400 | 133005 | 1 | 0
27 | bikerTalend | 2 | 11830 | 0 | 1 | 0
1 | #_GROUP_CUBE_DATA | 2 | 8 | 0 | 1 | 1
2 | #_CONFIGURATION | 1 | 2 | 2 | 1 | 1
2 | #_CONFIGURATION | 1 | 2 | 2 | 1 | 1
2 | #_CONFIGURATION | 1 | 2 | 2 | 1 | 1
6 | #_SUBSET_LOCAL | 3 | 0 | 0 | 1 | 1
6 | #_SUBSET_LOCAL | 3 | 0 | 0 | 1 | 1
7 | #_SUBSET_GLOBAL | 2 | 0 | 0 | 1 | 1
7 | #_SUBSET_GLOBAL | 2 | 0 | 0 | 1 | 1
8 | #_VIEW_LOCAL | 3 | 0 | 0 | 1 | 1
8 | #_VIEW_LOCAL | 3 | 0 | 0 | 1 | 1
9 | #_VIEW_GLOBAL | 2 | 0 | 0 | 1 | 1
9 | #_VIEW_GLOBAL | 2 | 0 | 0 | 1 | 1
11 | #_GROUP_DIMENSION_DATA_Products | 2 | 1352 | 0 | 1 | 1
13 | #_GROUP_DIMENSION_DATA_Customers | 2 | 1864 | 0 | 1 | 1
```

For further information about how to interpret the cube details listed in the console, see [the section called "Discovering the read-only output schema of tPaloCubeList"](#).

# tPaloDatabase



## tPaloDatabase Properties

|                                                                                                                                    |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>                                                                                                                    | This component creates, drops or recreates databases in a given Palo server. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>                                                                                                                     | This component manages the databases inside a Palo server.                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                            | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                             | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  Unavailable when using an existing connection. |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                    | <i>Server Port</i>                                                           | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                          | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                    | <i>Database</i>                                                              | Type in the name of the database on which the given operation should take place.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Action on database</i>                                                                                                                                                                                                                                                                                                                                             | <p>Select the operation you want to perform on the database of interest:</p> <ul style="list-style-type: none"> <li>- <b>Create database:</b> the database does not exist and will be created.</li> <li>- <b>Create database if not exists:</b> the database is created when it does not exist.</li> <li>- <b>Delete database if exists and create:</b> the database is deleted if exist and a new one is then created.</li> <li>- <b>Delete database:</b> the database is removed from the server</li> </ul> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Usage</b>             | This component can be used in standalone for database management in a Palo server.                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Global Variables</b>  |                                                                                                                                                                                                                                                                                                                                                                       | <p><b>Databasename:</b> Indicates the name of the database being processed. This is available as an <b>After</b> variable.</p> <p>Returns a String.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                |
| <b>Connections</b>       |                                                                                                                                                                                                                                                                                                                                                                       | <p>Outgoing links (from one component to another):</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                    |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |


## Scenario: Creating a database

The Job in this scenario creates a new database on a given Palo server.



To replicate this scenario, proceed as follows:

1. Drop **tPaloDatabase** from the component **Palette** onto the design workspace.
2. Double-click the **tPaloDatabase** component to open its **Component** view.





3. In the **Host name** field, type in the host name or the IP address of the host server, *localhost* for this example.
4. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
5. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.
6. In the **Database** field, type in the database name in which you want to create the cube, *talenddatabase* in this example.
7. In the **Action on database** field, select the action to be performed. In this scenario, select **Create database** as the database to be created does not exist.
8. Press **F6** to run the Job.

A new database is created on the given Palo server.

# tPaloDatabaseList



## tPaloDatabaseList Properties

|                                                                                                                                    |                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>                                                                                                                    | This component retrieves a list of database details from the given Palo server.                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>                                                                                                                     | This component lists database names, database types, number of cubes, number of dimensions, database status and database id from a given Palo server. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                                                                                                     | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                                                                                                      | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  Unavailable when using an existing connection. |                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                    | <i>Server Port</i>                                                                                                                                    | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                                                                                                   | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Advanced settings</b>                                                                                                           | <i>tStat Catcher Statistics</i>                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Usage</b>            | This component can be used as a start component. It requires an output component.                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Global Variables</b> |                                                                                                                                                                                                                                                                                                                                                                                                                             | <p><b>Number of databases:</b> Indicates the number of the databases processed. This is available as an <b>After</b> variable.</p> <p>Returns a Integer.</p> <p><b>Database_id:</b> Indicates the id of the database being processed. This is available as an <b>Flow</b> variable.</p> <p>Returns a Long</p> <p><b>Databasename:</b> Indicates the name of the database processed. This is available as an <b>After</b> variable.</p> <p>Returns a String.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
| <b>Connections</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                             | <p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main; Iterate</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                           |
| <b>Limitation</b>       | <p>The output schema is fixed and read-only.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## Discovering the read-only output schema of tPaloDatabaseList

The below table presents information related to the read-only output schema of the **tPaloDatabaseList** component.


| Database            | Type   | Description                               |
|---------------------|--------|-------------------------------------------|
| Database_id         | long   | Internal ID of the database.              |
| Database_name       | string | Name of the database.                     |
| Database_dimensions | int    | Number of dimensions inside the database. |
| Database_cubes      | int    | Number of cubes inside the database.      |
| Database_status     | int    | Status of the database.                   |



| Database       | Type | Description                                                           |
|----------------|------|-----------------------------------------------------------------------|
|                |      | - 0 = unloaded<br>- 1 = loaded<br>- 2 = changed                       |
| Database_types | int  | Type of the database.<br>- 0 =normal<br>- 1 =system<br>- 3 =user info |

## Scenario: Retrieving detailed database information from a given Palo server

The Job in this scenario retrieves details of all of the databases from a given Palo server.




To replicate this scenario, proceed as follows:

### Setting up the Job

1. Drop **tPaloDatabaseList** and **tLogRow** from the component **Palette** onto the design workspace.
2. Right-click **tPaloDatabaseList** to open the contextual menu.
3. From this menu, select **Row > Main** to link the two components.

### Configuring the tPaloDatabaseList component

1. Double-click the **tPaloDatabaseList** component to open its **Component** view.



2. In the **Host name** field, type in the host name or the IP address of the host server, *localhost* for this example.
3. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
4. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.

## Job execution

Press **F6** to run the Job.

Details of all of the databases in the Palo server are retrieved and listed in the console of the **Run** view.



```
0|System|7|6|1|1
1|Demo|23|23|1|0
6|Biker|27|28|1|0
9|tx_g|17|17|1|0
25|DBHSE24|13|12|1|0
31|elmCreate|13|12|1|0
32|tPaloOutputMulit|15|15|1|0
```




For further information about the output schema, see [the section called “Discovering the read-only output schema of tPaloDatabaseList”](#).



# tPaloDimension



## tPaloDimension Properties

|                                                                                                                                    |                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>                                                                                                                    | This component creates, drops or recreates dimensions with or without dimension elements inside a Palo database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>                                                                                                                     | This component manages Palo dimensions, even elements inside a database                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                                                                | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                                                                 | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  Unavailable when using an existing connection. |                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                    | <i>Server Port</i>                                                                                               | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                                                              | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                    | <i>Database</i>                                                                                                  | Type in the name of the database in which the dimensions are managed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                                                                                                                                                                                       |                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                       | <i>Dimension</i>                                                                                                                                                                                               | Type in the name of the dimension on which the given operation should take place.                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                                                                                                                                                       | <i>Action on dimension</i>                                                                                                                                                                                     | Select the operation you want to perform on the dimension of interest:<br><br>- <b>None</b> : no action is taken on this dimension.<br><br>- <b>Create dimension</b> : the dimension does not exist and will be created.<br><br>- <b>Create dimension if not exists</b> : this dimension is created only when it does not exist.<br><br>- <b>Delete dimension if exists and create</b> : this dimension is deleted if exist and then a new one will be created.<br><br>- <b>Delete dimension</b> : this dimension is removed from the database. |
|                                                                                                                                                                                       | <i>Create dimension elements</i>                                                                                                                                                                               | Select this check box to activate the dimension management fields and create dimension elements along with the creation of this dimension.                                                                                                                                                                                                                                                                                                                                                                                                      |
|  The below fields are available only when the <b>Create dimension elements</b> check box is selected | <i>Dimension type</i><br> Available only when the action on dimension is <b>None</b> .                                        | Select the type of the dimension to be created. The type may be:<br><br>- <b>Normal</b><br><br>- <b>User info</b><br><br>- <b>System</b><br><br>- <b>Attribute</b>                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                                                                       | <i>Commit size</i>                                                                                                                                                                                             | Type in the number of elements which will be created before saving them inside the dimension.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                                                                                                                                                                       | <i>Schema and Edit Schema</i>                                                                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                    |
|                                                                                                                                                                                       |                                                                                                                                                                                                                | <b>Built-in</b> : The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                                                                       | <i>Consolidation type - None</i><br><br> With this option, you activate the corresponding parameter fields to be completed. | Select this check box to move directly the incoming elements into the given dimension. With this option, you will not define any consolidations or hierarchy.                                                                                                                                                                                                                                                                                                                                                                                   |
|                                                                                                                                                                                       |                                                                                                                                                                                                                | <b>Input Column</b> : select a column from the drop-down list. The columns in the drop-down list are those you defined for the schema. The values from this selected column would be taken to process dimension elements.                                                                                                                                                                                                                                                                                                                       |
|                                                                                                                                                                                       |                                                                                                                                                                                                                | <b>Element type</b> : Select the type of elements. It may be:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |


|  |                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |                                                                                                                                                                                                                     | <ul style="list-style-type: none"> <li>- <b>Numeric</b></li> <li>- <b>Text</b></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|  |                                                                                                                                                                                                                     | <p><b>Creation mode:</b> Select creation mode for elements to be processed. This mode may be:</p> <ul style="list-style-type: none"> <li>- <b>Add:</b> add simply an element to the dimension.</li> <li>- <b>Force add:</b> force the creation of this element. If exist this element will be recreated.</li> <li>- <b>Update:</b> updates this element if it exists.</li> <li>- <b>Add or Update:</b> if this element does not exist, it will be created otherwise it will be updated. This is the default option.</li> <li>- <b>Delete:</b> delete this element from the dimension</li> </ul> |
|  | <p><i>Consolidation type Normal</i></p> <p> With this option, you activate the corresponding parameter fields to be completed.</p> | <p>Select this check box to create elements and consolidate them inside the given dimension. This consolidation structures the created elements in different levels.</p>                                                                                                                                                                                                                                                                                                                                                                                                                        |
|  |                                                                                                                                                                                                                     | <p><b>Input Column:</b> select a column from the drop-down list. The columns in the drop-down list are those you defined for the schema. The values from this selected column would be taken to process dimension elements.</p>                                                                                                                                                                                                                                                                                                                                                                 |
|  |                                                                                                                                                                                                                     | <p><b>Element type:</b> Select the type of elements. It may be:</p> <ul style="list-style-type: none"> <li>- <b>Numeric</b></li> <li>- <b>Text</b></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|  |                                                                                                                                                                                                                     | <p><b>Creation mode:</b> Select creation mode for elements to be created. This mode may be</p> <ul style="list-style-type: none"> <li>- <b>Add:</b> add simply an element to the dimension.</li> <li>- <b>Force add:</b> force the creation of this element. If the element exists, it will be recreated.</li> <li>- <b>Update:</b> updates this element if it exists.</li> <li>- <b>Add or Update:</b> if this element does not exist, it will be created, otherwise it will be updated. This is the default option.</li> </ul>                                                                |
|  | <p><i>Consolidation type Self-referenced</i></p> <p> With this option, you activate the corresponding parameter</p>              | <p>Select this check box to create elements and structure them based on a parent-child relationship. The input stream is responsible for the grouping of the consolidation.</p>                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | fields to be completed.                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Element's type</i>                                                      | Select the type of elements. It may be:<br>- <b>Numeric</b><br>- <b>Text</b>                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Creation mode</i>                                                       | Select creation mode for elements to be created. This mode may be<br>- <b>Add</b> : add simply an element to the dimension.<br>- <b>Force add</b> : force the creation of this element. If exist this element will be recreated.<br>- <b>Update</b> : update this element if it exists.<br>- <b>Add or Update</b> : if this element does not exist, it will be created otherwise it will be updated. This is the default option. |
|                          |                                                                            | <b>Input Column</b> : select a column from the drop-down list. The columns in the drop-down list are those you defined for the schema. The values from this selected column would be taken to process dimension elements.                                                                                                                                                                                                        |
|                          |                                                                            | <b>Hierarchy Element</b> : select the type and the relationship of this input column in the consolidation.<br>- <b>Parent</b> : set the input value as parent element.<br>- <b>Child</b> : relate the input value to the parent value and build the consolidation.<br>- <b>Factor</b> : define the factor for this consolidation.                                                                                                |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                |
| <b>Usage</b>             | This component can be used in standalone or as end component of a process. |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Global Variables</b>  |                                                                            | <b>Dimensionname</b> : Indicates the name of the dimension processed. This is available as an <b>After</b> variable.<br><br>Returns a String.<br><br>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                            |
| <b>Connections</b>       |                                                                            | Outgoing links (from one component to another):<br><br><b>Trigger</b> : Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.<br><br>Incoming links (from one component to another):<br><br><b>Row</b> : Main; Iterate<br><br><b>Trigger</b> : Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.                                                                                 |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Limitation</b> | <p>Deletion of dimension elements is only possible with the consolidation type <b>None</b>. Only consolidation type <b>Self-Referenced</b> allows the placing of an factor on this consolidation.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |

## Scenario: Creating a dimension with elements

The Job in this scenario creates a date dimension with simple element hierarchy composed of three levels: *Year, Month, Date*.



To replicate this scenario, proceed as follows:

### Setting up the Job

1. Drop **tPaloConnection**, **tRowGenerator**, **tMap**, **tPaloDimension** from the component **Palette** onto the design workspace.
2. Right-click **tPaloConnection** to open the contextual menu and select **Trigger > On Subjob Ok** to link it to **tRowGenerator**.
3. Right-click **tRowGenerator** to open the contextual menu and select **Row > Main** to link it to **tMap**.




**tRowGenerator** is used to generate rows at random in order to simplify this process. In the real case, you can use one of the other input components to load your actual data.

4. Right-click **tMap** to open the contextual menu and select **Row > New output** to link to **tPaloDimension**, then name it as *out1* in the dialog box that pops up.

### Setting up the DB connection


1. Double-click the **tPaloConnection** component to open its **Component** view.



2. In the **Host name** field, type in the host name or the IP address of the host server, *localhost* for this example.
3. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
4. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.

## Configuring the input component

1. Double-click **tRowGenerator** to open its editor.




2. On the upper part of the editor, click the plus button to add one column and rename it as *random\_date* in the **Column** column.
3. In the newly added row, select *Date* in the **Type** column and **getRandomDate** in the **Functions** column.
4. In the **Function parameters** view on the lower part of this editor, type in the new minimum date and maximum date values in the **Value** column. In this example, the minimum is *2010-01-01*, the maximum is *2010-12-31*.
5. Click **OK** to validate your modifications and close the editor.
6. On the dialog box that pops up, click **OK** to propagate your changes.



## Configuration in the tMap editor


1. Double-click **tMap** to open its editor.



2. On the **Schema editor** view on the lower part of the **tMap** editor, under the **out1** table, click the plus button to add three rows.
3. In the **Column** column of the **out1** table, type in the new names for the three newly added rows. They are *Year*, *Month*, and *Date*. These rows are then added automatically into the **out1** table on the upper part of the **tMap** editor.
4. In the **out1** table on the upper part of the **tMap** editor, click the **Expression** column in the *Year* row to locate the cursor.
5. Press **Ctrl+space** to open the drop-down variable list.
6. Double-click **TalendDate.formatDate** to select it from the list. The expression to get the date displays in the *Year* row under the **Expression** column. The expression is `TalendDate.formatDate("yyyy-MM-dd HH:mm:ss", myDate)`.
7. Replace the default expression with `TalendDate.formatDate("yyyy", row1.random_date)`.
8. Do the same for the *Month* row and the *Date* row to add this default expression and to replace it with `TalendDate.formatDate("MM", row1.random_date)` for the *Month* row and with `TalendDate.formatDate("dd-MM-yyyy", row1.random_date)` for the *Date* row.
9. Click **OK** to validate this modification and accept the propagation by clicking **OK** in the dialog box that pops up.

## Configuring the tPaloDimension component

1. On the workspace, double-click **tPaloDimension** to open its **Component** view.




2. Select the **Use an existing connection** check box. Then **tPaloConnection\_1** displays automatically in the **Connection configuration** field.
3. In the **Database** field, type in the database in which the new dimension is created, *talendDatabase* for this scenario.
4. In the **Dimension** field, type in the name you want to use for the dimension to be created, for example, *Date*.
5. In the **Action on dimension** field, select the action to be performed. In this scenario, select **Create dimension if not exist**.
6. Select the **Create dimension elements** check box.
7. In the **Consolidation Type** area, select the **Normal** check box.
8. Under the element hierarchy table in the **Consolidation Type** area, click the plus button to add three rows into the table.
9. In the **Input column** column of the element hierarchy table, select *Year* from the drop-down list for the first row, *Month* for the second and *Date* for the third. This determines levels of elements from different columns of the input schema.

## Job execution

Press **F6** to run the Job.



A new dimension is then created in your Palo database *talendDatabase*.



# tPaloDimensionList



## tPaloDimensionList Properties

|                                                                                                                                    |                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>                                                                                                                    | This component retrieves a list of dimension details from the given Palo database.                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>                                                                                                                     | This component lists dimension names, dimension types, number of dimension elements, maximum dimension indent, maximum dimension depth, maximum dimension level, dimension id from a given Palo server. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                                                                                                                                                       | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                                                                                                                                                        | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  Unavailable when using an existing connection. |                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                    | <i>Server Port</i>                                                                                                                                                                                      | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                                                                                                                                                     | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                    | <i>Database</i>                                                                                                                                                                                         | The name of the database where the dimensions of interest reside.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Retrieve dimensions</i>                                                                                                                                                                                                                                                                                                                                                                                                  | <i>cube</i>                                                              | Select this check box to retrieve dimension information from an existing cube.                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Cube</i>                                                                                                                                                                                                                                                                                                                                                                                                                 | Available when you select the <b>Retrieve cube dimensions</b> check box. | Type in the name of the cube from which dimension information is retrieved.                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Schema Schema</i>                                                                                                                                                                                                                                                                                                                                                                                                        | and <i>Edit Schema</i>                                                   | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                  |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                          | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                     |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                             |                                                                          | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Usage</b>             | This component can be used in standalone or as start component of a process.                                                                                                                                                                                                                                                                                                                                                |                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Global Variables</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                          | <p><b>Dimension name:</b> Indicates the name of the dimension being processed. This is available as an <b>Flow</b> variable.</p> <p>Returns a String.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                              |
| <b>Connections</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                          | <p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main; Iterate.</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
| <b>Limitation</b>        | <p>The output schema is fixed and read-only.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |


## Discovering the read-only output schema of tPaloDimensionList

The below table presents information related to the read-only output schema of the **tPaloDimensionList** component.

| Database                 | Type   | Description                                                                                                                          |
|--------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------------|
| Dimension_id             | long   | Internal ID of the dimension.                                                                                                        |
| Dimension_name           | string | Name of the dimension.                                                                                                               |
| Dimension_attribute_cube | string | Name of the cube of attributes.                                                                                                      |
| Dimension_rights_cube    | string | Name of the cube of rights.                                                                                                          |
| Dimension_elements       | int    | Number of the dimension elements                                                                                                     |
| Dimension_max_level      | int    | Maximum level of the dimension                                                                                                       |
| Dimension_max_indent     | int    | Maximum indent of the dimension                                                                                                      |
| Dimension_max_depth      | int    | Maximum depth of the dimension                                                                                                       |
| Dimension_type           | int    | Type of the dimension.<br><br>- <b>0</b> =normal<br><br>- <b>1</b> =system<br><br>- <b>2</b> =attribute<br><br>- <b>3</b> =user info |

## Scenario: Retrieving detailed dimension information from a given database

The Job in this scenario retrieves details of all of the dimensions from a given database.




To replicate this scenario, proceed as follows:

### Setting up the Job

1. Drop **tPaloDimensionList** and **tLogRow** from the component **Palette** onto the design workspace.
2. Right-click **tPaloDimensionList** to open the contextual menu.
3. From this menu, select **Row > Main** to link the two components.

### Configuring the tPaloDimensionList component

1. Double-click the **tPaloDimensionList** component to open its **Component** view.



2. In the **Host name** field, type in the host name or the IP address of the host server, *localhost* for this example.
3. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
4. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.
5. In the **Database** field, type in the database name where the dimensions of interest reside, *Biker* in this example.

## Job execution

Press **F6** to run the Job.

Details of all the dimensions in the *Biker* database are retrieved and listed in the console of the **Run** view.



```
[statistics] connected
11|Products| |#_Products|#_GROUP_DIMENSION_DATA_Products|338|3|4|3|0
13|Customers| |#_Customers|#_GROUP_DIMENSION_DATA_Customers|466|3|4|3|0
15|Orderlines| |#_Orderlines|#_GROUP_DIMENSION_DATA_Orderlines|3890|1|2|1|0
17|Channels| |#_Channels|#_GROUP_DIMENSION_DATA_Channels|4|1|2|1|0
19|Years| |#_Years|#_GROUP_DIMENSION_DATA_Years|11|1|2|1|0
21|Months| |#_Months|#_GROUP_DIMENSION_DATA_Months|35|18|18|18|0
23|Datatypes| |#_Datatypes|#_GROUP_DIMENSION_DATA_Datatypes|8|1|2|1|0
25|Measures| |#_Measures|#_GROUP_DIMENSION_DATA_Measures|6|1|2|1|0
0|#_USER| | |5|0|1|0|0|0
1|#_GROUP| | |4|0|1|0|0|0
2|#_CUBE| | |2|0|1|0|0|0
4|#_CONFIGURATION| | |2|0|1|0|0|0
5|#_DIMENSION| | |8|0|1|0|0|0
7|#_SUBSET| | |#_SUBSET| |0|0|0|0|0|0
9|#_VIEW| | |#_VIEW| |0|0|0|0|0|0
3|#_#_CUBE| | |0|0|0|0|0|0
6|#_#_DIMENSION| | |0|0|0|0|0|0
8|#_#_SUBSET| | |0|0|0|0|0|0
10|#_#_VIEW| | |0|0|0|0|0|0
12|#_Products| | |0|0|0|0|0|0
14|#_Customers| | |0|0|0|0|0|0
16|#_Orderlines| | |0|0|0|0|0|0
18|#_Channels| | |0|0|0|0|0|0
20|#_Years| | |0|0|0|0|0|0
22|#_Months| | |0|0|0|0|0|0
```

For further information about the output schema, see [the section called “Discovering the read-only output schema of tPaloDimensionList”](#).


# tPaloInputMulti



## tPaloInputMulti Properties

|                                                                                                                                    |                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>                                                                                                                    | This component retrieves data (elements as well as values) from a Palo cube.                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>                                                                                                                     | This component retrieves the stored or calculated values in combination with the element records out of a cube. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                                                               | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                                                                | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  Unavailable when using an existing connection. |                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                    | <i>Server Port</i>                                                                                              | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                                                             | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                    | <i>Database</i>                                                                                                 | Type in the name of the database where the elements of interest reside.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |




|                          |                                              |                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Cube</i>                                  | Type in the name of the cube where the dimension elements to be retrieved are stored.                                                                                                                                                                                                                                                                           |
|                          | <i>Cube type</i>                             | Select the cube type from the drop-down list for the cube of concern. This type may be:<br><br>- <b>Normal</b><br>- <b>Attribut</b><br>- <b>System</b><br>- <b>User Info</b>                                                                                                                                                                                    |
|                          | <i>Commit size</i>                           | Type in the row count of each batch to be retrieved.                                                                                                                                                                                                                                                                                                            |
|                          | <i>Schema and Edit Schema</i>                | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . The <b>MEASURE</b> column and the <b>TEXT</b> column are read-only, but you can add other columns aside.                                           |
|                          |                                              | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                       |
|                          | <i>Cube Query</i>                            | Complete this table to precise the data you want to retrieve. The columns to be filled are:                                                                                                                                                                                                                                                                     |
|                          |                                              | <b>Column:</b> the schema columns are added automatically to this column once defined in the schema editor. The schema columns are used to stored the retrieved dimension elements.                                                                                                                                                                             |
|                          |                                              | <b>Dimensions:</b> type in each of the dimension names of the cube from which you want to retrieve dimension elements.<br><br> <i>The dimension order listed in this column must be consistent with the order given in the cube that stores these dimensions.</i>            |
|                          |                                              | <b>Elements:</b> type in the dimension elements from which data is retrieved. If several elements are needed from one single dimension, separate them with a coma.                                                                                                                                                                                              |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>              | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                               |
| <b>Usage</b>             | This component requires an output component. |                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Connections</b>       |                                              | Outgoing links (from one component to another):<br><br><b>Row:</b> Main<br><br><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.<br><br>Incoming links (from one component to another):<br><br><b>Row:</b> Iterate<br><br><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error. |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b> | <p>According to the architecture of OLAP-Systems only one single value (text or numeric) could be retrieved from the cube. The <b>MEASURE</b> column and the <b>TEXT</b> column are fixed and read-only.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |

## Scenario: Retrieving dimension elements from a given cube

The Job in this scenario retrieves several dimension elements from a demo Palo cube *Sales*.




To replicate this scenario, proceed as follows:

### Setting up the Job

1. Drop **tPaloInputMulti** and **tLogRow** from the component **Palette** onto the design workspace.
2. Right-click **tPaloInputMulti** to open its contextual menu.
3. In the menu, select **Row > Main** to connect **tPaloInputMulti** to **tLogRow** with a **row** link.

### Setting up the DB connection


1. Double-click the **tPaloInputMulti** component to open its **Component** view.



2. In the **Host name** field, type in the host name or the IP address of the host server, *localhost* for this example.
3. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
4. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.

## Configuring the Cube Query


1. In the **Database** field, type in the database name in which the cube to be used is stored.
2. In the **Cube** field, type in the cube name in which the dimensions of interests are stored. In this scenario, it is one of the demo cubes *Sales*.
3. In the **Cube type** field, select the **Normal** type from the drop-down list for the cube to be created, meaning this cube will be normal and default.
4. Next to the **Edit schema** field, click the three-dot button to open the schema editor.



5. In the schema editor, click the plus button to add the rows of the schema to be edited. In this example, add rows corresponding to all of the dimensions stored in the *Sales* cube: *Products*, *Regions*, *Months*, *Years*, *Datatypes*, *Measures*. Type in them in the order given in this cube.
6. Click **OK** to validate this editing and accept the propagation of this change to the next component. Then these columns are added automatically into the **Column** column of the **Cube query** table in the **Component** view. If the order is not consistent with the one in the *Sales* cube, adapt it using the up and down arrows under the schema table.
7. In the **Dimensions** column of the **Cube query** table, type in each of the dimension names stored in the *Sales* cube regarding to each row in the **Column** column. In the *Sales* cube, the dimension names are: *Products*, *Regions*, *Months*, *Years*, *Datatypes*, *Measures*.
8. In the **Elements** columns of the **Cube query** table, type in the dimension elements you want to retrieve regarding to the dimensions they belong to. In this example, the elements to be retrieved are *All Products*, *Germany* and *Austria* (Belonging to the same dimension **Regions**, these two elements are entered in the same row and separated with a coma.), *Jan, 2009*, *Actual*, *Turnover*.

## Job execution

1. Click **tLogRow** to open its **Component** view.



2. In the **Mode** area, select the **Table (print values in cells of a table)** check box to display the execution result in a table.
3. Press **F6** to run the Job.



The dimension elements and the corresponding Measure values display in the **Run** console.

```
Starting job retrieve at 13:49 02/11/2010.
[statistics] connecting to socket on port 3338
[statistics] connected
-----+-----+-----+-----+-----+-----+-----+-----+
| tLogRow_1 |
|-----+-----+-----+-----+-----+-----+-----+-----+
|Products |Regions|Months|Years|Datatypes|Measures|MEASURE |TEXT |
|-----+-----+-----+-----+-----+-----+-----+-----+
|All Products |Austria|Jan |2009 |Actual |Turnover|476977.95|null |
|All Products |Germany|Jan |2009 |Actual |Turnover|1234.56 |null |
|-----+-----+-----+-----+-----+-----+-----+-----+
[statistics] disconnected
Job retrieve ended at 13:49 02/11/2010. [exit code=0]
```

# tPaloOutput



## tPaloOutput Properties

|                                                                                                                                    |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Function</b>                                                                                                                    | This component writes one row of data (elements as well as values) into a Palo cube. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purpose</b>                                                                                                                     | This component takes the input stream and writes it to a given Palo cube.            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                                    | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <i>Databases - traditional components</i>, <i>Databases - appliance/datawarehouse components</i>, or <i>Databases - other components</i>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                                     | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|  Unavailable when using an existing connection. |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                                                                                                                    | <i>Server Port</i>                                                                   | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                                  | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                                                                                                                    | <i>Database</i>                                                                      | Type in the name of the database where the cube of interest resides.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                               |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Cube</i>                                                                                                                                                                                                                                                                                                                                                                                                                                    | Type in the name of the cube in which the incoming data is written.                                                                                                                                                                                                                                           |
|                          | <i>Commit size</i>                                                                                                                                                                                                                                                                                                                                                                                                                             | Type in the row count of each batch to be written into the cube.                                                                                                                                                                                                                                              |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                                                                                                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                  |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                     |
|                          | <i>Column as Measure</i>                                                                                                                                                                                                                                                                                                                                                                                                                       | Select the column from the input stream which holds the Measure or Text values.                                                                                                                                                                                                                               |
|                          | <i>Create element if not exist</i>                                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box to create the element being processed if it does not exist originally.                                                                                                                                                                                                                  |
|                          | <i>Save cube at process end</i>                                                                                                                                                                                                                                                                                                                                                                                                                | Select this check box to save the cube you have written the data in at the end of this process.                                                                                                                                                                                                               |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                 | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                             |
| <b>Usage</b>             | This component requires an input component.                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                               |
| <b>Global variable</b>   |                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Number of lines:</b> Indicates the number of the lines processed. This is available as an <b>After</b> variable.<br><br>Returns a Integer.                                                                                                                                                                 |
| <b>Connections</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                                                | Outgoing links (from one component to another):<br><br><b>Row:</b> Iterate<br><br><b>Trigger:</b> Run if<br><br>Incoming links (from one component to another):<br><br><b>Row:</b> Main; Reject<br><br>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> . |
| <b>Limitation</b>        | This component is able to write only one row of data into a cube.<br><br>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                               |



## Related scenario

For related topic, see [the section called “Scenario 1: Writing data into a given cube”](#).

# tPaloOutputMulti



## tPaloOutputMulti Properties

|                                                                                                                                    |                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>                                                                                                                    | This component writes data (elements as well as values) into a Palo cube. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>                                                                                                                     | This component takes the input stream and writes it to a given Palo cube. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                         | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                          | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  Unavailable when using an existing connection. |                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                    | <i>Server Port</i>                                                        | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                       | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                    | <i>Database</i>                                                           | Type in the name of the database where the cube of interest resides.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |




|                          |                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Cube</i>                                 | Type in the name of the cube in which the incoming data is written.                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Cube type</i>                            | Select the cube type from the drop-down list for the cube of concern. This type may be:<br><br>- <b>Normal</b><br>- <b>Attribut</b><br>- <b>System</b><br>- <b>User Info</b>                                                                                                                                                                                                                                                                                        |
|                          | <i>Commit size</i>                          | Type in the row count of each batch to be written into the cube.                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Schema and Edit Schema</i>               | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                             | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                           |
|                          | <i>Measure value</i>                        | Select the column from the input stream which holds the Measure or Text values.                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Splash mode</i>                          | Select the splash mode used to write data into a consolidated element. The mode may be:<br><br>- <b>Add:</b> it writes values to the underlying elements.<br>- <b>Default:</b> it uses the default splash mode.<br>- <b>Set:</b> it simply sets or replaces the current value and make the distribution based on the other values.<br>- <b>Disable:</b> it applies no splashing.<br><br>For further information about the Palo splash modes, see Palo's user guide. |
|                          | <i>Add values</i>                           | Select this check box to add new values to the current values for a sum. Otherwise these new values will overwrite the current ones.                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Use eventprocessor</i>                   | Select this checkbox to call the supervision server.                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Die on error</i>                         | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                                                                                                                                                                                                                                                                             |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This component requires an input component. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Connections</b>       |                                             | Outgoing links (from one component to another):<br><br><b>Row:</b> Main<br><br><b>Trigger:</b> Run if; On Component Ok; On Component Error.                                                                                                                                                                                                                                                                                                                         |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Main; Reject</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b> | <p>Numeric measures are only be accepted as Double or String type. When the string type is used, write the value to be processed between quotation marks.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |

## Scenario 1: Writing data into a given cube

The Job in this scenario writes new values in the *Sales* cube given as demo in the *Demo* database installed with Palo.




To replicate this scenario, proceed as follows:

### Setting up the Job


1. Drop **tFixedFlowInput** and **tPaloOutputMulti** from the component **Palette** onto the design workspace.
2. Right-click **tFixedFlowInput** to open its contextual menu.
3. In this menu, select **Row > Main** to connect this component to **tPaloOutputMulti**.

### Configuring the input component

1. Double-click the **tFixedFlowInput** component to open its **Component** view.




2. Click the three-dot button to open the schema editor.



3. In the schema editor, click the plus button to add 7 rows and rename them respectively as *Products*, *Regions*, *Months*, *Years*, *Datatypes*, *Measures* and *Values*. The order of these rows must be consistent with that of the corresponding dimensions in the *Sales* cube and the type of the *Value* column where the measure value resides is set to double/Double.
4. Click **OK** to validate the editing and accept the propagation prompted by the dialog box that pops up. Then the schema column labels display automatically in the **Value** table under the **Use single table** check box, in the **Mode** area.
5. In the **Value** table, type in values for each row in the **Value** column. In this example, these values are: *Desktop L*, *Germany*, *Jan*, *2009*, *Actual*, *Turnover*, *1234.56*.

## Configuring the output component

1. Double-click **tPaloOutputMulti** to open its **Component** view.



2. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is 7777.
3. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.
4. In the **Database** field, type in the database name in which you want to create the cube, *Demo* in this example.
5. In the **Cube** field, type in the name of the cube you want to write data in, for example, *Sales*.
6. In the **Cube type** field, select the **Normal** type from the drop-down list for the cube to be created, meaning this cube will be normal and default.
7. In the **Measure Value** field, select the Measure element. In this scenario, select **Value**.

## Job execution


Press **F6** to run the Job.

The inflow data has been written into the *Sales* cube.

|    | A              |
|----|----------------|
| 1  | localhost/Demo |
| 2  | Sales          |
| 3  | Desktop L      |
| 4  | Germany        |
| 5  | Jan            |
| 6  | 2009           |
| 7  | Actual         |
| 8  | Turnover       |
| 9  |                |
| 10 | 1 234,56       |
| 11 |                |

## Scenario 2: Rejecting inflow data when the elements to be written do not exist in a given cube

The Job in this scenario tries to write data into the *Sales* cube but as the elements of interest do not exist in this cube, the inflow data is rejected.




To replicate this scenario, proceed as follows:

### Setting up the Job


1. Drop **tFixedFlowInput**, **tPaloCheckElements**, **tPaloOutputMulti** and **tLogRow** from the component **Palette** onto the design workspace.
2. Right-click **tFixedFlowInput** to open its contextual menu.
3. In this menu, select **Row > Main** to connect this component to **tPaloCheckElements**.
4. Do the same to connect **tPaloOutputMulti** using **row** link.
5. Right-click **tPaloCheckElements** to open its contextual menu.
6. In this menu, select **Row > Reject** to connect this component to **tLogRow**.

### Configuring the input component

1. Double-click the **tFixedFlowInput** component to open its **Component** view.




2. Click the three-dot button to open the schema editor.



3. In the schema editor, click the plus button to add 7 rows and rename them respectively as *Products*, *Regions*, *Months*, *Years*, *Datatypes*, *Measures* and *Values*. The order of these rows must be consistent with that of the corresponding dimensions in the *Sales* cube and the type of the *Value* column where the measure value resides is set to double/Double.
4. Click **OK** to validate the editing and accept the propagation prompted by the dialog box that pops up. Then the schema column labels display automatically in the **Value** table under the **Use single table** check box, in the **Mode** area.
5. In the **Value** table, type in values for each row in the **Value** column. In this example, these values are: *Smart Products*, *Germany*, *Jan*, *2009*, *Actual*, *Turnover*, *1234.56*. The *Smart Products* element does not exist in the *Sales* cube.

## Configuring the tPaloCheckElements component


1. Double-click **tPaloCheckElements** to open its **Component** view.



2. In the **Host name** field, type in *localhost*.
3. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
4. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.
5. In the **Database** field, type in the database name in which you want to create the cube, *Demo* in this example.
6. In the **Cube** field, type in the name of the cube you want to write data in, for example, *Sales*.
7. In the **On Element error** field, select **Reject row** from the drop-down list.
8. In the element table at the bottom of the **Basic settings** view, click the **Element type** column in the *Value* row and select **Measure** from the drop down list.

## Configuring the output component

1. Double-click **tPaloOutputMulti** to open its **Component** view.



2. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is 7777.
3. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.
4. In the **Database** field, type in the database name in which you want to create the cube, *Demo* in this example.
5. In the **Cube** field, type in the name of the cube you want to write data in, for example, *Sales*.
6. In the **Cube type** field, select the **Normal** type from the drop-down list for the cube to be created, meaning this cube will be normal and default.
7. In the **Measure Value** field, select the Measure element. In this scenario, select **Value**.

## Job execution

Press **F6** to run the Job.

The data to be written is rejected and displayed in the console of the **Run** view. You can read that the error message is *Smart Products*.

*Starting job JobOutputExistingElements at 14:45 09/11/2010.*



```
[statistics] connecting to socket on port 3407
[statistics] connected
-----+-----+-----+-----+-----+-----+-----+-----+
| tLogRow_1 |
|-----+-----+-----+-----+-----+-----+-----+-----+
|Products |Regions|Months|Years|Datatypes|Measures|Value |errorMessage
|-----+-----+-----+-----+-----+-----+-----+-----+
|Smart Products|Germany|Jan |2009|Actual |Turnover|1234.56|Products:Smart Products
|-----+-----+-----+-----+-----+-----+-----+-----+
[statistics] disconnected
Job JobOutputExistingElements ended at 14:45 09/11/2010. [exit code=0]
```



# tPaloRule




## tPaloRule Properties

|                                                                                                                                    |                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>                                                                                                                    | This component creates or modifies rules in a given cube.  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>                                                                                                                     | This component allows you to manage rules in a given cube. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                          | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                           | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  Unavailable when using an existing connection. |                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                    | <i>Server Port</i>                                         | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                        | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                    | <i>Database</i>                                            | Type in the name of the database where the dimensions applying the rules of interest reside.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Cube</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Type in the name of the cube whose dimension information is retrieved.                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Cube rules</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Complete this table to perform various actions on specific rules.<br><b>Definition:</b> type in the rule to be applied.                                                                                                                                                                                                                                                                                                                               |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>External Id:</b> type in the user-defined external ID.                                                                                                                                                                                                                                                                                                                                                                                             |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Comment:</b> type in comment for this rule.                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Activated:</b> select this check box to activate this rule.                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Action:</b> select the action to be performed from the drop-down list.<br><br>- <b>Create:</b> create this rule.<br><br>- <b>Delete:</b> delete this rule.<br><br>- <b>Update:</b> update this rule.                                                                                                                                                                                                                                               |
| <b>Advanced settings</b> | <i>iStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                               | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Usage</b>             | This component can be used in standalone for rule creation, deletion or update.                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Connections</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Outgoing links (from one component to another):<br><br><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.<br><br>Incoming links (from one component to another):<br><br><b>Row:</b> Iterate<br><br><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.<br><br>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> . |
| <b>Limitation</b>        | Update or deletion of a rule is available only when this rule has been created with external ID.<br><br>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Scenario: Creating a rule in a given cube

The Job in this scenario creates a rule applied on dimensions of a given cube.



To replicate this scenario, proceed as follows:

## Setting up the DB connection

1. Drop **tPaloRule** from the component **Palette** onto the design workspace.
2. Double-click the **tPaloRule** component to open its **Component** view.

 A screenshot of the 'tPaloRule\_1' component configuration dialog box. The dialog has a title bar with the component name and a 'fx' icon. On the left, there are tabs for 'Basic settings', 'Advanced settings', 'Dynamic settings', 'View', and 'Documentation'. The 'Basic settings' tab is active. At the top, there is a checkbox 'Use an existing connection' which is unchecked. Below it is the 'Connection configuration' section with several text input fields: 'Host name' (localhost), 'Server Port' (7777), 'Username' (admin), and 'Password' (admin). Below these are 'Database' (Biker) and 'Cube' (Orders). At the bottom, there is a 'Cube Rules' table.
 

| Definition     | External Id  | Comment           | <input checked="" type="checkbox"/> Activated | Action |
|----------------|--------------|-------------------|-----------------------------------------------|--------|
| "[2009] = 123" | "OrderRule1" | "Palo Demo Rules" | <input checked="" type="checkbox"/>           | Create |

 At the bottom of the dialog, there are several icons: a plus sign, a minus sign, an up arrow, a down arrow, a document icon, and a trash icon.

3. In the **Host name** field, type in the host name or the IP address of the host server, *localhost* for this example.
4. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
5. In the **Username** field and the **Password** field, type in the authentication information. In this example, both of them are *admin*.
6. In the **Database** field, type in the database name in which the dimensions applying the created rules reside, *Biker* in this example.
7. In the **Cube** field, type in the name of the cube which the dimensions applying the created rules belong to, for example, *Orders*.

## Setting the Cube rules

1. Under the **Cube rules** table, click the plus button to add a new row.
2. In the **Cube rules** table, type in [ ' 2009 ' ] = 123 in the **Definition** column, OrderRule1 in the **External Id** column and Palo Demo Rules in the **Comment** column.
3. In the **Activated** column, select the check box.
4. In the **Action** column, select **Create** from the drop-down list.

## Job execution

Press **F6** to run the Job.



The new rule has been created and the value of every 2009 element is 123.

|    | A               |
|----|-----------------|
| 1  | localhost/Biker |
| 2  | Orders          |
| 3  | All Customers   |
| 4  | All Channels    |
| 5  | All Orders      |
| 6  | All Datatypes   |
| 7  | Units           |
| 8  | All Products    |
| 9  | All Months      |
| 10 | 2009            |
| 11 |                 |
| 12 | 123             |
| 13 |                 |

# tPaloRuleList



## tPaloRuleList Properties

|                                                                                                                                    |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                            | Business Intelligence/<br>Cube OLAP/Palo                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>                                                                                                                    | This component retrieves a list of rule details from the given Palo database.                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>                                                                                                                     | This component lists all rules, formulas, comments, activation status, external IDs from a given cube. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>                                                                                                              | <i>Use an existing connection</i>                                                                      | <p>Select this check box and click the relevant DB connection component on the <b>Connection configuration</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Connection configuration</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For further information about <b>Dynamic settings</b>, see your studio user guide.</p> |
| <i>Connection configuration</i>                                                                                                    | <i>Host Name</i>                                                                                       | Enter the host name or the IP address of the host server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  Unavailable when using an existing connection. |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                    | <i>Server Port</i>                                                                                     | Type in the listening port number of the Palo server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                                                                                                    | <i>Username</i> and <i>Password</i>                                                                    | Enter the Palo user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                    | <i>Database</i>                                                                                        | The name of the database where the cube of interest resides.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Cube</i>                                                                                                                                                                                                                                                                                                                                                                                                                 | Type in the name of the cube in which you want to retrieve the rule information.                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                                                                                                                                                                                               | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                  |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                     |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Usage</b>             | This component can be used in standalone or as start component of a process.                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Global Variables</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                             | <p><b>Number of rules:</b> Indicates the number of the rules processed. This is available as an <b>After</b> variable.</p> <p>Returns a Integer.</p> <p><b>External ruleID:</b> Indicates the external IDs of the rules being processed. This is available as a <b>Flow</b> variable.</p> <p>Returns a String</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                      |
| <b>Connections</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                             | <p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main; Iterate.</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On Component Ok; On Component Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
| <b>Limitation</b>        | <p>The output schema is fixed and read-only.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |


## Discovering the read-only output schema of tPaloRuleList

The following table presents information related to the read-only output schema of the **tPaloRuleList** component.

| Database        | Type    | Description                                                                                    |
|-----------------|---------|------------------------------------------------------------------------------------------------|
| rule_identifier | long    | The internal identifier/id for this rule..                                                     |
| rule_definition | string  | The formula of this rule. For further information about this formula, see the Palo user guide. |
| rule_extern_id  | string  | The user-defined external id.                                                                  |
| rule_comment    | string  | The user-edited comment on this rule.                                                          |
| rule_activated  | boolean | Indicates if this rule had been activated or not.                                              |

## Scenario: Retrieving detailed rule information from a given cube

The Job in this scenario retrieves rule details applied on the dimensions of a given cube.




To replicate this scenario, proceed as follows:

### Setting up the Job

1. Drop **tPaloRuleList** and **tLogRow** from the component **Palette** onto the design workspace.
2. Right-click **tPaloRuleList** to open the contextual menu.
3. From this menu, select **Row > Main** to link the two components.

### Configuring the tPaloRuleList component

1. Double-click the **tPaloRuleList** component to open its **Component** view.



2. In the **Host name** field, type in the host name or the IP address of the host server, *localhost* for this example.
3. In the **Server Port** field, type in the listening port number of the Palo server. In this scenario, it is *7777*.
4. In the **Username** and **Password** fields, type in the authentication information. In this example, both of them are *admin*.
5. In the **Database** field, type in the database name where the dimensions applying the rules of interest reside, *Biker* in this example.
6. In the **Cube** field, type in the name of the cube which the rules of interest belong to.

## Job execution

Press **F6** to run the Job.

Details of all of the rules in the *Orders* cube are retrieved and listed in the console of the **Run** view.

```
Starting job tpalo at 16:34 12/11/2010.
[statistics] connecting to socket on port 3743
[statistics] connected
+-----+-----+-----+-----+-----+
| |tLogRow_1| |
+-----+-----+-----+-----+-----+
|rule_identifier|rule_definition|rule_extern_id|rule_comment |rule_activated|
+-----+-----+-----+-----+-----+
|1 |['2009'] = 123 |OrderRule1 |Palo Demo Rules|true |
+-----+-----+-----+-----+-----+
[statistics] disconnected
Job tpalo ended at 16:35 12/11/2010. [exit code=0]
```


For further information about the output schema, see [the section called “Discovering the read-only output schema of tPaloRuleList”](#).



# tParAccelSCD



## tParAccelSCD Properties

|                         |                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/ParAccel                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Function</b>         | <b>tParAccelSCD</b> reflects and tracks changes in a dedicated ParAccel SCD table.                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Purpose</b>          | <b>tParAccelSCD</b> addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                 | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         |                                                                                                                                                      | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Use an existing connection</i>                                                                                                                    | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                                               | Select the relevant driver on the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Host</i>                                                                                                                                          | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Port</i>                                                                                                                                          | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Database</i>                                                                                                                                      | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Schema</i>                                                                                                                                        | Name of the DB schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                  | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Table</i>                                                                                                                                                                                                                                                                                                                                                          | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                          |
|                          | <i>Schema and Edit schema</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>SCD Editor</i>                                                                                                                                                                                                                                                                                                                                                     | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .        |
|                          | <i>Use memory saving Mode</i>                                                                                                                                                                                                                                                                                                                                         | Select this check box to maximize system performance.                                                                                                                                                        |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                      |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                            |
|                          | <i>Debug mode</i>                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step during processing entries in a database.                                                                                                                          |
| <b>Usage</b>             | This component is used as Output component. It requires an Input component and Row main link as input.                                                                                                                                                                                                                                                                |                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                              |


## Related scenario

For related scenarios, see [the section called “tMysqlSCD”](#).

# tPostgresPlusSCD



## tPostgresPlusSCD Properties

|                         |                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/PostgresPlus Server                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Function</b>         | <b>tPostgresPlusSCD</b> reflects and tracks changes in a dedicated MSSQL SCD table.                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Purpose</b>          | <b>tPostgresPlusSCD</b> addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                                                        | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Property type</i>                                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         |                                                                                                                                                          | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Server</i>                                                                                                                                            | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Port</i>                                                                                                                                              | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Database</i>                                                                                                                                          | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Schema</i>                                                                                                                                            | Name of the DB schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                      | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|                          |                                                                                                        |                                                                                                                                                                                                              |
|--------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Table</i>                                                                                           | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                          |
|                          | <i>Schema and Edit schema</i>                                                                          | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                        | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>SCD Editor</i>                                                                                      | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .        |
|                          | <i>Use memory saving Mode</i>                                                                          | Select this check box to maximize system performance.                                                                                                                                                        |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                         | Select this check box to collect log data at the component level.                                                                                                                                            |
|                          | <i>Debug mode</i>                                                                                      | Select this check box to display each step during processing entries in a database.                                                                                                                          |
| <b>Usage</b>             | This component is used as Output component. It requires an Input component and Row main link as input. |                                                                                                                                                                                                              |


## Related scenario

For related topics, see [the section called “tMysqlSCD”](#).

# tPostgresPlusSCDELT



## tPostgresPlusSCDELT Properties

|                         |                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Postgresql                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Function</b>         | <b>tPostgresPlusSCDELT</b> reflects and tracks changes in a dedicated Oracle SCD table.                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Purpose</b>          | <b>tPostgresPlusSCDELT</b> addresses Slowly Changing Dimension needs through SQL queries (server-side processing mode), and logs the changes into a dedicated PostgresPlus SCD table. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         |                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally. Enter properties manually.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Use an existing connection</i>                                                                                                                                                     | <p>Select this check box and click the relevant <b>tPostgresPlusConnection</b> component on the <b>Component List</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                           | The IP address of the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Port</i>                                                                                                                                                                           | Listening port number of database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Database</i>                                                                                                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Schema</i>                                                                                                                                                                         | Exact name of the schema                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|  |                                    |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Username</i><br><i>Password</i> | and                | User authentication data for a dedicated database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Source table</i>                |                    | Name of the input DB2 SCD table.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <i>Table</i>                       |                    | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Action on table</i>             |                    | <p>Select to perform one of the following operations on the table defined:</p> <p><b>None:</b> No action carried out on the table.</p> <p><b>Drop and create table:</b> The table is removed and created again</p> <p><b>Create table:</b> A new table gets created.</p> <p><b>Create table if not exists:</b> A table gets created if it does not exist.</p> <p><b>Clear table:</b> The table content is deleted. You have the possibility to rollback the operation.</p> <p><b>Truncate table:</b> The table content is deleted. You don not have the possibility to rollback the operation.</p>                                                                         |
|  | <i>Schema</i><br><i>schema</i>     | and<br><i>Edit</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|  |                                    |                    | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|  | <i>Surrogate Key</i>               |                    | Select the surrogate key column from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <i>Creation</i>                    |                    | <p>Select the method to be used for the surrogate key generation.</p> <p>For more information regarding the creation methods, see <a href="#">the section called “SCD keys”</a>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|  | <i>Source Keys</i>                 |                    | Select one or more columns to be used as keys, to ensure the unicity of incoming data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>Use SCD Type 1 fields</i>       |                    | Use type 1 if tracking changes is not necessary. SCD Type 1 should be used for typos corrections for example. Select the columns of the schema that will be checked for changes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <i>Use SCD Type 2 fields</i>       |                    | <p>Use type 2 if changes need to be tracked down. SCD Type 2 should be used to trace updates for example. Select the columns of the schema that will be checked for changes.</p> <p><b>Start date:</b> Adds a column to your SCD schema to hold the start date value. You can select one of the input schema columns as Start Date in the SCD table.</p> <p><b>End Date:</b> Adds a column to your SCD schema to hold the end date value for the record. When the record is currently active, the End Date column shows a null value, or you can select <b>Fixed Year value</b> and fill it in with a fictive year to avoid having a null value in the End Date field.</p> |

|                          |                                                                                                           |                                                                                                                                                                                                                                                                                    |
|--------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                           | <p><b>Log Active Status:</b> Adds a column to your SCD schema to hold the <b>true</b> or <b>false</b> status value. This column helps to easily spot the active record.</p> <p><b>Log versions:</b> Adds a column to your SCD schema to hold the version number of the record.</p> |
| <b>Advanced settings</b> | <i>Debug mode</i>                                                                                         | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                  |
| <b>Usage</b>             | This component is used as an output component. It requires an input component and Row main link as input. |                                                                                                                                                                                                                                                                                    |


## Related Scenario

For related topics, see [the section called “tMysqlSCD”](#).

# tPostgresqlSCD



## tPostgresqlSCD Properties

|                         |                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Postgresql Server                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Function</b>         | <b>tPostgresqlSCD</b> reflects and tracks changes in a dedicated PostgreSQL SCD table.                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purpose</b>          | <b>tPostgresqlSCD</b> addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         |                                                                                                                                                        | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Use an existing connection</i>                                                                                                                      | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                            | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Port</i>                                                                                                                                            | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Database</i>                                                                                                                                        | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Schema</i>                                                                                                                                          | Name of the DB schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                    | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



|                          |                                |                                                                                                                                                                                                              |
|--------------------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Table</i>                   | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                          |
|                          | <i>Schema and Edit schema</i>  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>SCD Editor</i>              | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .        |
|                          | <i>Use memory saving Mode</i>  | Select this check box to maximize system performance.                                                                                                                                                        |
|                          | <i>Die on error</i>            | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                      |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i> | Select this check box to collect log data at the component level.                                                                                                                                            |
|                          | <i>Debug mode</i>              | Select this check box to display each step during processing entries in a database.                                                                                                                          |
| <b>Usage</b>             |                                | This component is used as Output component. It requires an Input component and Row main link as input.                                                                                                       |


## Related scenario

For related topics, see [the section called “tMysqlSCD”](#).

# tPostgresqlSCDELT



## tPostgresqlSCDELT Properties

|                         |                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Postgresql                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Function</b>         | <b>tPostgresqlSCDELT</b> reflects and tracks changes in a dedicated Postgresql SCD table.                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Purpose</b>          | <b>tPostgresqlSCDELT</b> addresses Slowly Changing Dimension needs through SQL queries (server-side processing mode), and logs the changes into a dedicated DB2 SCD table. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                       | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         |                                                                                                                                                                            | <b>Built-in:</b> No property data stored centrally. Enter properties manually.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Use an existing connection</i>                                                                                                                                          | <p>Select this check box and click the relevant <b>tPostgresqlConnection</b> component on the <b>Component List</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                | The IP address of the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                                                                                                | Listening port number of database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Database</i>                                                                                                                                                            | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                        | User authentication data for a dedicated database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|  |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Source table</i>           | Name of the input DB2 SCD table.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <i>Table</i>                  | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Action on table</i>        | <p>Select to perform one of the following operations on the table defined:</p> <p><b>None:</b> No action carried out on the table.</p> <p><b>Drop and create table:</b> The table is removed and created again</p> <p><b>Create table:</b> A new table gets created.</p> <p><b>Create table if not exists:</b> A table gets created if it does not exist.</p> <p><b>Clear table:</b> The table content is deleted. You have the possibility to rollback the operation.</p> <p><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.</p>                                                                          |
|  | <i>Schema and Edit schema</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|  |                               | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|  | <i>Surrogate Key</i>          | Select the surrogate key column from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <i>Creation</i>               | <p>Select the method to be used for the surrogate key generation.</p> <p>For more information regarding the creation methods, see <a href="#">the section called “SCD keys”</a>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|  | <i>Source Keys</i>            | Select one or more columns to be used as keys, to ensure the unicity of incoming data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>Use SCD Type 1 fields</i>  | Use type 1 if tracking changes is not necessary. SCD Type 1 should be used for typos corrections for example. Select the columns of the schema that will be checked for changes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <i>Use SCD Type 2 fields</i>  | <p>Use type 2 if changes need to be tracked down. SCD Type 2 should be used to trace updates for example. Select the columns of the schema that will be checked for changes.</p> <p><b>Start date:</b> Adds a column to your SCD schema to hold the start date value. You can select one of the input schema columns as Start Date in the SCD table.</p> <p><b>End Date:</b> Adds a column to your SCD schema to hold the end date value for the record. When the record is currently active, the End Date column shows a null value, or you can select <b>Fixed Year value</b> and fill it in with a fictive year to avoid having a null value in the End Date field.</p> |

|                          |                                                                                                           |                                                                                                                                                                                                                                                                                    |
|--------------------------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                           | <p><b>Log Active Status:</b> Adds a column to your SCD schema to hold the <b>true</b> or <b>false</b> status value. This column helps to easily spot the active record.</p> <p><b>Log versions:</b> Adds a column to your SCD schema to hold the version number of the record.</p> |
| <b>Advanced settings</b> | <i>Debug mode</i>                                                                                         | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                |
|                          | <i>tStat Catcher Statistics</i>                                                                           | Select this check box to collect log data at the component level.                                                                                                                                                                                                                  |
| <b>Usage</b>             | This component is used as an output component. It requires an input component and Row main link as input. |                                                                                                                                                                                                                                                                                    |

## Related Scenario


For related topics, see [the section called “tMysqlSCD”](#).

# tSPSSInput



Before being able to benefit from all functional objectives of the SPSS components, make sure to do the following: -If you have already installed SPSS, add the path to the SPSS directory as the following: `SET PATH=%PATH%;<DR>:\program\SPSS`, or -If you have not installed SPSS, you must copy the SPSS IO “spssio32.dll” lib from the SPSS installation CD and paste it in **Talend** root directory.

## tSPSSInput properties


|                          |                                                                              |                                                                                                                                                                                                                                       |
|--------------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business Intelligence                                                        |                                                                                                                                                                                                                                       |
| <b>Function</b>          | tSPSSInput reads data from an SPSS .sav file.                                |                                                                                                                                                                                                                                       |
| <b>Purpose</b>           | tSPSSInput addresses SPSS .sav data to write it for example in another file. |                                                                                                                                                                                                                                       |
| <b>Basic settings</b>    | <i>Sync schema</i>                                                           | Click this button to synchronize with the columns of the input SPSS .sav file.                                                                                                                                                        |
|                          | <i>Schema and Edit Schema</i>                                                | The schema metadata in this component is retrieved directly from the input SPSS .sav file and thus is read-only.<br><br>You can click <b>Edit schema</b> to view the retrieved metadata.                                              |
|                          | <i>Filename</i>                                                              | Name or path of the SPSS .sav file to be read.                                                                                                                                                                                        |
|                          | <i>Translate labels</i>                                                      | Select this check box to translate the labels of the stored values.<br><br> If you select this check box, you need to retrieve the metadata again. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                               | Select this check box to collect log data at the component level.                                                                                                                                                                     |
| <b>Usage</b>             | This component is used as a start component. It requires an output flow.     |                                                                                                                                                                                                                                       |

## Scenario: Displaying the content of an SPSS .sav file

The following scenario creates a two-component Job, which aims at reading each row of a .sav file and displaying the output on the log console.

### Setting up the Job


1. Drop a **tSPSSInput** component and a **tLogRow** component from the **Palette** onto the design workspace.




- Right-click on **tPSSInput** and connect it to **tLogRow** using a **Main Row** link.

## Configuring the input component


- Click **tPSSInput** to display its **Basic settings** view and define the component properties.



- Click the three-dot button next to the **Filename** field and browse to the SPSS .sav file you want to read.
- Click the three-dot button next to **Sync schema**. A message opens up prompting you to accept retrieving the schema from the defined SPSS file.



- Click **Yes** to close the message and proceed to the next step.
- If required, click the three-dot button next to **Edit schema** to view the pre-defined data structure of the source SPSS file.



- Click **OK** to close the dialog box.

## Job execution

Save the Job and press **F6** to execute it.

The SPSS file is read row by row and the extracted fields are displayed on the log console.

```

Starting job SPSS at 10:28 20/01/2010.
[statistics] connecting to socket on port 3802
[statistics] connected
1.0|1.0|57997.0|198522.0
2.0|1.0|57113.0|203200.0
3.0|1.0|54123.0|200744.0
1.0|0.0|63936.0|187791.0
2.0|0.0|64835.0|195714.0
3.0|0.0|66804.0|208239.0
[statistics] disconnected
Job SPSS ended at 10:28 20/01/2010. [exit code=0]

```

## Translating the stored values

To translate the stored values, complete the following:

1. In the **Basic settings** view, select the **Translate label** check box.
2. Click **Sync Schema** a second time to retrieve the schema after translation.

A message opens up prompting you to accept retrieving the schema from the defined SPSS file.

3. Click **Yes** to close the message and proceed to the next step.

A second message opens up prompting you to accept propagating the changes.

4. Click **Yes** to close the message and proceed to the next step.
5. Save the Job and press **F6** to execute it.

The SPSS file is read row by row and the extracted fields are displayed on the log console after translating the stored values.

```

Starting job SPSS at 10:32 20/01/2010.
[statistics] connecting to socket on port 3418
[statistics] connected
Under 21|Female|57997.0|198522.0
21-25|Female|57113.0|203200.0
26-30|Female|54123.0|200744.0
Under 21|Male|63936.0|187791.0
21-25|Male|64835.0|195714.0
26-30|Male|66804.0|208239.0
[statistics] disconnected
Job SPSS ended at 10:32 20/01/2010. [exit code=0]

```

# tSPSSOutput



Before being able to benefit from all functional objectives of the SPSS components, make sure to do the following: -If you have already installed SPSS, add the path to the SPSS directory as the following: `SET PATH=%PATH%;<DR>:\program\SPSS`, or -If you have not installed SPSS, you must copy the SPSS IO "spssio32.dll" lib from the SPSS installation CD and paste it in **Talend** root directory.

## tSPSSOutput properties

|                          |                                                                                                                         |                                                                                                                                                                                                              |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business Intelligence                                                                                                   |                                                                                                                                                                                                              |
| <b>Function</b>          | tSPSSOutput writes data entries in an .sav file.                                                                        |                                                                                                                                                                                                              |
| <b>Purpose</b>           | tSPSSOutput writes or appends data to an SPSS .sav file. It creates SPSS files on the fly and overwrites existing ones. |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Sync schema</i>                                                                                                      | Click this button to synchronize with the columns of the SPSS .sav file.                                                                                                                                     |
|                          | <i>Schema and Edit Schema</i>                                                                                           | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                         | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Filename</i>                                                                                                         | Name or path of the SPSS .sav file to be written.                                                                                                                                                            |
|                          | <i>Write Type</i>                                                                                                       | Select an operation from the list:<br><br><b>Write:</b> simply writes the new data.<br><br><b>Append:</b> writes the new data at the end of the existing data.                                               |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                          | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component can not be used as start component. It requires an input flow                                            |                                                                                                                                                                                                              |


## Scenario: Writing data in an .sav file

This Java scenario describes a very simple Job that writes data entries in an .sav file.

### Setting up the Job

1. Drop a **tRowGenerator** component and a **tSPSSOutput** component from the **Palette** onto the design workspace.
2. Right-click on **tRowGenerator** and connect it to **tSPSSOutput** using a **Main Row** link.





## Configuring the input component

1. In the design workspace, double click **tRowGenerator** to display its **Basic Settings** view and open its editor. Here you can define your schema.

| Schema  |                          |        |                                     |     |        |           |         |         |             | Functions  |              | Preview |
|---------|--------------------------|--------|-------------------------------------|-----|--------|-----------|---------|---------|-------------|------------|--------------|---------|
| Column  | Key                      | Type   | <input checked="" type="checkbox"/> | N.. | Length | Precision | Default | Comment | Functions   | Environ... | Preview      |         |
| id      | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |     | 6      |           |         |         | getAscii... | length=... | R8Zx50       |         |
| country | <input type="checkbox"/> | String | <input checked="" type="checkbox"/> |     | 50     |           |         |         | getUsStr... |            | Burnett Road |         |

Columns: Number of Rows for RowGenerator: 100

Function parameters: Preview

10 Number of Rows for Preview Preview

|   | id     | country                   |
|---|--------|---------------------------|
| 1 | UTnwds | San Marcos                |
| 2 | ot9fzP | El Camino Real            |
| 3 | 08ydXS | East Calle Primera        |
| 4 | R8Zx50 | Burnett Road              |
| 5 | xMsv5d | French Camp Turnpike Road |

OK Cancel

2. Click the plus button to add the columns you want to write in the .sav file.
3. Define the schema and set the parameters to the columns.



*Make sure to define the length of your columns. Otherwise, an error message will display when building your Job.*

4. Click **OK** to validate your schema and close the editor.

## Configuring the output component

1. Click **tSPSSOutput** to display its **Basic settings** view and define the component properties.

tSPSSOutput\_1

**Basic settings** Sync Schema Schema Type Built-In Edit schema Sync columns

Advanced settings Filename "C:/Documents and Settings/hmassy/Bureau/out.sav" \*

Dynamic settings Write Type Write

View Documentation

2. Click the three-dot button next to the **Filename** field and browse to the SPSS .sav file in which you want to write data.
3. Click the three-dot button next to **Sync columns** to synchronize columns with the previous component. In this example, the schema to be inserted in the .sav file consists of the two columns: *id* and *country*.
4. If required, click **Edit schema** to view/edit the defined schema.
5. From the **Write Type** list, select **Write** or **Append** to simply write the input data in the .sav file or add it to the end of the .sav file.

## Job execution

Save the Job and press **F6** to execute it.

The data generated by the **tRowGenerator** component is written in the defined .sav file.

# tSPSSProperties



In order to benefit from all of the functional objectives of the SPSS components, do the following: -If you have already installed SPSS, add the path to the SPSS directory as the following: `SET PATH=%PATH%;<DR>:\program\SPSS`, or -If you have not installed SPSS, you must copy the SPSS IO "spssio32.dll" lib from the SPSS installation CD and paste it in the **Talend** root directory.

## tSPSSProperties properties

|                          |                                                                                                                |                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business Intelligence                                                                                          |                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>          | <b>tSPSSProperties</b> describes the properties of a defined SPSS .sav file.                                   |                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>           | <b>tSPSSProperties</b> allows you to obtain information about the main properties of a defined SPSS .sav file. |                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>    | <i>Schema and Edit Schema</i>                                                                                  | The schema metadata in this component is predefined and thus read-only. You can click <b>Edit schema</b> to view the predefined metadata.<br><br>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                     |
|                          | <i>Filename</i>                                                                                                | Name or path of the .sav file to be processed.                                                                                                                                                                                                                                                                                                                |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                 | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                             |
| <b>Usage</b>             | Use this component as a start component. It needs an output flow.                                              |                                                                                                                                                                                                                                                                                                                                                               |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Reading master data in an MDM hub”](#).
- [the section called “Scenario: Writing data in an .sav file”](#).

# tSPSSStructure



Before being able to benefit from all functional objectives of the SPSS components, make sure to do the following: -If you have already installed SPSS, add the path to the SPSS directory as the following: `SET PATH=%PATH%;<DR>:\program\SPSS`, or -If you have not installed SPSS, you must copy the SPSS IO "spssio32.dll" lib from the SPSS installation CD and paste it in **Talend** root directory.

## tSPSSStructure properties

|                          |                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Business Intelligence                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Function</b>          | tSPSSStructure retrieves information about the variables inside .sav files.                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Purpose</b>           | tSPSSStructure addresses variables inside .sav files. You can use this component in combination with tFileList to gather information about existing *.sav files to further analyze or check the findings. |                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Basic settings</b>    | <i>Schema and Edit Schema</i>                                                                                                                                                                             | The schema metadata in this component is predefined and thus read-only. It is based on the internal SPSS convention. You can click <b>Edit schema</b> to view the predefined metadata.<br><br>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                           | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                  |
|                          | <i>Filename</i>                                                                                                                                                                                           | Name or path of the .sav file to be processed.                                                                                                                                                                                                                                                                                                                                                             |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                          |
| <b>Usage</b>             | Use this component as a start component. It needs an output flow.                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                            |

## Related scenarios


For related topics, see:

- [the section called “Scenario: Reading master data in an MDM hub”](#).
- [the section called “Scenario: Writing data in an .sav file”](#).

# tSybaseSCD



## tSybaseSCD properties

|                         |                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Function</b>         | <b>tSybaseSCD</b> reflects and tracks changes in a dedicated Sybase SCD table.                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purpose</b>          | <b>tSybaseSCD</b> addresses Slowly Changing Dimension needs, reading regularly a source of data and logging the changes into a dedicated SCD table |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                               | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         |                                                                                                                                                    | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Use an existing connection</i>                                                                                                                  | <p>Select this check box and click the relevant DB connection component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                        | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Port</i>                                                                                                                                        | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Database</i>                                                                                                                                    | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Table</i>                                                                                                                                       | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Schema and Edit schema</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .      |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                         |
|                          | <i>SCD Editor</i>                                                                                                                                                                                                                                                                                                                                                     | The SCD editor helps to build and configure the data flow for slowly changing dimension outputs.<br><br>For more information, see <a href="#">the section called “SCD management methodologies”</a> .             |
|                          | <i>Use memory saving Mode</i>                                                                                                                                                                                                                                                                                                                                         | Select this check box to maximize system performance.                                                                                                                                                             |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is cleared by default, meaning to skip the row on error and to complete the process for error-free rows.                                                                                           |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>                                                                                                                                                                                                                                                                                                                                     | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> . |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                 |
|                          | <i>Debug mode</i>                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step during processing entries in a database.                                                                                                                               |
| <b>Usage</b>             | This component is used as Output component. It requires an Input component and Row main link as input.                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                   |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                   |


## Related scenarios

For related topics, see [the section called “tMysqlSCD”](#).

# tSybaseSCDELT



## tSybaseSCDELT Properties

|                         |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>         | <b>tSybaseSCDELT</b> reflects and tracks changes in a dedicated Sybase SCD table.                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>          | <b>tSybaseSCDELT</b> addresses Slowly Changing Dimension needs through SQL queries (server-side processing mode), and logs the changes into a dedicated Sybase SCD table. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                      | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         |                                                                                                                                                                           | <b>Built-in:</b> No property data stored centrally. Enter properties manually.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Use an existing connection</i>                                                                                                                                         | <p>Select this check box and click the relevant <b>tSybaseConnection</b> component on the <b>Component List</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                               | The IP address of the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Port</i>                                                                                                                                                               | Listening port number of database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Database</i>                                                                                                                                                           | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                       | User authentication data for a dedicated database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Source table</i>                                                                                                                                                       | Name of the input Sybase SCD table.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|  |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Table</i>                  | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>Action on table</i>        | <p>Select to perform one of the following operations on the table defined:</p> <p><b>None:</b> No action carried out on the table.</p> <p><b>Drop and create table:</b> The table is removed and created again</p> <p><b>Create table:</b> A new table gets created.</p> <p><b>Create table if not exists:</b> A table gets created if it does not exist.</p> <p><b>Clear table:</b> The table content is deleted. You have the possibility to rollback the operation.</p> <p><b>Truncate table:</b> The table content is deleted. You don not have the possibility to rollback the operation.</p>                                                                                                                                                                                                                                                     |
|  | <i>Schema and Edit schema</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  |                               | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|  | <i>Surrogate Key</i>          | Select the surrogate key column from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Creation</i>               | <p>Select the method to be used for the surrogate key generation.</p> <p>For more information regarding the creation methods, see <a href="#">the section called “SCD keys”</a>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|  | <i>Source Keys</i>            | Select one or more columns to be used as keys, to ensure the unicity of incoming data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|  | <i>Use SCD Type 1 fields</i>  | Use type 1 if tracking changes is not necessary. SCD Type 1 should be used for typos corrections for example. Select the columns of the schema that will be checked for changes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|  | <i>Use SCD Type 2 fields</i>  | <p>Use type 2 if changes need to be tracked down. SCD Type 2 should be used to trace updates for example. Select the columns of the schema that will be checked for changes.</p> <p><b>Start date:</b> Adds a column to your SCD schema to hold the start date value. You can select one of the input schema columns as Start Date in the SCD table.</p> <p><b>End Date:</b> Adds a column to your SCD schema to hold the end date value for the record. When the record is currently active, the End Date column shows a null value, or you can select <b>Fixed Year value</b> and fill it in with a fictive year to avoid having a null value in the End Date field.</p> <p><b>Log Active Status:</b> Adds a column to your SCD schema to hold the <b>true</b> or <b>false</b> status value. This column helps to easily spot the active record.</p> |



|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Log versions:</b> Adds a column to your SCD schema to hold the version number of the record.                                                                                                                               |
| <b>Advanced settings</b> | <i>Additional parameters</i>                                                                                                                                                                                                                                                                                                                                          | <i>JDBC</i> Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> . |
|                          | <i>Debug mode</i>                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step during processing entries in a database.                                                                                                                                           |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                             |
| <b>Usage</b>             | This component is used as an output component. It requires an input component and Row main link as input.                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                               |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                               |

## Related Scenario

For related topics, see [the section called “tMysqlSCD”](#) and [the section called “Scenario: Tracking changes using Slowly Changing Dimensions \(type 0 through type 3\)”](#).



# Cloud components

This chapter details the main components which you can find in the **Cloud** family of the *Talend Open Studio for Big Data Palette*.

Private and public cloud databases, data services and SaaS-based applications (CRM, HR, ERP, etc.) are springing up alongside on-premise applications and databases that have been the mainstay of corporate IT. The resulting hybrid IT environments have more sources, of more diverse types, which require more modes of integration, and more effort on data quality and consistency across sources.

The Cloud family comprises the most popular database connectors adapted to Cloud and SaaS applications and technologies.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tAmazonMysqlClose



## tAmazonMysqlClose properties

|                          |                                                                                                                                               |                                                                                                                             |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Function</b>          | tAmazonMysqlClose closes the transaction committed in the connected DB.                                                                       |                                                                                                                             |
| <b>Purpose</b>           | Close a transaction.                                                                                                                          |                                                                                                                             |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                         | Select the <b>tAmazonMysqlConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                | Select this check box to collect log data at the component level.                                                           |
| <b>Usage</b>             | This component is to be used along with AmazonMysql components, especially with <b>tAmazonMysqlConnection</b> and <b>tAmazonMysqlCommit</b> . |                                                                                                                             |
| <b>Limitation</b>        | n/a                                                                                                                                           |                                                                                                                             |

## Related scenario


No scenario is available for this component yet.

# tAmazonMysqlCommit



## tAmazonMysqlCommit Properties

This component is closely related to **tAmazonMysqlConnection** and **tAmazonMysqlRollback**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Cloud/AmazonRDS/<br>MySQL                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>          | Validates the data processed through the job into the connected DB                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tAmazonMysqlConnection</b> component in the list if more than one connection are planned for the current job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close Connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tAmazonMysqlCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             | This component is to be used along with AmazonMysql components, especially with <b>tAmazonMysqlConnection</b> and <b>tAmazonMysqlRollback</b> components.                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## Related scenario

This component is closely related to **tAmazonMysqlConnection** and **tAmazonMysqlRollback**. It usually doesn't make much sense to use one of these without using a **tAmazonMysqlConnection** component to open a connection for the current transaction.

For **tAmazonMysqlCommit** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tAmazonMysqlConnection



## tAmazonMysqlConnection Properties

This component is closely related to **tAmazonMysqlCommit** and **tAmazonMysqlRollback**. It usually doesn't make much sense to use one of these without using a **tAmazonMysqlConnection** component to open a connection for the current transaction.

|                          |                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Cloud/AmazonRDS/<br>MySQL                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | Opens a connection to the database for a current transaction.                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>DB Version</i>                                                                                                                                     | MySQL 5 is available.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Host</i>                                                                                                                                           | Database server IP address.                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Port</i>                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                          | <i>Database</i>                                                                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Additional parameters</i>                                                                                                                          | <i>JDBC</i> Specify additional connection properties for the DB connection you are creating.                                                                                                                                                                                                                                                     |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Auto Commit</i>                                                                                                                                    | Select this check box to automatically commit a transaction when it is completed.                                                                                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                |
| <b>Usage</b>             | This component is to be used along with AmazonMysql components, especially with <b>tAmazonMysqlCommit</b> and <b>tAmazonMysqlRollback</b> components. |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | n/a                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                  |


## Scenario: Inserting data in mother/daughter tables

The following Job is dedicated to advanced database users, who want to carry out multiple table insertions using a parent table id to feed a child table. As a prerequisite to this Job, follow the steps described below to create the relevant tables using an engine such as *innodb*.

### Setting up the Job

1. In a command line editor, connect to your Mysql server. Once connected to the relevant database, type in the following command to create the parent table: `create table f1090_mum(id int not null auto_increment, name varchar(10), primary key(id)) engine=innodb.`
2. Then create the second table: `create table baby (id_baby int not null, years int) engine=innodb.`

Back into *Talend Open Studio for Big Data*, the Job requires seven components including **tAmazonMysqlConnection** and **tAmazonMysqlCommit**.




3. Drag and drop the following components from the **Palette**: **tFileList**, **tFileInputDelimited**, **tMap**, **tAmazonMysqlOutput** (x2).
4. Connect the **tFileList** component to the input file component using an **Iterate** link as the name of the file to be processed will be dynamically filled in from the **tFileList** directory using a global variable.
5. Connect the **tFileInputDelimited** component to the **tMap** and dispatch the flow between the two output AmazonMysql DB components. Use a **Row** link for each for these connections representing the main data flow.
6. Set the **tFileList** component properties, such as the directory name where files will be fetched from.
7. Add a **tAmazonMysqlConnection** component and connect it to the starter component of this job, in this example, the **tFileList** component using an **OnComponentOk** link to define the execution order.

### Setting up the DB connection

In the **tAmazonMysqlConnection** Component view, set the connection details.

## Configuring the input component

1. On the **tFileInputDelimited** component's **Basic settings** panel, press **Ctrl+Space** bar to access the variable list. Set the **File Name** field to the global variable: *tFileList\_1.CURRENT\_FILEPATH*



2. Set the rest of the fields as usual, defining the row and field separators according to your file structure. Then set the schema manually through the **Edit schema** feature. Make sure the data type is correctly set, in accordance with the nature of the data processed.

## Configuring the tMap component

1. In the **tMap** Output area, add two output tables, one called **mum** for the parent table, the second called **baby**, for the child table.
2. Drag the *Name* column from the **Input** area, and drop it to the **mum** table. Drag the *Years* column from the **Input** area and drop it to the **baby** table.




Make sure the **mum** table is on the top of the **baby** table as the order is determining for the flow sequence hence the DB insert to perform correctly.

3. Then connect the output row link to distribute correctly the flow to the relevant DB output component.

## Configuring the output component

1. In each of the **tAmazonMysqlOutput** components' **Basic settings** panel, select the **Use an existing connection** check box to retrieve the **tAmazonMysqlConnection** details.






2. Set the **Table** name making sure it corresponds to the correct table, in this example either *f1090\_mum* or *f1090\_baby*.

There is no action on the table as they are already created.

3. Select **Insert** as **Action on data** for both output components. Click on **Sync columns** to retrieve the schema set in the **tMap**.
4. Go to the **Advanced settings** panel of each of the **tAmazonMysqlOutput** components. Notice that the **Commit every** field will get overridden by the **tAmazonMysqlCommit**.



5. In the **Additional columns** area of the DB output component corresponding to the child table (*f1090\_baby*), set the *id\_baby* column so that it reuses the *id* from the parent table. In the **SQL expression** field type in: `'(Select Last_Insert_id())'`.

The position is *Before* and the **Reference column** is *years*.

## Configuring the tAmazonMysqlCommit component

1. Add the **tAmazonMysqlCommit** component to the design workspace and connect it from the **tFileList** component using a **OnComponentOk** connection in order for the Job to terminate with the transaction commit.
2. On the **tAmazonMysqlCommit Component** view, select in the list the connection to be used.

## Job execution

Save your Job and press **F6** to execute it.

```
mysql> select * from f1090_mum
-> ;
+----+-----+
| id | names |
+----+-----+
6	john
7	bruce
8	beth
9	andrew
10	donald
11	betty
12	john
13	bruce
14	beth
15	andrew
16	donald
17	betty
+----+-----+
12 rows in set (0.00 sec)
```


```
mysql> select * from f1090_baby
-> ;
+----+-----+
| id_baby | years |
+----+-----+
6	10
7	23
8	34
9	10
10	23
11	34
12	10
13	23
14	34
15	10
16	23
17	34
+----+-----+
12 rows in set (0.00 sec)
```

The parent table *id* has been reused to feed the *id\_baby* column.

# tAmazonMysqlInput



## tAmazonMysqlInput properties

|                         |                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Cloud/<br>AmazonRDS/<br>MySQL                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | <b>tAmazonMysqlInput</b> reads a database and extracts fields based on a query.                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | <b>tAmazonMysqlInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a <b>Main</b> row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>DB Version</i>                                                                                                                                                                                             | MySQL 5 is available.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Use an existing connection</i>                                                                                                                                                                             | <p>Select this check box when using a configured <b>tAmazonMysqlConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                   | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                                                                                                                                   | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Database</i>                                                                                                                                                                                               | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                          | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |


|                          |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                     | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                         |
|                          | <i>Table Name</i>                                                   | Name of the table to be read.                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Query type and Query</i>                                         | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                        |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>                                   | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br>💡 When you need to handle data of the time-stamp type <code>0000-00-00 00:00:00</code> using this component, set the parameter as:<br><br><code>noDatetimeStringSync=true&amp;zeroDateTimeBehavior=convertToNull.</code> |
|                          | <i>Enable stream</i>                                                | Select this check box to enables streaming over buffering which allows the code to read from a large table without consuming a large amount of memory in order to optimize the performance.                                                                                                                                                                                                                                                       |
|                          | <i>Trim all the String/Char columns</i>                             | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Trim column</i>                                                  | Remove leading and trailing whitespace from defined columns.<br><br>💡 Deselect <b>Trim all the String/Char columns</b> to enable Trim columns in this field.                                                                                                                                                                                                                                                                                      |
|                          | <i>tStatCatcher Statistics</i>                                      | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Usage</b>             | This component covers all possible SQL queries for Mysql databases. |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Scenario1: Writing columns from a MySQL database to an output file

In this scenario we will read certain columns from a MySQL database, and then write them to a table in a local output file.

### Setting up the Job

1. Drop **tAmazonMysqlInput** and **tFileOutputDelimited** from the **Palette** onto the workspace.



2. Link **tAmazonMysqlInput** to **tFileOutputDelimited** using a **Row > Main** connection.

## Configuring the input component

1. Double-click **tAmazonMysqlInput** to open its **Basic Settings** view in the **Component** tab.

The screenshot shows the 'Basic settings' tab for the 'tAmazonMysqlInput' component. The configuration is as follows:

- Property Type:** Repository (dropdown), DB (MYSQL):mysql
- DB Version:** Mysql 5 (dropdown)
- Use an existing connection
- Host:** localhost (text), **Port:** 3306 (text)
- Database:** test (text)
- Username:** root (text), **Password:** \*\*\*\*\* (text)
- Schema:** Built-In (dropdown), Edit schema (button)
- Table Name:** employees (text)
- Query Type:** Built-In (dropdown), Guess Query (button), Guess schema (button)
- Query:** `"select id, first_name, city, salary from employees"` (text area)



For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

2. Define the database connection details.
3. Click **Edit schema** to define the desired schema.

The schema editor opens:


The screenshot shows the 'Schema of tAmazonMysqlInput\_1' dialog box. It contains a table with the following columns and rows:

| Column     | Key                                 | Type    | <input type="checkbox"/>            | N.. | Date P... | Le... | Pr... | D.. | C. |
|------------|-------------------------------------|---------|-------------------------------------|-----|-----------|-------|-------|-----|----|
| id         | <input checked="" type="checkbox"/> | int     | <input type="checkbox"/>            |     |           | 10    | 0     | "0" |    |
| first_name | <input type="checkbox"/>            | String  | <input checked="" type="checkbox"/> |     |           | 30    | 0     |     |    |
| city       | <input type="checkbox"/>            | String  | <input checked="" type="checkbox"/> |     |           | 30    | 0     |     |    |
| salary     | <input type="checkbox"/>            | Inte... | <input checked="" type="checkbox"/> |     |           | 10    | 0     |     |    |


Below the table are several icons for adding, deleting, and moving rows, and 'OK' and 'Cancel' buttons.

4. Click the [+] button to add the rows that you will use to define the schema, four columns in this example *id*, *first\_name*, *city* and *salary*.
5. Under **Column**, click in the fields to enter the corresponding column names.
6. Click the field under **Type** to define the type of data. Click **OK** to close the schema editor.
7. Next to the **Table Name** field, click the [...] button to select the database table of interest.

A dialog box displays a tree diagram of all the tables in the selected database:




8. Click the table of interest and then click **OK** to close the dialog box.
9. In the **Query** box, enter the query required to retrieve the desired columns from the table.



## Configuring the output component

1. Double-click **tFileOutputDelimited** to set its **Basic Settings** in the **Component** tab.



2. Next to the **File Name** field, click the [...] button to browse your directory to where you want to save the output file, then enter a name for the file.
3. Select the **Include Header** check box to retrieve the column names as well as the data.

## Job execution

Save the Job and press **F6** to run it.

The output file is written with the desired column names and corresponding data, retrieved from the database:

```

1 id;first_name;city;salary
2 1;Martin;Sacramento;9011
3 2;Zachary;Atlanta;8118
4 3;James;Hartford;5087
5 4;Herbert;Charleston;9233
6 5;Herbert;Hartford;6289
7 6;Ulysses;Nashville;6269

```




The Job can also be run in the **Traces Debug** mode, which allows you to view the rows as they are being written to the output file, in the workspace.


# tAmazonMysqlOutput








## tAmazonMysqlOutput properties

|                         |                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Cloud/AmazonRDS/<br>MySQL                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | <b>tAmazonMysqlOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | <b>tAmazonMysqlOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                              | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                                                                                                   | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>DB Version</i>                                                                                                                                                                 | MySQL 5 is available.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Use an existing connection</i>                                                                                                                                                 | <p>Select this check box when using a configured <b>tAmazonMysqlConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                       | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                                                                                                       | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Database</i>                                                                                                                                                                   | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                               | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Table</i>                                                                                                                                                                      | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |



|  |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Action on table</i> | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create table:</b> The table is removed and created again.</p> <p><b>Create table:</b> The table does not exist and gets created.</p> <p><b>Create table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear table:</b> The table content is deleted.</p> <p><b>Truncate table:</b> The table content is quickly deleted. However, you will not be able to rollback the operation.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>Action on data</i>  | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, the job stops.</p> <p><b>Update:</b> Make changes to existing entries.</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or creates them if they do not exist.</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p><b>Replace:</b> Add new entries to the table. If an old row in the table has the same value as a new row for a PRIMARY KEY or a UNIQUE index, the old row is deleted before the new row is inserted.</p> <p><b>Insert or update on duplicate key or unique index:</b> Add entries if the inserted value does not exist or update entries if the inserted value already exists and there is a risk of violating a unique index or primary key.</p> <p><b>Insert Ignore:</b> Add only new rows to prevent duplicate key errors.</p> <p> <i>You must specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the update and delete operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update</b> column, select the check boxes next to the column name on which you want to base the update</i></p> |

|                          |                               |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|-------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                               |             | <i>operation. Do the same in the <b>Key in delete</b> column for the deletion operation.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Schema and Edit schema</i> |             | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          |                               |             | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Die on error</i>           |             | This check box is selected by default. Clear the check box to skip the row in error and complete the process for error-free rows. If needed, you can retrieve the rows in error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Advanced settings</b> | <i>Additional parameters</i>  | <i>JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br> You can press <b>Ctrl+Space</b> to access a list of predefined global variables.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Extend Insert</i>          |             | Select this check box to carry out a bulk insert of a defined set of lines instead of inserting lines one by one. The gain in system performance is considerable.<br><br><b>Number of rows per insert:</b> enter the number of rows to be inserted per operation. Note that the higher the value specified, the lower performance levels shall be due to the increase in memory demands.<br><br> This option is not compatible with the <b>Reject</b> link. You should therefore clear the check box if you are using a <b>Row &gt; Rejects</b> link with this component.<br><br> <i>If you are using this component with <b>tMysqlLastInsertID</b>, ensure that the <b>Extend Insert</b> check box in <b>Advanced Settings</b> is not selected. <b>Extend Insert</b> allows for batch loading, however, if the check box is selected, only the ID of the last line of the last batch will be returned.</i> |
|                          | <i>Use batch size</i>         |             | Select this check box to activate the batch mode for data processing. In the <b>Batch Size</b> field that appears when this check box is selected, you can type in the number you need to define the batch size to be processed.<br><br> This check box is available only when you have selected, the <b>Update</b> or the <b>Delete</b> option in the <b>Action on data</b> field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Commit every</i>           |             | Number of rows to be included in the batch before it is committed to the DB. This option ensures transaction quality (but not rollback) and, above all, a higher performance level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Additional Columns</i>     |             | This option is not available if you have just created the DB table (even if you delete it beforehand). This option allows                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |


|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | you to call SQL functions to perform actions on columns, provided that these are not insert, update or delete actions, or actions that require pre-processing.                                                                                                                                                                                                                                                                                                                                                  |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Name:</b> Type in the name of the schema column to be altered or inserted.                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the data in the corresponding column.                                                                                                                                                                                                                                                                                                                                                                               |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> , depending on the action to be performed on the reference column.                                                                                                                                                                                                                                                                                                                                                                       |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Reference column:</b> Type in a reference column that <b>tAmazonMysqlOutput</b> can use to locate or replace the new column, or the column to be modified.                                                                                                                                                                                                                                                                                                                                                   |
|              | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to customize a request, particularly if multiple actions are being carried out on the data.                                                                                                                                                                                                                                                                                                                                                                                               |
|              | <i>Use Hint Options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Select this check box to activate the hint configuration area which helps you optimize a query's execution. In this area, parameters are:<br><br>- <b>HINT:</b> specify the hint you need, using the syntax<br><br><pre>/*+ */.</pre><br>- <b>POSITION:</b> specify where you put the hint in a SQL statement.<br><br>- <b>SQL STMT:</b> select the SQL statement you need to use.                                                                                                                              |
|              | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to display each step involved in the process of writing data in the database.                                                                                                                                                                                                                                                                                                                                                                                                             |
|              | <i>Use duplicate key update mode insert</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Updates the values of the columns specified, in the event of duplicate primary keys.:<br><br><b>Column:</b> Between double quotation marks, enter the name of the column to be updated.<br><br><b>Value:</b> Enter the action you want to carry out on the column.<br><br> To use this option you must first of all select the <b>Insert</b> mode in the <b>Action on data</b> list found in the <b>Basic Settings</b> view. |
|              | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Usage</b> | This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.<br><br>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a MySQL database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tAmazonMysqlOutput</b> in use, see <a href="#">the section called "Scenario 3: Retrieve data in error with a Reject link"</a> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Scenario 1: Adding a new column and altering data in a DB table

This Java scenario is a three-component Job that aims at creating random data using a **tRowGenerator**, duplicating a column to be altered using the **tMap** component, and eventually altering the data to be inserted based on an SQL expression using the **tAmazonMySQLOutput** component.


### Setting up the Job

1. Drop the following components from the **Palette** onto the design workspace: **tRowGenerator**, **tMap** and **tAmazonMySQLOutput**.
2. Connect **tRowGenerator**, **tMap**, and **tAmazonMySQLOutput** using the **Row Main** link.




### Configuring the input component


1. In the design workspace, select **tRowGenerator** to display its **Basic settings** view.



2. Click the **Edit schema** three-dot button to define the data to pass on to the **tMap** component, two columns in this scenario, *name* and *random\_date*.




3. Click **OK** to close the dialog box.
4. Click the **RowGenerator Editor** three-dot button to open the editor and define the data to be generated.




- Click in the corresponding **Functions** fields and select a function for each of the two columns, `getFirstName` for the first column and `getrandomDate` for the second column.
- In the **Number of Rows for Rowgenerator** field, enter 10 to generate ten first name rows and click **Ok** to close the editor.

## Configuring the tMap component

- Double-click the **tMap** component to open the Map editor. The Map editor opens displaying the input metadata of the **tRowGenerator** component.




- In the **Schema editor** panel of the Map editor, click the **[+]** button of the output table to add two rows and define the first as `random_date` and the second as `random_date1`.



In this scenario, we want to duplicate the *random\_date* column and adapt the schema in order to alter the data in the output component.


- In the Map editor, drag the *random\_date* row from the input table to the *random\_date* and *random\_date1* rows in the output table.



- Click **OK** to close the editor.

## Configuring the output component

- In the design workspace, double-click the **tAmazonMysqlOutput** component to display its **Basic settings** view and set its parameters.



*For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.*

- Fill in the database connection details.
- Click the [...] button next to the **Table** field and select the table to be altered, *Dates* in this scenario.

4. On the **Action on table** list, select **Drop table if exists and create**, select *Insert* on the **Action on data** list.
5. If needed, click **Sync columns** to synchronize with the columns coming from the **tMap** component.
6. Click the **Advanced settings** tab to display the corresponding view and set the advanced parameters.

The screenshot shows the configuration interface for a database table. The 'Advanced settings' tab is active. The 'Additional columns' table is as follows:

| Name            | SQL expression | Position | Reference column |
|-----------------|----------------|----------|------------------|
| "One_Month_L... | VARCHAR(50)    | Replace  |                  |

Other visible settings include 'Additional JDBC Parameters' (empty), 'Extend Insert' (unchecked), and 'Commit every' (10000).

7. In the **Additional Columns** area, set the alteration to be performed on columns.

In this scenario, the *One\_month\_later* column replaces *random\_date\_1*. Also, the data itself gets altered using an SQL expression that adds one month to the randomly picked-up date of the *random\_date\_1* column. ex: 2007-08-12 becomes 2007-09-12.

-Enter *One\_Month\_Later* in the **Name** cell.

-In the **SQL expression** cell, enter the relevant addition script to be performed, "adddate(Random\_date, interval 1 month)" in this scenario.

-Select **Replace** on the **Position** list.

-Enter *Random\_date1* on the **Reference column** list.



For this job we duplicated the *random\_date\_1* column in the DB table before replacing one instance of it with the *One\_Month\_Later* column. The aim of this workaround was to be able to view upfront the modification performed.

## Job execution

Save your Job and press **F6** to execute it.

The new *One\_month\_later* column replaces the *random\_date1* column in the DB table and adds one month to each of the randomly generated dates.

| Random_date         | One_Month_Later     |
|---------------------|---------------------|
| 2007-03-13 21:52:09 | 2007-04-13 21:52:09 |
| 2008-11-02 15:33:29 | 2008-12-02 15:33:29 |
| 2008-05-17 18:47:15 | 2008-06-17 18:47:15 |
| 2007-09-06 17:44:36 | 2007-10-06 17:44:36 |
| 2008-11-17 11:46:36 | 2008-12-17 11:46:36 |
| 2007-05-19 00:46:58 | 2007-06-19 00:46:58 |
| 2008-04-20 15:36:00 | 2008-05-20 15:36:00 |
| 2007-07-24 21:06:08 | 2007-08-24 21:06:08 |
| 2008-04-03 13:24:17 | 2008-05-03 13:24:17 |
| 2007-06-29 13:22:23 | 2007-07-29 13:22:23 |


Related topic: see [the section called “tDBOutput properties”](#).

## Scenario 2: Updating data in a database table

This Java scenario describes a two-component Job that updates data in a MySQL table according to that in a delimited file.

### Setting up the Job

- Drop **tFileInputDelimited** and **tAmazonMysqlOutput** from the **Palette** onto the design workspace. Connect the two components together using a **Row Main** link.



### Configuring the input component

- Double-click **tFileInputDelimited** to display its **Basic settings** view and define the component properties.



For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

- Fill in the database connection details.
- In the **File Name** field, click the [...] button and browse to the source delimited file that contains the modifications to propagate in the MySQL table.

In this example, we use the *customer\_update* file that holds four columns: *id*, *CustomerName*, *CustomerAddress* and *idState*. Some of the data in these four columns is different from that in the MySQL table.




| id  | CustomerName                   | CustomerAddress        | idState |
|-----|--------------------------------|------------------------|---------|
| 858 | Froggy's Gourmet Catering      | 1831 Beverly Place #9D | 4       |
| 859 | Dependable Plumbing and Sewer  | 1550 Ridge Rd.         | 25      |
| 860 | Lickmen Restoration            | 1235 Easton Rd.        | 40      |
| 861 | Acturial Enterprises Ltd.      | 3148 cottonwood Ct.    | 18      |
| 862 | Rythmics Ltd.                  | 857 Woodbine Rd        | 30      |
| 863 | Acturial Enterprises Ltd.      | 1482 Concorde Circle   | 48      |
| 864 | Crosstracks Car Wash           | 218 Oakridge Ave.      | 39      |
| 865 | Meonits & Mogogni Inc.         | 616 Cobblestone Cir.   | 17      |
| 866 | Foy Aviation                   | 2220 Grant Blvd.       | 50      |
| 867 | Ebert Music Center             | 12 Broadview Lane      | 29      |
| 868 | janice Mann Accounting Service | 1660 Park Ave.         | 9       |
| 869 | Johnson, Erico & Co CPA's      | 2922 Twin Oaks Drive   | 40      |
| 870 | Corbins, Rodriguez, & Savocchi | 115 Pleasant Ave.      | 18      |
| 871 | Nina's Snow Plowing            | 3385 University Ave.   | 20      |
| 872 | Darcy Frame and Matting Servic | 1101 Deerfield Place   | 47      |
| 873 | Marks, Marks, and Kaplan Ltd.  | 1949 Cloverdale Rd.    | 9       |

- Define the row and field separators used in the source file in the corresponding fields. If needed, set **Header**, **Footer** and **Limit**.

In this example, **Header** is set to 1 since the first row holds the names of columns, therefore it should be ignored. Also, the number of processed lines is limited to 2000.

- Click the [...] button next to **Edit Schema** to open a dialog box where you can describe the data structure of the source delimited file that you want to pass to the component that follows.

| Column                                                                                 | Key                                 | Type    | <input checked="" type="checkbox"/> | Nullable                            |
|----------------------------------------------------------------------------------------|-------------------------------------|---------|-------------------------------------|-------------------------------------|
|  id | <input checked="" type="checkbox"/> | Integer | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| CustomerName                                                                           | <input type="checkbox"/>            | String  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| CustomerAddress                                                                        | <input type="checkbox"/>            | String  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| idState                                                                                | <input type="checkbox"/>            | Integer | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |


- Select the **Key** check box(es) next to the column name(s) you want to define as key column(s).



It is necessary to define at least one column as a key column for the Job to be executed correctly. Otherwise, the Job is automatically interrupted and an error message displays on the console.

## Configuring the output component

- In the design workspace, double-click **tAmazonMysqlOutput** to open its **Basic settings** view where you can define its properties.

Property Type Built-In 

Use an existing connection

Host "localhost" \* Port "3306" \*

Database "test" \*

Username "root" \* Password "toor" \*

Table "customers" ... 🔍

Action on table None ▼ Action on data Update ▼

Schema Built-In ▼ Edit schema ... Sync columns

Die on error

- Click **Sync columns** to retrieve the schema of the preceding component. If needed, click the [...] button next to **Edit schema** to open a dialog box where you can check the retrieved schema.

3. Fill in the database connection information in the corresponding fields.
4. In the **Table** field, enter the name of the table to update.
5. From the **Action on table** list, select the operation you want to perform, **None** in this example since the table already exists.
6. From the **Action on data** list, select the operation you want to perform on the data, **Update** in this example.

## Job execution

Save your Job and press **F6** to execute it.


| id  | CustomerName                  | CustomerAddress        | idState |
|-----|-------------------------------|------------------------|---------|
| 858 | Froggy's Gourmet Catering     | 1831 Beverly Place #9D | 4       |
| 859 | Dependable Plumbing and Sewer | 1550 Ridge Rd.         | 25      |
| 860 | Lickmen Restoration           | 1235 Easton Rd.        | 40      |
| 861 | Acturial Enterprises Ltd.     | 3148 Cottonwood Ct.    | 18      |
| 862 | Rythmics Ltd.                 | 857 Woodbine Rd        | 30      |
| 863 | Acturial Enterprises Ltd.     | 1482 Concorde Circle   | 48      |
| 864 | Crosstracks Car Wash          | 218 Oakridge Ave.      | 39      |
| 865 | Meonits & Mogogni Inc.        | 616 Cobblestone Cir.   | 17      |
| 866 | Foy Aviation                  | 2220 Grant Blvd.       | 50      |
| 867 | Ebert Music Center            | 12 Broadview Lane      | 29      |
| 868 | janice Mann Accounting Serv   | 1660 Park Ave.         | 9       |
| 869 | Johnson, Erico & Co CPA's     | 2922 Twin Oaks Drive   | 40      |
| 870 | Corbins, Rodriguez, & Savocch | 115 Pleasent Ave.      | 18      |
| 871 | Nina's Snow Plowing           | 3385 University Ave.   | 20      |
| 872 | Darcy Frame and Matting Serv  | 1101 Deerfield Place   | 47      |
| 873 | Marks, Marks, and Kaplan Ltd. | 1949 Cloverdale Rd.    | 9       |

Using your DB browser, you can verify if the MySQL table, *customers*, has been modified according to the delimited file.

In the above example, the database table has always the four columns *id*, *CustomerName*, *CustomerAddress* and *idState*, but certain fields have been modified according to the data in the delimited file used.

## Scenario 3: Retrieve data in error with a Reject link

This scenario describes a four-component Job that carries out migration from a customer file to a MySQL database table and redirects data in error towards a CSV file using a **Reject** link.




## Setting up the Job

1. Drop a **tFileInputDelimited** component from the family **File > Input**, in the **Palette**, and fill in its properties manually in the **Component** tab.
2. From the **Palette**, drop a **tMap** from the **Processing** family onto the workspace.
3. Drop a **tAmazonMysqlOutput** from the **Databases** family in the **Palette** and fill in its properties manually in the **Component** tab.
4. From the **Palette**, select a **tFileOutputDelimited** from the **File > Output** family, and drop it onto the workspace.
5. Link the **customers** component to the **tMap** component, and the **tMap** and **Localhost** with a **Row Main** link. Name this second link **out**.
6. Link the **Localhost** to the **tFileOutputDelimited** using a **Row > Reject** link.

## Configuring the input component

1. Double-click the **customers** component to display the **Component** view.




For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

2. Click the [...] button next to the **File Name** field, and fill in the path and the name of the file you want to use.
3. In the **Row** and **Field Separator** fields, type in between inverted commas the row and field separator used in the file.


- In the **Header**, **Footer** and **Limit** fields, type in the number of headers and footers to ignore, and the number of rows to which processing should be limited.
- Click the [...] button next to the **Edit schema** field, and set the schema manually.

The schema is as follows:




## Configuring the tMap component


- Double-click the **tMap** component to open its editor.



- Select the *id*, *CustomerName*, *CustomerAddress*, *idState*, *id2*, *RegTime* and *RegisterTime* columns on the table on the left and drop them on the **out** table, on the right.



- In the **Schema editor** area, at the bottom of the **tMap** editor, in the right table, change the length of the **CustomerName** column to 28 to create an error. Thus, any data for which the length is greater than 28 will create errors, retrieved with the **Reject** link.
- Click **OK**. In the workspace, double-click the output **Localhost** component to display its **Component** view.




For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

- Fill in the database connection details in the corresponding fields.
- In the **Table** field, type in the name of the table to be created. In this scenario, we call it *customers\_data*. In the **Action on data** list, select the **Create table** option. Click the **Sync columns** button to retrieve the schema from the previous component.

Make sure the **Die on error** check box isn't selected, so that the Job can be executed despite the error you just created.


- Click the **Advanced settings** tab of the **Component** view to set the advanced parameters of the component.



8. Deselect the **Extend Insert** check box which enables you to insert rows in batch, because this option is not compatible with the **Reject** link.

## Configuring the output component

1. Double-click the **tFileOutputDelimited** component to set its properties in the **Component** view.



2. Click the [...] button next to the **File Name** field to fill in the path and name of the output file. Click the **Sync columns** button to retrieve the schema of the previous component.

## Job execution

Save your Job and press **F6** to execute it.

|    |                 |               |    |    |               |                  |                                |
|----|-----------------|---------------|----|----|---------------|------------------|--------------------------------|
| 1  | Griffith Paving | talend@apres  | 7  | 41 | #####         | 2001-01-17 06:2E | Data truncation: Data too long |
| 5  | Terrinni & Sol  | 770 Exmoor F  | 5  | 9  | #####         | 1982-04-19 10:2E | Data truncation: Data too long |
| 10 | Elle Hypnosis   | 2032 Northbr  | 1  | 7  | #####         | 1975-06-10 20:2C | Data truncation: Data too long |
| 15 | Darcy Frame     | 1633 McGove   | 21 | 28 | #####         | 2001-01-07 20:4C | Data truncation: Data too long |
| 19 | Salt & Peppe    | 965 Marion P  | 44 | 33 | #####         | 2006-01-24 10:5E | Data truncation: Data too long |
| 31 | Arthur M. Fei   | 1220 Heather  | 37 | 24 | #####         | 1974-07-24 20:4E | Data truncation: Data too long |
| 36 | Got It All Ele  | 629 Kincaid A | 22 | 28 | #####         | 1993-10-22 15:2E | Data truncation: Data too long |
| 53 | Crossroads C    | 2267 Andersc  | 5  | 14 | #####         | 1977-10-24 17:5E | Data truncation: Data too long |
| 54 | Jay's Cabinet   | 2024 St.John  | 48 | 48 | 2006-02-29 0E | 2001-01-10 07:4E | Data truncation: Data too long |
| 57 | Lee Stairwork   | 2644 Princet  | 41 | 46 | #####         | 1992-04-15 09:41 | Data truncation: Data too long |
| 58 | Lambert & Lo    | 662 Lyons Ci  | 45 | 17 | #####         | 2002-11-22 04:2E | Data truncation: Data too long |
| 70 | Janice Mann     | 3181 Barkwo   | 28 | 35 | #####         | 1983-04-20 15:2C | Data truncation: Data too long |
| 72 | Michael Mont    | 1077 Court A  | 9  | 9  | #####         | 2000-10-07 00:2C | Data truncation: Data too long |
| 83 | Dean Barnett    | 2922 Twin Oa  | 18 | 46 | #####         | 2006-03-23 10:14 | Data truncation: Data too long |
| 96 | Doerner's Aw    | 616 Cobblest  | 26 | 28 | #####         | 1993-05-03 04:3E | Data truncation: Data too long |
| ## | Auto Interior   | 844 Spruce S  | 48 | 40 | #####         | 2006-04-25 13:14 | Data truncation: Data too long |
| ## | First National  | 465 Stratford | 5  | 41 | #####         | 2003-09-23 01:54 | Data truncation: Data too long |
| ## | Terrinni & Sol  | 1859 Green E  | 12 | 44 | #####         | 1986-12-26 05:4E | Data truncation: Data too long |

The data in error are sent to the delimited file, as well as the error type met. Here, we have: **Data truncation**.

# tAmazonMysqlRollback



## tAmazonMysqlRollback properties


This component is closely related to **tAmazonMysqlCommit** and **tAmazonMysqlConnection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                         |                                                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Cloud/AmazonRDS/<br>Mysql                                                                                                                               |                                                                                                                             |
| <b>Function</b>          | Cancel the transaction commit in the connected DB.                                                                                                      |                                                                                                                             |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                                                   |                                                                                                                             |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                   | Select the <b>tAmazonMysqlConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                                                 | Clear this check box to continue to use the selected connection once the component has performed its task.                  |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                          | Select this check box to collect log data at the component level.                                                           |
| <b>Usage</b>             | This component is to be used along with AmazonMysql components, especially with <b>tAmazonMysqlConnection</b> and <b>tAmazonMysqlCommit</b> components. |                                                                                                                             |
| <b>Limitation</b>        | n/a                                                                                                                                                     |                                                                                                                             |

## Scenario: Rollback from inserting data in mother/daughter tables

Based on [the section called “Scenario: Inserting data in mother/daughter tables”](#), insert a rollback function in order to prevent unwanted commit.






1. Drag and drop a **tAmazonMysqlRollback** to the design workspace and connect it to the Start component.
2. Set the Rollback unique field on the relevant DB connection.


This complementary element to the Job ensures that the transaction will not be partly committed.

# tAmazonMysqlRow




## tAmazonMysqlRow properties

|                         |                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Cloud/Amazon/MySQL                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | tAmazonMysqlRow is the specific component for this database query. It executes the SQL query stated in the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | Depending on the nature of the query and the database, tAmazonMysqlRow acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                      | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                                                                                                                                                           | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>DB Version</i>                                                                                                                                                                                                                         | MySQL 5 is available.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                         | <p>Select this check box and click the relevant <b>tAmazonMysqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                               | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Port</i>                                                                                                                                                                                                                               | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Database</i>                                                                                                                                                                                                                           | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                       | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                          |                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Schema and Edit Schema</i>      | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          |                                    | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Table Name</i>                  | Name of the table to be processed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Query type</i>                  | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                    | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Guess Query</i>                 | Click the <b>GUESS QUERY</b> button to generate the query which corresponds to your table schema in the <b>Query</b> field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Query</i>                       | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Die on error</i>                | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>  | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Propagate QUERY's recordset</i> | Select this check box to insert the result of the query in a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Use PreparedStatement</i>       | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStatCatcher Statistics</i>     | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             |                                    | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## Scenario 1: Removing and regenerating a MySQL table index

This scenario describes a four-component job that removes a table index, applies a select insert action onto a table then regenerates the index.



### Setting up the Job

1. Select and drop the following components onto the design workspace: **tAmazonMysqlRow** (x2), **tRowGenerator**, and **tAmazonMysqlOutput**.
2. Connect **tRowGenerator** to **tAmazonMysqlOutput**.
3. Using a **OnComponentOk** connections, link the first **tAmazonMysqlRow** to **tRowGenerator** and **tRowGenerator** to the second **tAmazonMysqlRow**.

### Configuring the tAmazonMysqlRow component

1. Select the **tAmazonMysqlRow** to fill in the DB **Basic settings**.
2. Fill in the database connection details in the corresponding fields.
3. Propagate the properties and schema details onto the other components of the Job.
4. Type in the following SQL statement to alter the database entries: drop index <index\_name> on <table\_name>
5. Select the second **tAmazonMysqlRow** component, check the DB properties and schema.
6. Type in the SQL statement to recreate an index on the table using the following statement: create index <index\_name> on <table\_name> (<column\_name>)

The **tRowGenerator** component is used to generate automatically the columns to be added to the DB output table defined.

## Configuring the output component

1. Select the **tAmazonMySQLOutput** component and fill in the DB connection properties>. The table to be fed is named: *comprehensive*.
2. The schema should be automatically inherited from the data flow coming from the **tRowGenerator**. Edit the schema to check its structure and check that it corresponds to the schema expected on the DB table specified.
3. The **Action on table** is *None* and the **Action on data** is *Insert*.

## Job execution

Press **F6** to run the job.


If you manage to watch the action on DB data, you can notice that the index is dropped at the start of the job and recreated at the end of the insert action.

Related topics: [the section called “tDBSQLRow properties”](#).

## Scenario 2: Using PreparedStatement objects to query data


This scenario describes a four component job which allows you to link a table column with a client file. The MySQL table contains a list of all the American States along with the State ID, while the file contains the customer information including the ID of the State in which they live. We want to retrieve the name of the State for each client, using an SQL query. In order to process a large volume of data quickly, we use a PreparedStatement object which means that the query is executed only once rather than against each row in turn. Then each row is sent as a parameter.


For this scenario, we use a file and a database for which we have already stored the connection and properties in the Repository metadata. For further information concerning the creation of metadata in delimited files, the creation of database connection metadata and the usage of metadata, see *Talend Open Studio for Big Data User Guide*.




## Configuring the input component

1. Drop a **tFileInputDelimited** component from the **Palette** onto the design workspace, and double-click it to open its **Basic settings** view.



 For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.


2. Define the path to the input file, the row separator, the field separator, the header, and the footer in the corresponding fields.
3. Click on [...] next to the **Edit schema** field to add a column into which the name of the State will be inserted.



4. Click on the [+] button to add a column to the schema. Rename this column *LabelStateRecordSet* and select **Object** from the **Type** list. Click **OK** to save your modifications.
5. From the **Palette**, select the **tAmazonMysqlRow**, **tParseRecordSet** and **tFileOutputDelimited** components and drop them onto the workspace. Connect the four components using **Row > Main** type links.

## Setting up the DB connection

1. Double-click **tAmazonMysqlRow** to set its properties in the **Basic settings** tab of the **Component** view.

 For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

2. Fill in the database connection details in the corresponding fields.
3. Click the **Sync columns** button to retrieve the schema from the preceding component.
4. In the **Query** field, enter the SQL query you want to use. Here, we want to retrieve the names of the American States from the *LabelState* column of the MySQL table, *us\_state*:

```
"SELECT LabelState
FROM us_state WHERE idState=?"
```

The question mark, “?”, represents the parameter to be set in the **Advanced settings** tab.

## Configuring the Advanced settings of tAmazonMysqlRow

1. Click **Advanced settings** to set the component's advanced properties.


| Parameter Index | Parameter Type | Parameter Value |
|-----------------|----------------|-----------------|
| 1               | Int            | row1.idState    |

2. Select the **Propagate QUERY's recordset** check box and select the *LabelStateRecordSet* column from the **use column** list to insert the query results in that column.

3. Select the **Use PreparedStatement** check box and define the parameter used in the query in the **Set PreparedStatement Parameters** table. Click on the [+] button to add a parameter.
4. In the **Parameter Index** cell, enter the parameter position in the SQL instruction. Enter “1” as we are only using one parameter in this example.
5. In the **Parameter Type** cell, enter the type of parameter. Here, the parameter is a whole number, hence, select **Int** from the list.
6. In the **Parameter Value** cell, enter the parameter value. Here, we want to retrieve the name of the State based on the State ID for every client in the input file. Hence, enter “row1 . idState” .

## Configuring the tParseRecordSet component

1. Double-click **tParseRecordSet** to set its properties in the **Basic settings** tab of the **Component** view.




2. From the **Prev. Comp. Column list**, select the preceding components column for analysis. In this example, select *LabelStateRecordSet*.
3. Click on the **Sync columns** button to retrieve the schema from the preceding component. The **Attribute table** is automatically completed with the schema columns.
4. In the **Attribute table**, in the **Value** field which corresponds to the *LabelStateRecordSet*, enter the name of the column containing the State names to be retrieved and matched with each client, within double quotation marks. In this example, enter “*LabelState*”.

## Configuring the output component

1. Double-click **tFileOutputDelimited** to set its properties in the **Basic settings** tab of the **Component** view.





- In the **File Name** field, enter the access path and name of the output file. Click **Sync columns** to retrieve the schema from the preceding component.

## Job execution

Save your Job and press **F6** to run it.

|    | A  | B               | C             | D  | E  | F                | G              | H        | O            |
|----|----|-----------------|---------------|----|----|------------------|----------------|----------|--------------|
| 1  | 1  | Griffith Paving | talend@apres  | 7  | 41 | 03/11/2006 09:20 | 2001-01-17 06: | 67852.0  | Connecticut  |
| 2  | 2  | Bill's Dive Shi | 511 Maple Av  | 35 | 5  | 19/11/2004 15:48 | 2002-06-07 09: | 88792.0  | Ohio         |
| 3  | 3  | Childress Chi   | 662 Lyons Ci  | 1  | 28 | 16/02/2005 08:27 | 1990-04-01 21: | 35340.0  | Alabama      |
| 4  | 4  | Facelift Kitch  | 220 Vine Ave  | 41 | 15 | 22/08/2002 09:55 | 1972-04-23 18: | 16097.0  | South Dakota |
| 5  | 5  | Terrinni & Sor  | 770 Exmoor F  | 5  | 9  | 28/06/2001 09:15 | 1982-04-19 10: | 5146.0   | California   |
| 6  | 6  | Kermit the Pe   | 1860 Parksid  | 28 | 15 | 17/08/2003 10:07 | 2006-05-27 17: | 16087.0  | Nevada       |
| 7  | 7  | Tub's Furnitur  | 807 Old Trail | 15 | 9  | 27/08/2000 03:13 | 1970-03-27 23: | 153216.0 | Iowa         |
| 8  | 8  | Toggle & Mye    | 618 Sheriden  | 9  | 15 | 24/03/2006 23:07 | 2005-08-02 01: | 74168.0  | Florida      |
| 9  | 9  | Childress Chi   | 788 Tennysor  | 12 | 33 | 10/09/2001 06:33 | 1994-05-03 11: | 92176.0  | Idaho        |
| 10 | 10 | Elle Hypnosis   | 2032 Northbr  | 1  | 7  | 11/01/1977 03:07 | 1975-06-10 20: | 48498.0  | Alabama      |

A column containing the name of the American State corresponding to each client is added to the file.

# tAmazonOracleClose



## tAmazonOracleClose properties

|                          |                                                                                                                                                  |                                                                                                                              |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Function</b>          | tAmazonOracleClose closes the transaction committed in the connected DB.                                                                         |                                                                                                                              |
| <b>Purpose</b>           | Close a transaction.                                                                                                                             |                                                                                                                              |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                            | Select the <b>tAmazonOracleConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                   | Select this check box to collect log data at the component level.                                                            |
| <b>Usage</b>             | This component is to be used along with AmazonOracle components, especially with <b>tAmazonOracleConnection</b> and <b>tAmazonOracleCommit</b> . |                                                                                                                              |
| <b>Limitation</b>        | n/a                                                                                                                                              |                                                                                                                              |

## Related scenario


No scenario is available for this component yet.

# tAmazonOracleCommit



## tAmazonOracleCommit Properties

This component is closely related to **tAmazonOracleConnection** and **tAmazonOracleRollback**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Cloud/AmazonRDS/<br>Oracle                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Function</b>          | Validates the data processed through the job into the connected DB                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tAmazonOracleConnection</b> component in the list if more than one connection are planned for the current job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close Connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tAmazonOracleCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Usage</b>             | This component is to be used along with AmazonOracle components, especially with <b>tAmazonOracleConnection</b> and <b>tAmazonOracleRollback</b> components.              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Related scenario

This component is closely related to **tAmazonOracleConnection** and **tAmazonOracleRollback**. It usually doesn't make much sense to use one of these without using a **tAmazonOracleConnection** component to open a connection for the current transaction.



For **tAmazonOracleCommit** related scenario, see [the section called "tMysqlConnection"](#)

# tAmazonOracleConnection



## tAmazonOracleConnection Properties

This component is closely related to **tAmazonOracleCommit** and **tAmazonOracleRollback**. It usually doesn't make much sense to use one of these without using a **tAmazonOracleConnection** component to open a connection for the current transaction.

|                         |                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Cloud/AmazonRDS/<br>Oracle                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | Opens a connection to the database for a current transaction.                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Connection type</i>                                                                                                                        | Drop-down list of available drivers:<br><br><b>Oracle SID:</b> Select this connection type to uniquely identify a particular database on a system.                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>DB Version</i>                                                                                                                             | Oracle 11-5 is available.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Use tns file</i>                                                                                                                           | Select this check box to use the metadata of a context included in a tns file.<br><br> One tns file may have many contexts.<br><br><b>TNS File:</b> Enter the path to the tns file manually or browse to the file by clicking the three-dot button next to the file.<br><br><b>Select a DB Connection in Tns File:</b> Click the three-dot button to display all the contexts held in the tns file and select the desired one. |
|                         | <i>Host</i>                                                                                                                                   | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                                                                   | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Database</i>                                                                                                                               | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Schema</i>                                                                                                                                 | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Username</i> and <i>Password</i>                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Additional parameters</i> <i>JDBC</i>                                                                                                      | Specify additional connection properties for the DB connection you are creating.<br><br> You can set the encoding parameters through this field.                                                                                                                                                                                                                                                                               |
|                         | <i>Use or register a shared DB Connection</i>                                                                                                 | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB                                                                                                                                                                                                                                                                                                                                          |

|                   |                                                                                                                                                                     |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | connection components from different Job levels that can be either parent or child.<br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Usage</b>      | This component is to be used along with AmazonOracle components, especially with <b>tAmazonOracleCommit</b> and <b>tAmazonOracleRollback</b> components.            |
| <b>Limitation</b> | n/a                                                                                                                                                                 |

## Related scenario


This component is closely related to **tAmazonOracleCommit** and **tAmazonOracleRollback**. It usually doesn't make much sense to use one of these without using a **tAmazonOracleConnection** component to open a connection for the current transaction.

For **tAmazonOracleConnection** related scenario, see [the section called "tMysqlConnection"](#)

# tAmazonOracleInput



## tAmazonOracleInput properties

|                         |                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Cloud/AmazonRDS/<br>Oracle                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | <b>tAmazonOracleInput</b> reads a database and extracts fields based on a query.                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | <b>tAmazonOracleInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                    | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                                                                                                                         | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Connection type</i>                                                                                                                                                                                  | Drop-down list of available drivers:<br><br><b>Oracle SID:</b> Select this connection type to uniquely identify a particular database on a system.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>DB Version</i>                                                                                                                                                                                       | Select the Oracle version in use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                                                                                                                       | Select this check box when using a configured <b>tAmazonOracleConnection</b> component.<br><br> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.<br><br>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.<br><br>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b> , see your studio user guide. |
|                         | <i>Host</i>                                                                                                                                                                                             | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                                                                                             | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                                                                                                                         | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Oracle schema</i>                                                                                                                                                                                    | Oracle schema name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |     |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Username</i><br><i>Password</i>                                                                                                                                                                                                                                                                                                                                    | and | DB user authentication data.                                                                                                                                                                                 |
|                          | <i>Schema</i><br><i>Schema</i>                                                                                                                                                                                                                                                                                                                                        | and | <i>Edit</i>                                                                                                                                                                                                  |
|                          |                                                                                                                                                                                                                                                                                                                                                                       |     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                       |     | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Table name</i>                                                                                                                                                                                                                                                                                                                                                     |     | Database table name.                                                                                                                                                                                         |
|                          | <i>Query type</i> and <i>Query</i>                                                                                                                                                                                                                                                                                                                                    |     | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                   |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        |     | Select this check box to collect log data at the component level.                                                                                                                                            |
|                          | <i>Use cursor</i>                                                                                                                                                                                                                                                                                                                                                     |     | When selected, helps to decide the row set to work with at a time and thus optimize performance.                                                                                                             |
|                          | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               |     | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                            |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    |     | Remove leading and trailing whitespace from defined columns.                                                                                                                                                 |
| <b>Usage</b>             | This component covers all possible SQL queries for Oracle databases.                                                                                                                                                                                                                                                                                                  |     |                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |     |                                                                                                                                                                                                              |

## Related scenarios


For related scenarios, see:

- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).


# tAmazonOracleOutput





## tAmazonOracleOutput properties

|                         |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Cloud/AmazonRDS/<br>Oracle                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Function</b>         | <b>tAmazonOracleOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Purpose</b>          | <b>tAmazonOracleOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                               | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         |                                                                                                                                                                                    | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Use an existing connection</i>                                                                                                                                                  | <p>Select this check box when using a <b>tAmazonOracleConnection</b> component. When you deselect it, a check box appears (selected by default and followed by a field) in the <b>Advanced settings, Batch Size</b>, which enables you to define the number of lines in each processed batch.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                                                                             | Drop-down list of available drivers:<br><br><b>Oracle SID:</b> Select this connection type to uniquely identify a particular database on a system.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>DB Version</i>                                                                                                                                                                  | Select the Oracle version in use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Host</i>                                                                                                                                                                        | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |



|  |                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Port</i>                            | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Database</i>                        | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|  | <i>Username</i> and<br><i>Password</i> | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|  | <i>Oracle schema</i>                   | Name of the Oracle schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|  | <i>Table</i>                           | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Action on table</i>                 | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|  | <i>Action on data</i>                  | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|  | <i>Schema</i> and <i>Edit schema</i>   | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                          |                                                            |                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                            | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                   |
|                          | <i>Die on error</i>                                        | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                         |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                   | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br> You can press <b>Ctrl+Space</b> to access a list of predefined global variables. |
|                          | <i>Override any existing NLS_LANG environment variable</i> | Select this check box to override variables already set for a NLS language environment.                                                                                                                                                                                                                                                                                                     |
|                          | <i>Commit every</i>                                        | Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Additional Columns</i>                                  | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                              |
|                          |                                                            | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column.                                                                                                                                                                                                                                                                                                 |
|                          |                                                            | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                       |
|                          |                                                            | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                        |
|                          |                                                            | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                     |
|                          | <i>Use field options</i>                                   | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                                                                                                               |
|                          | <i>Use Hint Options</i>                                    | Select this check box to activate the hint configuration area which helps you optimize a query's execution. In this area, parameters are:<br><br>- <b>HINT:</b> specify the hint you need, using the syntax<br><br><pre>/*+ */.</pre><br>- <b>POSITION:</b> specify where you put the hint in a SQL statement.<br><br>- <b>SQL STMT:</b> select the SQL statement you need to use.          |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                  |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <i>Convert columns and table to uppercase</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Select this check box to set the names of columns and table in upper case.                                                                                                                                                                                                       |
|                   | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                              |
|                   | <i>Use Batch Size</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | When selected, enables you to define the number of lines in each processed batch.<br> <i>This option is available only when you do not Use an existing connection in <b>Basic settings</b>.</i> |
|                   | <i>Support null in “SQL WHERE” statement</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Select this check box to validate null in “SQL WHERE” statement.                                                                                                                                                                                                                 |
| <b>Usage</b>      | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Oracle database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For such an example, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                   |                                                                                                                                                                                                                                                                                  |

## Related scenarios

For **tAmazonOracleOutput** related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySql database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tAmazonOracleRollback



## tAmazonOracleRollback properties

This component is closely related to **tAmazonOracleCommit** and **tAmazonOracleConnection**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                            |                                                                                                                              |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Cloud/AmazonRDS/<br>Oracle                                                                                                                                 |                                                                                                                              |
| <b>Function</b>          | Cancel the transaction commit in the connected DB.                                                                                                         |                                                                                                                              |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                                                      |                                                                                                                              |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                      | Select the <b>tAmazonOracleConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                                                    | Clear this check box to continue to use the selected connection once the component has performed its task.                   |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                             | Select this check box to collect log data at the component level.                                                            |
| <b>Usage</b>             | This component is to be used along with AmazonOracle components, especially with <b>tAmazonOracleConnection</b> and <b>tAmazonOracleCommit</b> components. |                                                                                                                              |
| <b>Limitation</b>        | n/a                                                                                                                                                        |                                                                                                                              |

## Related scenario


This component is closely related to **tAmazonOracleConnection** and **tAmazonOracleCommit**. It usually doesn't make much sense to use one of these without using a **tAmazonOracleConnection** component to open a connection for the current transaction.


For **tAmazonOracleRollback** related scenario, see [the section called "tMysqlRollback"](#).

# tAmazonOracleRow



## tAmazonOracleRow properties

|                         |                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Cloud/AmazonRDS/<br>Oracle                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | <b>tAmazonOracleRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tAmazonOracleRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                                | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                                                                                                                                                                     | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                                   | <p>Select this check box and click the relevant <b>tAmazonOracleConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                                                                                                                                              | Drop-down list of available drivers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Host</i>                                                                                                                                                                                                                                         | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Port</i>                                                                                                                                                                                                                                         | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Database</i>                                                                                                                                                                                                                                     | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Username</i> and<br><i>Password</i>                                                                                                                                                                                                              | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                          |                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Schema and Edit Schema</i>      | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          |                                    | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Query type</i>                  | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                    | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Query</i>                       | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Die on error</i>                | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i> | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use PreparedStatement</i>       | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStatCatcher Statistics</i>     | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             |                                    | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).

- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tMarketoInput



**tMarketoInput** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tMarketoInput”](#).



# tMarketoListOperation



**tMarketoListOperation** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tMarketoListOperation”](#).

# tMarketoOutput



**tMarketoOutput** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tMarketoOutput”](#).

# tSalesforceBulkExec



**tSalesforceBulkExec** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSalesforceBulkExec”](#).

# tSalesforceConnection



**tSalesforceConnection** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSalesforceConnection”](#).

# tSalesforceGetDeleted



**tSalesforceGetDeleted** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSalesforceGetDeleted”](#).

# tSalesforceGetServerTimestamp



**tDB2SCD** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSalesforceGetServerTimestamp”](#).

# tSalesforceGetUpdated



**tSalesforceGetUpdated** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSalesforceGetUpdated”](#).

# tSalesforceInput



**tSalesforceInput** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSalesforceInput”](#).



# tSalesforceOutput



**tSalesforceOutput** belongs to two component families: Business and Cloud. For more information on it, see [the section called "tSalesforceOutput"](#).

# tSalesforceOutputBulk



**tSalesforceOutputBulk** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSalesforceOutputBulk”](#).

# tSalesforceOutputBulkExec



**tSalesforceOutputBulkExec** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSalesforceOutputBulkExec”](#).

# tSugarCRMInput



**tSugarCRMInput** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSugarCRMInput”](#).

# tSugarCRMOutput



**tSugarCRMOutput** belongs to two component families: Business and Cloud. For more information on it, see [the section called “tSugarCRMOutput”](#).



# Custom Code components

This chapter details the major components which belong to the **Custom Code** family in the *Talend Open Studio for Big Data Palette*.

The **Custom Code** components enable you to create codes for specific needs, quickly and efficiently.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tGroovy



## tGroovy properties

|                          |                                                                                                                                |                                                                                                                                            |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Custom Code                                                                                                                    |                                                                                                                                            |
| <b>Function</b>          | <b>tGroovy</b> allows you to enter customized code which you can integrate in the Talend programme. The code is run only once. |                                                                                                                                            |
| <b>Purpose</b>           | <b>tGroovy</b> broadens the functionality if the Talend Job, using the Groovy language which is a simplified Java syntax.      |                                                                                                                                            |
| <b>Basic settings</b>    | <i>Groovy Script</i>                                                                                                           | Enter the Groovy code youou want to run.                                                                                                   |
|                          | <i>Variables</i>                                                                                                               | This table has two columns.<br><b>Name:</b> Name of the variable called in the code..<br><b>Value:</b> Value associated with the variable. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                 | Select this check box to collect the log data at component level.                                                                          |
| <b>Usage</b>             | This component can be used alone or as a subjob along with one other component.                                                |                                                                                                                                            |
| <b>Limitation</b>        | Knowledge of the Groovy language is required.                                                                                  |                                                                                                                                            |

## Related Scenarios

- For a scenario using the Groovy code, see [the section called “Scenario: Calling a file which contains Groovy code”](#).
- For a functional example, see [the section called “Scenario: Printing out a variable content”](#)



# tGroovyFile




## tGroovyFile properties

|                          |                                                                                                                           |                                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Custom Code                                                                                                               |                                                                                                                                                 |
| <b>Function</b>          | <b>tGroovyFile</b> allows you to call an existing Groovy script.                                                          |                                                                                                                                                 |
| <b>Purpose</b>           | <b>tGroovyFile</b> broadens the functionality of Talend Jobs using the Groovy language which is a simplified Java syntax. |                                                                                                                                                 |
| <b>Basic settings</b>    | <i>Groovy File</i>                                                                                                        | Name and path of the file containing the Groovy code.                                                                                           |
|                          | <i>Variables</i>                                                                                                          | This table contains two columns.<br><b>Name:</b> Name of the variable called in the code.<br><b>Value:</b> Value associated with this variable. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                            | Select this check box to collect the log data at component level.                                                                               |
| <b>Usage</b>             | This component can be used alone or as a sub-job along with another component.                                            |                                                                                                                                                 |
| <b>Limitation</b>        | Knowledge of the Groovy language is required.                                                                             |                                                                                                                                                 |

## Scenario: Calling a file which contains Groovy code

This scenario uses **tGroovyFile**, on its own. The Job calls a file containing Groovy code in order to display the file information in the **Console**. Below, is an example of the information displayed:




## Setting up the Job

Open the **Custom\_Code** folder in the **Palette** and drop a **tGroovyFile** component onto the workspace.

## Configuring the tGroovyFile component

1. Double-click the component to display the **Component** view.
2. In the **Groovy File** field, enter the path to the file containing the Groovy code, or browse to the file in your directory.

3. In the **Variables** table, add a line by clicking the [+] button.
4. In the **Name** column, enter “age”, then in the Value column, enter 50, as in the screenshot.



## Job execution

Press **F6** to save and run the Job.

The **Console** displays the information contained in the input file, to which the variable result is added.

```
Starting job tGroovyFile at 09:49 17/02/2010.
[statistics] connecting to socket on port 4016
[statistics] connected
The captain is 50 years old
[statistics] disconnected
Job tGroovyFile ended at 09:49 17/02/2010. [exit code=0]
```

# tJava




## tJava properties

|                          |                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Custom Code                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>          | <b>tJava</b> enables you to enter personalized code in order to integrate it in <b>Talend</b> program. You can execute this code only once. |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>           | <b>tJava</b> makes it possible to extend the functionalities of a <b>Talend Job</b> through using Java commands.                            |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>    | <i>Code</i>                                                                                                                                 | Type in the Java code you want to execute according to the task you need to perform. For further information about Java functions syntax specific to <b>Talend</b> , see <i>Talend Open Studio for Big Data Online Help</i> (Help Contents > Developer Guide > API Reference).<br><br>For a complete Java reference, check <a href="http://docs.oracle.com/javaee/6/api/">http://docs.oracle.com/javaee/6/api/</a> |
| <b>Advanced settings</b> | <i>Import</i>                                                                                                                               | Enter the Java code that helps to import, if necessary, external libraries used in the <b>Main code</b> box of the <b>Basic settings</b> view.                                                                                                                                                                                                                                                                     |
|                          | <i>tStatCatcher Statistics</i>                                                                                                              | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                                     |
| <b>Usage</b>             | This component is generally used as a one-component subjob.                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Limitation</b>        | You should know Java language.                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                    |

## Scenario: Printing out a variable content

The following scenario is a simple demo of the extended application of the **tJava** component. The Job aims at printing out the number of lines being processed using a Java command and the global variable provided in *Talend Open Studio for Big Data*.




## Setting up the Job

1. Select and drop the following components from the **Palette** onto the design workspace: **tFileInputDelimited**, **tFileOutputExcel**, **tJava**.
2. Connect the **tFileInputDelimited** to the **tFileOutputExcel** using a **Row Main** connection. The content from a delimited txt file will be passed on through the connection to an xls-type of file without further transformation.
3. Then connect the **tFileInputDelimited** component to the **tJava** component using a **Then Run** link. This link sets a sequence ordering **tJava** to be executed at the end of the main process.

## Configuring the input component

1. Set the **Basic settings** of the **tFileInputDelimited** component.



2. Define the path to the input file in the **File name** field.

The input file used in this example is a simple text file made of two columns: *Names* and their respective *Emails*.


3. Click the **Edit Schema** button, and set the two-column schema. Then click **OK** to close the dialog box.

| Column | Key                                 | Type   | Nullable                            | Date P... | Le... | Pr... | D... | C... |
|--------|-------------------------------------|--------|-------------------------------------|-----------|-------|-------|------|------|
| Names  | <input checked="" type="checkbox"/> | String | <input checked="" type="checkbox"/> |           | 255   |       |      |      |
| Emails | <input type="checkbox"/>            | String | <input checked="" type="checkbox"/> |           | 255   |       |      |      |

4. When prompted, click **OK** to accept the propagation, so that the **tFileOutputExcel** component gets automatically set with the input schema.

## Configuring the output component


Set the output file to receive the input content without changes. If the file does not exist already, it will get created.



In this example, the **Sheet name** is *Email* and the **Include Header** box is selected.

## Configuring the tJava component

1. Then select the **tJava** component to set the Java command to execute.



2. In the **Code** area, type in the following command:

```
String var = "Nb of line processed: ";
var = var + globalMap.get("tFileInputDelimited_1_NB_LINE");
System.out.println(var);
```

In this use case, we use the *NB\_Line* variable. To access the global variable list, press **Ctrl + Space** bar on your keyboard and select the relevant global parameter.

## Job execution

Save your Job and press **F6** to execute it.

```
Starting job JavaDb at 13:53 20/08/2007.
Nb of line processed: 4
Job JavaDb ended at 13:53 20/08/2007. [exit code=0]
```

The content gets passed on to the Excel file defined and the Number of lines processed are displayed on the **Run** console.

# tJavaFlex




## tJavaFlex properties

|                          |                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Custom Code                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>          | <b>tJavaFlex</b> enables you to enter personalized code in order to integrate it in <b>Talend</b> program. With <b>tJavaFlex</b> , you can enter the three java-code parts (start, main and end) that constitute a kind of component dedicated to do a desired operation. |                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Objective</b>         | <b>tJava</b> makes it possible to extend the functionalities of a <b>Talend</b> Job through using Java commands.                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>    | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                                             | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .<br><br>Click <b>Edit Schema</b> to make changes to the schema.<br><br>Click <b>Sync columns</b> to retrieve the schema from the previous component in the Job. |
|                          |                                                                                                                                                                                                                                                                           | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                   |
|                          | <i>Data Auto Propagate</i>                                                                                                                                                                                                                                                | Select this check box to automatically propagate the data to the component that follows.                                                                                                                                                                                                                                                                                    |
|                          | <i>Start code</i>                                                                                                                                                                                                                                                         | Enter the Java code that will be called during the initialization phase.                                                                                                                                                                                                                                                                                                    |
|                          | <i>Main code</i>                                                                                                                                                                                                                                                          | Enter the Java code to be applied for each line in the data flow.                                                                                                                                                                                                                                                                                                           |
|                          | <i>End code</i>                                                                                                                                                                                                                                                           | Enter the Java code that will be called during the closing phase.                                                                                                                                                                                                                                                                                                           |
| <b>Advanced settings</b> | <i>Import</i>                                                                                                                                                                                                                                                             | Enter the Java code that helps to import, if necessary, external libraries used in the <b>Main code</b> box of the <b>Basic settings</b> view.                                                                                                                                                                                                                              |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                            | Select this check box to gather the Job processing metadata at a job level as well as at each component level.                                                                                                                                                                                                                                                              |
| <b>Usage</b>             | You can use this component as a start, intermediate or output component. You can as well use it as a one-component subjob.                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Limitation</b>        | You should know the Java language.                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                             |

## Scenario 1: Generating data flow

This scenario describes a two-components Job that generates a three-line data flow describing different personal titles (Miss, Mrs, and Mr) and displaying them on the console.




## Setting up the Job


1. Drop **tJavaFlex** and **tLogRow** from the **Palette** onto the design workspace.
2. Connect the components together using a **Row > Main** link.

## Configuring the tJavaFlex component

1. Double-click **tJavaFlex** to display its **Basic settings** view and define its properties.



2. Click the three-dot button next to **Edit schema** to open the corresponding dialog box where you can define the data structure to pass to the component that follows.



3. Click the **[+]** button to add two columns: *key* and *value* and then set their types to **Integer** and **String** respectively.



- Click **OK** to validate your changes and close the dialog box.
- In the **Basic settings** view of **tJavaFlex**, select the **Data Auto Propagate** check box to automatically propagate data to the component that follows.

In this example, we do not want to do any transformation on the retrieved data.

- In the **Start code** field, enter the code to be executed in the initialization phase.

In this example, the code indicates the initialization of **tJavaFlex** by displaying the START message and sets up the loop and the variables to be used afterwards in the Java code:

```
System.out.println("## START\n#");
String [] valueArray = {"Miss", "Mrs", "Mr"};

for (int i=0;i<valueArray.length;i++) {
```

- In the **Main code** field, enter the code you want to apply on each of the data rows.

In this example, we want to display each key with its value:

```
row1.key = i;
row1.value = valueArray[i];
```

Main code

```
// Main part of your Java code
(loop)

row1.key = i;
row1.value = valueArray[i];
```



*In the **Main code** field, "row1" corresponds to the name of the link that comes out of **tJavaFlex**. If you rename this link, you have to modify the code of this field accordingly.*

- In the **End code** field, enter the code that will be executed in the closing phase.

In this example, the brace (curly bracket) closes the loop and the code indicates the end of the execution of **tJavaFlex** by displaying the END message:

```
}
System.out.println("#\n## END");
```

End code

```
// End part of your Java code

}
System.out.println("#\n##
END");
```

- If needed, double-click **tLogRow** and in its **Basic settings** view, click the [...] button next to **Edit schema** to make sure that the schema has been correctly propagated.

## Saving and executing the Job

1. Save your Job by pressing **Ctrl+S**.
2. Execute the Job by pressing **F6** or clicking **Run** on the **Run** tab.


*Starting job tJavaFlex\_scenario1 at 14:49 02/09/2009.*

```
START
#
0 | Miss
1 | Mrs
2 | Mr
#
END
Job tJavaFlex_scenario1 ended at 14:49 02/09/2009. [exit code=0]
```

The three personal titles are displayed on the console along with their corresponding keys.

## Scenario 2: Processing rows of data with tJavaFlex

This scenario describes a two-component Job that generates random data and then collects that data and does some transformation on it line by line using Java code through the **tJavaFlex** component.




## Setting up the Job

1. Drop **tRowGenerator** and **tJavaFlex** from the **Palette** onto the design workspace.
2. Connect the components together using a **Row Main** link.

## Configuring the input component


1. Double-click **tRowGenerator** to display its **Basic settings** view and the **[RowGenerator Editor]** dialog box where you can define the component properties.



2. Click the plus button to add four columns: *number*, *txt*, *date* and *flag*.
3. Define the schema and set the parameters to the four columns according to the above capture.
4. In the **Functions** column, select the three-dot function [...] for each of the defined columns.
5. In the **Parameters** column, enter 10 different parameters for each of the defined columns. These 10 parameters corresponds to the data that will be randomly generated when executing **tRowGenerator**.
6. Click **OK** to validate your changes and close the editor.

## Configuring the tJavaFlex component

1. Double-click **tJavaFlex** to display its **Basic settings** view and define the components properties.



2. Click **Sync columns** to retrieve the schema from the preceding component.
3. In the **Start code** field, enter the code to be executed in the initialization phase.

In this example, the code indicates the initialization of the **tJavaFlex** component by displaying the START message and defining the variable to be used afterwards in the Java code:

```
System.out.println("## START\n#");
```

```
int i = 0;
```


4. In the **Main code** field, enter the code to be applied on each line of data.

In this example, we want to show the number of each line starting from 0 and then the number and the random text transformed to upper case and finally the random date set in the editor of **tRowGenerator**. Then, we create a condition to show if the status is **true** or **false** and we increment the number of the line:

```
System.out.print(" row" + i + ":");
System.out.print("# number:" + row1.number);
System.out.print (" | txt:" + row1.txt.toUpperCase());
System.out.print(" | date:" + row1.date);
if(row1.flag) System.out.println(" | flag: true");
else System.out.println(" | flag: false");

i++;
```

Main code



```
System.out.print(" row" + i + ":");
System.out.print("# number:" +
 row1.number);
System.out.print (" | txt:" +
 row1.txt.toUpperCase());
System.out.print(" | date:" +
 row1.date);
if(row1.flag) System.out.println(" |
flag: true");
else System.out.println(" | flag:
false");

i++;
```




*In the **Main code** field, "row1" corresponds to the name of the link that connects to **tJavaFlex**. If you rename this link, you have to modify the code.*

5. In the **End code** field, enter the code that will be executed in the closing phase.

In this example, the code indicates the end of the execution of **tJavaFlex** by displaying the END message:

```
System.out.println("#\n## END");
```

End code



```
System.out.println("#\n## END");
```

## Saving and executing the Job

1. Save your Job by pressing **Ctrl+S**.

- Execute the Job by pressing **F6** or clicking **Run** on the **Run** tab.

*Starting job tJavaFlex\_scenario2 at 18:35 02/09/2009.*

```
START
#
row0:# number:10 | txt:TEXT5 | date:2006-05-25 | flag: false
row1:# number:7 | txt:TEXT7 | date:2006-06-26 | flag: true
row2:# number:5 | txt:TEXT2 | date:2006-05-25 | flag: false
row3:# number:6 | txt:TEXT1 | date:2005-08-28 | flag: true
row4:# number:8 | txt:TEXT9 | date:2006-05-25 | flag: false
row5:# number:9 | txt:TEXT1 | date:2007-01-21 | flag: false
row6:# number:7 | txt:TEXT5 | date:2004-11-21 | flag: true
row7:# number:9 | txt:TEXT4 | date:2005-08-29 | flag: true
row8:# number:4 | txt:TEXT6 | date:2006-06-26 | flag: false
row9:# number:3 | txt:TEXT10 | date:2006-05-25 | flag: false
#
END
Job tJavaFlex_scenario2 ended at 18:35 02/09/2009. [exit
code=0]
```

The console displays the randomly generated data that was modified by the java command set through **tJavaFlex**.

# tJavaRow




## tJavaRow properties

|                          |                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Custom Code                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>          | <b>tJavaRow</b> allows you to enter customized code which you can integrate in a Talend programme. With <b>tJavaRow</b> , you can enter the Java code to be applied to each row of the flow. |                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>           | <b>tJavaRow</b> allows you to broaden the functionality of <b>Talend Jobs</b> , using the Java language.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>    | <i>Schema and Edit Schema</i>                                                                                                                                                                | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .<br><br>Click <b>Edit Schema</b> to make changes to the schema.<br><br>Click <b>Sync columns</b> to retrieve the schema from the previous component in the Job. |
|                          |                                                                                                                                                                                              | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                   |
|                          | <i>Code</i>                                                                                                                                                                                  | Enter the Java code to be applied to each line of the data flow.                                                                                                                                                                                                                                                                                                            |
| <b>Advanced settings</b> | <i>Import</i>                                                                                                                                                                                | Enter the Java code required to import, if required, the external library used in the <b>Main code</b> field of the <b>Basic settings</b> tab.                                                                                                                                                                                                                              |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                               | Select this check box to collect the log data at a component level..                                                                                                                                                                                                                                                                                                        |
| <b>Usage</b>             | This component is used as an intermediary between two other components. It must be linked to both an input and an output component.                                                          |                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Limitation</b>        | Knowledge of Java language is necessary.                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                             |

## Scenario: Transforming data line by line using tJavaRow

In this scenario, the information of a few cities read from an input delimited file is transformed using Java code through the **tJavaRow** component and printed on the console.




## Setting up the Job

1. Drop a **tFileInputDelimited** component and a **tJavaRow** component from the **Palette** onto the design workspace, and label them to better identify their roles in the Job.
2. Connect the two components using a **Row > Main** connection.

## Configuring the components

1. Double-click the **tFileInputDelimited** component to display its **Basic settings** view in the **Component** tab.




2. In the **File name/Stream** field, type in the path to the input file in double quotation marks, or browse to the path by clicking the [...] button, and define the first line of the file as the header.


In this example, the input file has the following content:

```
City;Population;LandArea;PopDensity
Beijing;10233000;1418;7620
Moscow;10452000;1081;9644
Seoul;10422000;605;17215
Tokyo;8731000;617;14151
New York;8310000;789;10452
```

3. Click the [...] button next to Edit schema to open the [**Schema**] dialog box, and define the data structure of the input file. Then, click **OK** to validate the schema setting and close the dialog box.



- Double-click the **tJavaRow** component to display its **Basic settings** view in the **Component** tab.



- Click **Sync columns** to make sure that the schema is correctly retrieved from the preceding component.
- In the **Code** field, enter the code to be applied on each line of data based on the defined schema columns.

In this example, we want to transform the city names to upper case, group digits of numbers larger than 1000 using the thousands separator for ease of reading, and print the data on the console:

```
System.out.print("\n" + row1.City.toUpperCase() + ":");
System.out.print("\n - Population: "
+ FormatterUtils.format_Number(String.valueOf(row1.Population), ',', '.')
+ " people");
System.out.print("\n - Land area: "
+ FormatterUtils.format_Number(String.valueOf(row1.LandArea), ',', '.')
+ " km2");
System.out.print("\n - Population density: "
+ FormatterUtils.format_Number(String.valueOf(row1.PopDensity), ',', '.')
+ " people/km2\n");
```




*In the **Code** field, "row1" refers to the name of the link that connects to **tJavaRow**. If you rename the link, you have to modify the code.*



## Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.

The city information is transformed by the Java code set through **tJavaRow** and displayed on the console.



```
Execution
Run Kill Clear

[statistics] connected
BEIJING:
- Population: 10,233,000 people
- Land area: 1,418 km2
- Population density: 7,620 people/km2
MOSCOW:
- Population: 10,452,000 people
- Land area: 1,081 km2
- Population density: 9,644 people/km2
SEOUL:
- Population: 10,422,000 people
- Land area: 605 km2
- Population density: 17,215 people/km2
TOKYO:
- Population: 8,731,000 people
- Land area: 617 km2
- Population density: 14,151 people/km2
NEW YORK:
- Population: 8,310,000 people
- Land area: 789 km2
- Population density: 10,452 people/km2
[statistics] disconnected
Job d:\m_tJavaRow_sl ended at 17:40 12/04/2012.
```

# tLibraryLoad




## tLibraryLoad properties

|                             |                                                                                           |                                                                                                                                                |
|-----------------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Famille de composant</b> | Custom Code                                                                               |                                                                                                                                                |
| <b>Function</b>             | <b>tLibraryLoad</b> allows you to import a library.                                       |                                                                                                                                                |
| <b>Purpose</b>              | <b>tLibraryLoad</b> allows you to load useable Java libraries in a Job.                   |                                                                                                                                                |
| <b>Basic settings</b>       | <i>Library</i>                                                                            | Select the library you want to import from the list, or click on the [...] button to browse to the library in your directory.                  |
| <b>Advanced settings</b>    | <i>Dynamic Libs</i>                                                                       | <b>Lib Paths:</b> Enter the access path to your library, between double quotation marks.                                                       |
|                             | <i>Import</i>                                                                             | Enter the Java code required to import, if required, the external library used in the <b>Main code</b> field of the <b>Basic settings</b> tab. |
|                             | <i>tStatCatcher Statistics</i>                                                            | Select this check box to collect the log data at component level.                                                                              |
| <b>Usage</b>                | This component may be used alone, although it is more logical to use it as part of a Job. |                                                                                                                                                |
| <b>Limitation</b>           | n/a                                                                                       |                                                                                                                                                |

## Scenario: Checking the format of an e-mail address!

This scenario uses two components, a **tLibraryLoad** and a **tJava**. The goal of this scenario is to check the format of an e-mail address and verify whether the format is valid or not.




## Setting up the Job

1. In the **Palette**, open the **Custom\_Code** folder, and slide a **tLibraryLoad** and **tJava** component onto the workspace.

2. Connect **tLibraryLoad** to **tJava** using a **Trigger > OnSubjobOk** link.


## Configuring the tLibraryLoad component

1. Double-click on **tLibraryLoad** to display its **Basic settings**. From the **Library** list, select *jakarta-oro-2.0.8.jar*.
2. In the **Import** field of the **Advanced settings** tab, type *import org.apache.oro.text.regex.\*;*



## Configuring the tJava component

1. Double-click on **tJava** to display its **Component** view.
2. In the **Basic settings** tab, enter your code, as in the screenshot below. The code allows you to check whether the character string pertains to an e-mail address, based on the regular expression: `"^[\\w_.-]+@[\\w_.-]+\\. [\\w]+$. "`.



## Job execution

Press **F6** to save and run the Job.

```
Starting job LibraryLoad at 16:51 18/02/2010.
[statistics] connecting to socket on port 3979
[statistics] connected
ma@cocom : false
[statistics] disconnected
Job LibraryLoad ended at 16:51 18/02/2010. [exit code=0]
```

The **Console** displays the boolean *false*. Hence, the e-mail address is not valid as the format is incorrect.

# tSetGlobalVar




## tSetGlobalVar properties

|                          |                                                                            |                                                                                                                                                          |
|--------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Custom Code                                                                |                                                                                                                                                          |
| <b>Function</b>          | <b>tSetGlobalVar</b> allows you to define and set global variables in GUI. |                                                                                                                                                          |
| <b>Purpose</b>           | <b>tSetGlobalVar</b> facilitates the process of defining global variables. |                                                                                                                                                          |
| <b>Basic settings</b>    | <i>Variables</i>                                                           | This table contains two columns.<br><br><b>Key:</b> Name of the variable to be called in the code.<br><br><b>Value:</b> Value assigned to this variable. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                             | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                           |
| <b>Usage</b>             | This component is generally used as a one-component subjob.                |                                                                                                                                                          |
| <b>Limitation</b>        | Knowledge of Java language is required.                                    |                                                                                                                                                          |

## Scenario: Printing out the content of a global variable

This scenario is a simple Job that prints out the value of a global variable defined in the **tSetGlobalVar** component.




### Setting up the Job


1. Drop the following components from the **Palette** onto the design workspace: **tSetGlobalVar** and **tJava**.
2. Connect the **tSetGlobalVar** component to the **tJava** component using a **Trigger** > **OnSubjobOk** connection.

### Configuring the tSetGlobalVar component

1. Double-click the **tSetGlobalVar** component to display its **Basic settings** view.



2. Click the plus button to add a line in the **Variables** table, and fill the **Key** and **Value** fields with *K1* and *20* respectively.
3. Then double-click the **tJava** component to display its **Basic settings** view.



4. In the **Code** area, type in the following lines:

```
String foo = "bar";
String K1;
String Result = "The value is:";

Result = Result + globalMap.get("K1");

System.out.println(Result);
```

In this use case, we use the *Result* variable. To access the global variable list, press **Ctrl + Space** bar on your keyboard and select the relevant global parameter.

## Job execution

Save your Job and press **F6** to execute it.

The content of global variable *K1* is displayed on the console.

```
Starting job SetGlobalVar at 16:22 25/02/2011.
[statistics] connecting to socket on port 3489
[statistics] connected
The value is:20
[statistics] disconnected
Job SetGlobalVar ended at 16:22 25/02/2011.
[exit code=0]
```

## Data Quality components

This chapter details the main components that you can find in the **Data Quality** family of the *Talend Open Studio for Big Data Palette*.

The Data Quality family comprises dedicated components that help you improve the quality of your data. These components covers various needs such as narrow down filtering the unique row, calculating CRC, finding data based on fuzzy matching, and so on.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tAddCRCRow



## tAddCRCRow properties

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                 |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Data Quality                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                 |
| <b>Function</b>          | <b>tAddCRCRow</b> calculates a surrogate key based on one or several columns and adds it to the defined schema.                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>           | Providing a unique ID helps improving the quality of processed data.                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>    | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . In this component, a new CRC column is automatically added. |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                  |
|                          | <i>Implication</i>                                                                                                                                                                                                                                                                                                                                                    | Select the check box facing the relevant columns to be used for the surrogate key checksum.                                                                                                                                                                                     |
| <b>Advanced Settings</b> | <i>CRC type</i>                                                                                                                                                                                                                                                                                                                                                       | Select a CRC type in the list. The longer the CRC, the least overlap you will have.                                                                                                                                                                                             |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                               |
| <b>Usage</b>             | This component is an intermediary step. It requires an input flow as well as an output.                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                 |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                 |

## Scenario: Adding a surrogate key to a file

This scenario describes a Job adding a surrogate key to a delimited file schema.



## Setting up the Job

1. Drop the following components: **tFileInputDelimited**, **tAddCRCRow** and **tLogRow**.
2. Connect them using a **Main row** connection.



## Configuring the input component



For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.

1. In the **tFileInputDelimited Component** view, set the **File Name** path and all related properties in case these are not stored in the **Repository**.

2. Create the schema through the **Edit Schema** button. Remember to set the data type column and for more information on the Date pattern to be filled in, visit <http://docs.oracle.com/javase/6/docs/api/index.html>.

## Configuring the tAddCRCRow component

1. In the **tAddCRCRow Component** view, select the check boxes of the input flow columns to be used to calculate the CRC.

| Column | Use in CRC                          |
|--------|-------------------------------------|
| CRC    | <input checked="" type="checkbox"/> |

Notice that a CRC column (read-only) has been added at the end of the schema.

2. Select **CRC32** as **CRC Type** to get a longer surrogate key.

3. In the **Basic settings** view of **tLogRow**, select the **Print values in cells of a table** option to display the output data in a table on the Console.

## Job execution

Then save your Job and press **F6** to execute it.

*Starting job addcrc at 11:51 06/07/2007.*

| tLogRow_1 |            |            |        |             |             |  |
|-----------|------------|------------|--------|-------------|-------------|--|
| ID_Owners | Reg_Car    | Make       | Color  | ID_Reseller | CRC         |  |
| 1         | 1301 DO 05 | Citroen    | gold   | 38          | 27510715125 |  |
| 2         | 2300 ZP 14 | Citroen    | blue   | 16          | 33211434545 |  |
| 3         | 4122 JI 74 | Renault    | yellow | 36          | 11525215315 |  |
| 4         | 3395 QP 05 | Citroen    | yellow | 51          | 14306204562 |  |
| 5         | 0029 OF 61 | Toyota     | red    | 37          | 10711350076 |  |
| 6         | 4287 YU 44 | Citroen    | blue   | 43          | 25561510712 |  |
| 7         | 7119 CQ 97 | Honda      | yellow | 65          | 10136571035 |  |
| 8         | 3764 PA 47 | Renault    | orange | 30          | 31723253034 |  |
| 9         | 9939 CJ 88 | Mercedes   | red    | 41          | 27451544441 |  |
| 10        | 7476 RV 09 | Citroen    | grey   | 34          | 27775721061 |  |
| 11        | 5287 BP 14 | Toyota     | green  | 27          | 2716661270  |  |
| 12        | 0750 OG 65 | Toyota     | green  | 8           | 23636130023 |  |
| 13        | 7577 ZQ 59 | Volkswagen | purple | 55          | 37277337005 |  |

An additional CRC Column has been added to the schema calculated on all previously selected columns (in this case all columns of the schema).

# tChangeFileEncoding



**tChangeFileEncoding** component belongs to two component families: Data Quality and File. For more information about **tChangeFileEncoding**, see [the section called “tChangeFileEncoding”](#).

# tExtractRegexFields



**tExtractRegexFields** belongs to two component families: Data Quality and Processing. For more information on **tExtractRegexFields**, see [the section called “tExtractRegexFields”](#).

# tFuzzyMatch




## tFuzzyMatch properties

|                         |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Data Quality                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Function</b>         | Compares a column from the main flow with a reference column from the lookup flow and outputs the main flow data displaying the distance |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>          | Helps ensuring the data quality of any source data against a reference data source.                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>   | <i>Schema and Edit schema</i>                                                                                                            | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Two read-only columns, Value and Match are added to the output schema automatically.</p> <p><b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p> <p><b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                         |
|                         | <i>Matching type</i>                                                                                                                     | <p>Select the relevant matching algorithm among:</p> <p><b>Levenshtein:</b> Based on the edit distance theory. It calculates the number of insertion, deletion or substitution required for an entry to match the reference entry.</p> <p><b>Metaphone:</b> Based on a phonetic algorithm for indexing entries by their pronunciation. It first loads the phonetics of all entries of the lookup reference and checks all entries of the main flow against the entries of the reference flow.</p> <p><b>Double Metaphone:</b> a new version of the Metaphone phonetic algorithm, that produces more accurate results than the original algorithm. It can return both a primary and a secondary code for a string. This accounts for some ambiguous cases as well as for multiple variants of surnames with common ancestry.</p> |
|                         | <i>Min distance</i>                                                                                                                      | (Levenshtein only) Set the minimum number of changes allowed to match the reference. If set to 0, only perfect matches are returned.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Max distance</i>                                                                                                                      | (Levenshtein only) Set the maximum number of changes allowed to match the reference.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Matching column</i>                                                                                                                   | Select the column of the main flow that needs to be checked against the reference (lookup) key column                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |


|              |                                                                                                                  |                                                                                                                                                     |
|--------------|------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
|              | <i>Unique matching</i>                                                                                           | Select this check box if you want to get the best match possible, in case several matches are available.                                            |
|              | <i>Matching separator</i>                                                                                        | In case several matches are available, all of them are displayed unless the unique match box is selected. Define the delimiter between all matches. |
| <b>Usage</b> | This component is not startable (green background) and it requires two input components and an output component. |                                                                                                                                                     |


## Scenario 1: Levenshtein distance of 0 in first names

This scenario describes a four-component Job aiming at checking the edit distance between the *First Name* column of an input file with the data of the reference input file. The output of this Levenshtein type check is displayed along with the content of the main flow on a table



- Drag and drop the following components from the **Palette** to the design workspace: **tFileInputDelimited** (x2), **tFuzzyMatch**, **tFileOutputDelimited**.
- Define the first **tFileInputDelimited** Basic settings. Browse the system to the input file to be analyzed and most importantly set the schema to be used for the flow to be checked.
- In the schema, set the **Type** of data in the Java version, especially if you are in **Built-in** mode.
- Link the defined input to the **tFuzzyMatch** using a **Main** row link.
- Define the second **tFileInputDelimited** component the same way.

 *Make sure the reference column is set as key column in the schema of the lookup flow.*



- Then connect the second input component to the **tFuzzyMatch** using a main row (which displays as a **Lookup** row on the design workspace).
- Select the **tFuzzyMatch** Basic settings.
- The **Schema** should match the **Main** input flow schema in order for the main flow to be checked against the reference.

| Column       | Key | Type   | Nullable                            | Length | Precis... | Com... |
|--------------|-----|--------|-------------------------------------|--------|-----------|--------|
| O1_firstname |     | String | <input checked="" type="checkbox"/> | 13     |           |        |
| VALUE        |     | String | <input checked="" type="checkbox"/> | 255    |           |        |
| MATCHING     |     | String | <input checked="" type="checkbox"/> | 255    |           |        |

- Note that two columns, **Value** and **Matching**, are added to the output schema. These are standard matching information and are read-only.
- Select the method to be used to check the incoming data. In this scenario, *Levenshtein* is the **Matching type** to be used.
- Then set the distance. In this method, the distance is the number of char changes (insertion, deletion or substitution) that needs to be carried out in order for the entry to fully match the reference.

- In this use case, we want the distance be of 0 for the min. or for the max. This means only the exact matches will be output.
- Also, clear the **Case sensitive** check box.
- And select the column of the main flow schema that will be selected. In this example, the first name.
- No need to select the **Unique matching** check box nor hence the separator.
- Link the **tFuzzyMatch** to the standard output **tLogRow**. No other parameters than the display delimiter is to be set for this scenario.
- Save the Job and press **F6** to execute the Job.

```

audra {1}||
audra {2}||
audrea||
audrey||
august {1}||
august {2}||
augusta|
auguste|0|auguste
augustijn|
augustin|0|augustin
augustine||
augusto||
augusts||
augustus||
aukusti|

```


As the edit distance has been set to 0 (min and max), the output shows the result of a regular join between the main flow and the lookup (reference) flow, hence only full matches with Value of 0 are displayed.

A more obvious example is with a minimum distance of 1 and a max. distance of 2, see [the section called “Scenario 2: Levenshtein distance of 1 or 2 in first names”](#)

## Scenario 2: Levenshtein distance of 1 or 2 in first names

This scenario is based on the scenario 1 described above. Only the min and max distance settings in **tFuzzyMatch** component get modified, which will change the output displayed.

- In the **Component** view of the **tFuzzyMatch**, change the min distance from 0 to 1. This excludes straight away the exact matches (which would show a distance of 0).
- Change also the max distance to 2 as the max distance cannot be lower than the min distance. The output will provide all matching entries showing a discrepancy of 2 characters at most.



- No other change of the setting is required.
- Make sure the **Matching item separator** is defined, as several references might be matching the main flow entry.
- Save the new Job and press **F6** to run it.

```

audrea|2|aude
audrey|2|aude
august (1)||
august (2)||
augusta|1|auguste
auguste|2|augustin
augustijn|1|augustin
augustin|2|auguste
augustine|1|augustin
augusto|1|auguste
augusts|1|auguste
augustus|2|auguste,augustin
aokusti|2|auguste,augustin
aolay||
aulus|2|jules

```


As the edit distance has been set to 2, some entries of the main flow match several reference entries.

You can also use another method, the metaphone, to assess the distance between the main flow and the reference,



## Scenario 3: Metaphonic distance in first name

This scenario is based on the scenario 1 described above.



- Change the **Matching type** to **Metaphone**. There is no min nor max distance to set as the matching method is based on the discrepancies with the phonetics of the reference.
- Save the Job and press **F6**. The phonetics value is displayed along with the possible matches.

```

audrey||
august (1)|AKST|auguste
august (2)|AKST|auguste
augusta|AKST|auguste
auguste|AKST|auguste
augustijn||
augustin|AKSTN|augustin
augustine|AKSTN|augustin
augusto|AKST|auguste
augusts||
augustus||
aukusti|AKST|auguste
aulay||
aulus||
aune||

```

# tIntervalMatch




## tIntervalMatch properties

|                          |                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Data Quality                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>          | <b>tIntervalMatch</b> receives a main flow and aggregates it based on join to a lookup flow (Java). Then it matches a specified value to a range of values and returns related information. |                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>           | Helps to return a value based on a Join relation.                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>    | <i>Schema and Edit schema</i>                                                                                                                                                               | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.<br><br>Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in. |
|                          |                                                                                                                                                                                             | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                       |
|                          |                                                                                                                                                                                             | <b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                     |
|                          | <i>Search column</i>                                                                                                                                                                        | Select the main flow column containing the values to be matched to a range of values                                                                                                                                                                                                                                                 |
|                          | <i>Column (LOOKUP)</i>                                                                                                                                                                      | Select the lookup flow column containing the values to be returned when the Join is ok.                                                                                                                                                                                                                                              |
|                          | <i>Lookup Column min/bounds strictly (min)</i>                                                                                                                                              | Select the column containing the min value of the range. Select the check box if the boundary is strict.                                                                                                                                                                                                                             |
|                          | <i>Lookup Column max/bounds strictly (max)</i>                                                                                                                                              | Select the column containing the max value of the range. Select the check box if the boundary is strict.                                                                                                                                                                                                                             |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                              | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             | This component handles flow of data therefore it requires input and output, hence is defined as an intermediary step.                                                                       |                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b>        | n/a                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                      |


## Scenario: Identifying Ip country

In this Job, an incoming main flow provides 2 columns: *Documents* and *IP* dummy values. A second file used as lookup flow in Java contains a list of sorted IP ranges and their corresponding country. This Job aims at retrieving each document's country from their IP value, in other words, creating a Join between the main flow and the lookup flow.



The Job requires one extra **tFileInputDelimited**, a **tIntervalMatch** and a **tLogRow**.


- Drop the components onto the design workspace.
- Set the basic settings of the **tFileInputDelimited** component.



- The schema is made of two columns, respectively *Document* and *IP*
- Set the **Type** column on **String** for the *Document* column and **Integer** for the *IP* column.
- Set now the second **tFileInputDelimited** properties.

| Column  | Key                      | Type    | Nullable                            | Date Patt... | Len... | Pre... | D... | Co... |
|---------|--------------------------|---------|-------------------------------------|--------------|--------|--------|------|-------|
| min     | <input type="checkbox"/> | Integer | <input checked="" type="checkbox"/> |              | 4      |        |      |       |
| max     | <input type="checkbox"/> | Integer | <input checked="" type="checkbox"/> |              | 4      |        |      |       |
| country | <input type="checkbox"/> | String  | <input checked="" type="checkbox"/> |              | 11     |        |      |       |

- Don't forget to define the **Type** of data.
- Propagate the schema from the incoming main flow to the **tIntervalMatch** component.



| Column   | Key                      | Type    | Nullable                            | Dat... | L..  | P.. |
|----------|--------------------------|---------|-------------------------------------|--------|------|-----|
| document | <input type="checkbox"/> | String  | <input checked="" type="checkbox"/> |        | 9    |     |
| ip       | <input type="checkbox"/> | Inte... | <input checked="" type="checkbox"/> |        | 4    |     |
| LOOKUP   | <input type="checkbox"/> | String  | <input checked="" type="checkbox"/> |        | 2... |     |

- Note that the output schema from the **tIntervalMatch** component is read-only and is made of the input schema plus an extra Lookup column which will output the requested lookup data.
- Set the other properties of the **tIntervalMatch** component.

Schema: Built-In

File Name: 'D:/Input/rangeip.txt'

Row Separator: "\n" Field Separator: ';'

Lookup column index: 0  Search column: ip

- Set the tIntervalMatch other properties such as the min and max column corresponding to the range bounds.

Schema: Built-In

Search Column: ip  Column (LOOKUP): row2.country

Lookup Column (min): row2.min   bounds strictly (min)

Lookup Column (max): row2.max   bounds strictly (max)

- In the **Column Lookup** field, select the column where are the values to be returned.
- In the **Search column** field, select the main flow column containing the values to be matched to the range values.
- The **tLogRow** component does not require any specific setting for this Job.

Following result is displayed:



```
Starting job intervalMatch at 17:05 01/02/2008.
document1 | 1200 | DEUTSCHLAND
document2 | 4500 |
document3 | 500 | FRANCE
document1 | 2201 | ITALIA
Job intervalMatch ended at 17:05 01/02/2008. [exit c
```

Only requested values (country) are included in the output.

# tReplaceList




## tReplaceList Properties

|                         |                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Data Quality                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Function</b>         | Carries out a Search and Replace operation in the input columns defined based on an external lookup. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Purpose</b>          | Helps to cleanse all files before further processing.                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Basic settings</b>   | <i>Schema and Edit schema</i>                                                                        | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Two read-only columns, Value and Match are added to the output schema automatically.</p> <p> <i>The data Type defined in the schemas must be consistent, ie., an integer can only be replaced by another integer using an integer as a look up field. Values of one type cannot be replaced by values of another type.</i></p> |
|                         |                                                                                                      | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         |                                                                                                      | <b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Lookup search column</i>                                                                          | <p>Type in the position number of the column to be searched in the lookup schema.</p> <p><b>0:</b> first column read</p> <p><b>1:</b> second column read</p> <p><b>n:</b> position number of the column in the schema read.</p> <p> <i>In order to ensure the uniqueness of values being searched, make sure this column is marked as Key in your lookup schema.</i></p>                                                                                                                                                           |
|                         | <i>Lookup replacement column</i>                                                                     | <p>Type in the position number of the column where the replacement values are stored.</p> <p><b>0:</b> first column read</p> <p><b>1:</b> second column read</p> <p><b>n:</b> position number of the column in the schema read</p>                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Column options</i>                                                                                | Select the columns of the main flow where the replacement is to be carried out.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                          |                                                                                                      |                                                                   |
|--------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                       | Select this check box to collect log data at the component level. |
| <b>Usage</b>             | <b>tReplaceList</b> is an intermediary component. It requires an input flow and an output component. |                                                                   |

## Scenario: Replacement from a reference file

The following Job searches and replaces a list of countries with their corresponding codes. The relevant codes are taken from a reference file placed as lookup flow in the Job. The main flow is replicated and both outputs are displayed on the console, in order to show the main flow before and after replacement.



- Drop the following components from the **Palette** to the design workspace: **tMySQLInput**, **tFileInputDelimited**, **tReplicate**, **tReplaceList** and **tLogRow** (x2). Note that if your input schemas are stored in the Repository, you can simply drag and drop the relevant node from the Repository’s Metadata Manager onto the design workspace to retrieve automatically the input components’ setting. For more information, see *Talend Open Studio for Big Data User Guide*.
- Connect the components using **Main Row** connections via a right-click on each component. Notice that the main row coming from the reference flow (**tFileInputDelimited**) is called a lookup row.
- Select the **tMySQLInput** component and set the input flow parameters.

Property Type:  Repository: \*

Use an existing connection

Host:  Port:  Database: \*

Username: \* Password: \*

Schema:  \*  ...

Table Name:  ...

Query Type:

Query: \*

Encoding Type:

- The input schema is made of two columns: *Names*, *States*. The column *States* gathered the name of the United States of America which are to be replaced by their respective code.
- In the **Query** field, make sure the *State* column is included in the *Select* statement. In this use case, all columns are selected.

- Check the **tReplicate** component setting. The schema is simply duplicated into two identical flows, but no change to the schema can be made.
- Then double-click on the **tFileInputDelimited** component, to set the reference file.

- The file includes two columns: *Postal*, *State* where *Postal* provides the zipcode corresponding to the name given in the respective row of the *State* column.
- The fields are delimited by semicolons and rows are separated by carriage returns.
- Edit the lookup flow schema.

| Column           | Key                                 | Type   | Nullable                            | Length | Precision | Comment |
|------------------|-------------------------------------|--------|-------------------------------------|--------|-----------|---------|
| Postal           | <input type="checkbox"/>            | String | <input checked="" type="checkbox"/> | 10     |           |         |
| State            | <input checked="" type="checkbox"/> | String | <input checked="" type="checkbox"/> | 255    |           |         |
| Capital          | <input type="checkbox"/>            | String | <input checked="" type="checkbox"/> | 255    |           |         |
| MostPopulousCity | <input type="checkbox"/>            | String | <input checked="" type="checkbox"/> | 255    |           |         |

- Make sure the lookup search column (in this use case: *State*) is a key, in order to ensure the uniqueness of the values being searched.
- Select the **tReplaceList** and set the operation to carry out.
- The schema is retrieved from the previous component of the main flow.

| Column | Replace                             |
|--------|-------------------------------------|
| Name   | <input type="checkbox"/>            |
| States | <input checked="" type="checkbox"/> |

- In **Lookup search index** field, type in the position index of the column being searched. In this use case, *State* is the second column of the lookup input file, therefore type in **1** in this field.
- In **Lookup replacement index** field, fill in the position number of the column containing the replacement values, in this example: *Postal* for the *State* codes.

- In the **Column options** table, select the *States* column as in this use case, the State names are to be replaced with their corresponding code.
- In both **tLogRow** components, select the **Print values in table cells** check box for a better readability of the outputs.
- Save the Job and press **F6** to execute it.

*Starting job ReplaceList at 15:06 22/10/2007.*

| tLogRow_3          |               |
|--------------------|---------------|
| Name               | States        |
| William Grant      | Iowa          |
| William Hoover     | New York      |
| Grover Lincoln     | North Dakota  |
| Lyndon Jefferson   | Ohio          |
| Gerald Hayes       | Washington    |
| Benjamin Grant     | Maine         |
| George Pierce      | Connecticut   |
| Jimmy Reagan       | Alaska        |
| Martin Hayes       | Washington    |
| Franklin Jefferson | Iowa          |
| Andrew Nixon       | New Hampshire |

| tLogRow_2          |        |
|--------------------|--------|
| Name               | States |
| William Grant      | IA     |
| William Hoover     | NY     |
| Grover Lincoln     | ND     |
| Lyndon Jefferson   | OH     |
| Gerald Hayes       | WA     |
| Benjamin Grant     | ME     |
| George Pierce      | CT     |
| Jimmy Reagan       | AK     |
| Martin Hayes       | WA     |
| Franklin Jefferson | IA     |
| Andrew Nixon       | NH     |

*Job ReplaceList ended at 15:06 22/10/2007. [exit code=0]*

The first flow output shows the States column with full state names as it comes from the main input flow.

The second flow output shows the States column after the State column names have been replaced with their respective codes.



# tSchemaComplianceCheck



## tSchemaComplianceCheck Properties

|                         |                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                     |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Data Quality                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>         | Validates all input rows against a reference schema or checks type, nullability, length of rows against reference values. The validation can be carried out in full or partly. |                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>          | Helps to ensure the data quality of any source data against a reference data source.                                                                                           |                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>   | <i>Base Schema</i> and <i>Edit schema</i>                                                                                                                                      | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.<br><br>Describe the structure and nature of your data to be processed as it is.                         |
|                         |                                                                                                                                                                                | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                      |
|                         |                                                                                                                                                                                | <b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused in various projects and Job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                       |
|                         | <i>Check all columns from schema</i>                                                                                                                                           | Select this option to carry out all checks on all columns against the base schema.                                                                                                                                                                                                                  |
|                         | <i>Custom defined</i>                                                                                                                                                          | Select this option to carry out particular checks on particular columns. When this option is selected, the <b>Checked Columns</b> table and the <b>Trim the excess content of column when length checking chosen and the length is greater than defined length</b> check box show.                  |
|                         | <i>Checked Columns</i>                                                                                                                                                         | In this table, define what checks are to be carried out on which columns.                                                                                                                                                                                                                           |
|                         |                                                                                                                                                                                | <b>Column:</b> Displays the columns names.                                                                                                                                                                                                                                                          |
|                         |                                                                                                                                                                                | <b>Type:</b> Select the type of data each column is supposed to contain. This validation is mandatory for all columns.                                                                                                                                                                              |
|                         |                                                                                                                                                                                | <b>Date pattern:</b> Define the expected date format for each column with the data type of <i>Date</i> .                                                                                                                                                                                            |
|                         |                                                                                                                                                                                | <b>Nullable:</b> Select the check box in an individual column to define the column to be nullable, that is, to allow rows with this column empty to go to the output flow regardless of the base schema definition. To define all columns to be nullable, select the check box in the table header. |
|                         |                                                                                                                                                                                | <b>Undefined or empty:</b> Select the check box in an individual column to reject rows with this column empty while the column is not nullable in the base schema definition. To carry out this verification on all the columns, select the check box in the table header.                          |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                   |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Max length:</b> Select the check box in an individual column to verify the data length of the column against the length definition of the base schema. To carry out this verification on all the columns, select the check box in the table header.                            |
|                          | <i>Trim the excess content of column when length checking chosen and the length is greater than defined length</i>                                                                                                                                                                                                                                                                                                                 | Select this check box to remove the part in excess of the defined length from the valid output flow instead of rejecting the row if the length check option is selected.                                                                                                          |
|                          | <i>Use another schema for compliance check</i>                                                                                                                                                                                                                                                                                                                                                                                     | Define a reference schema as you expect the data to be, in order to reject the non-compliant data.<br><br>It can be restrictive on data type, null values, and/or length.                                                                                                         |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                     | Select this check box to collect log data at the component level.                                                                                                                                                                                                                 |
|                          | <i>Use Fastest Date Check</i>                                                                                                                                                                                                                                                                                                                                                                                                      | Select this check box to perform a fast date format check using the <i>TalendDate.isDate()</i> method of the <i>TalendDate</i> system routine if <i>Date pattern</i> is not defined. For more information about routines, see <i>Talend Open Studio for Big Data User Guide</i> . |
|                          | <i>Treat all empty string as NULL</i>                                                                                                                                                                                                                                                                                                                                                                                              | Select this check box to treat any empty fields in any columns as null values, instead of empty strings.<br><br>By default, this check box is selected. When it is cleared, the <b>Choose Column(s)</b> table shows to let you select individual columns.                         |
| <b>Usage</b>             | This component is an intermediary step in the flow allowing to exclude from the main flow the non-compliant data. This component cannot be a start component as it requires an input flow. It also requires at least one output component to gather the validated flow, and possibly a second output component for rejected data using Rejects link. For more information, see <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                   |

## Scenario: Validating data against schema


This very basic scenario shows how to check the type, nullability and length of an incoming flow against a defined reference schema. The incoming flow comes from a simple CSV file that contains heterogeneous data including wrong data type, data exceeding the maximum length, wrong ID and null values in non-nullable columns, as shown below:

```


1 ID;Name;BirthDate;State;City
2 1;Dwight;06-04-2008;Delaware;Concord
3 2;Warren;25-10-2008;Montana
4 3;Benjamin;17-08-2008;Washington;Austin
5 4;Harry;14-04-2008;Kansas;Annapolis
6 5;Ulysses;2007-04-12;Michigan;Raleigh
7 6;James;19-08-2007;Delaware;Charleston
8 .7;Bill;20-04-2007;Illinois;Bismarck
9 8;Ulysses;04-12-2008;;Saint Paul
10 9;Thomas;09-05-2008;Maryland;Albany
11 10;Ronald;11-02-2008;Florida;Hartford

```


Upon validation, the valid rows and the rejected rows are displayed respectively in two tables on the **Run** console.




- Drop the following components: a **tFileInputDelimited**, a **tSchemaComplianceCheck**, and two **tLogRow** components from the **Palette** to the design workspace.
- Connect the **tFileInputDelimited** component to the **tSchemaComplianceCheck** component using a **Row > Main** connection.
- Connect the **tSchemaComplianceCheck** component to the first **tLogRow** component using a **Row > Main** connection. This output flow will gather the valid data.
- Connect the **tSchemaComplianceCheck** component to the second **tLogRow** component using a **Row > Rejects** connection. This second output flow will gather the non-compliant data.
- Select the **Rejects** connection, and notice that the schema passed to the second **tLogRow** contains two more columns: *ErrorCode* and *ErrorMessage*. These two read-only columns provide information about the rejected data to ease error handling and troubleshooting if needed.
- Double-click the **tFileInputDelimited** component to display its **Basic settings** view.



- Fill in the **File name** field by browsing to the input file.
- Specify the header row. In this use case, the first row of the input file is the header row.
- Leave the other parameters as they are.
- Click **Edit schema** to describe the data structure of the input file. In this use case, the schema is made of five columns: *ID*, *Name*, *BirthDate*, *State*, and *City*.



- Leave the **Type** field as permissive as possible. You will define the actual type of the data in the **tSchemaComplianceCheck** component.
- Fill the **Length** field for the *Name*, *State* and *City* columns with 7, 10 and 10 respectively.
- Click **OK** to propagate the schema and close the schema dialog box.
- Double-click the **tSchemaComplianceCheck** component to display its **Basic settings** view, wherein you will define most of the validation parameters.



- Select the **Custom defined** option in the **Mode** area to perform custom defined checks.
- In this example, we use the **Checked columns** table to set the validation parameters. However, you can also select the **Check all columns from schema** check box if you want to perform all the checks (type, nullability and length) on all the columns against the base schema, or select the **Use another schema for compliance check** option and define a new schema as the expected structure of the data.
- In the **Checked Columns** table, define the checks to be performed. In this use case:

- The type of the *ID* column should be **Int**.
- The length of the *Name*, *State* and *City* columns should be checked.
- The type of the *BirthDate* column should be **Date**, and the expected date pattern is *dd-MM-yyyy*.
- All the columns should be checked for null values, so clear the **Nullable** check box for all the columns.



To send rows containing fields exceeding the defined maximum length to the reject flow, make sure that the **Trim the excess content of column when length checking chosen and the length is greater than defined length** check box is cleared.

- In the **Advanced settings** view of the **tSchemaComplianceCheck** component, select the **Treat all empty string as NULL** option to sent any rows containing empty fields to the reject flow.
- To view the validation result in tables on the **Run** console, double-click each **tLogRow** component and select the **Table** option in the **Basic settings** view.
- Save your Job and press **F6** to launch it.

Two tables are displayed on the console, showing the valid data and rejected data respectively.

```
Starting job feature_14780 at 17:32 06/01/2011.
[statistics] connecting to socket on port 3622
[statistics] connected

tLogRow_1

ID|Name |BirthDate |State |City

1 |Dwight |06-04-2008|Delaware|Concord
4 |Harry |14-04-2008|Kansas |Annapolis
6 |James |19-08-2007|Delaware|Charleston
9 |Thomas |09-05-2008|Maryland|Albany
10|Ronald |11-02-2008|Florida |Hartford

tLogRow_2

ID|Name |BirthDate |State |City |errorCode|errorMessage

2 |Warren |25-10-2008|Montana | |4 |City:empty or null
3 |Benjamin|17-08-2008|Washington|Austin |8 |Name:exceed max length
5 |Ulysees |2007-04-12|Michigan |Raleigh |2 |BirthDate:wrong DATE pattern or wrong DATE data
7 |Bill |20-04-2007|Illinois |Bismarck |2 |ID:wrong type
8 |Ulysees |04-12-2008| |Saint Paul|4 |State:empty or null


[statistics] disconnected
Job feature_14780 ended at 17:32 06/01/2011. [exit code=0]
```

# tUniqRow




## tUniqRow Properties

|                          |                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Data Quality                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>          | Compares entries and sorts out duplicate entries from the input flow. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>           | Ensures data quality of input or output flow in a Job.                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>    | <i>Schema and Edit schema</i>                                         | <p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>                                                                                                                         |
|                          |                                                                       | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          |                                                                       | <b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Unique key</i>                                                     | <p>In this area, select one or more columns to carry out deduplication on the particular column(s)</p> <ul style="list-style-type: none"> <li>- Select the <b>Key attribute</b> check box to carry out deduplication on all the columns</li> <li>- Select the <b>Case sensitive</b> check box to differentiate upper case and lower case</li> </ul>                                                                                                                                                                                                                           |
| <b>Advanced settings</b> | <i>Only once each duplicated key</i>                                  | Select this check box if you want to have only the first duplicated entry in the column(s) defined as key(s) sent to the output flow for duplicates.                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Use of disk (suitable for processing large row set)</i>            | <p>Select this check box to enable generating temporary files on the hard disk when processing a large amount of data. This helps to prevent Job execution failure caused by memory overflow. With this check box selected, you need also to define:</p> <ul style="list-style-type: none"> <li>- <b>Buffer size in memory:</b> Select the number of rows that can be buffered in the memory before a temporary file is to be generated on the hard disk.</li> <li>- <b>Directory for temp files:</b> Set the location where the temporary files should be stored.</li> </ul> |

|                   |                                                                                                                       |                                                                                                                                                                                                        |
|-------------------|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                       |  <i>Make sure that you specify an existing directory for temporary files; otherwise your Job execution will fail.</i> |
|                   | <i>tStatCatcher Statistics</i>                                                                                        | Select this check box to gather the job processing metadata at a job level as well as at each component level.                                                                                         |
| <b>Usage</b>      | This component handles flow of data therefore it requires input and output, hence is defined as an intermediary step. |                                                                                                                                                                                                        |
| <b>Limitation</b> | n/a                                                                                                                   |                                                                                                                                                                                                        |

## Scenario 1: Deduplicating entries

In this five-component Job, we will sort entries on an input name list, find out duplicated names, and display the unique names and the duplicated names on the **Run** console.




### Setting up the Job


1. Drop a **tFileInputDelimited**, a **tSortRow**, a **tUniqRow**, and two **tLogRow** components from the **Palette** to the design workspace, and name the components as shown above.
2. Connect the **tFileInputDelimited** component, the **tSortRow** component, and the **tUniqRow** component using **Row > Main** connections.
3. Connect the **tUniqRow** component and the first **tLogRow** component using a **Main > Uniques** connection.
4. Connect the **tUniqRow** component and the second **tLogRow** component using a **Main > Duplicates** connection.

### Configuring the components


1. Double-click the **tFileInputDelimited** component to display its **Basic settings** view.



2. Click the [...] button next to the **File Name** field to browse to your input file.
3. Define the header and footer rows. In this use case, the first row of the input file is the header row.
4. Click **Edit schema** to define the schema for this component. In this use case, the input file has five columns: *Id*, *FirstName*, *LastName*, *Age*, and *City*. Then click **OK** to propagate the schema and close the schema editor.
5. Double-click the **tSortRow** component to display its **Basic settings** view.



6. To rearrange the entries in the alphabetic order of the names, add two rows in the **Criteria** table by clicking the plus button, select the *FirstName* and *LastName* columns under **Schema column**, select *alpha* as the sorting type, and select the sorting order.
7. Double-click the **tUniqRow** component to display its **Basic settings** view.






8. In the **Unique key** area, select the columns on which you want deduplication to be carried out. In this use case, you will sort out duplicated names.
9. In the **Basic settings** view of each of the **tLogRow** components, select the **Table** option to view the Job execution result in table mode.

## Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Run the Job by pressing **F6** or clicking the **Run** button on the **Run** tab.

The unique names and duplicated names are displayed in different tables on the **Run** console.



```

|70 |Rutherford|Garfield |74 |Honolulu
|1 |Rutherford|Roosevelt |56 |Oklahoma City
|57 |Theodore |Tyler |42 |Bismarck
|84 |Thomas |Eisenhower|65 |Concord
|9 |Thomas |Lincoln |44 |Augusta
|15 |Ulysses |Johnson |37 |Austin
|39 |Ulysses |Kennedy |27 |Phoenix
|80 |Ulysses |Pierce |56 |Madison
|25 |Warren |Jefferson|40 |Frankfort
|87 |Warren |Johnson |66 |Oklahoma City
|36 |William |Carter |36 |Trenton
|18 |William |Hoover |76 |Columbus
|59 |Woodrow |Fillmore |42 |Saint Paul
|78 |Woodrow |Roosevelt|66 |Atlanta
|38 |Woodrow |Taft |35 |Oklahoma City
|98 |Woodrow |Tyler |75 |Concord
|16 |Zachary |Monroe |35 |Richmond
|11 |Zachary |Taft |63 |Helena
-----+-----+-----+-----+-----+
|
|-----+-----+-----+-----+-----+
| Duplicated_Names
|-----+-----+-----+-----+-----+
|Id|FirstName|LastName |Age|City
|-----+-----+-----+-----+-----+
|22|Calvin |Eisenhower|27 |Montgomery
|79|Calvin |Eisenhower|67 |Juneau
|24|George |Harrison |74 |Harrisburg
|69|Ulysses |Johnson |71 |Olympia
|-----+-----+-----+-----+-----+

```


# tUniservBTGeneric



This component will be available in the **Palette** of the studio on the condition that you have subscribed to the relevant edition of Data Quality Service Hub Studio.

## tUniservBTGeneric properties

|                          |                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Data quality                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                         |
| <b>Function</b>          | <b>tUniservBTGeneric</b> enables the execution of a processing created with the Uniserv product <i>DQ Batch Suite</i> .                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                         |
| <b>Purpose</b>           | <b>tUniservBTGeneric</b> sends the data to the <i>DQ Batch Suite</i> and starts the specified <i>DQ Batch Suite</i> job. When the job execution is finished, the results are returned to the <i>Data Quality Service Hub Studio</i> for further processing. |                                                                                                                                                                                                                                                                                                                                                         |
| <b>Basic settings</b>    | <i>Schema and Edit schema</i>                                                                                                                                                                                                                               | A schema is a row description, i.e. it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the <b>Repository</b> .<br><br>Click <b>Retrieve Schema</b> to create a schema for the components that matches the input and output fields in the <i>DQ Batch Suite</i> job. |
|                          | <i>Host name</i>                                                                                                                                                                                                                                            | Host on which the Master Server of <i>DQ Batch Suite</i> runs, between double quotation marks.                                                                                                                                                                                                                                                          |
|                          | <i>Port</i>                                                                                                                                                                                                                                                 | Port number on which the <i>DQ Batch Suite</i> server runs, between double quotation marks.                                                                                                                                                                                                                                                             |
|                          | <i>Client Server</i>                                                                                                                                                                                                                                        | Name of the client server of the <i>DQ Batch Suite</i> , between double quotation marks.                                                                                                                                                                                                                                                                |
|                          | <i>User name</i>                                                                                                                                                                                                                                            | User name for the registration on the <i>DQ Batch Suite</i> server. The stated user must have the right to execute the <i>DQ Batch Suite</i> job.                                                                                                                                                                                                       |
|                          | <i>Password</i>                                                                                                                                                                                                                                             | Password of the stated user.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Job directory</i>                                                                                                                                                                                                                                        | Directory in the <i>DQ Batch Suite</i> , in which the job is saved.                                                                                                                                                                                                                                                                                     |
|                          | <i>Job name</i>                                                                                                                                                                                                                                             | Name of the <i>DQ Batch Suite</i> job that is to be executed.                                                                                                                                                                                                                                                                                           |
|                          | <i>Job file path</i>                                                                                                                                                                                                                                        | File path under which the <i>DQ Batch Suite</i> job to be executed will be saved. The path to the file must be stated absolutely.                                                                                                                                                                                                                       |
| <b>Advanced settings</b> | <i>Temporary directory</i>                                                                                                                                                                                                                                  | Directory in which the temporary files created during job execution are to be saved.                                                                                                                                                                                                                                                                    |
|                          | <i>Input Parameters</i>                                                                                                                                                                                                                                     | These parameters must correspond to the parameters in the function <b>Input</b> (tab "Format") of the <i>DQ Batch Suite</i> job.<br><br><b>File location:</b> State whether the input file is saved in the pool or the local job directory.                                                                                                             |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <p><b>Directory:</b> If the File location = Pool, it means the directory is related to the pool directory. If the File location = Job, "input" must be specified here.</p> <p><b>File name:</b> Name of the delimiter file which has been generated by <b>tUniservBTGeneric</b> and is to be transferred to the <i>DQ Batch Suite</i>. The file name must correspond to the file name which is defined in the function <b>Input</b> of the <i>DQ Batch Suite</i> job.</p> <p><b>No. of header rec.:</b> 0 = no header record, 1 = header record in the input file.</p> <p><b>Field separator:</b> Field separator defined in the function <b>Input</b> of the <i>DQ Batch Suite</i> job.</p>                                                                                                                                                                                                                    |
|                   | <i>Output Parameters</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p>These parameters must correspond to the parameters in the function <b>Output</b> (tab "Format") of the <i>DQ Batch Suite</i> job.</p> <p><b>File location:</b> State whether the output file is to be saved in the pool or the local job directory.</p> <p><b>Directory:</b> If the File location = Pool, it means the directory is related to the pool directory. If the File location = Job, "output" must be specified here.</p> <p><b>File name:</b> Name of the output file in the delimiter format, which is created by the <i>DQ Batch Suite</i> job. The file name must correspond to the file name defined in the function <b>Output</b> of the <i>DQ Batch Suite</i> job.</p> <p><b>No. of header rec.:</b> 0 = no header record, 1 = header record in the output file.</p> <p><b>Field separator:</b> Field separator defined in the function <b>Output</b> of the <i>DQ Batch Suite</i> job.</p> |
| <b>Usage</b>      | <b>tUniservBTGeneric</b> sends data to <i>DQ Batch Suite</i> and starts the specified <i>DQ Batch Suite</i> job. When the execution is finished, the output data of the job is returned to <i>Data Quality Service Hub Studio</i> for further processing.                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Limitation</b> | <p>To use <b>tUniservBTGeneric</b>, the Uniserv software <i>DQ Batch Suite</i> must be installed.</p> <p> Please note the following:</p> <ul style="list-style-type: none"> <li>• The job must be configured and executable in the <i>DQ Batch Suite</i>.</li> <li>• The user must have the authority to execute the <i>DQ Batch Suite</i> job.</li> <li>• The <i>DQ Batch Suite</i> job may only have one line.</li> <li>• The files defined in the functions <b>Input</b> and <b>Output</b> must possess the record format delimiter.</li> <li>• Input and output data must be provided in the UTF-8 character set.</li> </ul> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Scenario: Execution of a Job in the


This scenario describes a *DQ Batch Suite* job which execution results are processed in the *Data Quality Service Hub Studio*. The input source for the job is provided by the *Data Quality Service Hub Studio*.

The job was completely defined in the *DQ Batch Suite* and saved under the name "*BTGeneric\_Sample*". In the function **Input**, the file "*btinput.csv*" was specified as the input file saved in the job directory and all fields were assigned. The file is not yet existent physically as it will only be provided by the *Data Quality Service Hub Studio*, so that the job cannot yet run.

In the *Data Quality Service Hub Studio*, the input source (here a table from an Oracle database) for this scenario was already saved in the **Repository**, so that all schema metadata is available.

1. In the **Repository** view, expand the **Metadata** node and the directory in which you saved the source. Then drag this source into the design workspace.


The dialog box below appears.




2. Select **tOracleInput** and then click **OK** to close the dialog box.

The component is displayed in the workspace. The table used in this scenario is called *LOCATIONS*.


3. Drag the following components from the **Palette** into the design workspace: two **tMap** components, **tOracleOutput** and **tUniservBTGeneric**.
4. Connect the components via **Row > Main**.




During the process, accept the schema from **tUniservBTGeneric** by clicking **Yes** in the validation window.




5. Double-click **tUniservBTGeneric** to open its **Basic Settings** view.



6. Enter the connection data for the *DQ Batch Suite* job. Note that the absolute path must be entered in the field **Job File Path**.
7. Click **Retrieve Schema** to automatically create a schema for **tUniservBTGeneric** from the input and output definitions of the *DQ Batch Suite* job and automatically fill in the fields in the **Advanced Settings**.
8. Check the details in the **Advanced Settings** view. The definitions for input and output must be defined exactly the same as the *DQ Batch Suite* job. If necessary, adapt the path for the temporary files.



9. Double-click **tMap\_1** to open the schema mapping window. On the left is the structure of the input source, on the right is the schema of **tUniservBTGeneric** (and thus the input for the *DQ Batch Suite* job). At the bottom is the **Schema Editor**, where you can find the attributes of the individual columns and edit them.
10. Assign the columns of the input source to the respective columns of **tUniservBTGeneric**. For this purpose, select a column of the input source and drag it onto the appropriate column on the right side.



Click **OK** to close the dialog box.

11. Then define how to process the execution results of the job, including which components will be used.
12. Before starting the job, make sure that all path details are correct, the server of the *DQ Batch Suite* is running and that you are able to access the job.

# tUniservRTConvertName



This component will be available in the **Palette** of the studio on the condition that you have subscribed to the relevant edition of Data Quality Service Hub Studio.

## tUniservRTConvertName properties

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Data quality                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | <p><b>tUniservRTConvertName</b> analyzes the name line against the context. For individual persons, it divides the name line into segments (name, first name, title, name prefixes, name suffixes, etc.) and creates the address key.</p> <p>The component recognizes company or institution addresses and is able to provide the form of the organization separately. It also divides lines that contain information on several persons to separate lines and is able to recognize certain patterns that do not belong to the name information in the name line (customer number, handling notes, etc.) and remove them or move them to special memo fields.</p> |                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | <p><b>tUniservRTConvertName</b> provides the basis for a uniform structuring and population of person and company names in the database as well as the personalized salutation.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Schema and Edit schema</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | A schema is a row description, i.e. it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.                                                                                                                                                                                         |
|                         | <i>Host name</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Server host name between double quotation marks.                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Listening port number of the server between double quotation marks.                                                                                                                                                                                                                                                                                                                |
|                         | <i>Service</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <p>The service type/name is "cname_d" by default. Enter a new name if necessary (e.g. due to service suffix), between double quotation marks. Available services:</p> <p>Germany "cname_d"</p> <p>Italy "cname_i"</p> <p>Austria "cname_a"</p> <p>Netherlands "cname_nl"</p> <p>Switzerland "cname_ch"</p> <p>Belgium "cname_b"</p> <p>France "cname_f"</p> <p>Spain "cname_e"</p> |
|                         | <i>Use rejects</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Select this option to separately output data sets from a certain result class of the onward name analysis. Enter                                                                                                                                                                                                                                                                   |



|                          |                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                              | <p>the respective result class in the field <b>if result class is greater or equal to</b>.</p> <p>If this option is not selected, the sets are still output via the <b>Main</b> connection even if the analysis failed.</p> <p>If the option is selected, but the <b>Rejects</b> connection is not established, the sets are simply sorted out when the analysis failed.</p> |
| <b>Advanced settings</b> | <i>Analysis Configuration</i>                                                                                                                                                | For detailed information, please refer to the Uniserv user manual <i>convert-name</i> .                                                                                                                                                                                                                                                                                      |
|                          | <i>Output Configuration</i>                                                                                                                                                  | For detailed information, please refer to the Uniserv user manual <i>convert-name</i> .                                                                                                                                                                                                                                                                                      |
|                          | <i>Configuration of not recognized input</i>                                                                                                                                 | For detailed information, please refer to the Uniserv user manual <i>convert-name</i> .                                                                                                                                                                                                                                                                                      |
|                          | <i>Configuration of free fields</i>                                                                                                                                          | For detailed information, please refer to the Uniserv user manual <i>convert-name</i> .                                                                                                                                                                                                                                                                                      |
|                          | <i>Cache Configuration</i>                                                                                                                                                   | For detailed information, please refer to the Uniserv user manual <i>convert-name</i> .                                                                                                                                                                                                                                                                                      |
| <b>Usage</b>             | <b>tUniservRTConvertName</b> provides the basis for a uniform structuring and population of person and company names in the database as well as the personalized salutation. |                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Limitation</b>        | To use <b>tUniservRTConvertName</b> , the Uniserv software <i>convert-name</i> must be installed.                                                                            |                                                                                                                                                                                                                                                                                                                                                                              |

## Scenario: Analysis of a name line and assignment of the salutation

This scenario describes a batch job that analyzes the person names in a file and assigns them a salutation.


The input file for this scenario is already saved in the **Repository**, so that all schema metadata is available.



Please observe that the data from the input source must all be related to the same country.

1. In the **Repository** view, expand the **Metadata** node and the directory in which the file is saved. Then drag this file into the design workspace.


The dialog box below appears.




2. Select **tFileInputDelimited** and then click **OK** to close the dialog box.

The component is displayed in the workspace. The file used in this scenario is called *SampleAddresses..*


3. Drag the following components from the **Palette** into the design workspace: two **tMap** components, **tUniservRTConvertName**, and **tFileOutputDelimited..**
4. Connect the components via **Row > Main**.




During the process, accept the schema from **tUniservRTConvertName** by clicking **Yes** in the validation window.




5. Double-click **tMap\_1** to open the schema mapping window. On the left is the structure of the input file, on the right is the schema of **tUniservRTConvertName**. At the bottom lies the **Schema Editor**, where you can find the attributes of the individual columns and edit them.



6. Assign the columns of the input source to the respective columns of **tUniservRTConvertName**. For this purpose, select a column of the input source and drag it onto the appropriate column on the right side. If fields from the input file are to be passed on to the output file, like the address fields or IDs, you have to define additional fields.
7. Click **OK** to close the dialog box.
8. Double-click **tUniservRTConvertName** to open its **Basic Settings** view.



9. Fill in the server information and specify the country-specific service.
10. Double-click **tMap\_3** to open the mapping window. On the left is the schema of **tUniservRTConvertName** and on the right is the schema of the output file.



11. Click **OK** to close the window.
12. Double-click **tFileOutputDelimited** and enter the details for the output file.

# tUniservRTMailBulk



This component will be available in the **Palette** of the studio on the condition that you have subscribed to the relevant edition of Data Quality Service Hub Studio.

## tUniservRTMailBulk properties

|                          |                                                                                                                                                                                                                                                   |                                                                                                                                                                                            |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Data quality                                                                                                                                                                                                                                      |                                                                                                                                                                                            |
| <b>Function</b>          | <b>tUniservRTMailBulk</b> creates an index pool for <i>mailRetrieval</i> with predefined input data.                                                                                                                                              |                                                                                                                                                                                            |
| <b>Purpose</b>           | <b>tUniservRTMailBulk</b> prepares the index pool for duplicate search.                                                                                                                                                                           |                                                                                                                                                                                            |
| <b>Basic settings</b>    | <i>Schema and Edit schema</i>                                                                                                                                                                                                                     | A schema is a row description, i.e. it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository. |
|                          | <i>Host name</i>                                                                                                                                                                                                                                  | Server host name between double quotation marks.                                                                                                                                           |
|                          | <i>Port</i>                                                                                                                                                                                                                                       | Listening port number of the server between double quotation marks.                                                                                                                        |
|                          | <i>Service</i>                                                                                                                                                                                                                                    | The service name is "mail" by default. Enter a new name if necessary (e.g. due to service suffix), between double quotation marks.                                                         |
| <b>Advanced settings</b> | <i>Uniserv Parameters</i>                                                                                                                                                                                                                         | For detailed information, please refer to the Uniserv user manual <i>mailRetrieval</i> .                                                                                                   |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                    | Select this check box to collect log data at the Job and the component levels.                                                                                                             |
| <b>Usage</b>             | <b>tUniservRTMailBulk</b> prepares the index pool for duplicate search.                                                                                                                                                                           |                                                                                                                                                                                            |
| <b>Limitation</b>        | To use <b>tUniservRTMailBulk</b> , the Uniserv software <i>mailRetrieval</i> must be installed.<br><br>An input component and a map are needed to read the address from the database or a file. The component does not have an output connection. |                                                                                                                                                                                            |


## Scenario: Creating an index pool

This scenario describes a batch job that loads the address list of an SQL database into the index pool.

The database for this scenario is already saved in the **Repository**, so that all schema metadata is available.

1. In the **Repository** view, expand the **Metadata** node and the directory in which the database is saved. Then drag this database into the design workspace.


The dialog box below appears.




2. Select **tMysqlInput** and then click **OK** to close the dialog box.

The component is then displayed in the workspace.

3. Drag the following components from the **Palette** into the design workspace: **tMap** and **tUniservRTMailBulk**.
4. Connect the components via **Row** > **Main**.




During the process, accept the schema from **tUniservRTMailBulk** by clicking **Yes** in the validation window.




5. Double-click **tMap\_1** to open the schema mapping window. On the left is the schema of the database file and on the right is the schema of **tUniservRTMailBulk**. At the bottom is displayed the **Schema Editor**, where you can find the attributes of the individual columns and edit them.





6. Assign the columns of the input source to the respective columns of **tUniservRTMailBulk**. For this purpose, select a column of the input source and drag it onto the appropriate column on the right side. The meaning of the individual arguments is described in the Uniserv user manual *mailRetrieval*.
7. Click **OK** to close the window.
8. Double-click **tUniservRTMailBulk** to open its **Basic Settings** view.



9. Fill in the server information and specify the service.
10. Select **Advanced Settings** to adapt the server parameters.

**tUniservRTMailBulk\_1**

Basic settings

**Advanced settings**

Dynamic settings

View

Documentation

Uniserv parameters

par\_create\_pool UNI\_FALSE

par\_date\_format "dd.mm.yyyy"\*

tS:atCatcher Statistics



# tUniservRTMailOutput



This component will be available in the **Palette** of the studio on the condition that you have subscribed to the relevant edition of Data Quality Service Hub Studio.

## tUniservRTMailOutput properties

|                          |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Data Quality                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tUniservRTMailOutput</b>    | updates the index pool that is used for duplicate search..                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>           | <b>tUniservRTMailOutput</b>    | keeps the index pool synchronized.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Basic settings</b>    | <i>Schema and Edit schema</i>  | A schema is a row description, i.e. it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the <b>Repository</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Host name</i>               | Server host name between double quotation marks.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Port</i>                    | Listening port number of the server between double quotation marks.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Service</i>                 | The service name is "mail" by default. Enter a new name if necessary (e.g. due to service suffix), between double quotation marks.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Action on data</i>          | Operations that can be made on the index pool.<br><br><b>Insert:</b> inserts a new record in the index pool. This request will fail if the record with the given reference already exists in the index pool.<br><br><b>Update:</b> updates an existing record in the index pool. This request will fail if the record with the given reference does not exist in the index pool.<br><br><b>Insert or update:</b> inserts a new record in the index pool. If the record with the given reference already exists, an update would be made.<br><br><b>Update or insert:</b> updates the record with the given reference. If the record does not exist in the index pool, a new record would be inserted.<br><br><b>Delete:</b> deletes the record with the given reference from the index pool. |
| <b>Advanced settings</b> | <i>Uniserv Parameters</i>      | For detailed information, please refer to the Uniserv user manual <i>mailRetrieval</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>tStatCatcher Statistics</i> | Select this check box to collect log data at the Job and the component levels.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Usage</b>             | <b>tUniservRTMailOutput</b>    | updates the index pool and passes the input set on. The output is amended by the status of the operation. If the operation fails, an error message will be displayed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

**Limitation**

To use **tUniservRTMailOutput**, the Uniserv software *mailRetrieval* must be installed.



Before the first use of **tUniservRTMailOutput**, an index pool must be created. You can create the index pool with **tUniservRTMailBulk**.

## Related scenarios


For a related scenario, see [the section called “Scenario: Adding contacts to the mailRetrieval index pool”](#).

# tUniservRTMailSearch



This component will be available in the **Palette** of the studio on the condition that you have subscribed to the relevant edition of Data Quality Service Hub Studio.

## tUniservRTMailSearch properties

|                          |                                                                                                    |                                                                                                                                                                                                                                                             |
|--------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Data quality                                                                                       |                                                                                                                                                                                                                                                             |
| <b>Function</b>          | <b>tUniservRTMailSearch</b> searches for similar data based on the given input record.             |                                                                                                                                                                                                                                                             |
| <b>Purpose</b>           | <b>tUniservRTMailSearch</b> searches for duplicate values and adds additional data to each record. |                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>    | <i>Schema and Edit schema</i>                                                                      | A schema is a row description, i.e. it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the <b>Repository</b> .                                                          |
|                          | <i>Host name</i>                                                                                   | Server host name between double quotation marks.                                                                                                                                                                                                            |
|                          | <i>Port</i>                                                                                        | Listening port number of the server between double quotation marks.                                                                                                                                                                                         |
|                          | <i>Service</i>                                                                                     | The service name is "mail" by default. Enter a new name if necessary (e.g. due to service suffix), between double quotation marks.                                                                                                                          |
|                          | <i>Maximum of displayed duplicates (0 = All)</i>                                                   | Enter the maximum number of duplicates to be displayed in the <b>Run</b> view. The default value is 0, which means that all duplicates will be displayed (up to 1000 duplicates can be displayed).                                                          |
|                          | <i>Use rejects</i>                                                                                 | Select this check box to set parameters based on which duplicate records should be added to the reject flow. Then set the:<br><br><b>Element:</b> Duplicate count.<br><br><b>Operator:</b> <, <=, =, >=, >.<br><br><b>Value:</b> Enter the number manually. |
| <b>Advanced settings</b> | <i>Uniserv Parameters</i>                                                                          | For detailed information, please refer to the Uniserv user manual <i>mailRetrieval</i> .                                                                                                                                                                    |
|                          | <i>tStatCatcher Statistics</i>                                                                     | Select this check box to collect log data at the Job and the component levels.                                                                                                                                                                              |
| <b>Usage</b>             | <b>tUniservRTMailSearch</b> requires an input component and one or more output components.         |                                                                                                                                                                                                                                                             |
| <b>Limitation</b>        | To use <b>tUniservRTMailSearch</b> , the Uniserv software <i>mailRetrieval</i> must be installed.  |                                                                                                                                                                                                                                                             |
|                          |                 | Before the first use of <b>tUniservRTMailSearch</b> , an index pool must be created. You can create the index pool with <b>tUniservRTMailBulk</b> .                                                                                                         |

## Scenario: Adding contacts to the mailRetrieval index pool

This scenario describes a batch job that adds contacts to the index pool of *mailRetrieval*. Before the addition, it must be checked whether these contacts already exist.

The input file for this scenario is already saved in the **Repository**, so that all schema metadata is available.




Please note that the data from the input source must be related to the same country.

### Dropping and connecting the components

1. In the **Repository** view, expand the **Metadata** node and the directory in which the file is saved. Then drag this file into the design workspace.


The dialog box below appears.




2. Select **tFileInputDelimited** and then click **OK** to close the dialog box.

The component is displayed in the workspace.

3. Drag the following components from the **Palette** into the design workspace: two **tMap** components, **tUniservRTMailSearch** and **tUniservRTMailOutput**.
4. Connect the components via **Row > Main**.




During the process, accept the schema from **tUniservRTMailSearch** by clicking **Yes** in the validation window.



## Configuring the components


1. Double-click **tMap\_1** to open the schema mapping window. On the left is the structure of the input file and on the right is the schema of **tUniservRTMailSearch**. At the bottom lies the **Schema Editor**, where you can find the attributes of the individual columns and edit them.



2. Assign the columns of the input file to the respective columns of **tUniservRTMailSearch**. For this purpose, select a column of the input source and drag it onto the appropriate column on the right side.
3. When your input list contains a reference ID, you should adopt it. In order to do so, create a new column **IN\_DBREF** in the **Schema Editor** and connect it with your reference ID.

Click **OK** to close the window.


4. Double-click **tUniservRTMailSearch** to open its **Basic settings** view.



5. Under **Maximum of displayed "duplicates"**, enter *0* to display all the duplicates.


Select **Define rejects** to open the rejects definition window.

6. Click the [+] button to insert a new line in the window. Select *Duplicate count* under the element column, > under the operator column, and *0* under the value column. So all the existing contacts are disqualified and only the new contact will be added to the index pool.
7. Enter the **Advanced settings** view and check the parameters. Reasonable parameters are preset. Detailed information can be found in the manual *mailRetrieval*.
8. Double-click **tMap\_3** to open schema mapping window. On the left is the schema of **tUniservRTMailSearch** and on the right is the schema of **tUniservRTMailOutput**.
9. Click **Auto map!** to assign the fields automatically.
10. The only field that must be assigned manually is the reference ID. In order to do so, drag *OUT-DBREF* from the left side onto the field *IN\_DBREF* on the right side.



Click **OK** to close the dialog box.

- Double-click **tUniservRTMailOutput** to open the **Basic settings** view.



From the **Action on Data** list, select *Insert or update*. This way, all new contacts are added to the index pool.



# tUniservRTPost



This component will be available in the **Palette** of the studio on the condition that you have subscribed to the relevant edition of Data Quality Service Hub Studio.

## tUniservRTPost properties

|                         |                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Data quality                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Function</b>         | <b>tUniservRTPost</b> provides postal validation and correction of addresses, which is critical to improving the quality of addresses. This way, you will be more successful in personalized one-on-one marketing, reducing costs and increasing the efficiency and cost-effectiveness of address management in all the applications. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Purpose</b>          | <b>tUniservRTPost</b> helps to improve the addresses quality, which is extremely important for CRM and e-business as it is directly related to postage and advertising costs.                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic settings</b>   | <i>Schema and Edit schema</i>                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e. it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the <b>Repository</b> .                                                                                                                                                                                                                                                                                       |
|                         | <i>Host name</i>                                                                                                                                                                                                                                                                                                                      | Server host name between double quotation marks.                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Port</i>                                                                                                                                                                                                                                                                                                                           | Listening port number of the server between double quotation marks.                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Service</i>                                                                                                                                                                                                                                                                                                                        | The service name is "post" by default. Enter a new name if necessary (e.g. due to service suffix), between double quotation marks.                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Use rejects</i>                                                                                                                                                                                                                                                                                                                    | Select this check box to collect faulty addresses via the <b>rejects</b> connection. Usually they are the addresses with the post result class 5. Valid values for the result class are 1-5. The value must be between double quotation marks.<br><br>If this check box is not selected, the faulty addresses are output via the <b>Main</b> connection.<br><br>If the check box is selected but the <b>rejects</b> connection is not created, the faulty addresses are simply rejected. |
|                         | <i>Use File for ambiguous results</i>                                                                                                                                                                                                                                                                                                 | Select the check box to define a file for writing the selection list to it.<br><br>When an address cannot be corrected unambiguously, a selection list is created.<br><br>This list can be further processed via the <b>AMBIGUITY</b> connection. All potential candidate results then run via this connection. The schema of this connection is preinitialized with the arguments of the dissolved selection list of the service <i>post</i> .                                          |



|                          |                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                        |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Advanced settings</b> | <i>Uniserv Parameters</i>                                                                                                                                                                                                                                                                                                                                                                 | Select this check box to define the corresponding parameters. For detailed information, please refer to the Uniserv user manual <i>International Postal Framework</i> .                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                            | Select this check box to collect log data at the Job and the component levels.                                                                                                                                                                                         |
|                          | <i>“Full address” selection list</i>                                                                                                                                                                                                                                                                                                                                                      | Select the check box <b>Display</b> to show all the columns. Or, select the check box next to a particular column to show it alone.<br><br>This option controls the content of the file for ambiguous addresses. Only selected columns would be written into the file. |
| <b>Usage</b>             | <b>tUniservRTPost</b> requires an input set. Its postal validation will then be checked. In case of an unambiguous result, the corrected set will be output via the <b>Main</b> connection. If the address is ambiguous, the potential candidates will be output via the <b>Ambiguity</b> connection. If an address was not found, it will be passed on via the <b>Reject</b> connection. |                                                                                                                                                                                                                                                                        |
| <b>Limitation</b>        | To use <b>tUniservRTPost</b> , the Uniserv software <i>International Postal Framework</i> and the required post servers must be installed.                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                        |


## Scenario 1: Checking and correcting the postal code, city and street

This scenario describes a batch job that checks and corrects the addresses and postal codes from a file.

The input file for this scenario is already saved in the **Repository**, so that all schema metadata is available.

1. In the **Repository** view, expand the **Metadata** node and the directory in which the file is saved. Then drag this file into the design workspace.


The dialog box below appears.




2. Select **tFileInputDelimited** and click **OK** to close the dialog box.

The component is displayed in the workspace. The file used in this scenario is called *SampleAddresses*. It contains address data that comes with a country code. The street and house number are saved together in the street field, while postal code and city are respectively saved in separate fields.


3. Drag the following components from the **Palette** into the design workspace: two **tMap** components, **tUniservRTPost** and **tFileOutputDelimited**.
4. Connect the components via **Row > Main**.



5. During the process, accept the schema from **tUniservRTPost** by clicking **Yes** in the validation window.



6. Double-click **tMap\_1** to open the schema mapping window. On the left is the structure of the input file and on the right is the schema of **tUniservRTPost**. At the bottom is displayed the **Schema Editor**, where you can find the attributes of the individual columns and edit them.



7. Assign the columns of the input file to the respective columns of **tUniservRTPost**. For this purpose, select a column of the input source and drag it onto the appropriate column on the right side. If fields from the input file are to be passed on to the output file, e.g. the names or the IDs, additional fields must be defined.



When assigning the fields, note that street and house number can either be saved together in the street column or respectively in separate fields. If your data list does not have a country code but the addresses are from the same country, the relevant ISO-country code should be manually entered between double quotation marks in the column *IN\_COUNTRY*. If you have an international data list without country code, just leave the column *IN\_COUNTRY* empty. For detailed information, please refer to the Uniserv user manual *International Postal Framework*.

8. Click **OK** to close the window.
9. Double-click **tUniservRTPost** and enter its **Advanced settings** view.

The screenshot shows the configuration interface for the **tUniservRTPost\_1** component. The left sidebar contains navigation options: Basic settings, **Advanced settings**, Dynamic settings, View, and Documentation. The main area is titled "Uniserv parameters" and includes several sections:

- Configuring Character Sets and Case
- Setting Field lengths, Abbreviations and Languages

Parameters for field lengths and abbreviations are set as follows:

- par\_language: English
- par\_client\_codepage: iso-8859-1
- par\_len\_out\_line: 99
- par\_city\_len: 40
- par\_str\_len: 40
- par\_city\_abbrev: UNI\_IT\_BEST
- par\_str\_abbrev: UNI\_IT\_BEST
- par\_alternative\_city: UNI\_LIKE\_INPUT
- par\_alternative\_str: UNI\_IKE\_INPUT

Other options include:

- Control over Address Elements
- Hints to Address Analysis Processing
- Miscellaneous
- Configuring ambiguity lists
- tStatCatcher Statistics

The "Full address" selection list table is shown below:


| Column            | Display                             |
|-------------------|-------------------------------------|
| OUT_BUILDING_NAME | <input checked="" type="checkbox"/> |
| OUT_CITY          | <input checked="" type="checkbox"/> |
| OUT_CITY_ABBREV   | <input checked="" type="checkbox"/> |
| OUT_CITY_DETAIL   | <input checked="" type="checkbox"/> |

10. Change the parameters and field lengths if necessary and select the output fields.



Make sure sufficient field length is defined. For detailed information, please refer to the Uniserv user manual *International Postal Framework*.

11. Double-click **tMap\_3** to open schema mapping window. On the left is the schema of **tUniservRTPost** and on the right is the schema of the output file.




12. Click **OK** to close the dialog box.
13. Double-click **tFileOutputDelimited** to enter the details for the output file.


## Scenario 2: Checking and correcting the postal code, city and street, as well as rejecting the unfeasible

This scenario is closely related to the one above. But the difference is that, the addresses that cannot be assigned are written into a separate file for manual checking. Additionally, to write ambiguous addresses in a separate file, the procedure is the same as described here.

1. Create a job as described in the previous scenario.
2. Drag the following additional components from the **Palette** into the design workspace: **tMap** and **tFileOutputDelimited**.
3. Double-click **tUniservRTPost** to open its **Basic settings** view.
4. Select the **Use rejects** check box and enter "5" in the field **if result class greater or equals to**. This is the result class from the check of postal codes in addresses, which contain too few or unfeasible data.



- 5. Connect **tUniservRTPost** with **tMap\_5** via **Row > Rejects**.
- 6. Connect **tMap** with **tFileOutputDelimited** via **Row > Main**.



- 7. Define the fields for the output file in the mapping window.

## Databases - traditional components

This chapter describes connectors for the most popular and traditional databases. These connectors cover various needs, including: opening connections, reading and writing tables, committing transactions as a whole, as well as performing rollback for error handling. Over 40 RDBMS are supported. These components can be found in the **Databases** family in **Palette** of *Talend Open Studio for Big Data*.

Other types of database connectors, such as connectors for Appliance/DW databases and database management, are documented in [Databases - appliance/datawarehouse components](#) and [Databases - other components](#).



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.




# tAccessBulkExec



## tAccessBulkExec properties

The **tAccessOutputBulk** and **tAccessBulkExec** components are generally used together to output data to a delimited file and then to perform various actions on the file in an Access database, in a two step process. These two steps are fused together in the **tAccessOutputBulkExec** component, detailed in a separate section. The advantage of using a two step process is that it makes it possible to carry out transformations on the data before loading it in the database.

|                         |                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Access                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>         | This component executes an Insert action on the data provided.                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>          | As a dedicated component, <b>tAccessBulkExec</b> offers gains in performance when carrying out Insert operations in an Access database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                    | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         |                                                                                                                                         | <b>Built-in:</b> No property data is stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Use an existing connection</i>                                                                                                       | <p>Select this check box and select the appropriate <b>tAccessConnection</b> component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>DB version</i>                                                                                                                       | Select the version of your database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Database</i>                                                                                                                         | Type in the directory where your database is stored.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Username</i> and <i>Password</i>                                                                                                     | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Action on table</i>                                                                                                                  | On the table defined, you can perform one of the following operations:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



|                          |                                          |                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                          | <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create table:</b> The table is removed and created again.</p> <p><b>Create table:</b> The table does not exist and gets created.</p> <p><b>Create table if not exists:</b> The table is created if it does not exist.</p> <p><b>Clear table:</b> The table content is deleted.</p> |
|                          | <i>Table</i>                             | Name of the table to be written. Note that only one table can be written at a time and that the table must exist already for the insert operation to succeed.                                                                                                                                                                                      |
|                          | <i>Local filename</i>                    | Browse to the delimited file to be loaded into your database.                                                                                                                                                                                                                                                                                      |
|                          | <i>Action on data</i>                    | On the data of the table defined, you can perform:<br><b>Insert:</b> Add new entries to the table.                                                                                                                                                                                                                                                 |
|                          | <i>Schema and Edit Schema</i>            | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                       |
|                          |                                          | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                          |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic</b> settings.                                                                                                                                   |
|                          | <i>Include header</i>                    | Select this check box to include the column header.                                                                                                                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>           | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                  |
| <b>Usage</b>             |                                          | This component is to be used along with <b>tAccessOutputBulk</b> component. Used together, they can offer gains in performance while feeding an Access database.                                                                                                                                                                                   |

## Related scenarios

For use cases in relation with **tAccessBulkExec**, see the following scenarios:


- [the section called “Scenario: Inserting transformed data in MySQL database”](#)
- [the section called “Scenario: Inserting data in MySQL database”](#)

# tAccessCommit



## tAccessCommit Properties

This component is closely related to **tAccessConnection** and **tAccessRollback**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Access                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Function</b>          | Validates the data processed through the Job into the connected DB.                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tAccessConnection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Close Connection</i>                                                                                                                                                   | <p>This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.</p> <p> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tAccessCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i></p> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Usage</b>             | This component is to be used along with Access components, especially with <b>tAccessConnection</b> and <b>tAccessRollback</b> components.                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## Related scenario

This component is closely related to **tAccessConnection** and **tAccessRollback**. It usually does not make much sense to use one of these without using a **tAccessConnection** component to open a connection for the current transaction.

For **tAccessCommit** related scenario, see [the section called "tMysqlConnection"](#)

# tAccessConnection



## tAccessConnection Properties

This component is closely related to **tAccessCommit**, **tAccessInput** and **tAccessOutput**. It usually does not make much sense to use one of these without using a **tAccessConnection** component to open a connection for the current transaction.


|                          |                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Access                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | Opens a connection to the database for a current transaction.                                                                                 |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated. |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>DB Version</i>                                                                                                                             | Access 2003 or later versions.                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Database</i>                                                                                                                               | Name of the database.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Username</i> and <i>Password</i>                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                 | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>                                                                                                             | Specify additional connection properties for the DB connection you are creating.                                                                                                                                                                                                                                                                 |
| <b>Usage</b>             | This component is to be used along with Access components, especially with <b>tAccessCommit</b> and <b>tAccessOutput</b> components.          |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | n/a                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                  |

## Scenario: Inserting data in parent/child tables


The following Job is dedicated to advanced database users, who want to carry out multiple table insertions using a parent table *Table1* to generate two child tables: *Name* and *Birthday*.

- In Access 2007, create an Access database named *Database1*.
- Once the Access database is created, create a table named *Table1* with two column headings: *Name* and *Birthday*.

Back into *Talend Open Studio for Big Data*, the Job requires twelve components including **tAccessConnection**, **tAccessCommit**, **tAccessInput**, **tAccessOutput** and **tAccessClose**.




- Drop the following components from the **Palette** to the design workspace: **tFileList**, **tFileInputDelimited**, **tMap**, **tAccessOutput** (x2), **tAccessInput** (x2), **tAccessCommit**, **tAccessClose** and **tLogRow** (x2).
- Connect the **tFileList** component to the input file component using an **Iterate** link. Thus, the name of the file to be processed will be dynamically filled in from the **tFileList** directory using a global variable.
- Connect the **tFileInputDelimited** component to the **tMap** component and dispatch the flow between the two output Access components. Use a **Row** link for each of these connections representing the main data flow.
- Set the **tFileList** component properties, such as the directory where files will be fetched from.
- Add a **tAccessConnection** component and connect it to the starter component of this Job. In this example, the **tFileList** component uses an **OnComponentOk** link to define the execution order.
- In the **tAccessConnection** Component view, set the connection details.
- In the **tFileInputDelimited** component's **Basic settings** view, press **Ctrl+Space** bar to access the variable list. Set the **File Name** field to the global variable: `tFileList_1.CURRENT_FILEPATH`. For more information about using variables, see *Talend Open Studio for Big Data User Guide*.




- Set the rest of the fields as usual, defining the row and field separators according to your file structure.
- Then set the schema manually through the **Edit schema** dialog box. Make sure the data type is correctly set, in accordance with the nature of the data processed.

- In the **tMap** Output area, add two output tables, one called *Name* for the *Name* table, the second called *Birthday*, for the *Birthday* table. For more information about the **tMap** component, see *Talend Open Studio for Big Data User Guide*.
- Drag the *Name* column from the **Input** area, and drop it to the *Name* table.
- Drag the *Birthday* column from the **Input** area, and drop it to the *Birthday* table.



- Then connect the output row links to distribute the flow correctly to the relevant DB output components.
- In each of the **tAccessOutput** components' **Basic settings** view, select the **Use an existing connection** check box to retrieve the **tAccessConnection** details.



- Set the **Table** name making sure it corresponds to the correct table, in this example either *Name* or *Birthday*.
- There is no action on the table as they are already created.
- Select **Insert** as **Action on data** for both output components.
- Click on **Sync columns** to retrieve the schema set in the **tMap**.
- Then connect the first **tAccessOutput** component to the first **tAccessInput** component using an **OnComponentOk** link.
- In each of the **tAccessInput** components' **Basic settings** view, select the **Use an existing connection** check box to retrieve the distributed data flow. Then set the schema manually through **Edit schema** dialog box.
- Then set the **Table Name** accordingly. In **tAccessInput\_1**, this will be *Name*.
- Click on the **Guess Query**.
- Connect each **tAccessInput** component to **tLogRow** component with a **Row > Main** link. In each of the **tLogRow** components' **basic settings** view, select **Table** in the **Mode** field.
- Add the **tAccessCommit** component below the **tFileList** component in the design workspace and connect them together using an **OnComponentOk** link in order to terminate the Job with the transaction commit.
- In the **basic settings** view of **tAccessCommit** component and from the **Component list**, select the connection to be used, **tAccessConnection\_1** in this scenario.
- Save your Job and press **F6** to execute it.

```
Starting job Access at 18:02 28/12/2010.
[statistics] connecting to socket on port 3938
[statistics] connected

tLogRow_1
Name

Amy
Bob

tLogRow_2
Birthday

02-02-2011
03-03-2023


[statistics] disconnected
Job Access ended at 18:02 28/12/2010. [exit code=0]
```

The parent table *Table1* is reused to generate the *Name* table and *Birthday* table.

# tAccessInput



## tAccessInput properties

|                         |                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Access                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>         | <b>tAccessInput</b> reads a database and extracts fields based on a query.                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>          | <b>tAccessInput</b> executes a DB query with a strictly defined statement which must correspond to the schema definition. Then it passes on the field list to the next component via a <b>Row &gt; Main</b> connection. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                    | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         |                                                                                                                                                                                                                         | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                       | <p>Select this check box and select the appropriate <b>tAccessConnection</b> component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>DB Version</i>                                                                                                                                                                                                       | Select the version of Access that you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Database</i>                                                                                                                                                                                                         | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                     | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Schema</i> and <i>Edit schema</i>                                                                                                                                                                                    | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|                          |                                                                                                    |                                                                                                                                                                                                                  |
|--------------------------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                    | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                        |
|                          | <i>Query type and Query</i>                                                                        | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                       |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                           | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic</b> settings. |
|                          | <i>tStat Catcher Statistics</i>                                                                    | Select this check box to collect log data at the component level.                                                                                                                                                |
|                          | <i>Trim all the String/Char columns</i>                                                            | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                                |
|                          | <i>Trim column</i>                                                                                 | Remove leading and trailing whitespace from defined columns.                                                                                                                                                     |
| <b>Usage</b>             | This component offers the flexibility benefit of the DB query and covers all possible SQL queries. |                                                                                                                                                                                                                  |

## Related scenarios

For related topics, see the **tDBInput** scenarios:

- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).


Related topic in description of [the section called “tContextLoad”](#).






# tAccessOutput



## tAccessOutput properties

|                         |                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Access                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>         | <b>tAccessOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>          | <b>tAccessOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         |                                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Use an existing connection</i>                                                                                                                                            | <p>Select this check box and select the appropriate <b>tAccessConnection</b> component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>DB Version</i>                                                                                                                                                            | Select the version of Access that you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Database</i>                                                                                                                                                              | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                          | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Table</i>                                                                                                                                                                 | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Action on table</i>                                                                                                                                                       | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                          |                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                   | <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Action on data</i>             | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries.</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing.</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>You must specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the update and delete operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update</b> column, select the check boxes next to the column name on which you want to base the update operation. Do the same in the <b>Key in delete</b> column for the deletion operation.</i></p> |
|                          | <i>Schema and Edit schema</i>     | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          |                                   | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Die on error</i>               | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Advanced settings</b> | <i>Additional parameters JDBC</i> | <p>Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic</b> settings.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  You can press <b>Ctrl+Space</b> to access a list of predefined global variables.                                                                                             |
|              | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at executions.                                                            |
|              | <i>Additional Columns</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing. |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                     |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                          |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                           |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                        |
|              | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Select this check box to collect log data at the component level.                                                                                                                                                                                              |
|              | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                  |
|              | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step during processing entries in a database.                                                                                                                                                                            |
|              | <i>Support null in "SQL WHERE" statement</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Select this check box if you want to deal with the Null values contained in a DB table.                                                                                                                                                                        |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  Make sure the Nullable check box is selected for the corresponding columns in the schema.                                                                                  |
| <b>Usage</b> | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Access database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filSchemaSchemater data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called "Scenario 3: Retrieve data in error with a Reject link"</a>.</p> |                                                                                                                                                                                                                                                                |

## Related scenarios

For related topics, see:

- [the section called "Scenario: Writing a row to a table in the MySQL database via an ODBC connection"](#)
- [the section called "Scenario 1: Adding a new column and altering data in a DB table"](#).

# tAccessOutputBulk



## tAccessOutputBulk properties

The **tAccessOutputBulk** and **tAccessBulkExec** components are generally used together to output data to a delimited file and then to perform various actions on the file in an Access database, in a two step process. These two steps are fused together in the **tAccessOutputBulkExec** component, detailed in a separate section. The advantage of using a two step process is that it makes it possible to carry out transformations on the data before loading it in the database.

|                          |                                                                                                                                                           |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Access                                                                                                                                          |                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tAccessOutputBulk</b> writes a delimited file.                                                                                                         |                                                                                                                                                                                                              |
| <b>Purpose</b>           | <b>tAccessOutputBulk</b> prepares the file which contains the data used to feed the Access database.                                                      |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                      | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                           | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>File Name</i>                                                                                                                                          | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                              |
|                          | <i>Create directory if not exists</i>                                                                                                                     | Select this check box to create the as yet non-existent file directory that specified in the <b>File name</b> field.                                                                                         |
|                          | <i>Append</i>                                                                                                                                             | Select this check box to add any new rows to the end of the file                                                                                                                                             |
|                          | <i>Schema and Edit schema</i>                                                                                                                             | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                           | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                               |
| <b>Advanced settings</b> | <i>Include header</i>                                                                                                                                     | Select this check box to include the column header in the file.                                                                                                                                              |
|                          | <i>Encoding</i>                                                                                                                                           | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                             |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component is to be used along with <b>tAccessBulkExec</b> component. Used together they offer gains in performance while feeding an Access database. |                                                                                                                                                                                                              |

## Related scenarios

For use cases in relation with **tAccessOutputBulk**, see the following scenarios:


- [the section called “Scenario: Inserting transformed data in MySQL database”](#)
- [the section called “Scenario: Inserting data in MySQL database”](#)



# tAccessOutputBulkExec



## tAccessOutputBulkExec properties

The **tAccessOutputBulk** and **tAccessBulkExec** components are generally used together to output data to a delimited file and then to perform various actions on the file in an Access database, in a two step process. These two steps are fused together in **tAccessOutputBulkExec**.

|                         |                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Access                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>         | The <b>tAccessOutputBulkExec</b> component executes an Insert action on the data provided.        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>          | As a dedicated component, it improves performance during Insert operations in an Access database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>   | <i>Property type</i>                                                                              | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         |                                                                                                   | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Use an existing connection</i>                                                                 | <p>Select this check box and select the appropriate <b>tAccessConnection</b> component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>DB Version</i>                                                                                 | Select the version of Access that you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>DB name</i>                                                                                    | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Username</i> and <i>Password</i>                                                               | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Action on table</i>                                                                            | On the table defined, you can perform one of the following operations:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                          |                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                              | <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if doesn't exist:</b> The table is created if it does not already exist.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                               |
|                          | <i>Table</i>                                                                                                                 | <p>Name of the table to be written.</p> <p> Note that only one table can be written at a time and that the table must already exist for the insert operation to succeed</p>                                                                                                                                        |
|                          | <i>FileName</i>                                                                                                              | <p>Name of the file to be processed.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                               |
|                          | <i>Action on data</i>                                                                                                        | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table.</p>                                                                                                                                                                                                                                                                                       |
|                          | <i>Schema and schema Edit</i>                                                                                                | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                   |
|                          |                                                                                                                              | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                     |
|                          | <i>Create directory if not exists</i>                                                                                        | <p>Select this check box to create the as yet non existant file directory specified in the <b>File name</b> field.</p>                                                                                                                                                                                                                                                                              |
|                          | <i>Append</i>                                                                                                                | <p>Select this check box to append new rows to the end of the file.</p>                                                                                                                                                                                                                                                                                                                             |
| <b>Advanced settings</b> | <i>Additional parameters JDBC</i>                                                                                            | <p>Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic</b> settings.</p> <p> You can press <b>Ctrl+Space</b> to access a list of predefined global variables.</p> |
|                          | <i>Include header</i>                                                                                                        | <p>Select this check box to include the column header to the file.</p>                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Encoding</i>                                                                                                              | <p>Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.</p>                                                                                                                                                                                                                                                             |
|                          | <i>tStatCatcher Statistics</i>                                                                                               | <p>Select this check box to collect the log data at the component level.</p>                                                                                                                                                                                                                                                                                                                        |
| <b>Usage</b>             | <p>This component is mainly used when no particular transformation is required on the data to be loaded in the database.</p> |                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Limitation</b>        | <p>n/a</p>                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                     |

## Related scenarios

For use cases in relation with **tAccessOutputBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting data in MySQL database”](#)
- [the section called “Scenario: Inserting transformed data in MySQL database”](#)



# tAccessRollback



## tAccessRollback properties

This component is closely related to **tAccessConnection** and **tAccessCommit** components. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                |                                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Access                                                                                                               |                                                                                                                        |
| <b>Function</b>          | <b>tAccessRollback</b> cancels the transaction committed in the connected DB.                                                  |                                                                                                                        |
| <b>Purpose</b>           | Avoids involuntary commitment of part of a transaction.                                                                        |                                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                          | Select the <b>tAccessConnection</b> component in the list if more than one connection are planned for the current Job. |
|                          | <i>Close Connection</i>                                                                                                        | Clear this check box to continue to use the selected connection once the component has performed its task.             |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                 | Select this check box to collect log data at the component level.                                                      |
| <b>Usage</b>             | This component is to be used along with Access components, especially with <b>tAccessConnection</b> and <b>tAccessCommit</b> . |                                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                                                            |                                                                                                                        |


## Related scenarios


For **tAccessRollback** related scenario, see **tMysqlRollback**.

# tAccessRow



## tAccessRow properties

|                         |                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Access                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>         | <b>tAccessRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tAccessRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         |                                                                                                                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                             | <p>Select this check box and select the appropriate <b>tAccessConnection</b> component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>DB Version</i>                                                                                                                                                                                                                             | Select the Access database version that you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                                                                                                                               | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Username and Password</i>                                                                                                                                                                                                                  | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                 | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                            | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Table Name</i>                                                                          | Name of the source table where changes made to data should be captured.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Query type</i>                                                                          | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          |                                                                                            | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Query</i>                                                                               | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Commit every</i>                                                                        | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Die on error</i>                                                                        | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i>                                                         | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Use PreparedStatement</i>                                                               | Select this check box if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                                                                        | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>tStatCatcher Statistics</i>                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#)
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tAS400Close



## tAS400Close properties

|                          |                                                                                                                             |                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/AS400                                                                                                             |                                                                                                                       |
| <b>Function</b>          | <b>tAS400Close</b> closes the transaction committed in the connected DB.                                                    |                                                                                                                       |
| <b>Purpose</b>           | Close a transaction.                                                                                                        |                                                                                                                       |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                       | Select the <b>tAS400Connection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                              | Select this check box to collect log data at the component level.                                                     |
| <b>Usage</b>             | This component is to be used along with AS400 components, especially with <b>tAS400Connection</b> and <b>tAS400Commit</b> . |                                                                                                                       |
| <b>Limitation</b>        | n/a                                                                                                                         |                                                                                                                       |

## Related scenario


No scenario is available for this component yet.

# tAS400Commit



## tAS400Commit Properties

This component is closely related to **tAS400Connection** and **tAS400Rollback**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/AS400                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Function</b>          | Validates the data processed through the Job into the connected DB.                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tAS400Connection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Close Connection</i>                                                                                                                                                   | <p>This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.</p> <p> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tAS400Commit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i></p> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Usage</b>             | This component is to be used along with AS400 components, especially with <b>tAS400Connection</b> and <b>tAS400Rollback</b> components.                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Related scenario

This component is closely related to **tAS400Connection** and **tAS400Rollback**. It usually does not make much sense to use one of these without using a **tAS400Connection** component to open a connection for the current transaction.

For **tAS400Commit** related scenario, see [the section called “tMysqlConnection”](#)

# tAS400Connection



## tAS400Connection Properties

This component is closely related to **tAS400Commit** and **tAS400Rollback**. It usually does not make much sense to use one of the components without using a **tAS400Connection** component to open a connection for the current transaction.

|                          |                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/AS400                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | Opens a connection to the database for a current transaction.                                                                                 |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated. |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>DB Version</i>                                                                                                                             | Select the AS400 version in use                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Host</i>                                                                                                                                   | Database server IP address                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Database</i>                                                                                                                               | Name of the database                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Username</i> and <i>Password</i>                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                 | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>                                                                                                             | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                |
|                          | <i>Auto commit</i>                                                                                                                            | Select this check box to automatically commit a transaction when it is completed.                                                                                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                | Select this check box to gather the job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This component is to be used along with AS400components, especially with <b>tAS400Commit</b> and <b>tAS400Rollback</b> components.            |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | n/a                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenario

This component is closely related to **tAS400Commit** and **tAS400Rollback**. It usually does not make much sense to use one of these without using a **tAS400Connection** component to open a connection for the current transaction.


For **tAS400Connection** related scenario, see [the section called “tMysqlConnection”](#)



# tAS400Input



## tAS400Input properties

|                         |                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/AS400                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>         | <b>tAS400Input</b> reads a database and extracts fields based on a query.                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>          | <b>tAS400SInput</b> executes a DB query with a strictly defined statement which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                                                                                                     | <p>Select this check box and click the relevant <b>tAS400Connection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>Property type</i>                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         |                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>DB Version</i>                                                                                                                                                                                     | Select the AS 400 version in use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Host</i>                                                                                                                                                                                           | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Port</i>                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | Database                                                                                                                                                                                              | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Username and Password</i>                                                                                                                                                                          | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Schema and Edit Schema</i>                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|                          |                                                                                            |                                                                                                                                                                                                                   |
|--------------------------|--------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                            | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                         |
|                          | <i>Query type and Query</i>                                                                | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                        |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                   | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> . |
|                          | <i>Trim all the String/Char columns</i>                                                    | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                                 |
|                          | <i>Trim column</i>                                                                         | Remove leading and trailing whitespace from defined columns.                                                                                                                                                      |
|                          | <i>tStat Catcher Statistics</i>                                                            | Select this check box to collect log data at the component level.                                                                                                                                                 |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries. |                                                                                                                                                                                                                   |

## Related scenarios

For related topic, see **tDBInput** scenarios:

- [the section called “Scenario 1: Displaying selected data from DB table”](#)
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- 

Related topic in **tContextLoad**, see [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).

# tAS400LastInsertId



## tAS400LastInsertId properties

|                          |                                                                                                                           |                                                                                                                                                                                                              |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases                                                                                                                 |                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tAS400LastInsertId</b> fetches the last inserted ID from a selected AS400 Connection.                                  |                                                                                                                                                                                                              |
| <b>Purpose</b>           | <b>tAS400LastInsertId</b> obtains the primary key value of the record that was last inserted in an AS400 table by a user. |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Schema and Edit Schema</i>                                                                                             | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                           | <b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                     |
|                          | <i>Component list</i>                                                                                                     | Select the relevant <b>tAS400Connection</b> component in the list if more than one connection is planned for the current job.                                                                                |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component is to be used as an intermediary component.                                                                |                                                                                                                                                                                                              |
| <b>Limitation</b>        | n/a                                                                                                                       |                                                                                                                                                                                                              |


## Related scenario


For a related scenario, see [the section called “Scenario: Get the ID for the last inserted record”](#).


# tAS400Output



## tAS400Output properties

|                         |                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB2                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Function</b>         | <b>tAS400Output</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>          | <b>tAS400Output</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                        | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         |                                                                                                                                                                             | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>DB Version</i>                                                                                                                                                           | Select the AS400 version in use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Use an existing connection</i>                                                                                                                                           | <p>Select this check box and click the relevant <b>tAS400Connection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>Host</i>                                                                                                                                                                 | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Port</i>                                                                                                                                                                 | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Database</i>                                                                                                                                                             | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                         | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Table</i>                                                                                                                                                                | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Action on table</i>                                                                                                                                                      | On the table defined, you can perform one of the following operations:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|                          |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                               | <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Action on data</i>         | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|                          | <i>Schema and Edit schema</i> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          |                               | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Die on error</i>           | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Use commit control</i>     | <p>Select this check box to have access to the <b>Commit every</b> field where you can define the commit operation.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p><b>Commit every:</b> Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.</p>                                                                                                                                                          |
|                     | <p><i>Additional parameters</i>      <i>JDBC</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p>Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b>.</p> <p> You can press <b>Ctrl+Space</b> to access a list of predefined global variables.</p> |
|                     | <p><i>Additional Columns</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <p>This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.</p>                                                                                                                             |
|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p><b>Name:</b> Type in the name of the schema column to be altered or inserted as new column</p>                                                                                                                                                                                                                                                                                                 |
|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p><b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.</p>                                                                                                                                                                                                                                                                      |
|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p><b>Position:</b> Select <b>Before</b>, <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.</p>                                                                                                                                                                                                                                                        |
|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p><b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.</p>                                                                                                                                                                                                                                                    |
|                     | <p><i>Use field options</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p>Select this check box to customize a request, especially when there is double action on data.</p>                                                                                                                                                                                                                                                                                              |
|                     | <p><i>Enable debug mode</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p>Select this check box to display each step during processing entries in a database.</p>                                                                                                                                                                                                                                                                                                        |
|                     | <p><i>tStatCatcher Statistics</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <p>Select this check box to collect log data at the component level.</p>                                                                                                                                                                                                                                                                                                                          |
| <p><b>Usage</b></p> | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a AS400 database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                   |

## Related scenarios

For related topics, see

- [the section called “Scenario: Writing a row to a table in the MySql database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tAS400Rollback



## tAS400Rollback properties

This component is closely related to **tAS400Commit** and **tAS400Connection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                             |                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/AS400                                                                                                             |                                                                                                                       |
| <b>Function</b>          | <b>tAS400Rollback</b> cancels the transaction committed in the connected DB.                                                |                                                                                                                       |
| <b>Purpose</b>           | Avoids involuntary commitment of part of a transaction.                                                                     |                                                                                                                       |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                       | Select the <b>tAS400Connection</b> component in the list if more than one connection are planned for the current Job. |
|                          | <i>Close Connection</i>                                                                                                     | Clear this check box to continue to use the selected connection once the component has performed its task.            |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                              | Select this check box to collect log data at the component level.                                                     |
| <b>Usage</b>             | This component is to be used along with AS400 components, especially with <b>tAS400Connection</b> and <b>tAS400Commit</b> . |                                                                                                                       |
| <b>Limitation</b>        | n/a                                                                                                                         |                                                                                                                       |


## Related scenarios

For **tAS400Rollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).


# tAS400Row



## tAS400Row properties

|                         |                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/AS400                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>         | <b>tAS400Row</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tAS400Row</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                                                                                                                                            | <p>Select this check box and click the relevant <b>tAS400Connection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>Property type</i>                                                                                                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         |                                                                                                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>DB Version</i>                                                                                                                                                                                                                            | Select the AS400 version in use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Host</i>                                                                                                                                                                                                                                  | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Port</i>                                                                                                                                                                                                                                  | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Database</i>                                                                                                                                                                                                                              | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                          | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |



|                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                            | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          |                                                                                            | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Query type</i>                                                                          | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          |                                                                                            | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Query</i>                                                                               | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Die on error</i>                                                                        | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Advanced settings</b> | <i>Additional Parameters</i> <i>JDBC</i>                                                   | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Propagate QUERY's recordset</i>                                                         | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Use PreparedStatement</i>                                                               | Select this check box if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                                                                        | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>tStatCatcher Statistics</i>                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Related scenarios


For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#)
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tDB2BulkExec



## tDB2BulkExec properties

|                         |                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB2                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Function</b>         | <b>tDB2BulkExec</b> executes the Insert action on the data provided.                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Purpose</b>          | As a dedicated component, <b>tDB2BulkExec</b> allows gains in performance during Insert operations to a DB2 database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         |                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Use an existing connection</i>                                                                                     | <p>Select this check box and click the relevant <b>tDB2Connection</b> component on the <b>Component List</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                           | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Port</i>                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Database</i>                                                                                                       | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Table Schema</i>                                                                                                   | Name of the DB schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Username</i> and <i>Password</i>                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Table</i>                                                                                                          | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Action on table</i>                                                                                                | On the table defined, you can perform one of the following operations:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                          |                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                    | <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create table:</b> The table is removed and created again.</p> <p><b>Create table:</b> The table does not exist and gets created.</p> <p><b>Create table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear table:</b> The table content is deleted.</p> |
|                          | <i>Schema and Edit Schema</i>                                                      | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                   |
|                          |                                                                                    | <b>Built-in:</b> You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                    |
|                          | <i>Data file</i>                                                                   | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Action on data</i>                                                              | On the data of the table defined, you can perform:<br><br><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.<br><br><b>Update:</b> Make changes to existing entries<br><br><b>Insert or update:</b> Add entries or update existing ones.<br><br><b>Update or insert:</b> Update existing entries or create it if non existing<br><br><b>Delete:</b> Remove entries corresponding to the input flow.                              |
| <b>Advanced settings</b> | <i>Field terminated by</i>                                                         | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Date Format</i>                                                                 | Use this field to define the way months and days are ordered.                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Time Format</i>                                                                 | Use this field to define the way hours, minutes and seconds are ordered.                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Timestamp Format</i>                                                            | Use this field to define the way date and time are ordered.                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Remove load pending</i>                                                         | When the box is ticked, tables blocked in "pending" status following a bulk load are de-blocked.                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Load options</i>                                                                | Click + to add data loading options:<br><br><b>Parameter:</b> select a loading parameter from the list.<br><br><b>Value:</b> enter a value for the parameter selected.                                                                                                                                                                                                                                                                                         |
|                          | <i>tStatCatcher Statistics</i>                                                     | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Usage</b>             | This dedicated component offers performance and flexibility of DB2 query handling. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

---

|                   |                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Related scenarios

For **tDB2BulkExec** related topics, see:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tDB2Close



## tDB2Close properties

|                          |                                                                                                                       |                                                                                                                     |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/DB2                                                                                                         |                                                                                                                     |
| <b>Function</b>          | <b>tDB2Close</b> closes the transaction committed in the connected DB.                                                |                                                                                                                     |
| <b>Purpose</b>           | Close a transaction.                                                                                                  |                                                                                                                     |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                 | Select the <b>tDB2Connection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                        | Select this check box to collect log data at the component level.                                                   |
| <b>Usage</b>             | This component is to be used along with DB2 components, especially with <b>tDB2Connection</b> and <b>tDB2Commit</b> . |                                                                                                                     |
| <b>Limitation</b>        | n/a                                                                                                                   |                                                                                                                     |

## Related scenario


No scenario is available for this component yet.

# tDB2Commit



## tDB2Commit Properties

This component is closely related to **tDB2Connection** and **tDB2Rollback**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/DB2                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>          | Validates the data processed through the Job into the connected DB.                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tDB2Connection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Close Connection</i>                                                                                                                                                   | <p>This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.</p> <p> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tDB2Commit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i></p> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This component is to be used along with DB2 components, especially with <b>tDB2Connection</b> and <b>tDB2Rollback</b> components.                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Related scenario

This component is closely related to **tDB2Connection** and **tDB2Rollback**. It usually doesn't make much sense to use one of these without using a **tDB2Connection** component to open a connection for the current transaction.

For **tDB2Commit** related scenario, see [the section called "tMysqlConnection"](#)

# tDB2Connection



## tDB2Connection properties

This component is closely related to **tDB2Commit** and **tDB2Rollback**. It usually does not make much sense to use one of these without using a **tDB2Connection** to open a connection for the current transaction.

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/DB2                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | <b>tDB2Connection</b> opens a connection to the database for a current transaction.                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>Host name</i>                                                                                                                                                                                                                                                                                                                                                      | Database server IP address.                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Table Schema</i>                                                                                                                                                                                                                                                                                                                                                   | Name of the schema.                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Encoding</i>                                                                                                                                                                                                                                                                                                                                                       | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                                                                                                                                                                 |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Auto commit</i>                                                                                                                                                                                                                                                                                                                                                    | Select this check box to automatically commit a transaction when it is completed.                                                                                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to gather the job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This component is to be used along with DB2 components, especially with <b>tDB2Commit</b> and <b>tDB2Rollback</b> .                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                  |



## Related scenarios



This component is closely related to **tDB2Commit** and **tDB2Rollback**. It usually does not make much sense to use one of these without using a **tDB2Connection** component to open a connection for the current transaction.

For **tDB2Connection** related scenario, see [the section called “tMySQLConnection”](#)

# tDB2Input



## tDB2Input properties

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Function</b>         | <b>tDB2Input</b> reads a database and extracts fields based on a query.                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Purpose</b>          | <p><b>tDB2Input</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a <b>Main</b> row link.</p> <p> If double quotes exist in the column names of a table, the double quotation marks cannot be retrieved when retrieving the column. Therefore, it is recommended not to use double quotes in column names in a DB2 database table.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <p>Select this check box and click the relevant <b>tDB2Connection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Schema</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                 |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Table name</i>                                                                                                                                                                                                                                                                                                                                                     | Select the source table where to capture any changes made on data.                                                                                                                                           |
|                          | <i>Query type</i> and <i>Query</i>                                                                                                                                                                                                                                                                                                                                    | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                   |
| <b>Advanced settings</b> | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                            |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Remove leading and trailing whitespace from defined columns.                                                                                                                                                 |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component covers all possible SQL queries for DB2 databases.                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                              |

## Related scenarios

For related topics, see the **tDBInput** scenarios:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).


See also the related topic in [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).



# tDB2Output



## tDB2Output properties

|                         |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB2                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Function</b>         | <b>tDB2Output</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Purpose</b>          | <b>tDB2Output</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                                                                         | <p>Select this check box and click the relevant <b>tDB2Connection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Property type</i>                                                                                                                                                      | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         |                                                                                                                                                                           | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Host</i>                                                                                                                                                               | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Port</i>                                                                                                                                                               | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Database</i>                                                                                                                                                           | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Table schema</i>                                                                                                                                                       | Name of the DB schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                       | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Table</i>                                                                                                                                                              | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Action on table</i>                                                                                                                                                    | On the table defined, you can perform one of the following operations:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|                          |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                               | <p><b>Default:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Action on data</i>         | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>You must specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the update and delete operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update</b> column, select the check boxes next to the column name on which you want to base the update operation. Do the same in the <b>Key in delete</b> column for the deletion operation</i></p> |
|                          | <i>Schema and Edit Schema</i> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                               | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Die on error</i>           | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Advanced settings</b> | <i>Commit every</i>           | <p>Enter the number of rows to be completed before committing batches of rows together into the DB. This</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | option ensures transaction quality (but not rollback) and, above all, better performance at execution.                                                                                                                                                                                                                                                                                                                                                                                    |
|                   | <i>Additional Columns</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                                                                                                                            |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                                                                                                                                                                                                                                                |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                                                                                                                     |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                                                                                                                      |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                                                                                                                   |
|                   | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                                                                                                                                                                                                             |
|                   | <i>Convert columns and table names to uppercase</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Select this check box to uppercase the names of the columns and the name of the table.                                                                                                                                                                                                                                                                                                                                                                                                    |
|                   | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                                                                                                                                                                                                                       |
|                   | <i>Support null in “SQL WHERE” statement</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Select this check box if you want to deal with the Null values contained in a DB table.<br><br> Make sure the Nullable check box is selected for the corresponding columns in the schema.                                                                                                                                                                                                              |
|                   | <i>Use batch size</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Select this check box to activate the batch mode for data processing. In the <b>Batch Size</b> field that appears when this check box is selected, you can type in the number you need to define the batch size to be processed.<br><br> This check box is available only when you have selected the <b>Insert</b> , the <b>Update</b> or the <b>Delete</b> option in the <b>Action on data</b> field. |
|                   | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Usage</b>      | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a DB2 database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Limitation</b> | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## Related scenarios

For **tDB2Output** related topics, see

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#)
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tDB2Rollback



## tDB2Rollback properties

This component is closely related to **tDB2Commit** and **tDB2Connection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                       |                                                                                                                     |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/DB2                                                                                                         |                                                                                                                     |
| <b>Function</b>          | <b>tDB2Rollback</b> cancels the transaction committed in the connected DB.                                            |                                                                                                                     |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                 |                                                                                                                     |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                 | Select the <b>tDB2Connection</b> component in the list if more than one connection are planned for the current Job. |
|                          | <i>Close Connection</i>                                                                                               | Clear this check box to continue to use the selected connection once the component has performed its task.          |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                        | Select this check box to collect log data at the component level.                                                   |
| <b>Usage</b>             | This component is to be used along with DB2 components, especially with <b>tDB2Connection</b> and <b>tDB2Commit</b> . |                                                                                                                     |
| <b>Limitation</b>        | n/a                                                                                                                   |                                                                                                                     |

## Related scenarios


For **tDB2Rollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#) of the **tMySQLRollback**.




# tDB2Row



## tDB2Row properties

|                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB2                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Function</b>         | <b>tDB2Row</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tDB2Row</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                                                                                                                                          | <p>Select this check box and click the relevant <b>tDB2Connection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Property type</i>                                                                                                                                                                                                                       | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         |                                                                                                                                                                                                                                            | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Host</i>                                                                                                                                                                                                                                | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Port</i>                                                                                                                                                                                                                                | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Database</i>                                                                                                                                                                                                                            | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                        | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                       | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Query type</i>                                                                                                                                                                                                                                                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Query</i>                                                                                                                                                                                                                                                                                                                                                          | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                                                                                                                                                    | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                   | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Use PreparedStatement</i>                                                                                                                                                                                                                                                                                                                                          | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## Related scenarios

For **tDB2Row** related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#)
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tDB2SCD



**tDB2SCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tDB2SCD”](#).

# tDB2SCDELT





**tDB2SCDELT** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tDB2SCDELT”](#).

# tDB2SP



## tDB2SP properties

|                         |                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB2                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Function</b>         | tDB2SP calls the database stored procedure.                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Purpose</b>          | tDB2SP offers a convenient way to centralize multiple or complex queries in a database and call them easily. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                            | <p>Select this check box and click the relevant <b>tDB2Connection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Property type</i>                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         |                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Host</i>                                                                                                  | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Port</i>                                                                                                  | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Database</i>                                                                                              | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Username</i> and <i>Password</i>                                                                          | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>SP Name</i>                                                                                                                                                                                                                                                                                                                                                                                                                              | Type in the exact name of the Stored Procedure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Is Function / Return result in</i>                                                                                                                                                                                                                                                                                                                                                                                                       | Check this box, if a value only is to be returned.<br><br>Select on the list the schema column, the value to be returned is based on.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Parameters</i>                                                                                                                                                                                                                                                                                                                                                                                                                           | Click the Plus button and select the various <b>Schema Columns</b> that will be required by the procedures. Note that the SP schema can hold more columns than there are parameters used in the procedure.<br><br>Select the <b>Type</b> of parameter:<br><br><b>IN:</b> Input parameter<br><br><b>OUT:</b> Output parameter/return value<br><br><b>IN OUT:</b> Input parameters is to be returned as value, likely after modification through the procedure (function).<br><br><b>RECORDSET:</b> Input parameters is to be returned as a set of values, rather than single value.<br><br> Check the <a href="#">the section called "tPostgresqlCommit"</a> component if you want to analyze a set of records from a database table or DB query and return single records. |
| <b>Advanced settings</b> | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Usage</b>             | This component is used as intermediary component. It can be used as start component but only input parameters are thus allowed.                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Limitation</b>        | The Stored Procedures syntax should match the Database syntax.<br><br>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Related scenarios

For related topic, see [the section called "Scenario: Executing a stored procedure in the MDM Hub"](#).


Check [the section called "tPostgresqlCommit"](#) as well if you want to analyze a set of records from a database table or DB query and return single records.

# tInformixBulkExec




## tInformixBulkExec Properties

**tInformixOutputBulk** and **tInformixBulkExec** are generally used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tInformixOutputBulkExec** component, detailed in another section. The advantage of using two components is that data can be transformed before it is loaded in the database.

|                         |                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/Informix                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | <b>tInformixBulkExec</b> executes Insert operations on the data supplied.                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | <b>tInformixBulkExec</b> is a dedicated component which improves performance during Insert operations in Informix databases. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Execution Platform</i>                                                                                                    | Select the operating system you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Use an existing connection</i>                                                                                            | <p>Select this check box and click the relevant <b>tInformixBulkExec</b> component on the <b>Component List</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                  | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                  | DB server listening port.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Database</i>                                                                                                              | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Schema</i>                                                                                                                | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Username et Password</i>                                                                                                  | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |



|                          |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Instance</i>                          | Name of the Informix instance to be used. This information can generally be found in the <i>SQL hosts</i> file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Table</i>                             | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Action on table</i>                   | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Schema and Schema Edit</i>            | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          |                                          | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Informix Directory</i>                | Indicate the access path to your Informix directory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Data file</i>                         | <p>Name of the file to be processed.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Action on data</i>                    | <p>On the data of the table defined, you can perform the following operations:</p> <p><b>Insert:</b> Add new data to the table. If duplicates are found, the job stops.</p> <p><b>Update:</b> Update the existing table data.</p> <p><b>Insert or update:</b> Add data or update the existing data.</p> <p><b>Update or insert :</b> Update the existing entries or create them if they do not already exist.</p> <p><b>Delete:</b> Delete the entry data which corresponds to the input flow.</p> <p> <i>You must specify at least one key upon which the Update and Delete operations are to be based. It is possible to define the columns which should be used as the key from the schema, from both the <b>Basic Settings</b> and the <b>Advanced Settings</b>, to optimise these operations.</i></p> |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                   |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                  |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                       | you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> . |
|                   | <i>Field terminated by</i>                                                                                                                                                                                                                                                                                                                                            | Character, string or regular expression which separates the fields.                              |
|                   | <i>Set DBMONEY</i>                                                                                                                                                                                                                                                                                                                                                    | Select this check box to define the decimal separator in the <b>Decimal separator</b> field.     |
|                   | <i>Set DBDATE</i>                                                                                                                                                                                                                                                                                                                                                     | Select the date format that you want to apply.                                                   |
|                   | <i>Rows Before Commit</i>                                                                                                                                                                                                                                                                                                                                             | Enter the number of rows to be processed before the commit.                                      |
|                   | <i>Bad Rows Before Abort</i>                                                                                                                                                                                                                                                                                                                                          | Enter the number of rows in error at which point the Job should stop.                            |
|                   | <i>iStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect the log data at component level.                                |
|                   | <i>Output</i>                                                                                                                                                                                                                                                                                                                                                         | Where the output should go.                                                                      |
| <b>Usage</b>      | This component offers database query flexibility and covers all possible DB2 queries which may be required.                                                                                                                                                                                                                                                           |                                                                                                  |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                  |

## Related scenario

For a scenario in which **tInformixBulkExec** might be used, see:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tInformixClose



## tInformixClose properties

|                          |                                                                                          |                                                                                                        |
|--------------------------|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Databases/Informix                                                                       |                                                                                                        |
| <b>Function</b>          | <b>tInformixClose</b> closes an active connection to a database.                         |                                                                                                        |
| <b>Purpose</b>           | This component closes connection to Informix databases.                                  |                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                    | If there is more than one connection used in the Job, select <b>tInformixConnection</b> from the list. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                           | Select this check box to collect the log data at a component level.                                    |
| <b>Usage</b>             | This component is generally used as an input component. It requires an output component. |                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                      |                                                                                                        |

## Related scenario

This component is for use with **tInformixConnection** and **tInformixRollback**. They are generally used along with **tInformixConnection** as the latter allows you to open a connection for the transaction which is underway.


To see a scenario in which **tInformixClose** might be used, see [the section called “tMysqlConnection”](#).

# tInformixCommit



## tInformixCommit properties

This component is closely related to **tInformixConnection** and **tInformixRollback**. They are generally used to execute transactions together.

|                          |                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Databases/Informix                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>          | <b>tInformixCommit</b> validates data processed in a job from a connected database.                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>           | Using a single connection, make a global commit just once instead of committing every row or batch of rows separately. This improves performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                             | If there is more than one connection in the Job, select <b>tInformixConnection</b> from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Close connection</i>                                                                                                                           | This check box is selected by default. It means that the database connection will be closed once the commit has been made. Clear the check box to continue using the connection once the component has completed its task.<br><br> <i>If you are using a <b>Row &gt; Main</b> type connection to link <b>tInformixCommit</b> to your Job, your data will be committed row by row. If this is the case, do not select this check box otherwise the connection will be closed before the commit of your first row is finalized.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                    | Select this check box to collect the log data at a component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Usage</b>             | This component is generally used along with Informix components, particularly <b>tInformixConnection</b> and <b>tInformixRollback</b> .           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b>        | n/a                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## Related Scenario

This component is for use with **tInformixConnection** and **tInformixRollback**. They are generally used along with **tInformixConnection** as the latter allows you to open a connection for the transaction which is underway

To see a scenario in which **tInformixCommit** might be used, see [the section called “tMysqlConnection”](#).

# tInformixConnection



## tInformixConnection properties

This component is closely related to **tInformixCommit** and **tInformixRollback**. They are generally used along with **tInformixConnection**, with **tInformixConnection** opening the connection for the transaction.

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Database Family</b>   | Databases/Informix                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | <b>tInformixConnection</b> opens a connection to a database in order that a transaction may be made.                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address.                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | DB server listening port.                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Schema</i>                                                                                                                                                                                                                                                                                                                                                         | Name of the schema                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Username et Password</i>                                                                                                                                                                                                                                                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Instance</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the Informix instance to be used. This information can generally be found in the SQL hosts file.                                                                                                                                                                                                                                         |
|                          | <i>Additional JDBC parameters</i>                                                                                                                                                                                                                                                                                                                                     | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Use Transaction</i>                                                                                                                                                                                                                                                                                                                                                | Clear this check box when the database is configured in NO_LOG. mode. If the check box is selected, you can choose whether to activate the Auto Commit option.                                                                                                                                                                                   |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect the log data at a component level.                                                                                                                                                                                                                                                                              |
| <b>Usage</b>             | This component is generally used with other Informix components, particularly <b>tInformixCommit</b> and <b>tInformixRollback</b> .                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenario

For a scenario in which the **tInformixConnection**, might be used, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tInformixInput



## tInformixInput properties

|                         |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Informix                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                              |
| <b>Function</b>         | <b>tInformixInput</b> reads a database and extracts fields based on a query.                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                              |
| <b>Purpose</b>          | <b>tInformixInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link.                                                                                                                                                                   |                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                         |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                         | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database                                                                                                                                                                                         |
|                         | <i>DB server</i>                                                                                                                                                                                                                                                                                                                                                      | Name of the database server                                                                                                                                                                                  |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                 |
|                         | <i>Schema</i> and <i>Edit schema</i>                                                                                                                                                                                                                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                         |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                         | Query type and <i>Query</i>                                                                                                                                                                                                                                                                                                                                           | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                   |
| <b>Usage</b>            | This component covers all possible SQL queries for DB2 databases.                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                              |
| <b>Limitation</b>       | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                              |

## Related scenarios

For related topics, see the **tDBInput** scenarios:

- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).

See also scenario for **tContextLoad**: [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).



# tInformixOutput



## tInformixOutput properties

|                         |                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Informix                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Function</b>         | <b>tInformixOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Purpose</b>          | <b>tInformixOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                           | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         |                                                                                                                                                                                | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Host</i>                                                                                                                                                                    | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Port</i>                                                                                                                                                                    | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Database</i>                                                                                                                                                                | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>DB server</i>                                                                                                                                                               | Name of the database server                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                            | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Table</i>                                                                                                                                                                   | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Action on table</i>                                                                                                                                                         | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p> |
|                         | <i>Action on data</i>                                                                                                                                                          | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p>                                                                                                                                                                                                                                                                          |



|                          |                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                   | <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|                          | <i>Schema and Edit schema</i>     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          |                                   | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Die on error</i>               | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Advanced settings</b> | <i>Additional parameters JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br> You can press <b>Ctrl+Space</b> to access a list of predefined global variables.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Commit every</i>               | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Additional Columns</i>         | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          |                                   | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          |                                   | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          |                                   | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                         |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column. |
|                   | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Select this check box to customize a request, especially when there is double action on data.                                           |
|                   | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Select this check box to display each step during processing entries in a database.                                                     |
|                   | <i>Use Batch Size</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | When selected, enables you to define the number of lines in each processed batch.                                                       |
|                   | <i>Optimize the batch insertion</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Ensure the check box is selected, to optimize the insertion of batches of data.                                                         |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Select this check box to collect log data at the component level.                                                                       |
| <b>Usage</b>      | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Informix database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                         |
| <b>Limitation</b> | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                        |                                                                                                                                         |

## Related scenarios

For **tInformixOutput** related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tInformixOutputBulk



## tInformixOutputBulk properties

**tInformixOutputBulk** and **tInformixBulkExec** are generally used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tInformixOutputBulkExec** component, detailed in another section. The advantage of using two components is that data can be transformed before it is loaded in the database.

|                          |                                                                                                  |                                                                                                                                                                                                              |
|--------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Informix                                                                               |                                                                                                                                                                                                              |
| <b>Function</b>          | Writes a file composed of columns, based on a defined delimiter and on Informix standards.       |                                                                                                                                                                                                              |
| <b>Purpose</b>           | Prepares the file to be used as a parameter in the INSERT query used to feed Informix databases. |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                             | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                  | <b>Built-in:</b> No property data stored centrally                                                                                                                                                           |
|                          | <i>File Name</i>                                                                                 | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                              |
|                          | <i>Append</i>                                                                                    | Select this check box to append new rows to the end of the file.                                                                                                                                             |
|                          | <i>Schema and Edit schema</i>                                                                    | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                  | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                               |
| <b>Advanced settings</b> | <i>Row separator</i>                                                                             | String (ex: “\n” on Unix) to distinguish rows.                                                                                                                                                               |
|                          | <i>Field separator</i>                                                                           | Character, string or regular expression used to separate fields                                                                                                                                              |
|                          | <i>Set DBMONEY</i>                                                                               | Select this box if you want to define the decimal separator in the corresponding field.                                                                                                                      |
|                          | <i>Set DBDATE</i>                                                                                | Select the date format that you want to apply.                                                                                                                                                               |
|                          | <i>Create directory if not exists</i>                                                            | This check box is selected automatically. The option allows you to create a folder for the output file if it doesn't already exist.                                                                          |
|                          | <i>Custom the flush buffer size</i>                                                              | Select this box in order to customize the memory size used to store the data temporarily. In the <b>Row number</b> field enter the number of rows at which point the memory should be freed.                 |
|                          | <i>Encoding</i>                                                                                  | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                             |

|                   |                                                                                                                                                                                                                                                                                                                                                                       |                                                                   |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
|                   | <i>tStatCatcher</i> Statistics                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level. |
| <b>Usage</b>      | This component is generally used along with <b>tInformixBulkExec</b> . Together, they improve performance levels when adding data to an Informix database.                                                                                                                                                                                                            |                                                                   |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                   |

## Related scenario

For a scenario in which **tInformixOutputBulk** might be used, see:


- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).


# tInformixOutputBulkExec



## tInformixOutputBulkExec properties

**tInformixOutputBulk** and **tInformixBulkExec** are generally used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tInformixOutputBulkExec** component.

|                         |                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/Informix                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | <b>tInformixOutputBulkExec</b> carries out Insert operations using the data provided.                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | <b>tInformixOutputBulkExec</b> is a dedicated component which improves performance during Insert operations in Informix databases. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Property Type</i>                                                                                                               | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                                                    | No properties stored centrally                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Execution platform</i>                                                                                                          | Select the operating system you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Use an existing connection</i>                                                                                                  | <p>Select the check box and choose the appropriate <b>tInformixConnection</b> component from the list to use pre-defined connection parameters.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p> |
|                         | <i>Host</i>                                                                                                                        | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Port</i>                                                                                                                        | DB server listening port.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                                                    | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Schema</i>                                                                                                                      | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Username et Password</i>                                                                                                        | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                          |                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Instance</i>                   | Name of the Informix instance to be used. This information can generally be found in the <i>SQL hosts</i> file.                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Table</i>                      | Name of the table to be written. Note that only one table can be written at a time and the table must already exist for the insert operation to be authorised.                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Action on table</i>            | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if not exists:</b> The table is created if it does not exist.<br><br><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.<br><br><b>Clear a table:</b> The table content is deleted. |
|                          | <i>Schema and schema Edit</i>     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                    |
|                          |                                   | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Informix Directory</i>         | Indicate the access path to your Informix directory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Data file</i>                  | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Append</i>                     | Select this check box to add rows to the end of the file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Action on data</i>             | Select the operation you want to perform:<br><br><b>Bulk insert Bulk update</b> The details asked will be different according to the action chosen.                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Advanced settings</b> | <i>Additional parameters JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br> You can press <b>Ctrl+Space</b> to access a list of predefined global variables.                                                                                                                                                   |
|                          | <i>Row separator</i>              | String (ex: “\n” on Unix) to distinguish rows.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Fields terminated by</i>       | Character, string or regular expression used to separate the fields                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Set DBMONEY</i>                | Select this check box to define the decimal separator used in the corresponding field.                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Set DBDATE</i>                 | Select the date format you want to apply.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Rows Before Commit</i>         | Enter the number of rows to be processed before the commit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

|                   |                                                                                                                            |                                                                                                                                                                                              |
|-------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <i>Bad Rows Before Abort</i>                                                                                               | Enter the number of rows in error at which point the Job should stop.                                                                                                                        |
|                   | <i>Create directory if not exists</i>                                                                                      | This check box is selected by default. It creates a directory to hold the output table if required.                                                                                          |
|                   | <i>Custom the flush buffer size</i>                                                                                        | Select this box in order to customize the memory size used to store the data temporarily. In the <b>Row number</b> field enter the number of rows at which point the memory should be freed. |
|                   | <i>Encoding</i>                                                                                                            | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                             |
|                   | <i>tStatCatcher Statistics</i>                                                                                             | Select this check box to collect the log data at a component level.                                                                                                                          |
|                   | <i>Output</i>                                                                                                              | Where the output should go.                                                                                                                                                                  |
| <b>Usage</b>      | This component is generally used when no particular transformation is required on the data to be inserted in the database. |                                                                                                                                                                                              |
| <b>Limitation</b> | n/a                                                                                                                        |                                                                                                                                                                                              |

## Related scenario

For a scenario in which **tInformixOutputBulkExec** might be used, see:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).

# tInformixRollback



## tInformixRollback properties

This component is closely related to **tInformixCommit** and **tInformixConnection**. They are generally used together to execute transactions.

|                             |                                                                                                                                  |                                                                                                                       |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Famille de composant</b> | Databases/Informix                                                                                                               |                                                                                                                       |
| <b>Function</b>             | <b>tInformixRollback</b> cancels transactions in connected databases.                                                            |                                                                                                                       |
| <b>Purpose</b>              | This component prevents involuntary transaction commits.                                                                         |                                                                                                                       |
| <b>Basic settings</b>       | <i>Component list</i>                                                                                                            | Select the <b>tInformixConnection</b> component from the list if you plan to add more than one connection to the Job. |
|                             | <i>Close Connection</i>                                                                                                          | Clear this checkbox if you want to continue to use the connection once the component has completed its task.          |
| <b>Advanced settings</b>    | <i>tStatCatcher Statistics</i>                                                                                                   | Select this check box to collect the log data at a component level.                                                   |
| <b>Usage</b>                | This component must be used with other Informix components, particularly <b>tInformixConnection</b> and <b>tInformixCommit</b> . |                                                                                                                       |
| <b>Limitation</b>           | n/a                                                                                                                              |                                                                                                                       |

## Related Scenario


For a scenario in which **tInformixRollback** might be used, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).




# tInformixRow



## tInformixRow properties

|                         |                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Informix                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>         | <b>tInformixRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tInformixRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                            | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         |                                                                                                                                                                                                                                                 | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                               | <p>Select this check box and click the relevant <b>tInformixConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                     | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Port</i>                                                                                                                                                                                                                                     | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Database</i>                                                                                                                                                                                                                                 | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                             | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                            | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Query type</i>                                                                                                                                                                                                                                                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Query</i>                                                                                                                                                                                                                                                                                                                                                          | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                                                                                                                                                                                                                                                                                              | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                                                                                                                                                    | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Use PreparedStatement</i>                                                                                                                                                                                                                                                                                                                                          | Select this check box if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                   | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tInformixSCD





The **tInformixSCD** component belongs to two different families: **Business Intelligence** and **Databases**. For further information, see [the section called “tInformixSCD”](#).

# tInformixSP



## tInformixSP properties

|                         |                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/Informix                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Function</b>         | <b>tInformixSP</b> calls procedures stored in a database.                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Purpose</b>          | <b>tInformixSP</b> allows you to centralise multiple and complex queries in a database and enables you to call them more easily. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                             | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         |                                                                                                                                  | <b>Built-in:</b> No properties stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Use an existing connection</i>                                                                                                | <p>Select the check box and choose the appropriate <b>tInformixConnection</b> component from the list to use pre-defined connection parameters.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                      | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Port</i>                                                                                                                      | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Database</i>                                                                                                                  | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Schema</i>                                                                                                                    | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Username et Password</i>                                                                                                      | User authentication information.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Instance</i>                                                                                                                  | Name of the Informix instance to be used. This information can generally be found in the <i>SQL hosts</i> file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Schema and Edit Schema</i>                                                                                                    | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                   | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>SP Name</i>                                                                                                                                                                                                                                                                                                                                                                                                                                    | Enter the exact name of the stored procedure (SP).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Is Function / Return result in</i>                                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box if only one value must be returned.<br><br>From the list, select the the schema column upon which the value to be obtained is based.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Parameters</i>                                                                                                                                                                                                                                                                                                                                                                                                                                 | Click the Plus button and select the various <b>Schema Columns</b> that will be required by the procedures. Note that the SP schema can hold more columns than there are parameters used in the procedure.<br><br>Select the <b>Type</b> of parameter:<br><br><b>IN:</b> Input parameter<br><br><b>OUT:</b> Output parameter/return value<br><br><b>IN OUT:</b> Input parameters is to be returned as value, likely after modification through the procedure (function).<br><br><b>RECORDSET:</b> Input parameters is to be returned as a set of values, rather than single value.<br><br> Check <a href="#">the section called “tPostgresqlCommit”</a> , if you want to analyze a set of records from a database table or DB query and return single records. |
|                          | <i>Use Transaction</i>                                                                                                                                                                                                                                                                                                                                                                                                                            | Clear this check box if the database is configured in the NO_LOG mode.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                                                                                                                                                                                                                                                                                                                                                                          | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                    | Select this check box to collect log data at a component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This is an intermediary component. It can also be used as an entry component. In this case, only the entry parameters are authorized.                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Limitation</b>        | The stored procedure syntax must correspond to that of the database.<br><br>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Related scenario

For a scenario in which **tInformixSP** may be used, see:

- [the section called “Scenario: Executing a stored procedure in the MDM Hub”](#).

- [the section called “Scenario: Checking number format using a stored procedure”](#).


Also, see [the section called “tPostgresqlCommit”](#) if you want to analyse a set of records in a table or SQL query.

# tMSSqlBulkExec



## tMSSqlBulkExec properties

The **tMSSqlOutputBulk** and **tMSSqlBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tMSSqlOutputBulkExec** component, detailed in a separate section. The advantage of using a two step process is that the data can be transformed before it is loaded in the database.

|                         |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MSSql                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | Executes the Insert action on the provided data.                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | As a dedicated component, <b>tMSSqlBulkExec</b> offers gains in performance while carrying out the Insert operations to a MSSql database |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                          | <b>Built-in:</b> No property data is stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Use an existing connection</i>                                                                                                        | <p>Select this check box and click the relevant <b>tMSSqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                              | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                              | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                          | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema</i>                                                                                                                            | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username</i> and <i>Password</i>                                                                                                      | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |



|                                      |                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                      | <i>Table</i>                      | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                                                                            |
|                                      | <i>Action on table</i>            | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create table:</b> The table is removed and created again.<br><br><b>Create table:</b> The table does not exist and gets created.<br><br><b>Create table if not exists:</b> The table is created if it does not exist.<br><br><b>Clear table:</b> The table content is deleted.<br><br><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation. |
|                                      | <i>Schema and Edit Schema</i>     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                     |
|                                      |                                   | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                        |
|                                      | <i>Remote File Name</i>           | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b>             | <i>Action</i>                     | Select the action to be carried out<br><br><b>Bulk insert Bulk update Bcp query out</b> Depending on the action selected, the required information varies.                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Bulk insert &amp; Bulk update</b> | <i>Additional parameters JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                |
|                                      | <i>Fields terminated</i>          | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                      | <i>Rows terminated</i>            | Character, string or regular expression to separate rows.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                                      | <i>First row</i>                  | Type in the number of the row where the action should start                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                      | <i>Code page</i>                  | This value can be any of the followings:<br><br><b>OEM</b> (by default value)<br><b>ACP RAW</b> User-defined                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                                      | <i>Data file type</i>             | Select the type of data being handled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                      | <i>Output</i>                     | Select the type of output for the standard output of the MSSql database:<br><br><b>to console,</b><br><br><b>to global variable.</b>                                                                                                                                                                                                                                                                                                                                                                                                             |

|                      |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                     |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                      | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                   |
| <b>Bcp query out</b> | <i>Fields terminated</i>                                                                                                                                                                                                                                                                                                                                              | Character, string or regular expression to separate fields.                                                                                                                                                         |
|                      | <i>Rows terminated</i>                                                                                                                                                                                                                                                                                                                                                | Character, string or regular expression to separate rows.                                                                                                                                                           |
|                      | <i>Data file type</i>                                                                                                                                                                                                                                                                                                                                                 | Select the type of data being handled.                                                                                                                                                                              |
|                      | <i>Output</i>                                                                                                                                                                                                                                                                                                                                                         | Select the type of output to pass the processed data onto:<br><br><b>to console:</b> data is viewed in the Log view.<br><br><b>to global variable:</b> data is put in output variable linked to a tsystem component |
|                      | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                   |
| <b>Usage</b>         | This component is to be used along with <b>tMSSqlOutputBulk</b> component. Used together, they can offer gains in performance while feeding a MSSql database.                                                                                                                                                                                                         |                                                                                                                                                                                                                     |
| <b>Limitation</b>    | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                     |

## Related scenarios

For use cases in relation with **tMSSqlBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).

# tMSSqlColumnList



## tMSSqlColumnList Properties

|                         |                                                                                                     |                                                                                                                       |
|-------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MS SQL                                                                                    |                                                                                                                       |
| <b>Function</b>         | Iterates on all columns of a given table through a defined MS SQL connection.                       |                                                                                                                       |
| <b>Purpose</b>          | Lists all column names of a given MSSql table.                                                      |                                                                                                                       |
| <b>Basic settings</b>   | <i>Component list</i>                                                                               | Select the <b>tMSSqlConnection</b> component in the list if more than one connection are planned for the current job. |
|                         | <i>Table name</i>                                                                                   | Enter the name of the table.                                                                                          |
| <b>Usage</b>            | This component is to be used along with MSSql components, especially with <b>tMSSqlConnection</b> . |                                                                                                                       |
| <b>Limitation</b>       | n/a                                                                                                 |                                                                                                                       |

## Related scenario

For tMSSqlColumnList related scenario, see [the section called “Scenario: Iterating on a DB table and listing its column names”](#).

# tMSSqlClose



## tMSSqlClose properties

|                          |                                                                                                                              |                                                                                                                       |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/MSSql                                                                                                              |                                                                                                                       |
| <b>Function</b>          | <b>tMssqlClose</b> closes the transaction committed in the connected DB.                                                     |                                                                                                                       |
| <b>Purpose</b>           | Close a transaction.                                                                                                         |                                                                                                                       |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                        | Select the <b>tMssqlConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                               | Select this check box to collect log data at the component level.                                                     |
| <b>Usage</b>             | This component is to be used along with tMssql components, especially with <b>tMssqlConnection</b> and <b>tMssqlCommit</b> . |                                                                                                                       |
| <b>Limitation</b>        | n/a                                                                                                                          |                                                                                                                       |

## Related scenario


No scenario is available for this component yet.

# tMSSqlCommit



## tMSSqlCommit properties

This component is closely related to **tMSSqlConnection** and **tMSSqlRollback**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/MSSql                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>          | <b>tMSSqlCommit</b> validates the data processed through the job into the connected DB.                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tMSSqlConnection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tMSSqlCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to gather the job processing metadata at a job level as well as at each component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Usage</b>             | This component is to be used along with Mssql components, especially with <b>tMSSqlConnection</b> and <b>tMSSqlRollback</b> components.                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## Related scenarios

This component is closely related to **tMSSqlConnection** and **tMSSqlRollback**. It usually does not make much sense to use one of these without using a **tMSSqlConnection** component to open a connection for the current transaction.

For a **tMSSqlCommit** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tMSSqlConnection



## tMSSqlConnection properties

This component is closely related to **tMSSqlCommit** and **tMSSqlRollback**. Both components are usually used with a **tMSSqlConnection** component to open a connection for the current transaction.

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/MSSQL                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | <b>tMSSqlConnection</b> opens a connection to the database for a current transaction.                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address.                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                          | <i>Schema</i>                                                                                                                                                                                                                                                                                                                                                         | Schema name.                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Additional parameters</i> <i>JDBC</i>                                                                                                                                                                                                                                                                                                                              | Specify additional connection properties for the DB connection you are creating.                                                                                                                                                                                                                                                                 |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Auto commit</i>                                                                                                                                                                                                                                                                                                                                                    | Select this check box to automatically commit a transaction when it is completed.                                                                                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to gather the job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This component is to be used along with MSSql components, especially with <b>tMSSqlCommit</b> and <b>tMSSqlRollback</b> .                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenarios


This component is closely related to **tMSSqlCommit** and **tMSSqlRollback**. It usually does not make much sense to use one if these without using a **tMSSqlConnection** component to open a connection for the current transaction.

For **tMSSqlConnection** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tMSSqlInput



## tMSSqlInput properties

|                         |                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MS SQL Server                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | <b>tMSSqlInput</b> reads a database and extracts fields based on a query.                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | <b>tMSSqlInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                             | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                                                                                  | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Use an existing connection</i>                                                                                                                                                                | <p>Select this check box and click the relevant <b>tMSSqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                      | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Port</i>                                                                                                                                                                                      | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                                                                                  | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema</i>                                                                                                                                                                                    | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                              | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                             | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                     |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                         |
|                          | <i>Query type and Query</i>                                                                                                                                                                                                                                                                                                                                           | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                        |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                                                                                                                                                                                                                                                                                              | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> . |
|                          | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                                 |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Remove leading and trailing whitespace from defined columns.                                                                                                                                                      |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                 |
| <b>Usage</b>             | This component covers all possible SQL queries for MS SQL server databases.                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                   |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                   |

## Related scenarios

Related topics in **tDBInput** scenarios:

- [the section called “Scenario 1: Displaying selected data from DB table”](#)
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).

For related topic in **tContextLoad**, see [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).

# tMSSqlLastInsertId



## tMSSqlLastInsertId properties

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Databases/MS SQL server                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tMSSqlLastInsertId</b> displays the last IDs added to a table from a MSSql specified connection.                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                              |
| <b>Purpose</b>           | <b>tMSSqlLastInsertId</b> enables you to retrieve the last primary keys added by a user to a MSSql table.                                                                                                                                                                                                                                                             |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Schema and Schema Edit</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Component list</i>                                                                                                                                                                                                                                                                                                                                                 | Select the <b>tMSSqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined, if there are more than one component in this list.                            |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                              |


## Related scenario


For a related scenario, see [the section called “Scenario: Get the ID for the last inserted record”](#)




# tMSSqlOutput



## tMSSqlOutput properties

|                         |                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MS SQL server                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | <b>tMSSqlOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | <b>tMSSqlOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                        | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                                                             | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Use an existing connection</i>                                                                                                                                           | <p>Select this check box and click the relevant <b>tMSSqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                 | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                                                                 | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Schema</i>                                                                                                                                                               | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                                                             | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                         | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Table</i>                                                                                                                                                                | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|  |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Action on table</i>         | <p>On the table defined, you can perform one of the following operations:</p> <p><b>Default:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p> <p><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|  | <i>Turn on identity insert</i> | <p>Select this check box to use your own sequence for the identity value of the inserted records (instead of having the SQL Server pick the next sequential value).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|  | <i>Action on data</i>          | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Single Insert Query:</b> Add entries to the table in a batch</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p><b>Insert if not exist :</b> Add new entries to the table if they do not exist.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|  | <i>Specify identity field</i>  | <p>Select this check box to specify the identity field, which is made up of an automatically incrementing identification</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                          |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                          | <p>number. When this check box is selected, three other fields display:</p> <p><b>Identity field:</b> select the column you want to define as the identity field from the list.</p> <p><b>Start value:</b> type in a start value, used for the very first row loaded into the table.</p> <p><b>Step:</b> type in an incremental value, added to the value of the previous row that was loaded.</p> <p> You can also specify the identity field from the schema of the component. To do so, set the <b>DB Type</b> of the relevant column to <b>INT IDENTITY</b>.</p> <p> When the <b>Specify identity field</b> check box is selected, the <b>INT IDENTITY DB Type</b> in the schema is ignored.</p> |
|                          | <i>Schema and Edit schema</i>            | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          |                                          | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Die on error</i>                      | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i> | <p>Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b>.</p> <p> You can press <b>Ctrl+Space</b> to access a list of predefined global variables.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Commit every</i>                      | <p>Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Additional Columns</i>                | <p>This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          |                                          | <p><b>Name:</b> Type in the name of the schema column to be altered or inserted as new column</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          |                                          | <p><b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          |                                          | <p><b>Position:</b> Select <b>Before</b>, <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                   | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                   | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                   | <i>Support null in “SQL WHERE” statement</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Select this check box if you want to deal with the Null values contained in a DB table.<br><br>💡 Make sure that the Nullable check box is selected for the corresponding columns in the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                   | <i>Use batch size</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Select this check box to activate the batch mode for data processing. In the <b>Batch Size</b> field that appears when this check box is selected, you can type in the number you need to define the batch size to be processed.<br><br>💡 This check box is available only when you have selected the <b>Insert</b> , the <b>Update</b> , the <b>Single Insert Query</b> or the <b>Delete</b> option in the <b>Action on data</b> field.<br><br>💡 If you are using the MS Sql Server 2008 version, make sure that the Batch Size is less than or equal to 2000 parameter markers divided by the number of columns in the schema. |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Usage</b>      | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a MSSql database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b> | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

## Related scenarios

For **tMSSqlOutput** related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tMSSqlOutputBulk



## tMSSqlOutputBulk properties

The **tMSSqlOutputBulk** and **tMSSqlBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tMSSqlOutputBulkExec** component, detailed in a separate section. The advantage of using a two step process is that the data can be transformed before it is loaded in the database.

|                          |                                                                                                                                                        |                                                                                                                                                                                                              |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/MSSql                                                                                                                                        |                                                                                                                                                                                                              |
| <b>Function</b>          | Writes a file with columns based on the defined delimiter and the MSSql standards.                                                                     |                                                                                                                                                                                                              |
| <b>Purpose</b>           | Prepares the file to be used as parameter in the INSERT query to feed the MSSql database.                                                              |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                        | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>File Name</i>                                                                                                                                       | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                              |
|                          | <i>Append</i>                                                                                                                                          | Select this check box to add the new rows at the end of the records.                                                                                                                                         |
|                          | <i>Schema and Edit Schema</i>                                                                                                                          | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                        | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                               |
| <b>Advanced settings</b> | <i>Row separator</i>                                                                                                                                   | String (ex: “\n”on Unix) to distinguish rows.                                                                                                                                                                |
|                          | <i>Field separator</i>                                                                                                                                 | Character, string or regular expression to separate fields.                                                                                                                                                  |
|                          | <i>Include header</i>                                                                                                                                  | Select this check to include the column header.                                                                                                                                                              |
|                          | <i>Encoding</i>                                                                                                                                        | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                             |
|                          | <i>tStatcher statistics</i>                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component is to be used along with <b>tMSSqlBulkExec</b> component. Used together they offer gains in performance while feeding a MSSql database. |                                                                                                                                                                                                              |

## Related scenarios

For use cases in relation with **tMSSqlOutputBulk**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).





# tMSSqlOutputBulkExec



## tMSSqlOutputBulkExec properties

The **tMSSqlOutputBulk** and **tMSSqlBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tMSSqlOutputBulkExec** component.

|                         |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MSSql                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Function</b>         | Executes actions on the provided data provided.                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during Insert operations to a MSSql database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Basic settings</b>   | <i>Action</i>                                                                                          | Select the action to be carried out<br><br><b>Bulk insert Bulk update</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Property type</i>                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         |                                                                                                        | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Use an existing connection</i>                                                                      | Select this check box and click the relevant <b>tMSSqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.<br><br> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.<br><br>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.<br><br>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b> , see your studio user guide. |
|                         | <i>Host</i>                                                                                            | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Port</i>                                                                                            | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>DB name</i>                                                                                         | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Schema</i>                                                                                          | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                          |                                    |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|------------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Username</i><br><i>Password</i> | and                | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Table</i>                       |                    | Name of the table to be written.<br><br>Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Action on table</i>             |                    | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if not exists:</b> The table is created if it does not exist.<br><br><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.<br><br><b>Clear a table:</b> The table content is deleted. You have the possibility to rollback the operation. |
|                          | <i>Schema</i><br><i>schema</i>     | and<br><i>Edit</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          |                                    |                    | <b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>File Name</i>                   |                    | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Append</i>                      |                    | Select this check box to add the new rows at the end of the records                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Advanced settings</b> | <i>Additional parameters</i>       | <i>JDBC</i>        | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br> You can press <b>Ctrl+Space</b> to access a list of predefined global variables.                                                                                                                                                                                                                |
|                          | <i>Field separator</i>             |                    | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Row separator</i>               |                    | String (ex: “\n”on Unix) to distinguish rows.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>First row</i>                   |                    | Type in the number of the row where the action should start.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Include header</i>              |                    | Select this check box to include the column header.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Code page</i>                   |                    | <b>OEM</b> code pages used to map a specific set of characters to numerical code point values.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Data file type</i>              |                    | Select the type of data being handled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                   |                                                                                                                         |                                                                                                                           |
|-------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
|                   | <i>Encoding</i>                                                                                                         | Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling. |
|                   | <i>tStaCatcher statistics</i>                                                                                           | Select this check box to collect log data at the component level.                                                         |
| <b>Usage</b>      | This component is mainly used when no particular transformation is required on the data to be loaded onto the database. |                                                                                                                           |
| <b>Limitation</b> | n/a                                                                                                                     |                                                                                                                           |

## Related scenarios

For use cases in relation with **tMSSqlOutputBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#)
- [the section called “Scenario: Inserting data in MySQL database”](#)

# tMSSqlRollback



## tMSSqlRollback properties

This component is closely related to **tMSSqlCommit** and **tMSSqlConnection**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                       |                                                                                                                       |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases                                                                                                                             |                                                                                                                       |
| <b>Function</b>          | Cancel the transaction commit in the connected DB.                                                                                    |                                                                                                                       |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                                 |                                                                                                                       |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                 | Select the <b>tMSSqlConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                               | Clear this check box to continue to use the selected connection once the component has performed its task.            |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                        | Select this check box to collect log data at the component level.                                                     |
| <b>Usage</b>             | This component is to be used along with MSSql components, especially with <b>tMSSqlConnection</b> and <b>tMSSqlCommit</b> components. |                                                                                                                       |
| <b>Limitation</b>        | n/a                                                                                                                                   |                                                                                                                       |


## Related scenario


For **tMSSqlRollback** related scenario, see [the section called "Scenario: Rollback from inserting data in mother/daughter tables"](#).

# tMSSqlRow



## tMSSqlRow properties

|                         |                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB2                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | <b>tMSSqlRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tMSSqlRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                            | <p>Select this check box and click the relevant <b>tMSSqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                  | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                                                                                                                                  | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                                                                                                                              | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Schema</i>                                                                                                                                                                                                                                | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                          | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                          |                                 |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|---------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                 |                | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                 |                | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Table name</i>               |                | Name of the table to be used.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Turn on identity insert</i>  |                | Select this check box to use your own sequence for the identity value of the inserted records (instead of having the SQL Server pick the next sequential value).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Query type</i>               |                | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                 |                | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Guess Query</i>              |                | Click the <b>Guess Query</b> button to generate the query which corresponds to your table schema in the <b>Query</b> field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Query</i>                    |                | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Die on error</i>             |                | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Additional parameters</i>    | <i>JDBC</i>    | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Propagate recordset</i>      | <i>QUERY's</i> | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use PreparedStatement</i>    |                | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>             |                | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStat Catcher Statistics</i> |                | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

---

|                   |                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Usage</b>      | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tMSSqlSCD




**tMSSqlSCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tMSSqlSCD”](#).



# tMSSqlSP



## tMSSqlSP Properties

|                         |                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MSSql                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | tMSSqlSP calls the database stored procedure.                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | tMSSqlSP offers a convenient way to centralize multiple or complex queries in a database and call them easily. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                           | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Use an existing connection</i>                                                                              | <p>Select this check box and click the relevant <b>tMSSqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                    | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                    | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema</i>                                                                                                  | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username</i> and <i>Password</i>                                                                            | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                           | <p>In SP principle, the schema is an input parameter.</p> <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                             | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>SP Name</i>                                                                                                                                                                                                                                                                                                                                                                                                                              | Type in the exact name of the Stored Procedure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Is Function / Return result in</i>                                                                                                                                                                                                                                                                                                                                                                                                       | Select this check box, if only a value is to be returned.<br><br>Select on the list the schema column, the value to be returned is based on.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Parameters</i>                                                                                                                                                                                                                                                                                                                                                                                                                           | Click the Plus button and select the various <b>Schema Columns</b> that will be required by the procedures. Note that the SP schema can hold more columns than there are paramaters used in the procedure.<br><br>Select the <b>Type</b> of parameter:<br><br><b>IN:</b> Input parameter<br><br><b>OUT:</b> Output parameter/return value<br><br><b>IN OUT:</b> Input parameters is to be returned as value, likely after modification through the procedure (function).<br><br><b>RECORDSET:</b> Input parameters is to be returned as a set of values, rather than single value.<br><br> Check <a href="#">the section called “tPostgresqlCommit”</a> , if you want to analyze a set of records from a database table or DB query and return single records. |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>                                                                                                                                                                                                                                                                                                                                                                                                           | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                              | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Usage</b>             | This component is used as intermediary component. It can be used as start component but only input parameters are thus allowed.                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Limitation</b>        | The Stored Procedures syntax should match the Database syntax.<br><br>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Related scenario

For related scenarios, see:

- [the section called “Scenario: Executing a stored procedure in the MDM Hub”](#).
- [the section called “Scenario: Checking number format using a stored procedure”](#).

Check as well [the section called “tPostgresqlCommit”](#) to analyze a set of records from a database table or DB query and return single records.

# tMSSqlTableList



## tMSSqlTableList Properties

|                          |                                                                                                     |                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/MS SQL                                                                                    |                                                                                                                       |
| <b>Function</b>          | Iterates on a set of table names through a defined MS SQL connection.                               |                                                                                                                       |
| <b>Purpose</b>           | Lists the names of a given set of MSSql tables using a select statement based on a Where clause.    |                                                                                                                       |
| <b>Basic settings</b>    | <i>Component list</i>                                                                               | Select the <b>tMSSqlConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | Where clause for table name selection                                                               | Enter the Where clause to identify the tables to iterate on.                                                          |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                      | Select this check box to collect log data at the component level.                                                     |
| <b>Usage</b>             | This component is to be used along with MSSql components, especially with <b>tMSSqlConnection</b> . |                                                                                                                       |
| <b>Limitation</b>        | n/a                                                                                                 |                                                                                                                       |

## Related scenario


For **tMSSqlTableList** related scenario, see [the section called “Scenario: Iterating on a DB table and listing its column names”](#).

# tMysqlBulkExec



## tMysqlBulkExec properties

The **tMysqlOutputBulk** and **tMysqlBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT statement used to feed a database. These two steps are fused together in the **tMysqlOutputBulkExec** component, detailed in a separate section. The advantage of using two separate steps is that the data can be transformed before it is loaded in the database.

|                         |                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Mysql                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | Executes the Insert action on the data provided.                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | As a dedicated component, <b>tMysqlBulkExec</b> offers gains in performance while carrying out the Insert operations to a Mysql database |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                          | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>DB Version</i>                                                                                                                        | Select the version of My SQL that you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                                                        | <p>Select this check box when using a configured <b>tMysqlConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                              | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                              | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                          | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Username</i> and <i>Password</i>                                                                                                      | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                          |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Action on table</i>                   | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create table:</b> The table is removed and created again.</p> <p><b>Create table:</b> The table does not exist and gets created.</p> <p><b>Create table if not exists:</b> The table is created if it does not exist.</p> <p><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.</p> <p><b>Clear table:</b> The table content is deleted. You have the possibility to rollback the operation.</p> |
|                          | <i>Table</i>                             | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Local file Name</i>                   | <p>Name of the file to be processed.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guides</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Schema and Edit Schema</i>            | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                |
|                          |                                          | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Lines terminated by</i>               | Character or sequence of characters used to separate lines.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Fields terminated by</i>              | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Enclosed by</i>                       | Character used to enclose text.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Action on data</i>                    | <p>On the data of the table defined, you can perform:</p> <p><b>Insert records in table:</b> Add new records to the table.</p> <p><b>Update records in table:</b> Make changes to existing records.</p> <p><b>Replace records in table:</b> Replace existing records with new ones. <b>Ignore records in table:</b> Ignore the existing records, or insert the new ones.</p>                                                                                                                                                                                                                                |
|                          | <i>Records contain NULL value</i>        | Check this box if you want to retrieve the null values from the input data flow. If you do not check this box, the null values from the input data flow will be considered as empty fields in the output data flow.                                                                                                                                                                                                                                                                                                                                                                                         |

|                   |                                |                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <i>Encoding</i>                | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                                                                                                                                                                                      |
|                   | <i>tStatCatcher Statistics</i> | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                     |
| <b>Usage</b>      |                                | This component is to be used along with <b>tMysqlOutputBulk</b> component. Used together, they can offer gains in performance while feeding a Mysql database.                                                                                                                                                                                                         |
| <b>Limitation</b> |                                | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |

## Related scenarios

For use cases in relation with **tMysqlBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tMysqlClose



## tMysqlClose properties

|                          |                                                                                                                             |                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Function</b>          | tMysqlClose closes the transaction committed in the connected DB.                                                           |                                                                                                                       |
| <b>Purpose</b>           | Close a transaction.                                                                                                        |                                                                                                                       |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                       | Select the <b>tMysqlConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                              | Select this check box to collect log data at the component level.                                                     |
| <b>Usage</b>             | This component is to be used along with Mysql components, especially with <b>tMysqlConnection</b> and <b>tMysqlCommit</b> . |                                                                                                                       |
| <b>Limitation</b>        | n/a                                                                                                                         |                                                                                                                       |

## Related scenario

No scenario is available for this component yet.



# tMysqlColumnList




## tMysqlColumnList Properties

|                         |                                                                                                     |                                                                                                                       |
|-------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MySQL                                                                                     |                                                                                                                       |
| <b>Function</b>         | Iterates on all columns of a given table through a defined Mysql connection.                        |                                                                                                                       |
| <b>Purpose</b>          | Lists all column names of a given Mysql table.                                                      |                                                                                                                       |
| <b>Basic settings</b>   | <i>Component list</i>                                                                               | Select the <b>tMysqlConnection</b> component in the list if more than one connection are planned for the current job. |
|                         | <i>Table name</i>                                                                                   | Enter the name of the table.                                                                                          |
| <b>Usage</b>            | This component is to be used along with Mysql components, especially with <b>tMysqlConnection</b> . |                                                                                                                       |
| <b>Limitation</b>       | n/a                                                                                                 |                                                                                                                       |

## Scenario: Iterating on a DB table and listing its column names

The following Java scenario creates a five-component job that iterates on a given table name from a Mysql database using a Where clause and lists all column names present in the table.


- Drop the following components from the **Palette** onto the design workspace: **tMysqlConnection**, **tMysqlTableList**, **tMysqlColumnList**, **tFixedFlowInput**, and **tLogRow**.
- Connect **tMysqlConnection** to **tMysqlTableList** using an **OnSubjobOk** link.
- Connect **tMysqlTableList**, **tMysqlColumnList**, and **tFixedFlowInput** using **Iterate** links.
- Connect **tFixedFlowInput** to **tLogRow** using a **Row Main** link.



- In the design workspace, select **tMysqlConnection** and click the **Component** tab to define its basic settings.


- In the **Basic settings** view, set the database connection details manually or select them from the context variable list, through a **Ctrl+Space** click in the corresponding field if you have stored them locally as Metadata DB connection entries.

For more information about Metadata, see *Talend Open Studio for Big Data User Guide*.



In this example, we want to connect to a Mysql database called *customers*.


- In the design workspace, select **tMysqlTableList** and click the **Component** tab to define its basic settings.



- On the **Component list**, select the relevant Mysql connection component if more than one connection is used.
- Enter a Where clause using the right syntax in the corresponding field to iterate on the table name(s) you want to list on the console.

In this scenario, the table we want to iterate on is called *customer*.


- In the design workspace, select **tMysqlColumnList** and click the **Component** tab to define its basic settings.




- On the **Component list**, select the relevant Mysql connection component if more than one connection is used.
- In the **Table name** field, enter the name of the DB table you want to list its column names.

In this scenario, we want to list the columns present in the DB table called *customer*.

- In the design workspace, select **tFixedFlowInput** and click the **Component** tab to define its basic settings.
- Set the **Schema to Built-In** and click the three-dot [...] button next to **Edit Schema** to define the data you want to use as input. In this scenario, the schema is made of two columns, the first for the table name and the second for the column name.



- Click **OK** to close the dialog box, and accept propagating the changes when prompted by the system. The defined columns display in the **Values** panel of the **Basic settings** view.
- Click in the **Value** cell for each of the two defined columns and press **Ctrl+Space** to access the global variable list.
- From the global variable list, select `((String)globalMap.get("tMysqlTableList_1_CURRENT_TABLE"))` and `((String)globalMap.get("tMysqlColumnList_1_COLUMN_NAME"))` for the *TableName* and *ColumnName* respectively.



- In the design workspace, select **tLogRow**.
- Click the **Component** tab and define the basic settings for **tLogRow** as needed.
- Save your job and press **F6** to execute it.

```
Starting job Column_Table_List at 00:55 17/11/2008.
customer|id
customer|First_Name
customer|Last_Name
customer|Address
customer|id_State
Job Column_Table_List ended at 00:55 17/11/2008. [exit code=0]
```


The name of the DB table is displayed on the console along with all its column names.

# tMysqlCommit



## tMysqlCommit Properties

This component is closely related to **tMysqlConnection** and **tMysqlRollback**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/MySQL                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>          | Validates the data processed through the job into the connected DB                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tMysqlConnection</b> component in the list if more than one connection are planned for the current job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close Connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tMysqlCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Usage</b>             | This component is to be used along with Mysql components, especially with <b>tMysqlConnection</b> and <b>tMysqlRollback</b> components.                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## Related scenario

This component is closely related to **tMysqlConnection** and **tMysqlRollback**. It usually doesn't make much sense to use one of these without using a **tMysqlConnection** component to open a connection for the current transaction.

For **tMysqlCommit** related scenario, see [the section called "Scenario: Inserting data in mother/daughter tables"](#).

# tMysqlConnection



## tMysqlConnection Properties

This component is closely related to **tMysqlCommit** and **tMysqlRollback**. It usually doesn't make much sense to use one of these without using a **tMysqlConnection** component to open a connection for the current transaction.

|                         |                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MySQL                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>         | Opens a connection to the database for a current transaction.                                                                                 |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>          | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated. |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                         |                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                         | <i>Host</i>                                                                                                                                   | Database server IP address.                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Port</i>                                                                                                                                   | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                               | Name of the database.                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Additional parameters</i>                                                                                                                  | <i>JDBC</i> Specify additional connection properties for the DB connection you are creating.                                                                                                                                                                                                                                                     |
|                         | <i>Username</i> and <i>Password</i>                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Use or register a shared DB Connection</i>                                                                                                 | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Usage</b>            | This component is to be used along with Mysql components, especially with <b>tMysqlCommit</b> and <b>tMysqlRollback</b> components.           |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>       | n/a                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                  |


## Scenario: Inserting data in mother/daughter tables

The following Job is dedicated to advanced database users, who want to carry out multiple table insertions using a parent table id to feed a child table. As a prerequisite to this Job, follow the steps described below to create the relevant tables using an engine such as *innodb*.


- In a command line editor, connect to your Mysql server.
- Once connected to the relevant database, type in the following command to create the parent table: create table f1090\_mum(id int not null auto\_increment, name varchar(10), primary key(id)) engine=innodb;

- Then create the second table: create table baby (id\_baby int not null, years int) engine=innodb;

Back in *Talend Open Studio for Big Data*, the Job requires seven components including **tMysqlConnection** and **tMysqlCommit**.



- Drag and drop the following components from the **Palette**: **tFileList**, **tFileInputDelimited**, **tMap**, **tMysqlOutput** (x2).
- Connect the **tFileList** component to the input file component using an **Iterate** link as the name of the file to be processed will be dynamically filled in from the **tFileList** directory using a global variable.
- Connect the **tFileInputDelimited** component to the **tMap** and dispatch the flow between the two output Mysql DB components. Use a **Row** link for each for these connections representing the main data flow.
- Set the **tFileList** component properties, such as the directory. name where files will be fetched from.
- Add a **tMysqlConnection** component and connect it to the starter component of this job, in this example, the **tFileList** component using an **OnComponentOk** link to define the execution order.
- In the **tMysqlConnection** Component view, set the connection details.
- On the **tFileInputDelimited** component's **Basic settings** panel, press **Ctrl+Space** bar to access the variable list. Set the **File Name** field to the global variable: `tFileList_1.CURRENT_FILEPATH`



- Set the rest of the fields as usual, defining the row and field separators according to your file structure.
- Then set the schema manually through the **Edit schema** feature or select the schema from the Repository. In Java version, make sure the data type is correctly set, in accordance with the nature of the data processed.
- In the **tMap** Output area, add two output tables, one called mum for the parent table, the second called baby, for the child table.

- Drag the *Name* column from the **Input** area, and drop it to the mum table.
- Drag the *Years* column from the **Input** area and drop it to the baby table.



- Make sure the mum table is on the top of the baby table as the order is determining for the flow sequence hence the DB insert to perform correctly.
- Then connect the output row link to distribute correctly the flow to the relevant DB output component.
- In each of the **tMySQLOutput** components' **Basic settings** panel, select the **Use an existing connection** check box to retrieve the **tMySQLConnection** details.

**tMySQLOutput\_2**

Property Type: Built-In

Use an existing connection    Component List: tMySQLConnection\_1

Table: 'f1090\_baby'

Action on table: None    Action on data: Insert

Schema Type: Built-In    Edit schema    Sync columns

Encoding Type: ISO-8859-15

Additional columns

| Name      | SQL expression           | Position | Reference column |
|-----------|--------------------------|----------|------------------|
| 'id_baby' | '(Select Last_Insert...' | Before   | years            |

- Set the **Table** name making sure it corresponds to the correct table, in this example either *f1090\_mum* or *f1090\_baby*.
- There is no action on the table as they are already created.
- Select **Insert** as **Action on data** for both output components.
- Click on Sync columns to retrieve the schema set in the **tMap**.
- In the **Additional columns** area of the DB output component corresponding to the child table (*f1090\_baby*), set the *id\_baby* column so that it reuses the *id* from the parent table.
- In the **SQL expression** field type in: '(Select Last\_Insert\_id()'
- The position is *Before* and the **Reference column** is *years*.
- Add the **tMySQLCommit** component to the design workspace and connect it from the **tFileList** component using a **OnComponentOk** connection in order for the Job to terminate with the transaction commit.
- On the **tMySQLCommit Component** view, select in the list the connection to be used.
- Save your Job and press **F6** to execute it.

```
mysql> select * from f1090_mum
-> ;
+----+-----+
| id | names |
+----+-----+
6	john
7	bruce
8	beth
9	andrew
10	donald
11	betty
12	john
13	bruce
14	beth
15	andrew
16	donald
17	betty
+----+-----+
12 rows in set (0.00 sec)
```

```
mysql> select * from f1090_baby
-> ;
+-----+-----+
| id_baby | years |
+-----+-----+
6	10
7	23
8	34
9	10
10	23
11	34
12	10
13	23
14	34
15	10
16	23
17	34
+-----+-----+
12 rows in set (0.00 sec)
```


The parent table *id* has been reused to feed the *id\_baby* column.



# tMysqlInput



## tMysqlInput properties

|                         |                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MySQL                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Function</b>         | <b>tMysqlInput</b> reads a database and extracts fields based on a query.                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Purpose</b>          | <b>tMysqlInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a <b>Main</b> row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                    | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         |                                                                                                                                                                                                         | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Use an existing connection</i>                                                                                                                                                                       | Select this check box when using a configured <b>tMysqlConnection</b> component.<br><br> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.<br><br>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.<br><br>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b> , see your studio user guide. |
|                         | <i>Host</i>                                                                                                                                                                                             | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Port</i>                                                                                                                                                                                             | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Database</i>                                                                                                                                                                                         | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Username and Password</i>                                                                                                                                                                            | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Schema and Edit Schema</i>                                                                                                                                                                           | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                                                                                                                         | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Table Name</i>                                                                                                                                                                                       | Name of the table to be read.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |


|                          |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Query type and Query</i>                                         | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                        |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>                                   | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br>💡 When you need to handle data of the time-stamp type <code>0000-00-00 00:00:00</code> using this component, set the parameter as:<br><br><code>noDatetimeStringSync=true&amp;zeroDateTimeBehavior=convertToNull.</code> |
|                          | <i>Enable stream</i>                                                | Select this check box to enables streaming over buffering which allows the code to read from a large table without consuming a large amount of memory in order to optimize the performance.                                                                                                                                                                                                                                                       |
|                          | <i>Trim all the String/Char columns</i>                             | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Trim column</i>                                                  | Remove leading and trailing whitespace from defined columns.<br><br>💡 Clear <b>Trim all the String/Char columns</b> to enable Trim columns in this field.                                                                                                                                                                                                                                                                                         |
|                          | <i>tStatCatcher Statistics</i>                                      | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Usage</b>             | This component covers all possible SQL queries for Mysql databases. |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Scenario 1: Writing columns from a MySQL database to an output file

In this scenario we will read certain columns from a MySQL database, and then write them to a table in a local output file.

### Dragging and dropping components and linking them together

1. Drop **tMySQLInput** and **tFileOutputDelimited** from the **Palette** onto the workspace.
2. Link **tMySQLInput** to **tFileOutputDelimited** using a **Row > Main** connection.



### Configuring the components

1. Double-click **tMySQLInput** to open its **Basic Settings** view in the **Component** tab.

**mysql(tMySQLInput\_3)**

**Basic settings**

Property Type: Repository | DB (MYSQL):mysql

Advanced settings

DB Version: Mysql 5

Use an existing connection

Host: "localhost" | Port: "3306"

Database: "test"


Username: "root" | Password: \*\*\*\*\*

Schema: Built-In | Edit schema

Table Name: "employees"

Query Type: Built-In | Guess Query | Guess schema

Query: "select id, first\_name, city, salary from employees"

 For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

2. Define the DB connection details in the corresponding fields.
3. Click **Edit schema** to define the desired schema.

The schema editor opens:

**Schema of mysql**

mysql

| Column     | Db Column  | Key                                 | T...  | DB Type | ✓                                   | N.. | Date ... | L... | P... | D.. |
|------------|------------|-------------------------------------|-------|---------|-------------------------------------|-----|----------|------|------|-----|
| id         | id         | <input checked="" type="checkbox"/> | int   | INT     | <input type="checkbox"/>            |     |          | 10   | 0    | "0" |
| first_name | first_name | <input type="checkbox"/>            | St... | VARCHAR | <input checked="" type="checkbox"/> |     |          | 30   | 0    |     |
| city       | city       | <input type="checkbox"/>            | St... | VARCHAR | <input checked="" type="checkbox"/> |     |          | 30   | 0    |     |
| salary     | salary     | <input type="checkbox"/>            | In... | INT     | <input checked="" type="checkbox"/> |     |          | 10   | 0    |     |

OK Cancel

4. Click the [+] button to add the rows that you will use to define the schema, four columns in this example *id*, *first\_name*, *city* and *salary*.


Under **Column**, click in the fields to enter the corresponding column names.

Click the field under **Type** to define the type of data.


Click **OK** to close the schema editor.

5. Next to the **Table Name** field, click the [...] button to select the database table of interest.


A dialog box displays a tree diagram of all the tables in the selected database:



6. Click the table of interest and then click **OK** to close the dialog box.
7. In the **Query** box, enter the query required to retrieve the desired columns from the table.



8. Double-click **tFileOutputDelimited** to set its **Basic settings** in the **Component** tab.



9. Next to the **File Name** field, click the [...] button to browse your directory to where you want to save the output file, then enter a name for the file.

Select the **Include Header** check box to retrieve the column names as well as the data.

10. Save the Job.

## Executing the Job


The results below can be found after **F6** is pressed to run the Job.

```

1 id;first_name;city;salary
2 1;Martin;Sacramento;9011
3 2;Zachary;Atlanta;8118
4 3;James;Hartford;5087
5 4;Herbert;Charleston;9233
6 5;Herbert;Hartford;6289
7 6;Ulysses;Nashville;6269

```

As shown above, the output file is written with the desired column names and corresponding data, retrieved from the database:


-  The Job can also be run in the **Traces Debug** mode, which allows you to view the rows as they are being written to the output file, in the workspace.

## Scenario 2: Using context parameters when reading a table from a MySQL database

In this scenario, we will read a table from a MySQL database, using a context parameter to refer to the table name.


### Dragging and dropping components and linking them together


1. Drop **tMySQLInput** and **tLogRow** from the **Palette** onto the workspace.
2. Link **tMySQLInput** to **tLogRow** using a **Row > Main** connection.



### Configuring the components


1. Double-click **tMySQLInput** to open its **Basic Settings** view in the **Component** tab.



-  For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

2. Define the DB connection details in the corresponding fields.
3. Click **Edit schema** to define the desired schema.

The schema editor opens:




- Click the [+] button to add the rows that you will use to define the schema, seven columns in this example: *id, first\_name, last\_name, city, state, date\_of\_birth* and *salary*.

Under **Column**, click the fields to enter the corresponding column names.

Click the fields under **Type** to define the type of data.

Click **OK** to close the schema editor.

- Put the cursor in the **Table Name** field and press **F5** for context parameter setting.



For more information about context settings, see *Talend Open Studio for Big Data User Guide*.

- Keep the default setting in the **Name** field and type in the name of the database table in the **Default value** field, *employees* in this case.
- Click **Finish** to validate the setting.


The context parameter `context.TABLE` automatically appears in the **Table Name** field.

- Click **Guess Query** to get the query statement.

In this use case, we want to read the records with the salary above 8000. Therefore, we add a *Where* clause and the final query statement is as follows:

```
"SELECT
 "+context.TABLE+".`id`,
 "+context.TABLE+".`first_name`,
 "+context.TABLE+".`last_name`,
 "+context.TABLE+".`city`,
 "+context.TABLE+".`state`,
 "+context.TABLE+".`date_of_birth`,
 "+context.TABLE+".`salary`
FROM "+context.TABLE+"
WHERE
 "+context.TABLE+".`salary` > 8000"
```

- Double-click **tLogRow** to set its **Basic Settings** in the **Component** tab.



- In the **Mode** area, select **Table (print values in cells of a table)** for a better display of the results.
- Save the Job.

## Executing the Job

The results below can be found after **F6** is pressed to run the Job.


| tLogRow_2 |            |           |            |       |               |        |
|-----------|------------|-----------|------------|-------|---------------|--------|
| id        | first_name | last_name | city       | state | date_of_birth | salary |
| 1         | Martin     | Roosevelt | Sacramento | ND    | 19-10-1950    | 9011   |
| 2         | Zachary    | Johnson   | Atlanta    | ND    | 14-11-1978    | 8118   |
| 4         | Herbert    | Harrison  | Charleston | AB    | 15-08-1963    | 9233   |

As shown above, the records with the salary greater than 8000 are retrieved.

# tMysqlLastInsertId



## tMysqlLastInsertId properties


|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                              |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                              |
| <b>Function</b>         | tMysqlLastInsertId fetches the last inserted ID from a selected MySQL Connection.                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
| <b>Purpose</b>          | tMysqlLastInsertId obtains the primary key value of the record that was last inserted in a Mysql table by a user.                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                           | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                     |
|                         | <i>Component list</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Select the relevant tMysqlConnection component in the list if more than one connection is planned for the current job.                                                                                       |
| <b>Usage</b>            | <p>This component is to be used as an intermediary component.</p> <p> <i>If you use this component with tMySqlOutput, verify that the <b>Extend Insert</b> check box in the <b>Advanced Settings</b> tab is not selected. <b>Extend Insert</b> allows you to make a batch insertion, however, if the check box is selected, only the ID of the last line in the last batch will be returned.</i></p> |                                                                                                                                                                                                              |
| <b>Limitation</b>       | n/a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                              |

## Scenario: Get the ID for the last inserted record


The following Java scenario creates a job that opens a connection to Mysql database, writes the defined data into the database, and finally fetches the last inserted ID on the existing connection.

- Drop the following components from the **Palette** onto the design workspace: **tMySqlConnection**, **tMySqlCommit**, **tFileInputDelimited**, **tMySqlOutput**, **tMysqlLastInsertId**, and **tLogRow**.
- Connect **tMySqlConnection** to **tFileInputDelimited** using an **OnSubjobOk** link.
- Connect **tFileInputDelimited** to **tMySqlCommit** using an **OnSubjobOk** link.
- Connect **tFileInputdelimited** to the three other components using **Row Main** links.






- In the design workspace, select **tMysqlConnection**.
- Click the **Component** tab to define the basic settings for **tMysqlConnection**.
- In the **Basic settings** view, set the connection details.




- In the design workspace, select **tMysqlCommit** and click the **Component** tab to define its basic settings.
- On the **Component List**, select the relevant **tMysqlConnection** if more than one connection is used.
- In the design workspace, select **tFileInputDelimited**.
- Click the **Component** tab to define the basic settings of **tFileInputDelimited**.




- Fill in a path to the processed file in the **File Name** field. The file used in this example is *Customers*.
- Define the **Row separator** that allow to identify the end of a row. Then define the **Field separator** used to delimit fields in a row.
- Set the header, the footer and the number of processed rows as necessary. In this scenario, we have one header.
- Click the three-dot button next to **Edit Schema** to define the data to pass on to the next component.

Related topics: see *Talend Open Studio for Big Data User Guide*.




In this scenario, the schema consists of two columns, *name* and *age*. The first holds three employees' names and the second holds the corresponding age for each.


- In the design workspace, select **tMySQLOutput**.
- Click the **Component** tab to define the basic settings of **tMySQLOutput**.




- Select the **Use an existing connection** check box.
- In the **Table** field, enter the name of the table where to write the employees' list, in this example: *employee*.
- Select relevant actions on the **Action on table** and **Action on data** lists. In this example, no action is carried out on table, and the action carried out on data is *Insert*.
- Click **Sync columns** to synchronize columns with the previous component. In this example, the schema to be inserted into the MySQL database table consists of the two columns *name* and *age*.



- In the design workspace, select **tMySQLLastInsertId**.
- Click the **Component** tab to define the basic settings of **tMySQLLastInsertId**.



- On the **Component List**, select the relevant **tMySQLConnection**, if more than one connection is used.
- Click **Sync columns** to synchronize columns with the previous component. In the output schema of **tMySQLLastInsertId**, you can see the read-only column *last\_insert\_id* that will fetch the last inserted ID on the existing connection.



You can select the data type *Long* from the **Type** drop-down list in case of a huge number of entries.


- In the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information, see [the section called “tLogRow”](#).
- Save your job and press **F6** to execute it.








# tMysqlOutput




## tMysqlOutput properties

|                         |                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MySQL                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Function</b>         | <b>tMysqlOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Purpose</b>          | <b>tMysqlOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                        | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         |                                                                                                                                                                             | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>DB Version</i>                                                                                                                                                           | Select the MySQL version you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Use an existing connection</i>                                                                                                                                           | <p>Select this check box when using a configured <b>tMysqlConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                 | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Port</i>                                                                                                                                                                 | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Database</i>                                                                                                                                                             | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                         | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Table</i>                                                                                                                                                                | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Action on table</i>                                                                                                                                                      | <p>On the table defined, you can perform one of the following operations:</p> <p><b>Default:</b> No operation is carried out.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|  |                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |                                      | <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p> <p><b>Truncate table:</b> The table content is quickly deleted. However, you will not be able to rollback the operation.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|  | <p><i>Action on data</i></p>         | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, the job stops.</p> <p><b>Update:</b> Make changes to existing entries.</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or creates them if they do not exist.</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p><b>Replace:</b> Add new entries to the table. If an old row in the table has the same value as a new row for a PRIMARY KEY or a UNIQUE index, the old row is deleted before the new row is inserted.</p> <p><b>Insert or update on duplicate key or unique index:</b> Add entries if the inserted value does not exist or update entries if the inserted value already exists and there is a risk of violating a unique index or primary key.</p> <p><b>Insert Ignore:</b> Add only new rows to prevent duplicate key errors.</p> <p> <i>You must specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the update and delete operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update</b> column, select the check boxes next to the column name on which you want to base the update operation. Do the same in the <b>Key in delete</b> column for the deletion operation.</i></p> |
|  | <p><i>Schema and Edit schema</i></p> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

|                          |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                          | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          |                                          | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Die on error</i>                      | This check box is selected by default. Clear the check box to skip the row in error and complete the process for error-free rows. If needed, you can retrieve the rows in error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br> You can press <b>Ctrl+Space</b> to access a list of predefined global variables.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Extend Insert</i>                     | Select this check box to carry out a bulk insert of a defined set of lines instead of inserting lines one by one. The gain in system performance is considerable.<br><br><b>Number of rows per insert:</b> enter the number of rows to be inserted per operation. Note that the higher the value specified, the lower performance levels shall be due to the increase in memory demands.<br><br> This option is not compatible with the <b>Reject</b> link. You should therefore clear the check box if you are using a <b>Row &gt; Rejects</b> link with this component.<br><br> <i>If you are using this component with <b>tMySQLLastInsertID</b>, ensure that the <b>Extend Insert</b> check box in <b>Advanced Settings</b> is not selected. <b>Extend Insert</b> allows for batch loading, however, if the check box is selected, only the ID of the last line of the last batch will be returned.</i> |
|                          | <i>Use batch size</i>                    | Select this check box to activate the batch mode for data processing. In the <b>Batch Size</b> field that appears when this check box is selected, you can type in the number you need to define the batch size to be processed.<br><br> This check box is available only when you have selected, the <b>Update</b> or the <b>Delete</b> option in the <b>Action on data</b> field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Commit every</i>                      | Number of rows to be included in the batch before it is committed to the DB. This option ensures transaction quality (but not rollback) and, above all, a higher performance level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Additional Columns</i>                | This option is not available if you have just created the DB table (even if you delete it beforehand). This option allows you to call SQL functions to perform actions on columns, provided that these are not insert, update or delete actions, or actions that require pre-processing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |


|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Name:</b> Type in the name of the schema column to be altered or inserted.                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the data in the corresponding column.                                                                                                                                                                                                                                                                                                                                                                               |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> , depending on the action to be performed on the reference column.                                                                                                                                                                                                                                                                                                                                                                       |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Reference column:</b> Type in a reference column that <b>tMySQLOutput</b> can use to locate or replace the new column, or the column to be modified.                                                                                                                                                                                                                                                                                                                                                         |
|              | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to customize a request, particularly if multiple actions are being carried out on the data.                                                                                                                                                                                                                                                                                                                                                                                               |
|              | <i>Use Hint Options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Select this check box to activate the hint configuration area which helps you optimize a query's execution. In this area, parameters are:<br><br><ul style="list-style-type: none"> <li>- <b>HINT:</b> specify the hint you need, using the syntax /* + */.</li> <li>- <b>POSITION:</b> specify where you put the hint in a SQL statement.</li> <li>- <b>SQL STMT:</b> select the SQL statement you need to use.</li> </ul>                                                                                     |
|              | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to display each step involved in the process of writing data in the database.                                                                                                                                                                                                                                                                                                                                                                                                             |
|              | <i>Use duplicate key update mode insert</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Updates the values of the columns specified, in the event of duplicate primary keys.:<br><br><b>Column:</b> Between double quotation marks, enter the name of the column to be updated.<br><br><b>Value:</b> Enter the action you want to carry out on the column.<br><br> To use this option you must first of all select the <b>Insert</b> mode in the <b>Action on data</b> list found in the <b>Basic Settings</b> view. |
|              | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Usage</b> | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a MySQL database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called "Scenario 3: Retrieve data in error with a Reject link"</a>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |




## Scenario 1: Adding a new column and altering data in a DB table

This Java scenario is a three-component job that aims at creating random data using a **tRowGenerator**, duplicating a column to be altered using the **tMap** component, and eventually altering the data to be inserted based on an SQL expression using the **tMySQLOutput** component.


- Drop the following components from the **Palette** onto the design workspace: **tRowGenerator**, **tMap** and **tMySQLOutput**.
- Connect **tRowGenerator**, **tMap**, and **tMySQLOutput** using the **Row Main** link.




- In the design workspace, select **tRowGenerator** to display its **Basic settings** view.




- Click the **Edit schema** three-dot button to define the data to pass on to the **tMap** component, two columns in this scenario, *name* and *random\_date*.




- Click **OK** to close the dialog box.
- Click the **RowGenerator Editor** three-dot button to open the editor and define the data to be generated.



- Click in the corresponding **Functions** fields and select a function for each of the two columns, `getFirstName` for the first column and `getrandomDate` for the second column.
- In the **Number of Rows for Rowgenerator** field, enter 10 to generate ten first name rows and click **Ok** to close the editor.
- Double-click the **tMap** component to open the Map editor. The Map editor opens displaying the input metadata of the **tRowGenerator** component.




- In the **Schema editor** panel of the Map editor, click the plus button of the output table to add two rows and define the first as `random_date` and the second as `random_date1`.




In this scenario, we want to duplicate the `random_date` column and adapt the schema in order to alter the data in the output component.


- In the Map editor, drag the *random\_date* row from the input table to the *random\_date* and *random\_date1* rows in the output table.



- Click **OK** to close the editor.
- In the design workspace, double-click the **tMySQLOutput** component to display its **Basic settings** view and set its parameters.



- Define the DB connection details in the corresponding fields.
- Click the three-dot button next to the **Table** field and select the table to be altered, *Dates* in this scenario.
- On the **Action on table** list, select **Drop table if exists and create**, select *Insert* on the **Action on data** list.
- If needed, click **Sync columns** to synchronize with the columns coming from the **tMap** component.
- Click the **Advanced settings** tab to display the corresponding view and set the advanced parameters.



- In the **Additional Columns** area, set the alteration to be performed on columns.

In this scenario, the *One\_month\_later* column replaces *random\_date\_1*. Also, the data itself gets altered using an SQL expression that adds one month to the randomly picked-up date of the *random\_date\_1* column. ex: 2007-08-12 becomes 2007-09-12.

-Enter *One\_Month\_Later* in the **Name** cell.

-In the **SQL expression** cell, enter the relevant addition script to be performed, "adddate(Random\_date, interval 1 month)" in this scenario.

-Select **Replace** on the **Position** list.

-Enter *Random\_date1* on the **Reference column** list.



For this job we duplicated the *random\_date\_1* column in the DB table before replacing one instance of it with the *One\_Month\_Later* column. The aim of this workaround was to be able to view upfront the modification performed.

- Save your job and press **F6** to execute it.

The new *One\_month\_later* column replaces the *random\_date1* column in the DB table and adds one month to each of the randomly generated dates.


| Random_date         | One_Month_Later     |
|---------------------|---------------------|
| 2007-03-13 21:52:09 | 2007-04-13 21:52:09 |
| 2008-11-02 15:33:29 | 2008-12-02 15:33:29 |
| 2008-05-17 18:47:15 | 2008-06-17 18:47:15 |
| 2007-09-06 17:44:36 | 2007-10-06 17:44:36 |
| 2008-11-17 11:46:36 | 2008-12-17 11:46:36 |
| 2007-05-19 00:46:58 | 2007-06-19 00:46:58 |
| 2008-04-20 15:36:00 | 2008-05-20 15:36:00 |
| 2007-07-24 21:06:08 | 2007-08-24 21:06:08 |
| 2008-04-03 13:24:17 | 2008-05-03 13:24:17 |
| 2007-06-29 13:22:23 | 2007-07-29 13:22:23 |

Related topic: see [the section called "tDBOutput properties"](#).

## Scenario 2: Updating data in a database table

This Java scenario describes a two-component Job that updates data in a MySQL table according to that in a delimited file.

- Drop **tFileInputDelimited** and **tMySQLOutput** from the **Palette** onto the design workspace.
- Connect the two components together using a **Row Main** link.



- Double-click **tFileInputDelimited** to display its **Basic settings** view and define the component properties.

- In the **File Name** field, click the three-dot button and browse to the source delimited file that contains the modifications to propagate in the MySQL table.


In this example, we use the *customer\_update* file that holds four columns: *id*, *CustomerName*, *CustomerAddress* and *idState*. Some of the data in these four columns is different from that in the MySQL table.

| id  | CustomerName                   | CustomerAddress        | idState |
|-----|--------------------------------|------------------------|---------|
| 858 | Froggy's Gourmet Catering      | 1831 Beverly Place #9D | 4       |
| 859 | Dependable Plumbing and Sewer  | 1550 Ridge Rd.         | 25      |
| 860 | Lickmen Restoration            | 1235 Easton Rd.        | 40      |
| 861 | Acturial Enterprises Ltd.      | 3148 cottonwood Ct.    | 18      |
| 862 | Rythmics Ltd.                  | 857 Woodbine Rd        | 30      |
| 863 | Acturial Enterprises Ltd.      | 1482 Concorde Circle   | 48      |
| 864 | Crosstracks Car Wash           | 218 Oakridge Ave.      | 39      |
| 865 | Meonits & Mogogni Inc.         | 616 Cobblestone Cir.   | 17      |
| 866 | Foy Aviation                   | 2220 Grant Blvd.       | 50      |
| 867 | Ebert Music Center             | 12 Broadview Lane      | 29      |
| 868 | janice Mann Accounting Service | 1660 Park Ave.         | 9       |
| 869 | Johnson, Erico & Co CPA's      | 2922 Twin Oaks Drive   | 40      |
| 870 | Corbins, Rodriguez, & Savocchi | 115 Pleasent Ave.      | 18      |
| 871 | Nina's Snow Plowing            | 3385 University Ave.   | 20      |
| 872 | Darcy Frame and Matting Servic | 1101 Deerfield Place   | 47      |
| 873 | Marks, Marks, and Kaplan Ltd.  | 1949 Cloverdale Rd.    | 9       |

- Define the row and field separators used in the source file in the corresponding fields.
- If needed, set **Header**, **Footer** and **Limit**.

In this example, **Header** is set to 1 since the first row holds the names of columns, therefore it should be ignored. Also, the number of processed lines is limited to 2000.

- Click the three-dot button next to **Edit Schema** to open a dialog box where you can describe the data structure of the source delimited file that you want to pass to the component that follows.


| Column                                                                               | Key                                 | Type    | <input checked="" type="checkbox"/> | Nullable                            |
|--------------------------------------------------------------------------------------|-------------------------------------|---------|-------------------------------------|-------------------------------------|
|  id | <input checked="" type="checkbox"/> | Integer | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| CustomerName                                                                         | <input type="checkbox"/>            | String  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| CustomerAddress                                                                      | <input type="checkbox"/>            | String  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| idState                                                                              | <input type="checkbox"/>            | Integer | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

- Select the **Key** check box(es) next to the column name(s) you want to define as key column(s).



It is necessary to define at least one column as a key column for the Job to be executed correctly. Otherwise, the Job is automatically interrupted and an error message displays on the console.

- In the design workspace, double-click **tMySQLOutput** to open its **Basic settings** view where you can define its properties.



Property Type: Built-In 

Use an existing connection



Host: \* Port: \*

Database: \*

Username: \* Password: \*

Table:   

Action on table: None Action on data: Update

Schema: Built-In  Edit schema  Sync columns

Die on error

- Click **Sync columns** to retrieve the schema of the preceding component. If needed, click the three-dot button next to **Edit schema** to open a dialog box where you can check the retrieved schema.
- Fill in the database connection information in the corresponding fields.
- In the **Table** field, enter the name of the table to update.
- From the **Action on table** list, select the operation you want to perform, **None** in this example since the table already exists.
- From the **Action on data** list, select the operation you want to perform on the data, **Update** in this example.
- Save your Job and press **F6** to execute it.


| id  | CustomerName                  | CustomerAddress        | idState |
|-----|-------------------------------|------------------------|---------|
| 858 | Froggy's Gourmet Catering     | 1831 Beverly Place #9D | 4       |
| 859 | Dependable Plumbing and Sewer | 1550 Ridge Rd.         | 25      |
| 860 | Lickmen Restoration           | 1235 Easton Rd.        | 40      |
| 861 | Acturial Enterprises Ltd.     | 3148 Cottonwood Ct.    | 18      |
| 862 | Rythmics Ltd.                 | 857 Woodbine Rd        | 30      |
| 863 | Acturial Enterprises Ltd.     | 1482 Concorde Circle   | 48      |
| 864 | Crosstracks Car Wash          | 218 Oakridge Ave.      | 39      |
| 865 | Meonits & Mogogni Inc.        | 616 Cobblestone Cir.   | 17      |
| 866 | Foy Aviation                  | 2220 Grant Blvd.       | 50      |
| 867 | Ebert Music Center            | 12 Broadview Lane      | 29      |
| 868 | janice Mann Accounting Servic | 1660 Park Ave.         | 9       |
| 869 | Johnson, Erico & Co CPA's     | 2922 Twin Oaks Drive   | 40      |
| 870 | Corbins, Rodriguez, & Savocch | 115 Pleasant Ave.      | 18      |
| 871 | Nina's Snow Plowing           | 3385 University Ave.   | 20      |
| 872 | Darcy Frame and Matting Serv  | 1101 Deerfield Place   | 47      |
| 873 | Marks, Marks, and Kaplan Ltd. | 1949 Cloverdale Rd.    | 9       |

Using your DB browser, you can verify if the MySQL table, *customers*, has been modified according to the delimited file.

In the above example, the database table has always the four columns *id*, *CustomerName*, *CustomerAddress* and *idState*, but certain fields have been modified according to the data in the delimited file used.

## Scenario 3: Retrieve data in error with a Reject link

This scenario describes a four-component Job that carries out migration from a customer file to a MySQL database table and redirects data in error towards a CSV file using a **Reject** link.





- Drop a **tFileInputDelimited** component from the family **File > Input**, in the **Palette**, and fill in its properties manually in the **Component** tab.
- From the **Palette**, drop a **tMap** from the **Processing** family onto the workspace.
- Drop a **tMysqlOutput** from the **Databases** family in the **Palette** and fill in its properties manually in the **Component** tab.

For more information, see *Talend Open Studio for Big Data User Guide*.

- From the **Palette**, select a **tFileOutputDelimited** from the **File > Output** family, and drop it onto the workspace.


- Link the **customers** component to the **tMap** component, and the **tMap** and **Localhost** with a **Row Main** link. Name this second link *out*.
- Link the **Localhost** to the **tFileOutputDelimited** using a **Row > Reject** link.
- Double-click the **customers** component to display the **Component** view.



 For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.


- Define the DB connection details in the corresponding fields.
- Click the [...] button next to the **File Name** field, and fill in the path and the name of the file you want to use.
- In the **Row** and **Field Separator** fields, type in between inverted commas the row and field separator used in the file.
- In the **Header**, **Footer** and **Limit** fields, type in the number of headers and footers to ignore, and the number of rows to which processing should be limited.
- Click the [...] button next to the **Edit schema** field, and set the schema manually.

The schema is as follows:







- Double-click the **tMap** component to open its editor.



- Select the *id*, *CustomerName*, *CustomerAddress*, *idState*, *id2*, *RegTime* and *RegisterTime* columns on the table on the left and drop them on the **out** table, on the right.




- In the **Schema editor** area, at the bottom of the **tMap** editor, in the right table, change the length of the **CustomerName** column to 28 to create an error. Thus, any data for which the length is greater than 28 will create errors, retrieved with the **Reject** link.
- Click **OK**.
- In the workspace, double-click the output **Localhost** component to display its **Component** view.




 For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

- Define the DB connection details in the corresponding fields.
- In the **Table** field, type in the name of the table to be created. In this scenario, we call it *customers\_data*.
- In the **Action on data** list, select the **Create table** option.
- Click the **Sync columns** button to retrieve the schema from the previous component.
- Make sure the **Die on error** check box isn't selected, so that the Job can be executed despite the error you just created.
- Click the **Advanced settings** tab of the **Component** view to set the advanced parameters of the component.



- Deselect the **Extend Insert** check box which enables you to insert rows in batch, because this option is not compatible with the **Reject** link.

- Double-click the **tFileOutputDelimited** component to set its properties in the **Component** view.



- Click the [...] button next to the **File Name** field to fill in the path and name of the output file.
- Click the **Sync columns** button to retrieve the schema of the previous component.
- Save your Job and press **F6** to execute it.

|    |                 |               |    |    |              |                  |                                |
|----|-----------------|---------------|----|----|--------------|------------------|--------------------------------|
| 1  | Griffith Paving | talend@apres  | 7  | 41 | #####        | 2001-01-17 06:2E | Data truncation: Data too long |
| 5  | Terrinni & Soi  | 770 Exmoor f  | 5  | 9  | #####        | 1982-04-19 10:2E | Data truncation: Data too long |
| 10 | Elle Hypnosis   | 2032 Northbr  | 1  | 7  | #####        | 1975-06-10 20:2C | Data truncation: Data too long |
| 15 | Darcy Frame     | 1633 McGove   | 21 | 28 | #####        | 2001-01-07 20:4C | Data truncation: Data too long |
| 19 | Salt & Peppe    | 965 Marion P  | 44 | 33 | #####        | 2006-01-24 10:5E | Data truncation: Data too long |
| 31 | Arthur M. Fei   | 1220 Heather  | 37 | 24 | #####        | 1974-07-24 20:4E | Data truncation: Data too long |
| 36 | Got It All Ele  | 629 Kincaid A | 22 | 28 | #####        | 1993-10-22 15:2E | Data truncation: Data too long |
| 53 | Crossroads C    | 2267 Andersc  | 5  | 14 | #####        | 1977-10-24 17:5E | Data truncation: Data too long |
| 54 | Jay's Cabinet   | 2024 St.John  | 48 | 48 | 2006-02-29 0 | 2001-01-10 07:4E | Data truncation: Data too long |
| 57 | Lee Stairwork   | 2644 Princet  | 41 | 46 | #####        | 1992-04-15 09:41 | Data truncation: Data too long |
| 58 | Lambert & Lo    | 662 Lyons Ci  | 45 | 17 | #####        | 2002-11-22 04:2E | Data truncation: Data too long |
| 70 | janice Mann     | 3181 Barkwor  | 28 | 35 | #####        | 1983-04-20 15:2C | Data truncation: Data too long |
| 72 | Michael Mont    | 1077 Court A  | 9  | 9  | #####        | 2000-10-07 00:2C | Data truncation: Data too long |
| 83 | Dean Barnett    | 2922 Twin Oa  | 18 | 46 | #####        | 2006-03-23 10:14 | Data truncation: Data too long |
| 96 | Doerner's Aw    | 616 Cobblest  | 26 | 28 | #####        | 1993-05-03 04:3E | Data truncation: Data too long |
| ## | Auto Interior   | 844 Spruce S  | 48 | 40 | #####        | 2006-04-25 13:14 | Data truncation: Data too long |
| ## | First National  | 465 Stratford | 5  | 41 | #####        | 2003-09-23 01:54 | Data truncation: Data too long |
| ## | Terrinni & Soi  | 1859 Green E  | 12 | 44 | #####        | 1986-12-26 05:4E | Data truncation: Data too long |

The data in error are sent to the delimited file, as well as the error type met. Here, we have: **Data truncation**.

# tMysqlOutputBulk



## tMysqlOutputBulk properties


The **tMysqlOutputBulk** and **tMysqlBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT statement used to feed a database. These two steps are fused together in the **tMysqlOutputBulkExec** component, detailed in a separate section. The advantage of using two separate steps is that the data can be transformed before it is loaded in the database.

|                          |                                                                                           |                                                                                                                                                                                                              |
|--------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/MySQL                                                                           |                                                                                                                                                                                                              |
| <b>Function</b>          | Writes a file with columns based on the defined delimiter and the MySQL standards         |                                                                                                                                                                                                              |
| <b>Purpose</b>           | Prepares the file to be used as parameter in the INSERT query to feed the MySQL database. |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                      | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                           | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>File Name</i>                                                                          | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                              |
|                          | <i>Append</i>                                                                             | Select this check box to add the new rows at the end of the file                                                                                                                                             |
|                          | <i>Schema and Edit Schema</i>                                                             | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                           | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                               |
| <b>Advanced settings</b> | <i>Row separator</i>                                                                      | String (ex: "\n" on Unix) to distinguish rows.                                                                                                                                                               |
|                          | <i>Field separator</i>                                                                    | Character, string or regular expression to separate fields.                                                                                                                                                  |
|                          | <i>Text enclosure</i>                                                                     | Character used to enclose the text.                                                                                                                                                                          |
|                          | <i>Create directory if does not exist</i>                                                 | This check box is selected by default. It creates a directory to hold the output table if required.                                                                                                          |
|                          | <i>Custom the flush buffer size</i>                                                       | Customize the amount of memory used to temporarily store output data. In the <b>Row number field</b> , enter the number of rows after which the memory is to be freed again.                                 |
|                          | <i>Records contain NULL value</i>                                                         | This check box is selected by default. It allows you to take account of NULL value fields. If you clear the check box, the NULL values will automatically be replaced with empty values.                     |
|                          | <i>Check disk space</i>                                                                   | Select the this check box to throw an exception during execution if the disk is full.                                                                                                                        |

|                   |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                  |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
|                   | <i>Encoding</i>                                                                                                                                                                                                                                                                                                                                                       | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling. |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect the log data at the component level.                                                            |
| <b>Usage</b>      | This component is to be used along with <b>tMySQLBulkExec</b> component. Used together they offer gains in performance while feeding a MySQL database.                                                                                                                                                                                                                |                                                                                                                                  |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                  |

## Scenario: Inserting transformed data in MySQL database

This scenario describes a four-component job which aims at fueling a database with data contained in a file, including transformed data. Two steps are required in this job, first step is to create the file, that will then be used in the second step. The first step includes a transformation phase of the data included in the file.




### Dropping and linking components

1. Drag and drop a **tRowGenerator**, a **tMap**, a **tMysqlOutputBulk** as well as a **tMysqlBulkExec** component.
2. Connect the main flow using **row Main** links.
3. And connect the start component (**tRowgenerator** in this example) to the **tMysqlBulkExec** using a **trigger** connection, of type **OnComponentOk**.

### Configuring the components

1. A **tRowGenerator** is used to generate random data. Double-click on the **tRowGenerator** component to launch the editor.

- Define the schema of the rows to be generated and the nature of data to generate. In this example, the *clients* file to be produced will contain the following columns: *ID*, *First Name*, *Last Name*, *Address*, *City* which all are defined as string data but the ID that is of integer type.




Some schema information don't necessarily need to be displayed. To hide them away, click on **Columns** list button next to the toolbar, and uncheck the relevant entries, such as **Precision** or **Parameters**.

Use the plus button to add as many columns to your schema definition.

Click the Refresh button to preview the first generated row of your output.

- Then select the **tMap** component to set the transformation.
- Drag and drop all columns from the input table to the output table.



- Apply the transformation on the *LastName* column by adding `.toUpperCase()` in its expression field. Then, click **OK** to validate the transformation.
- Double-click on the **tMysqlOutputBulk** component.
- Define the name of the file to be produced in **File Name** field. If the delimited file information is stored in the **Repository**, select it in **Property Type** field, to retrieve relevant data. In this use case the file name is *clients.txt*.

The schema is propagated from the **tMap** component, if you accepted it when prompted.

8. In this example, don't include the header information as the table should already contain it.
9. Click OK to validate the output.
10. Then double-click on the **tMySQLBulkExec** component to set the INSERT query to be executed.
11. Define the database connection details.



For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.

12. Set the table to be filled in with the collected data, in the **Table** field.
13. Fill in the column delimiters in the **Field terminated by** area.
14. Make sure the encoding corresponds to the data encoding.

## Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.

| ID | First Name | Last Name  | Address           | City           |
|----|------------|------------|-------------------|----------------|
| 1  | Martin     | REAGAN     | Hutchinson Rd     | Dover          |
| 2  | Herbert    | REAGAN     | Bailard Avenue    | Frankfort      |
| 3  | Franklin   | WASHINGTON | Bayshore Freeway  | Denver         |
| 4  | Franklin   | CARTER     | Burnett Road      | Frankfort      |
| 5  | Woodrow    | MCKINLEY   | San Ysidro Blvd   | Des Moines     |
| 6  | Bill       | QUINCY     | Fairview Avenue   | Topeka         |
| 7  | Bill       | BUREN      | Calle Real        | Jefferson City |
| 8  | Andrew     | ARTHUR     | Santa Ana Freeway | Indianapolis   |
| 9  | Woodrow    | FORD       | N Harrison St     | Augusta        |
| 10 | Calvin     | COOLIDGE   | Harbor Dr         | Frankfort      |

The *clients* database table is filled with data from the file including upper-case *last name* as transformed in the job.

For simple Insert operations that don't include any transformations, the use of **tMySQLOutputBulkExec** allows you to skip a step in the process and thus improves performance.

Related topic: [the section called “tMysqlOutputBulkExec properties”](#)





# tMysqlOutputBulkExec



## tMysqlOutputBulkExec properties


The **tMysqlOutputBulk** and **tMysqlBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT statement used to feed a database. These two steps are fused together in the **tMysqlOutputBulkExec** component.

|                                                                                                                                                        |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                                                                                                                | Databases/MySQL                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>                                                                                                                                        | Executes the Insert action on the data provided.                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>                                                                                                                                         | As a dedicated component, it improves performance during Insert operations to a MySQL database. |                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>                                                                                                                                  | <i>Property type</i>                                                                            | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                    |
|                                                                                                                                                        |                                                                                                 | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                          |
|                                                                                                                                                        | <i>DB Version</i>                                                                               | Select the version of MySQL that you are using.                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                                        | <i>Host</i>                                                                                     | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                                                                                                                                        | <i>Port</i>                                                                                     | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                                                                                                                                        | <i>Database</i>                                                                                 | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                                                                                                                                                        | <i>Username</i> and <i>Password</i>                                                             | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                 |
|  <b>tCreateTable</b> can be used as a substitute for this function. | <i>Action on table</i>                                                                          | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if doesn't exist:</b> The table is created if it does not already exist.<br><br><b>Clear a table:</b> The table content is deleted. |
|                                                                                                                                                        | <i>Table</i>                                                                                    | Name of the table to be written.<br><br> Note that only one table can be written at a time and that the table must already exist for the insert operation to succeed                                                                                                                                                                                      |
|                                                                                                                                                        | <i>Local FileName</i>                                                                           | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                              |
|                                                                                                                                                        | <i>Append</i>                                                                                   | Select the check box for this option to append new rows to the end of the file.                                                                                                                                                                                                                                                                                                                                                              |

|                          |                                                                                                                         |             |                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Schema and Schema</i>                                                                                                | <i>Edit</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                               |
| <b>Advanced settings</b> | <i>Additional parameters</i>                                                                                            | <i>JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br>💡 You can press <b>Ctrl+Space</b> to access a list of predefined global variables.                                                                                |
|                          | <i>Row separator</i>                                                                                                    |             | String (ex: “\n” on Unix) to distinguish rows.                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Field separator</i>                                                                                                  |             | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Escape char</i>                                                                                                      |             | Character of the row to be escaped                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Text enclosure</i>                                                                                                   |             | Character used to enclose the text.                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Create directory if does not exist</i>                                                                               |             | This check box is selected by default. It creates a directory to hold the output table if required.                                                                                                                                                                                                                                                                                        |
|                          | <i>Custom the flush buffer size</i>                                                                                     |             | Customize the amount of memory used to temporarily store output data. In the <b>Row number field</b> , enter the number of rows after which the memory is to be freed again.                                                                                                                                                                                                               |
|                          | <i>Action on data</i>                                                                                                   |             | On the data of the table defined, you can carry out the following operations:<br><br><b>Insert records in table:</b> Add new records to the table.<br><br><b>Update records in table:</b> Make changes to existing records.<br><br><b>Replace records in table:</b> Replace existing records with new one. <b>Ignore records in table:</b> Ignore existing records or insert the new ones. |
|                          | <i>Records contain NULL value</i>                                                                                       |             | This check box is selected by default. It allows you to take account of NULL value fields. If you clear the check box, the NULL values will automatically be replaced with empty values.                                                                                                                                                                                                   |
|                          | <i>Encoding</i>                                                                                                         |             | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                                                                                                                                                                                                           |
|                          | <i>tStatCatcher Statistics</i>                                                                                          |             | Select this check box to collect the log data at the component level.                                                                                                                                                                                                                                                                                                                      |
| <b>Usage</b>             | This component is mainly used when no particular transformation is required on the data to be loaded onto the database. |             |                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Limitation</b>        | n/a                                                                                                                     |             |                                                                                                                                                                                                                                                                                                                                                                                            |

## Scenario: Inserting data in MySQL database

This scenario describes a two-component Job which carries out the same operation as the one described for [the section called “tMysqlOutputBulk properties”](#) and [the section called “tMysqlBulkExec properties”](#), although no data is transformed.



- Drop a **tRowGenerator** and a **tMysqlOutputBulkExec** component from the **Palette** to the design workspace.
- Connect the components using a link such as **Row > Main**.
- Set the **tRowGenerator** parameters the same way as in the section called “Scenario: Inserting transformed data in MySQL database”. The schema is made of four columns including: *ID*, *First Name*, *Last Name*, *Address* and *City*.
- In the workspace, double-click the **tMysqlOutputBulkExec** to display the **Component** view and set the properties.



For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

- Define the database connection details in the corresponding fields.
- In the **Action on table** field, select the **None** option as you want to insert the data into a table which already exists.
- In the **Table** field, enter the name of the table you want to populate, the name being *clients* in this example.
- In the **Local filename** field, indicate the access path and the name of the file which contains the data to be added to the table. In this example, the file is *clients.txt*.
- Click on the **Advanced settings** tab to define the component’s advanced parameters.

- In the **Action on data** list, select the **Insert records in table** to insert the new data in the table.

- Press **F6** to run the Job.

The result should be pretty much the same as in [the section called “Scenario: Inserting transformed data in MySQL database”](#), but the data might differ as these are regenerated randomly everytime the Job is run.

# tMysqlRollback




## tMysqlRollback properties

This component is closely related to **tMysqlCommit** and **tMysqlConnection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                       |                                                                                                                       |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases                                                                                                                             |                                                                                                                       |
| <b>Function</b>          | Cancel the transaction commit in the connected DB.                                                                                    |                                                                                                                       |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                                 |                                                                                                                       |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                 | Select the <b>tMysqlConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                               | Clear this check box to continue to use the selected connection once the component has performed its task.            |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                        | Select this check box to collect log data at the component level.                                                     |
| <b>Usage</b>             | This component is to be used along with Mysql components, especially with <b>tMysqlConnection</b> and <b>tMysqlCommit</b> components. |                                                                                                                       |
| <b>Limitation</b>        | n/a                                                                                                                                   |                                                                                                                       |

## Scenario: Rollback from inserting data in mother/daughter tables

Based on [the section called “Scenario: Inserting data in mother/daughter tables”](#), insert a rollback function in order to prevent unwanted commit.




- Drag and drop a **tMysqlRollback** to the design workspace and connect it to the Start component.
- Set the Rollback unique field on the relevant DB connection.


This complementary element to the job ensures that the transaction will not be partly committed.

# tMysqlRow



## tMysqlRow properties


|                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MySQL                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | <b>tMysqlRow</b> is the specific component for this database query. It executes the SQL query stated in the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tMysqlRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                       | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                                                                                                                            | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>DB Version</i>                                                                                                                                                                                                                          | Select the MySQL version that you are using.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                          | <p>Select this check box and click the relevant <b>tMysqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                                                                                                                                | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                                                                                                                            | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                        | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                       | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                          |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                          | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                          | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Table Name</i>                        | Name of the table to be processed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Query type</i>                        | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                          | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Guess Query</i>                       | Click the <b>Guess Query</b> button to generate the query which corresponds to your table schema in the <b>Query</b> field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Query</i>                             | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Die on error</i>                      | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Propagate QUERY's recordset</i>       | Select this check box to insert the result of the query in a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Use PreparedStatement</i>             | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                      | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStatCatcher Statistics</i>           | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             |                                          | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |



## Scenario 1: Removing and regenerating a MySQL table index

This scenario describes a four-component job that removes a table index, applies a select insert action onto a table then regenerates the index.



- Select and drop the following components onto the design workspace: **tMysqlRow** (x2), **tRowGenerator**, and **tMysqlOutput**.
- Connect **tRowGenerator** to **tMysqlInput**.
- Using a **OnComponentOk** connections, link the first **tMysqlRow** to **tRowGenerator** and **tRowGenerator** to the second **tMysqlRow**.
- Select the **tMysqlRow** to fill in the DB **Basic settings**.
- Define the DB connection details in the corresponding fields.
- Click the [...] button next to **Edit schema** and define the schema columns.
- Propagate the properties and schema details onto the other components of the Job.
- Type in the following SQL statement to alter the database entries: drop index <index\_name> on <table\_name>
- Select the second **tMysqlRow** component, check the DB properties and schema.
- Type in the SQL statement to recreate an index on the table using the following statement: create index <index\_name> on <table\_name> (<column\_name>)

The **tRowGenerator** component is used to generate automatically the columns to be added to the DB output table defined.

- Select the **tMysqlOutput** component and fill in the DB connection properties. The table to be fed is named: *comprehensive*.
- The schema should be automatically inherited from the data flow coming from the **tLogRow**. Edit the schema to check its structure and check that it corresponds to the schema expected on the DB table specified.
- The **Action on table** is *None* and the **Action on data** is *Insert*.
- No additional Columns is required for this job.
- Press **F6** to run the job.


If you manage to watch the action on DB data, you can notice that the index is dropped at the start of the job and recreated at the end of the insert action.


Related topics: [the section called “tDBSQLRow properties”](#).

## Scenario 2: Using PreparedStatement objects to query data


This scenario describes a four component job which allows you to link a table column with a client file. The MySQL table contains a list of all the American States along with the State ID, while the file contains the customer information including the ID of the State in which they live. We want to retrieve the name of the State for each client, using an SQL query. In order to process a large volume of data quickly, we use a PreparedStatement object which means that the query is executed only once rather than against each row in turn. Then each row is sent as a parameter. Note that PreparedStatement object can also be used in avoiding SQL injection.

For this scenario, we use a file and a database for which we have already stored the connection and properties in the Repository metadata.


 *This scenario is for reference only. For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to drop all the required components from the **Palette** and complete the relevant settings manually in the specific Job.*




- In the **Repository**, expand the **Metadata** and **File delimited** nodes.
- Select the metadata which corresponds to the client file you want to use in the Job. Here, we are using the *customers* metadata.
- Slide the metadata onto the workspace and double-click **tFileInputDelimited** in the **Components** dialog box so that the **tFileInputDelimited** component is created with the parameters already set.



- In the **Schema** list, select **Built-in** so that you can modify the component’s schema. Then click on [...] next to the **Edit schema** field to add a column into which the name of the State will be inserted.




- Click on the [+] button to add a column to the schema. Rename this column *LabelStateRecordSet* and select **Object** from the **Type** list. Click **OK** to save your modifications.
- From the **Palette**, select the **tMySQLRow**, **tParseRecordSet** and **tFileOutputDelimited** components and drop them onto the workspace.
- Connect the four components using **Row > Main** type links.
- Double click **tMySQLRow** to set its properties in the **Basic settings** tab of the **Component view**.




- In the **Property Type** list, select **Repository** and click on the [...] button to select a database connection from the metadata in the Repository. The **DB Version, Host, Port, Database, Username** and **Password** fields are completed automatically. If you are using the **Built-in** mode, complete these fields manually.
- From the **Schema** list, select **Built-in** to set the schema properties manually and add the *LabelStateRecordSet* column, or click directly on the **Sync columns** button to retrieve the schema from the preceding component.
- In the **Query** field, enter the SQL query you want to use. Here, we want to retrieve the names of the American States from the *LabelState* column of the MySQL table, *us\_state*: "SELECT LabelState FROM us\_state WHERE idState=?".

The question mark, "?", represents the parameter to be set in the **Advanced settings** tab.


- Click **Advanced settings** to set the components advanced properties.



- Select the **Propagate QUERY's recordset** check box and select the *LabelStateRecordSet* column from the **use column** list to insert the query results in that column.
- Select the **Use PreparedStatement** check box and define the parameter used in the query in the **Set PreparedStatement Parameters** table.
- Click on the [+] button to add a parameter.
- In the **Parameter Index** cell, enter the parameter position in the SQL instruction. Enter "1" as we are only using one parameter in this example.
- In the **Parameter Type** cell, enter the type of parameter. Here, the parameter is a whole number, hence, select **Int** from the list.
- In the **Parameter Value** cell, enter the parameter value. Here, we want to retrieve the name of the State based on the State ID for every client in the input file. Hence, enter "row1.idState".
- Double click **tParseRecordSet** to set its properties in the **Basic settings** tab of the **Component** view.



- From the **Prev. Comp. Column list**, select the preceding components column for analysis. In this example, select *LabelStateRecordSet*.
- Click on the **Sync columns** button to retrieve the schema from the preceding component. The **Attribute table** is automatically completed with the schema columns.
- In the **Attribute table**, in the **Value** field which corresponds to the *LabelStateRecordSet*, enter the name of the column containing the State names to be retrieved and matched with each client, within double quotation marks. In this example, enter "*LabelState*".
- Double click **tFileOutputDelimited** to set its properties in the **Basic settings** tab of the **Component** view.



- In the **File Name field**, enter the access path and name of the output file.
- Click **Sync columns** to retrieve the schema from the preceding component.
- Save your Job and press **F6** to run it.

| customers.csv |    |                 |               |    |    |                  |                |          |              |
|---------------|----|-----------------|---------------|----|----|------------------|----------------|----------|--------------|
|               | A  | B               | C             | D  | E  | F                | G              | H        | O            |
| 1             | 1  | Griffith Paving | talend@apres  | 7  | 41 | 03/11/2006 09:20 | 2001-01-17 06: | 67852.0  | Connecticut  |
| 2             | 2  | Bill's Dive Sho | 511 Maple Av  | 35 | 5  | 19/11/2004 15:48 | 2002-06-07 09: | 88792.0  | Ohio         |
| 3             | 3  | Childress Chi   | 662 Lyons Ci  | 1  | 28 | 16/02/2005 08:27 | 1990-04-01 21: | 135340.0 | Alabama      |
| 4             | 4  | Facelift Kitch  | 220 Vine Ave  | 41 | 15 | 22/08/2002 09:55 | 1972-04-23 18: | 16097.0  | South Dakota |
| 5             | 5  | Terrinni & So   | 770 Exmoor F  | 5  | 9  | 28/06/2001 09:15 | 1982-04-19 10: | 5146.0   | California   |
| 6             | 6  | Kermit the Pe   | 1860 Parksid  | 28 | 15 | 17/08/2003 10:07 | 2006-05-27 17: | 116087.0 | Nevada       |
| 7             | 7  | Tub's Furnitur  | 807 Old Trail | 15 | 9  | 27/08/2000 03:13 | 1970-03-27 23: | 153216.0 | Iowa         |
| 8             | 8  | Toggle & Mye    | 618 Sheriden  | 9  | 15 | 24/03/2006 23:07 | 2005-08-02 01: | 174168.0 | Florida      |
| 9             | 9  | Childress Chi   | 788 Tennysor  | 12 | 33 | 10/09/2001 06:33 | 1994-05-03 11: | 92176.0  | Idaho        |
| 10            | 10 | Elle Hypnosis   | 2032 Northbr  | 1  | 7  | 11/01/1977 03:07 | 1975-06-10 20: | 48498.0  | Alabama      |

A column containing the name of the American State corresponding to each client is added to the file.

# tMysqlSCD



**tMysqlSCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tMysqlSCD”](#).

# tMysqlSCDELT



**tMysqlSCDELT** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tMysqlSCDELT”](#).




# tMysqlSP




## tMysqlSP Properties

|                         |                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Mysql                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | tMysqlSP calls the database stored procedure.                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | tMysqlSP offers a convenient way to centralize multiple or complex queries in a database and call them easily. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                           | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                                | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Host</i>                                                                                                    | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Port</i>                                                                                                    | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Database</i>                                                                                                | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Username</i> and <i>Password</i>                                                                            | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                           | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                       |
|                         |                                                                                                                | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>SP Name</i>                                                                                                 | Type in the exact name of the Stored Procedure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Is Function / Return result in</i>                                                                          | Select this check box, if a value only is to be returned.<br><br>Select on the list the schema column, the value to be returned is based on.                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Parameters</i>                                                                                              | Click the Plus button and select the various <b>Schema Columns</b> that will be required by the procedures. Note that the SP schema can hold more columns than there are paramaters used in the procedure.<br><br>Select the <b>Type</b> of parameter:<br><br><b>IN:</b> Input parameter<br><br><b>OUT:</b> Output parameter/return value<br><br><b>IN OUT:</b> Input parameters is to be returned as value, likely after modification through the procedure (function).<br><br><b>RECORDSET:</b> Input parameters is to be returned as a set of values, rather than single value. |

|                   |                                                                                                                                                                                                                                     |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |  Check the <b>tPostgresqlCommit</b> component if you want to analyze a set of records from a database table or DB query and return single records. |
| <b>Usage</b>      | This component is used as intermediary component. It can be used as start component but only input parameters are thus allowed.                                                                                                     |
| <b>Limitation</b> | The Stored Procedures syntax should match the Database syntax.                                                                                                                                                                      |


## Scenario: Finding a State Label using a stored procedure

The following job aims at finding the State labels matching the odd State IDs in a Mysql two-column table. A stored procedure is used to carry out this operation.




- Drag and drop the following components used in this example: **tRowGenerator**, **tMysqlSP**, **tLogRow**.
- Connect the components using the **Row Main** link.
- The **tRowGenerator** is used to generate the odd id number. Double-click on the component to launch the editor.

- Click on the **Plus** button to add a column to the schema to generate.
- Select the **Key** check box and define the **Type** to **Int**.
- The **Length** equals to 2 digits max.
- Use the preset function called **sequence** but customize the Parameters in the lower part of the window.



- Change the **Value** of **step** from 1 to 2 for this example, still starting from 1.
- Set the **Number of generated rows** to 25 in order for all the odd State id (of 50 states) to be generated.
- Click **OK** to validate the configuration.
- Then select the **tMySQLSP** component and define its properties.




- Define the DB connection details in the corresponding fields.
- Click **Sync Column** to retrieve the generated schema from the preceding component.
- Then click **Edit Schema** and add an extra column to hold the State Label to be output, in addition to the ID.
- Type in the name of the procedure in the **SP Name** field as it is called in the Database. In this example, *getstate*. The procedure to be executed states as follows:

```
DROP PROCEDURE
```

```
IF EXISTS `talend`.`getstate` $$
CREATE DEFINER=`root`@`localhost` PROCEDURE `getstate`(IN pid INT, OUT
pstate VARCHAR(50))
BEGIN
SELECT LabelState INTO pstate FROM us_states WHERE idState = pid;
END $$
```

- In the **Parameters** area, click the plus button to add a line to the table.
- Set the **Column** field to *ID*, and the **Type** field to *IN* as it will be given as input parameter to the procedure.
- Add a second line and set the **Column** field to *State* and the **Type** to *Out* as this is the output parameter to be returned.
- Eventually, set the **tLogRow** component properties.



- Synchronize the schema with the preceding component.
- And select the **Print values in cells of a table** check box for reading convenience.
- Then save your Job and execute it.

```
Starting job MySQLSP at 17:24 23/08/2007.
+-----+
| tLogRow_1 |
+-----+
| ID | State |
+-----+
1	Alabama
3	Arizona
5	California
7	Connecticut
9	Florida
11	Hawaii
13	Illinois
15	Iowa
17	Kentucky
19	Maine
21	Massachusetts
23	Minnesota
25	Missouri
27	Nebraska
29	New Hampshire
31	New Mexico
33	North Carolina
+-----+
```

The output shows the state labels corresponding to the odd state ids as defined in the procedure.



Check the **tPostgresqlCommit** component if you want to analyze a set of records from a database table or DB query and return single records.

# tMysqlTableList



## tMysqlTableList Properties

|                         |                                                                                                     |                                                                                                                       |
|-------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/MySQL                                                                                     |                                                                                                                       |
| <b>Function</b>         | Iterates on a set of table names through a defined Mysql connection.                                |                                                                                                                       |
| <b>Purpose</b>          | Lists the names of a given set of Mysql tables using a select statement based on a Where clause.    |                                                                                                                       |
| <b>Basic settings</b>   | <i>Component list</i>                                                                               | Select the <b>tMysqlConnection</b> component in the list if more than one connection are planned for the current job. |
|                         | Where clause for table name selection                                                               | Enter the Where clause to identify the tables to iterate on.                                                          |
| <b>Usage</b>            | This component is to be used along with Mysql components, especially with <b>tMysqlConnection</b> . |                                                                                                                       |
| <b>Limitation</b>       | n/a                                                                                                 |                                                                                                                       |

## Related scenario


For **tMysqlTableList** related scenario, see [the section called “Scenario: Iterating on a DB table and listing its column names”](#).

# tOracleBulkExec



## tOracleBulkExec properties

The **tOracleOutputBulk** and **tOracleBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tOracleOutputBulkExec** component, detailed in a separate section. The advantage of using two separate steps is that the data can be transformed before it is loaded in the database.

|                         |                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | <b>tOracleBulkExec</b> inserts, appends, replaces or truncate data in an Oracle database.                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during operations performed on data of an Oracle database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                     | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Use an existing connection</i>                                                                                   | <p>Select this check box when you are using the component <b>tOracleConnection</b>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                              | Drop-down list of available drivers                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>DB Version</i>                                                                                                   | Select the Oracle version in use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Host</i>                                                                                                         | IP address of the database server                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Port</i>                                                                                                         | Port number listening the database server                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Database</i>                                                                                                     | Database name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Schema</i>                                                                                                       | Schema name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |


|                          |                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Username</i><br><i>Password</i>                    | and DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Table</i>                                          | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Action on table</i>                                | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if doesn't exist:</b> The table is created if it does not exist.<br><br><b>Clear a table:</b> The table content is deleted.<br><br><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation. |
|                          | <i>Data file name</i>                                 | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Action on data</i>                                 | On the data of the table defined, you can perform:<br><br><b>Insert:</b> Inserts rows to an empty table. If duplicates are found, Job stops.<br><br><b>Update:</b> Update the existing data of the table.<br><br><b>Append:</b> Adds rows to the existing data of the table<br><br><b>Replace:</b> Overwrites some rows of the table<br><br><b>Truncate:</b> Drops table entries and inserts new input flow data.                                                                                                                                           |
|                          | <i>Schema</i> and <i>Edit Schema</i>                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                |
| <b>Advanced settings</b> | <i>Advanced separator (for number)</i>                | Select this check box to change the separator used for the numbers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Use existing control file</i>                      | Select this check box if you use a control file (.ctl) and specify its path in the <b>.ctl file name</b> field.                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Record format</i>                                  | Define the record format:<br><br><b>Default:</b> format parameters are set by default.<br><br><b>Stream:</b> set <b>Record terminator</b> .<br><br><b>Fixed:</b> set the <b>Record length</b> .<br><br><b>Variable:</b> set the <b>Field size of the record length</b> .                                                                                                                                                                                                                                                                                    |
|                          | <i>Specify .ctl file's INTO TABLE clause manually</i> | Select this check box to manually fill in the <b>INTO TABLE clause</b> of the control file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|              |                                                                                          |                                                                                                                                                                                                                                                                                                                                                                           |
|--------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              | <i>Fields terminated by</i>                                                              | Character, string or regular expression to separate fields:<br><br><b>None:</b> no separator is used.<br><br><b>Whitespace:</b> the separator used is a space.<br><br><b>EOF (used for loading LOBs from lobfile):</b> the separator used is an EOF character (End Of File).<br><br><b>Other terminator:</b> Set another terminator in the <b>Field terminator</b> field. |
|              | <i>Use fields enclosure</i>                                                              | Select this check box if you want to use enclosing characters for the text:<br><br><b>Fields enclosure (left part):</b> character delimiting the left of the field.<br><br><b>Field enclosure (right part):</b> character delimiting the right of the field.                                                                                                              |
|              | <i>Use schema's Date Pattern to load Date field</i>                                      | Select this check box to use the date pattern of the schema in the date field.                                                                                                                                                                                                                                                                                            |
|              | <i>Specify field condition</i>                                                           | Select this check box to define data loading condition.                                                                                                                                                                                                                                                                                                                   |
|              | <i>Preserve blanks</i>                                                                   | Select this check box to preserve the blanks.                                                                                                                                                                                                                                                                                                                             |
|              | <i>Trailing null columns</i>                                                             | Select this check box to load null columns.                                                                                                                                                                                                                                                                                                                               |
|              | <i>Load options</i>                                                                      | Click + to add data loading options:<br><br><b>Parameter:</b> select a loading parameter from the list.<br><br><b>Value:</b> enter a value for the parameter selected.                                                                                                                                                                                                    |
|              | <i>NLS Language</i>                                                                      | In the list, select the language used for the data that are not used in Unicode.                                                                                                                                                                                                                                                                                          |
|              | <i>Set Parameter NLS_TERRITORY</i>                                                       | Select this check box to modify the territory conventions used for day and weeks numbering. Your OS value is the default value used.                                                                                                                                                                                                                                      |
|              | <i>Encoding</i>                                                                          | Select the encoding type from the list or select <b>Custom</b> and define it manually. This field is compulsory for database data handling.                                                                                                                                                                                                                               |
|              | <i>Output</i>                                                                            | Select the type of output for the standard output of the Oracle database:<br><br><b>to console,</b><br><br><b>to global variable.</b>                                                                                                                                                                                                                                     |
|              | <i>Convert columns and table names to uppercase</i>                                      | Select this check box to uppercase the names of the columns and the name of the table.                                                                                                                                                                                                                                                                                    |
|              | <i>tStatCatcher Statistics</i>                                                           | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                         |
| <b>Usage</b> | This dedicated component offers performance and flexibility of Oracle DB query handling. |                                                                                                                                                                                                                                                                                                                                                                           |



## Scenario: Truncating and inserting file data into Oracle DB

This scenario describes how to truncate the content of an Oracle DB and load an input file content. The related job is composed of three components that respectively creates the content, output this content into a file to be loaded onto the Oracle database after the DB table has been truncated.



- Drop the following components: **tOracleInput**, **tFileOutputDelimited**, **tOracleBulkExec** from the **Palette** to the design workspace
- Connect the **tOracleInput** with the **tFileOutputDelimited** using a **row main** link.
- And connect the **tOracleInput** to the **tOracleBulkExec** using a **OnSubjobOk** trigger link.
- Define the Oracle connection details. We recommend you to store the DB connection details in the Metadata repository in order to retrieve them easily at any time in any job.

**tOracleInput\_1**

|               |                                                                                                |                                      |                             |             |            |        |        |
|---------------|------------------------------------------------------------------------------------------------|--------------------------------------|-----------------------------|-------------|------------|--------|--------|
| Property Type | Repository                                                                                     | Repository                           | DB (ORACLE):Oracle_Talend * |             |            |        |        |
| Host          | 'talend-dbms'                                                                                  | Port                                 | '1521'                      | Database    | 'TALEND' * | Schema | 'ROOT' |
| Username      | 'root' *                                                                                       |                                      | Password                    | 'toor'      |            |        |        |
| Schema Type   | Repository                                                                                     | DB (ORACLE):Oracle_Talend - CLIENT * |                             | Edit schema |            | ...    |        |
| Query Type    | Built-In                                                                                       |                                      | Guess Query                 |             |            |        |        |
| Query         | <pre>'SELECT ID_CONTRACT, ID_CLIENT, CONTRACT_TYPE, CONTRACT_VALUE FROM CLIENT_CONTRACT'</pre> |                                      |                             |             |            |        |        |
| Encoding Type | CUSTOM                                                                                         | 'AL32UTF8'                           |                             |             |            |        |        |



For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.

- Define the schema, if it isn't stored either in the **Repository**. In this example, the schema is as follows: *ID\_Contract, ID\_Client, Contract\_type, Contract\_Value*.
- Define the **tFileOutputDelimited** component parameters, including output **File Name**, **Row separator** and **Fields delimiter**.
- Then double-click on the **tOracleBulkExec** to define the DB feeding properties.

Property Type Built-In

Use an existing connection

Connection Type Oracle SID

DB Version Oracle 11

Host

Port

Database

Schema

Username \*

Password \*

Table \*

Action on table None

Data file name \*

Action on data Insert \*

Schema Type Built-In Edit schema

- In the **Property Type**, select **Repository** mode if you stored the database connection details under the **Metadata** node of the **Repository** or select **Built-in** mode to define them manually. In this scenario, we use the **Built-in** mode.
- Thus, set the connection parameters in the following fields: **Host**, **Port**, **Database**, **Schema**, **Username**, and **Password**.
- Fill in the name of the **Table** to be fed and the **Action on data** to be carried out, in this use case: **insert**.
- In the **Schema** field, select **Built-in** mode, and click [...] button next to the **Edit schema** field to describe the structure of the data to be passed on to the next component.
- Click the **Advanced settings** view to configure the advanced settings of the component.

Advanced separator(for number)    Thousands separator \*    Decimal separator \*

Use existing control file

Record format \*    Record terminator

Specify .ctl file's INTO TABLE clause manually

Field terminated by     Field terminator \*

Use fields enclosure

Use schema's Date Pattern to load Date field

Specify field condition

Preserve blanks     Trailing null columns

Load options

| Parameter                           | Value |
|-------------------------------------|-------|
| DIRECT(Direct path load):TRUE FALSE | TRUE  |

NLS Language

Set Parameter NLS\_TERRITORY    NLS Territory

Encoding Type

Output

Convert columns and table to uppercase

tStatCatcher Statistics

- Select the **Use an existing control file** check box if you want to use a control file (.ctl) storing the status of the physical structure of the database. Or, fill in the following fields manually: **Record format**, **Specify .ctl file's INTO TABLE clause manually**, **Field terminated by**, **Use field enclosure**, **Use schema's Date Pattern to load Date field**, **Specify field condition**, **Preserve blanks**, **Trailing null columns**, **Load options**, **NLS Language** et **Set Parameter NLS\_TERRITORY** according to your database.
- Define the **Encoding** as in preceding steps.
- For this scenario, in the **Output** field, select **to console** to output the standard output of the database to the console.

Press **F6** to run the job. The log output displays in the **Run** tab and the table is fed with the parameter file data.

Related topic: see [the section called "Scenario: Inserting data in MySQL database"](#).

# tOracleClose



## tOracleClose properties

|                          |                                                                                                                                |                                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Function</b>          | tOracleClose closes the transaction committed in the connected DB.                                                             |                                                                                                                        |
| <b>Purpose</b>           | Close a transaction.                                                                                                           |                                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                          | Select the <b>tOracleConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                 | Select this check box to collect log data at the component level.                                                      |
| <b>Usage</b>             | This component is to be used along with Oracle components, especially with <b>tOracleConnection</b> and <b>tOracleCommit</b> . |                                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                                                            |                                                                                                                        |

## Related scenario


No scenario is available for this component yet.

# tOracleCommit



## tOracleCommit Properties

This component is closely related to **tOracleConnection** and **tOracleRollback**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Oracle                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Function</b>          | Validates the data processed through the job into the connected DB                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tOracleConnection</b> component in the list if more than one connection are planned for the current job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close Connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tOracleCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Usage</b>             | This component is to be used along with Oracle components, especially with <b>tOracleConnection</b> and <b>tOracleRollback</b> components.                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Related scenario

This component is closely related to **tOracleConnection** and **tOracleRollback**. It usually doesn't make much sense to use one of these without using a **tOracleConnection** component to open a connection for the current transaction.


For **tOracleCommit** related scenario, see [the section called "tMysqlConnection"](#)


# tOracleConnection



## tOracleConnection Properties

This component is closely related to **tOracleCommit** and **tOracleRollback**. It usually doesn't make much sense to use one of these without using a **tOracleConnection** component to open a connection for the current transaction.

|                         |                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | Opens a connection to the database for a current transaction.                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Connection type</i>                                                                                                                        | Drop-down list of available drivers:<br><br><b>Oracle OCI:</b> Select this connection type to use Oracle Call Interface with a set of C-language software APIs that provide an interface to the Oracle database.<br><br><b>Oracle RAC:</b> Select this connection type to access a clustered database.<br><br><b>Oracle Service Name:</b> Select this connection type to use the TNS alias that you give when you connect to the remote database.<br><br><b>WALLET:</b> Select this connection type to store credentials in an Oracle wallet.<br><br><b>Oracle SID:</b> Select this connection type to uniquely identify a particular database on a system. |
|                         | <i>DB Version</i>                                                                                                                             | Select the Oracle version in use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Use tns file</i>                                                                                                                           | Select this check box to use the metadata of a context included in a tns file.<br><br> One tns file may have many contexts.<br><br><b>TNS File:</b> Enter the path to the tns file manually or browse to the file by clicking the three-dot button next to the filed.<br><br><b>Select a DB Connection in Tns File:</b> Click the three-dot button to display all the contexts held in the tns file and select the desired one.                                                                                                                                          |
|                         | <i>Host</i>                                                                                                                                   | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Port</i>                                                                                                                                   | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                               | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                   |                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                  |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <i>Schema</i>                                                                                                                          | Name of the schema.                                                                                                                                                                                                                                                                                                                              |
|                   | <i>Username</i> and <i>Password</i>                                                                                                    | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                   | <i>Additional parameters</i> <i>JDBC</i>                                                                                               | Specify additional connection properties for the DB connection you are creating.<br><br> You can set the encoding parameters through this field.                                                                                                                |
|                   | <i>Use or register a shared DB Connection</i>                                                                                          | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Usage</b>      | This component is to be used along with Oracle components, especially with <b>tOracleCommit</b> and <b>tOracleRollback</b> components. |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b> | n/a                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenario


This component is closely related to **tOracleCommit** and **tOracleRollback**. It usually doesn't make much sense to use one of these without using a **tOracleConnection** component to open a connection for the current transaction.

For **tOracleConnection** related scenario, see [the section called "tMysqlConnection"](#)

# tOracleInput



## tOracleInput properties

|                         |                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | <b>tOracleInput</b> reads a database and extracts fields based on a query.                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | <b>tOracleInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                              | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                                                                                                                   | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Use an existing connection</i>                                                                                                                                                                 | <p>Select this check box when using a configured <b>tOracleConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                                                                                            | <p>Drop-down list of available drivers:</p> <p><b>Oracle OCI:</b> Select this connection type to use Oracle Call Interface with a set of C-language software APIs that provide an interface to the Oracle database.</p> <p><b>Oracle RAC:</b> Select this connection type to access a clustered database.</p> <p><b>Oracle Service Name:</b> Select this connection type to use the TNS alias that you give when you connect to the remote database.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |




|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <p><b>WALLET:</b> Select this connection type to store credentials in an Oracle wallet.</p> <p><b>Oracle SID:</b> Select this connection type to uniquely identify a particular database on a system.</p>    |
|                          | <i>DB Version</i>                                                                                                                                                                                                                                                                                                                                                     | Select the Oracle version in use.                                                                                                                                                                            |
|                          | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address.                                                                                                                                                                                  |
|                          | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                          |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database.                                                                                                                                                                                        |
|                          | <i>Oracle schema</i>                                                                                                                                                                                                                                                                                                                                                  | Oracle schema name.                                                                                                                                                                                          |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                 |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Table name</i>                                                                                                                                                                                                                                                                                                                                                     | Database table name.                                                                                                                                                                                         |
|                          | <i>Query type</i> and <i>Query</i>                                                                                                                                                                                                                                                                                                                                    | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                   |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                            |
|                          | <i>Use cursor</i>                                                                                                                                                                                                                                                                                                                                                     | When selected, helps to decide the row set to work with at a time and thus optimize performance.                                                                                                             |
|                          | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                            |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Remove leading and trailing whitespace from defined columns.                                                                                                                                                 |
|                          | <i>No null values</i>                                                                                                                                                                                                                                                                                                                                                 | Check this box to improve the performance if there are no null values.                                                                                                                                       |
| <b>Usage</b>             | This component covers all possible SQL queries for Oracle databases.                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                              |

## Scenario 1: Using context parameters when reading a table from an Oracle database

In this scenario, we will read a table from an Oracle database, using a context parameter to refer to the table name.

## Dragging and dropping components and linking them together

1. Drop **tOracleInput** and **tLogRow** from the **Palette** onto the workspace.
2. Link **tOracleInput** to **tLogRow** using a **Row > Main** connection.



## Configuring the components

1. Double-click **tOracleInput** to open its **Basic Settings** view in the **Component** tab.

| tOracleInput_2                                      |                                   |
|-----------------------------------------------------|-----------------------------------|
| Property Type                                       | Built-In                          |
| <input type="checkbox"/> Use an existing connection |                                   |
| Connection Type                                     | Oracle SID                        |
| DB Version                                          | Oracle 11                         |
| Host                                                | "192.168.0.19"                    |
| Port                                                | "1521"                            |
| Database                                            | "talend" * Oracle schema "TALEND" |
| Username                                            | "talend" * Password "oracle"      |
| Schema                                              | Built-In Edit schema              |
| Table Name                                          | context.TABLE                     |
| Query Type                                          | Built-In                          |

2. In the **Host** field, enter the Oracle database server's IP address, *"192.168.0.19"* in this example.

In the **Port** field, enter the port number, *"1521"* in this example.


In the **Database** field, enter the database name, *"talend"* in this example.

In the **Oracle schema** field, enter the Oracle schema name, *"TALEND"* in this example.

In the **Username** and **Password** fields, enter the authentication details, respectively *"talend"* and *"oracle"* in this example.

3. Set the **Schema** as **Built-In** and click **Edit schema** to define the desired schema.

The schema editor opens:




- Click the [+] button to add the rows that you will use to define the schema, three columns in this example: *id*, *name* and *age*.

Under **Column**, click the fields to enter the corresponding column names.

Click the fields under **Type** to define the type of data.

Click **OK** to close the schema editor.

- Put the cursor in the **Table Name** field and press **F5** for context parameter setting.



For more information about context settings, see *Talend Open Studio for Big Data User Guide*.


- Keep the default setting in the **Name** field and type in the name of the database table in the **Default value** field, *staff* in this use case.
- Click **Finish** to validate the setting.

The context parameter `context.TABLE` automatically appears in the **Table Name** field.

- In the **Query type** list, select **Built-In**. Then, click **Guess Query** to get the query statement.

```
"SELECT
 TALEND." + context.TABLE + ".id,
 TALEND." + context.TABLE + ".name,
 TALEND." + context.TABLE + ".age
FROM TALEND." + context.TABLE
```

- Double-click **tLogRow** to set its **Basic Settings** in the **Component** tab.



- In the **Mode** area, select **Table (print values in cells of a table)** for a better display of the results.

- Save the Job.

## Executing the Job

The results below can be found after **F6** is pressed to run the Job.

| tLogRow_2 |         |     |
|-----------|---------|-----|
| id        | name    | age |
| 1         | Bill    | 92  |
| 2         | Woodrow | 75  |
| 3         | Chester | 42  |
| 4         | Millard | 32  |
| 5         | Herbert | 70  |
| 6         | Lyndon  | 27  |

## Related scenarios


For related scenarios, see:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).


# tOracleOutput




## tOracleOutput properties

|                         |                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Function</b>         | <b>tOracleOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>          | <b>tOracleOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         |                                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Use an existing connection</i>                                                                                                                                            | <p>Select this check box when using a <b>tOracleConnection</b> component. When you deselect it, a check box appears (selected by default and followed by a field) in the <b>Advanced settings, Batch Size</b>, which enables you to define the number of lines in each processed batch.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                                                                       | <p>Drop-down list of available drivers:</p> <p><b>Oracle OCI:</b> Select this connection type to use Oracle Call Interface with a set of C-language software APIs that provide an interface to the Oracle database.</p> <p><b>Oracle RAC:</b> Select this connection type to access a clustered database.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|  |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |                                     | <p><b>Oracle Service Name:</b> Select this connection type to use the TNS alias that you give when you connect to the remote database.</p> <p><b>WALLET:</b> Select this connection type to store credentials in an Oracle wallet.</p> <p><b>Oracle SID:</b> Select this connection type to uniquely identify a particular database on a system.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  | <i>DB Version</i>                   | Select the Oracle version in use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|  | <i>Host</i>                         | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>Port</i>                         | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <i>Database</i>                     | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <i>Username</i> and <i>Password</i> | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|  | <i>Table</i>                        | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <i>Action on table</i>              | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|  | <i>Action on data</i>               | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field</b></i></p> |

|                          |                                 |             |                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|---------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                 |             | <i>options</i> check box and then in the <b>Key in update column</b> , select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.                                                                                                                                         |
|                          | <i>Schema and schema</i>        | <i>Edit</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                |
|                          |                                 |             | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                   |
|                          | <i>Die on error</i>             |             | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                         |
| <b>Advanced settings</b> | <i>Additional parameters</i>    | <i>JDBC</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br> You can press <b>Ctrl+Space</b> to access a list of predefined global variables. |
|                          | <i>Commit every</i>             |             | Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.                                                                                                                                                                                |
|                          | <i>tStat Catcher Statistics</i> |             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Additional Columns</i>       |             | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                              |
|                          |                                 |             | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column.                                                                                                                                                                                                                                                                                                 |
|                          |                                 |             | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                       |
|                          |                                 |             | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                        |
|                          |                                 |             | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                     |
|                          | <i>Use field options</i>        |             | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                                                                                                               |
|                          | <i>Use Hint Options</i>         |             | Select this check box to activate the hint configuration area which helps you optimize a query's execution. In this area, parameters are:                                                                                                                                                                                                                                                   |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                             |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <p>- <b>HINT</b>: specify the hint you need, using the syntax <code>/* + */</code>. - <b>POSITION</b>: specify where you put the hint in a SQL statement.</p> <p>- <b>SQL STMT</b>: select the SQL statement you need to use.</p>                                                           |
|                   | <i>Convert columns and table to uppercase</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Select this check box to set the names of columns and table in upper case.                                                                                                                                                                                                                  |
|                   | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                         |
|                   | <i>Use Batch Size</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p>When selected, enables you to define the number of lines in each processed batch.</p> <p> <i>This option is available only when you do not Use an existing connection in <b>Basic settings</b>.</i></p> |
|                   | <i>Support null in “SQL WHERE” statement</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Select this check box to validate null in “SQL WHERE” statement.                                                                                                                                                                                                                            |
| <b>Usage</b>      | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Oracle database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMysqlOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                                             |
| <b>Limitation</b> | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                       |                                                                                                                                                                                                                                                                                             |

## Related scenarios

For **tOracleOutput** related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySql database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).



# tOracleOutputBulk



## tOracleOutputBulk properties

The **tOracleOutputBulk** and **tOracleBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tOracleOutputBulkExec** component, detailed in a separate section. The advantage of using two separate steps is that the data can be transformed before it is loaded in the database.

|                          |                                                                                            |                                                                                                                                                                                                                                   |
|--------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Oracle                                                                           |                                                                                                                                                                                                                                   |
| <b>Function</b>          | Writes a file with columns based on the defined delimiter and the Oracle standards         |                                                                                                                                                                                                                                   |
| <b>Purpose</b>           | Prepares the file to be used as parameter in the INSERT query to feed the Oracle database. |                                                                                                                                                                                                                                   |
| <b>Basic settings</b>    | <i>Property type</i>                                                                       | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                         |
|                          |                                                                                            | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                               |
|                          | <i>File Name</i>                                                                           | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                   |
|                          | <i>Append</i>                                                                              | Select this check box to add the new rows at the end of the file                                                                                                                                                                  |
|                          | <i>Schema and Edit Schema</i>                                                              | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                      |
|                          |                                                                                            | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                    |
| <b>Advanced settings</b> | <i>Advanced separator (for number)</i>                                                     | Select this check box to change data separators for numbers:<br><br><b>Thousands separator:</b> define separators you want to use for thousands.<br><br><b>Decimal separator:</b> define separators you want to use for decimals. |
|                          | <i>Field separator</i>                                                                     | Character, string or regular expression to separate fields.                                                                                                                                                                       |
|                          | <i>Row separator</i>                                                                       | String (ex: “\n”on Unix) to separate rows.                                                                                                                                                                                        |
|                          | <i>Encoding</i>                                                                            | Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.                                                                                                         |
|                          | <i>Bulk file parameters</i>                                                                | Set the parameters <b>Buffer Size</b> and <b>StringBuilder Size</b> for a performance gain according to the memory size.                                                                                                          |

|              |                                                                                                                                                          |                                                                                                                |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
|              | <i>tStatCatcher Statistics</i>                                                                                                                           | Select this check box to gather the job processing metadata at a job level as well as at each component level. |
| <b>Usage</b> | This component is to be used along with <b>tOracleBulkExec</b> component. Used together they offer gains in performance while feeding a Oracle database. |                                                                                                                |

## Related scenarios

For use cases in relation with **tOracleOutputBulk**, see the following scenarios:


- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tOracleOutputBulkExec



## tOracleOutputBulkExec properties

The **tOracleOutputBulk** and **tOracleBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tOracleOutputBulkExec** component.

|                         |                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | Executes the Insert action on the data provided.                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during Insert operations to an Oracle database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                          | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Use an existing connection</i>                                                                        | <p>Select this check box and click the relevant <b>tOracleConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                   | List of available drivers                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>DB Version</i>                                                                                        | Select the Oracle version in use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Host</i>                                                                                              | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                              | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                          | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Schema</i>                                                                                            | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|                          |                                        |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------|----------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Username</i><br><i>Password</i>     | and | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Table</i>                           |     | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Action on table</i>                 |     | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operations is carried out.<br><br><b>Drop and create the table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create table if doesn't exist:</b> The table is created if does not exist.<br><br><b>Clear a table:</b> The table content is deleted.<br><br><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation. |
|                          | <i>File Name</i>                       |     | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Create directory if not exists</i>  |     | This check box is selected by default. It creates a directory to hold the output table if required.                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Append</i>                          |     | Select this check box to add the new rows at the end of the file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Action on data</i>                  |     | On the data of the table defined, you can perform:<br><br><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.<br><br><b>Update:</b> Make changes to existing entries<br><br><b>Insert or update:</b> Add entries or update existing ones.<br><br><b>Update or insert:</b> Update existing entries or create it if non existing<br><br><b>Truncate:</b> Remove all entries from table.                                                                                                                                        |
|                          | <i>Schema</i> and <i>Edit Schema</i>   |     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Field separator</i>                 |     | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Encoding</i>                        |     | Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Advanced settings</b> | <i>Advanced separator (for number)</i> |     | Select this check box to change data separators for numbers:<br><br><b>Thousands separator:</b> define separators you want to use for thousands.                                                                                                                                                                                                                                                                                                                                                                                                          |

|                   |                                                                                                                         |                                                                                                                                                                        |
|-------------------|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                         | <b>Decimal separator:</b> define separators you want to use for decimals.                                                                                              |
|                   | <i>Use existing control file</i>                                                                                        | Select this check box and browse to the .ctl control file you want to use.                                                                                             |
|                   | <i>Field separator</i>                                                                                                  | Character, string or regular expression to separate fields.                                                                                                            |
|                   | <i>Row separator</i>                                                                                                    | String (ex: “\n” on Unix) to separate rows.                                                                                                                            |
|                   | <i>Specify .ctl file’s INTO TABLE clause manually</i>                                                                   | Select this check box to enter manually the INTO TABLE clause of the control file directly into the code.                                                              |
|                   | <i>Use schema’s Date Pattern to load Date field</i>                                                                     | Select this check box to use the date model indicated in the schema for dates.                                                                                         |
|                   | <i>Specify field condition</i>                                                                                          | Select this check box to define a condition for loading data.                                                                                                          |
|                   | <i>Preserve blanks</i>                                                                                                  | Select this check box to preserve blank spaces.                                                                                                                        |
|                   | <i>Trailing null columns</i>                                                                                            | Select this check box to load data with all empty columns.                                                                                                             |
|                   | <i>Load options</i>                                                                                                     | Click + to add data loading options:<br><br><b>Parameter:</b> select a loading parameter from the list.<br><br><b>Value:</b> enter a value for the parameter selected. |
|                   | <i>NLS Language</i>                                                                                                     | From the drop-down list, select the language for your data if the data is not in Unicode.                                                                              |
|                   | <i>Set Parameter NLS_TERRITORY</i>                                                                                      | Select this check box to modify the conventions used for date and time formats. The default value is that of the operating system.                                     |
|                   | <i>Encoding</i>                                                                                                         | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                       |
|                   | <i>Set Oracle Encoding Type</i>                                                                                         | Select this check box to type in the character set next to the <b>Oracle Encoding Type</b> field.                                                                      |
|                   | <i>Output</i>                                                                                                           | Select the type of output for the standard output of the Oracle database:<br><br><b>to console,</b><br><br><b>to global variable.</b>                                  |
|                   | <i>Convert columns and table names to uppercase</i>                                                                     | Select this check box to put columns and table names in upper case.                                                                                                    |
|                   | <i>Bulk file parameters</i>                                                                                             | Set the parameters <b>Buffer Size</b> and <b>StringBuilder Size</b> for a performance gain according to the memory size.                                               |
|                   | <i>tStatCatcher Statistics</i>                                                                                          | Select this check box to gather the job processing metadata at a job level as well as at each component level.                                                         |
| <b>Usage</b>      | This component is mainly used when no particular transformation is required on the data to be loaded onto the database. |                                                                                                                                                                        |
| <b>Limitation</b> | n/a                                                                                                                     |                                                                                                                                                                        |

## Related scenarios

For use cases in relation with **tOracleOutputBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tOracleRollback



## tOracleRollback properties

This component is closely related to **tOracleCommit** and **tOracleConnection**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                          |                                                                                                                        |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases                                                                                                                                |                                                                                                                        |
| <b>Function</b>          | Cancel the transaction commit in the connected DB.                                                                                       |                                                                                                                        |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                                    |                                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                    | Select the <b>tOracleConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                                  | Clear this check box to continue to use the selected connection once the component has performed its task.             |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                           | Select this check box to collect log data at the component level.                                                      |
| <b>Usage</b>             | This component is to be used along with Oracle components, especially with <b>tOracleConnection</b> and <b>tOracleCommit</b> components. |                                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                                                                      |                                                                                                                        |

## Related scenario


This component is closely related to **tOracleConnection** and **tOracleCommit**. It usually doesn't make much sense to use one of these without using a **tOracleConnection** component to open a connection for the current transaction.

For **tOracleRollback** related scenario, see [the section called "tMySQLRollback"](#)


# tOracleRow



## tOracleRow properties

|                         |                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | <b>tOracleRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tOracleRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                             | <p>Select this check box and click the relevant <b>tOracleConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                                                                                                                                        | Drop-down list of available drivers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>DB Version</i>                                                                                                                                                                                                                             | Select the Oracle version in use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Host</i>                                                                                                                                                                                                                                   | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                                                                                                                                                                   | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                                                                                                                                                               | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |



|                          |                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Schema and Edit Schema</i>      | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          |                                    | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Query type</i>                  | Either <b>Built-in</b> or <b>Repository</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          |                                    | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          |                                    | <b>Repository:</b> Select the relevant query stored in the Repository. The Query field gets accordingly filled in.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Query</i>                       | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Die on error</i>                | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i> | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Use PreparedStatement</i>       | <p>Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.</p> <p><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.</p> <p><b>Parameter Type:</b> Enter the parameter type.</p> <p><b>Parameter Value:</b> Enter the parameter value.</p> <p> This option is very useful if you need to execute the same query several times. Performance levels are increased. You can also use PreparedStatement to avoid SQL injection. For a detailed scenario of utilizing this feature, see <a href="#">the section called “Scenario 2: Using PreparedStatement objects to query data”</a>.</p> |
|                          | <i>Commit every</i>                | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>tStatCatcher Statistics</i>     | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Usage</b>             |                                    | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).
- [the section called “Scenario 2: Using PreparedStatement objects to query data”](#).

# tOracleSCD



**tOracleSCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tOracleSCD”](#).

# tOracleSCDELT





**tOracleSCDELT** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tOracleSCDELT”](#).


# tOracleSP



## tOracleSP Properties


|                         |                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | <b>tOracleSP</b> calls the database stored procedure.                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | <b>tOracleSP</b> offers a convenient way to centralize multiple or complex queries in a database and call them easily. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Use an existing connection</i>                                                                                      | <p>Select this check box to use an established connection from <b>tOracleConnection</b>. Once you select it, the <b>Component list</b> field appears allowing you to choose the <b>tOracleConnection</b> component to be used from those already established on the studio workspace.</p> <p>For more information on <b>tOracleConnection</b>, see <a href="#">the section called “tOracleConnection”</a>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Connection type</i>                                                                                                 | Drop-down list of available drivers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Property type</i>                                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                                        | <b>Built-in</b> : No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>DB Version</i>                                                                                                      | Select the Oracle version in use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Host</i>                                                                                                            | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Port</i>                                                                                                            | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Database</i>                                                                                                        | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Schema</i>                                                                                                          | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|  |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Username</i> and <i>Password</i>   | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|  | <i>Schema</i> and <i>Edit Schema</i>  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                 |
|  |                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|  | <i>SP Name</i>                        | Type in the exact name of the Stored Procedure (or Function)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|  | <i>Is Function / Return result in</i> | Select this check box, if the stored procedure is a function and one value only is to be returned.<br><br>Select on the list the schema column, the value to be returned is based on.                                                                                                                                                                                                                                                                                                                                                                                                                        |
|  | <i>Parameters</i>                     | Click the Plus button and select the various <b>Schema Columns</b> that will be required by the procedures. Note that the SP schema can hold more columns than there are parameters used in the procedure.                                                                                                                                                                                                                                                                                                                                                                                                   |
|  |                                       | Select the <b>Type</b> of parameter:<br><br><b>IN:</b> Input parameter<br><br><b>OUT:</b> Output parameter/return value<br><br><b>IN OUT:</b> Input parameter is to be returned as value, likely after modification through the procedure (function).<br><br><b>RECORDSET:</b> Input parameters is to be returned as a set of values, rather than single value.<br><br> Check the <b>tPostgresqlCommit</b> component if you want to analyze a set of records from a database table or DB query and return single records. |
|  |                                       | The <b>Custom Type</b> is used when a <b>Schema Column</b> you want to use is user-defined. Two <b>Custom Type</b> columns are available in the <b>Parameters</b> table. In the first <b>Custom Type</b> column:<br><br>- Select the check box in the <b>Custom Type</b> column when the corresponding <b>Schema Column</b> you want to use is of user-defined type.<br><br>- If all listed <b>Schema Columns</b> in the <b>Parameters</b> table are of custom type, you can select the check box before <b>Custom Type</b> once for them all.                                                               |
|  |                                       | Select a database type from the <b>DB Type</b> list to map the source database type to the target database type:<br><br>- <b>Auto-Mapping:</b> Map the source database type to the target database type automatically.(default)<br><br>- <b>CLOB:</b> Character large object<br><br>- <b>BLOB:</b> Binary large object                                                                                                                                                                                                                                                                                       |


|                          |                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                       | <ul style="list-style-type: none"> <li>- <b>DECIMAL</b>: Decimal numeric object</li> <li>- <b>NUMERIC</b>: Character 0 to 9</li> </ul>                                                                                                                                                                                                                    |                                                                                                                                                                                                                   |
|                          |                                                                                                                                                                                                                                                                                                                                                                                       | <p>In the second <b>Custom Type</b> column, you can precise what the custom type is. The type may be:</p> <ul style="list-style-type: none"> <li>- <b>STRUCT</b>: used for one element.</li> <li>- <b>ARRAY</b>: used for a collection of elements.</li> </ul>                                                                                            |                                                                                                                                                                                                                   |
|                          |                                                                                                                                                                                                                                                                                                                                                                                       | <p>In the <b>Custom name</b> column, specify the name of the custom type that you have given to this type.</p> <p> <i>When an OUT parameter uses the custom type, make sure that its corresponding Schema Column has chosen the Object type in the schema table.</i></p> |                                                                                                                                                                                                                   |
| <b>Advanced settings</b> | <i>Additional parameters</i>                                                                                                                                                                                                                                                                                                                                                          | <i>JDBC</i>                                                                                                                                                                                                                                                                                                                                               | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> . |
|                          | <i>NLS Language</i>                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                           | In the list, select the language used for the data that are not used in Unicode.                                                                                                                                  |
|                          | <i>NLS Territory</i>                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                           | Select the conventions used for date and time formats. The default value is that of the operating system.                                                                                                         |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                           | Select this check box to gather the job processing metadata at a Job level as well as at each component level.                                                                                                    |
| <b>Usage</b>             | This component is used as intermediary component. It can be used as start component but only input parameters are thus allowed.                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                   |
| <b>Limitation</b>        | <p>The Stored Procedures syntax should match the Database syntax.</p> <p>When the parameters set in this component are of <b>Custom Type</b>, the <b>tJava</b> family components should be placed before the component in order for users to define values for the custom-type parameters, or after the component so as to read and output the <b>Out</b>-type custom parameters.</p> |                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                   |


## Scenario: Checking number format using a stored procedure

The following job aims at connecting to an Oracle Database containing Social Security Numbers and their holders' name, calling a stored procedure that checks the SSN format of against a standard ###-##-#### format. Then the verification output results, 1 for valid format and 0 for wrong format get displayed onto the execution console.




- Drag and drop the following components from the **Palette**: **tOracleConnection**, **tOracleInput**, **tOracleSP** and **tLogRow**.
- Link the **tOracleConnection** to the **tOracleInput** using a **Then Run** connection as no data is handled here.
- And connect the other components using a **Row Main** link as rows are to be passed on as parameter to the SP component and to the console.
- In the **tOracleConnection**, define the details of connection to the relevant Database. You will then be able to reuse this information in all other DB-related components.
- Then select the **tOracleInput** and define its properties.



 *For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see Talend Open Studio for Big Data User Guide.*

- Select the **Use an existing connection** check box and select the **tOracleConnection** component in the list in order to reuse the connection details that you already set.
- Select **Repository** as **Property type** as the Oracle schema is defined in the DB Oracle connection entry of the Repository. If you haven't recorded the Oracle DB details in the **Repository**, then fill in the Schema name manually.
- Then select **Repository** as **Schema**, and retrieve the relevant schema corresponding to your Oracle DB table.

|   | ID  | NAME    | CITY | SSNUMBER    |
|---|----------------------------------------------------------------------------------------|---------|------|-------------|
| 1 | 1                                                                                      | Jack    | LA   | 123-45-6789 |
| 2 | 2                                                                                      | Tom     | NYC  | 123-A5-6789 |
| 3 | 3                                                                                      | Bill    | SF   | 123=45-6789 |
| 4 | 4                                                                                      | Jana    | NYC  | 236-52-2956 |
| 5 | 5                                                                                      | Brandon | SLC  | 561-52-B267 |

- In this example, the SSN table has a four-column schema that includes *ID*, *NAME*, *CITY* and *SSNUMBER*.
- In the **Query** field, type in the following Select query or select it in the list, if you stored it in the Repository.

```
select ID, NAME, CITY, SSNUMBER from SSN
```

- Then select the **tOracleSP** and define its **Basic settings**.



Use an existing connection    Component List: tOracleConnection\_1

Schema: Repository    DB (ORACLE\_SERVICE\_NAME):oracleconnection -    Edit schema    Sync columns

SP Name: "is\_ssn"

Is function    Return result in: SSN\_Valid    DBType: AUTO-MAPPING

| Schema | Column   | Type | DBType       | Custom T...              | Custom Type | Custom Name |
|--------|----------|------|--------------|--------------------------|-------------|-------------|
|        | SSNUMBER | IN   | AUTO-MAPPING | <input type="checkbox"/> | STRUCT      |             |

- Like for the **tOracleInput** component, select **Repository** in the **Property type** field and select the **Use an existing connection** check box, then select the relevant entries in the respective list.
- The schema used for the **tOracleSP** slightly differs from the input schema. Indeed, an extra column (*SSN\_Valid*) is added to the Input schema. This column will hold the format validity status (*1* or *0*) produced by the procedure.

tOracleSP\_1 (Output)

| Column    | D... | Key                                 | Type   | Nullable                 | Dat... | L... | P.. | D.. |
|-----------|------|-------------------------------------|--------|--------------------------|--------|------|-----|-----|
| ID        |      | <input checked="" type="checkbox"/> | float  | <input type="checkbox"/> |        | 22   | 10  |     |
| NAME      |      | <input type="checkbox"/>            | String | <input type="checkbox"/> |        | 50   |     |     |
| CITY      |      | <input type="checkbox"/>            | String | <input type="checkbox"/> |        | 50   |     |     |
| SSNUMBER  |      | <input type="checkbox"/>            | String | <input type="checkbox"/> |        | 12   |     |     |
| SSN_valid |      | <input type="checkbox"/>            | int    | <input type="checkbox"/> |        | 2    |     |     |

- In the **SP Name** field, type in the exact name of the stored procedure (or function) as called in the Database. In this use case, the stored procedure name is *is\_ssn*.
- The basic function used in this particular example is as follows:

```

CREATE OR REPLACE FUNCTION is_ssn(string_in VARCHAR2)
RETURN PLS_INTEGER
IS
-- validating ###-##-#### format
BEGIN
 IF TRANSLATE(string_in, '0123456789A', 'AAAAAAAAAAB') =
 'AAA-AA-AAAA' THEN
 RETURN 1;
 END IF;
 RETURN 0;
END is_ssn;
/

```

- As a return value is expected in this use case, the procedure acts as a function, so select the **Is function** check box.
- The only return value expected is based on the *ssn\_valid* column, hence select the relevant list entry.
- In the **Parameters** area, define the input and output parameters used in the procedure. In this use case, only the *SSNumber* column from the schema is used in the procedure.
- Click the plus sign to add a line to the table and select the relevant column (*SSNumber*) and type (*IN*).
- Then select the **tLogRow** component and click Sync Column to make sure the schema is passed on from the preceding **tOracleSP** component.



- Select the **Print values in cells of a table** check box to facilitate the output reading.
- Then save your job and press **F6** to run it.

```
Starting job OracleSP at 15:14 23/08/2007.

 tLogRow_1

ID |NAME |CITY|SSNUMBER |SSN_Valid

1.0|Jack |LA |123-45-6789|1
2.0|Tom |NYC |123-A5-6789|0
3.0|Bill |SF |123=45-6789|0
4.0|Jana |NYC |236-52-2956|1
5.0|Brandon|SLC |561-52-B267|0

Job OracleSP ended at 15:14 23/08/2007. [exit code=6]
```

On the console, you can read the output results. All input schema columns are displayed eventhough they are not used as parameters in the stored procedure.

The final column shows the expected return value, i.e. whether the SS Number checked is valid or not.



Check the **tPostgresqlCommit** component if you want to analyze a set of records from a database table or DB query and return single records.

# tOracleTableList



## tOracleTableList properties

|                         |                                                                                                             |                                                                                                                       |
|-------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Oracle                                                                                            |                                                                                                                       |
| <b>Function</b>         | <b>tOracleTableList</b> iterates on a set of tables through a defined Oracle connection.                    |                                                                                                                       |
| <b>Purpose</b>          | This component lists the names of specified Oracle tables using a SELECT statement based on a WHERE clause. |                                                                                                                       |
| <b>Basic settings</b>   | <i>Component list</i>                                                                                       | Select the <b>tOracleConnection</b> component in the list if more than one connection is planned for the current Job. |
|                         | <i>Where clause for table name selection</i>                                                                | Enter the WHERE clause that will be used to identify the tables to iterate on.                                        |
| <b>Usage</b>            | This component is to be used along with other Oracle components, especially with <b>tOracleConnection</b> . |                                                                                                                       |
| <b>Limitation</b>       | n/a                                                                                                         |                                                                                                                       |

## Related scenarios


No scenario is available for this component yet.

# tPostgresqlBulkExec



## tPostgresqlBulkExec properties

**tPostgresqlOutputBulk** and **tPostgresqlBulkExec** components are used together to first output the file that will be then used as parameter to execute the SQL query stated. These two steps compose the **tPostgresqlOutputBulkExec** component, detailed in a separate section. The interest in having two separate elements lies in the fact that it allows transformations to be carried out before the data loading in the database.

|                         |                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Postgresql                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>         | Executes the Insert action on the data provided.                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>          | As a dedicated component, <b>tPostgresqlBulkExec</b> offers gains in performance while carrying out the Insert operations to a Postgresql database |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                               | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         |                                                                                                                                                    | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Use an existing connection</i>                                                                                                                  | <p>Select this check box and click the relevant <b>tPostgresqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                        | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                                                                        | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                                    | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Schema</i>                                                                                                                                      | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

|                          |                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Table</i>                                                            | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Action on table</i>                                                  | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create table:</b> The table is removed and created again.</p> <p><b>Create table:</b> The table does not exist and gets created.</p> <p><b>Create table if not exists:</b> The table is created if it does not exist.</p> <p><b>Clear table:</b> The table content is deleted.</p> <p><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.</p> |
|                          | <i>File Name</i>                                                        | <p>Name of the file to be processed.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Schema and Edit Schema</i>                                           | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                            |
| <b>Advanced settings</b> | <i>Action on data</i>                                                   | <p>On the data of the table defined, you can perform:</p> <p><b>Bulk Insert:</b> Add multiple entries to the table. If duplicates are found, job stops.</p> <p><b>Bulk Update:</b> Make simultaneous changes to multiple entries.</p>                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Copy the OID for each row</i>                                        | Retrieve the ID item for each row.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Contains a header line with the names of each column in the file</i> | Specify that the table contains header.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>File type</i>                                                        | Select the type of file being handled.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Null string</i>                                                      | String displayed to indicate that the value is null..                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Fields terminated by</i>                                             | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Escape char</i>                                                      | Character of the row to be escaped.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Text enclosure</i>                                                   | Character used to enclose text.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Activate standard_conforming_string</i>                              | Activate the variable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Force not null for columns</i>                                       | <p>Define the columns nullability</p> <p><b>Force not null:</b> Select the check box next to the column you want to define as not null.</p>                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>tStatCatcher Statistics</i>                                          | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                   |                                                                                                                                                                         |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Usage</b>      | This component is to be used along with <b>tPostgresqlOutputBulk</b> component. Used together, they can offer gains in performance while feeding a Postgresql database. |
| <b>Limitation</b> | n/a                                                                                                                                                                     |

## Related scenarios

For use cases in relation with **tPostgresqlBulkExec**, see the following scenarios:


- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tPostgresqlCommit



## tPostgresqlCommit Properties

This component is closely related to **tPostgresqlCommit** and **tPostgresqlRollback**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Function</b>          | Validates the data processed through the job into the connected DB                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tPostgresqlConnection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Close Connection</i>                                                                                                                                                   | <p>This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.</p> <p> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tPostgresqlCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i></p> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Usage</b>             | This component is to be used along with Postgresql components, especially with <b>tPostgresqlConnection</b> and <b>tPostgresqlRollback</b> components.                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## Related scenario

This component is closely related to **tPostgresqlConnection** and **tPostgresqlRollback**. It usually does not make much sense to use one of these without using a **tPostgresqlConnection** component to open a connection for the current transaction.

For **tPostgresqlCommit** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tPostgresqlClose



## tPostgresqlClose properties

|                          |                                                                                                                                            |                                                                                                                            |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Postgresql                                                                                                                       |                                                                                                                            |
| <b>Function</b>          | <b>tPostgresqlClose</b> closes the transaction committed in the connected DB.                                                              |                                                                                                                            |
| <b>Purpose</b>           | Close a transaction.                                                                                                                       |                                                                                                                            |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                      | Select the <b>tPostgresqlConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                             | Select this check box to collect log data at the component level.                                                          |
| <b>Usage</b>             | This component is to be used along with Postgresql components, especially with <b>tPostgresqlConnection</b> and <b>tPostgresqlCommit</b> . |                                                                                                                            |
| <b>Limitation</b>        | n/a                                                                                                                                        |                                                                                                                            |

## Related scenario

No scenario is available for this component yet.



# tPostgresqlConnection



## tPostgresqlConnection Properties

This component is closely related to **tPostgresqlCommit** and **tPostgresqlRollback**. It usually doesn't make much sense to use one of these without using a **tPostgresqlConnection** component to open a connection for the current transaction.

|                         |                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Postgresql                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>         | Opens a connection to the database for a current transaction.                                                                                      |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>          | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.      |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                               | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                         |                                                                                                                                                    | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                         | <i>Host</i>                                                                                                                                        | Database server IP address                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                                                                        | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                                    | Name of the database                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Schema</i>                                                                                                                                      | Exact name of the schema                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Use or register a shared DB Connection</i>                                                                                                      | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Usage</b>            | This component is to be used along with Postgresql components, especially with <b>tPostgresqlCommit</b> and <b>tPostgresqlRollback</b> components. |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>       | n/a                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenario


This component is closely related to **tPostgresqlCommit** and **tPostgresqlRollback**. It usually doesn't make much sense to use one of these without using a **tPostgresqlConnection** component to open a connection for the current transaction.

For **tPostgresqlConnection** related scenario, see [the section called "tMysqlConnection"](#)

# tPostgresqlInput



## tPostgresqlInput properties

|                         |                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/ PostgreSQL                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Function</b>         | <b>tPostgresqlInput</b> reads a database and extracts fields based on a query.                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>          | <b>tPostgresqlInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         |                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Use an existing connection</i>                                                                                                                                                                     | <p>Select this check box when using a configured <b>tPostgresqlConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                           | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Port</i>                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Database</i>                                                                                                                                                                                       | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Schema</i>                                                                                                                                                                                         | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                           |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
|                          | <i>Table name</i>                                                                                                                                                                                                                                                                                                                                                     | Name of the table to be read.                                                                                                                             |
|                          | <i>Query type and Query</i>                                                                                                                                                                                                                                                                                                                                           | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                |
| <b>Advanced settings</b> | <i>Use cursor</i>                                                                                                                                                                                                                                                                                                                                                     | When selected, helps to decide the row set to work with at a time and thus optimize performance.                                                          |
|                          | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                         |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Remove leading and trailing whitespace from defined columns.                                                                                              |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                         |
| <b>Usage</b>             | This component covers all possible SQL queries for Postgresql databases.                                                                                                                                                                                                                                                                                              |                                                                                                                                                           |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                           |

## Related scenarios


For related scenarios, see:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).


# tPostgresqlOutput



## tPostgresqlOutput properties

|                         |                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Postgresql                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>         | <b>tPostgresqlOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>          | <b>tPostgresqlOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                             | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         |                                                                                                                                                                                  | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Use an existing connection</i>                                                                                                                                                | <p>Select this check box when using a configured <b>tPostgresqlConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                      | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                                                                                                      | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                                                                  | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Schema</i>                                                                                                                                                                    | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                              | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Table</i>                                                                                                                                                                     | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

|  |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>Action on table</i>        | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>Action on data</i>         | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|  | <i>Schema and Edit Schema</i> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  |                               | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <i>Die on error</i>           | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Advanced settings</b> | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.                                                                   |
|                          | <i>Additional Columns</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                 |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                                     |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                          |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                           |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                        |
|                          | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                  |
|                          | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                            |
|                          | <i>Support null in “SQL WHERE” statement</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Select this check box if you want to deal with the Null values contained in a DB table.<br><br> Ensure that the Nullable check box is selected for the corresponding columns in the schema. |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Select this check box to collect log data at the component level.                                                                                                                                                                                                              |
| <b>Usage</b>             | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Postgresql database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                                |
| <b>Limitation</b>        | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                           |                                                                                                                                                                                                                                                                                |

## Related scenarios

For **tPostgresqlOutput** related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tPostgresqlOutputBulk



## tPostgresqlOutputBulk properties

The **tPostgresqlOutputBulk** and **tPostgresqlBulkExec** components are generally used together as part of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tPostgresqlOutputBulkExec** component, detailed in a separate section. The advantage of having two separate steps is that it makes it possible to transform data before it is loaded in the database.

|                          |                                                                                                                                                                  |                                                                                                                                                                                                              |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Postgresql                                                                                                                                             |                                                                                                                                                                                                              |
| <b>Function</b>          | Writes a file with columns based on the defined delimiter and the Postgresql standards                                                                           |                                                                                                                                                                                                              |
| <b>Purpose</b>           | Prepares the file to be used as parameters in the INSERT query to feed the Postgresql database.                                                                  |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                             | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                                  | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>File Name</i>                                                                                                                                                 | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                              |
|                          | <i>Append</i>                                                                                                                                                    | Select this check box to add the new rows at the end of the file                                                                                                                                             |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                    | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                  | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                               |
| <b>Advanced settings</b> | <i>Row separator</i>                                                                                                                                             | String (ex: “\n”on Unix) to distinguish rows.                                                                                                                                                                |
|                          | <i>Field separator</i>                                                                                                                                           | Character, string or regular expression to separate fields.                                                                                                                                                  |
|                          | <i>Include header</i>                                                                                                                                            | Select this check box to include the column header to the file.                                                                                                                                              |
|                          | <i>Encoding</i>                                                                                                                                                  | Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.                                                                                    |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                   | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component is to be used along with <b>tPostgresqlBulkExec</b> component. Used together they offer gains in performance while feeding a Postgresql database. |                                                                                                                                                                                                              |

## Related scenarios

For use cases in relation with **tPostgresqlOutputBulk**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).



# tPostgresqlOutputBulkExec



## tPostgresqlOutputBulkExec properties

The **tPostgresqlOutputBulk** and **tPostgresqlBulkExec** components are generally used together as part of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tPostgresqlOutputBulkExec** component.

|                         |                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Postgresql                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | Executes the Insert action on the data provided.                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during Insert operations to a Postgresql database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                        | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                             | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Host</i>                                                                                                 | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                                 | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                             | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Schema</i>                                                                                               | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Username</i> and <i>Password</i>                                                                         | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Table</i>                                                                                                | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Action on table</i>                                                                                      | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if not exists:</b> The table is created if it does not exist.<br><br><b>Drop a table if exists and create:</b> The table is removed if already exists and created again.<br><br><b>Clear a table:</b> The table content is deleted. |
|                         | <i>File Name</i>                                                                                            | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                        | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                               |

|                          |                                                                                                                        |                                                                                                                                                                                                                                |
|--------------------------|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                        | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                  |
|                          |                                                                                                                        | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                 |
| <b>Advanced settings</b> | <i>Action on data</i>                                                                                                  | On the data of the table defined, you can perform:<br><br><b>Bulk Insert:</b> Add multiple entries to the table. If duplicates are found, job stops.<br><br><b>Bulk Update:</b> Make simultaneous changes to multiple entries. |
|                          | <i>Copy the OID for each row</i>                                                                                       | Retrieve the ID item for each row.                                                                                                                                                                                             |
|                          | <i>Contains a header line with the names of each column in the file</i>                                                | Specify that the table contains header.                                                                                                                                                                                        |
|                          | <i>Encoding</i>                                                                                                        | Select the encoding from the list or select <b>CUSTOM</b> and define it manually. This field is compulsory for DB data handling.                                                                                               |
|                          | <i>File type</i>                                                                                                       | Select the type of file being handled.                                                                                                                                                                                         |
|                          | <i>Null string</i>                                                                                                     | String displayed to indicate that the value is null..                                                                                                                                                                          |
|                          | <i>Row separator</i>                                                                                                   | String (ex: “\n”on Unix) to distinguish rows.                                                                                                                                                                                  |
|                          | <i>Fields terminated by</i>                                                                                            | Character, string or regular expression to separate fields.                                                                                                                                                                    |
|                          | <i>Escape char</i>                                                                                                     | Character of the row to be escaped.                                                                                                                                                                                            |
|                          | <i>Text enclosure</i>                                                                                                  | Character used to enclose text.                                                                                                                                                                                                |
|                          | <i>Activate standard_conforming_string</i>                                                                             | Activate the variable.                                                                                                                                                                                                         |
|                          | <i>Force not null for columns</i>                                                                                      | Define the columns nullability<br><br><b>Force not null::</b> Select the check box next to the column you want to define as not null.                                                                                          |
|                          | <i>tStatCatcher Statistics</i>                                                                                         | Select this check box to collect log data at the component level.                                                                                                                                                              |
| <b>Usage</b>             | This component is mainly used when no particular tranformation is required on the data to be loaded onto the database. |                                                                                                                                                                                                                                |

## Related scenarios

For use cases in relation with **tPostgresqlOutputBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tPostgresqlRollback



## tPostgresqlRollback properties

This component is closely related to **tPostgresqlCommit** and **tPostgresqlConnection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                      |                                                                                                                            |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases                                                                                                                                            |                                                                                                                            |
| <b>Function</b>          | Cancel the transaction commit in the connected DB.                                                                                                   |                                                                                                                            |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                                                |                                                                                                                            |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                | Select the <b>tPostgresqlConnection</b> component in the list if more than one connection are planned for the current Job. |
|                          | <i>Close Connection</i>                                                                                                                              | Clear this check box to continue to use the selected connection once the component has performed its task.                 |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                       | Select this check box to collect log data at the component level.                                                          |
| <b>Usage</b>             | This component is to be used along with Postgresql components, especially with <b>tPostgresqlConnection</b> and <b>tPostgresqlCommit</b> components. |                                                                                                                            |
| <b>Limitation</b>        | n/a                                                                                                                                                  |                                                                                                                            |

## Related scenario


This component is closely related to **tPostgresqlConnection** and **tPostgresqlCommit**. It usually does not make much sense to use one of them without using a **tPostgresqlConnection** component to open a connection for the current transaction.


For **tPostgresqlRollback** related scenario, see [the section called “tMysqlRollback”](#)

# tPostgresqlRow



## tPostgresqlRow properties

|                         |                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Postgresql                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>         | <b>tPostgresqlRow</b> is the specific component for the database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tPostgresqlRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                             | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         |                                                                                                                                                                                                                                                  | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                                | <p>Select this check box and click the relevant <b>tPostgresqlConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                      | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                                                                                                                                                                      | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                                                                                                                                  | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Schema</i>                                                                                                                                                                                                                                    | Name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                              | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Schema using CDC and Edit Schema</i>                                                                                                                                                                                                          | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                          |                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                    | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                    | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Query type</i>                  | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                    | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Query</i>                       | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Die on error</i>                | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i> | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use PreparedStatement</i>       | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStat Catcher Statistics</i>    | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             |                                    | This component offers the flexibility benefit of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tPostgresqlSCD



**tPostgresqlSCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tPostgresqlSCD”](#).

# tPostgresqlSCDELT




**tPostgresqlSCDELT** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tPostgresqlSCDELT”](#).

# tSybaseBulkExec




## tSybaseBulkExec Properties

The **tSybaseOutputBulk** and **tSybaseBulkExec** components are generally used together as parts of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tSybaseOutputBulkExec** component, detailed in a separate section. The advantage of using two separate components is that the data can be transformed before it is loaded in the database.

|                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | Executes the Insert action on the data provided.                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during Insert operations to a Sybase database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                    | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                         | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Use an existing connection</i>                                                                       | <p>Select this check box and click the relevant <b>tSybaseConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Server</i>                                                                                           | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                             | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                         | Database name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Username</i> and <i>Password</i>                                                                     | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |



|                          |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Bcp Utility</i>                       | Name of the utility to be used to copy data over to the Sybase server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Server</i>                            | IP address of the database server for the Bcp utility connection.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Batch size</i>                        | Number of lines in each processed batch.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Table</i>                             | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Action on table</i>                   | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Clear a table:</b> The table content is deleted.</p> <p><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.</p> |
|                          | <i>File Name</i>                         | <p>Name of the file to be processed.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Schema and Edit Schema</i>            | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                    |
|                          |                                          | <b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Advanced settings</b> | <i>Use an interface file</i>             | Select this check box to specify an interface file in the field <b>Interface file</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Additional parameters</i> <i>JDBC</i> | Specify additional connection properties in the existing DB connection, to allow specific character set support. E.G.: CHARSET=KANJISJIS_OS to get support of Japanese characters.                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Action on data</i>                    | <p>On the data of the table defined, you can perform:</p> <p><b>Bulk Insert:</b> Add multiple entries to the table. If duplicates are found, Job stops.</p> <p><b>Bulk Update:</b> Make simultaneous changes to multiple entries.</p>                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Field Terminator</i>                  | <p>Character, string or regular expression to separate fields.</p> <p> <i>With the row/field separators compliant with the Sybase syntax, this component allows for the use of Sybase-orientated characters, such as \x09.</i></p>                                                                                                                                                                                                                                           |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
|                   | <i>Row Terminator</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | String (ex: “\n” in Unix) to separate lines.                                                                                          |
|                   | <i>Head row</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Number of head lines to be ignored in the beginning of a file.                                                                        |
|                   | <i>Encoding</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.      |
|                   | <i>Output</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Select the type of output for the standard output of the Sybase database:<br><br><b>to console,</b><br><br><b>to global variable.</b> |
|                   | <i>tStataCatcher statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                        |
| <b>Usage</b>      | This component is mainly used when no particular transformation is required on the data to be loaded onto the database.                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                       |
| <b>Limitation</b> | <p>As opposed to the Oracle dedicated bulk component, no action on data is possible using this Sybase dedicated component.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                                                                                       |

## Related scenarios

For **tSybaseBulkExec** related topics, see:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tSybaseClose



## tSybaseClose properties

|                          |                                                                                                                                |                                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Function</b>          | tSybaseClose closes the transaction committed in the connected DB.                                                             |                                                                                                                        |
| <b>Purpose</b>           | Close a transaction.                                                                                                           |                                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                          | Select the <b>tSybaseConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                 | Select this check box to collect log data at the component level.                                                      |
| <b>Usage</b>             | This component is to be used along with Sybase components, especially with <b>tSybaseConnection</b> and <b>tSybaseCommit</b> . |                                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                                                            |                                                                                                                        |

## Related scenario


No scenario is available for this component yet.

# tSybaseCommit



## tSybaseCommit Properties

This component is closely related to **tSybaseConnection** and **tSybaseRollback**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Sybase                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Function</b>          | <b>tSybaseCommit</b> validates the data processed through the Job into the connected DB                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tSybaseConnection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close Connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tSybaseCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Usage</b>             | This component is to be used along with Sybase components, especially with <b>tSybaseConnection</b> and <b>tSybaseRollback</b> .                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Related scenario

This component is closely related to **tSybaseConnection** and **tSybaseRollback**. It usually does not make much sense to use one of these without using a **tSybaseConnection** component to open a connection for the current transaction.

For **tSybaseCommit** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tSybaseConnection



## tSybaseConnection Properties

This component is closely related to **tSybaseCommit** and **tSybaseRollback**. It usually does not make much sense to use one of these without using a **tSybaseConnection** component to open a connection for the current transaction.

|                         |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>         | <b>tSybaseConnection</b> opens a connection to the database for a current transaction.                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>          | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                         |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                         | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Usage</b>            | This component is to be used along with Sybase components, especially with <b>tSybaseCommit</b> and <b>tSybaseRollback</b> .                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>       | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                  |


## Related scenarios

For a **tSybaseConnection** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tSybaseInput



## tSybaseInput Properties

|                         |                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | <b>tSybaseInput</b> reads a database and extracts fields based on a query.                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | <b>tSybaseInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                              | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                                                                                   | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Use an existing connection</i>                                                                                                                                                                 | <p>Select this check box and click the relevant <b>tSybaseConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Server</i>                                                                                                                                                                                     | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                                                                                       | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                                                                                   | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Sybase Schema</i>                                                                                                                                                                              | Exact name of the Sybase schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                               | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                              | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                   |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
|                   | <i>Table Name</i>                                                                                                                                                                                                                                                                                                                                                     | Name of the table to read.                                                                                                                                |
|                   | Query type and <i>Query</i>                                                                                                                                                                                                                                                                                                                                           | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                |
| Advanced settings | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                         |
|                   | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Remove leading and trailing whitespace from defined columns.                                                                                              |
|                   | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                         |
| <b>Usage</b>      | This component covers all possible SQL queries for Sybase databases.                                                                                                                                                                                                                                                                                                  |                                                                                                                                                           |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                           |

## Related scenarios




For related topics, see:

- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).




# tSybaseIQBulkExec




## tSybaseIQBulkExec Properties

|                         |                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase IQ                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | <b>tSybaseIQBulkExec</b> uploads a bulk file in a Sybase IQ database.                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during Insert operations to a Sybase IQ database.                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>DB Version</i>                                                                                                                                             | <p>The available Sybase versions are:</p> <ul style="list-style-type: none"> <li>- <b>Sybase IQ 12;</b></li> <li>- <b>Sybase IQ 15.</b></li> </ul> <p> The <b>Sybase IQ 15</b> version is connected to via ODBC while the <b>Sybase IQ 12</b> version is via JDBC, so the fields to be completed on the <b>Basic settings</b> view vary slightly between the alternative versions.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <p><i>Use an existing connection</i></p> <p> <b>Sybase IQ 12 only.</b></p> | <p>Select this check box and click the relevant <b>tSybaseConnection</b> component on the <b>Component List</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                   | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |



|                          |                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |  <i>Sybase IQ 12 only.</i> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Port</i>                                                                                                 | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          |  <i>Sybase IQ 12 only.</i> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Data Source</i>                                                                                          | Select the type of the data source to be used and complete the corresponding DSN information in the field alongside. The available types are:                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          |  <i>Sybase IQ 15 only.</i> | - <b>DSN</b> ;<br>- <b>FILEDSN</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          |                                                                                                             | When the <b>FILEDSN</b> type is used, a three-dot button appears next to the <b>Data Source</b> field to allow you to browse to the data source file of interest.                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Database</i>                                                                                             | Database name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Username</i> and <i>Password</i>                                                                         | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Table</i>                                                                                                | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Action on table</i>                                                                                      | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create table:</b> The table is removed and created again.<br><br><b>Create table:</b> The table does not exist and gets created.<br><br><b>Create table if not exists:</b> The table is created if it does not exist.<br><br><b>Clear table:</b> The table content is deleted.<br><br><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation. |
|                          | <i>Local filename</i>                                                                                       | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                        | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                     |
|                          |                                                                                                             | <b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Advanced settings</b> | <i>Additional Parameters</i> <i>JDBC</i>                                                                    | Specify additional connection properties in the existing DB connection, to allow specific character set support.                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Lines terminated by</i>                                                                                  | Character or sequence of characters used to separate lines.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Field Terminated by</i>                                                                                  | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                              |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  With the row/field separators compliant with the Sybase syntax, this component allows the use of Sybase-oriented separators, such as \x09. |
|                   | <i>Use enclosed quotes</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Select this check box to use data enclosure characters.                                                                                                                                                                      |
|                   | <i>Use fixed length</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Select this check box to set a fixed width for data lines.                                                                                                                                                                   |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Select this check box to gather the job processing metadata at a job level as well as at each component level.                                                                                                               |
| <b>Usage</b>      | This dedicated component offers performance and flexibility of Sybase IQ DB query handling.                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                              |
| <b>Limitation</b> | <p>As opposed to the Oracle dedicated bulk component, no action on data is possible using this Sybase dedicated component.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                                                                                                                                                                              |

## Related scenarios




For **tSybaseIQBulkExec** related topics, see:




- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).


# tSybaseIQOutputBulkExec



## tSybaseIQOutputBulkExec properties

|                         |                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase IQ                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | Executes the Insert action on the data provided.                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during Insert operations to a Sybase IQ database.                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                          | Either <b>Built-in</b> or <b>Repository</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         |                                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         |                                                                                                                                                               | <b>Repository:</b> Select the repository file in which the properties are stored. The fields that follow are completed automatically using the data retrieved.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>DB Version</i>                                                                                                                                             | <p>The available Sybase versions are:</p> <ul style="list-style-type: none"> <li>- <b>Sybase IQ 12;</b></li> <li>- <b>Sybase IQ 15.</b></li> </ul> <p> The <b>Sybase IQ 15</b> version is connected to via ODBC while the <b>Sybase IQ 12</b> version is via JDBC, so the fields to be completed on the <b>Basic settings</b> view vary slightly between the alternative versions.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <p><i>Use an existing connection</i></p> <p> <i>Sybase IQ 12 only.</i></p> | <p>Select this check box and click the relevant <b>tSybaseConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information</p> |

|  |                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |                                                                                                                                   | about <b>Dynamic settings</b> , see your studio user guide.                                                                                                                                                                                                                                                                                                                                                                            |
|  | <i>Host</i><br> <i>Sybase IQ 12 only.</i>        | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                            |
|  | <i>Port</i><br> <i>Sybase IQ 12 only.</i>        | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                    |
|  | <i>Data Source</i><br> <i>Sybase IQ 15 only.</i> | Select the type of the data source to be used and complete the corresponding DSN information in the field alongside. The available types are:<br><br>- <b>DSN</b> ;<br><br>- <b>FILEDSN</b> .<br><br>When the <b>FILEDSN</b> type is used, a three-dot button appears next to the <b>Data Source</b> field to allow you to browse to the data source file of interest.                                                                 |
|  | <i>Database</i>                                                                                                                   | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                   |
|  | <i>Username and Password</i>                                                                                                      | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                           |
|  | <i>Table</i>                                                                                                                      | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                  |
|  | <i>Action on table</i>                                                                                                            | On the table defined, you can perform one of the following operations:<br><br><b>None</b> : No operation is carried out.<br><br><b>Drop and create a table</b> : The table is removed and created again.<br><br><b>Create a table</b> : The table does not exist and gets created.<br><br><b>Create a table if not exists</b> : The table is created if it does not exist.<br><br><b>Clear a table</b> : The table content is deleted. |
|  | <i>File Name</i>                                                                                                                  | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                        |
|  | <i>Append the file</i>                                                                                                            | select this check box to add the new rows at the end of the records.                                                                                                                                                                                                                                                                                                                                                                   |
|  | <i>Schema and Edit Schema</i>                                                                                                     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either <b>Built-in</b> or stored remotely in the <b>Repository</b> .                                                                                                                                                                                                                           |
|  |                                                                                                                                   | <b>Built-in</b> : You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                              |

|                          |                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                         | <b>Repository:</b> You have already created and stored the schema in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Advanced settings</b> | <i>Additional Parameters</i> <i>JDBC</i>                                                                                | Specify additional connection properties in the existing DB connection, to allow specific character set support.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Fields terminated by</i>                                                                                             | Character, string or regular expression to separate fields.<br><br> <i>As a combination of <b>tSybaseOutputBulk</b> and <b>tSybaseIQBulkExec</b>, this component does not allow the use of Sybase-oriented row/field separators, such as \x09. To achieve the desired effect (for example, displaying fields in the tabular form), you need to use <b>tSybaseOutputBulk</b> and <b>tSybaseIQBulkExec</b> together to replace <b>tSybaseIQOutputBulkExec</b>, with \t used in the former component and \x09 used in the latter.</i> |
|                          | <i>Lines terminated by</i>                                                                                              | Character or sequence of characters used to separate lines.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Use enclose quotes</i>                                                                                               | Select this check box to use data enclosure characters.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Include Head</i>                                                                                                     | Select this check box to include the column header.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Encoding</i>                                                                                                         | Select the encoding type from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>tStatCatcher Statistics</i>                                                                                          | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This component is mainly used when no particular transformation is required on the data to be loaded onto the database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Limitation</b>        | n/a                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Related scenarios


For use cases in relation with **tSybaseIQOutputBulkExec**, see the following scenarios:


- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).


# tSybaseOutput



## tSybaseOutput Properties

|                         |                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | <b>tSybaseOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | <b>tSybaseOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Use an existing connection</i>                                                                                                                                            | <p>Select this check box and click the relevant <b>tSybaseConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Server</i>                                                                                                                                                                | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                                                                  | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Database</i>                                                                                                                                                              | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Sybase Schema</i>                                                                                                                                                         | Exact name of the Sybase schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                          | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Table</i>                                                                                                                                                                 | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Action on table</i>                                                                                                                                                       | On the table defined, you can perform one of the following operations:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|  |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |                                | <p><b>Default:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p> <p><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|  | <i>Turn on identity insert</i> | Select this check box to use your own sequence for the identity value of the inserted records (instead of having the SQL Server pick the next sequential value).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|  | <i>Action on data</i>          | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|  | <i>Schema and Edit schema</i>  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|  |                                | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|  | <i>Die on error</i>            | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Advanced settings</b> | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.                                                                                                                                                                                                                                                                              |
|                          | <i>Additional Columns</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                                                                                                                            |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                                                                                                                                                                                                                                                |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                                                                                                                     |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                                                                                                                      |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use batch size</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Select this check box to activate the batch mode for data processing. In the <b>Batch Size</b> field that appears when this check box is selected, you can type in the number you need to define the batch size to be processed.<br><br> This check box is available only when you have selected the <b>Insert</b> , the <b>Update</b> or the <b>Delete</b> option in the <b>Action on data</b> field. |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Usage</b>             | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Sybase database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## Related scenarios

For use cases in relation with **tSybaseOutput**, see:




- the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”.
- the section called “Scenario 1: Adding a new column and altering data in a DB table”.

# tSybaseOutputBulk



## tSybaseOutputBulk properties

The **tSybaseOutputBulk** and **tSybaseBulkExec** components are generally used together as parts of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tSybaseOutputBulkExec** component, detailed in a separate section. The advantage of using two separate components is that the data can be transformed before it is loaded in the database.

|                          |                                                                                            |                                                                                                                                                                                                                                                                                                  |
|--------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Sybase                                                                           |                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | Writes a file with columns based on the defined delimiter and the Sybase standards         |                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | Prepares the file to be used as parameter in the INSERT query to feed the Sybase database. |                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                       | Either <b>Built-in</b> or <b>Repository</b> .                                                                                                                                                                                                                                                    |
|                          |                                                                                            | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                              |
|                          |                                                                                            | <b>Repository:</b> Select the repository file in which the properties are stored. The fields that follow are completed automatically using the data retrieved.                                                                                                                                   |
|                          | <i>File Name</i>                                                                           | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                  |
|                          | <i>Append</i>                                                                              | Select this check box to add the new rows at the end of the file.                                                                                                                                                                                                                                |
|                          | <i>Schema and Edit Schema</i>                                                              | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either <b>Built-in</b> or stored remotely in the <b>Repository</b> .                                                                                     |
|                          |                                                                                            | <b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                         |
|                          |                                                                                            | <b>Repository:</b> You have already created and stored the schema in the Repository, hence can be reused in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                             |
| <b>Advanced settings</b> | <i>Row separator</i>                                                                       | String (ex: “\n” on Unix) to distinguish rows.                                                                                                                                                                                                                                                   |
|                          | <i>Field separator</i>                                                                     | Character, string or regular expression to separate fields.<br><br> <i>Fully in line with the Java syntax, this component does not allow the use of Sybase-orientated row/field separators, such as \x09.</i> |
|                          | <i>Include header</i>                                                                      | Select this check box to include the column header in the file.                                                                                                                                                                                                                                  |

|              |                                                                                                                                                          |                                                                                                                           |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
|              | <i>Encoding</i>                                                                                                                                          | Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling. |
|              | <i>tStatCatcher Statistics</i>                                                                                                                           | Select this check box to collect log data at the component level                                                          |
| <b>Usage</b> | This component is to be used along with <b>tSybaseBulkExec</b> component. Used together they offer gains in performance while feeding a Sybase database. |                                                                                                                           |

## Related scenarios

For use cases in relation with **tSybaseOutputBulk**, see the following scenarios:


- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).


# tSybaseOutputBulkExec



## tSybaseOutputBulkExec properties

The **tSybaseOutputBulk** and **tSybaseBulkExec** components are generally used together as parts of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tSybaseOutputBulkExec** component.

|                         |                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | Executes the Insert action on the data provided.                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during Insert operations to a Sybase database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                    | Either <b>Built-in</b> or <b>Repository</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         |                                                                                                         | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                         | <b>Repository:</b> Select the repository file in which the properties are stored. The fields that follow are completed automatically using the data retrieved.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Use an existing connection</i>                                                                       | <p>Select this check box and click the relevant <b>tSybaseConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Server</i>                                                                                           | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                             | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                         | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username</i> and <i>Password</i>                                                                     | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Bcp utility</i>                | Name of the utility to be used to copy data over to the Sybase server.                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Batch row number</i>           | Number of lines in each processed batch.                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Table</i>                      | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                    |
|                          | <i>Action on table</i>            | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Clear a table:</b> The table content is deleted.</p> |
|                          | <i>File Name</i>                  | <p>Name of the file to be processed.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Append</i>                     | Select this check box to add the new rows at the end of the records.                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Schema and Edit Schema</i>     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either <b>Built-in</b> or stored remotely in the <b>Repository</b> .                                                                                                                                                                                                                             |
|                          |                                   | <b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                 |
|                          |                                   | <b>Repository:</b> You have already created and stored the schema in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                         |
| <b>Advanced settings</b> | <i>Use an interface file</i>      | Select this check box to specify an interface file in the field <b>Interface file</b> .                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Additional JDBC parameters</i> | Specify additional connection properties in the existing DB connection, to allow specific character set support. E.G.: CHARSET=KANJISJIS_OS to get support of Japanese characters.                                                                                                                                                                                                                                                       |
|                          | <i>Action on data</i>             | <p>On the data of the table defined, you can perform:</p> <p><b>Bulk Insert:</b> Add multiple entries to the table. If duplicates are found, job stops.</p> <p><b>Bulk Update:</b> Make simultaneous changes to multiple entries.</p>                                                                                                                                                                                                    |
|                          | <i>Field terminator</i>           | <p>Character, string or regular expression to separate fields.</p> <p> <i>As a combination of tSybaseOutputBulk and tSybaseBulkExec, this component does not allow the use of Sybase-oriented row/field separators,</i></p>                                                                                                                           |

|                   |                                                                                                                         |                                                                                                                                                                                                                                                                                            |
|-------------------|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                         | such as \x09. To achieve the desired effect (for example, displaying fields in the tabular form), you need to use <b>tSybaseOutputBulk</b> and <b>tSybaseBulkExec</b> together to replace <b>tSybaseOutputBulkExec</b> , with \t used in the former component and \x09 used in the latter. |
|                   | <i>DB Row terminator</i>                                                                                                | String (ex: “\n” on Unix) to distinguish rows in the DB.                                                                                                                                                                                                                                   |
|                   | <i>First row NO. of file</i>                                                                                            | Type in the number of the file row where the action should start at.                                                                                                                                                                                                                       |
|                   | <i>FILE Row terminator</i>                                                                                              | Character, string or regular expression to separate fields in a file.                                                                                                                                                                                                                      |
|                   | <i>Include Head</i>                                                                                                     | Select this check box to include the column header.                                                                                                                                                                                                                                        |
|                   | <i>Encoding</i>                                                                                                         | Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.                                                                                                                                                                  |
|                   | <i>Output</i>                                                                                                           | Select the type of output for the standard output of the Sybase database:<br><br><b>to console,</b><br><br><b>to global variable.</b>                                                                                                                                                      |
|                   | <i>tStatCatcher Statistics</i>                                                                                          | Select this check box to collect log data at the component level.                                                                                                                                                                                                                          |
| <b>Usage</b>      | This component is mainly used when no particular transformation is required on the data to be loaded onto the database. |                                                                                                                                                                                                                                                                                            |
| <b>Limitation</b> | n/a                                                                                                                     |                                                                                                                                                                                                                                                                                            |

## Related scenarios

For use cases in relation with **tSybaseOutputBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tSybaseRollback



## tSybaseRollback properties

This component is closely related to **tSybaseCommit** and **tSybaseConnection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                |                                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Sybase                                                                                                               |                                                                                                                        |
| <b>Function</b>          | <b>tSybaseRollback</b> cancels the transaction committed in the connected DB.                                                  |                                                                                                                        |
| <b>Purpose</b>           | This component avoids to commit part of a transaction involuntarily.                                                           |                                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                          | Select the <b>tSybaseConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                        | Clear this check box to continue to use the selected connection once the component has performed its task.             |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                 | Select this check box to collect log data at the component level.                                                      |
| <b>Usage</b>             | This component is to be used along with Sybase components, especially with <b>tSybaseConnection</b> and <b>tSybaseCommit</b> . |                                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                                                            |                                                                                                                        |


## Related scenarios

For **tSybaseRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).


# tSybaseRow



## tSybaseRow Properties

|                         |                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | <b>tSybaseRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tSybaseRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                             | <p>Select this check box and click the relevant <b>tSybaseConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Server</i>                                                                                                                                                                                                                                 | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                                                                                                                                                                   | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                                                                                                                                                               | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Sybase Schema</i>                                                                                                                                                                                                                          | Exact name of the sybase schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Table Name</i>                                                                                                                                                                                                                             | Name of the table to be processed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |



|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Turn on identity insert</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to use your own sequence for the identity value of the inserted records (instead of having the SQL Server pick the next sequential value).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Query type</i>                                                                                                                                                                                                                                                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Query</i>                                                                                                                                                                                                                                                                                                                                                          | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                                                                                                                                                    | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use PreparedStatement</i>                                                                                                                                                                                                                                                                                                                                          | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                   | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## Related scenarios

For **tSybaseRow** related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tSybaseSCD



**tSybaseSCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tSybaseSCD”](#).

# tSybaseSCDELT





**tSybaseSCDELT** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tSybaseSCDELT”](#).

# tSybaseSP



## tSybaseSP properties

|                         |                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Sybase                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | <b>tSybaseSP</b> calls the database stored procedure.                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | <b>tSybaseSP</b> offers a convenient way to centralize multiple or complex queries in a database and call them easily. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                                        | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Use an existing connection</i>                                                                                      | <p>Select this check box and click the relevant <b>tSybaseConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                            | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                                            | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Database</i>                                                                                                        | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Username and Password</i>                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Schema and Edit Schema</i>                                                                                          | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>SP Name</i>                                                                                                                                                                                                                                                                                                                                                                                                                              | Type in the exact name of the Stored Procedure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Is Function / Return result in</i>                                                                                                                                                                                                                                                                                                                                                                                                       | Select this check box, if a value is to be returned.<br><br>Select on the list the schema column, the value to be returned is based on.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Timeout Interval</i>                                                                                                                                                                                                                                                                                                                                                                                                                     | Maximum waiting time for the results of the stored procedure.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Parameters</i>                                                                                                                                                                                                                                                                                                                                                                                                                           | Click the Plus button and select the various <b>Schema Columns</b> that will be required by the procedures. Note that the SP schema can hold more columns than there are parameters used in the procedure.<br><br>Select the <b>Type</b> of parameter:<br><br><b>IN:</b> Input parameter<br><br><b>OUT:</b> Output parameter/return value<br><br><b>IN OUT:</b> Input parameters is to be returned as value, likely after modification through the procedure (function).<br><br><b>RECORDSET:</b> Input parameters is to be returned as a set of values, rather than single value.<br><br> Check the <b>tPostgresqlCommit</b> component if you want to analyze a set of records from a database table or DB query and return single records. |
| <b>Advanced settings</b> | <i>Use Multiple SELECT Procedure</i>                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to use procedures which contain multiple SELECT statements.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                              | Select this check box to gather the Job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Usage</b>             | This component is used as intermediary component. It can be used as start component but only input parameters are thus allowed.                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Limitation</b>        | The Stored Procedures syntax should match the Database syntax.<br><br>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Related scenarios

For related topic, see [the section called “Scenario: Finding a State Label using a stored procedure”](#).

Check [the section called “tMysqlConnection”](#) as well if you want to analyze a set of records from a database table or DB query and return single records.

# Databases - appliance/datawarehouse components

This chapter describes connectors for specific databases oriented to the processing of large volume of data. These connectors cover various needs, including: opening connections, reading and writing tables, committing transactions as a whole, and performing rollback for error handling. These components can be found in the **Databases** family in the **Palette** of *Talend Open Studio for Big Data*.

Other types of database connectors, such as connectors for traditional databases and database management, are documented in [Databases - traditional components](#) and [Databases - other components](#).




For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tGreenplumBulkExec



## tGreenplumBulkExec Properties

The **tGreenplumOutputBulk** and **tGreenplumBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT statement used to feed a database. These two steps are fused together in the **tGreenplumOutputBulkExec** component, detailed in a separate section. The advantage using a two step process is that it makes it possible to transform data before it is loaded in the database.

|                         |                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/Greenplum                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Function</b>         | <b>tGreenplumBulkExec</b> performs an Insert action on the data.                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Purpose</b>          | <b>tGreenplumBulkExec</b> is a component which is specifically designed to improve performance when loading data in ParAccel database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         |                                                                                                                                        | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Use an existing connection</i>                                                                                                      | <p>Select this check box if you use a configured <b>tGreenplumConnection</b>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                            | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Port</i>                                                                                                                            | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Database</i>                                                                                                                        | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Schema</i>                                                                                                                          | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i> and <i>Password</i>                                                                                                    | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |



|                          |                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Table</i>                                                            | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Action on table</i>                                                  | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p> |
|                          | <i>Filename</i>                                                         | Path and name of the file to be processed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Schema and Edit Schema</i>                                           | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                           |
|                          |                                                                         | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Advanced settings</b> | <i>Action on data</i>                                                   | <p>Select the operation you want to perform:</p> <p><b>Bulk insert Bulk update</b> The details asked will be different according to the action chosen.</p>                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Copy the OID for each row</i>                                        | Retrieve the ID item for each row.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Contains a header line with the names of each column in the file</i> | Specify that the table contains header.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>File type</i>                                                        | Select the file type to process.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Null string</i>                                                      | String displayed to indicate that the value is null.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Fields terminated by</i>                                             | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Escape char</i>                                                      | Character of the row to be escaped                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Text enclosure</i>                                                   | Character used to enclose text.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Force not null for columns</i>                                       | <p>Define the columns nullability</p> <p><b>Force not null::</b> Select the check box next to the column you want to define as not null.</p>                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>tStat Catcher Statistics</i>                                         | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Usage</b>             |                                                                         | This component is generally used with a <b>tGreenplumOutputBulk</b> component. Used together they offer gains in performance while feeding a Greenplum database.                                                                                                                                                                                                                                                                                                                                                                                       |

## Related scenarios

For more information about **tGreenplumBulkExec**, see:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tGreenplumClose



## tGreenplumClose properties

|                          |                                                                                                                                         |                                                                                                                           |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Greenplum                                                                                                                     |                                                                                                                           |
| <b>Function</b>          | <b>tGreenplumClose</b> closes the transaction committed in the connected DB.                                                            |                                                                                                                           |
| <b>Purpose</b>           | Close a transaction.                                                                                                                    |                                                                                                                           |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                   | Select the <b>tGreenplumConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                          | Select this check box to collect log data at the component level.                                                         |
| <b>Usage</b>             | This component is to be used along with Greenplum components, especially with <b>tGreenplumConnection</b> and <b>tGreenplumCommit</b> . |                                                                                                                           |
| <b>Limitation</b>        | n/a                                                                                                                                     |                                                                                                                           |

## Related scenario


No scenario is available for this component yet.

# tGreenplumCommit



## tGreenplumCommit Properties

This component is closely related to **tGreenplumConnection** and **tGreenplumRollback**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Greenplum                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>          | Validates the data processed through the Job into the connected DB.                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tGreenplumConnection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close Connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tGreenplumCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Usage</b>             | This component is to be used along with Greenplum components, especially with <b>tGreenplumConnection</b> and <b>tGreenplumRollback</b> components.                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

## Related scenario

This component is closely related to **tGreenplumConnection** and **tGreenplumRollback**. It usually doesn't make much sense to use one of these without using a **tGreenplumConnection** component to open a connection for the current transaction.

For **tGreenplumCommit** related scenario, see [the section called “tMysqlConnection”](#)

# tGreenplumConnection



## tGreenplumConnection properties

This component is closely related to **tGreenplumCommit** and **tGreenplumRollback**. It usually does not make much sense to use one of these without using a **tGreenplumConnection** to open a connection for the current transaction.

|                          |                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Greenplum                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | <b>tGreenplumConnection</b> opens a connection to the database for a current transaction.                                                     |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated. |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>Host</i>                                                                                                                                   | Database server IP address.                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Port</i>                                                                                                                                   | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                          | <i>Database</i>                                                                                                                               | Name of the database.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Schema</i>                                                                                                                                 | Exact name of the schema.                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Username</i> and <i>Password</i>                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                 | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Auto commit</i>                                                                                                                            | Select this check box to automatically commit a transaction when it is completed.                                                                                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                | Select this check box to gather the job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This component is to be used along with Greenplum components, especially with <b>tGreenplumCommit</b> and <b>tGreenplumRollback</b> .         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | n/a                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenarios

This component is closely related to **tGreenplumCommit** and **tGreenplumRollback**. It usually does not make much sense to use one of these without using a **tGreenplumConnection** component to open a connection for the current transaction.

For **tGreenplumConnection** related scenario, see [the section called “tMysqlConnection”](#)



# tGreenplumGpload




This component invokes Greenplum's gpload utility to insert records into a Greenplum database. This component can be used either in standalone mode, loading from an existing data file, or connected to an input flow to load data from the connected component.

## tGreenplumGpload properties

|                         |                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Greenplum                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Function</b>         | <b>tGreenplumGpload</b> inserts data into a Greenplum database table using Greenplum's gpload utility.                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Purpose</b>          | This component is used to bulk load data into a Greenplum table either from an existing data file, an input flow, or directly from a data flow in streaming mode through a named-pipe. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         |                                                                                                                                                                                        | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Host</i>                                                                                                                                                                            | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Port</i>                                                                                                                                                                            | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Database</i>                                                                                                                                                                        | Name of the Greenplum database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema</i>                                                                                                                                                                          | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                    | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Table</i>                                                                                                                                                                           | Name of the table into which the data is to be inserted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Action on table</i>                                                                                                                                                                 | <p>On the table defined, you can perform one of the following operations before loading the data:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Clear table:</b> The table content is deleted before the data is loaded.</p> <p><b>Create table:</b> The table does not exist and gets created.</p> <p><b>Create table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop and create table:</b> The table is removed and created again.</p> <p><b>Drop table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.</p> |
|                         | <i>Action on data</i>                                                                                                                                                                  | On the data of the table defined, you can perform:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|  |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |                               | <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries.</p> <p><b>Merge:</b> Updates or adds data to the table.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Merge</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). To define the <b>Update/Merge options</b>, select in the <b>Match Column</b> column the check boxes corresponding to the column names that you want to use as a base for the <b>Update</b> and <b>Merge</b> operations, and select in the <b>Update Column</b> column the check boxes corresponding to the column names that you want to update. To define the <b>Update condition</b>, type in the condition that will be used to update the data.</i></p> |
|  | <i>Schema and Edit schema</i> | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|  |                               | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|  | <i>Data file</i>              | Full path to the data file to be used. If this component is used in standalone mode, this is the name of an existing data file to be loaded into the database. If this component is connected with an input flow, this is the name of the file to be generated and written with the incoming data to later be used with gpload to load into the database. This field is hidden when the <b>Use named-pipe</b> check box is selected.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|  | <i>Use named-pipe</i>         | <p>Select this check box to use a named-pipe. This option is only applicable when the component is connected with an input flow. When this check box is selected, no data file is generated and the data is transferred to gpload through a named-pipe. This option greatly improves performance in both Linux and Windows.</p> <p> This component on named-pipe mode uses a JNI interface to create and write to a named-pipe on any Windows platform. Therefore the path to the associated JNI DLL must be configured inside the java library path. The component comes with two DLLs for both 32 and 64 bit operating systems that are automatically provided in the Studio with the component.</p>                                                                                                                                                                                                                                             |
|  | <i>Named-pipe name</i>        | Specify a name for the named-pipe to be used. Ensure that the name entered is valid.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|  | <i>Die on error</i>           | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |



|                          |                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                   | free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Advanced settings</b> | <i>Use existing control file (YAML formatted)</i> | Select this check box to provide a control file to be used with the gpload utility instead of specifying all the options explicitly in the component. When this check box is selected, <b>Data file</b> and the other gpload related options no longer apply. Refer to Greenplum's gpload manual for details on creating a control file.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Control file</i>                               | Enter the path to the control file to be used, between double quotation marks, or click [...] and browse to the control file. This option is passed on to the gpload utility via the <i>-f</i> argument.                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>CSV mode</i>                                   | Select this check box to include CSV specific parameters such as <b>Escape char</b> and <b>Text enclosure</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Field separator</i>                            | Character, string, or regular expression used to separate fields.<br><br> <i>This is gpload's delim argument. The default value is  . To improve performance, use the default value.</i>                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Escape char</i>                                | Character of the row to be escaped.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Text enclosure</i>                             | Character used to enclose text.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Header (skips the first row of data file)</i>  | Select this check box to skip the first row of the data file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Additional options</i>                         | Set the gpload arguments in the corresponding table. Click [+] as many times as required to add arguments to the table. Click the <b>Parameter</b> field and choose among the arguments from the list. Then click the corresponding <b>Value</b> field and enter a value between quotation marks.                                                                                                                                                                                                                                                                                                                                                                   |
|                          |                                                   | <b>LOCAL_HOSTNAME</b> : The host name or IP address of the local machine on which gpload is running. If this machine is configured with multiple network interface cards (NICs), you can specify the host name or IP of each individual NIC to allow network traffic to use all NICs simultaneously. By default, the local machine's primary host name or IP is used.                                                                                                                                                                                                                                                                                               |
|                          |                                                   | <b>PORT (gpfdist port)</b> : The specific port number that the gpfdist file distribution program should use. You can also specify a <b>PORT_RANGE</b> to select an available port from the specified range. If both <b>PORT</b> and <b>PORT_RANGE</b> are defined, then <b>PORT</b> takes precedence. If neither <b>PORT</b> or <b>PORT_RANGE</b> is defined, an available port between 8000 and 9000 is selected by default. If multiple host names are declared in <b>LOCAL_HOSTNAME</b> , this port number is used for all hosts. This configuration is desired if you want to use all NICs to load the same file or set of files in a given directory location. |
|                          |                                                   | <b>PORT_RANGE</b> : Can be used instead of <b>PORT (gpfdist port)</b> to specify a range of port numbers from which gpload can choose an available port for this instance of the gpfdist file distribution program.                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          |                                                   | <b>NULL_AS</b> : The string that represents a null value. The default is \N (backslash-N) in TEXT mode, and an empty                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                   |                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                            | value with no quotation marks in CSV mode. Any source data item that matches this string will be considered a null value.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                   |                                                                                                                                                                                                                                                                                                                                                                            | <b>FORCE_NOT_NULL</b> : In CSV mode, processes each specified column as though it were quoted and hence not a NULL value. For the default null string in CSV mode (nothing between two delimiters), this causes missing values to be evaluated as zero-length strings.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                   |                                                                                                                                                                                                                                                                                                                                                                            | <b>ERROR_LIMIT (2 or higher)</b> : Enables single row error isolation mode for this load operation. When enabled and the error limit count is not reached on any Greenplum segment instance during input processing, all good rows will be loaded and input rows that have format errors will be discarded or logged to the table specified in <b>ERROR_TABLE</b> if available. When the error limit is reached, input rows that have format errors will cause the load operation to abort. Note that single row error isolation only applies to data rows with format errors, for example, extra or missing attributes, attributes of a wrong data type, or invalid client encoding sequences. Constraint errors, such as primary key violations, will still cause the load operation to abort if encountered. When this option is not enabled, the load operation will abort on the first error encountered. |
|                   |                                                                                                                                                                                                                                                                                                                                                                            | <b>ERROR_TABLE</b> : When <b>ERROR_LIMIT</b> is declared, specifies an error table where rows with formatting errors will be logged when running in single row error isolation mode. You can then examine this error table to see error rows that were not loaded (if any).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                   | <i>Log file</i>                                                                                                                                                                                                                                                                                                                                                            | Browse to or enter the access path to the log file in your directory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                   | <i>Encoding</i>                                                                                                                                                                                                                                                                                                                                                            | Define the encoding type manually in the field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                   | <i>Specify gpload path</i>                                                                                                                                                                                                                                                                                                                                                 | Select this check box to specify the full path to the gpload executable. You must check this option if the gpload path is not specified in the PATH environment variable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                   | <i>Full path to gpload executable</i>                                                                                                                                                                                                                                                                                                                                      | Full path to the gpload executable on the machine in use. It is advisable to specify the gpload path in the PATH environment variable instead of selecting this option.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Usage</b>      | <p>This component is mainly used when no particular transformation is required on the data to be loaded on to the database.</p> <p>This component can be used as a standalone or an output component.</p>                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Limitation</b> | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## Related scenario

For a related use case, see [the section called “Scenario: Inserting data in MySQL database”](#).

# tGreenplumInput



## tGreenplumInput properties

|                          |                                                                                                                                                                                                             |                                                                                                                                                                                                              |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Greenplum                                                                                                                                                                                         |                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tGreenplumInput</b> reads a database and extracts fields based on a query.                                                                                                                               |                                                                                                                                                                                                              |
| <b>Purpose</b>           | <b>tGreenplumInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a <b>Main row</b> link. |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                        | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                                                                             | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>Host</i>                                                                                                                                                                                                 | Database server IP address.                                                                                                                                                                                  |
|                          | <i>Port</i>                                                                                                                                                                                                 | Listening port number of DB server.                                                                                                                                                                          |
|                          | <i>Database</i>                                                                                                                                                                                             | Name of the database.                                                                                                                                                                                        |
|                          | <i>Schema</i>                                                                                                                                                                                               | Exact name of the schema.                                                                                                                                                                                    |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                         | DB user authentication data.                                                                                                                                                                                 |
|                          | <i>Schema</i> and <i>Edit schema</i>                                                                                                                                                                        | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                             | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Query type</i> and <i>Query</i>                                                                                                                                                                          | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                   |
|                          | <i>Guess Query</i>                                                                                                                                                                                          | Click the <b>Guess Query</b> button to generate the query which corresponds to your table schema in the Query field.                                                                                         |
|                          | <i>Guess schema</i>                                                                                                                                                                                         | Click the <b>Guess schema</b> button to retrieve the table schema.                                                                                                                                           |
| <b>Advanced settings</b> | <i>Use cursor</i>                                                                                                                                                                                           | When selected, helps to decide the row set to work with at a time and thus optimize performance.                                                                                                             |
|                          | <i>Trim all the String/Char columns</i>                                                                                                                                                                     | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                            |
|                          | <i>Trim column</i>                                                                                                                                                                                          | Remove leading and trailing whitespace from defined columns.                                                                                                                                                 |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                             | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component covers all possible SQL queries for FireBird databases.                                                                                                                                      |                                                                                                                                                                                                              |

## Related scenarios

For related topics, see the **tDBInput** scenarios:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).


See also related topic: [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).

# tGreenplumOutput



## tGreenplumOutput Properties

|                         |                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/Greenplum                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>         | <b>tGreenplumOutput</b> writes, updates, modifies or deletes the data in a database.                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>          | <b>tGreenplumOutput</b> executes the action defined on the table and/or on the data of a table, according to the input flow from the previous component. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         |                                                                                                                                                          | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Use an existing connection</i>                                                                                                                        | <p>Select this check box if you use a configured <b>tGreenplumConnection</b>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                              | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Port</i>                                                                                                                                              | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Database</i>                                                                                                                                          | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                      | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Table</i>                                                                                                                                             | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Action on table</i>                                                                                                                                   | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                          |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                               | <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Action on data</i>         | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|                          | <i>Schema and Edit Schema</i> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          |                               | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Die on error</i>           | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Advanced settings</b> | <i>Commit every</i>           | <p>Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|              |                                 |                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              | <i>Additional Columns</i>       | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                                          |
|              |                                 | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                                                                                                                                                              |
|              |                                 | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                                   |
|              |                                 | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                                    |
|              |                                 | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                                 |
|              | <i>Use field options</i>        | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                                                                                                                           |
|              | <i>tStat Catcher Statistics</i> | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                       |
| <b>Usage</b> |                                 | This component covers all possible SQL queries for Greenplum databases. It allows you to carry out actions on a table or on the data of a table in a Greenplum database. It enables you to create a reject flow, with a <b>Row &gt; Rejects</b> link filtering the data in error. For a usage example, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a> . |

## Related scenarios

For a related scenario, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tGreenplumOutputBulk



## tGreenplumOutputBulk properties

The **tGreenplumOutputBulk** and **tGreenplumBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tGreenplumOutputBulkExec** component, detailed in a separate section. The advantage of using a two step process is that it makes it possible to transform data before it is loaded in the database.

|                          |                                                                                                                                                                |                                                                                                                                                                                                              |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Greenplum                                                                                                                                            |                                                                                                                                                                                                              |
| <b>Function</b>          | Writes a file with columns based on the defined delimiter and the Greenplum standards                                                                          |                                                                                                                                                                                                              |
| <b>Purpose</b>           | Prepares the file to be used as parameter in the INSERT query to feed the Greenplum database.                                                                  |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                           | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                                | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>File Name</i>                                                                                                                                               | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                              |
|                          | <i>Append</i>                                                                                                                                                  | Select this check box to add the new rows at the end of the records                                                                                                                                          |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                               |
| <b>Advanced settings</b> | <i>Row separator</i>                                                                                                                                           | String (ex: “\n”on Unix) to distinguish rows.                                                                                                                                                                |
|                          | <i>Field separator</i>                                                                                                                                         | Character, string or regular expression to separate fields.                                                                                                                                                  |
|                          | <i>Include header</i>                                                                                                                                          | Select this check to include the column header.                                                                                                                                                              |
|                          | <i>Encoding</i>                                                                                                                                                | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                             |
|                          | <i>tStatcher statistics</i>                                                                                                                                    | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component is to be used along with <b>tGreenplumBulkExec</b> component. Used together they offer gains in performance while feeding a Greenplum database. |                                                                                                                                                                                                              |



## Related scenarios

For use cases in relation with **tGreenplumOutputBulk**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).

# tGreenplumOutputBulkExec



## tGreenplumOutputBulkExec properties

The **tGreenplumOutputBulk** and **tGreenplumBulkExec** components are used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tGreenplumOutputBulkExec** component.

|                         |                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Greenplum                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Function</b>         | Executes the action on the data provided.                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during Insert operations to a Greenplum database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                       | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                             |
|                         |                                                                                                            | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Host</i>                                                                                                | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Port</i>                                                                                                | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Database name</i>                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Schema</i>                                                                                              | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i> and <i>Password</i>                                                                        | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Table</i>                                                                                               | Name of the table to be written.<br><br>Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Action on table</i>                                                                                     | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if not exists:</b> The table is created if it does not exist.<br><br><b>Clear a table:</b> The table content is deleted. You have the possibility to rollback the operation. |
|                         | <i>File Name</i>                                                                                           | Name of the file to be processed.                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                       | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                          |

|                          |                                                                                                                         |                                                                                                                                                          |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                         | <b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
| <b>Advanced settings</b> | <i>Action on data</i>                                                                                                   | Select the operation you want to perform:<br><br><b>Bulk insert Bulk update</b> The details asked will be different according to the action chosen.      |
|                          | <i>Copy the OID for each row</i>                                                                                        | Retrieve the ID item for each row.                                                                                                                       |
|                          | <i>Contains a header line with the names of each column in the file</i>                                                 | Specify that the table contains header.                                                                                                                  |
|                          | <i>File type</i>                                                                                                        | Select the file type to process.                                                                                                                         |
|                          | <i>Null string</i>                                                                                                      | String displayed to indicate that the value is null.                                                                                                     |
|                          | <i>Row separator</i>                                                                                                    | String (ex: “\n” on Unix) to distinguish rows.                                                                                                           |
|                          | <i>Fields terminated by</i>                                                                                             | Character, string or regular expression to separate fields.                                                                                              |
|                          | <i>Escape char</i>                                                                                                      | Character of the row to be escaped                                                                                                                       |
|                          | <i>Text enclosure</i>                                                                                                   | Character used to enclose text.                                                                                                                          |
|                          | <i>Force not null for columns</i>                                                                                       | Define the columns nullability<br><br><b>Force not null:</b> Select the check box next to the column you want to define as not null.                     |
|                          | <i>tStatCatcherStatistics</i>                                                                                           | Select this check box to collect log data at the component level.                                                                                        |
| <b>Usage</b>             | This component is mainly used when no particular transformation is required on the data to be loaded onto the database. |                                                                                                                                                          |
| <b>Limitation</b>        | n/a                                                                                                                     |                                                                                                                                                          |

## Related scenarios

For use cases in relation with **tGreenplumOutputBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).

# tGreenplumRollback



## tGreenplumRollback properties

This component is closely related to **tGreenplumCommit** and **tGreenplumConnection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                         |                                                                                                                           |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Greenplum                                                                                                                     |                                                                                                                           |
| <b>Function</b>          | <b>tGreenplumRollback</b> cancels the transaction committed in the connected DB.                                                        |                                                                                                                           |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                                   |                                                                                                                           |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                   | Select the <b>tGreenplumConnection</b> component in the list if more than one connection are planned for the current Job. |
|                          | <i>Close Connection</i>                                                                                                                 | Clear this check box to continue to use the selected connection once the component has performed its task.                |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                          | Select this check box to collect log data at the component level.                                                         |
| <b>Usage</b>             | This component is to be used along with Greenplum components, especially with <b>tGreenplumConnection</b> and <b>tGreenplumCommit</b> . |                                                                                                                           |
| <b>Limitation</b>        | n/a                                                                                                                                     |                                                                                                                           |


## Related scenarios


For **tGreenplumRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).

# tGreenplumRow



## tGreenplumRow Properties

|                         |                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/Greenplum                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>         | <b>tGreenplumRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tGreenplumRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                             | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         |                                                                                                                                                                                                                                                  | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                                | <p>Select this check box and click the relevant <b>tFirebirdConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                      | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Port</i>                                                                                                                                                                                                                                      | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Database</i>                                                                                                                                                                                                                                  | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Schema</i>                                                                                                                                                                                                                                    | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username et Password</i>                                                                                                                                                                                                                      | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                    | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                            | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          |                                                                                            | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Table Name</i>                                                                          | Name of the table to be read.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Query type</i>                                                                          | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          |                                                                                            | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Guess Query</i>                                                                         | Click the <b>Guess Query</b> button to generate the query which corresponds to your table schema in the Query field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Query</i>                                                                               | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Die on error</i>                                                                        | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i>                                                         | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Use PreparedStatement</i>                                                               | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                                                                        | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>tStatCatcher Statistics</i>                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## Related scenarios

For a related scenario, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tGreenplumSCD



**tGreenplumSCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tGreenplumSCD”](#).



# tIngresClose



## tIngresClose properties

|                          |                                                                                                                                |                                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Ingres                                                                                                               |                                                                                                                        |
| <b>Function</b>          | <b>tIngresClose</b> closes the transaction committed in the connected DB.                                                      |                                                                                                                        |
| <b>Purpose</b>           | Close a transaction.                                                                                                           |                                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                          | Select the <b>tIngresConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                 | Select this check box to collect log data at the component level.                                                      |
| <b>Usage</b>             | This component is to be used along with Ingres components, especially with <b>tIngresConnection</b> and <b>tIngresCommit</b> . |                                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                                                            |                                                                                                                        |

## Related scenario


No scenario is available for this component yet.

# tIngresCommit



## tIngresCommit Properties

This component is closely related to **tIngresConnection** and **tIngresRollback**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Ingres                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Function</b>          | Validates the data processed through the Job into the connected DB                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tIngresConnection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close Connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tIngresCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Usage</b>             | This component is to be used along with Ingres components, especially with <b>tIngresConnection</b> and <b>tIngresRollback</b> .                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Related scenario

For **tIngresCommit** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tIngresConnection



## tIngresConnection Properties

This component is closely related to **tIngresCommit** and **tIngresRollback**. It usually does not make much sense to use one of these without using a **tIngresConnection** component to open a connection for the current transaction.

|                         |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Ingres                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>         | Opens a connection to the database for a current transaction.                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>          | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                         |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                         | <i>Server</i>                                                                                                                                                                                                                                                                                                                                                         | Database server IP address.                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Usage</b>            | This component is to be used along with Ingres components, especially with <b>tIngresCommit</b> and <b>tIngresRollback</b> .                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>       | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenarios

For **tIngresConnection** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tIngresInput



## tIngresInput properties

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Ingres                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tIngresInput</b> reads a database and extracts fields based on a query.                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                              |
| <b>Purpose</b>           | <b>tIngresInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link.                                                                                                                                                                     |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>Server</i>                                                                                                                                                                                                                                                                                                                                                         | Database server IP address                                                                                                                                                                                   |
|                          | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                          |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database                                                                                                                                                                                         |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                 |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Query type</i> and <i>Query</i>                                                                                                                                                                                                                                                                                                                                    | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                   |
| <b>Advanced settings</b> | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                            |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Remove leading and trailing whitespace from defined columns.                                                                                                                                                 |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component covers all possible SQL queries for Ingres databases.                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                              |

## Related scenarios

For related topics, see the **tDBInput** scenarios:

- [the section called “Scenario 1: Displaying selected data from DB table”](#)
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).


See also the scenario for **tContextLoad**: [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).

# tIngresOutput



## tIngresOutput properties

|                         |                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Ingres                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Function</b>         | <b>tIngresOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Purpose</b>          | <b>tIngresOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         |                                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Host</i>                                                                                                                                                                  | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Port</i>                                                                                                                                                                  | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Database</i>                                                                                                                                                              | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                          | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Table</i>                                                                                                                                                                 | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Action on table</i>                                                                                                                                                       | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p> |
|                         | <i>Action on data</i>                                                                                                                                                        | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p>                                                                                                               |

|                          |                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                 |  <p><i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|                          | <i>Schema and Edit Schema</i>   | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          |                                 | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Die on error</i>             | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Advanced settings</b> | <i>Commit every</i>             | Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Additional Columns</i>       | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          |                                 | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          |                                 | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          |                                 | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          |                                 | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Use field options</i>        | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Enable debug mode</i>        | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>tStat Catcher Statistics</i> | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Usage</b>             |                                 | This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Ingres database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a> . |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .                                     |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#)
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).



# tIngresRollback



## tIngresRollback properties

This component is closely related to **tIngresCommit** and **tIngresConnection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                |                                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Ingres                                                                                                               |                                                                                                                        |
| <b>Function</b>          | <b>tIngresRollback</b> cancels the transaction committed in the connected DB.                                                  |                                                                                                                        |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                          |                                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                          | Select the <b>tIngresConnection</b> component in the list if more than one connection are planned for the current Job. |
|                          | <i>Close Connection</i>                                                                                                        | Clear this check box to continue to use the selected connection once the component has performed its task.             |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                 | Select this check box to collect log data at the component level.                                                      |
| <b>Usage</b>             | This component is to be used along with Ingres components, especially with <b>tIngresConnection</b> and <b>tIngresCommit</b> . |                                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                                                            |                                                                                                                        |

## Related scenarios


For **tIngresRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).

# tIngresRow



## tIngresRow properties

|                          |                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                    |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Ingres                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                    |
| <b>Function</b>          | <b>tIngresRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>           | Depending on the nature of the query and the database, <b>tIngresRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                          |
|                          |                                                                                                                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                |
|                          | <i>Host</i>                                                                                                                                                                                                                                   | Database server IP address.                                                                                                                                                                                                                                        |
|                          | <i>Port</i>                                                                                                                                                                                                                                   | Listening port number of DB server.                                                                                                                                                                                                                                |
|                          | <i>Database</i>                                                                                                                                                                                                                               | Name of the database                                                                                                                                                                                                                                               |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                       |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                          | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                       |
|                          |                                                                                                                                                                                                                                               | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                          |
|                          | <i>Query type</i>                                                                                                                                                                                                                             | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                             |
|                          |                                                                                                                                                                                                                                               | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                     |
|                          | <i>Query</i>                                                                                                                                                                                                                                  | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                         |
|                          | <i>Die on error</i>                                                                                                                                                                                                                           | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                |
| <b>Advanced Settings</b> | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                            | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                     |
|                          | <i>Use PreparedStatement</i>                                                                                                                                                                                                                  | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by "?" in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab. |

|                   |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                       | <p><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.</p> <p><b>Parameter Type:</b> Enter the parameter type.</p> <p><b>Parameter Value:</b> Enter the parameter value.</p> <p> This option is very useful if you need to execute the same query several times. Performance levels are increased</p> |
|                   | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                   | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                               |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                               |
| <b>Usage</b>      | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tIngresSCD




**tIngresSCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tIngresSCD”](#).

# tNetezzaBulkExec



## tNetezzaBulkExec properties

|                         |                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Netezza                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Function</b>         | Executes the Insert action on the data provided.                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Purpose</b>          | As a dedicated component, <b>tNetezzaBulkExec</b> offers gains in performance while carrying out the Insert operations to a Netezza database |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         |                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Use an existing connection</i>                                                                                                            | <p>Select this check box when you are using the component <b>tNetezzaConnection</b>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                  | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Port</i>                                                                                                                                  | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Database</i>                                                                                                                              | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username</i> and <i>Password</i>                                                                                                          | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Table</i>                                                                                                                                 | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                             |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .   |
|                          | <i>File Name</i>                                                                                                                                                                                                                                                                                                                                                      | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                             |
| <b>Advanced settings</b> | <i>Field Separator</i>                                                                                                                                                                                                                                                                                                                                                | Character, string or regular expression to separate fields.                                                                                                 |
|                          | <i>Require quotes (“) around data files</i>                                                                                                                                                                                                                                                                                                                           | Select this check box to use data enclosure characters.                                                                                                     |
|                          | <i>Row Separator</i>                                                                                                                                                                                                                                                                                                                                                  | String (ex: “\n”on Unix) to distinguish rows.                                                                                                               |
|                          | <i>Escape character</i>                                                                                                                                                                                                                                                                                                                                               | Character of the row to be escaped.                                                                                                                         |
|                          | <i>Date format / Date delimiter</i>                                                                                                                                                                                                                                                                                                                                   | Use Date format to distinguish the way years, months and days are represented in a string. Use Date delimiter to specify the separator between date values. |
|                          | <i>Time format/ Time delimiter</i>                                                                                                                                                                                                                                                                                                                                    | Use Time format to distinguish the time is represented in a string. Use Time delimiter to specify the separator between time values.                        |
|                          | <i>Encoding</i>                                                                                                                                                                                                                                                                                                                                                       | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                            |
|                          | <i>Max Errors</i>                                                                                                                                                                                                                                                                                                                                                     | Enter the maximum error limit that will not stop the process.                                                                                               |
|                          | <i>Skip Rows</i>                                                                                                                                                                                                                                                                                                                                                      | Enter the number of rows to be skipped.                                                                                                                     |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                           |
| <b>Usage</b>             | This component is mainly used when non particular transformation is required on the data to be loaded on to the database.                                                                                                                                                                                                                                             |                                                                                                                                                             |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                             |

## Related scenarios

For use cases in relation with **tNetezzaBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tNetezzaClose



## tNetezzaClose properties

|                          |                                                                                                                                   |                                                                                                                         |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Netezza                                                                                                                 |                                                                                                                         |
| <b>Function</b>          | <b>tNetezzaClose</b> closes the transaction committed in the connected DB.                                                        |                                                                                                                         |
| <b>Purpose</b>           | Close a transaction.                                                                                                              |                                                                                                                         |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                             | Select the <b>tNetezzaConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                    | Select this check box to collect log data at the component level.                                                       |
| <b>Usage</b>             | This component is to be used along with Netezza components, especially with <b>tNetezzaConnection</b> and <b>tNetezzaCommit</b> . |                                                                                                                         |
| <b>Limitation</b>        | n/a                                                                                                                               |                                                                                                                         |

## Related scenario


No scenario is available for this component yet.

# tNetezzaCommit



## tNetezzaCommit Properties

This component is closely related to **tNetezzaConnection** and **tNetezzaRollback**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Netezza                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | <b>tNetezzaCommit</b> validates the data processed through the Job into the connected DB                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tNetezzaConnection</b> component in the list if more than one connection are planned for the current Job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close Connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tNetezzaCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Usage</b>             | This component is to be used along with Netezza components, especially with <b>tNetezzaConnection</b> and <b>tNetezzaRollback</b> .                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

## Related scenario

This component is closely related to **tNetezzaConnection** and **tNetezzaRollback**. It usually does not make much sense to use one of these without using a **tNetezzaConnection** component to open a connection for the current transaction.

For **tNetezzaCommit** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).



# tNetezzaConnection



## tNetezzaConnection Properties

This component is closely related to **tNetezzaCommit** and **tNetezzaRollback**. It usually does not make much sense to use one of these without using a **tNetezzaConnection** component to open a connection for the current transaction.

|                         |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Netezza                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>         | <b>tNetezzaConnection</b> opens a connection to the database for a current transaction.                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>          | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                         |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                         | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Additional JDBC Parameters</i>                                                                                                                                                                                                                                                                                                                                     | Specify additional connection properties for the DB connection you are creating.                                                                                                                                                                                                                                                                 |
|                         | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Usage</b>            | This component is to be used along with Netezza components, especially with <b>tNetezzaCommit</b> and <b>tNetezzaRollback</b> .                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>       | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                  |


## Related scenarios

For a **tNetezzaConnection** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tNetezzaInput



## tNetezzaInput properties

|                         |                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Netezza                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | <b>tNetezzaInput</b> reads a database and extracts fields based on a query.                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | <b>tNetezzaInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                               | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                                                                                                                    | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Use an existing connection</i>                                                                                                                                                                  | <p>Select this check box when using a <b>tNetezzaConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                        | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Port</i>                                                                                                                                                                                        | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Database</i>                                                                                                                                                                                    | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                               | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                           |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
|                          | <i>Table Name</i>                                                                                                                                                                                                                                                                                                                                                     | Name of the table to be read.                                                                                                                             |
|                          | <i>Query type and Query</i>                                                                                                                                                                                                                                                                                                                                           | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                |
| <b>Advanced settings</b> | <i>Use cursor</i>                                                                                                                                                                                                                                                                                                                                                     | When selected, helps to decide the row set to work with at a time and thus optimize performance.                                                          |
|                          | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                         |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Remove leading and trailing whitespace from defined columns.                                                                                              |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                         |
| <b>Usage</b>             | This component covers all possible SQL queries for Netezza databases.                                                                                                                                                                                                                                                                                                 |                                                                                                                                                           |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                           |

## Related scenarios

Related scenarios for **tNetezzaInput** are:

- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).



# tNetezzaNzLoad










This component invokes Netezza's nzload utility to insert records into a Netezza database. This component can be used either in standalone mode, loading from an existing data file; or connected to an input row to load data from the connected component.




## tNetezzaNzLoad properties

|                         |                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Netezza                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | tNetezzaNzLoad inserts data into a Netezza database table using Netezza's nzload utility.                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | To bulk load data into a Netezza table either from an existing data file, an input flow, or directly from a data flow in streaming mode through a named-pipe. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Host</i>                                                                                                                                                   | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Port</i>                                                                                                                                                   | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Database</i>                                                                                                                                               | Name of the Netezza database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Table</i>                                                                                                                                                  | Name of the table into which the data is to be inserted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Action on table</i>                                                                                                                                        | On the table defined, you can perform one of the following operations before loading the data:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create table if not exists:</b> The table is created if it does not exist.<br><br><b>Drop table if exists and create:</b> The table is removed if it already exists and created again.<br><br><b>Clear table:</b> The table content is deleted before the data is loaded.<br><br><b>Truncate table:</b> executes a truncate statement prior to loading the data to clear the entire content of the table. |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                          | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                          |                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                  | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Data file</i>                 | Full path to the data file to be used. If this component is used on its own (not connected to another component with input flow) then this is the name of an existing data file to be loaded into the database. If it is connected, with an input flow to another component; this is the name of the file to be generated and written with the incoming data to later be used with nzload to load into the database.                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Use named-pipe</i>            | <p>Select this check box to use a named-pipe instead of a data file. This option can only be used when the component is connected with an input flow to another component. When the check box is selected, no data file is generated and the data is transferred to nzload through a named-pipe. This option greatly improves performance in both Linux and Windows.</p> <p> This component on named-pipe mode uses a JNI interface to create and write to a named-pipe on any Windows platform. Therefore the path to the associated JNI DLL must be configured inside the java library path. The component comes with two DLLs for both 32 and 64 bit operating systems that are automatically provided in the Studio with the component.</p> |
|                          | <i>Named-pipe name</i>           | Specify a name for the named-pipe to be used. Ensure that the name entered is valid.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Advanced settings</b> | <i>Use existing control file</i> | Select this check box to provide a control file to be used with the nzload utility instead of specifying all the options explicitly in the component. When this check box is selected, <b>Data file</b> and the other nzload related options no longer apply. Please refer to Netezza's nzload manual for details on creating a control file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Control file</i>              | Enter the path to the control file to be used, between double quotation marks, or click [...] and browse to the control file. This option is passed on to the nzload utility via the <i>-cf</i> argument.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Field separator</i>           | <p>Character, string or regular expression used to separate fields.</p> <p> <i>This is nzload's delim argument. If you do not use the <b>Wrap quotes around fields</b> option, you must make sure that the delimiter is not included in the data that's inserted to the database. The default value is \t or TAB. To improve performance, use the default value.</i></p>                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Wrap quotes around fields</i> | <p>This option is only applied to columns of <i>String</i>, <i>Byte</i>, <i>Byte[]</i>, <i>Char</i>, and <i>Object</i> types. Select either:</p> <p><b>None:</b> do not wrap column values in quotation marks.</p> <p><b>Single quote:</b> wrap column values in single quotation marks.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

|                  |                            |                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                  |                            | <p><b>Double quote:</b> wrap column values in double quotation marks.</p> <p> <i>If using the <b>Single quote</b> or <b>Double quote</b> option, it is necessary to use \ as the <b>Escape char</b>.</i></p>                                                                                                                 |
|                  | <i>Advanced options</i>    | Set the nzload arguments in the corresponding table. Click [+] as many times as required to add arguments to the table. Click the <b>Parameter</b> field and choose among the arguments from the list. Then click the corresponding <b>Value</b> field and enter a value between quotation marks.                                                                                                             |
| <b>Parameter</b> | <i>-lf</i>                 | Name of the log file to generate. The logs will be appended if the log file already exists. If the parameter is not specified, the default name for the log file is ' <i>&lt;table_name&gt;.&lt;db_name&gt;.nzlog</i> '. And it's generated under the current working directory where the job is running.                                                                                                     |
|                  | <i>-bf</i>                 | Name of the bad file to generate. The bad file contains all the records that could not be loaded due to an internal Netezza error. The records will be appended if the bad file already exists. If the parameter is not specified, the default name for the bad file is ' <i>&lt;table_name&gt;.&lt;db_name&gt;.nzbad</i> '. And it's generated under the current working directory where the job is running. |
|                  | <i>-outputDir</i>          | Directory path to where the log and the bad file are generated. If the parameter is not specified the files are generated under the current directory where the job is currently running.                                                                                                                                                                                                                     |
|                  | <i>-logFileSize</i>        | Maximum size for the log file. The value is in MB. The default value is 2000 or 2GB. To save hard disk space, specify a smaller amount if your job runs often.                                                                                                                                                                                                                                                |
|                  | <i>-compress</i>           | Specify this option if the data file is compressed. Valid values are " <b>TRUE</b> " or " <b>FALSE</b> ". Default value if " <b>FALSE</b> ".<br><br> This option is only valid if this component is used by itself and not connected to another component via an input flow.                                               |
|                  | <i>-skipRows &lt;n&gt;</i> | Number of rows to skip from the beginning of the data file. Set the value to "1" if you like to skip the header row from the data file. The default value is "0".<br><br> This option should only be used if this component is used by itself and not connected to another component via an input flow.                    |
|                  | <i>-maxRows &lt;n&gt;</i>  | Maximum number of rows to load from the data file.<br><br> This option should only be used if this component is used by itself and not connected to another component via an input flow.                                                                                                                                   |
|                  | <i>-maxErrors</i>          | Maximum number of error records to allow before terminating the load process. The default value is "1".                                                                                                                                                                                                                                                                                                       |

|  |                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <i>-ignoreZero</i>              | Binary zero bytes in the input data will generate errors. Set this option to "NO" to generate error or to "YES" to ignore zero bytes. The default value is "NO".                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|  | <i>-requireQuotes</i>           | This option requires all the values to be wrapped in quotes. The default value is "FALSE".<br><br> This option currently does not work with input flow. Use this option only in standalone mode with an existing file.                                                                                                                                                                                                                                                                                                                                                                  |
|  | <i>-nullValue &lt;token&gt;</i> | Specify the token to indicate a null value in the data file. The default value is "NULL". To improve slightly performance you can set this value to an empty field by specifying the value as single quotes: "\\\"".                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>-fillRecord</i>              | Treat missing trailing input fields as null. You do not need to specify a value for this option in the value field of the table. This option is not turned on by default, therefore input fields must match exactly all the columns of the table by default.<br><br> Trailing input fields must be nullable in the database.                                                                                                                                                                                                                                                            |
|  | <i>-ctrlChar</i>                | Accept control chars in char/varchar fields (must escape NUL, CR and LF). You do not need to specify a value for this option in the value field of the table. This option is turned off by default.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|  | <i>-ctlInString</i>             | Accept un-escaped CR in char/varchar fields (LF becomes only end of row). You do not need to specify a value for this option in the value field of the table. This option is turned off by default.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|  | <i>-truncString</i>             | Truncate any string value that exceeds its declared char/varchar storage. You do not need to specify a value for this option in the value field of the table. This option is turned off by default.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|  | <i>-dateStyle</i>               | Specify the date format in which the input data is written in. Valid values are: "YMD", "Y2MD", "DMY", "DMY2", "MDY", "MDY2", "MONDY", "MONDY2". The default value is "YMD".<br><br> The date format of the column in the component's schema must match the value specified here. For example if you want to load a DATE column, specify the date format in the component schema as "yyyy-MM-dd" and the -dateStyle option as "YMD".<br><br>For more description on loading date and time fields, see <a href="#">the section called "Loading DATE, TIME and TIMESTAMP columns"</a> . |
|  | <i>-dateDelim</i>               | Delimiter character between date parts. The default value is "-" for all date styles except for "MONDY[2]" which is " " (empty space).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                   |                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                            |  The date format of the column in the component's schema must match the value specified here.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                   | <i>-y2Base</i>                                                                                                                                                                                                                                                                                                                                                             | First year expressible using two digit year (Y2) dateStyle.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                   | <i>-timeStyle</i>                                                                                                                                                                                                                                                                                                                                                          | <p>Specify the time format in which the input data is written in. Valid values are: "24HOUR" and "12HOUR". The default value is "24HOUR". For slightly better performance you should keep the default value.</p> <p>  The time format of the column in the component's schema must match the value specified here. For example if you want to load a TIME column, specify the date format in the component schema as "HH:mm:ss" and the -timeStyle option as "24HOUR". </p> <p>For more description on loading date and time fields, see <a href="#">the section called "Loading DATE, TIME and TIMESTAMP columns"</a>.</p> |
|                   | <i>-timeDelim</i>                                                                                                                                                                                                                                                                                                                                                          | <p>Delimiter character between time parts. The default value is ":".</p> <p>  The time format of the column in the component's schema must match the value specified here. </p>                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                   | <i>-timeRoundNanos</i>                                                                                                                                                                                                                                                                                                                                                     | Allow but round non-zero digits with smaller than microsecond resolution.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                   | <i>-boolStyle</i>                                                                                                                                                                                                                                                                                                                                                          | Specify the format in which Boolean data is written in the data. The valid values are: "1_0", "T_F", "Y_N", "TRUE_FALSE", "YES". The default value is "1_0". For slightly better performance keep the default value.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                   | <i>-allowRelay</i>                                                                                                                                                                                                                                                                                                                                                         | Allow load to continue after one or more SPU reset or failed over. The default behaviour is not allowed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                   | <i>-allowRelay &lt;n&gt;</i>                                                                                                                                                                                                                                                                                                                                               | Specify number of allowable continuation of a load. Default value is "1".                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                   | <i>Encoding</i>                                                                                                                                                                                                                                                                                                                                                            | Select the encoding type from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                   | <i>Specify nzload path</i>                                                                                                                                                                                                                                                                                                                                                 | Select this check box to specify the full path to the nzload executable. You must check this option if the nzload path is not specified in the PATH environment variable.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                   | <i>Full path to nzload executable</i>                                                                                                                                                                                                                                                                                                                                      | Full path to the nzload executable on the machine in use. It is advisable to specify the nzload path in the PATH environment variable instead of selecting this option.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Usage</b>      | <p>This component is mainly used when non particular transformation is required on the data to be loaded ont to the database.</p> <p>This component can be used as a standalone or an output component.</p>                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Limitation</b> | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



## Loading DATE, TIME and TIMESTAMP columns

When this component is used with an input flow, the date format specified inside the component's schema must match the value specified for -dateStyle, -dateDelim, -timeStyle, and -timeDelim options. Please refer to following examples:

| DB Type   | Schema date format    | -dateStyle | -dateDelim | -timeStyle | -timeDelim |
|-----------|-----------------------|------------|------------|------------|------------|
| DATE      | "yyyy-MM-dd"          | "YMD"      | "-"        | n/a        | n/a        |
| TIME      | "HH:mm:ss"            | n/a        | n/a        | "24HOUR"   | ":"        |
| TIMESTAMP | "yyyy-MM-dd HH:mm:ss" | "YMD"      | "-"        | "24HOUR"   | ":"        |


## Related scenario


For a related use case, see [the section called "Scenario: Inserting data in MySQL database"](#).



# tNetezzaOutput



## tNetezzaOutput properties

|                         |                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Netezza                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | <b>tNetezzaOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | <b>tNetezzaOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the designed Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                   | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                                                                                                        | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Use an existing connection</i>                                                                                                                                                      | <p>Select this check box when using a <b>tNetezzaConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                            | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Port</i>                                                                                                                                                                            | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Database</i>                                                                                                                                                                        | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                    | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Table</i>                                                                                                                                                                           | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Action on table</i>                                                                                                                                                                 | <p>On the table defined, you can perform one of the following operations:</p> <p><b>Default:</b> No operation is carried out.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                          | <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Action on data</i>                    | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|                          | <i>Schema and Edit schema</i>            | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          |                                          | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Die on error</i>                      | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i> | <p>Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  You can press <b>Ctrl+Space</b> to access a list of predefined global variables.                                                                                                                                                                                                                                                                                                                       |
|                   | <i>Use batch size</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <p>Select this check box to activate the batch mode for data processing. In the <b>Batch Size</b> field that appears when this check box is selected, you can type in the number you need to define the batch size to be processed.</p> <p> This check box is available only when you have selected the <b>Insert</b>, <b>Update</b> or the <b>Delete</b> option in the <b>Action on data</b> list.</p> |
|                   | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at executions.                                                                                                                                                                                                                                                                                      |
|                   | <i>Additional Columns</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                                                                                                                           |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                                                                                                                                                                                                                                               |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                                                                                                                    |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                                                                                                                     |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                                                                                                                  |
|                   | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                                                                                                                                                                                                            |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Usage</b>      | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Netezza database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Limitation</b> | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

## Related scenarios

For **tNetezzaOutput** related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).

- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tNetezzaRollback



## tNetezzaRollback properties

This component is closely related to **tNetezzaCommit** and **tNetezzaConnection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                   |                                                                                                                         |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Netezza                                                                                                                 |                                                                                                                         |
| <b>Function</b>          | <b>tNetezzaRollback</b> cancels the transaction committed in the connected DB.                                                    |                                                                                                                         |
| <b>Purpose</b>           | This component avoids to commit part of a transaction involuntarily.                                                              |                                                                                                                         |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                             | Select the <b>tNetezzaConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                           | Clear this check box to continue to use the selected connection once the component has performed its task.              |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                    | Select this check box to collect log data at the component level.                                                       |
| <b>Usage</b>             | This component is to be used along with Netezza components, especially with <b>tNetezzaConnection</b> and <b>tNetezzaCommit</b> . |                                                                                                                         |
| <b>Limitation</b>        | n/a                                                                                                                               |                                                                                                                         |


## Related scenarios


For **tNetezzaRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).

# tNetezzaRow



## tNetezzaRow properties

|                         |                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Netezza                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>         | <b>tNetezzaRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means that the component implements a flow in the job design although it does not provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tNetezzaRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                                 | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         |                                                                                                                                                                                                                                                      | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                                    | <p>Select this check box and click the relevant <b>tNetezzaConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                          | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Port</i>                                                                                                                                                                                                                                          | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Database</i>                                                                                                                                                                                                                                      | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                  | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                                 | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Table Name</i>                                                                                                                                                                                                                                                                                                                                                     | Enter the name of the table to be processed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Query type</i>                                                                                                                                                                                                                                                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Query</i>                                                                                                                                                                                                                                                                                                                                                          | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                                                                                                                                                                                                                                                                                              | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                                                                                                                                                    | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use PreparedStatement</i>                                                                                                                                                                                                                                                                                                                                          | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                   | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |



## Related scenarios


For a **tNetezzaRow** related scenario, see [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tParAccelBulkExec



## tParAccelBulkExec Properties

The **tParAccelOutputBulk** and **tParAccelBulkExec** components are generally used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tParAccelOutputBulkExec** component, detailed in a different section. The advantage of using two separate steps is that the data can be transformed before it is loaded in the database.

|                         |                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/ParAccel                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Function</b>         | <b>tParAccelBulkExec</b> performs an Insert action on the data.                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Purpose</b>          | <b>tParAccelBulkExec</b> is a component which is specifically designed to improve performance when loading data in ParAccel database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         |                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Use an existing connection</i>                                                                                                     | <p>Select this check box if you use a configured <b>tParAccelConnection</b>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                           | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Port</i>                                                                                                                           | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Database</i>                                                                                                                       | Database name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema</i>                                                                                                                         | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Username</i> and <i>Password</i>                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                          |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Table</i>                   | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Action on table</i>         | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p> |
|                          | <i>Schema and Edit Schema</i>  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                        |
|                          |                                | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Advanced settings</b> | <i>Copy mode</i>               | <p>Select the copy mode you want to use from either:</p> <p><b>Basic:</b> Standard mode, without optimisation.</p> <p><b>Parallel:</b> Allows you to use several internal ParAccel APIs in order to optimise loading speed.</p>                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Filename</i>                | Name and path of the file to be processed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>File Type</i>               | Select the file type from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Field Layout</i>            | Select the field layout from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Field separator</i>         | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Explicit IDs</i>            | The ID is already present in the file to be loaded or will be set by the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Remove Quotes</i>           | Select this check box to remove quotation marks from the file to be loaded.                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Max. Errors</i>             | Type in the maximum number of errors before your Job stops.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Date Format</i>             | Type in the date format to be used.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Time/Timestamp Format</i>   | Enter the date and hour format to be used.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Additional COPY Options</i> | Enter the specific, customized ParAccel option that you want to use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Log file</i>                | Browse to or enter the access path to the log file in your directory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Logging level</i>           | Select the information type you want to record in your log file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                   |                                                                                                                                                                                                                                                                                                                                                                                        |                                                                   |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
|                   | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level. |
| <b>Usage</b>      | This component covers all possible SQL database queries. It allows you to carry out actions on a table or on the data of a table in a ParAccel database. It enables you to create a reject flow, with a <b>Row &gt; Reject</b> link filtering the data in error. For a usage example, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a> . |                                                                   |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .                  |                                                                   |

## Related scenarios

For a related scenario, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tParAccelClose



## tParAccelClose properties

|                          |                                                                                                                                      |                                                                                                                          |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/ParAccel                                                                                                                   |                                                                                                                          |
| <b>Function</b>          | <b>tParAccelClose</b> closes the transaction committed in the connected DB.                                                          |                                                                                                                          |
| <b>Purpose</b>           | Close a transaction.                                                                                                                 |                                                                                                                          |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                | Select the <b>tParAccelConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                       | Select this check box to collect log data at the component level.                                                        |
| <b>Usage</b>             | This component is to be used along with ParAccel components, especially with <b>tParAccelConnection</b> and <b>tParAccelCommit</b> . |                                                                                                                          |
| <b>Limitation</b>        | n/a                                                                                                                                  |                                                                                                                          |

## Related scenario


No scenario is available for this component yet.

# tParAccelCommit



## tParAccelCommit Properties

This component is closely related to **tParAccelConnection** and **tParAccelRollback**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/ParAccel                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Function</b>          | Validates the data processed through the job into the connected DB.                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tParAccelConnection</b> component in the list if more than one connection are planned for the current job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Close Connection</i>                                                                                                                                                   | <p>This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.</p> <p> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tParAccelCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i></p> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Usage</b>             | This component is to be used along with ParAccel components, especially with <b>tParAccelConnection</b> and <b>tParAccelRollback</b> components.                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

## Related scenario

This component is closely related to **tParAccelConnection** and **tParAccelRollback**. It usually does not make much sense to use one of these without using a **tParAccelConnection** component to open a connection for the current transaction.

For **tParAccelCommit** related scenario, see [the section called “tMysqlConnection”](#)

# tParAccelConnection



## tParAccelConnection Properties

This component is closely related to **tParAccelCommit** and **tParAccelRollback**. It usually doesn't make much sense to use one of these without using a **tParAccelConnection** component to open a connection for the current transaction.

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/ParAccel                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | Opens a connection to the database for a current transaction.                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Schema</i>                                                                                                                                                                                                                                                                                                                                                         | Name of the schema                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Auto commit</i>                                                                                                                                                                                                                                                                                                                                                    | Select this check box to automatically commit a transaction when it is completed.                                                                                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to gather the job processing metadata at a Job level as well as at each component level.                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This component is to be used along with ParAccel components, especially with <b>tParAccelCommit</b> and <b>tParAccelRollback</b> components.                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenario

This component is closely related to **tParAccelCommit** and **tParAccelRollback**. It usually does not make much sense to use one of these without using a **tParAccelConnection** component to open a connection for the current transaction.


For **tParAccelConnection** related scenario, see [the section called “tMysqlConnection”](#)



# tParAccelInput



## tParAccelInput properties

|                         |                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/ ParAccel                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>         | <b>tParAccelInput</b> reads a database and extracts fields based on a query.                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>          | <b>tParAccelInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a <b>Main row</b> link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                       | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         |                                                                                                                                                                                                            | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Use an existing connection</i>                                                                                                                                                                          | <p>Select this check box when using a configured <b>tParAccelConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Port</i>                                                                                                                                                                                                | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Database</i>                                                                                                                                                                                            | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Schema</i>                                                                                                                                                                                              | Exact name of the schema                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                        | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                       | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                           |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
|                          | <i>Table name</i>                                                                                                                                                                                                                                                                                                                                                                                                                                        | Name of the table to be read.                                                                                                                             |
|                          | <i>Query type and Query</i>                                                                                                                                                                                                                                                                                                                                                                                                                              | Enter your DB query paying particularly attention to sequence the fields properly in order to match the schema definition.                                |
|                          | <i>Guess Query</i>                                                                                                                                                                                                                                                                                                                                                                                                                                       | Click the <b>Guess Query</b> button to generate the query which corresponds to your table schema in the Query field.                                      |
|                          | <i>Guess schema</i>                                                                                                                                                                                                                                                                                                                                                                                                                                      | Click the <b>Guess schema</b> button to retrieve the table schema.                                                                                        |
| <b>Advanced settings</b> | <i>Use cursor</i>                                                                                                                                                                                                                                                                                                                                                                                                                                        | When selected, helps to decide the row set to work with at a time and thus optimize performance.                                                          |
|                          | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                                                                                                                  | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                         |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                                                                                                       | Remove leading and trailing whitespace from defined columns.                                                                                              |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                          | Select this check box to collect log data at the component level.                                                                                         |
| <b>Usage</b>             | <p>This component covers all possible SQL queries for ParAccel databases.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p> |                                                                                                                                                           |

## Related scenarios


For related scenarios, see:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).

# tParAccelOutput



## tParAccelOutput Properties

|                         |                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/ParAccel                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>         | <b>tParAccelOutput</b> writes, updates, modifies or deletes the data in a database.                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>          | <b>tParAccelOutput</b> executes the action defined on the table and/or on the data of a table, according to the input flow from the previous component. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                    | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         |                                                                                                                                                         | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Use an existing connection</i>                                                                                                                       | <p>Select this check box if you use a configured <b>tParAccelConnection</b>.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                             | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Port</i>                                                                                                                                             | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Database</i>                                                                                                                                         | Database name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Schema</i>                                                                                                                                           | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Username et Password</i>                                                                                                                             | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Table</i>                                                                                                                                            | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Action on table</i>                                                                                                                                  | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                          |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                               | <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Action on data</i>         | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|                          | <i>Schema and Edit Schema</i> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          |                               | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Die on error</i>           | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Advanced settings</b> | <i>Commit every</i>           | <p>Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|                   |                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <i>Additional Columns</i>                                                                                                                                                                                                                                                                                                                                                               | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing. |
|                   |                                                                                                                                                                                                                                                                                                                                                                                         | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                     |
|                   |                                                                                                                                                                                                                                                                                                                                                                                         | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                          |
|                   |                                                                                                                                                                                                                                                                                                                                                                                         | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                           |
|                   |                                                                                                                                                                                                                                                                                                                                                                                         | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                        |
|                   | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                  |
|                   | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                         | Select this check box to collect log data at the component level.                                                                                                                                                                                              |
| <b>Usage</b>      | This component covers all possible SQL database queries. It allows you to carry out actions on a table or on the data of a table in a ParAccel database. It enables you to create a reject flow, with a <b>Row &gt; Rejects</b> link filtering the data in error. For a usage example, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a> . |                                                                                                                                                                                                                                                                |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .                   |                                                                                                                                                                                                                                                                |

## Related scenarios

For a related scenario, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tParAccelOutputBulk



## tParAccelOutputBulk properties

The **tParAccelOutputBulk** and **tParAccelBulkExec** components are generally used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tParAccelOutputBulkExec** component, detailed in a different section. The advantage of using two separate steps is that the data can be transformed before it is loaded in the database.

|                          |                                                                                                                                                              |                                                                                                                                                                                                              |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/ParAccel                                                                                                                                           |                                                                                                                                                                                                              |
| <b>Function</b>          | Writes a file with columns based on the defined delimiter and the ParAccel standards                                                                         |                                                                                                                                                                                                              |
| <b>Purpose</b>           | Prepares the file to be used as parameter in the INSERT query to feed the ParAccel database.                                                                 |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>File Name</i>                                                                                                                                             | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                              |
|                          | <i>Append</i>                                                                                                                                                | Select this check box to add the new rows at the end of the file                                                                                                                                             |
|                          | <i>Schema and Edit Schema</i>                                                                                                                                | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                              | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                               |
| <b>Advanced settings</b> | <i>Row separator</i>                                                                                                                                         | String (ex: “\n”on Unix) to distinguish rows.                                                                                                                                                                |
|                          | <i>Field separator</i>                                                                                                                                       | Character, string or regular expression to separate fields.                                                                                                                                                  |
|                          | <i>Include header</i>                                                                                                                                        | Select this check box to include the column header.                                                                                                                                                          |
|                          | <i>Encoding</i>                                                                                                                                              | Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling.                                                                               |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                               | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component is to be used along with <b>tParAccelBulkExec</b> component. Used together they offer gains in performance while feeding a ParAccel database. |                                                                                                                                                                                                              |

## Related scenarios

For use cases in relation with **tParAccelOutputBulk**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tParAccelOutputBulkExec



## tParAccelOutputBulkExec Properties

The **tParAccelOutputBulk** and **tParAccelBulkExec** components are generally used together in a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in **tParAccelOutputBulkExec**.

|                         |                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/ParAccel                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>         | <b>tParAccelOutputBulkExec</b> performs an Insert action on the data.                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>          | <b>tParAccelOutputBulkExec</b> is a component which is specifically designed to improve performance when loading data in ParAccel database. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                        | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         |                                                                                                                                             | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Host</i>                                                                                                                                 | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Port</i>                                                                                                                                 | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Database</i>                                                                                                                             | Database name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Schema</i>                                                                                                                               | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Username</i> and <i>Password</i>                                                                                                         | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Table</i>                                                                                                                                | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Action on table</i>                                                                                                                      | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if not exists:</b> The table is created if it does not exist.<br><br><b>Drop a table if exists and create:</b> The table is removed if already exists and created again.<br><br><b>Clear a table:</b> The table content is deleted. |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                        | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                 |
|                         |                                                                                                                                             | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                    |



|                          |                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                          |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Copy mode</i>                                                                                                                                                                                                                                                                                                                                                                       | Select the copy mode you want to use from either:<br><br><b>Basic:</b> Standard mode, without optimisation.<br><br><b>Parallel:</b> Allows you to use several internal ParAccel APIs in order to optimise loading speed. |
|                          | <i>Filename</i>                                                                                                                                                                                                                                                                                                                                                                        | Name and path of the file to be processed.                                                                                                                                                                               |
| <b>Advanced settings</b> | <i>File Type</i>                                                                                                                                                                                                                                                                                                                                                                       | Select the file type from the list.                                                                                                                                                                                      |
|                          | <i>Row separator</i>                                                                                                                                                                                                                                                                                                                                                                   | String (ex: “\n” on Unix) to distinguish rows.                                                                                                                                                                           |
|                          | <i>Fields terminated by</i>                                                                                                                                                                                                                                                                                                                                                            | Character, string or regular expression to separate fields.                                                                                                                                                              |
|                          | <i>Append</i>                                                                                                                                                                                                                                                                                                                                                                          | Select this check box to add the new rows at the end of the file.                                                                                                                                                        |
|                          | <i>Explicit IDs</i>                                                                                                                                                                                                                                                                                                                                                                    | The ID is already present in the file to be loaded or will be set by the database.                                                                                                                                       |
|                          | <i>Remove Quotes</i>                                                                                                                                                                                                                                                                                                                                                                   | Select this check box to remove quotation marks from the file to be loaded.                                                                                                                                              |
|                          | <i>Max. Errors</i>                                                                                                                                                                                                                                                                                                                                                                     | Type in the maximum number of errors before your Job stops.                                                                                                                                                              |
|                          | <i>Date Format</i>                                                                                                                                                                                                                                                                                                                                                                     | Type in the date format to be used.                                                                                                                                                                                      |
|                          | <i>Time/Timestamp Format</i>                                                                                                                                                                                                                                                                                                                                                           | Enter the date and hour format to be used.                                                                                                                                                                               |
|                          | <i>Additional COPY Options</i>                                                                                                                                                                                                                                                                                                                                                         | Enter the specific, customized ParAccel option that you want to use.                                                                                                                                                     |
|                          | <i>Log file</i>                                                                                                                                                                                                                                                                                                                                                                        | Browse to or enter the access path to the log file in your directory.                                                                                                                                                    |
|                          | <i>Logging level</i>                                                                                                                                                                                                                                                                                                                                                                   | Select the information type you want to record in your log file.                                                                                                                                                         |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                         | Select this check box to collect log data at the component level.                                                                                                                                                        |
| <b>Usage</b>             | This component covers all possible SQL database queries. It allows you to carry out actions on a table or on the data of a table in a ParAccel database. It enables you to create a reject flow, with a <b>Row &gt; Reject</b> link filtering the data in error. For a usage example, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a> . |                                                                                                                                                                                                                          |

## Related scenarios

For a related scenario, see:

- [the section called “Scenario: Writing a row to a table in the MySql database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tParAccelRollback



## tParAccelRollback properties

This component is closely related to **tParAccelCommit** and **tParAccelConnection**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                |                                                                                                                          |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases                                                                                                                                      |                                                                                                                          |
| <b>Function</b>          | Cancel the transaction commit in the connected DB.                                                                                             |                                                                                                                          |
| <b>Purpose</b>           | Avoids to commit part of a transaction involuntarily.                                                                                          |                                                                                                                          |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                          | Select the <b>tParAccelConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                                        | Clear this check box to continue to use the selected connection once the component has performed its task.               |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                 | Select this check box to collect log data at the component level.                                                        |
| <b>Usage</b>             | This component is to be used along with ParAccel components, especially with <b>tParAccelConnection</b> and <b>tParAccelCommit</b> components. |                                                                                                                          |
| <b>Limitation</b>        | n/a                                                                                                                                            |                                                                                                                          |

## Related scenario


This component is closely related to **tParAccelConnection** and **tParAccelCommit**. It usually doesn't make much sense to use one of them without using a **tParAccelConnection** component to open a connection for the current transaction.


For **tParAccelRollback** related scenario, see [the section called "tMysqlRollback"](#).

# tParAccelRow



## tParAccelRow Properties

|                         |                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/ParAccel                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>         | <b>tParAccelRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tParAccelRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                            | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         |                                                                                                                                                                                                                                                 | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                               | <p>Select this check box and click the relevant <b>tFirebirdConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                     | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Port</i>                                                                                                                                                                                                                                     | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Database</i>                                                                                                                                                                                                                                 | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Schema</i>                                                                                                                                                                                                                                   | Exact name of the schema.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username et Password</i>                                                                                                                                                                                                                     | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Schema and Edit Schema</i>                                                                                                                                                                                                                   | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Table Name</i>                                                                                                                                                                                                                                                                                                                                                     | Name of the table to be read.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Query type</i>                                                                                                                                                                                                                                                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Guess Query</i>                                                                                                                                                                                                                                                                                                                                                    | Click the <b>Guess Query</b> button to generate the query which corresponds to your table schema in the Query field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Query</i>                                                                                                                                                                                                                                                                                                                                                          | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                                                                                                                                                    | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use PreparedStatement</i>                                                                                                                                                                                                                                                                                                                                          | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                   | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             | This component offers the flexibility benefit of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## Related scenarios

For a related scenario, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tParAccelSCD



**tParAccelSCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tParAccelSCD”](#).

# tTeradataClose



## tTeradataClose properties

|                          |                                                                                                                                      |                                                                                                                          |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Teradata                                                                                                                   |                                                                                                                          |
| <b>Function</b>          | <b>tTeradataClose</b> closes the transaction committed in the connected DB.                                                          |                                                                                                                          |
| <b>Purpose</b>           | Close a transaction.                                                                                                                 |                                                                                                                          |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                | Select the <b>tTeradataConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                       | Select this check box to collect log data at the component level.                                                        |
| <b>Usage</b>             | This component is to be used along with Teradata components, especially with <b>tTeradataConnection</b> and <b>tTeradataCommit</b> . |                                                                                                                          |
| <b>Limitation</b>        | n/a                                                                                                                                  |                                                                                                                          |

## Related scenario


No scenario is available for this component yet.

# tTeradataCommit



## tTeradataCommit Properties

This component is closely related to **tTeradataConnection** and **tTeradataRollback**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Teradata                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>          | <b>tTeradataCommit</b> validates the data processed through the Job into the connected DB.                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tTeradataConnection</b> component in the list if more than one connection are planned for the current job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tTeradataCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Usage</b>             | This component is to be used along with Teradata components, especially with <b>tTeradataConnection</b> and <b>tTeradataRollback</b> components.                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Related scenario

This component is closely related to **tTeradataConnection** and **tTeradataRollback**. It usually does not make much sense to use one of these without using a **tTeradataConnection** component to open a connection for the current transaction.

For **tTeradataCommit** related scenario, see [the section called “tVerticaConnection”](#)




# tTeradataConnection



## tTeradataConnection Properties

This component is closely related to **tTeradataCommit** and **tTeradataRollback**. It usually doesn't make much sense to use one of these without using a **tTeradataConnection** component to open a connection for the current transaction.

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Teradata                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | <b>tTeradataConnection</b> opens a connection to the database for a current transaction.                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address.                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Additional parameters</i> <i>JDBC</i>                                                                                                                                                                                                                                                                                                                              | Specify additional connection properties in the existing DB connection, to allow specific character set support. E.G.: CHARSET=KANJISJIS_OS to get support of Japanese characters.<br><br> You can set the encoding parameters through this field.            |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Auto commit</i>                                                                                                                                                                                                                                                                                                                                                    | Select this check box to automatically commit a transaction when it is completed.                                                                                                                                                                                                                                                                |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                |
| <b>Utilisation</b>       | This component is to be used along with Teradata components, especially with <b>tTeradataCommit</b> and <b>tTeradataRollback</b> components.                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenario

This component is closely related to **tTeradataCommit** and **tTeradataRollback**. It usually doesn't make much sense to use one of these without using a **tTeradataConnection** component to open a connection for the current transaction.

For **tTeradataConnection** related scenario, see [the section called "tMysqlConnection"](#).

# tTeradataFastExport



## tTeradataFastExport Properties

|                          |                                                                                                                      |                                                                                                                                                                                                              |
|--------------------------|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Databases/Teradata                                                                                                   |                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tTeradataFastExport</b> exports rapidly voluminous data batches from a Teradata table or view.                    |                                                                                                                                                                                                              |
| <b>Purpose</b>           | <b>tTeradataFastExport</b> exports data batches from a Teradata table to a customer system or to a smaller database. |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                 | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                      | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>Execution platform</i>                                                                                            | Select the Operating System type you use.                                                                                                                                                                    |
|                          | <i>Host</i>                                                                                                          | Server name or IP.                                                                                                                                                                                           |
|                          | <i>Database name</i>                                                                                                 | Database name.                                                                                                                                                                                               |
|                          | <i>Username</i> and <i>Password</i>                                                                                  | DB user authentication data.                                                                                                                                                                                 |
|                          | <i>Table</i>                                                                                                         | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                          |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                 | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                      | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Use query</i>                                                                                                     | Select this check box to enter the SQL statement in the <b>Query</b> box.                                                                                                                                    |
|                          | <i>Log database</i>                                                                                                  | Log database name.                                                                                                                                                                                           |
|                          | <i>Log table</i>                                                                                                     | Log table name.                                                                                                                                                                                              |
|                          | <i>Script generated folder</i>                                                                                       | Browse your directory and select the destination of the file which will be created.                                                                                                                          |
| <i>Exported file</i>     | Name and path to the file which will be created.                                                                     |                                                                                                                                                                                                              |
| <i>Field separator</i>   | Character, string or regular expression to separate fields.                                                          |                                                                                                                                                                                                              |
| <i>Error file</i>        | Browse your directory and select the destination of the file where the error messages will be recorded.              |                                                                                                                                                                                                              |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Usage</b>             | This component offers the flexibility benefit of the DB query and covers all possible SQL queries.                   |                                                                                                                                                                                                              |

## Related scenario

No scenario is available for this component yet.

# tTeradataFastLoad



## tTeradataFastLoad Properties

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                     |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Databases/Teradata                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                     |
| <b>Function</b>          | <b>tTeradataFastLoad</b> reads a database and extracts fields using queries.                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                     |
| <b>Purpose</b>           | <b>tTeradataFastLoad</b> executes a database query according to a strict order which must be the same as the one in the schema. The retrieve list of fields is then transferred to the next component, using a connexion flow ( <b>Main row</b> ).                                                                                                                    |                                                                                                                                                                                                                     |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                           |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                 |
|                          | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address.                                                                                                                                                                                         |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Database name.                                                                                                                                                                                                      |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                        |
|                          | <i>Table</i>                                                                                                                                                                                                                                                                                                                                                          | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                 |
|                          | <i>Execute Batch every</i>                                                                                                                                                                                                                                                                                                                                            | Number of rows per batch to be loaded.                                                                                                                                                                              |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link. |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                           |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>                                                                                                                                                                                                                                                                                                                                     | Specify additional connection properties for the DB connection you are creating.                                                                                                                                    |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                   |
| <b>Usage</b>             | This component offers the flexibility benefit of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                     |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                     |

## Related scenario

No scenario is available for this component yet.

# tTeradataFastLoadUtility



## tTeradataFastLoadUtility Properties

|                          |                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                 |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Databases/Teradata                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                 |
| <b>Function</b>          | <b>tTeradataFastLoadUtility</b> reads a database and extracts fields using queries.                                                                                                                                                                       |                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>           | <b>tTeradataFastLoadUtility</b> executes a database query according to a strict order which must be the same as the one in the schema. The retrieve list of fields is then transferred to the next component, using a connexion flow ( <b>Main row</b> ). |                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                      | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                       |
|                          |                                                                                                                                                                                                                                                           | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                             |
|                          | <i>Execution platform</i>                                                                                                                                                                                                                                 | Select the Operating System type you use.                                                                                                                                                                                                                       |
|                          | <i>Host</i>                                                                                                                                                                                                                                               | Host name or IP address of the database server.                                                                                                                                                                                                                 |
|                          | <i>Database name</i>                                                                                                                                                                                                                                      | Database name.                                                                                                                                                                                                                                                  |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                       | DB user authentication data.                                                                                                                                                                                                                                    |
|                          | <i>Table</i>                                                                                                                                                                                                                                              | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                             |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                                      | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                    |
|                          |                                                                                                                                                                                                                                                           | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                       |
|                          | <i>Script generated folder</i>                                                                                                                                                                                                                            | Browse your directory and select the destination of the file which will be created.                                                                                                                                                                             |
|                          | <i>Load file</i>                                                                                                                                                                                                                                          | Browse your directory and select the file from which you want to load data.                                                                                                                                                                                     |
|                          | <i>Field separator</i>                                                                                                                                                                                                                                    | Character, string or regular expression to separate fields.                                                                                                                                                                                                     |
|                          | <i>Error file</i>                                                                                                                                                                                                                                         | Browse your directory and select the destination of the file where the error messages will be recorded.                                                                                                                                                         |
| <b>Advanced settings</b> | <i>Define character set</i>                                                                                                                                                                                                                               | Specify the character encoding you need use for your system.                                                                                                                                                                                                    |
|                          | <i>Check point</i>                                                                                                                                                                                                                                        | Enter the check point value.                                                                                                                                                                                                                                    |
|                          | <i>Error files</i>                                                                                                                                                                                                                                        | Enter the file name where the error messages are stored. By default, the code <code>ERRORFILES table_ERR1, table_ERR2</code> is entered, meaning that the two tables <code>table_ERR1</code> and <code>table_ERR2</code> are used to record the error messages. |
|                          | <i>Return fastload error</i>                                                                                                                                                                                                                              | Select this check box to specify the exit code number to indicate the point at which an error message should display in the console.                                                                                                                            |

|              |                                                                                            |                                                                                                                                                                                                                                                     |
|--------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              | <i>ERRLIMIT</i>                                                                            | Enter the limit number of errors detected during the loading phase. Processing stops when the limit is reached.<br><br>The default error limit value is 1000000.<br><br>For more information, see <i>Teradata FastLoad Reference</i> documentation. |
|              | <i>tStatCatcher Statistics</i>                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                   |
| <b>Usage</b> | This component offers the flexibility of the DB query and covers all possible SQL queries. |                                                                                                                                                                                                                                                     |

## Related scenario


For related topic, see [the section called “Scenario: Inserting data into a Teradata database table”](#).



# tTeradataInput



## tTeradataInput Properties

|                         |                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Teradata                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>         | <b>tTeradataInput</b> reads a database and extracts fields based on a query.                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>          | <b>tTeradataInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         |                                                                                                                                                                                                     | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                                                                                                                   | <p>Select this check box and click the relevant <b>tTeradataConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                         | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Port</i>                                                                                                                                                                                         | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Database</i>                                                                                                                                                                                     | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Username and Password</i>                                                                                                                                                                        | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Schema and Edit Schema</i>                                                                                                                                                                       | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                        |
|                          | <i>Query type and Query</i>                                                                                                                                                                                                                                                                                                                                           | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                       |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                                                                                                                                                                                                                                                                                              | Specify additional connection properties in the existing DB connection, to allow specific character set support. E.G.: CHARSET=KANJIJS_OS to get support of Japanese characters. |
|                          | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Remove leading and trailing whitespace from defined columns.                                                                                                                     |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                |
| <b>Usage</b>             | This component covers all possible SQL queries for Teradata databases.                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                  |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                  |

## Related scenarios


For related scenarios, see:

- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).

# tTeradataMultiLoad



## tTeradataMultiLoad Properties

|                         |                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/Teradata                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | tTeradataMultiLoad reads a database and extracts fields using queries.                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | tTeradataMultiLoad executes a database query according to a strict order which must be the same as the one in the schema. The retrieve list of fields is then transferred to the next component, using a connexion flow ( <b>Main row</b> ). |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Execution platform</i>                                                                                                                                                                                                                    | Select the Operating System type you use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Host</i>                                                                                                                                                                                                                                  | Host name or IP address of the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Database name</i>                                                                                                                                                                                                                         | Database name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                          | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Table</i>                                                                                                                                                                                                                                 | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         |                                                                                                                                                                                                                                              | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Script generated folder</i>                                                                                                                                                                                                               | Browse your directory and select the destination of the file which will be created.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Action to data</i>                                                                                                                                                                                                                        | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the Update and Delete operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s).</i></p> |
|                         | <i>Where condition in case Delete</i>                                                                                                                                                                                                        | Type in a condition, which, once verified, will delete the row.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                          |                                                                                            |                                                                                                                                                                                                                                                                                                  |
|--------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Load file</i>                                                                           | Browse your directory and select the file from which you want to load data.                                                                                                                                                                                                                      |
|                          | <i>Field separator</i>                                                                     | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                      |
|                          | <i>Error file</i>                                                                          | Browse your directory and select the destination of the file where the error messages will be recorded.                                                                                                                                                                                          |
| <b>Advanced settings</b> | <i>Define Log table</i>                                                                    | This check box is selected to define a log table you want to use in place of the default one that is the database table you defined in <b>Basic settings</b> . The syntax required to define the log table is <i>databaseName.logtablename</i> .                                                 |
|                          | <i>BEGIN LOAD</i>                                                                          | This field allows you to define your BEGIN LOAD command to initiate or restart a load task. You can specify the number of sessions to use, the error limit, any other parameters needed to execute the task.<br><br>For more information, see <i>Teradata MultiLoad Reference</i> documentation. |
|                          | <i>Return mload error</i>                                                                  | Select this check box to specify the exit code number to indicate the point at which an error message should display in the console.                                                                                                                                                             |
|                          | <i>Define character set</i>                                                                | Specify the character encoding you need use for your system                                                                                                                                                                                                                                      |
|                          | <i>tStatCatcher Statistics</i>                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries. |                                                                                                                                                                                                                                                                                                  |


## Related scenario


For related topic, see [the section called “Scenario: Inserting data into a Teradata database table”](#).


# tTeradataOutput



## tTeradataOutput Properties

|                         |                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Teradata                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>         | <b>tTeradataOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>          | <b>tTeradataOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                           | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         |                                                                                                                                                                                | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                                                                                              | <p>Select this check box and click the relevant <b>tTeradataConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                    | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Port</i>                                                                                                                                                                    | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Database</i>                                                                                                                                                                | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                            | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Table</i>                                                                                                                                                                   | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Action on table</i>                                                                                                                                                         | On the table defined, you can perform one of the following operations:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|  |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |                               | <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and ceate:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|  | <i>Create</i>                 | <p>This is not visible by default, until you choose to create a table from the <b>Action on table</b> drop-down list. The table to be created may be:</p> <ul style="list-style-type: none"> <li>- <b>SET TABLE:</b> tables which do not allow to duplicate</li> <li>- <b>MULTI SET TABLE:</b> tables allowing duplicate rows.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|  | <i>Action on data</i>         | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|  | <i>Schema and Edit schema</i> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|  |                               | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                            |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br>This is intended to allow specific character set support. E.G.: CHARSET=KANJISJIS_OS to get support of Japanese characters.<br><br> You can press <b>Ctrl+Space</b> to access a list of predefined global variables. |
|                          | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Additional Columns</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                                                                                                                                                                 |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                                                                                                                                                           |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Use Batch Size</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | When selected, enables you to define the number of lines in each processed batch.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Usage</b>             | This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.<br><br>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Teradata database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for</i>                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

*Big Data*. For details, see the *Warnings and error icons on components* and *How to install external modules* sections of *Talend Open Studio for Big Data User Guide*.

## Related scenarios

For related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#)
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).



# tTeradataRollback



## tTeradataRollback Properties

This component is closely related to **tTeradataCommit** and **tTeradataConnection**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                |                                                                                                                         |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Teradata                                                                                                                             |                                                                                                                         |
| <b>Function</b>          | <b>tTeradataRollback</b> cancels the transaction commit in the connected DB.                                                                   |                                                                                                                         |
| <b>Purpose</b>           | <b>tTeradataRollback</b> avoids to commit part of a transaction involuntarily.                                                                 |                                                                                                                         |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                          | Select the <b>TeradataConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                                        | Clear this check box to continue to use the selected connection once the component has performed its task.              |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                 | Select this check box to collect log data at the component level.                                                       |
| <b>Usage</b>             | This component is to be used along with Teradata components, especially with <b>tTeradataConnection</b> and <b>tTeradataCommit</b> components. |                                                                                                                         |
| <b>Limitation</b>        | n/a                                                                                                                                            |                                                                                                                         |


## Related scenario


For **tTeradataRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).

# tTeradataRow



## tTeradataRow Properties

|                         |                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Teradata                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Function</b>         | <b>tTeradataRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tTeradataRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                            | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         |                                                                                                                                                                                                                                                 | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                               | <p>Select this check box and click the relevant <b>tTeradataConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                     | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Port</i>                                                                                                                                                                                                                                     | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Database</i>                                                                                                                                                                                                                                 | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                             | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                            | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                    | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                    | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Query type</i>                  | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                    | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Query</i>                       | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Commit every</i>                | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Die on error</i>                | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Additional parameters</i>       | <i>JDBC</i><br>Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br>This is intended to allow specific character set support. E.G.: CHARSET=KANJI_SJIS_OS to get support of Japanese characters.                                                                                                                                                                                                                                                                                                                 |
|                          | <i>Propagate QUERY's recordset</i> | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use PreparedStatement</i>       | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStat Catcher Statistics</i>    | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

|                   |                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Usage</b>      | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |

## Related scenarios


For related topics, see:




- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tTeradataTPTUtility



## tTeradataTPTUtility Properties

|                         |                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/Teradata                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Function</b>         | <b>tTeradataTPTUtility</b> combines the utilities of <b>tTeradataFastLoad</b> , <b>tTeradataMultiLoad</b> , <b>tTeradataTPump</b> , and <b>tTeradataFastExport</b> into one comprehensive utility.                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purpose</b>          | <b>tTeradataTPTUtility</b> allows you to insert data to load data into and delete data from any accessible table in the Teradata Database or from any other data stores for which an access operator or an access module exists. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                             | Either <b>Built-in</b> or <b>Repository</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         |                                                                                                                                                                                                                                  | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                                                                                                                                                  | <b>Repository:</b> Select the repository file in which the properties are stored. The fields that follow are completed automatically using the data retrieved.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Filename</i>                                                                                                                                                                                                                  | Browse your directory and select the file to save the output data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Append</i>                                                                                                                                                                                                                    | Select this check box to append the work table to the path set in the <b>Filename</b> field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Action on data</i>                                                                                                                                                                                                            | On the data of the table defined, you can perform:<br><br><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.<br><br><b>Update:</b> Make changes to existing entries<br><br><b>Insert or update:</b> Add entries or update existing ones.<br><br><b>Delete:</b> Remove entries corresponding to the input flow.<br><br> <i>It is necessary to specify at least one column as a primary key on which the Update and Delete operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s).</i> |
|                         | <i>Schema and Edit Schema</i>                                                                                                                                                                                                    | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either <b>Built-in</b> or stored remotely in the <b>Repository</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         |                                                                                                                                                                                                                                  | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         |                                                                                                                                                                                                                                  | <b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Execution platform</i>                                                                                                                                                                                                        | Select the Operating System type you use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                          |                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>TDPID</i>                          | <p>Teradata director program identifier. It can be either the name or the IP address of the Teradata Database system being accessed.</p> <p> If you do not specify a TDPID, the system will use the name of Teradata database as the default TDPID. The customized TDPID can be up to 256 characters and can be a domain server name. For further information about TDPID, see <a href="#">Teradata Parallel Transporter Reference</a>.</p>                      |
|                          | <i>Database name</i>                  | Fill this field with the name of the Teradata database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          | <i>Load Operator</i>                  | A consumer operator that functions similarly to <b>tTeradataFastLoad</b> to load data from data streams and inserts data into individual rows of a target table in the Teradata database.                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Data Connector</i>                 | <p>Functions as either a file reader to read from flat files or access modules or a file writer to write to flat files or access modules.</p> <p> For further information about flat file, see <a href="#">Flat file database</a>.</p>                                                                                                                                                                                                                           |
|                          | <i>Job Name</i>                       | <p>Name of a Teradata Parallel Transporter Job which is defined using Teradata <i>tbuild</i> command.</p> <p> If you do not specify a Job name, the default is the user name followed by a hyphen and a generated TPT Job sequence number as follows:</p> <p style="text-align: center;">&lt;user name&gt;-&lt;job sequence number&gt;</p> <p>For further information about Teradata commands, see <a href="#">Teradata Parallel Transporter Reference</a>.</p> |
|                          | <i>Layout Name(schema)</i>            | A schema for the data to be interchanged.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Username</i> and <i>Password</i>   | The Teradata database username and the Teradata database password associated with the username for Teradata database authentication.                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Table</i>                          | Name of the table to be written into the Teradata database. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Script generated folder</i>        | Browse your directory and select the destination of the file which will be created.                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Where condition in case Delete</i> | Type in script as a condition, which, once verified, will delete the row.                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Error file</i>                     | Browse your directory and select the destination of the file where the error messages will be recorded.                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Advanced settings</b> | <i>Row separator</i>                  | Character, string or regular expression to separate rows.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Field separator</i>                | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Include header</i>                 | Select this check box to include the column header to the file.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Encoding</i>                       | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                                                                                                                                                                                                                                                                                                                                                                  |

|              |                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                       |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              | <i>Define Log table</i>                                                                                                                                                                                             | This check box is selected to define a log table you want to use in place of the default one that is the database table you defined in <b>Basic settings</b> followed by "_log". The syntax required to define the log table is <i>logtablename</i> . |
|              | <i>Return mload error</i>                                                                                                                                                                                           | Select this check box to specify the exit code number to indicate the point at which an error message should display in the console. For further information about this error, see <a href="#">Teradata MultiLoad Reference</a> .                     |
|              | <i>Define character set</i>                                                                                                                                                                                         | Specify the character encoding to be used in your system.                                                                                                                                                                                             |
|              | <i>tStat Catcher Statistics</i>                                                                                                                                                                                     | Select this check box to collect log data at the component level.                                                                                                                                                                                     |
| <b>Usage</b> | This component offers the flexibility of the DB query and covers all possible SQL queries. For further information about the usage of this component, see <a href="#">Teradata Parallel Transporter Reference</a> . |                                                                                                                                                                                                                                                       |


## Related scenario

For related topic, see [the section called "Scenario: Inserting data into a Teradata database table"](#).

# tTeradataTPump



## tTeradataTPump Properties

|                         |                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b> | Databases/Teradata                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | <b>tTeradataTPump</b> reads a database and extracts fields using queries.                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | <b>tTeradataTPump</b> executes a database query according to a strict order which must be the same as the one in the schema. The retrieve list of fields is then transferred to the next component, using a connexion flow ( <b>Main row</b> ). |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                            | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         |                                                                                                                                                                                                                                                 | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Execution platform</i>                                                                                                                                                                                                                       | Select the Operating System type you use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Host</i>                                                                                                                                                                                                                                     | Host name or IP address of the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Database name</i>                                                                                                                                                                                                                            | Database name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                             | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Table</i>                                                                                                                                                                                                                                    | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                            | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         |                                                                                                                                                                                                                                                 | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Script generated folder</i>                                                                                                                                                                                                                  | Browse your directory and select the destination of the file which will be created.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Action to data</i>                                                                                                                                                                                                                           | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the Update and Delete operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s).</i></p> |
|                         | <i>Where condition in case Delete</i>                                                                                                                                                                                                           | Type in a condition, which, once verified, will delete the row.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |



|                          |                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Load file</i>                                                                           | Browse your directory and select the file from which you want to load data.                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Field separator</i>                                                                     | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Error file</i>                                                                          | Browse your directory and select the destination of the file where the error messages will be recorded.                                                                                                                                                                                                                                                                                                                |
| <b>Advanced settings</b> | <i>Define Log table</i>                                                                    | This check box is selected to define a log table you want to use in place of the default one that is the database table you defined in <b>Basic settings</b> . The syntax required to define the log table is <i>databasename.logtablename</i> .                                                                                                                                                                       |
|                          | <i>BEGIN LOAD</i>                                                                          | This field allows you to define your BEGIN LOAD command to initiate or restart a TPump task. You can specify the number of sessions to use, the error limit and any other parameters needed to execute the task. The default value is:<br><br>SESSIONS 8 PACK 600 ARRAYSUPPORT ON CHECKPOINT 60 TENACITY 2 ERRLIMIT 1000.<br><br>For more information, see <i>Teradata Parallel Data Pump Reference</i> documentation. |
|                          | <i>Return tpump error</i>                                                                  | Select this check box to specify the exit code number to indicate the point at which an error message should display in the console.                                                                                                                                                                                                                                                                                   |
|                          | <i>Define character set</i>                                                                | Specify the character encoding you need use for your system                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>tStatCatcher Statistics</i>                                                             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                      |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries. |                                                                                                                                                                                                                                                                                                                                                                                                                        |

## Scenario: Inserting data into a Teradata database table

In this scenario, you create a Job using **tTeradataTPump** to insert customer data into a Teradata database table and specify the exit code to be displayed in the event of an exception error.


Three components are used in this Job:

- **tRowGenerator**: generates rows as required using random customer data taken from a list.
- **tFileOutputDelimited**: outputs the customer data into a delimited file.
- **tTeradataTPump**: inserts the customer data into the Teradata database table in the TPump mode.

### Dropping components

1. Drop the required components: **tRowGenerator**, **tFileOutputDelimited** and **tTeradataTPump** from the **Palette** onto the design workspace.
2. Link **tRowGenerator** to **tFileOutputDelimited** using a **Row > Main** connection.

3. Link **tRowGenerator** to **tTeradataTPump** using a **Trigger > On SubjobOk** connection.



## Configuring the components

1. Double click **tRowGenerator** to open the **tRowGenerator Editor** window.


In the **tRowGenerator Editor** window, define the data to be generated. For this Job, the schema is composed of two columns: *ID* and *Name*.

| Schema |                                     |        |                                     |     |        |           |         |         | Functions  |            | Preview |
|--------|-------------------------------------|--------|-------------------------------------|-----|--------|-----------|---------|---------|------------|------------|---------|
| Column | Key                                 | Type   | <input type="checkbox"/>            | N.. | Length | Precision | Default | Comment | Functions  | Environ... | Preview |
| id     | <input checked="" type="checkbox"/> | int    | <input type="checkbox"/>            |     | 10     | 0         |         |         | sequence   | sequenc... |         |
| name   | <input type="checkbox"/>            | String | <input checked="" type="checkbox"/> |     | 20     | 0         |         |         | getLast... |            |         |

Columns

Enter the **Number of Rows for RowGenerator** to generate.


2. Double click **tFileOutputDelimited** to define its properties in the **Component** view.
3. Next to **File Name**, browse to the output file or enter a name for the output file to be created.
4. Between double quotation marks, enter the delimiters to be used next to **Row Separator** and **Field Separator**.



Click **Edit schema** and check that the schema matches the input schema. If need be, click **Sync Columns**.

5. Double click **tTeradataTPump** to open its **Component** view.

In the **Basic settings** tab of the **Component** view, define the **tTeradataTPump** parameters. I



6. Enter the **Database name**, **User name** and **Password** in accordance with your database authentication information.
7. Specify the **Table** into which you want to insert the customer data. In this scenario, it is called *mytable*.
8. In the **Script generated folder** field, browse to the folder in which you want to store the script files generated.
9. In the **Load file** field, browse to the file which contains the customer data.
10. In the **Error file** field, browse to the file in which you want to log the error information.
11. In the **Action on data** field, select **Insert**.


## Executing the Job

1. Press **F6** to execute the Job.
2. The **Run** view console reads as follows:

```
Running job 'tpump'...
Starting job tpump at 17:01 19/07/2010.

[statistics] connecting to socket on port 3740
[statistics] connected
[statistics] disconnected
Job tpump ended at 17:02 19/07/2010. [exit code=0]
```

3. Double-click the **tTeradataTPump** component to go back to its **Component** view.
4. On the **Advanced settings** tab, select the **Return tpump error** check box and type in the exit code number to indicate the point at which an error message should be displayed in the console. In this example, enter the number **4** and use the default values for the other parameters.



5. Press **F6** to run the Job.
6. The **Run** view console reads as follows:

```
Running job 'tpump'...
Starting job tpump at 17:56 19/07/2010.

[statistics] connecting to socket on port 3549
[statistics] connected
[statistics] disconnected
Exception in component tTeradataTPump_1
java.lang.RuntimeException: TPump returned exit code 12
 at
 bug.tpump_0_1.tpump.tTeradataTPump_1Process(tpump.java:307)
 at bug.tpump_0_1.tpump.runJobInTOS(tpump.java:504)
 at bug.tpump_0_1.tpump.main(tpump.java:378)
Job tpump ended at 17:56 19/07/2010. [exit code=0]
```


An exception error occurs and TPump returned exit code 12 is displayed. If you need to view detailed information about the exception error, you can open the log file stored in the directory you specified in the **Error file** field in the **Basic settings** tab of the **Component** view.

# tVectorWiseCommit



## tVectorWiseCommit Properties

This component is closely related to **tVectorWiseConnection** and **tVectorWiseRollback**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/VectorWise                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>          | <b>tVectorWiseCommit</b> validates the data processed in a Job into the connected DB.                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>           | Using a single connection, this component commits a global transaction in one go instead of doing so on every row or every batch. This provides a gain in performance |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                 | Select the <b>tVectorWiseConnection</b> component from the list if more than one connection is planned for the current job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Close connection</i>                                                                                                                                               | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tVectorWiseCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Usage</b>             | This component is generally used with other VectorWise components, notably <b>tVectorWiseConnection</b> and <b>tVectorWiseRollback</b> .                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Limitation</b>        | n/a                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

## Related scenario

This component is closely related to **tVectorWiseConnection** and **tVectorWiseRollback**. It usually doesn't make much sense to use one of these without using a **tVectorWiseConnection** component to open a connection for the current transaction.

For a **tVectorWiseCommit** related scenario, see [the section called "tVerticaConnection"](#).

# tVectorWiseConnection



## tVectorWiseConnection Properties

This component is closely related to **tVectorWiseCommit** and **tVectorWiseRollback**. It usually doesn't make much sense to use one of these without using a **tVectorWiseConnection** component to open a connection for the current transaction.

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/VectorWise                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tVectorWiseConnection</b> opens a connection to a database for a transaction to be carried out.                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                              |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                    |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                          |
|                          | <i>Server</i>                                                                                                                                                                                                                                                                                                                                                         | Database server IP address.                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                          |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database.                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Username et Password</i>                                                                                                                                                                                                                                                                                                                                           | Authentication information of the database user.                                                                                                                                                                                                                                                                                             |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or retrieve a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child. <b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>Auto Commit</i>                                                                                                                                                                                                                                                                                                                                                    | Select this check box to commit a transaction automatically upon completion.                                                                                                                                                                                                                                                                 |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                            |
| <b>Usage</b>             | This component is to be used along with VectorWise components, particularly <b>tVectorWiseCommit</b> and <b>tVectorWiseRollback</b> .                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                              |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                              |

## Related scenario


This component is closely related to **tVectorWiseCommit** and **tVectorWiseRollback**. It usually doesn't make much sense to use one of these without using a **tVectorWiseConnection** component to open a connection for the current transaction.

For a **tVectorWiseConnection** related scenario, see [the section called "tMySQLConnection"](#).

# tVectorWiseInput



## tVectorWiseInput Properties

|                         |                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/VectorWise                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Function</b>         | <b>tVectorWiseInput</b> reads a database and extracts fields based on a query.                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Purpose</b>          | <b>tVectorWiseInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a <b>Main</b> row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                         | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         |                                                                                                                                                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Use an existing connection</i>                                                                                                                                                                            | Select this check box when using a configured <b>tVectorWiseConnection</b> component.<br><br> When a Job contains the parent Job and the child Job, the <b>Component list</b> only presents the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.<br><br>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.<br><br>Otherwise, you can deactivate the connection components and use the <b>Dynamic settings</b> of the component to specify the connection manually. In this case, ensure that the connection name is unique and distinctive throughout the two Job levels. For further information about <b>Dynamic settings</b> , see your studio user guide. |
|                         | <i>Server</i>                                                                                                                                                                                                | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Port</i>                                                                                                                                                                                                  | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Database</i>                                                                                                                                                                                              | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Username a Password</i>                                                                                                                                                                                   | Authentication information of the database user.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Schema and Edit Schema</i>                                                                                                                                                                                | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                           |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
|                          | <i>Table name</i>                                                                                                                                                                                                                                                                                                                                                     | Name of the table to be read.                                                                                                                             |
|                          | <i>Query type and Query</i>                                                                                                                                                                                                                                                                                                                                           | Enter your DB query, ensuring that the field order matches the order in the schema.                                                                       |
|                          | <i>Guess Query</i>                                                                                                                                                                                                                                                                                                                                                    | Click this button to generate a query that corresponds to your table schema in the <b>Query</b> field.                                                    |
|                          | <i>Guess schema</i>                                                                                                                                                                                                                                                                                                                                                   | Click this button to retrieve the schema from the table.                                                                                                  |
| <b>Advanced settings</b> | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                         |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Define columns from which to remove leading and trailing whitespace.                                                                                      |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                         |
| <b>Usage</b>             | This component covers all possible SQL queries for Vertica databases.                                                                                                                                                                                                                                                                                                 |                                                                                                                                                           |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                           |

## Related scenario

For **tVectorWiseInput** related scenarios, see:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).





# tVectorWiseOutput



## tVectorWiseOutput Properties

|                         |                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/VectorWise                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Function</b>         | <b>tVectorWiseOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Purpose</b>          | <b>tVectorWiseOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                             | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         |                                                                                                                                                                                  | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Use an existing connection</i>                                                                                                                                                | <p>Select this check box when using a configured <b>tVerticaConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, the <b>Component list</b> only presents the connection components of the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive throughout the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                      | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                         | <i>Port</i>                                                                                                                                                                      | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                         | <i>Database</i>                                                                                                                                                                  | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                              | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Table</i>                                                                                                                                                                     | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                         | <i>Action on table</i>                                                                                                                                                           | On the table defined, you can perform one of the following operations:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

|                          |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                               | <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Action on data</i>         | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|                          | <i>Schema and Edit Schema</i> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                          |                               | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Die on error</i>           | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Commit every</i>           | <p>Number of rows to be completed before committing batches of rows together into the DB. This option ensures</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | transaction quality (but not rollback) and, above all, better performance at executions.                                                                                                                                                                                       |
|                   | <i>Additional Columns</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                 |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column.                                                                                                                                                                                    |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                          |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                           |
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                        |
|                   | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                  |
|                   | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                            |
|                   | <i>Support null in “SQL WHERE” statement</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Select this check box if you want to deal with the Null values contained in a DB table.<br><br> Ensure that the Nullable check box is selected for the corresponding columns in the schema. |
|                   | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Select this check box to collect log data at the component level.                                                                                                                                                                                                              |
| <b>Usage</b>      | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Vertica database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                                |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                             |                                                                                                                                                                                                                                                                                |

## Related scenario

For **tVectorWiseOutput** related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tVectorWiseRollback



## tVectorWiseRollback Properties

This component is closely related to **tVectorWiseCommit** and **tVectorWiseConnection**. It usually doesn't make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                    |                                                                                                                             |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/VectorWise                                                                                                                               |                                                                                                                             |
| <b>Function</b>          | <b>tVectorWiseRollback</b> cancels transactions committed to the DB connected.                                                                     |                                                                                                                             |
| <b>Purpose</b>           | This component prevents involuntary commits.                                                                                                       |                                                                                                                             |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                              | Select the <b>tVectorWiseConnection</b> component from the list if more than one connection is planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                                            | Clear this check box to continue to use the selected connection once the component has performed its task.                  |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                     | Select this check box to collect log data at the component level.                                                           |
| <b>Usage</b>             | This component is to be used along with Teradata components, especially with <b>tVectorWiseConnection</b> and <b>tVectorWiseCommit</b> components. |                                                                                                                             |
| <b>Limitation</b>        | n/a                                                                                                                                                |                                                                                                                             |


## Related scenario


For a **tVectorWiseRollback** related scenario, see [the section called "Scenario: Rollback from inserting data in mother/daughter tables"](#).

# tVectorWiseRow



## tVectorWiseRow Properties

|                         |                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/VectorWise                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Function</b>         | <b>tVectorWiseRow</b> is the specific component for this database query. It executes the SQL query stated in the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tVectorWiseRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write your SQL statements easily.                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                            | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         |                                                                                                                                                                                                                                                 | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                               | <p>Select this check box and click the relevant <b>tVectorWiseConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, the <b>Component list</b> only presents the connection components of the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For further information about how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                                                                                     | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                         | <i>Port</i>                                                                                                                                                                                                                                     | Listening port number of the DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Database</i>                                                                                                                                                                                                                                 | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                             | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                            | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Table Name</i>                                                                                                                                                                                                                                                                                                                                                     | Name of the table to be processed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Query type</i>                                                                                                                                                                                                                                                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> Fill in the query statement manually or build it graphically using the SQLBuilder.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | Guess Query                                                                                                                                                                                                                                                                                                                                                           | Click this button to generate a query that corresponds to your table schema in the <b>Query</b> field.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Query</i>                                                                                                                                                                                                                                                                                                                                                          | Enter your DB query taking care to sequence the fields properly in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                                                                                                                                                    | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Use PreparedStatement</i>                                                                                                                                                                                                                                                                                                                                          | Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                   | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>tStat Catcher Statistics</i>                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## Related scenario

For related topics, see:


- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tVerticaBulkExec



## tVerticaBulkExec Properties

The **tVerticaOutputBulk** and **tVerticaBulkExec** components are generally used together as parts of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tVerticaOutputBulkExec** component, detailed in a separate section. The advantage of using two separate components is that the data can be transformed before it is loaded in the database.

|                         |                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Vertica                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>         | Executes the Insert action on the data provided.                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>          | As a dedicated component, <b>tVerticaBulkExec</b> offers gains in performance while carrying out the Insert operations to a Mysql database |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                       | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         |                                                                                                                                            | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Use an existing connection</i>                                                                                                          | <p>Select this check box when using a configured <b>tVerticaConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Port</i>                                                                                                                                | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Database</i>                                                                                                                            | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Username</i> and <i>Password</i>                                                                                                        | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |



|                          |                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <i>Action on table</i>                     | <p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create table:</b> The table is removed and created again.</p> <p><b>Create table:</b> The table does not exist and gets created.</p> <p><b>Create table if not exists:</b> The table is created if it does not exist.</p> <p><b>Clear table:</b> The table content is deleted. You have the possibility to rollback the operation.</p> |
|                          | <i>Table</i>                               | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                                                                                |
|                          | <i>Schema and Edit Schema</i>              | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                         |
|                          |                                            | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                            |
|                          | <i>Remote Filename</i>                     | <p>Name of the file to be processed.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                |
| <b>Advanced settings</b> | <i>Write to ROS (Read Optimized Store)</i> | Select this check box to store the data in a physical storage area, in order to optimize the reading, as the data is compressed and pre-sorted.                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Exit job if no row was loaded</i>       | The Job automatically stops if no row has been loaded.                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                          | <i>Fields terminated by</i>                | Character, string or regular expression to separate fields.                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Null string</i>                         | String displayed to indicate that the value is null.                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                          | <i>tStatCatcher Statistics</i>             | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Usage</b>             |                                            | This component is to be used along with <b>tVerticaOutputBulk</b> component. Used together, they can offer gains in performance while feeding a Vertica database.                                                                                                                                                                                                                                                                                                                    |
| <b>Limitation</b>        |                                            | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                |

## Related scenarios

For related topics, see:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).

- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tVerticaClose



## tVerticaClose properties

|                          |                                                                                                                                   |                                                                                                                         |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Vertica                                                                                                                 |                                                                                                                         |
| <b>Function</b>          | <b>tVerticaClose</b> closes the transaction committed in the connected DB.                                                        |                                                                                                                         |
| <b>Purpose</b>           | Close a transaction.                                                                                                              |                                                                                                                         |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                             | Select the <b>tVerticaConnection</b> component in the list if more than one connection are planned for the current Job. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                    | Select this check box to collect log data at the component level.                                                       |
| <b>Usage</b>             | This component is to be used along with Vertica components, especially with <b>tVerticaConnection</b> and <b>tVerticaCommit</b> . |                                                                                                                         |
| <b>Limitation</b>        | n/a                                                                                                                               |                                                                                                                         |

## Related scenario


No scenario is available for this component yet.

# tVerticaCommit



## tVerticaCommit Properties

This component is closely related to **tVerticaConnection** and **tVerticaRollback**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Vertica                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | <b>tVerticaConnection</b> validates the data processed through the Job into the connected DB.                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                                                     | Select the <b>tVerticaConnection</b> component in the list if more than one connection are planned for the current job.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          | <i>Close connection</i>                                                                                                                                                   | This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.<br><br> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tVerticaCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i> |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                            | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Usage</b>             | This component is to be used along with Mysql components, especially with <b>tVerticaConnection</b> and <b>tVerticaRollback</b> components.                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | n/a                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

## Related scenario

This component is closely related to **tVerticaConnection** and **tVerticaRollback**. It usually does not make much sense to use one of these without using a **tVerticaConnection** component to open a connection for the current transaction.

For **tVerticaCommit** related scenario, see [the section called “tVerticaConnection”](#)

# tVerticaConnection



## tVerticaConnection Properties

This component is closely related to **tVerticaCommit** and **tVerticaRollback**. It usually does not make much sense to use one of these without using a **tVerticaConnection** component to open a connection for the current transaction.

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Vertica                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>          | <b>tVerticaConnection</b> opens a connection to the database for a current transaction.                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>           | This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                  | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                              |
|                          | <i>DB Version</i>                                                                                                                                                                                                                                                                                                                                                     | Select the version of Vertica you are using from the list.                                                                                                                                                                                                                                                                                       |
|                          | <i>Host</i>                                                                                                                                                                                                                                                                                                                                                           | Database server IP address                                                                                                                                                                                                                                                                                                                       |
|                          | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of DB server.                                                                                                                                                                                                                                                                                                              |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                                                                                                                                                     |
|                          | <i>Use or register a shared DB Connection</i>                                                                                                                                                                                                                                                                                                                         | Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.<br><br><b>Shared DB Connection Name:</b> set or type in the shared connection name. |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                |
| <b>Utilisation</b>       | This component is to be used along with Vertica components, especially with <b>tVerticaCommit</b> and <b>tVerticaRollback</b> components.                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                  |

## Related scenario


This component is closely related to **tVerticaCommit** and **tVerticaRollback**. It usually does not make much sense to use one of these without using a **tVerticaConnection** component to open a connection for the current transaction.

For **tVerticaConnection** related scenario, see [the section called “tMysqlConnection”](#).

# tVerticalInput



## tVerticalInput Properties

|                         |                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Vertica                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Function</b>         | <b>tVerticalInput</b> reads a database and extracts fields based on a query.                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Purpose</b>          | <b>tVerticalInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a <b>Main</b> row link. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                       | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         |                                                                                                                                                                                                            | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | DB Version                                                                                                                                                                                                 | Select the version of Vertica you are using from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Use an existing connection</i>                                                                                                                                                                          | Select this check box when using a configured <b>tVerticaConnection</b> component.<br><br> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.<br><br>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.<br><br>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b> , see your studio user guide. |
|                         | <i>Host</i>                                                                                                                                                                                                | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Port</i>                                                                                                                                                                                                | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Database</i>                                                                                                                                                                                            | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Username and Password</i>                                                                                                                                                                               | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Schema and Edit Schema</i>                                                                                                                                                                              | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                           |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
|                          | <i>Table Name</i>                                                                                                                                                                                                                                                                                                                                                     | Name of the table to be read.                                                                                                                             |
|                          | <i>Query type and Query</i>                                                                                                                                                                                                                                                                                                                                           | Enter your DB query, ensuring that the field order matches the order in the schema.                                                                       |
| <b>Advanced settings</b> | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                               | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                         |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                    | Remove leading and trailing whitespace from defined columns.                                                                                              |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                         |
| <b>Usage</b>             | This component covers all possible SQL queries for Vertica databases.                                                                                                                                                                                                                                                                                                 |                                                                                                                                                           |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                           |

## Related scenarios

For related scenarios, see:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).






# tVerticaOutput




## tVerticaOutput Properties

|                         |                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Vertica                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>         | <b>tVerticaOutput</b> writes, updates, makes changes or suppresses entries in a database.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>          | <b>tVerticaOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the job. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                          | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         |                                                                                                                                                                               | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>DB Version</i>                                                                                                                                                             | Select the version of Vertica you are using from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Use an existing connection</i>                                                                                                                                             | <p>Select this check box when using a configured <b>tVerticaConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Host</i>                                                                                                                                                                   | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Port</i>                                                                                                                                                                   | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Database</i>                                                                                                                                                               | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                           | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Table</i>                                                                                                                                                                  | Name of the table to be written. Note that only one table can be written at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Action on table</i>                                                                                                                                                        | On the table defined, you can perform one of the following operations:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|  |                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |                               | <p><b>Default:</b> No operation is carried out.</p> <p><b>Drop and create table:</b> The table is removed and created again.</p> <p><b>Create table:</b> The table does not exist and gets created.</p> <p><b>Create table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear table:</b> The table content is deleted.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|  | <i>Action on data</i>         | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p><b>Copy:</b> Read data from a text file and insert tuples of entries into the WOS (Write Optimized Store) or directly into the ROS (Read Optimized Store). This option is ideal for bulk loading. For further information, see your Vertica SQL Reference Manual.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p> |
|  | <i>Schema and Edit schema</i> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|  |                               | <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|  | <i>Die on error</i>           | <p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

|                                                                                                                                                                                                                                                                                      |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                      |                                | free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Advanced settings</b>                                                                                                                                                                                                                                                             | <i>Commit every</i>            | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at executions.                                                                                                                                                                                                                                                                                                         |
| <i>Copy parameters</i><br> This area is available only when the <b>Action on data</b> is <b>Copy</b> . For further details about the <b>Copy</b> parameters, see your Vertica SQL Reference Manual. | <i>Abort on error</i>          | Select this check box to stop the <b>Copy</b> operation on data if a row is rejected and rolls back this operation. Thus no data is loaded.                                                                                                                                                                                                                                                                                                                                                                 |
|                                                                                                                                                                                                                                                                                      | <i>Maximum rejects</i>         | Type in a number to set the REJECTMAX command used by Vertica, which indicates the upper limit on the number of logical records to be rejected before a load fails. If not specified or if value is 0, an unlimited number of rejections are allowed.                                                                                                                                                                                                                                                       |
|                                                                                                                                                                                                                                                                                      | <i>No commit</i>               | Select this check box to prevent the current transaction from committing automatically.                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                                                                                                                                                                                                                                                                                      | <i>Exception file</i>          | Type in the path to, or browse to the file in which messages are written indicating the input line number and the reason for each rejected data record.                                                                                                                                                                                                                                                                                                                                                     |
|                                                                                                                                                                                                                                                                                      | <i>Exception file node</i>     | Type in the node of the exception file. If not specified, operations default to the query's initiator node.                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                                                                                                                                                                                                                                                                      | <i>Rejected data file</i>      | Type in the path to, or browse to the file in which to write rejected rows. This file can then be edited to resolve problems and reloaded.                                                                                                                                                                                                                                                                                                                                                                  |
|                                                                                                                                                                                                                                                                                      | <i>Rejected data file node</i> | Type in the node of the rejected data file. If not specified, operations default to the query's initiator node.                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                                                                                                                                                                                                                                      | <i>Use batch mode</i>          | Select this check box to activate the batch mode for data processing. In the <b>Batch Size</b> field that appears when this check box is selected, you can type in the number you need to define the batch size to be processed.<br><br> This check box is available only when you have selected the <b>Insert</b> , the <b>Update</b> , the <b>Delete</b> or the <b>Copy</b> option in the <b>Action on data</b> field. |
|                                                                                                                                                                                                                                                                                      | <i>Additional Columns</i>      | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.                                                                                                                                                                                                                                              |
|                                                                                                                                                                                                                                                                                      |                                | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                                                                                                                                                                                                                                                                      |                                | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                                                                                                                                                                                                                                                                       |
|                                                                                                                                                                                                                                                                                      |                                | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.                                                                                                                                                                                                                                                                                                                                                                        |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                 |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                         |
|                   | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                                                   |
|                   | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Select this check box to display each step during processing entries in a database.                                                                                                                                                                                                             |
|                   | <i>Support null in "SQL WHERE" statement</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Select this check box to allow for the Null value in the "SQL WHERE" statement.                                                                                                                                                                                                                 |
|                   | <i>Create projection when create table</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to create a projection for a table to be created.<br><br> This check box is available only when you have selected the table creation related option in the <b>Action on table</b> field. |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Select this check box to collect log data at the component level.                                                                                                                                                                                                                               |
| <b>Usage</b>      | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Vertica database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called "Scenario 3: Retrieve data in error with a Reject link"</a>.</p> |                                                                                                                                                                                                                                                                                                 |
| <b>Limitation</b> | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                                        |                                                                                                                                                                                                                                                                                                 |

## Related scenarios

For **tVerticaOutput** related topics, see:

- [the section called "Scenario: Writing a row to a table in the MySQL database via an ODBC connection"](#)
- [the section called "Scenario 1: Adding a new column and altering data in a DB table"](#).

# tVerticaOutputBulk



## tVerticaOutputBulk Properties

The **tVerticaOutputBulk** and **tVerticaBulkExec** components are generally used together as parts of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tVerticaOutputBulkExec** component, detailed in a separate section. The advantage of using two separate components is that the data can be transformed before it is loaded in the database.

|                          |                                                                                                                                                    |                                                                                                                                                                                                              |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Vertica                                                                                                                                  |                                                                                                                                                                                                              |
| <b>Function</b>          | <b>tVerticaBulkOutputExec</b> writes a file with columns based on the defined delimiter and the Vertica standards.                                 |                                                                                                                                                                                                              |
| <b>Purpose</b>           | <b>tVerticaBulkOutputExec</b> prepares the file to be used as parameter in the INSERT query to feed the Vertica database.                          |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                               | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                    | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>File Name</i>                                                                                                                                   | Name of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                              |
|                          | <i>Append</i>                                                                                                                                      | Select this check box to add the new rows at the end of the file.                                                                                                                                            |
|                          | <i>Schema and Edit Schema</i>                                                                                                                      | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                    | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                               |
| <b>Advanced settings</b> | <i>Row separator</i>                                                                                                                               | String (ex: “\n”on Unix) to distinguish rows.                                                                                                                                                                |
|                          | <i>Field separator</i>                                                                                                                             | Character, string or regular expression to separate fields.                                                                                                                                                  |
|                          | <i>Include header</i>                                                                                                                              | Select this check box to include the column header to the file.                                                                                                                                              |
|                          | <i>Encoding</i>                                                                                                                                    | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                                                                             |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                     | Select this check box to collect log data at the component level.                                                                                                                                            |
| <b>Utilisation</b>       | This component is to be used along with <b>tVerticaBulkExec</b> . Used together, they offer gains in performance while feeding a Vertica database. |                                                                                                                                                                                                              |

## Related scenarios

For use cases in relation with **tVerticaOutputBulk**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).

# tVerticaOutputBulkExec



## tVerticaOutputBulkExec Properties

The **tVerticaOutputBulk** and **tVerticaBulkExec** components are generally used together as parts of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tVerticaOutputBulkExec** component.

|                         |                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Vertica                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Function</b>         | <b>tVerticaOutputBulkExec</b> executes the Insert action on the data provided.                           |                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Purpose</b>          | As a dedicated component, it allows gains in performance during Insert operations to a Vertica database. |                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Basic settings</b>   | <i>Property Type</i>                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                         |
|                         |                                                                                                          | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>DB Version</i>                                                                                        | Select the version of Vertica you are using from the list.                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Host</i>                                                                                              | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Port</i>                                                                                              | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>DB Name</i>                                                                                           | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                              |
|                         | <i>Username</i> and <i>Password</i>                                                                      | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Table</i>                                                                                             | Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.                                                                                                                                                                                                                                                                             |
|                         | <i>Action on table</i>                                                                                   | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if not exists:</b> The table is created if it does not exist.<br><br><b>Clear a table:</b> The table content is deleted. |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                      |
|                         |                                                                                                          | <b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                    |
|                         | <i>File Name</i>                                                                                         | Name of the file to be processed.                                                                                                                                                                                                                                                                                                                                                                                                 |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                 |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                          |
|                          | <i>Append</i>                                                                                                                                                                                                                                                                                                                                                         | Select this check box to add the new rows at the end of the file                                                                                |
| <b>Advanced settings</b> | <i>Write to ROS (Read Optimized Store)</i>                                                                                                                                                                                                                                                                                                                            | Select this check box to store the data in a physical storage area, in order to optimize the reading, as the data is compressed and pre-sorted. |
|                          | <i>Exit job if no row was loaded</i>                                                                                                                                                                                                                                                                                                                                  | The Job automatically stops if no row has been loaded.                                                                                          |
|                          | <i>Field Separator</i>                                                                                                                                                                                                                                                                                                                                                | Character, string or regular expression to separate fields.                                                                                     |
|                          | <i>Null string</i>                                                                                                                                                                                                                                                                                                                                                    | String displayed to indicate that the value is null.                                                                                            |
|                          | <i>Include header</i>                                                                                                                                                                                                                                                                                                                                                 | Select this check box to include the column header to the file.                                                                                 |
|                          | <i>Encoding</i>                                                                                                                                                                                                                                                                                                                                                       | Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.                |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                               |
| <b>Usage</b>             | This component is mainly used when no particular transformation is required on the data to be loaded onto the database.                                                                                                                                                                                                                                               |                                                                                                                                                 |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                 |

## Related scenarios

For use cases in relation with **tVerticaOutputBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).



# tVerticaRollback



## tVerticaRollback Properties

This component is closely related to **tVerticaCommit** and **tVerticaConnection**. It usually does not make much sense to use these components independently in a transaction.

|                          |                                                                                                                                           |                                                                                                                        |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/Vertica                                                                                                                         |                                                                                                                        |
| <b>Function</b>          | <b>tVerticaRollback</b> cancels the transaction commit in the connected DB.                                                               |                                                                                                                        |
| <b>Purpose</b>           | <b>tVerticaRollback</b> avoids to commit part of a transaction involuntarily.                                                             |                                                                                                                        |
| <b>Basic settings</b>    | <i>Component list</i>                                                                                                                     | Select the <b>VerticaConnection</b> component in the list if more than one connection are planned for the current job. |
|                          | <i>Close Connection</i>                                                                                                                   | Clear this check box to continue to use the selected connection once the component has performed its task.             |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                            | Select this check box to collect log data at the component level.                                                      |
| <b>Usage</b>             | This component is to be used along with Mysql components, especially with <b>tVerticaConnection</b> and <b>tVerticaCommit</b> components. |                                                                                                                        |
| <b>Limitation</b>        | n/a                                                                                                                                       |                                                                                                                        |


## Related scenario


For **tVerticaRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).

# tVerticaRow



## tVerticaRow Properties

|                         |                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/Vertica                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Function</b>         | <b>tVerticaRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it does not provide output. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Purpose</b>          | Depending on the nature of the query and the database, <b>tVerticaRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                            | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         |                                                                                                                                                                                                                                                 | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>DB Version</i>                                                                                                                                                                                                                               | Select the version of Vertica you are using from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Use an existing connection</i>                                                                                                                                                                                                               | <p>Select this check box and click the relevant <b>tVerticaConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>Port</i>                                                                                                                                                                                                                                     | Listening port number of DB server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Database</i>                                                                                                                                                                                                                                 | Name of the database                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                             | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                         | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                            | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                       | component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                          | <i>Table name</i>                                                                                                                                                                                                                                                                                                                                                     | Name of the table to be processed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                          | <i>Query type</i>                                                                                                                                                                                                                                                                                                                                                     | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                          |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> Fill in the query statement manually or build it graphically using the SQLBuilder.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          | <i>Query</i>                                                                                                                                                                                                                                                                                                                                                          | Enter your DB query taking care to sequence the fields properly in order to match the schema definition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                   | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                                                                                                                                                    | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Use PreparedStatement</i>                                                                                                                                                                                                                                                                                                                                          | Select this check box if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.<br><br><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.<br><br><b>Parameter Type:</b> Enter the parameter type.<br><br><b>Parameter Value:</b> Enter the parameter value.<br><br> This option is very useful if you need to execute the same query several times. Performance levels are increased |
|                          | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                   | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Usage</b>             | This component offers the flexibility of the DB query and covers all possible SQL queries.                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

## Related scenario

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

## Databases - other components

This chapter describes connectors that give access to a variety of databases and provide tools for database management. These connectors cover various needs, including: opening connections, reading and writing tables, committing transactions as a whole, as well as performing rollback for error handling. These components can be found in the **Databases** family in the **Palette** of *Talend Open Studio for Big Data*

Other types of database connectors, such as connectors for traditional and appliance/DW databases, are documented in [Databases - traditional components](#) and [Databases - appliance/datawarehouse components](#).





For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tCreateTable



You can find this component at the root of **Databases** group of the **Palette** of *Talend Open Studio for Big Data*. **tCreateTable** covers needs related indirectly to the use of any database.

## tCreateTable Properties

|                                                             |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>                                     | Databases                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Function</b>                                             | <b>tCreateTable</b> creates, drops and creates or clear the specified table. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Purpose</b>                                              | This Java specific component helps create or drop any database table         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Basic settings</b>                                       | <i>Property type</i>                                                         | In Talend Open Studio for Big Data, the Property type is always built-in.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                                                             |                                                                              | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                             | <i>Database Type</i>                                                         | Select the DBMS type from the list.<br><br> The component properties may differ slightly according to the database type selected from the list.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|                                                             | <i>Table Action</i>                                                          | Select the action to be carried out on the database among:<br><br><b>Create table:</b> when you know already that the table doesn't exist.<br><br><b>Create table if not exists:</b> when you don't know whether the table is already created or not<br><br><b>Drop table if exists and create:</b> when you know that the table exists already and needs to be replaced.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>MySQL</b>                                                | <i>Temporary table</i>                                                       | Select this check box if you want to save the created table temporarily.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>MSSQLServer, MySQL, Oracle, PostgresPlus, Postgresql</b> | <i>Use an existing connection</i>                                            | Select this check box in case you use a database connection component, for example: <b>tMysqlConnection</b> or <b>tOracleConnection</b> , etc.<br><br> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.<br><br>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.<br><br>Otherwise, you can as well deactivate the connection components and use <b>Dynamic</b> |

|                                                                  |                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                  |                            | <b>settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b> , see your studio user guide.                                                                                                                                                                                                                                                                                             |
| <b>Oracle</b>                                                    | <i>Connection Type</i>     | Drop-down list of available drivers:<br><br><b>Oracle SID:</b> Select this connection type to uniquely identify a particular database on a system.<br><br><b>Oracle Service Name:</b> Select this connection type to use the TNS alias that you give when you connect to the remote database.<br><br><b>Oracle OCI:</b> Select this connection type to use Oracle Call Interface with a set of C-language software APIs that provide an interface to the Oracle database.<br><br><b>WALLET:</b> Select this connection type to store credentials in an Oracle wallet. |
| <b>Access</b>                                                    | <i>Access File</i>         | Name and path of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Firebird</b>                                                  | <i>Firebird File</i>       | Name and path of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Interbase</b>                                                 | <i>Interbase File</i>      | Name and path of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>SQLite</b>                                                    | <i>SQLite File</i>         | Name and path of the file to be processed.<br><br>Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>JavaDb</b>                                                    | <i>Framework Type</i>      | Select from the list a framework for your database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>HSQldb</b>                                                    | <i>Running Mode</i>        | Select from the list the Server Mode that correspond to your DB setup.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>HSQldb</b>                                                    | <i>Use TLS/SSL Sockets</i> | Select this check box to enable the secured mode, if required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>AS400/Oracle</b>                                              | <i>DB Version</i>          | Select the database version in use.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Teradata</b>                                                  | <i>Create</i>              | Select the table type from the drop-down list. The type may be:<br><br>- <b>SET TABLE:</b> tables which do not allow to duplicate.<br><br>- <b>MULTI SET TABLE:</b> tables allowing duplicate rows                                                                                                                                                                                                                                                                                                                                                                    |
| <b>All database types except Access, JavaDb, SQLite and ODBC</b> | <i>Host</i>                | Database server IP address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>All database types except Access, Firebird,</b>               | <i>Database name</i>       | Name of the database.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>HSQldb, SQLite and ODBC</b>                                                               |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                   |
| <b>JavaDb</b>                                                                                | <i>DB Root Path</i>                                                                                                                                                                                                                                                                                                                                                   | Browse to your database root.                                                                                                                                                                                     |
| <b>All database types except Access, AS400, Firebird, Interbase, JavaDb, SQLite and ODBC</b> | <i>Port</i>                                                                                                                                                                                                                                                                                                                                                           | Listening port number of the DB server.                                                                                                                                                                           |
| <b>HSQldb</b>                                                                                | <i>DB Alias</i>                                                                                                                                                                                                                                                                                                                                                       | Name of the database.                                                                                                                                                                                             |
| <b>Informix</b>                                                                              | <i>DB Server</i>                                                                                                                                                                                                                                                                                                                                                      | Name of the database server.                                                                                                                                                                                      |
| <b>ODBC</b>                                                                                  | <i>ODBC Name</i>                                                                                                                                                                                                                                                                                                                                                      | Name of the database.                                                                                                                                                                                             |
|                                                                                              | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                   | DB user authentication data.                                                                                                                                                                                      |
|                                                                                              | <i>Table name</i>                                                                                                                                                                                                                                                                                                                                                     | Type in between quotes a name for the newly created table.                                                                                                                                                        |
|                                                                                              | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                                                                                                                                                  | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In Talend Open Studio for Big Data, the schema is always built-in.                      |
|                                                                                              |                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                         |
| <b>Advanced settings</b>                                                                     | <i>tStatcatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to gather the job processing metadata at a Job level as well as at each component level.                                                                                                    |
| <b>AS400/ MSSQL Server</b>                                                                   | <i>Additional JDBC Parameters</i>                                                                                                                                                                                                                                                                                                                                     | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> . |
| <b>Usage</b>                                                                                 | This component offers the flexibility of the DB query and covers all possible SQL queries. More scenarios are available for specific DB Input components                                                                                                                                                                                                              |                                                                                                                                                                                                                   |
| <b>Limitation</b>                                                                            | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                                                   |

## Scenario: Creating new table in a Mysql Database

The Job described below aims at creating a table in a database. This Job is composed of a single component.




For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.




1. Drop a **tCreateTable** component from the **Databases** family in the **Palette** to the design workspace.
2. In the **Basic settings** view, and from the **Database Type** list, select **Mysql** for this scenario.






3. From the **Table Action** list, select **Create table**.
4. Select the **Use Existing Connection** check box only if you are using a dedicated DB connection component [the section called "tMysqlConnection"](#). In this example, we won't use this option.
5. Fill in the DB connection details manually..
6. In the **Table Name** field, fill in a name for the table to be created.
7. Click **Edit Schema** to define the data structure.



8. Click the **Reset DB Types** button in case the DB type column is empty or shows discrepancies (marked in orange). This allows you to map any data type to the relevant DB data type. Then, click **OK** to validate your changes and close the dialog box.
9. Save your Job and press **F6** to execute it.



The table is created empty but with all columns defined in the Schema.



# tDBInput



## tDBInput properties

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                              |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/DB Generic                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                              |
| <b>Function</b>          | <p><b>tDBInput</b> reads a database and extracts fields based on a query.</p> <p> To use this component, relevant DBMSs' ODBC drivers should be installed and the corresponding ODBC connections should be configured via the database connection configuration wizard.</p>                                                                                         |                                                                                                                                                                                                              |
| <b>Purpose</b>           | <p><b>tDBInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link.</p> <p> For performance reasons, a specific Input component (e.g.: <b>tMySQLInput</b> for MySQL database) should always be preferred to the generic component.</p> |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                                                                                                 | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                                                                                                      | Name of the data source defined via the database connection configuration wizard.                                                                                                                            |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                                                                                                  | DB user authentication data.                                                                                                                                                                                 |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                                                                                                                                                                                                                                 | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Table Name</i>                                                                                                                                                                                                                                                                                                                                                                                                                                    | Name of the source table where changes made to data should be captured.                                                                                                                                      |
|                          | <i>Query type</i>                                                                                                                                                                                                                                                                                                                                                                                                                                    | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                       |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                               |
|                          | <i>Query</i>                                                                                                                                                                                                                                                                                                                                                                                                                                         | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                   |
| <b>Advanced settings</b> | <i>Trim all the String/Char columns</i>                                                                                                                                                                                                                                                                                                                                                                                                              | Select this check box to remove leading and trailing whitespace from all the String/Char columns.                                                                                                            |
|                          | <i>Trim column</i>                                                                                                                                                                                                                                                                                                                                                                                                                                   | Remove leading and trailing whitespace from defined columns.                                                                                                                                                 |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                            |


|              |                                                                                                                            |
|--------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>Usage</b> | This component offers the flexibility of the DB query and covers all possible SQL queries using a generic ODBC connection. |
|--------------|----------------------------------------------------------------------------------------------------------------------------|

## Scenario 1: Displaying selected data from DB table

The following scenario creates a two-component Job, reading data from a database using a DB query and outputting delimited data into the standard output (console).

**⚠** As a prerequisite of this Job, the MySQL ODBC driver must have been installed and the corresponding ODBC connection must have been configured.

1. Drop a **tDBInput** and **tLogRow** component from the **Palette** to the design workspace.
2. Connect the components using **Row > Main** link.



3. Double-click **tDBInput** to open its **Basic settings** view in the **Component** tab.

**tDBInput\_1**

**Basic settings**

Property Type: Built-In

Database: "odbc\_mysql"

Username: "root" Password: "toor"

Schema: Built-In Edit schema


Table Name: "comprehensive"

Query Type: Built-In Guess Query Guess schema

Query: "SELECT \* FROM comprehensive"

4. Fill in the database name, the username and password in the corresponding fields.
5. Click **Edit Schema** and create a 2-column description including shop code and sales.
6. Enter the table name in the corresponding field.
7. Type in the query making sure it includes all columns in the same order as defined in the Schema. In this case, as we'll select all columns of the schema, the asterisk symbol makes sense.
8. Click on the second component to define it.
9. Enter the fields separator. In this case, a pipe separator.
10. Now go to the **Run** tab, and click on **Run** to execute the Job.


The DB is parsed and queried data is extracted from the specified table and passed on to the job log console. You can view the output file straight on the console.




## Scenario 2: Using StoreSQLQuery variable

StoreSQLQuery is a variable that can be used to debug a **tDBInput** scenario which does not operate correctly. It allows you to dynamically feed the SQL query set in your **tDBInput** component.

1. Use the same scenario as scenario 1 above and add a third component, **tJava**.
2. Connect **tDBInput** to **tJava** using a trigger connection of the **OnComponentOk** type. In this case, we want the **tDBInput** to run before the **tJava** component.



3. Set both **tDBInput** and **tLogRow** component as in **tDBInput** scenario 1.
4. Click anywhere on the design workspace to display the **Contexts** property panel.
5. Create a new parameter called explicitly **StoreSQLQuery**. Enter a default value of 1. This value of 1 means the **StoreSQLQuery** is “true” for a use in the **QUERY** global variable.
6. Click on the **tJava** component to display the **Component** view. Enter the `System.out.println(“ ”)` command to display the query content, press **Ctrl+Space bar** to access the variable list and select the global variable **QUERY**.






7. Go to your **Run tab** and execute the Job.
8. The query entered in the **tDBInput** component shows at the end of the job results, on the log:  
971|9143650232  
978|1475829234  
989|3139722244  
SELECT \* FROM comprehensive  
*Job tDBInputodbc ended at 10:15 04/03/2010. [exit code=0]*

# tDBOutput



## tDBOutput properties

|                         |                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/DB Generic                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Function</b>         | <p><b>tDBOutput</b> writes, updates, makes changes or suppresses entries in a database.</p> <p> To use this component, relevant DBMSs' ODBC drivers should be installed and the corresponding ODBC connections should be configured via the database connection configuration wizard.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Purpose</b>          | <p><b>tDBOutput</b> executes the action defined on the data in a table, based on the flow incoming from the preceding component in the Job.</p> <p> Specific Output component should always be preferred to generic component.</p>                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Basic settings</b>   | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                       | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         |                                                                                                                                                                                                                                                                                                                                                                            | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                         | <i>Database</i>                                                                                                                                                                                                                                                                                                                                                            | Name of the data source defined via the database connection configuration wizard.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                        | DB user authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                         | <i>Table</i>                                                                                                                                                                                                                                                                                                                                                               | Name of the table to be written. Note that only one table can be written at a time                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                         | <i>Action on data</i>                                                                                                                                                                                                                                                                                                                                                      | <p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the Use field options check box and then in the <b>Key in update</b> column, select the check boxes next to the column names you want to use as a base for the <b>Update</b></i></p> |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <i>operation. Do the same in the <b>Key in delete</b> column for the <b>Delete</b> operation.</i>                                                                                                                                                              |
|                          | <i>Clear data in table</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Select this check box to delete data in the selected table before any operation.                                                                                                                                                                               |
|                          | <i>Schema and Edit schema</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                         | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                   |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                      |
|                          | <i>Die on error</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                            |
| <b>Advanced settings</b> | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.                                                   |
|                          | <i>Additional Columns</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                             | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing. |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Name:</b> Type in the name of the schema column to be altered or inserted as new column                                                                                                                                                                     |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.                                                                                                                                          |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> depending on the action to be performed on the reference column.                                                                                                                        |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                        |
|                          | <i>Use field options</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Select this check box to customize a request, especially when there is double action on data.                                                                                                                                                                  |
|                          | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Select this check box to display each step during processing entries in a database.                                                                                                                                                                            |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect log data at the component level.                                                                                                                                                                                              |
| <b>Usage</b>             | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on the data of a table in a database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For a related scenario, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                                                                                                                                                                                |

## Scenario: Writing a row to a table in the MySQL database via an ODBC connection


This scenario clears the data in a table of a MySQL database first and then adds a row to it.

The table, named *Date*, contains one column called *date* with the type being date.



*As a prerequisite of this Job, the MySQL ODBC driver must have been installed and the corresponding ODBC connection must have been configured.*

1. Drop **tDBOutput** and **tRowGenerator** from the **Palette** to the design workspace.
2. Connect the components using a **Row > Main** link.



3. Double-click **tRowGenerator** to open its **Schema editor**.

| Schema |                          |      |                                     | Functions |       | Previe  |
|--------|--------------------------|------|-------------------------------------|-----------|-------|---------|
| Column | Key                      | Type | <input checked="" type="checkbox"/> | N.        | Le... | Preview |
| date   | <input type="checkbox"/> | Date | <input checked="" type="checkbox"/> |           |       |         |

| Parameter | Value | Comment |
|-----------|-------|---------|
|           |       |         |

Number of Rows for RowGenerator: 1

OK Cancel

4. Click the **[+]** button to add a line.

Enter *date* as the column name.

Select *Date* from the data type list.


Select *getCurrentDate* from the **Functions** list.

Enter *1* in the **Number of Rows for RowGenerator** field as only one row will be added to the table.


Click **OK** to close the editor and propagate the schema changes to **tDBOutput** subsequently.

5. Double-click **tDBOutput** to open its **Basic settings** view in the **Component** tab.





- In the **Database** field, enter the name of the data source defined during the configuration of the MySQL ODBC connection.

To configure an ODBC connection, click  to open the database connection configuration wizard.

- In the **Username** and **Password** fields, enter the database authentication credentials.
- In the **Table** field, enter the table name, *Date* in this example.
- In the **Action on data** field, select *Insert* to insert a line to the table.
- Select the check box **Clear data in table** to clear the table before the insertion.
- Save the Job and press **F6** to run.



|                          | date                |
|--------------------------|---------------------|
| <input type="checkbox"/> | 2012-04-12 14:49:54 |
| *                        | (NULL)              |


As shown above, the table now has only one line about the current date and time.

# tDBSQLRow



## tDBSQLRow properties

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                              |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/DB Generic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                              |
| <b>Function</b>          | <p><b>tDBSQLRow</b> is the generic component for database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it does not provide output.</p> <p> For performance reasons, specific DB component should always be preferred to the generic component.</p>                                                                    |                                                                                                                                                                                                              |
| <b>Purpose</b>           | <p>Depending on the nature of the query and the database, <b>tDBSQLRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.</p> <p> To use this component, relevant DBMSs' ODBC drivers should be installed and the corresponding ODBC connections should be configured via the database connection configuration wizard.</p> |                                                                                                                                                                                                              |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                    |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Built-in:</b> No property data stored centrally.                                                                                                                                                          |
|                          | <i>Datasource</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Name of the data source defined via the database connection configuration wizard.                                                                                                                            |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | DB user authentication data.                                                                                                                                                                                 |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                    |
|                          | <i>Table Name</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Name of the source table where changes made to data should be captured.                                                                                                                                      |
|                          | <i>Query type</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                       |
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder                                                                                                               |
|                          | <i>Query</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.                                                                                   |
| <b>Advanced settings</b> | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.                                                               |
|                          | <i>Use PreparedStatement</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Select this check box if you want to query the database using a PreparedStatement. In the                                                                                                                    |

|              |                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |                                                                                                                                                                                                                                                      | <p><b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.</p> <p><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.</p> <p><b>Parameter Type:</b> Enter the parameter type.</p> <p><b>Parameter Value:</b> Enter the parameter value.</p> <p> This option is very useful if you need to execute the same query several times. Performance levels are increased</p> |
|              | <i>Commit every</i>                                                                                                                                                                                                                                  | Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.                                                                                                                                                                                                                                                                                                                                                                                                |
|              | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                       | Select this check box to collect log data at the component level.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Usage</b> | <p>This component offers the flexibility of the DB query and covers all possible SQL queries.</p> <p>Note that the relevant DBRow component should be preferred according to your DBMSs. Most of the DBMSs have their specific DBRow components.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

## Scenario: Resetting a DB auto-increment

This scenario describes a single component Job which aims at re-initializing the DB auto-increment to 1. This job has no output and is generally to be used before running a script.




*As a prerequisite of this Job, the relevant DBMS's ODBC driver must have been installed and the corresponding ODBC connection must have been configured.*

1. Drag and drop a **tDBSQLRow** component from the **Palette** to the design workspace.



2. Double-click **tDBSQLRow** to open its **Basic settings** view.





*For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.*

3. Fill in the DB connection details in the corresponding fields.
4. The **Schema** is built-in for this Job and it does not really matter in this example as the action is made on the table auto-increment and not on data.
5. The **Query type** is also built-in. Click on the [...] button next to the **Query** statement box to launch the SQLbuilder editor, or else type in directly in the statement box:

```
Alter table <TableName> auto_increment = 1
```

6. Press **Ctrl+S** to save the Job and **F6** to run.

The database autoincrement is reset to 1.

# tEXAInput



## tEXAInput properties

|                          |                                                                                                                                                                                                                                   |                                                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Databases/EXA                                                                                                                                                                                                                     |                                                                                                                                                                                                                   |
| <b>Function</b>          | tEXAInput reads databases and extracts fields using queries.                                                                                                                                                                      |                                                                                                                                                                                                                   |
| <b>Purpose</b>           | tEXAInput executes queries in databases according to a strict order which must correspond exactly to that defined in the schema. The list of fields retrieved is then transmitted to the following component via a Main row link. |                                                                                                                                                                                                                   |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                              | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                         |
|                          |                                                                                                                                                                                                                                   | <b>Built-in:</b> No properties stored centrally                                                                                                                                                                   |
|                          | <i>Host name</i>                                                                                                                                                                                                                  | Database server IP address.                                                                                                                                                                                       |
|                          | <i>Port</i>                                                                                                                                                                                                                       | Listening port number of the DB server                                                                                                                                                                            |
|                          | <i>Schema name</i>                                                                                                                                                                                                                | Enter the schema name.                                                                                                                                                                                            |
|                          | <i>Username et Password</i>                                                                                                                                                                                                       | User authentication information.                                                                                                                                                                                  |
|                          | <i>Schema and Edit schema</i>                                                                                                                                                                                                     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .      |
|                          |                                                                                                                                                                                                                                   | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>                                                           |
|                          | <i>Table Name</i>                                                                                                                                                                                                                 | Enter the table name.                                                                                                                                                                                             |
|                          | <i>Query type and Query</i>                                                                                                                                                                                                       | Enter your database query, taking care to ensure that the order of the fields corresponds exactly to that defined in the schema.                                                                                  |
| <i>Guess Query</i>       | Click this button to generate a query that corresponds to your table schema in the <b>Query</b> field.                                                                                                                            |                                                                                                                                                                                                                   |
| <i>Guess schema</i>      | Click this button to retrieve the schema from the table.                                                                                                                                                                          |                                                                                                                                                                                                                   |
| <b>Advanced settings</b> | <i>Additional JDBC parameters</i>                                                                                                                                                                                                 | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> . |
|                          | <i>Trim all the String/Char columns</i>                                                                                                                                                                                           | Select this check box to delete the spaces at the start and end of fields in all of the columns containing strings.                                                                                               |
|                          | <i>Trim column</i>                                                                                                                                                                                                                | Deletes the spaces from the start and end of fields in the selected columns.                                                                                                                                      |
|                          | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                    | Select this check box to collect the log data and a component level.                                                                                                                                              |
| <b>Usage</b>             | This component covers all possible SQL queries for EXA databases.                                                                                                                                                                 |                                                                                                                                                                                                                   |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for</i>                                                      |                                                                                                                                                                                                                   |

*Big Data*. For details, see the *Warnings and error icons on components* and *How to install external modules* sections of *Talend Open Studio for Big Data User Guide*.

## Related scenarios

For scenarios in which **tEXAInput** might be used, see the following **tBIInput** scenarios:



- [the section called “Scenario 1: Displaying selected data from DB table”](#)
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#)

# tEXAOutput



## tEXAOutput properties

|                             |                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Famille de composant</b> | Databases/EXA                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Function</b>             | <b>tEXAOutput</b> writes, updates, modifies or deletes data from databases.                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Purpose</b>              | <b>tEXAOutput</b> executes the action defined on the table and/or on the table data, depending on the function of the input flow, from the preceding component. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Basic settings</b>       | <i>Property type</i>                                                                                                                                            | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                             |                                                                                                                                                                 | <b>Built-in:</b> No properties stored centrally.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                             | <i>Host</i>                                                                                                                                                     | Database server IP address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                             | <i>Port</i>                                                                                                                                                     | Listening port number of the DB serve.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                             | <i>Schema name</i>                                                                                                                                              | Enter the schema name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                             | <i>Username</i> and <i>Password</i>                                                                                                                             | User authentication data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                             | <i>Table</i>                                                                                                                                                    | Name of the table to be created. You can only create one table at a time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                             | <i>Action on table</i>                                                                                                                                          | On the table defined, you can perform one of the following operations:<br><br><b>None:</b> No operation is carried out.<br><br><b>Drop and create a table:</b> The table is removed and created again.<br><br><b>Create a table:</b> The table does not exist and gets created.<br><br><b>Create a table if not exists:</b> The table is created if it does not exist.<br><br><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.<br><br><b>Clear a table:</b> The table content is deleted. |
|                             | <i>Action on data</i>                                                                                                                                           | On the data of the table defined, you can perform:<br><br><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.<br><br><b>Update:</b> Make changes to existing entries<br><br><b>Insert or update:</b> Add entries or update existing ones.<br><br><b>Update or insert:</b> Update existing entries or create it if non existing<br><br><b>Delete:</b> Remove entries corresponding to the input flow.                                                                                                               |

|                          |                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                   |  <p>You must specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the update and delete operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update</b> column, select the check boxes next to the column name on which you want to base the update operation. Do the same in the <b>Key in delete</b> column for the deletion operation.</p> |
|                          | <i>Schema and Edit schema</i>     | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          |                                   | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                          | <i>Die on error</i>               | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Advanced settings</b> | <i>Use commit control</i>         | Select this box to display the <b>Commit every</b> field in which you can define the number of rows to be processed before committing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                          | <i>Additional JDBC parameters</i> | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .<br><br> You can press <b>Ctrl+Space</b> to access a list of predefined global variables.                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          | <i>Additional Columns</i>         | This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                          |                                   | <b>Name:</b> Enter the name of the column to be modified or inserted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          |                                   | <b>SQL expression:</b> Enter the SQL expression to be executed to modify or insert data in the corresponding columns.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                          |                                   | <b>Position :</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> , depending on the action to be carried out on the reference column.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                          |                                   | <b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                          | <i>Use field options</i>          | Select this check box to customize a request, particularly when there are several actions to be carried out on the data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |



|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                         |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|                   | <i>Enable debug mode</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Select this check box to display each step of the process by which the data is written in the database. |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect the log data at a component level.                                     |
| <b>Usage</b>      | <p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in an EXA database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For a user scenario, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p> |                                                                                                         |
| <b>Limitation</b> | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                            |                                                                                                         |

## Related scenario

For a scenario in which tEXAOutput might be used, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tEXARow



## tEXARow properties

|                          |                                                                                                                                                                                                                                      |                                                                                                                                                                                                                     |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component Family</b>  | Databases/EXA                                                                                                                                                                                                                        |                                                                                                                                                                                                                     |
| <b>Function</b>          | The <b>tEXARow</b> component is specific to this type of database. It executes SQL queries on specified databases. The Row suffix indicates that it is used to channel a flow in a Job although it does not produce any output data. |                                                                                                                                                                                                                     |
| <b>Purpose</b>           | Depending on the nature of the query and the database, <b>tEXARow</b> acts on the actual structure of the database, or indeed the data, although without modifying them.                                                             |                                                                                                                                                                                                                     |
| <b>Basic settings</b>    | <i>Property type</i>                                                                                                                                                                                                                 | In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .                                                                                                                           |
|                          |                                                                                                                                                                                                                                      | <b>Built-in:</b> No properties stored centrally.                                                                                                                                                                    |
|                          | <i>Host</i>                                                                                                                                                                                                                          | Database server IP address.                                                                                                                                                                                         |
|                          | <i>Port</i>                                                                                                                                                                                                                          | Listening port number of the DB server.                                                                                                                                                                             |
|                          | <i>Schema name</i>                                                                                                                                                                                                                   | Enter the schema name.                                                                                                                                                                                              |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                  | User authentication information.                                                                                                                                                                                    |
|                          | <i>Schema</i> and <i>Edit Schema</i>                                                                                                                                                                                                 | A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .        |
|                          |                                                                                                                                                                                                                                      | <b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .                                                           |
|                          | <i>Table Name</i>                                                                                                                                                                                                                    | Name of the table to be processed.                                                                                                                                                                                  |
|                          | <i>Query type</i>                                                                                                                                                                                                                    | In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .                                                                                                                              |
|                          |                                                                                                                                                                                                                                      | <b>Built-in:</b> Enter the query manually or with the help of the SQLBuilder.                                                                                                                                       |
|                          | <i>Guess Query</i>                                                                                                                                                                                                                   | Click the <b>Guess Query</b> button to generate the query that corresponds to the table schema in the <b>Query</b> field.                                                                                           |
|                          | <i>Query</i>                                                                                                                                                                                                                         | Enter your query, taking care to ensure that the field order matches that defined in the schema.                                                                                                                    |
|                          | <i>Die on error</i>                                                                                                                                                                                                                  | This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link. |
| <b>Advanced settings</b> | <i>Additional parameters</i> <i>JDBC</i>                                                                                                                                                                                             | Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .   |

|                   |                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                               |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <i>Propagate QUERY's recordset</i>                                                                                                                                                                                                                                                                                                                                    | Select this check box to insert the query results in one of the flow columns. Select the particular column from the <b>use column</b> list.                                                   |
|                   | <i>Commit every</i>                                                                                                                                                                                                                                                                                                                                                   | Number of rows to be included in the batch before the data is written. This option guarantees the quality of the transaction (although there is no rollback option) and improves performance. |
|                   | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                        | Select this check box to collect the log data at a component level.                                                                                                                           |
| <b>Usage</b>      | This component offers query flexibility as it covers all possible SQL query requirements.                                                                                                                                                                                                                                                                             |                                                                                                                                                                                               |
| <b>Limitation</b> | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |                                                                                                                                                                                               |

## Related scenarios

For a scenario in which **tEXARow** might be used, see:


- [the section called “Scenario: Resetting a DB auto-increment”](#)
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#)

# tEXistConnection



## tEXistConnection properties

This component is closely related to **tEXistGet** and **tEXistPut**. Once you have set the connection properties in this component, you have the option of reusing the connection without having to set the properties again for each **tEXist** component used in the Job.

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                          |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b>  | Databases/eXist                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                          |
| <b>Function</b>          | <b>tEXistConnection</b> opens a connection to an <b>eXist</b> database in order that a transaction may be carried out.                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                          |
| <b>Purpose</b>           | Opens a connection to an <b>eXist</b> database in order that a transaction may be carried out.                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                          |
| <b>Basic settings</b>    | <i>URI</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | URI of the database you want to connect to.                                                                                                                                                                              |
|                          | <i>Collection</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Enter the path to the collection of interest on the database server.                                                                                                                                                     |
|                          | <i>Driver</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | This field is automatically populated with the standard driver.<br><br> Users can enter a different driver, depending on their needs. |
|                          | <i>Username</i> and <i>Password</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | User authentication information.                                                                                                                                                                                         |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Select this check box to gather the job processing metadata at a Job level as well as at each component level.                                                                                                           |
| <b>Usage</b>             | <p>This component is to be used along with the other <b>tEXist</b> components such as <b>tEXistGet</b> and <b>tEXistPut</b>.</p> <p>eXist-db is an open source database management system built using XML technology. It stores XML data according to the XML data model and features efficient, index-based XQuery processing.</p> <p>For further information about XQuery, see <a href="#">XQuery</a>.</p> <p>For further information about the XQuery update extension, see <a href="#">XQuery update extension</a>.</p> |                                                                                                                                                                                                                          |
| <b>Limitation</b>        | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .                                                                                                                                                       |                                                                                                                                                                                                                          |

## Related scenarios



This component is closely related to **tEXistGet** and **tEXistPut**. It usually does not make much sense to use one of these without using a **tEXistConnection** component to open a connection for the current transaction.

For **tEXistConnection** related scenario, see [the section called “tMySQLConnection”](#)

# tEXistDelete



## tEXistDelete properties

|                         |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/eXist                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | This component deletes resources from an eXist database.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | <b>tEXistDelete</b> deletes specified resources from remote eXist databases. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Use an existing connection/Component List</i>                             | <p>Select this check box and click the relevant <b>tEXistConnection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>URI</i>                                                                   | URI of the database you want to connect to.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Collection</i>                                                            | Enter the path to the collection of interest on the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Driver</i>                                                                | <p>This field is automatically populated with the standard driver.</p> <p> Users can enter a different driver, depending on their needs.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Username</i> and <i>Password</i>                                          | User authentication information.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Target Type</i>                                                           | Either <b>Resource</b> , <b>Collection</b> , or <b>All</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                         | <i>Files</i>                                                                 | <p>Click the plus button to add the lines you want to use as filters:</p> <p><b>Filemask:</b> enter the filename or filemask using wildcharacters (*) or regular expressions.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box to gather the job processing metadata at a job level as well as at each component level. |
| <b>Usage</b>             | <p>This component is typically used as a single component sub-job but can also be used as an output or end object. eXist-db is an open source database management system built using XML technology. It stores XML data according to the XML data model and features efficient, index-based XQuery processing.</p> <p>For further information about XQuery, see <a href="#">XQuery</a>.</p> <p>For further information about the XQuery update extension, see <a href="#">XQuery update extension</a>.</p> |                                                                                                                |
| <b>Limitation</b>        | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                |                                                                                                                |



## Related scenario

No scenario is available for this component yet.

# tEXistGet



## tEXistGet properties

|                         |                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Component family</b> | Databases/eXist                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Function</b>         | This component retrieves resources from a remote eXist DB server.                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Purpose</b>          | tEXistGet downloads selected resources from a remote DB server to a defined local directory. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Basic settings</b>   | <i>Use an existing connection/Component List</i>                                             | <p>Select this check box and click the relevant <b>tEXistConnection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p> |
|                         | <i>URI</i>                                                                                   | URI of the database you want to connect to.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                         | <i>Collection</i>                                                                            | Enter the path to the collection of interest on the database server.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                         | <i>Driver</i>                                                                                | <p>This field is automatically populated with the standard driver.</p> <p> Users can enter a different driver, depending on their needs.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                         | <i>Username</i> and <i>Password</i>                                                          | User authentication information.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                         | <i>Local directory</i>                                                                       | Path to the file's destination location.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                         | <i>Files</i>                                                                                 | Click the plus button to add the lines you want to use as filters:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |




|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>Filemask:</b> enter the filename or filemask using wildcharacters (*) or regular expressions                |
| <b>Advanced settings</b> | <i>tStatCatcher Statistics</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Select this check box to gather the job processing metadata at a job level as well as at each component level. |
| <b>Usage</b>             | <p>This component is typically used as a single component sub-job but can also be used as an output or end object. eXist-db is an open source database management system built using XML technology. It stores XML data according to the XML data model and features efficient, index-based XQuery processing.</p> <p>For further information about XQuery, see <a href="#">XQuery</a>.</p> <p>For further information about the XQuery update extension, see <a href="#">XQuery update extension</a>.</p> |                                                                                                                |
| <b>Limitation</b>        | <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>                                                                                                                                |                                                                                                                |


## Scenario: Retrieve resources from a remote eXist DB server

This is a single-component Job that retrieves data from a remote eXist DB server and download the data to a defined local directory.

This simple Job requires one component: **tEXistGet**.



1. Drop the **tEXistGet** component from the **Palette** into the design workspace.
2. Double-click the **tEXistGet** component to open the Component view and define the properties in its **Basic settings** view.



3. Fill in the **URI** field with the URI of the eXist database you want to connect to.

In this scenario, the URI is *xmldb:exist://192.168.0.165:8080/exist/xmlrpc*. Note that the URI used in this use case is for demonstration purpose only and is not an active address.

4. Fill in the **Collection** field with the path to the collection of interest on the database server, */db/talend* in this scenario.
5. Fill in the **Driver** field with the driver for the XML database, *org.exist.xmldb.DatabaseImpl* in this scenario.
6. Fill in the **Username** and **Password** fields by typing in *admin* and *talend* respectively in this scenario.
7. Click the three-dot button next to the **Local directory** field to set a path for saving the XML file downloaded from the remote database server.

In this scenario, set the path to your desktop, for example *C:/Documents and Settings/galano/Desktop/ExistGet*.

8. In the **Files** field, click the plus button to add a new line in the **Filemask** area, and fill it with a complete file name to retrieve data from a particular file on the server, or a filemask to retrieve data from a set of files. In this scenario, fill in *dictionary\_en.xml*.
9. Save your Job and press **F6** to execute it.



```
<!-- generated by ToXgene Version 1.1a in Wed Jun 23 12:16:00 EDT 2004 -->
<dictionary>
 <e id="E1">
 <hwg>
 <hw>planks</hw>
 <pr>!gzkn+J|i@u</pr>
 <hw>gaul</hw>
 <pr>Zft^OeKY</pr>
 <pos>adv.</pos>
 </hwg>
 <et>
 <cr>E709</cr>
 <cr>E3</cr>
 <cr>E439</cr>
 <cr>E414</cr>
 </et>
 <ss>
 <s>
 <def>forges doubt ironic, sly dugouts:sly, regular patt
</def>
 <qp>
 <q>
 <qd>259</qd>
 <w>closely brave</w>
 <loc>VbGf~UiSc[</loc>
```

The XML file *dictionary\_en.xml* is retrieved and downloaded to the defined local directory.

# tEXistList



## tEXistList properties

<b>Component family</b>	Databases/eXist	
<b>Function</b>	This component lists the resources stored on a remote DB server.	
<b>Purpose</b>	<b>tEXistList</b> lists the resources stored on a remote database server.	
<b>Basic settings</b>	<i>Use an existing connection/Component List</i>	<p>Select this check box and click the relevant <b>tEXistConnection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>URI</i>	URI of the database you want to connect to.
	<i>Collection</i>	Enter the path to the collection of interest on the database server.
	<i>Driver</i>	<p>This field is automatically populated with the standard driver.</p> <p> Users can enter a different driver, depending on their needs.</p>
	<i>Username</i> and <i>Password</i>	Server authentication information.
	<i>Files</i>	<p>Click the plus button to add the lines you want to use as filters:.</p> <p><b>Filemask:</b> enter the filename or filemask using wildcharacters (*) or regular expressions.</p>

	<i>Target Type</i>	Either <b>Resource</b> , <b>Collection</b> or <b>All contents</b> :
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a job level as well as at each component level.
<b>Usage</b>	<p>This component is typically used along with a <b>tEXistGet</b> component to retrieve the files listed, for example.</p> <p>eXist-db is an open source database management system built using XML technology. It stores XML data according to the XML data model and features efficient, index-based XQuery processing.</p> <p>For further information about XQuery, see <a href="#">XQuery</a>.</p> <p>For further information about the XQuery update extension, see <a href="#">XQuery update extension</a>.</p>	
<b>Limitation</b>	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	



## Related scenario

No scenario is available for this component yet.

# tEXistPut



## tEXistPut properties

<b>Component family</b>	Databases/eXist	
<b>Function</b>	This component uploads resources to a DB server.	
<b>Purpose</b>	tEXistPut uploads specified files from a defined local directory to a remote DB server.	
<b>Basic settings</b>	<i>Use an existing connection/Component List</i>	<p>Select this check box and click the relevant <b>tEXistConnection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>URI</i>	URI of the database you want to connect to.
	<i>Collection</i>	Enter a path to indicate where the resource is to be saved on the server.
	<i>Driver</i>	<p>This field is automatically populated with the standard driver.</p> <p> Users can enter a different driver, depending on their needs.</p>
	<i>Username</i> and <i>Password</i>	User authentication information.
	<i>Local directory</i>	Path to the source location of the file(s).
	<i>Files</i>	Click the plus button to add the lines you want to use as filters:.

		<b>Filemask:</b> enter the filename or filemask using wildcharacters (*) or regular expressions.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a job level as well as at each component level.
<b>Usage</b>	<p>This component is typically used as a single component sub-job but can also be used as an output or end object.</p> <p>eXist-db is an open source database management system built using XML technology. It stores XML data according to the XML data model and features efficient, index-based XQuery processing.</p> <p>For further information about XQuery, see <a href="#">XQuery</a>.</p> <p>For further information about the XQuery update extension, see <a href="#">XQuery update extension</a>.</p>	
<b>Limitation</b>	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	



## Related scenario

No scenario is available for this component yet.

# tEXistXQuery



## tEXistXQuery properties

<b>Component family</b>	Databases/eXist	
<b>Function</b>	This component uses local files containing XPath queries to query XML files stored on remote databases.	
<b>Purpose</b>	<b>tEXistXQuery</b> queries XML files located on remote databases and outputs the results to an XML file stored locally.	
<b>Basic settings</b>	<i>Use an existing connection/Component List</i>	<p>Select this check box and click the relevant <b>tEXistConnection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>URI</i>	URI of the database you want to connect to.
	<i>Collection</i>	Enter the path to the XML file location on the database.
	<i>Driver</i>	<p>This field is automatically populated with the standard driver.</p> <p> Users can enter a different driver, depending on their needs.</p>
	<i>Username</i> and <i>Password</i>	DB server authentication information.
	<i>XQuery Input File</i>	Browse to the local file containing the query to be executed.
	<i>Local Output</i>	Browse to the directory in which the query results should be saved.



<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a job level as well as at each component level.
<b>Usage</b>	<p>This component is typically used as a single component Job but can also be used as part of a more complex Job.</p> <p>eXist-db is an open source database management system built using XML technology. It stores XML data according to the XML data model and features efficient, index-based XQuery processing.</p> <p>For further information about XQuery, see <a href="#">XQuery</a>.</p> <p>For further information about the XQuery update extension, see <a href="#">XQuery update extension</a>.</p>	
<b>Limitation</b>	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	



## Related scenario

No scenario is available for this component yet.

# tEXistXUpdate



## tEXistXUpdate properties

<b>Component family</b>	Databases/eXist	
<b>Function</b>	This component processes XML file records and updates the records on the DB server.	
<b>Purpose</b>	<b>tEXistXUpdate</b> processes XML file records and updates the existing records on the DB server.	
<b>Basic settings</b>	<i>Use an existing connection/Component List</i>	<p>Select this check box and click the relevant <b>tEXistConnection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>URI</i>	URI of the database you want to connect to.
	<i>Collection</i>	Enter the path to the collection and file of interest on the database server.
	<i>Driver</i>	<p>This field is automatically populated with the standard driver.</p> <p> Users can enter a different driver, depending on their needs.</p>
	<i>Username</i> and <i>Password</i>	DB server authentication information.
	<i>Update File</i>	Browse to the local file in the local directory to be used to update the records on the database.

<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a job level as well as at each component level.
<b>Usage</b>	<p>This component is typically used as a single component Job but can also be used as part of a more complex Job.</p> <p>eXist-db is an open source database management system built using XML technology. It stores XML data according to the XML data model and features efficient, index-based XQuery processing.</p> <p>For further information about XQuery, see <a href="#">XQuery</a>.</p> <p>For further information about the XQuery update extension, see <a href="#">XQuery update extension</a>.</p>	
<b>Limitation</b>	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	

## Related scenario

No scenario is available for this component yet.

# tFirebirdClose



## tFirebirdClose properties

<b>Component family</b>	Databases/Firebird	
<b>Function</b>	<b>tFirebirdClose</b> closes the transaction committed in the connected DB.	
<b>Purpose</b>	Close a transaction.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tFirebirdConnection</b> component in the list if more than one connection are planned for the current Job.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with Firebird components, especially with <b>tFirebirdConnection</b> and <b>tFirebirdCommit</b> .	
<b>Limitation</b>	n/a	

## Related scenario


No scenario is available for this component yet.

# tFirebirdCommit



## tFirebirdCommit Properties

This component is closely related to **tFirebirdConnection** and **tFirebirdRollback**. It usually doesn't make much sense to use these components independently in a transaction.

<b>Component family</b>	Databases/Firebird	
<b>Function</b>	Validates the data processed through the Job into the connected DB.	
<b>Purpose</b>	Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tFirebirdConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Close Connection</i>	<p>This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.</p> <p> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tFirebirdCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i></p>
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with Firebird components, especially with <b>tFirebirdConnection</b> and <b>tFirebirdRollback</b> components.	
<b>Limitation</b>	n/a	

## Related scenario

This component is closely related to **tFirebirdConnection** and **tFirebirdRollback**. It usually doesn't make much sense to use one of these without using a **tFirebirdConnection** component to open a connection for the current transaction.

For **tFirebirdCommit** related scenario, see [the section called "tMysqlConnection"](#)

# tFirebirdConnection



## tFirebirdConnection properties

This component is closely related to **tFirebirdCommit** and **tFirebirdRollback**. It usually does not make much sense to use one of these without using a **tFirebirdConnection** to open a connection for the current transaction.

<b>Component family</b>	Databases/Firebird	
<b>Function</b>	<b>tFirebirdConnection</b> opens a connection to the database for a current transaction.	
<b>Purpose</b>	This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host name</i>	Database server IP address.
	<i>Database</i>	Name of the database.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Use or register a shared DB Connection</i>	Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.  <b>Shared DB Connection Name:</b> set or type in the shared connection name.
<b>Advanced settings</b>	<i>Auto commit</i>	Select this check box to automatically commit a transaction when it is completed.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component is to be used along with Firebird components, especially with <b>tFirebirdCommit</b> and <b>tFirebirdRollback</b> .	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenarios

This component is closely related to **tFirebirdCommit** and **tFirebirdRollback**. It usually does not make much sense to use one of these without using a **tFirebirdConnection** component to open a connection for the current transaction.

For **tFirebirdConnection** related scenario, see [the section called “tMySQLConnection”](#)

# tFirebirdInput



## tFirebirdInput properties

<b>Component family</b>	Databases/FireBird	
<b>Function</b>	<b>tFirebirdInput</b> reads a database and extracts fields based on a query.	
<b>Purpose</b>	<b>tFirebirdInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a <b>Main row</b> link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of the DB server.
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	Query type and <i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
<b>Advanced Settings</b>	<i>Trim all the String/Char columns</i>	Select this check box to remove leading and trailing whitespace from all the String/Char columns.
	<i>Trim column</i>	Remove leading and trailing whitespace from defined columns.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component covers all possible SQL queries for FireBird databases.	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenarios

For related topics, see the **tDBInput** scenarios:

- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).

See also related topic: [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).





# tFirebirdOutput



## tFirebirdOutput properties

<b>Component family</b>	Databases/FireBird	
<b>Function</b>	<b>tFirebirdOutput</b> writes, updates, makes changes or suppresses entries in a database.	
<b>Purpose</b>	<b>tFirebirdOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Table</i>	Name of the table to be written. Note that only one table can be written at a time
	<i>Action on table</i>	On the table defined, you can perform one of the following operations:  <b>None:</b> No operation is carried out.  <b>Drop and create a table:</b> The table is removed and created again.  <b>Create a table:</b> The table does not exist and gets created.  <b>Create a table if not exists:</b> The table is created if it does not exist.  <b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.  <b>Clear a table:</b> The table content is deleted.
	<i>Action on data</i>	On the data of the table defined, you can perform:  <b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.  <b>Update:</b> Make changes to existing entries  <b>Insert or update:</b> Add entries or update existing ones.  <b>Update or insert:</b> Update existing entries or create it if non existing

		<p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> You must specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the update and delete operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update</b> column, select the check boxes next to the column name on which you want to base the update operation. Do the same in the <b>Key in delete</b> column for the deletion operation.</p>
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Commit every</i>	Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.
	<i>Additional Columns</i>	This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.
		<b>Name:</b> Type in the name of the schema column to be altered or inserted as new column
		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.
		<b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.
		<b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.
	<i>Use field options</i>	Select this check box to customize a request, especially when there is double action on data.
	<i>Enable debug mode</i>	Select this check box to display each step during processing entries in a database.
	<i>Support null in “SQL WHERE” statement</i>	Select this check box if you want to deal with the Null values contained in a DB table.

		 Make sure the Nullable check box is selected for the corresponding columns in the schema.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	<p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Firebird database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p>	
<b>Limitation</b>	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	

## Related scenarios

For related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tFirebirdRollback



## tFirebirdRollback properties

This component is closely related to **tFirebirdCommit** and **tFirebirdConnection**. It usually does not make much sense to use these components independently in a transaction.

<b>Component family</b>	Databases/Firebird	
<b>Function</b>	<b>tFirebirdRollback</b> cancels the transaction committed in the connected database.	
<b>Purpose</b>	This component avoids to commit part of a transaction involuntarily..	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tFirebirdConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Close Connection</i>	Clear this check box to continue to use the selected connection once the component has performed its task.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with Firebird components, especially with <b>tFirebirdConnection</b> and <b>tFirebirdCommit</b> .	
<b>Limitation</b>	n/a	


## Related scenario

For **tFirebirdRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).

# tFirebirdRow



## tFirebirdRow properties

<b>Component family</b>	Databases/FireBird	
<b>Function</b>	<b>tFirebirdRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output.	
<b>Purpose</b>	Depending on the nature of the query and the database, <b>tFirebirdRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tFirebirdConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>Host</i>	Database server IP address
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .

		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .
		<b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder
	<i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Propagate QUERY's recordset</i>	Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.
	<i>Use PreparedStatement</i>	Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.  <b>Parameter Index:</b> Enter the parameter position in the SQL instruction.  <b>Parameter Type:</b> Enter the parameter type.  <b>Parameter Value:</b> Enter the parameter value.   This option is very useful if you need to execute the same query several times. Performance levels are increased
	<i>Commit every</i>	Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component offers the flexibility benefit of the DB query and covers all possible SQL queries.	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).

- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tHBaseClose



**tHBaseClose** component belongs to two component families: Big Data and Databases. For more information about **tHBaseClose**, see [the section called “tHBaseClose”](#).



# tHBaseConnection



**tHBaseConnection** component belongs to two component families: Big Data and Databases. For more information about **tHBaseConnection**, see [the section called “ tHBaseConnection ”](#).

# tHBaseInput



**tHBaseInput** component belongs to two component families: Big Data and Databases. For more information about **tHBaseInput**, see [the section called “tHBaseInput”](#).

# tHBaseOutput



**tHBaseOutput** component belongs to two component families: Big Data and Databases. For more information about **tHBaseOutput**, see [the section called “tHBaseOutput”](#).

# tHiveClose



**tHiveClose** component belongs to two component families: Big Data and Databases. For more information about **tHiveClose**, see [the section called “tHiveClose”](#).

# tHiveConnection



**tHiveConnection** component belongs to two component families: Big Data and Databases. For more information about **tHiveConnection**, see [the section called “tHiveConnection”](#).

# tHiveInput



**tHiveInput** component belongs to two component families: Big Data and Databases. For more information about **tHiveInput**, see [the section called “ tHiveInput ”](#).

---

# tHiveRow




**tHiveRow** component belongs to two component families: Big Data and Databases. For more information about **tHiveRow**, see [the section called “tHiveRow”](#).

# tHSQLDbInput



## tHSQLDbInput properties

<b>Component family</b>	Databases/HSQLDb	
<b>Function</b>	<b>tHSQLDbInput</b> reads a database and extracts fields based on a query.	
<b>Purpose</b>	<b>tHSQLDbInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Running Mode</i>	Select on the list the Server Mode corresponding to your DB setup among the four propositions :  <b>HSQLDb Server, HSQLDb WebServer, HSQLDb In Process Persistent, HSQLDb In Memory.</b>
	<i>Use TLS/SSL sockets</i>	select this check box to enable the secured mode if required.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database Alias</i>	Alias name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>DB path</i>	Specify the directory to the database you want to connect to. This field is available only to the <b>HSQLDb In Process Persistent</b> running mode.   By default, if the database you specify in this field does not exist, it will be created automatically. If you want to change this default setting, modify the connection parameter set in the <b>Additional JDBC parameter</b> field in the <b>Advanced settings</b> view
	<i>Db name</i>	Enter the database name that you want to connect to. This field is available only to the <b>HSQLDb In Process Persistent</b> running mode and the <b>HSQLDb In Memory</b> running mode.
	<i>Schema</i> and <i>Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .



	<i>Query type and Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
<b>Advanced settings</b>	<i>Additional JDBC parameters</i>	Specify additional connection properties for the DB connection you are creating. When the running mode is <b>HSQldb In Process Persistent</b> , this additional property is set as <code>ifexists=true</code> by default, meaning that the database will be automatically created when needed.
	<i>Trim all the String/Char columns</i>	Select this check box to remove leading and trailing whitespace from all the String/Char columns.
	<i>Trim column</i>	Remove leading and trailing whitespace from defined columns.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component covers all possible SQL queries for HSQldb databases.	
<b>Global Variables</b>		<p><b>Number of Lines:</b> Indicates the number of lines processed. This is available as an <b>After</b> variable.</p> <p>Returns an integer.</p> <p><b>Query:</b> Indicates the query to be processed. This is available as a <b>Flow</b> variable.</p> <p>Returns a string</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Connections</b>		<p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main; Iterate</p> <p><b>Trigger:</b> Run if; On Component Ok; On Component Error; On Subjob Ok; On Subjob Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate;</p> <p><b>Trigger:</b> Run if; On Component Ok; On Component Error; On Subjob Ok; On Subjob Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenarios


For related topics, see the **tDBInput** scenarios:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#)


# tHSQLDbOutput



## tHSQLDbOutput properties

<b>Component family</b>	Databases/HSQLDb	
<b>Function</b>	<b>tHSQLDbOutput</b> writes, updates, makes changes or suppresses entries in a database.	
<b>Purpose</b>	<b>tHSQLDbOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Running Mode</i>	Select on the list the Server Mode corresponding to your DB setup among the four propositions :  <b>HSQLDb Server, HSQLDb WebServer, HSQLDb In Process Persistent, HSQLDb In Memory.</b>
	<i>Use TLS/SSL sockets</i>	Select this check box to enable the secured mode if required.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>DB path</i>	Specify the directory to the database you want to connect to. This field is available only to the <b>HSQLDb In Process Persistent</b> running mode.   By default, if the database you specify in this field does not exist, it will be created automatically. If you want to change this default setting, modify the connection parameter set in the <b>Additional JDBC parameter</b> field in the <b>Advanced settings</b> view
	<i>Db name</i>	Enter the database name that you want to connect to. This field is available only to the <b>HSQLDb In Process Persistent</b> running mode and the <b>HSQLDb In Memory</b> running mode.
	<i>Table</i>	Name of the table to be written. Note that only one table can be written at a time
	<i>Action on table</i>	On the table defined, you can perform one of the following operations:  <b>None:</b> No operation is carried out.

		<p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>
	<i>Action on data</i>	<p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p>
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Additional parameters</i> <i>JDBC</i>	Specify additional connection properties for the DB connection you are creating. When the running mode is <b>HSQLDb In Process Persistent</b> , this additional property is set as <code>ifexists=true</code> by default, meaning that the database will be automatically created when needed.

		 You can press <b>Ctrl+Space</b> to access a list of predefined global variables.
	<i>Commit every</i>	Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.
	<i>Additional Columns</i>	This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.
		<b>Name:</b> Type in the name of the schema column to be altered or inserted as new column
		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.
		<b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.
		<b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.
	<i>Use field options</i>	Select this check box to customize a request, especially when there is double action on data.
	<i>Enable debug mode</i>	Select this check box to display each step during processing entries in a database.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	<p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a MySQL database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p>	
<b>Global Variables</b>		<p><b>Number of Lines:</b> Indicates the number of lines processed. This is available as an <b>After</b> variable.</p> <p>Returns an integer.</p> <p><b>NB line Updated:</b> Indicates the number of lines updated. This is available as an <b>After</b> variable.</p> <p>Returns an integer.</p> <p><b>NB line Inserted:</b> Indicates the number of lines inserted. This is available as an <b>After</b> variable.</p> <p>Returns an integer.</p> <p><b>NB line Deleted:</b> Indicates the number of lines deleted. This is available as an <b>After</b> variable.</p> <p>Returns an integer.</p>

	<p><b>NB line Rejected:</b> Indicates the number of lines rejected. This is available as an <b>After</b> variable.</p> <p>Returns an integer</p> <p><b>Query:</b> Indicates the query to be processed. This is available as a <b>After</b> variable.</p> <p>Returns a string</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<p><b>Connections</b></p>	<p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main; Reject</p> <p><b>Trigger:</b> Run if; On Component Ok; On Component Error; On Subjob Ok; On Subjob Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Main;</p> <p><b>Trigger:</b> Run if; On Component Ok; On Component Error; On Subjob Ok; On Subjob Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<p><b>Limitation</b></p>	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>

## Related scenarios


For related topics, see

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#)
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tHSQLDbRow



## tHSQLDbRow properties

<b>Component family</b>	Databases/HSQLDb	
<b>Function</b>	tHSQLDbRow is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output.	
<b>Purpose</b>	Depending on the nature of the query and the database, tHSQLDbRow acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Running Mode</i>	Select on the list the Server Mode corresponding to your DB setup among the four propositions :  <b>HSQLDb Server, HSQLDb WebServer, HSQLDb In Process Persistent, HSQLDb In Memory.</b>
	<i>Use TLS/SSL sockets</i>	Select this check box to enable the secured mode if required.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database Alias</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>DB path</i>	Specify the directory to the database you want to connect to. This field is available only to the <b>HSQLDb In Process Persistent</b> running mode.   By default, if the database you specify in this field does not exist, it will be created automatically. If you want to change this default setting, modify the connection parameter set in the <b>Additional JDBC parameter</b> field in the <b>Advanced settings</b> view
	<i>Database</i>	Enter the database name that you want to connect to. This field is available only to the <b>HSQLDb In Process Persistent</b> running mode and the <b>HSQLDb In Memory</b> running mode.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .

		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .
		<b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder
	<i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Additional parameters</i> <i>JDBC</i>	Specify additional connection properties for the DB connection you are creating. When the running mode is <b>HSQLDb In Process Persistent</b> , this additional property is set as <code>ifexists=true</code> by default, meaning that the database will be automatically created when needed.
	<i>Propagate recordset</i> <i>QUERY's</i>	Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.
	<i>Commit every</i>	Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component offers the flexibility of the DB query and covers all possible SQL queries.	
<b>Global Variables</b>		<p><b>Query:</b> Indicates the query to be processed. This is available as a <b>Flow</b> variable.</p> <p>Returns a string</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Connections</b>		<p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main; Reject; Iterate</p> <p><b>Trigger:</b> Run if; On Component Ok; On Component Error; On Subjob Ok; On Subjob Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Main; Iterate</p> <p><b>Trigger:</b> Run if; On Component Ok; On Component Error; On Subjob Ok; On Subjob Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>



---

<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tInterbaseClose



## tInterbaseClose properties

<b>Component family</b>	Databases/Interbase	
<b>Function</b>	<b>tInterbaseClose</b> closes the transaction committed in the connected DB.	
<b>Purpose</b>	Close a transaction.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tInterbaseConnection</b> component in the list if more than one connection are planned for the current Job.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with Interbase components, especially with <b>tInterbaseConnection</b> and <b>tInterbaseCommit</b> .	
<b>Limitation</b>	n/a	

## Related scenario


No scenario is available for this component yet.

# tInterbaseCommit



## tInterbaseCommit Properties

This component is closely related to **tInterbaseConnection** and **tInterbaseRollback**. It usually doesn't make much sense to use JDBC components independently in a transaction.

<b>Component family</b>	Databases/Interbase	
<b>Function</b>	Validates the data processed through the Job into the connected DB.	
<b>Purpose</b>	Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tInterbaseConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Close Connection</i>	Clear this check box to continue to use the selected connection once the component has performed its task.   <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tInterbaseCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i>
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with Interbase components, especially with the <b>tInterbaseConnection</b> and <b>tInterbaseRollback</b> components.	
<b>Limitation</b>	n/a	

## Related scenario

This component is closely related to **tInterbaseConnection** and **tInterbaseRollback**. It usually doesn't make much sense to use JDBC components without using the **tInterbaseConnection** component to open a connection for the current transaction.

For **tInterbaseCommit** related scenario, see [the section called "tMySQLConnection"](#)

# tInterbaseConnection



## tInterbaseConnection properties

This component is closely related to **tInterbaseCommit** and **tInterbaseRollback**. It usually does not make much sense to use one of these without using a **tInterbaseConnection** to open a connection for the current transaction.

<b>Component family</b>	Databases/Interbase	
<b>Function</b>	<b>tInterbaseConnection</b> opens a connection to the database for a current transaction.	
<b>Purpose</b>	This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host name</i>	Database server IP address.
	<i>Database</i>	Name of the database.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Use or register a shared DB Connection</i>	Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.  <b>Shared DB Connection Name:</b> set or type in the shared connection name.
<b>Advanced settings</b>	<i>Auto commit</i>	Select this check box to automatically commit a transaction when it is completed.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component is to be used along with Interbase components, especially with <b>tInterbaseCommit</b> and <b>tInterbaseRollback</b> .	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenarios

This component is closely related to **tInterbaseCommit** and **tInterbaseRollback**. It usually does not make much sense to use one of these without using a **tInterbaseConnection** component to open a connection for the current transaction.

For **tInterbaseConnection** related scenario, see [the section called “tMysqlConnection”](#)

# tInterbaseInput



## tInterbaseInput properties

<b>Component family</b>	Databases/Interbase	
<b>Function</b>	<b>tInterbaseInput</b> reads a database and extracts fields based on a query.	
<b>Purpose</b>	<b>tInterbaseInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host</i>	Database server IP address
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Query type</i> and <i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
<b>Advanced settings</b>	<i>Trim all the String/Char columns</i>	Select this check box to remove leading and trailing whitespace from all the String/Char columns.
	<i>Trim column</i>	Remove leading and trailing whitespace from defined columns.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component covers all possible SQL queries for Interbase databases.	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenarios

For related topics, see the **tDBInput** scenarios:

- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).


See also the related topic in **tContextLoad**: [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).

# tInterbaseOutput



## tInterbaseOutput properties

<b>Component family</b>	Databases/Interbase	
<b>Function</b>	<b>tInterbaseOutput</b> writes, updates, makes changes or suppresses entries in a database.	
<b>Purpose</b>	<b>tInterbaseOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host</i>	Database server IP address
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Table</i>	Name of the table to be written. Note that only one table can be written at a time
	<i>Action on table</i>	On the table defined, you can perform one of the following operations:  <b>None:</b> No operation is carried out.  <b>Drop and create a table:</b> The table is removed and created again.  <b>Create a table:</b> The table does not exist and gets created.  <b>Create a table if not exists:</b> The table is created if it does not exist.  <b>Drop table if exists and create:</b> The table is removed if it already exists and created again.  <b>Clear a table:</b> The table content is deleted.
	<i>Action on data</i>	On the data of the table defined, you can perform:  <b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.  <b>Update:</b> Make changes to existing entries  <b>Insert or update:</b> Add entries or update existing ones.  <b>Update or insert:</b> Update existing entries or create it if non existing  <b>Delete:</b> Remove entries corresponding to the input flow.

		 <p><i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p>
	<i>Clear data in table</i>	Wipes out data from the selected table before action.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Commit every</i>	Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.
	<i>Additional Columns</i>	This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.
		<b>Name:</b> Type in the name of the schema column to be altered or inserted as new column
		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.
		<b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.
		<b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.
	<i>Use field options</i>	Select this check box to customize a request, especially when there is double action on data.
	<i>Enable debug mode</i>	Select this check box to display each step during processing entries in a database.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.



<b>Usage</b>	<p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Interbase database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p>
<b>Limitation</b>	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>

## Related scenarios

For related topics, see

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tInterbaseRollback



## tInterbaseRollback properties

This component is closely related to **tInterbaseCommit** and **tInterbaseConnection**. It usually does not make much sense to use these components independently in a transaction.

<b>Component family</b>	Databases/Interbase	
<b>Function</b>	<b>tInterbaseRollback</b> cancels the transaction committed in the connected DB.	
<b>Purpose</b>	Avoids to commit part of a transaction involuntarily.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tInterbaseConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Close Connection</i>	Clear this check box to continue to use the selected connection once the component has performed its task.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with Interbase components, especially with <b>tInterbaseConnection</b> and <b>tInterbaseCommit</b> .	
<b>Limitation</b>	n/a	


## Related scenarios


For **tInterbaseRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).

# tInterbaseRow



## tInterbaseRow properties

<b>Component family</b>	Databases/Interbase	
<b>Function</b>	<b>tInterbaseRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it does not provide output.	
<b>Purpose</b>	Depending on the nature of the query and the database, <b>tInterbaseRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tInterbaseConnection</b> component on the <b>Component</b> list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>Host</i>	Database server IP address
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .

		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .
		<b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder
	<i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Propagate QUERY's recordset</i>	Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.
	<i>Use PreparedStatement</i>	Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.  <b>Parameter Index:</b> Enter the parameter position in the SQL instruction.  <b>Parameter Type:</b> Enter the parameter type.  <b>Parameter Value:</b> Enter the parameter value.   This option is very useful if you need to execute the same query several times. Performance levels are increased
	<i>Commit every</i>	Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component offers the flexibility of the DB query and covers all possible SQL queries.	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenarios

- For **tDBSQLRow** related scenario: see [the section called “Scenario: Resetting a DB auto-increment”](#)
- For **tMySQLRow** related scenario: see [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).



# tJavaDBInput



## tJavaDBInput properties

<b>Component family</b>	Databases/JavaDB	
<b>Function</b>	<b>tJavaDBInput</b> reads a database and extracts fields based on a query.	
<b>Purpose</b>	<b>tJavaDBInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Framework</i>	Select your Java database framework on the list
	<i>Database</i>	Name of the database
	<i>DB root path</i>	Browse to your database root.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Query type</i> and <i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
<b>Advanced settings</b>	<i>Trim all the String/Char columns</i>	Select this check box to remove leading and trailing whitespace from all the String/Char columns.
	<i>Trim column</i>	Remove leading and trailing whitespace from defined columns.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component covers all possible SQL database queries.	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenarios

For related topics, see the **tDBInput** scenarios:

- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).

See also the related topic in **tContextLoad**: [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).


# tJavaDBOutput



## tJavaDBOutput properties

<b>Component family</b>	Databases/JavaDB	
<b>Function</b>	<b>tJavaDBOutput</b> writes, updates, makes changes or suppresses entries in a database.	
<b>Purpose</b>	<b>tJavaDBOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the Job.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Framework</i>	Select your Java database framework on the list
	<i>Database</i>	Name of the database
	<i>DB root path</i>	Browse to your database root.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Table</i>	Name of the table to be written. Note that only one table can be written at a time
	<i>Action on table</i>	On the table defined, you can perform one of the following operations:  <b>None:</b> No operation is carried out.  <b>Drop and create a table:</b> The table is removed and created again.  <b>Create a table:</b> The table does not exist and gets created.  <b>Create a table if not exists:</b> The table is created if it does not exist.  <b>Drop table if exists and create:</b> The table is removed if it already exists and created again.  <b>Clear a table:</b> The table content is deleted.
	<i>Action on data</i>	On the data of the table defined, you can perform:  <b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.  <b>Update:</b> Make changes to existing entries  <b>Insert or update:</b> Add entries or update existing ones.  <b>Update or insert:</b> Update existing entries or create it if non existing  <b>Delete:</b> Remove entries corresponding to the input flow.



		 <p><i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p>
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Commit every</i>	Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.
	<i>Additional Columns</i>	This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.
		<b>Name:</b> Type in the name of the schema column to be altered or inserted as new column
		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.
		<b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.
		<b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.
	<i>Use field options</i>	Select this check box to customize a request, especially when there is double action on data.
	<i>Enable debug mode</i>	Select this check box to display each step during processing entries in a database.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>		This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.

	This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a Java database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMysqlOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a> .
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .

## Related scenarios

For related topics, see:


- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tJavaDBRow



## tJavaDBRow properties

<b>Component family</b>	Databases/JavaDB	
<b>Function</b>	<b>tJavaDBRow</b> is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output.	
<b>Purpose</b>	Depending on the nature of the query and the database, <b>tJavaDBRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Framework</i>	Select your Java database framework on the list
	<i>Database</i>	Name of the database
	<i>DB root path</i>	Browse to your database root.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .
		<b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder
	<i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Propagate QUERY's recordset</i>	Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.
	<i>Use PreparedStatement</i>	Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by "?" in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.

		<p><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.</p> <p><b>Parameter Type:</b> Enter the parameter type.</p> <p><b>Parameter Value:</b> Enter the parameter value.</p> <p> This option is very useful if you need to execute the same query several times. Performance levels are increased</p>
	<i>Commit every</i>	Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component offers the flexibility of the DB query and covers all possible SQL queries.	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).

# tJDBCColumnList



## tJDBCColumnList Properties

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	Iterates on all columns of a given table through a defined JDBC connection.	
<b>Purpose</b>	Lists all column names of a given JDBC table.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tJDBCConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Table name</i>	Enter the name of the table.
<b>Usage</b>	This component is to be used along with JDBC components, especially with <b>tJDBCConnection</b> .	
<b>Limitation</b>	n/a	

## Related scenario

For **tJDBCColumnList** related scenario, see [the section called “Scenario: Iterating on a DB table and listing its column names”](#).

# tJDBCClose



## tJDBCClose properties

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	<b>tJDBCClose</b> closes the transaction committed in the connected DB.	
<b>Purpose</b>	Close a transaction.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tJDBCConnection</b> component in the list if more than one connection are planned for the current Job.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with JDBC components, especially with <b>tJDBCConnection</b> and <b>tJDBCCommit</b> .	
<b>Limitation</b>	n/a	

## Related scenario


No scenario is available for this component yet.

# tJDBCCommit



## tJDBCCommit Properties

This component is closely related to **tJDBCConnection** and **tJDBCRollback**. It usually doesn't make much sense to use JDBC components independently in a transaction.

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	Validates the data processed through the Job into the connected DB.	
<b>Purpose</b>	Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tJDBCConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Close Connection</i>	<p>This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.</p> <p> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tJDBCCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i></p>
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with JDBC components, especially with the <b>tJDBCConnection</b> and <b>tJDBCRollback</b> components.	
<b>Limitation</b>	n/a	

## Related scenario

This component is closely related to **tJDBCConnection** and **tJDBCRollback**. It usually doesn't make much sense to use JDBC components without using the **tJDBCConnection** component to open a connection for the current transaction.

For **tJDBCCommit** related scenario, see [the section called "tMySQLConnection"](#)

# tJDBCConnection



## tJDBCConnection Properties

This component is closely related to **tJDBCCommit** and **tJDBCRollback**. It usually doesn't make much sense to use one of JDBC components without using the **tJDBCConnection** component to open a connection for the current transaction.

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	Opens a connection to the database for a current transaction.	
<b>Purpose</b>	This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.	
<b>Basic settings</b>		
	<i>JDBC URL</i>	Enter the JDBC URL to connect to the desired DB. For example, enter: <i>jdbc:mysql://IP address/database name</i> to connect to a mysql database.
	<i>Driver JAR</i>	Click the plus button under the table to add lines of the count of your need for the purpose of loading several JARs. Then on each line, click the three dot button to open the <b>Select Module</b> wizard from which you can select a driver JAR of your interest for each line.
	<i>Driver Class</i>	Enter the driver class related o your connection. For example, enter <i>com.mysql.jdbc.Driver</i> as a driver class to connect to a mysql database.
	<i>Username</i> and <i>Password</i>	Enter your DB authentication data.
	<i>Use or register a shared DB Connection</i>	Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.  <b>Shared DB Connection Name:</b> set or type in the shared connection name.
<b>Advanced settings</b>	<i>Use Auto-Commit</i>	Select this check box to display the <b>Auto Commit</b> check box. Select it to activate auto commit mode.  Once you clear the <b>Use Auto-Commit</b> check box, the auto-commit statement will be removed from the codes.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with JDBC components, especially with the <b>tJDBCCommit</b> and <b>tJDBCRollback</b> components.	
<b>Limitation</b>	n/a	



## Related scenario


This component is closely related to **tJDBCCommit** and **tJDBCRollback**. It usually doesn't make much sense to use one of JDBC components without using the **tJDBCConnection** component to open a connection for the current transaction.

For **tJDBCConnection** related scenario, see [the section called "tMySQLConnection"](#)

# tJDBCInput



## tJDBCInput properties

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	<b>tJDBCInput</b> reads any database using a JDBC API connection and extracts fields based on a query.	
<b>Purpose</b>	<b>tJDBCInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tJDBCConnection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>JDBC URL</i>	Type in the database location path
	<i>Driver JAR</i>	Click the plus button under the table to add lines of the count of your need for the purpose of loading several JARs. Then on each line, click the three dot button to open the <b>Select Module</b> wizard from which you can select a driver JAR of your interest for each line.
	<i>Class Name</i>	Type in the Class name to be pointed to in the driver.
	<i>Username</i> and <i>Password</i>	DB user authentication data.

	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table Name</i>	Type in the name of the table.
	<i>Query type and Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
<b>Advanced settings</b>	<i>Use cursor</i>	When selected, helps to decide the row set to work with at a time and thus optimize performance.
	<i>Trim all the String/Char columns</i>	Select this check box to remove leading and trailing whitespace from all the String/Char columns.
	<i>Trim column</i>	Remove leading and trailing whitespace from defined columns.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component covers all possible SQL queries for any database using a JDBC connection.	

## Related scenarios

Related topics in **tDBInput** scenarios:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).


Related topic in **tContextLoad**: see [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).

# tJDBCOutput



## tJDBCOutput properties

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	<b>tJDBCOutput</b> writes, updates, makes changes or suppresses entries in any type of database connected to a JDBC API.	
<b>Purpose</b>	<b>tJDBCOutput</b> executes the action defined on the data contained in the table, based on the flow incoming from the preceding component in the Job.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tJDBCCONNECTION</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>JDBC URL</i>	Type in the database location path
	<i>Driver JAR</i>	Click the plus button under the table to add lines of the count of your need for the purpose of loading several JARs. Then on each line, click the three dot button to open the <b>Select Module</b> wizard from which you can select a driver JAR of your interest for each line.
	<i>Class Name</i>	Type in the Class name to be pointed to in the driver.
	<i>Username</i> and <i>Password</i>	DB user authentication data.

	<i>Table</i>	Name of the table to be written. Note that only one table can be written at a time
	<i>Action on data</i>	<p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the Update and Delete operations are based. You can do that by clicking Edit Schema and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the Advanced settings view where you can simultaneously define primary keys for the Update and Delete operations. To do that: Select the Use field options check box and then in the Key in update column, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the Key in delete column for the Delete operation.</i></p>
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Commit every</i>	Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.
	<i>Additional Columns</i>	This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.
		<b>Name:</b> Type in the name of the schema column to be altered or inserted as new column

		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.
		<b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.
		<b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.
	<i>Use field options</i>	Select this check box to customize a request, especially when there is double action on data.
	<i>Enable debug mode</i>	Select this check box to display each step during processing entries in a database.
	<i>Use Batch Size</i>	When selected, enables you to define the number of lines in each processed batch.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	<p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a JDBC database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p>	

## Related scenarios

For **tJDBCOutput** related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tJDBCRollback



## tJDBCRollback properties

This component is closely related to **tJDBCCommit** and **tJDBCConnection**. It usually does not make much sense to use JDBC components independently in a transaction.

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	Cancels the transaction committed in the connected DB.	
<b>Purpose</b>	Avoid committing part of a transaction accidentally.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tJDBCConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Close Connection</i>	Clear this check box to continue to use the selected connection once the component has performed its task.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with JDBC components, especially with <b>tJDBCConnection</b> and <b>tJDBCCommit</b> components.	
<b>Limitation</b>	n/a	

## Related scenario


This component is closely related to **tJDBCConnection** and **tJDBCCommit**. It usually does not make much sense to use JDBC components without using the **tJDBCConnection** component to open a connection for the current transaction.

For **tJDBCRollback** related scenario, see [the section called “tMysqlRollback”](#)


# tJDBCRow



## tJDBCRow properties

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	<b>tJDBCRow</b> is the component for any type database using a JDBC API. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output.	
<b>Purpose</b>	Depending on the nature of the query and the database, <b>tJDBCRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.	
<b>Basic settings</b>	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tJDBCConnection</b> component on the Component list to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>JDBC URL</i>	Type in the database location path.
	<i>Driver JAR</i>	Click the plus button under the table to add lines of the count of your need for the purpose of loading several JARs. Then on each line, click the three dot button to open the <b>Select Module</b> wizard from which you can select a driver JAR of your interest for each line.
	<i>Class Name</i>	Type in the Class name to be pointed to in the driver.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next



		component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table Name</i>	Name of the table to be processed.
	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .
		<b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder
	<i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Propagate QUERY's recordset</i>	Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.
	<i>Use PreparedStatement</i>	Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.  <b>Parameter Index:</b> Enter the parameter position in the SQL instruction.  <b>Parameter Type:</b> Enter the parameter type.  <b>Parameter Value:</b> Enter the parameter value.   This option is very useful if you need to execute the same query several times. Performance levels are increased
	<i>Commit every</i>	Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component offers the flexibility of the DB query for any database using a JDBC connection and covers all possible SQL queries.	

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).




# tJDBCSP



## tJDBCSP Properties

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	tJDBCSP calls the specified database stored procedure.	
<b>Purpose</b>	tJDBCSP offers a convenient way to centralize multiple or complex queries in a database and call them easily.	
<b>Basic settings</b>	<i>JDBC URL</i>	Type in the database location path
	<i>Driver JAR</i>	Click the plus button under the table to add lines of the count of your need for the purpose of loading several JARs. Then on each line, click the three dot button to open the <b>Select Module</b> wizard from which you can select a driver JAR of your interest for each line.
	<i>Class Name</i>	Type in the Class name to be pointed to in the driver.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	In SP principle, the schema is an input parameter.  A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .  Click <b>Edit Schema</b> to make changes to the schema.
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>SP Name</i>	Type in the exact name of the Stored Procedure.
	<i>Is Function / Return result in</i>	Select this check box , if a value only is to be returned.  Select on the list the schema column, the value to be returned is based on.
	<i>Parameters</i>	Click the Plus button and select the various <b>Schema Columns</b> that will be required by the procedures. Note that the SP schema can hold more columns than there are paramaters used in the procedure.  Select the <b>Type</b> of parameter:  <b>IN:</b> Input parameter  <b>OUT:</b> Output parameter/return value  <b>IN OUT:</b> Input parameters is to be returned as value, likely after modification through the procedure (function).

	<p><b>RECORDSET:</b> Input parameters is to be returned as a set of values, rather than single value.</p> <p> Check <a href="#">the section called “tPostgresqlCommit”</a>, if you want to analyze a set of records from a database table or DB query and return single records.</p>
<b>Usage</b>	This component is used as intermediary component. It can be used as start component but only input parameters are thus allowed.
<b>Limitation</b>	The Stored Procedures syntax should match the Database syntax.

## Related scenario

For related scenarios, see:

- [the section called “Scenario: Executing a stored procedure in the MDM Hub”](#).
- [the section called “Scenario: Checking number format using a stored procedure”](#)

Check as well [the section called “tPostgresqlCommit”](#) if you want to analyze a set of records from a database table or DB query and return single records.

# tJDBCTableList



## tJDBCTableList Properties

<b>Component family</b>	Databases/JDBC	
<b>Function</b>	Iterates on a set of table names through a defined JDBC connection.	
<b>Purpose</b>	Lists the names of a given set of JDBC tables using a select statement based on a Where clause.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tJDBCTableList</b> component in the list if more than one connection are planned for the current Job.
	<i>Where clause for table name selection</i>	Enter the Where clause to identify the tables to iterate on.
<b>Usage</b>	This component is to be used along with JDBC components, especially with <b>tJDBCTableList</b> .	
<b>Limitation</b>	n/a	

## Related scenario

For **tJDBCTableList** related scenario, see [the section called “Scenario: Iterating on a DB table and listing its column names”](#).

# tLDAPAttributesInput



## tLDAPAttributesInput Properties

<b>Component family</b>	Databases/LDAP	
<b>Function</b>	<b>tLDAPAttributesInput</b> analyses each object found via the LDAP query and lists a collection of attributes associated with the object.	
<b>Purpose</b>	<b>tLDAPAttributesInput</b> executes an LDAP query based on the given filter and corresponding to the schema definition. Then it passes on the field list to the next component via a <b>Main row</b> link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	Select this check box and click the relevant <b>tLDAPConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.
	<i>Host</i>	LDAP Directory server IP address.
	<i>Port</i>	Listening port number of server.
	<i>Base DN</i>	Path to user's authorised tree leaf.
	<i>Protocol</i>	Select the protocol type on the list.  <b>LDAP</b> : no encryption is used  <b>LDAPS</b> : secured LDAP. When this option is chosen, the <b>Advanced CA</b> check box appears. Once selected, the advanced mode allows you to specify the directory and the keystore password of the certificate file for storing a specific CA. However, you can still deactivate this certificate validation by selecting the <b>Trust all certs</b> check box.  <b>TLS</b> : certificate is used. When this option is chosen, the <b>Advanced CA</b> check box appears and is used the same way as that of the <b>LDAPS</b> type.
	<i>Authentication User and Password</i>	Select the <b>Authentication</b> check box if LDAP login is required. Note that the login must match the LDAP syntax requirement to be valid. e.g.: "cn=Directory Manager".
	<i>Filter</i>	Type in the filter as expected by the LDAP directory db.
	<i>Multi valued field separator</i>	Type in the value separator in multi-value fields.
	<i>Alias dereferencing</i>	Select the option on the list. <b>Never</b> improves search performance if you are sure that no alias is to be dereferenced. By default, <b>Always</b> is to be used:  <b>Always</b> : Always dereference aliases  <b>Never</b> : Never dereferences aliases.

		<p><b>Searching:</b> Dereferences aliases only after name resolution.</p> <p><b>Finding:</b> Dereferences aliases only during name resolution</p>
	<i>Referral handling</i>	<p>Select the option on the list:</p> <p><b>Ignore:</b> does not handle request redirections</p> <p><b>Follow:</b> does handle request redirections</p>
	<i>Limit</i>	Fill in a limit number of records to be read If needed.
	<i>Time Limit</i>	Fill in a timeout period for the directory. access
	<i>Paging</i>	Specify the number of entries returned at a time by the LDAP server.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<p>The pre-defined schema lists:</p> <ul style="list-style-type: none"> <li>- <i>objectclass</i>: list of object classes</li> <li>- <i>mandatoryattributes</i>: list of mandatory attributes to these classes</li> <li>- <i>optionalattributes</i>: list of optional attributes to these classes</li> <li>- <i>objectattributes</i>: list of attributes that are essential for the analysed object.</li> </ul>
<b>Advanced settings</b>	<i>Class Definition Root</i>	Specify the root of the object class definition namespace.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a job level as well as at each component level.
<b>Usage</b>	<p>This component covers all possible LDAP queries.</p> <p>Note: Press <b>Ctrl + Space bar</b> to access the global variable list, including the <b>GetResultName</b> variable to retrieve automatically the relevant Base</p>	

## Related scenario

The **tLDAPAttributesInput** component follows the usage similar to that of **tLDAPInput**. Hence for **tLDAPInput** related scenario, see [the section called “Scenario: Displaying LDAP directory’s filtered content”](#).

# tLDAPConnection



## tLDAPConnection Properties

<b>Component family</b>	Databases/LDAP	
<b>Function</b>	Opens a connection to an LDAP Directory server for data transaction.	
<b>Purpose</b>	This component creates a connection to an LDAP Directory server. Then it can be invoked by other components that need to access the LDAP Directory server, e.g., <b>tLDAPInput</b> , <b>tLDAPOutput</b> , etc.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host</i>	LDAP Directory server IP address.
	<i>Port</i>	Listening port number of server.
	<i>Protocol</i>	Select the protocol type on the list.  <b>LDAP:</b> no encryption is used  <b>LDAPS:</b> secured LDAP. When this option is chosen, the <b>Advanced CA</b> check box appears. Once selected, the advanced mode allows you to specify the directory and the keystore password of the certificate file for storing a specific CA. However, you can still deactivate this certificate validation by selecting the <b>Trust all certs</b> check box.  <b>TLS:</b> certificate is used. When this option is chosen, the <b>Advanced CA</b> check box appears and is used the same way as that of the <b>LDAPS</b> type.
	<i>Base DN</i>	Path to user's authorized tree leaf.
	<i>User and Password</i>	Fill in the <b>User</b> and <b>Password</b> as required by the directory  Note that the login must match the LDAP syntax requirement to be valid. e.g.: "cn=Directory Manager".
	<i>Alias dereferencing</i>	Select the option on the list. <b>Never</b> improves search performance if you are sure that no aliases is to be dereferenced. By default, <b>Always</b> is to be used:  <b>Always:</b> Always dereference aliases  <b>Never:</b> Never dereferences aliases.  <b>Searching:</b> Dereferences aliases only after name resolution.  <b>Finding:</b> Dereferences aliases only during name resolution
	<i>Referral handling</i>	Select the option on the list:



		<b>Ignore:</b> does not handle request redirections <b>Follow:</b> does handle request redirections
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a job level as well as at each component level.
<b>Usage</b>	This component is to be used with other LDAP components, especially with <b>tLDAPInput</b> and <b>tLDAPOutput</b> .	

## Related scenarios


This component is closely related to **tLDAPInput** and **tLDAPOutput** as it frees you from filling in the connection details repeatedly if multiple LDAP input/output components exist.

For **tLDAPConnection** related scenarios, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).

# tLDAPInput




## tLDAPInput Properties

<b>Component family</b>	Databases/LDAP	
<b>Function</b>	<b>tLDAPInput</b> reads a directory and extracts data based on the defined filter.	
<b>Purpose</b>	<b>tLDAPInput</b> executes an LDAP query based on the given filter and corresponding to the schema definition. Then it passes on the field list to the next component via a <b>Main row</b> link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	Select this check box and click the relevant <b>tLDAPConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.
	<i>Host</i>	LDAP Directory server IP address.
	<i>Port</i>	Listening port number of server.
	<i>Base DN</i>	Path to the user's authorised tree leaf.   To retrieve the full DN information, enter a field named <i>DN</i> in the schema, in either upper case or lower case.
	<i>Protocol</i>	Select the protocol type on the list.  <b>LDAP</b> : no encryption is used  <b>LDAPS</b> : secured LDAP. When this option is chosen, the <b>Advanced CA</b> check box appears. Once selected, the advanced mode allows you to specify the directory and the keystore password of the certificate file for storing a specific CA. However, you can still deactivate this certificate validation by selecting the <b>Trust all certs</b> check box.  <b>TLS</b> : certificate is used When this option is chosen, the <b>Advanced CA</b> check box appears and is used the same way as that of the <b>LDAPS</b> type.
	<i>Authentication User and Password</i>	Select the <b>Authentication</b> check box if LDAP login is required. Note that the login must match the LDAP syntax requirement to be valid. e.g.: "cn=Directory Manager".
	<i>Filter</i>	Type in the filter as expected by the LDAP directory db.
	<i>Multi valued field separator</i>	Type in the value separator in multi-value fields.
	<i>Alias dereferencing</i>	Select the option on the list. <b>Never</b> improves search performance if you are sure that no alias is to be dereferenced. By default, <b>Always</b> is to be used:

		<p><b>Always:</b> Always dereference aliases</p> <p><b>Never:</b> Never dereferences aliases.</p> <p><b>Searching:</b> Dereferences aliases only after name resolution.</p> <p><b>Finding:</b> Dereferences aliases only during name resolution</p>
	<i>Referral handling</i>	<p>Select the option on the list:</p> <p><b>Ignore:</b> does not handle request redirections</p> <p><b>Follow:</b> does handle request redirections</p>
	<i>Limit</i>	Fill in a limit number of records to be read If needed.
	<i>Time Limit</i>	Fill in a timeout period for the directory. access
	<i>Paging</i>	Specify the number of entries returned at a time by the LDAP server.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
<b>Usage</b>	<p>This component covers all possible LDAP queries.</p> <p>Note: Press <b>Ctrl + Space bar</b> to access the global variable list, including the <b>GetResultName</b> variable to retrieve automatically the relevant Base.</p>	

## Scenario: Displaying LDAP directory's filtered content

The Job described below simply filters the LDAP directory and displays the result on the console.




- Drop the **tLDAPInput** component along with a **tLogRow** from the **Palette** to the design workspace.
- Set the **tLDAPInput** properties.
- Set the **Property type** on **Repository** if you stored the LDAP connection details in the **Metadata Manager** in the **Repository**. Then select the relevant entry on the list.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.

- In **Built-In** mode, fill in the **Host** and **Port** information manually. Host can be the IP address of the LDAP directory server or its DNS name.
- No particular **Base DN** is to be set.



- Then select the relevant **Protocol** on the list. In this example: a simple **LDAP** protocol is used.
- Select the **Authentication** check box and fill in the login information if required to read the directory. In this use case, no authentication is needed.
- In the **Filter** area, type in the command, the data selection is based on. In this example, the filter is: `(&(objectClass=inetorgperson)&(uid=PIERRE DUPONT))`.
- Fill in **Multi-valued field separator** with a comma as some fields may hold more than one value, separated by a comma.
- As we do not know if some aliases are used in the LDAP directory, select **Always** on the list.
- Set **Ignore** as **Referral handling**.
- Set the limit to **100** for this use case.

Column	Db Column	Key	Type	Nullable	Date P...	Length	Pre...
dc	dc	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		255	
ou	ou	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		255	
objectClass	objectClass	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		255	
mail	mail	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		255	
uid	uid	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		255	
dn	dn	<input type="checkbox"/>	String	<input type="checkbox"/>			

- Set the **Schema** as required by your LDAP directory. In this example, the schema is made of 6 columns including the `objectClass` and `uid` columns which get filtered on.
- In the **tLogRow** component, no particular setting is required.

```
Starting job testLDAPInput at 18:05 18/09/2007.
|DATA|top,person,organizationalPerson,inetorgperson,a4400user|mhirt78@talend.com|PIERRE DUPONT|
Job testLDAPInput ended at 18:05 18/09/2007. [exit code=0]
```

Only one entry of the directory corresponds to the filter criteria given in the **tLDAPInput** component.

# tLDAPOutput



## tLDAPOutput Properties


<b>Component family</b>	Databases/LDAP	
<b>Function</b>	tLDAPOutput writes into an LDAP directory.	
<b>Purpose</b>	tLDAPOutput executes an LDAP query based on the given filter and corresponding to the schema definition. Then it passes on the field list to the next component via a <b>Main row</b> link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	Select this check box and click the relevant <b>tLDAPConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.
	<i>Host</i>	LDAP Directory server IP address.
	<i>Port</i>	Listening port number of server.
	<i>Base DN</i>	Path to user's authorized tree leaf.
	<i>Protocol</i>	Select the protocol type on the list.  <b>LDAP</b> : no encryption is used  <b>LDAPS</b> : secured LDAP. When this option is chosen, the <b>Advanced CA</b> check box appears. Once selected, the advanced mode allows you to specify the directory and the keystore password of the certificate file for storing a specific CA. However, you can still deactivate this certificate validation by selecting the <b>Trust all certs</b> check box.  <b>TLS</b> : certificate is used When this option is chosen, the <b>Advanced CA</b> check box appears and is used the same way as that of the <b>LDAPS</b> type.
	<i>User and Password</i>	Fill in the <b>User</b> and <b>Password</b> as required by the directory  Note that the login must match the LDAP syntax requirement to be valid. e.g.: "cn=Directory Manager".
	<i>Multi valued field separator</i>	Character, string or regular expression to separate data in a multi-value field.
	<i>Alias dereferencing</i>	Select the option on the list. <b>Never</b> improves search performance if you are sure that no aliases is to be dereferenced. By default, <b>Always</b> is to be used:  <b>Always</b> : Always dereference aliases  <b>Never</b> : Never dereferences aliases.

		<p><b>Searching:</b> Dereferences aliases only after name resolution.</p> <p><b>Finding:</b> Dereferences aliases only during name resolution</p>
	<i>Referral handling</i>	<p>Select the option on the list:</p> <p><b>Ignore:</b> does not handle request redirections</p> <p><b>Follow:</b> does handle request redirections</p>
	<i>Insert mode</i>	<p>Select the editing mode on the list:</p> <p><b>Add:</b> add a value in a multi-value attribute,</p> <p><b>Insert:</b> insert new data,</p> <p><b>Update:</b> updates the existing data,</p> <p><b>Delete:</b> remove the selected data from the directory,</p> <p><b>Insert or Update:</b> insert new data or update existing ones.</p>
	<i>DN Column Name</i>	Select in the list the type of the LDAP input entity used.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Reject</b> link.
<b>Advanced settings</b>	<i>Use Attribute Options (for update mode)</i>	Select this check box to choose the desired attribute (including dn, dc, ou, objectClass, mail and uid) and the corresponding operation (including Add, Replace, Remove Attribute and Remove Value).
	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a job level as well as at each component level.
<b>Usage</b>	<p>This component covers all possible LDAP queries.</p> <p>Note: Press <b>Ctrl + Space bar</b> to access the global variable list, including the <b>GetResultName</b> variable to retrieve the relevant DN Base automatically. This component allows you to carry out actions on a table or on the data of a table in a database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p>	

## Scenario: Editing data in a LDAP directory

The following scenario describes a Job that reads an LDAP directory, updates the email of a selected entry and displays the output before writing the LDAP directory. To keep it simple, no alias dereferencing nor referral


handling is performed. This scenario is based on [the section called “Scenario: Displaying LDAP directory’s filtered content”](#). The result returned was a single entry, related to an organisational person, whom email is to be updated.



- Drop the **tLDAPInput**, **tLDAPOutput**, **tMap** and **tLogRow** components from the **Palette** to the design workspace.
- Connect the input component to the **tMap** then to the **tLogRow** and to the output component.
- In the **tLDAPInput** Component view, set the connection details to the LDAP directory server as well as the filter as described in [the section called “Scenario: Displaying LDAP directory’s filtered content”](#).
- Change the schema to make it simpler, by removing the unused fields: *dc, ou, objectclass*.

Column	Db Column	Key	T...	Nullable	Date P...	L...	Pr...	D..	C...
dn	dn	<input type="checkbox"/>	St...	<input type="checkbox"/>					
uid	uid	<input type="checkbox"/>	St...	<input checked="" type="checkbox"/>		255			
mail	mail	<input type="checkbox"/>	St...	<input type="checkbox"/>					

- Then open the mapper to set the edit to be carried out.
- Drag & drop the uid column from the input table to the output as no change is required on this column.



- In the **Expression** field of the *dn* column (output), fill in with the exact expression expected by the LDAP server to reach the target tree leaf and allow directory writing on the condition that you haven’t set it already in the **Base DN** field of the **tLDAPOutput** component.
- In this use case, the **GetResultName** global variable is used to retrieve this path automatically. Press **Ctrl +Space bar** to access the variable list and select **tLDAPInput\_1\_RESULT\_NAME**.
- In the *mail* column’s expression field, type in the new email that will overwrite the current data in the LDAP directory. In this example, we change to *Pierre.Dupont@talend.com*.
- Click **OK** to validate the changes.
- The **tLogRow** component does not need any particular setting.
- Then select the **tLDAPOutput** component to set the directory writing properties.



The screenshot shows the configuration window for the **tLDAPOutput\_5** component. The settings are as follows:

- Property Type:** Built-In
- Use an existing connection:**
- Host:** "192.168.0.165"
- Port:** 389
- Base DN:** "o=directoryRoot"
- Protocol:** LDAP
- User:** "cn=Directory Manager"
- Password:** "talendpswd"
- Multi valued field separator:** ","
- Alias dereferencing:** Always
- Referral handling:** Ignore
- Insert mode:** Update
- DN Column Name:** dn
- Schema:** Built-In
- Die on error:**

- Set the **Port** and **Host** details manually if they aren't stored in the **Repository**.



*For Talend Open Studio for Big Data, the **Property type**, **Schema** and **Query type** of components are always **Built-in**. You have to complete the relevant settings manually in the specific Job.*

- In **Base DN** field, set the highest tree leaf you have the rights to access. If you have not set previously the exact and full path of the target DN you want to access, then fill in it here. In this use case, the full DN is provided by the **dn** output from the **tMap** component, therefore only the highest accessible leaf is given: *o=directoryRoot*.
- Select the relevant protocol to be used: **LDAP** for this example.
- Fill in the **User** and **Password** as expected by the LDAP directory.
- Fill in **Multi-valued field separator** with a comma as some fields may hold more than one value, separated by a comma.
- Use the default setting of **Alias Dereferencing** and **Referral Handling** fields, respectively **Always** and **Ignore**.
- The **Insert mode** for this use case is **Update** (the email address).
- The schema was provided by the previous component through the propagation operation.
- Save the Job and execute.

```
Starting job LDAPInputnew at 14:17 20/09/2007.
uid=PIERRE DUPONT,ou=DATA,o=TALENDM,o=TALEND|PIERRE DUPONT|Pierre.Dupont@talend.com
Job LDAPInputnew ended at 14:17 20/09/2007. [exit code=0]
```

The output shows the following fields: **dn**, **uid** and **mail** as defined in the Job.

# tLDAPRenameEntry



## tLDAPRenameEntry properties

<b>Component family</b>	Databases/LDAP	
<b>Function</b>	<b>tLDAPRenameEntry</b> renames entries in an LDAP directory.	
<b>Purpose</b>	The <b>tLDAPRenameEntry</b> component rename ones or more entries in a specific LDAP directory.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	Select this check box and click the relevant <b>tLDAPConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.
	<i>Host</i>	LDAP directory server IP address.
	<i>Port</i>	Number of the listening port of the server.
	<i>Base DN</i>	Path to user's authorized tree leaf.
	<i>Protocol</i>	Select the protocol type on the list. <b>LDAP:</b> no encryption is used, <b>LDAPS:</b> secured LDAP, <b>TLS:</b> certificate is used.
	<i>User and Password</i>	Fill in user authentication information.  Note that the login must match the LDAP syntax requirement to be valid. e.g.: "cn=Directory Manager".
	<i>Alias dereferencing</i>	Select the option on the list. <b>Never</b> improves search performance if you are sure that no alias is to be dereferenced. By default, <b>Always</b> is to be used:  <b>Always:</b> Always dereference aliases, <b>Never:</b> Never dereferences aliases, <b>Searching:</b> Dereferences aliases only after name resolution, <b>Finding:</b> Dereferences aliases only during name resolution.
	<i>Referrals handling</i>	Select the option on the list:  <b>Ignore:</b> does not handle request redirections, <b>Follow:</b> does handle request redirections.

	<i>Previous DN and New DN</i>	Select from the list the schema column that holds the old DN ( <b>Previous DN</b> ) and the column that holds the new DN ( <b>New DN</b> ).
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Reject</b> link.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	<p>This component covers all possible LDAP queries. It is usually used as a one-component subjob but you can use it with other components as well.</p> <p>Note: Press <b>Ctrl + Space bar</b> to access the global variable list, including the <b>GetResultName</b> variable to retrieve automatically the relevant DN Base.</p>	

## Related scenarios

For use cases in relation with **tLDAPRenameEntry**, see the following scenarios:

- [the section called “Scenario: Displaying LDAP directory’s filtered content”](#).
- [the section called “Scenario: Editing data in a LDAP directory”](#).

# tMaxDBInput



## tMaxDBInput properties

<b>Component Family</b>	Databases/MaxDB	
<b>Function</b>	<b>tMaxDBInput</b> reads a database and extracts fields based on a query.	
<b>Purpose</b>	<b>tMaxDBInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host name</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table name</i>	Type in the table name.
	<i>Query type</i> and <i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Guess Query</i>	Click the <b>Guess Query</b> button to generate the query which corresponds to your table schema in the Query field.
	<i>Guess schema</i>	Click the <b>Guess schema</b> button to retrieve the table schema.
<b>Advanced settings</b>	<i>Trim all the String/Char columns</i>	Select this check box to remove leading and trailing whitespace from all the String/Char columns.
	<i>Trim column</i>	Remove leading and trailing whitespace from defined columns.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component offers the flexibility of the DB query and covers all possible SQL queries.	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for</i>	

---

*Big Data*. For details, see the *Warnings and error icons on components* and *How to install external modules* sections of *Talend Open Studio for Big Data User Guide*.

## Related scenario

For a related scenario, see:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).

# tMaxDBOutput



## tMaxDBOutput properties

<b>Component Family</b>	Databases/MaxDB	
<b>Function</b>	<b>tMaxDBOutput</b> writes, updates, makes changes or suppresses entries in a database.	
<b>Purpose</b>	<b>tMaxDBOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the job.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host</i>	Database server IP address.
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Table</i>	Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.
	<i>Action on table</i>	On the table defined, you can perform one of the following operations:  <b>None:</b> No operation is carried out.  <b>Drop and create table:</b> The table is removed and created again.  <b>Create table:</b> The table does not exist and gets created.  <b>Create table if not exists:</b> The table is created if it does not exist.  <b>Clear table:</b> The table content is deleted.  <b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.
	<i>Action on data</i>	On the data of the table defined, you can perform:  <b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.  <b>Update:</b> Make changes to existing entries  <b>Insert or update:</b> Add entries or update existing ones.  <b>Update or insert:</b> Update existing entries or create it if non existing

		<p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the Update and Delete operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update</b> column, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete</b> column for the Delete operation.</i></p>
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Commit every</i>	Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.
	<i>Additional Columns</i>	This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.
		<b>Name:</b> Type in the name of the schema column to be altered or inserted as new column
		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.
		<b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.
		<b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.
	<i>Use field options</i>	Select this check box to customize a request, especially when there is double action on data.
	<i>Enable debug mode</i>	Select this check box to display each step during processing entries in a database.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.

<b>Usage</b>	<p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p>
<b>Limitation</b>	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>

## Related scenario

For a related scenario, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).




# tMaxDBRow



## tMaxDBRow properties

<b>Component Family</b>	Databases/MaxDB	
<b>Function</b>	tMaxDBRow is the specific component for this database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output.	
<b>Purpose</b>	Depending on the nature of the query and the database, tMaxDBRow acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table name</i>	Type in the table name.
	<i>Query type</i> and <i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Guess Query</i>	Click the <b>Guess Query</b> button to generate the query which corresponds to your table schema in the Query field.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Propagate QUERY's recordset</i>	Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.
	<i>Use PreparedStatement</i>	Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by "?" in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.

		<p><b>Parameter Index:</b> Enter the parameter position in the SQL instruction.</p> <p><b>Parameter Type:</b> Enter the parameter type.</p> <p><b>Parameter Value:</b> Enter the parameter value.</p> <p> This option is very useful if you need to execute the same query several times. Performance levels are increased</p>
	<i>Commit every</i>	Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component offers the flexibility benefit of the DB query and covers all possible SQL queries.	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Related scenario

For a related scenario, see:

- [the section called “Scenario 1: Displaying selected data from DB table”](#)
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#)

# tParseRecordSet



You can find this component at the root of **Databases** group of the **Palette** of *Talend Open Studio for Big Data*. **tParseRecordSet** covers needs related indirectly to the use of any database.

## tParseRecordSet properties

<b>Component family</b>	Databases	
<b>Function</b>	<b>tParseRecordSet</b> parses a set of records from a database table or DB query and possibly returns single records.	
<b>Purpose</b>	.Parses a recordset rather than individual records from a table.	
<b>Basic settings</b>	<i>Prev. Comp. Column list</i>	Set the column from the database that holds the recordset.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Attribute table</i>	Set the position value of each column for single records from the recordset.
<b>Usage</b>	This component is used as intermediary component. It can be used as start component but only input parameters are thus allowed.	
<b>Limitation</b>	This component is mainly designed for a use with the SP component Recordset feature.	

## Related Scenario


For an example of **tParseRecordSet** in use, see [the section called “Scenario 2: Using PreparedStatement objects to query data”](#).

# tPostgresPlusBulkExec



## tPostgresPlusBulkExec properties

The **tPostgresplusOutputBulk** and **tPostgresplusBulkExec** components are generally used together as part of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tPostgresPlusOutputBulkExec** component, detailed in a separate section. The advantage of using two separate components is that the data can be transformed before it is loaded in the database.

<b>Component family</b>	Databases/PostgresPlus	
<b>Function</b>	<b>tPostgresPlusBulkExec</b> executes the Insert action on the data provided.	
<b>Purpose</b>	As a dedicated component, <b>tPostgresPlusBulkExec</b> allows gains in performance during Insert operations to a DB2 database.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tPostgresPlusConnection</b> component on the <b>Component List</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Schema</i>	Name of the DB schema.

	<i>Username</i> <i>Password</i>	and	DB user authentication data.
	<i>Table</i>		Name of the table to be written. Note that only one table can be written at a time
	<i>Action on table</i>		On the table defined, you can perform one of the following operations:  <b>None:</b> No operation is carried out.  <b>Drop and create table:</b> The table is removed and created again.  <b>Create table:</b> The table does not exist and gets created.  <b>Create table if not exists:</b> The table is created if it does not exist.  <b>Clear table:</b> The table content is deleted.  <b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.
	<i>Schema</i> <i>Schema</i>	and	<i>Edit</i> A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
			<b>Built-in:</b> You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
<b>Advanced settings</b>	<i>Action</i>		Select the action to be carried out  <b>Bulk insert</b> <b>Bulk update</b> Depending on the action selected, the required information varies.
	<i>Field terminated by</i>		Character, string or regular expression to separate fields.
	<i>tStat Catcher Statistics</i>		Select this check box to collect log data at the component level.
<b>Usage</b>			This dedicated component offers performance and flexibility of DB2 query handling.

## Related scenarios

For **tPostgresPlusBulkExec** related topics, see:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tPostgresPlusClose



## tPostgresPlusClose properties

<b>Component family</b>	Databases/Postgres	
<b>Function</b>	<b>tPostgresPlusClose</b> closes the transaction committed in the connected DB.	
<b>Purpose</b>	Close a transaction.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tPostgresPlusConnection</b> component in the list if more than one connection are planned for the current Job.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with PostgresPlus components, especially with <b>tPostgresPlusConnection</b> and <b>tPostgresPlusCommit</b> .	
<b>Limitation</b>	n/a	

## Related scenario


No scenario is available for this component yet.

# tPostgresPlusCommit



## tPostgresPlusCommit Properties

This component is closely related to **tPostgresPlusConnection** and **tPostgresPlusRollback**. It usually does not make much sense to use JDBC components independently in a transaction.

<b>Component family</b>	Databases/PostgresPlus	
<b>Function</b>	Validates the data processed through the Job into the connected DB.	
<b>Purpose</b>	Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tPostgresPlusConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Close Connection</i>	<p>This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.</p> <p> <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tPostgresPlusCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i></p>
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with PostgresPlus components, especially with the <b>tPostgresPlusConnection</b> and <b>tPostgresPlusRollback</b> components.	
<b>Limitation</b>	n/a	

## Related scenario

This component is closely related to **tPostgresPlusConnection** and **tPostgresPlusRollback**. It usually doesn't make much sense to use PostgresPlus components without using the **tPostgresPlusConnection** component to open a connection for the current transaction.

For **tPostgresPlusCommit** related scenario, see [the section called "tMysqlConnection"](#)

# tPostgresPlusConnection



## tPostgresPlusConnection Properties

This component is closely related to **tPostgresPlusCommit** and **tPostgresPlusRollback**. It usually doesn't make much sense to use one of PostgresPlus components without using the **tPostgresPlusConnection** component to open a connection for the current transaction.

<b>Component family</b>	Databases/PostgresPlus	
<b>Function</b>	Opens a connection to the database for a current transaction.	
<b>Purpose</b>	This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Schema</i>	Exact name of the schema
	<i>Username</i> and <i>Password</i>	Enter your DB authentication data.
	<i>Use or register a shared DB Connection</i>	Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.  <b>Shared DB Connection Name:</b> set or type in the shared connection name.
<b>Advanced settings</b>	<i>Auto commit</i>	Select this check box to automatically commit a transaction when it is completed.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component is to be used along with PostgresPlus components, especially with the <b>tPostgresPlusCommit</b> and <b>tPostgresPlusRollback</b> components.	
<b>Limitation</b>	n/a	

## Related scenario

This component is closely related to **tPostgresPlusCommit** and **tPostgresPlusRollback**. It usually doesn't make much sense to use one of PostgresPlus components without using the **tPostgresPlusConnection** component to open a connection for the current transaction.




For **tPostgresPlusConnection** related scenario, see [the section called “tMysqlConnection”](#)

# tPostgresPlusInput



## tPostgresPlusInput properties

<b>Component family</b>	Databases/ PostgresPlus	
<b>Function</b>	<b>tPostgresPlusInput</b> reads a database and extracts fields based on a query.	
<b>Purpose</b>	<b>tPostgresPlusInput</b> executes a DB query with a strictly defined order which must correspond to the schema definition. Then it passes on the field list to the next component via a Main row link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box when using a configured <b>tPostgresplusConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Host</i>	Database server IP address.
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database.
	<i>Schema</i>	Exact name of the schema.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .

		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table name</i>	Name of the table to be read.
	<i>Query type and Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
<b>Advanced settings</b>	<i>Use cursor</i>	When selected, helps to decide the row set to work with at a time and thus optimize performance.
	<i>Trim all the String/Char columns</i>	Select this check box to remove leading and trailing whitespace from all the String/Char columns.
	<i>Trim column</i>	Remove leading and trailing whitespace from defined columns.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component covers all possible SQL queries for Postgresql databases.	

## Related scenarios


For related scenarios, see:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).



# tPostgresPlusOutput



## tPostgresPlusOutput properties

<b>Component family</b>	Databases/PostgresPlus	
<b>Function</b>	<b>tPostgresPlusOutput</b> writes, updates, makes changes or suppresses entries in a database.	
<b>Purpose</b>	<b>tPostgresPlusOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the job.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box when using a configured <b>tPostgresPlusConnection</b> component.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Schema</i>	Exact name of the schema.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Table</i>	Name of the table to be written. Note that only one table can be written at a time

	<i>Action on table</i>	<p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p> <p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p> <p><b>Truncate table:</b> The table content is deleted. You do not have the possibility to rollback the operation.</p>
	<i>Action on data</i>	<p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p>
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>
		<p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Die on error</i>	<p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-</p>

		free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Commit every</i>	Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.
	<i>Additional Columns</i>	This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.
		<b>Name:</b> Type in the name of the schema column to be altered or inserted as new column
		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.
		<b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.
		<b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.
	<i>Use field options</i>	Select this check box to customize a request, especially when there is double action on data.
	<i>Enable debug mode</i>	Select this check box to display each step during processing entries in a database.
	<i>Support null in “SQL WHERE” statement</i>	Select this check box if you want to deal with the Null values contained in a DB table.   Ensure that the Nullable check box is selected for the corresponding columns in the schema.
	<i>Use batch size</i>	Select this check box to activate the batch mode for data processing. In the <b>Batch Size</b> field that appears when this check box is selected, you can type in the number you need to define the batch size to be processed.   This check box is available only when you have selected the <b>Insert</b> , the <b>Update</b> or the <b>Delete</b> option in the <b>Action on data</b> field.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	<p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a PostgresPlus database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p>	

## Related scenarios

For **tPostgresPlusOutput** related topics, see:

- [the section called “Scenario: Writing a row to a table in the MySQL database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tPostgresPlusOutputBulk



## tPostgresPlusOutputBulk properties

The **tPostgresplusOutputBulk** and **tPostgresplusBulkExec** components are generally used together as part of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tPostgresPlusOutputBulkExec** component, detailed in a separate section. The advantage of using two separate components is that the data can be transformed before it is loaded in the database.

<b>Component family</b>	Databases/PostgresPlus	
<b>Function</b>	Writes a file with columns based on the defined delimiter and the PostgresPlus standards	
<b>Purpose</b>	Prepares the file to be used as parameter in the INSERT query to feed the PostgresPlus database.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>File Name</i>	Name of the file to be processed.  Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Field separator</i>	Character, string or regular expression to separate fields.
	<i>Row separator</i>	String (ex: “\n”on Unix) to distinguish rows.
	<i>Append</i>	Select this check box to add the new rows at the end of the file
	<i>Include header</i>	Select this check box to include the column header to the file.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
<b>Usage</b>	This component is to be used along with <b>tPostgresPlusBulkExec</b> component. Used together they offer gains in performance while feeding a PostgresPlus database.	



## Related scenarios

For use cases in relation with **tPostgresplusOutputBulk**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tPostgresPlusOutputBulkExec



## tPostgresPlusOutputBulkExec properties

The **tPostgresplusOutputBulk** and **tPostgresplusBulkExec** components are generally used together as part of a two step process. In the first step, an output file is generated. In the second step, this file is used in the INSERT operation used to feed a database. These two steps are fused together in the **tPostgresPlusOutputBulkExec** component.

<b>Component family</b>	Databases/PostgresPlus	
<b>Function</b>	Executes the Insert action on the data provided.	
<b>Purpose</b>	As a dedicated component, it allows gains in performance during Insert operations to a PostgresPlus database.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Schema</i>	Exact name of the schema.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Table</i>	Name of the table to be written. Note that only one table can be written at a time and that the table must exist for the insert operation to succeed.
	<i>Action on table</i>	On the table defined, you can perform one of the following operations:  <b>None:</b> No operation is carried out.  <b>Drop and create a table:</b> The table is removed and created again.  <b>Create a table:</b> The table does not exist and gets created.  <b>Create a table if not exists:</b> The table is created if it does not exist.  <b>Clear a table:</b> The table content is deleted.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
<b>Advanced settings</b>	<i>Action</i>	Select the action to be carried out  <b>Bulk insert Bulk update</b> Depending on the action selected, the required information varies.

	<i>File type</i>	Select the type of file being handled.
	<i>Null string</i>	String displayed to indicate that the value is null.
	<i>Row separator</i>	String (ex: “\n” on Unix) to distinguish rows.
	<i>Field terminated by</i>	Character, string or regular expression to separate fields.
	<i>Text enclosure</i>	Character used to enclose text.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is mainly used when no particular transformation is required on the data to be loaded onto the database.	

## Related scenarios

For use cases in relation with **tPostgresPlusOutputBulkExec**, see the following scenarios:

- [the section called “Scenario: Inserting transformed data in MySQL database”](#).
- [the section called “Scenario: Inserting data in MySQL database”](#).
- [the section called “Scenario: Truncating and inserting file data into Oracle DB”](#).

# tPostgresPlusRollback



## tPostgresPlusRollback properties

This component is closely related to **tPostgresPlusCommit** and **tPostgresPlusConnection**. It usually does not make much sense to use these components independently in a transaction.

<b>Component family</b>	Databases/PostgresPlus	
<b>Function</b>	<b>tPostgresPlusRollback</b> cancels the transaction committed in the connected DB.	
<b>Purpose</b>	This component avoids to commit part of a transaction involuntarily.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tPostgresPlusConnection</b> component in the list if more than one connection are planned for the current job.
	<i>Close Connection</i>	Clear this check box to continue to use the selected connection once the component has performed its task.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with PostgresPlus components, especially with <b>tPostgresPlusConnection</b> and <b>tPostgresPlusCommit</b> .	
<b>Limitation</b>	n/a	


## Related scenarios


For **tPostgresPlusRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).

# tPostgresPlusRow



## tPostgresPlusRow properties

<b>Component family</b>	Databases/Postgresplus	
<b>Function</b>	<b>tPostgresPlusRow</b> is the specific component for the database query. It executes the SQL query stated onto the specified database. The row suffix means the component implements a flow in the job design although it doesn't provide output.	
<b>Purpose</b>	Depending on the nature of the query and the database, <b>tPostgresPlusRow</b> acts on the actual DB structure or on the data (although without handling data). The SQLBuilder tool helps you write easily your SQL statements.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tPostgresPlusConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Schema</i>	Exact name of the schema.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next

		component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table name</i>	Name of the table to be read.
	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .
		<b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder
	<i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Propagate QUERY's recordset</i>	Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.
	<i>Use PreparedStatement</i>	Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.  <b>Parameter Index:</b> Enter the parameter position in the SQL instruction.  <b>Parameter Type:</b> Enter the parameter type.  <b>Parameter Value:</b> Enter the parameter value.   This option is very useful if you need to execute the same query several times. Performance levels are increased
	<i>Commit every</i>	Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component offers the flexibility of the DB query and covers all possible SQL queries.	

## Related scenarios

For related topics, see:

- [the section called “Scenario: Resetting a DB auto-increment”](#).
- [the section called “Scenario 1: Removing and regenerating a MySQL table index”](#).



# tPostgresPlusSCD



**tPostgresPlusSCD** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tPostgresPlusSCD”](#).



# tPostgresPlusSCDELT



**tPostgresPlusSCDELT** belongs to two component families: Business Intelligence and Databases. For more information on it, see [the section called “tPostgresPlusSCDELT”](#).

# tSasInput



Before being able to benefit from all functional objectives of the SAS components, make sure to install the following three modules: *sas.core.jar*, *sas.intrnet.javatools.jar* and *sas.svc.connection.jar* in the path *lib > java* in your Talend Open Studio for Big Data directory. You can later verify, if needed whether the modules are successfully installed through the Modules view of the Studio.

## tSasInput properties

<b>Component family</b>	Databases/SAS	
<b>Function</b>	<b>tSasInput</b> reads a database and extracts fields based on a query.	
<b>Purpose</b>	<b>tSasInput</b> executes a DB query with a strictly defined statement which must correspond to the schema definition. Then it passes on the field list to the component that follows via a <b>Row &gt; Main</b> connection.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Host name</i>	SAS server IP address.
	<i>Port</i>	Listening port number of server.
	<i>Librefs</i>	Enter the directory name that holds the table to read followed by its access path. For example:  “TpSas ‘C:/SAS/TpSas’”
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Table Name</i>	Enter the name of the table to read preceded by the directory name that holds it. For example: “TpSas.Customers”.
	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .
	<i>Query</i>	Type in your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component covers all possible SQL queries for databases using SAS connections.	

---

<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Related scenarios

For related topics, see:


- [the section called “Scenario 1: Displaying selected data from DB table”](#).
- [the section called “Scenario 2: Using StoreSQLQuery variable”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).


# tSasOutput



Before being able to benefit from all functional objectives of the SAS components, make sure to install the following three modules: *sas.core.jar*, *sas.intrnet.javatools.jar* and *sas.svc.connection.jar* in the path `lib > java` in your Talend Open Studio for Big Data directory. You can later verify, if needed whether the modules are successfully installed through the Modules view of the Studio.

## tSasOutput properties

<b>Component family</b>	Databases/SAS	
<b>Function</b>	<b>tSasOutput</b> writes, updates, makes changes or suppresses entries in a database.	
<b>Purpose</b>	<b>tSasOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the incoming flow from the preceding component in the Job.	
<b>Basic settings</b>	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tSASConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>SAS URL</i>	Enter the URL to connect to the desired DB.
	<i>Driver JAR</i>	In the drop down list, select a desired available driver, or download one from a local directory through clicking the three-dot button.
	<i>Class Name</i>	Type in the Class name to be pointed to in the driver.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Table</i>	Name of the table to read.
	<i>Action on data</i>	On the data of the table defined, you can perform:

		<p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p>
	<i>Clear data in table</i>	Select this check box to delete data in the selected table before any operation.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.
<b>Advanced settings</b>	<i>Commit every</i>	Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.
	<i>Additional Columns</i>	This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not insert, nor update or delete actions, or action that require particular preprocessing.
		<b>Name:</b> Type in the name of the schema column to be altered or inserted as a new column.
		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.

		<b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.
		<b>Reference column:</b> Type in a column of reference that the <b>tSasOutput</b> can use to place or replace the new or altered column.
	<i>Use field options</i>	Select this check box to customize a request, especially when there is double action on data.
	<i>Enable debug mode</i>	Select this check box to display each step during processing entries in a database.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	<p>This component offers the flexibility benefit of the DB query and covers all of the SQL queries possible.</p> <p>This component must be used as an output component. It allows you to carry out actions on a table or on the data of a table in a SAS database. It also allows you to create a reject flow using a <b>Row &gt; Rejects</b> link to filter data in error. For an example of <b>tMySQLOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a>.</p>	
<b>Limitation</b>	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	

## Related scenarios

For scenarios in which **tSasOutput** might be used, see:

- [the section called “Scenario: Writing a row to a table in the MySql database via an ODBC connection”](#).
- [the section called “Scenario 1: Adding a new column and altering data in a DB table”](#).

# tSQLiteClose



## tSQLiteClose properties

<b>Component family</b>	Databases/SQLite	
<b>Function</b>	<b>tSQLiteClose</b> closes the transaction committed in the connected DB.	
<b>Purpose</b>	Close a transaction.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tSQLiteConnection</b> component in the list if more than one connection are planned for the current Job.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with SQLite components, especially with <b>tSQLiteConnection</b> and <b>tSQLiteCommit</b> .	
<b>Limitation</b>	n/a	

## Related scenario


No scenario is available for this component yet.

# tSQLiteCommit



## tSQLiteCommit Properties

This component is closely related to **tSQLiteConnection** and **tSQLiteRollback**. It usually does not make much sense to use these components independently in a transaction.

<b>Component family</b>	Databases/SQLite	
<b>Function</b>	<b>tSQLiteCommit</b> validates the data processed through the Job into the connected DB	
<b>Purpose</b>	Using a unique connection, this component commits in one go a global transaction instead of doing that on every row or every batch and thus provides gain in performance.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tSQLiteConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Close Connection</i>	This check box is selected by default. It allows you to close the database connection once the commit is done. Clear this check box to continue to use the selected connection once the component has performed its task.   <i>If you want to use a <b>Row &gt; Main</b> connection to link <b>tSQLiteCommit</b> to your Job, your data will be committed row by row. In this case, do not select the <b>Close connection</b> check box or your connection will be closed before the end of your first row commit.</i>
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with SQLite components, especially with <b>tSQLiteConnection</b> and <b>tSQLiteRollback</b> .	
<b>Limitation</b>	n/a	

## Related scenario

This component is closely related to **tSQLiteConnection** and **tSQLiteRollback**. It usually does not make much sense to use one of these without using a **tSQLiteConnection** component to open a connection for the current transaction.

For **tSQLiteCommit** related scenario, see [the section called “Scenario: Inserting data in mother/daughter tables”](#).



# tSQLiteConnection



## SQLiteConnection properties

This component is closely related to **tSQLiteCommit** and **tSQLiteRollback**. It usually does not make much sense to use one of these without using a **tSQLiteConnection** to open a connection for the current transaction.

<b>Component family</b>	Databases/SQLite	
<b>Function</b>	<b>tSQLiteConnection</b> opens a connection to the database for a current transaction.	
<b>Purpose</b>	This component allows you to commit all of the Job data to an output database in just a single transaction, once the data has been validated.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Database</i>	Name of the database.
	<i>Use or register a shared DB Connection</i>	Select this check box to share your connection or fetch a connection shared by a parent or child Job. This allows you to share one single DB connection among several DB connection components from different Job levels that can be either parent or child.  <b>Shared DB Connection Name:</b> set or type in the shared connection name.
<b>Advanced settings</b>	<i>Auto commit</i>	Select this check box to automatically commit a transaction when it is completed.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component is to be used along with SQLite components, especially with <b>tSQLiteCommit</b> and <b>tSQLiteRollback</b> .	
<b>Limitation</b>	n/a	

## Related scenarios


This component is closely related to **tSQLiteCommit** and **tSQLiteRollback**. It usually does not make much sense to use one of these without using a **tSQLiteConnection** component to open a connection for the current transaction.

For **tSQLiteConnection** related scenario, see [the section called “tMysqlConnection”](#)

# tSQLiteInput




## tSQLiteInput Properties

<b>Component family</b>	Databases	
<b>Function</b>	<b>tSQLiteInput</b> reads a database file and extracts fields based on an SQL query. As it embeds the SQLite engine, no need of connecting to any database server.	
<b>Purpose</b>	<b>tSQLiteInput</b> executes a DB query with a defined command which must correspond to the schema definition. Then it passes on rows to the next component via a Main row link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tSQLiteConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Database</i>	Filepath to the SQLite database file.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .

	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .
	<i>Query</i>	Type in your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
<b>Advanced settings</b>	<i>Trim all the String/Char columns</i>	Select this check box to remove leading and trailing whitespace from all the String/Char columns.
	<i>Trim column</i>	Remove leading and trailing whitespace from defined columns.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is standalone as it includes the SQLite engine. This is a startable component that can initiate a data flow processing.	

## Scenario: Filtering SQLite data

This scenario describes a rather simple job which uses a select statement based on a filter to extract rows from a source SQLite Database and feed an output SQLite table.



- Drop from the **Palette**, a **tSQLiteInput** and a **tSQLiteOutput** component from the **Palette** to the design workspace.
- Connect the input to the output using a row main link.
- On the **tSQLiteInput** Basic settings, type in or browse to the SQLite Database input file.

	id	version	download_date	ip	type	type_os
1	20027	TOS-Win32-200610	13/11/2006	1191947907	1	101
2	20028	TOS-Win32-200610	13/11/2006	1195650472	1	102
3	20030	TOS-Win32-200610	13/11/2006	3375565745	1	103
4	20031	TOS-Win32-200610	13/11/2006	1195650472	1	104
5	20032	TOS-Win32-200610	13/11/2006	1195650472	1	105
6	20033	TOS-Win32-200610	13/11/2006	1104872453	1	106
7	20034	TOS-Win32-200610	13/11/2006	1104872453	1	107
8	20036	TOS-Win32-200610	13/11/2006	1190898057	1	108
9	20037	TOS-Win32-200610	13/11/2006	1190898057	1	109
10	20038	TOS-Win32-200610	13/11/2006	1348977142	1	110
11	20040	TOS-Win32-200610	13/11/2006	3581349521	1	11
12	20041	TOS-Win32-200610	13/11/2006	1190898057	1	12
13	20043	TOS-Win32-200610	13/11/2006	1196485544	1	13
14	20044	TOS-Win32-200610	13/11/2006	1066743463	1	14
15	20045	TOS-Win32-200610	13/11/2006	1196485544	1	15
16	20046	TOS-Win32-200610	13/11/2006	2624217394	1	16

- The file contains hundreds of lines and includes an **ip** column which the select statement will be based on
- On the **tSQLite** Basic settings, edit the schema for it to match the table structure.

Property Type Built-In

Use an existing connection

Database \*

Schema Built-In Edit schema

Table Name

Query Type Built-In Guess Query Guess schema

Query 

```
"select * from download where ip=1195650472"
```

\*

- In the **Query** field, type in your select statement based on the *ip* column.
- On the **tSQLiteOutput** component **Basic settings** panel, select the **Database** filepath.

**tSQLiteOutput\_1**

**Basic settings**

Property Type Built-In

Use an existing connection

Database \*

Table \*

Action on table Drop and create table Action on data Insert

Schema Built-In Edit schema

Die on error

- Type in the **Table** to be fed with the selected data.
- Select the **Action on table** and **Action on Data**. In this use case, the action on table is *Drop and create* and the action on data is *Insert*.
- The schema should be synchronized with the input schema.
- Save the job and run it.


	id	version	download_date	ip	type	type_os
1	20028	TDS-Win32-200610	13/11/2006	1195650472	1	102
2	20031	TDS-Win32-200610	13/11/2006	1195650472	1	104
3	20032	TDS-Win32-200610	13/11/2006	1195650472	1	105


The data queried is returned in the defined SQLite file.

# tSQLiteOutput



## tSQLiteOutput Properties

<b>Component family</b>	Databases	
<b>Function</b>	<b>tSQLiteOutput</b> writes, updates, makes changes or suppresses entries in an SQLite database. As it embeds the SQLite engine, no need of connecting to any database server.	
<b>Purpose</b>	<b>tSQLiteOutput</b> executes the action defined on the table and/or on the data contained in the table, based on the flow incoming from the preceding component in the job.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tSQLiteConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Database</i>	Filepath to the Database file
	<i>Table</i>	Name of the table to be written. Note that only one table can be written at a time
	<i>Action on table</i>	<p>On the table defined, you can perform one of the following operations:</p> <p><b>None:</b> No operation is carried out.</p> <p><b>Drop and create a table:</b> The table is removed and created again.</p>

		<p><b>Create a table:</b> The table does not exist and gets created.</p> <p><b>Create a table if not exists:</b> The table is created if it does not exist.</p> <p><b>Drop a table if exists and create:</b> The table is removed if it already exists and created again.</p> <p><b>Clear a table:</b> The table content is deleted.</p>
	<i>Action on data</i>	<p>On the data of the table defined, you can perform:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, job stops.</p> <p><b>Update:</b> Make changes to existing entries</p> <p><b>Insert or update:</b> Add entries or update existing ones.</p> <p><b>Update or insert:</b> Update existing entries or create it if non existing</p> <p><b>Delete:</b> Remove entries corresponding to the input flow.</p> <p> <i>It is necessary to specify at least one column as a primary key on which the <b>Update</b> and <b>Delete</b> operations are based. You can do that by clicking <b>Edit Schema</b> and selecting the check box(es) next to the column(s) you want to set as primary key(s). For an advanced use, click the <b>Advanced settings</b> view where you can simultaneously define primary keys for the <b>Update</b> and <b>Delete</b> operations. To do that: Select the <b>Use field options</b> check box and then in the <b>Key in update column</b>, select the check boxes next to the column names you want to use as a base for the Update operation. Do the same in the <b>Key in delete column</b> for the Delete operation.</i></p>
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p>
		<p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Die on error</i>	<p>This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a <b>Row &gt; Rejects</b> link.</p>
<b>Advanced settings</b>	<i>Commit every</i>	<p>Enter the number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and, above all, better performance at execution.</p>
	<i>Additional Columns</i>	<p>This option is not offered if you create (with or without drop) the DB table. This option allows you to call SQL functions to perform actions on columns, which are not</p>

		insert, nor update or delete actions, or action that require particular preprocessing.
		<b>Name:</b> Type in the name of the schema column to be altered or inserted as new column
		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter or insert the relevant column data.
		<b>Position:</b> Select <b>Before</b> , <b>Replace</b> or <b>After</b> following the action to be performed on the reference column.
		<b>Reference column:</b> Type in a column of reference that the <b>tDBOutput</b> can use to place or replace the new or altered column.
	<i>Use field options</i>	Select this check box to customize a request, especially when there is double action on data.
	<i>Enable debug mode</i>	Select this check box to display each step during processing entries in a database.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component must be connected to an Input component. It allows you to carry out actions on a table or on the data of a table in an SQLite database. It also allows you to create reject flows using a <b>Row &gt; Reject</b> link to filter erroneous data. For an example of <b>tSQLiteOutput</b> in use, see <a href="#">the section called “Scenario 3: Retrieve data in error with a Reject link”</a> .	

## Related Scenario

For scenarios related to **tSQLiteOutput**, see [the section called “Scenario 3: Retrieve data in error with a Reject link”](#).

# tSQLiteRollback



## tSQLiteRollback properties

This component is closely related to **tSQLiteCommit** and **tSQLiteConnection**. It usually does not make much sense to use these components independently in a transaction.

<b>Component family</b>	Databases/SQLite	
<b>Function</b>	<b>tSQLiteRollback</b> cancels the transaction committed in the connected DB.	
<b>Purpose</b>	Avoids to commit part of a transaction involuntarily.	
<b>Basic settings</b>	<i>Component list</i>	Select the <b>tSQLiteConnection</b> component in the list if more than one connection are planned for the current Job.
	<i>Close Connection</i>	Clear this check box to continue to use the selected connection once the component has performed its task.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component is to be used along with SQLite components, especially with <b>tSQLiteConnection</b> and <b>tSQLiteCommit</b> .	
<b>Limitation</b>	n/a	

## Related scenarios


For **tSQLiteRollback** related scenario, see [the section called “Scenario: Rollback from inserting data in mother/daughter tables”](#).




# tSQLiteRow




## tSQLiteRow Properties

<b>Component family</b>	Databases	
<b>Function</b>	tSQLiteRow executes the defined query onto the specified database and uses the parameters bound with the column.	
<b>Purpose</b>	A prepared statement uses the input flow to replace the placeholders with the values for each parameters defined. This component can be very useful for updates.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Use an existing connection</i>	<p>Select this check box and click the relevant <b>tSQLiteConnection</b> component on the <b>Component list</b> to reuse the connection details you already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Query type</i>	In <i>Talend Open Studio for Big Data</i> , the Query type is always <b>Built-in</b> .


		<b>Built-in:</b> Fill in manually the query statement or build it graphically using SQLBuilder
	<i>Query</i>	Enter your DB query paying particularly attention to properly sequence the fields in order to match the schema definition.
	<i>Die on error</i>	Clear this check box to skip the row on error and complete the process for error-free rows.
<b>Advanced settings</b>	<i>Propagate QUERY's recordset</i>	Select this check box to insert the result of the query into a COLUMN of the current flow. Select this column from the <b>use column</b> list.
	<i>Use PreparedStatement</i>	Select this checkbox if you want to query the database using a PreparedStatement. In the <b>Set PreparedStatement Parameter</b> table, define the parameters represented by “?” in the SQL instruction of the <b>Query</b> field in the <b>Basic Settings</b> tab.  <b>Parameter Index:</b> Enter the parameter position in the SQL instruction.  <b>Parameter Type:</b> Enter the parameter type.  <b>Parameter Value:</b> Enter the parameter value.   This option is very useful if you need to execute the same query several times. Performance levels are increased
	<i>Commit every</i>	Number of rows to be completed before committing batches of rows together into the DB. This option ensures transaction quality (but not rollback) and above all better performance on executions.
	<i>tStat Catcher Statistics</i>	Select this check box to collect log data at the component level.
<b>Usage</b>	This component offers the flexibility of the DB query and covers all possible SQL queries.	

## Scenario: Updating SQLite rows

This scenario describes a job which updates an SQLite database file based on a prepared statement and using a delimited file.




- Drop a **tFileInputDelimited** and a **tSQLiteRow** component from the **Palette** to the design workspace.
- On the **tFileInputDelimited Basic settings** panel, browse to the input file that will be used to update rows in the database.



- There is no **Header** nor **Footer**. The **Row separator** is a carriage return and the **Field separator** is a semi-colon.
- Click the [...] button next to **Edit schema** and define the schema structure.

Column	Key	Type	Nullable	Length	Precision	Comment
id	<input type="checkbox"/>	int	<input checked="" type="checkbox"/>	6		
version	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>	40		
download_date	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>	20		
ip	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>	20		
type	<input type="checkbox"/>	int	<input checked="" type="checkbox"/>	1		
type_os	<input type="checkbox"/>	int	<input checked="" type="checkbox"/>	3		

- Make sure the length and type are respectively correct and large enough to define the columns.
- Then in the **tSQLiteRow Basic settings** panel, set the **Database** filepath to the file to be updated.



- The schema is read-only as it is required to match the input schema.
- Type in the query. In this use case, we updated the *type\_os* for the *id* defined in the Input flow. The statement is as follows: "Update download set type\_os=? where id=?".
- Then select the **Use PreparedStatement** check box to display the placeholders' parameter table.

tSQLiteRow\_2

Basic settings

**Advanced settings**

Dynamic settings

View

Documentation

Propagate QUERY's recordset

Use PreparedStatement

Set PreparedStatement Parameters

Parameter Index	Parameter Type	Parameter Value
type_os	String	
id	String	

+ × ↑ ↓ 📄 📋

Commit every \*

tStatCatcher Statistics

Enable parallel execution

- In the Input parameters table, add as many lines as necessary to cover all placeholders. In this scenario, *type\_os* and *id* are to be defined.
- Set the **Commit every** field.
- Save the job and press **F6** to run it.

The *download* table from the SQLite database is thus updated with new *type\_os* code according to the delimited input file.

# DotNET components

This chapter details the main components which you can find in the **DotNET** family of the *Talend Open Studio for Big Data Palette*.

The DotNET family comprises the most popular database connectors that are utilized to integrate with .NET objects.





For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tDotNETInstantiate



## tDotNETInstantiate properties

<b>Component family</b>	DotNET	
<b>Function</b>	<b>tDotNETInstantiate</b> instantiates an object in the .NET for later reuse.	
<b>Purpose</b>	<b>tDotNETInstantiate</b> invokes the constructor of a .NET object that is intended for later reuse.	
<b>Basic settings</b>	<i>Dll to load</i>	Type in the path, or browse to the DLL library containing the classe(s) of interest or enter the assembly's name to be used. For example, <i>System.Data, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089</i> for an OleDb assembly.
	<i>Fully qualified class name(i.e. ClassLibrary1.NameSpace2.Class1)</i>	Enter a fully qualified name for the class of interest.
	<i>Value(s) to pass to the constructor</i>	Click the plus button to add one or more values to be passed to the constructor for the object. Or, leave this table empty to call a default constructor for the object.  The valid value(s) should be the parameters required by the class to be used.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
	<i>Enable parallel execution</i>	Select this check box to perform high-speed data processing, by treating multiple data flows simultaneously.  In the <b>Number of parallel executions</b> field, either:  - Enter the number of parallel executions desired.  - Press <b>Ctrl + Space</b> and select the appropriate context variable from the list.  For further information, see <i>Talend Open Studio for Big Data User Guide</i> .   <i>The <b>Action on table</b> field is not available with the parallelization function. Therefore, you must use a <b>tCreateTable</b> component if you want to create a table.</i>   <i>When parallel execution is enabled, it is not possible to use global variables to retrieve return values in a subJob.</i>
<b>Usage</b>	This component can be used as a start component in a flow or an independent subjob  To use this component, you must first install the runtime DLLs, for example <i>janet-win32.dll</i> for Windows 32-bit version and <i>janet-win64.dll</i> for Windows 64-bit version, from the	

corresponding Microsoft Visual C++ Redistributable Package. This allows you to avoid errors like the *UnsatisfiedLinkError* on dependent DLL.

So ensure that the runtime and all of the other DLLs which the DLL to be called depends on are installed and their versions are consistent among one another.



The required DLLs can be installed in the *System32* folder or in the *bin* folder of the Java runtime to be used.

If you need to export a Job using this component to run it outside the Studio, you have to specify the runtime container of interest by setting the *-Djava.library.path* argument accordingly.


## Related scenario

For a related scenario, see [the section called “Scenario: Utilizing .NET in Talend”](#).




# tDotNETRow



## tDotNETRow properties


<b>Component family</b>	DotNET	
<b>Function</b>	<b>tDotNETRow</b> sends data to and from libraries and classes within .NET or other custom DLL files.	
<b>Purpose</b>	<b>tDotNETRow</b> helps you facilitate data transform by utilizing custom or built-in .NET classes.	
<b>Basic settings</b>	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository.
		<b>Built-in:</b> No property data stored centrally.
		<b>Repository:</b> Select the Repository file where properties are stored. The following fields are pre-filled in using fetched data
	<i>Use a static method</i>	Select this check box to invoke a static method in .NET and this will disable <b>Use an existing instance</b> check box.
	<i>Propagate a data to output</i>	Select this check box to propagate a transformed data to output.
	<i>Use an existing instance</i>	Select this check box to reuse an existing instance of a .NET object from the <b>Existing instance to use</b> list.  <b>Existing instance to use:</b> Select an existing instance of .NET objects created by the other .NET components from the list.   This check box will be disabled if you have selected <b>Use a static method</b> and selecting this check box will disable <b>Dll to load, Fully qualified class name(i.e. ClassLibrary1.Namespace2.Class1)</b> and <b>Value(s) to pass to the constructor</b> .
	<i>Dll to load</i>	Type in the path, or browse to the DLL library containing the class(es) of interest or enter the assembly's name to be used. For example, <i>System.Data, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089</i> for an OleDb assembly.
	<i>Fully qualified class name(i.e. ClassLibrary1.Namespace2.Class1)</i>	Enter a fully qualified name for the class of interest.
	<i>Method name</i>	Fill this field with the name of the method to be invoked in .NET.
	<i>Value(s) to pass to the constructor</i>	Click the plus button to add one or more lines for values to be passed to the constructor for the object. Or, leave this table empty to call a default constructor for the object.



		The valid value(s) should be the parameters required by the class to be used.
	<i>Method Parameters</i>	Click the plus button to add one or more lines for parameters to be passed to the method.
	<i>Output value target column</i>	Select a column in the output row from the list to put value into it.
<b>Advanced settings</b>	<i>Create a new instance at each row</i>	Select this check box to create a new instance at each row that passes through the component.
	<i>Method doesn't return a value</i>	Select this check box to invoke a method without returning a value as a result of the processing.
	<i>Returns an instance of a .NET Object</i>	Select this check box to return an instance of a .NET object as a result of a invoked method.
	<i>Store the returned value for later use</i>	Select this check box to store the returned value of a method for later reuse in another <b>tDotNETRow</b> component.
	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
	<i>Enable parallel execution</i>	<p>Select this check box to perform high-speed data processing, by treating multiple data flows simultaneously.</p> <p>In the <b>Number of parallel executions</b> field, either:</p> <ul style="list-style-type: none"> <li>- Enter the number of parallel executions desired.</li> <li>- Press <b>Ctrl + Space</b> and select the appropriate context variable from the list.</li> </ul> <p>For further information, see <i>Talend Open Studio for Big Data User Guide</i>.</p> <p> <i>The <b>Action on table</b> field is not available with the parallelization function. Therefore, you must use a <b>tCreateTable</b> component if you want to create a table.</i></p> <p> <i>When parallel execution is enabled, it is not possible to use global variables to retrieve return values in a SubJob.</i></p>
<b>Usage</b>	<p>This component is utilized to integrate with .NET objects.</p> <p>To use this component, you must first install the runtime DLLs, for example <i>janet-win32.dll</i> for Windows 32-bit version and <i>janet-win64.dll</i> for Windows 64-bit version, from the corresponding Microsoft Visual C++ Redistributable Package. This allows you to avoid errors like the <i>UnsatisfiedLinkError</i> on dependent DLL.</p> <p>So ensure that the runtime and all of the other DLLs which the DLL to be called depends on are installed and their versions are consistent among one another.</p> <p> The required DLLs can be installed in the <i>System32</i> folder or in the <i>bin</i> folder of the Java runtime to be used.</p> <p>If you need to export a Job using this component to run it outside the Studio, you have to specify the runtime container of interest by setting the <i>-Djava.library.path</i> argument accordingly.</p>	

## Scenario: Utilizing .NET in Talend

This scenario describes a three-component Job that uses a DLL library containing a class called *Test1.Class1* Class and invokes a method on it that processes the value and output the result onto the console.



### Prerequisites

Before replicating this scenario, you need first to build up your runtime environment.

- Create the DLL to be loaded by **tDotNETInstantiate**

This example class built into .NET reads as follows:

```
using System;
using System.Collections.Generic;
using System.Text;

namespace Test1
{
 public class Class1
 {
 string s = null;
 public Class1(string s)
 {
 this.s = s;
 }

 public string getValue()
 {
 return "Return Value from Class1: " + s;
 }
 }
}
```

This class reads the input value and adds the text *Return Value from Class1:* in front of this value. It is compiled using the latest .NET.

- Install the runtime DLL from the latest .NET. In this scenario, we use *janet-win32.dll* on *Windows 32-bit* version and place it in the *System32* folder.


Thus the runtime DLL is compatible with the DLL to be loaded.

## Connecting components

1. Drop the following components from the **Palette** to the design workspace: **tDotNETInstantiate**, **tDotNETRow** and **tLogRow**.
2. Connect **tDotNETInstantiate** to **tDotNETRow** using a **Trigger On Subjob OK** connection.
3. Connect **tDotNETRow** to **tLogRow** using a **Row Main** connection.

## Configuring tDotNETInstantiate

1. Double-click **tDotNETInstantiate** to display its **Basic settings** view and define the component properties.



2. Click the three-dot button next to the **Dll to load** field and browse to the DLL file to be loaded. Alternatively, you can fill the field with an assembly. In this example, we use :

*"C:/Program Files/ClassLibrary1/bin/Debug/ClassLibrary1.dll"*

3. Fill the **Fully qualified class name** field with a valid class name to be used. In this example, we use:

*"Test1.Class1"*


4. Click the plus button beneath the **Value(s) to pass to the constructor** table to add a new line for the value to be passed to the constructor.

In this example, we use:


*"Hello world"*

## Configuring tDotNETRow

1. Double-click **tDotNETRow** to display its **Basic settings** view and define the component properties.



2. Select **Propagate data to output** check box.
3. Select **Use an existing instance** check box and select **tDotNETInstantiate\_1** from the **Existing instance to use** list on the right.
4. Fill the **Method Name** field with a method name to be used. In this example, we use *getValue*, a custom method.
5. Click the three-dot button next to **Edit schema** to add one column to the schema.




Click the plus button beneath the table to add a new column to the schema and click **OK** to save the setting.

6. Select **newColumn** from the **Output value target column** list.


## Configuring tLogRow

1. Double-click **tLogRow** to display its **Basic settings** view and define the component properties.



2. Click **Sync columns** button to retrieve the schema defined in the preceding component.
3. Select **Table** in the **Mode** area.

Save your Job and press **F6** to execute it.



From the result, you can read that the text `Return Value from Class1` is added in front of the retrieved value `Hello world`.



# ELT components

This chapter details the main components that you can find in the **ELT** family of the *Talend Open Studio for Big Data Palette*.

The ELT family groups together the most popular database connectors and processing components, all dedicated to the ELT mode where the target DBMS becomes the transformation engine.

This mode supports all of the most popular databases including Teradata, Oracle, Vertica, Netezza, Sybase, etc.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tCombinedSQLAggregate



## tCombinedSQLAggregate properties

<b>Component family</b>	ELT/CombinedSQL	
<b>Function</b>	<b>tCombinedSQLAggregate</b> collects data values from one or more columns of a table for statistical purposes. This component has real-time capabilities since it runs the data transformation on the DBMS itself.	
<b>Purpose</b>	Helps to provide a set of matrix based on values or calculations.	
<b>Basic settings</b>	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>
		<b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> You have already created the schema and stored it in the Repository. You can reuse it in various projects and Jobs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>
	<i>Group by</i>	Define the aggregation sets, the values of which will be used for calculations.
		<b>Output Column:</b> Select the column label in the list offered according to the schema structure you defined. You can add as many output columns as you wish to make more precise aggregations.
		<b>Input Column:</b> Select the input column label to match the output column's expected content, in case the output label of the aggregation set needs to be different.
	<i>Operations</i>	Select the type of operation along with the value to use for the calculation and the output field.
		<b>Output Column:</b> Select the destination field in the list.
		<b>Function:</b> Select any of the following operations to perform on data: <b>count</b> , <b>min</b> , <b>max</b> , <b>avg</b> , <b>sum</b> , <b>first</b> , <b>last</b> , <b>distinct</b> and <b>count (distinct)</b> .
		<b>Input column:</b> Select the input column from which you want to collect the values to be aggregated.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.



<b>Usage</b>	This component is an intermediary component. The use of the corresponding connection and commit components is recommended when using this component to allow a unique connection to be open and then closed during the Job execution.
<b>Limitation</b>	n/a


## Scenario: Filtering and aggregating table columns directly on the DBMS

The following scenario creates a Job that opens a connection to a MySQL database and:

- instantiates the schema from a database table in part (for column filtering),
- filters two columns in the same table to get only the data that meets two filtering conditions,
- collects data from the filtered column(s), grouped by specific value(s) and writes aggregated data in a target database table.


To filter and aggregate database table columns:

- Drop the following components from the **Palette** onto the design workspace: **tMysqlConnection**, **tCombinedSQLInput**, **tCombinedSQLFilter**, **tCombinedSQLAggregate**, **tCombinedSQLOutput** and **tMysqlCommit**.
- Connect **tMysqlConnection**, **tCombinedSQLInput** and **tMysqlCommit** using **OnSubjobOk** links.
- Connect **tCombinedSQLInput**, **tCombinedSQLFilter**, **tCombinedSQLAggregate** and **tCombinedSQLOutput** using a **Combine** link.




- In the design workspace, select **tMysqlConnection** and click the **Component** tab to define its basic settings.
- In the **Basic settings** view, set the database connection details manually or select **Repository** from the **Property Type** list and select your DB connection if it has already been defined and stored in the **Metadata** area of the **Repository** tree view.

For more information on centralizing DB connection details in the Repository, see *Talend Open Studio for Big Data User Guide*.



- In the design workspace, select **tCombinedSQLInput** and click the **Component** tab to access the configuration panel.



- Enter the source table name in the **Table** field, and click the three-dot button next to **Edit schema** to define the data structure.




The schema defined through **tCombinedSQLInput** can be different from that of the source table as you can just instantiate the desired columns of the source table. Therefore, **tCombinedSQLInput** also plays a role of column filtering.

In this scenario, the source database table has seven columns: *id*, *first\_name*, *last\_name*, *city*, *state*, *date\_of\_birth*, and *salary* while **tCombinedSQLInput** only instantiates four columns that are needed for the aggregation: *id*, *state*, *date\_of\_birth*, and *salary* from the source table.

Column	Key	DB Type	✓	N..	Length	Precision	Def...	Comm...
id	<input checked="" type="checkbox"/>	INT	<input type="checkbox"/>		10	0	"0"	
state	<input type="checkbox"/>	VARCHAR	<input checked="" type="checkbox"/>		30	0		
date_of_birth	<input type="checkbox"/>	DATETI...	<input checked="" type="checkbox"/>		19	0		
salary	<input type="checkbox"/>	INT	<input checked="" type="checkbox"/>		10	0		

- In the design workspace, select **tCombinedSQLFilter** and click the **Component** tab to access the configuration panel.



- Click the **Sync columns** button to retrieve the schema from the previous component, or configure the schema manually by selecting **Built-in** from the **Schema** list and clicking the [...] button next to **Edit schema**.



When you define the data structure for **tCombinedSQLFilter**, column names automatically appear in the **Input column** list in the **Conditions** table.


In this scenario, the **tCombinedSQLFilter** component instantiates four columns: *id*, *state*, *date\_of\_birth*, and *salary*.

- In the **Conditions** table, set input parameters, operators and expected values in order to only extract the records that fulfill these criteria.

In this scenario, the **tCombinedSQLFilter** component filters the *state* and *date\_of\_birth* columns in the source table to extract the employees who were born after Oct. 19, 1960 and who live in the states *Utah*, *Ohio* and *Iowa*.

- Select **And** in the **Logical operator between conditions** list to apply the two conditions at the same time. You can also customize the conditions by selecting the **Use custom SQL** box and editing the conditions in the code box.
- In the design workspace, select **tCombinedSQLAggregate** and click the **Component** tab to access the configuration panel.
- Click the **Sync columns** button to retrieve the schema from the previous component, or configure the schema manually by selecting **Built-in** from the **Schema** list and clicking on the [...] button.

The **tCombinedSQLAggregate** component instantiates four columns: *id*, *state*, *date\_of\_birth*, and *salary*, coming from the previous component.




The **Group by** table helps you define the data sets to be processed based on a defined column. In this example: *State*.

- In the **Group by** table, click the [+] button to add one line.
- In the **Output column** drop-down list, select *State*. This column will be used to hold the data filtered on *State*.

The **Operations** table helps you define the type of aggregation operations to be performed. The **Output column** list available depends on the schema you want to output (through the **tCombinedSQLOutput** component). In this scenario, we want to group employees based on the state they live. We want then count the number of employees per state, calculate the average/lowest/highest salaries as well as the oldest/youngest employees for each state.

- In the **Operations** table, click the [+] button to add one line and then click in the **Output column** list to select the output column that will hold the computed data.
- In the **Function** field, select the relevant operation to be carried out.
- In the design workspace, select **tCombinedSQLOutput** and click the **Component** tab to access the configuration panel.



- On the **Database type** list, select the relevant database.
- On the **Component list**, select the relevant database connection component if more than one connection is used.

- In the **Table** field, enter the name of the target table which will store the results of the aggregation operations.



In this example, the **Schema** field doesn't need to be filled out as the database is not Oracle.

- Click the three-dot button next to **Edit schema** to define the data structure of the target table.

In this scenario, **tCombinedSQLOutput** instantiates seven columns coming from the previous component in the Job design (**tCombinedSQLAggregate**): *state*, *empl\_count*, *avg\_salary*, *min\_salary*, *max\_salary*, *oldest\_empl* and *youngest\_empl*.

- In the design workspace, select **tCombinedSQLCommit** and click the **Component** tab to access the configuration panel.
- On the **Component list**, select the relevant database connection component if more than one connection is used.
- Save your Job and press **F6** to execute it.

Rows are inserted into a seven-column table *empl\_by\_state* in the database. The table shows, per defined state, the number of employees, the average salary, the lowest and highest salaries as well as the oldest and youngest employees.

	state	empl_count	avg_salary	min_salary	max_salary	oldest_empl	youngest_empl
<input type="checkbox"/>	Utah	3	10167	5087	16180	1961-10-19 02	1986-12-31 18:21
<input type="checkbox"/>	Ohio	3	10646	6269	19380	1968-10-19 02	1975-06-27 01:08
<input type="checkbox"/>	Iowa	2	13149	8118	18180	1972-10-15 04	1975-06-27 01:08

# tCombinedSQLFilter



## tCombinedSQLFilter Properties

<b>Component family</b>	ELT/CombinedSQL	
<b>Function</b>	<b>tCombinedSQLFilter</b> allows you to alter the schema of a source table through column name mapping and to define a row filter on that table. Therefore, it can be used to filter columns and rows at the same time. This component has real-time capabilities since it runs the data filtering on the DBMS itself.	
<b>Purpose</b>	Helps to filter data by reorganizing, deleting or adding columns based on the source table and to filter the given data source using the filter conditions.	
<b>Basic settings</b>	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>
		<b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> You have already created the schema and stored it in the Repository. You can reuse it in various projects and Jobs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Logical operator between conditions</i>	<p>Select the logical operator between the filter conditions defined in the <b>Conditions</b> panel.</p> <p>Two operators are available: <b>Or</b>, <b>And</b>.</p>
	<i>Conditions</i>	Select the type of WHERE clause along with the values and the columns to use for row filtering.
		<b>Input Column:</b> Select the column to filter in the list.
		<b>Operator:</b> Select the type of the WHERE clause: =, < >, >, <, >=, <=, <b>LIKE</b> , <b>IN</b> , <b>NOT IN</b> , and <b>EXIST IN</b> .
		<b>Values:</b> Type in the values to be used in the WHERE clause.
		<b>Negate:</b> Select this check box to enable the condition that is opposite to the current setting.
	<i>Use custom SQL</i>	Customize a WHERE clause by selecting this check box and editing in the <b>SQL Condition</b> field.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.

---

<b>Usage</b>	This component is an intermediary component. The use of the corresponding connection and commit components is recommended when using this component to allow a unique connection to be open and then closed during the Job execution.
<b>Limitation</b>	n/a

## Related Scenario

For a related scenario, see [the section called “Scenario: Filtering and aggregating table columns directly on the DBMS”](#).

# tCombinedSQLInput



## tCombinedSQLInput properties

<b>Component family</b>	ELT/CombinedSQL	
<b>Function</b>	<b>tCombinedSQLInput</b> extracts fields from a database table based on its schema. This component also has column filtering capabilities since its schema can be different from that of the database table.	
<b>Purpose</b>	<b>tCombinedSQLInput</b> extracts fields from a database table based on its schema definition. Then it passes on the field list to the next component via a Combine row link. The schema of <b>tCombinedSQLInput</b> can be different from that of the source database table but must correspond to it in terms of the column order.	
<b>Basic settings</b>	<i>Table</i>	Name of the source database table.
	<i>Schema</i>	Name of the source table's schema. This field has to be filled if the database is Oracle.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.  Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.
		<b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> You have already created the schema and stored it in the Repository. You can reuse it in various projects and Jobs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>
	<i>Add additional columns</i>	This option allows you to call SQL functions to perform actions on columns, provided that these are not insert, update or delete actions, or actions that require pre-processing.
		<b>Name:</b> Type in the name of the schema column to be altered.
		<b>SQL expression:</b> Type in the SQL statement to be executed in order to alter the data in the corresponding column.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component is an intermediary component. The use of the corresponding connection and commit components is recommended when using this component to allow a unique connection to be open and then closed during the Job execution.	
<b>Limitation</b>	n/a	



## Related scenario

For a related scenario, see [the section called “Scenario: Filtering and aggregating table columns directly on the DBMS”](#).

# tCombinedSQLOutput



## tCombinedSQLOutput properties

<b>Component family</b>	ELT/CombinedSQL	
<b>Function</b>	<b>tCombinedSQLOutput</b> inserts records to an existing database table.	
<b>Purpose</b>	<b>tCombinedSQLOutput</b> inserts records from the incoming flow to an existing database table.	
<b>Basic settings</b>	<i>Database Type</i>	Select the database type.
	<i>Component list</i>	Select the relevant DB connection component in the list if more than one connection is used for the current Job.
	<i>Table</i>	Name of the target database table.
	<i>Schema</i>	Name of the target database table's schema. This field has to be filled if the database is Oracle.
	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>
		<b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> You have already created the schema and stored it in the Repository. You can reuse it in various projects and Jobs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>
	<i>Action on data</i>	Select <b>INSERT</b> from the list to insert the records from the incoming flow to the target database table.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component is an intermediary component. The use of the corresponding connection and commit components is recommended when using this component to allow a unique connection to be open and then closed during the Job execution.	
<b>Limitation</b>	n/a	

## Related scenario


For a related scenario, see [the section called “Scenario: Filtering and aggregating table columns directly on the DBMS”](#).

# tELTJDBCInput



## tELTJDBCInput properties

The three ELT JDBC components are closely related, in terms of their operating conditions. These components should be used to handle JDBC DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/JDBC	
<b>Function</b>	Provides the table schema to be used for the SQL statement to execute.	
<b>Purpose</b>	Allows you to add as many Input tables as required for the most complicated Insert statement.	
<b>Basic settings</b>	<i>Schema</i> and <i>Edit schema</i>	<p>A schema is a row description, i.e., it defines the nature and number of fields to be processed. The schema is either built-in or remotely stored in the Repository. The Schema defined is then passed on to the ELT Mapper to be included to the Insert SQL statement.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Default Table Name</i>	Type in the default table name.
	<i>Default Schema Name</i>	Type in the default schema name.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTJDBCInput</b> is to be used along with the <b>tELTJDBCMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Related scenarios

For use cases in relation with **tELTJDBCInput**, see **tELTMySQLMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#)
- [the section called “Scenario 2: ELT using an Alias table”](#)





# tELTJDBCMap



## tELTJDBCMap properties

The three ELT JDBC components are closely related, in terms of their operating conditions. These components should be used to handle JDBC DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/JDBC	
<b>Function</b>	Helps to graphically build the SQL statement using the table provided as input.	
<b>Purpose</b>	Uses the tables provided as input, to feed the parameter in the built statement. The statement can include inner or outer joins to be implemented between tables or between one table and its aliases.	
<b>Basic settings</b>	<i>Use an existing connection</i>	<p>Select this check box and select the appropriate Connection component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>ELT JDBC Map Editor</i>	The ELT Map editor allows you to define the output schema and make a graphical build of the SQL statement to be executed. The column names of schema can be different from the column names in the database.
	<i>Style link</i>	Select the way in which links are displayed.

		<p><b>Auto:</b> By default, the links between the input and output schemas and the Web service parameters are in the form of curves.</p> <p><b>Bezier curve:</b> Links between the schema and the Web service parameters are in the form of curve.</p> <p><b>Line:</b> Links between the schema and the Web service parameters are in the form of straight lines.</p> <p>This option slightly optimizes performance.</p>
	<i>Property type</i>	Either Built-in or Repository.
		<b>Built-in:</b> No property data stored centrally.
		<b>Repository:</b> Select the Repository file where Properties are stored. The following fields are pre-filled in using fetched data.
	<i>Host</i>	Database server IP address.
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
<b>Advanced settings</b>	<i>Additional parameters</i> <i>JDBC</i>	Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTJDBCMap</b> is used along with <b>tELTJDBCInput</b> and <b>tELTJDBCOutput</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Related scenario:

For related scenarios, see **tELTMySQLMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#).
- [the section called “Scenario 2: ELT using an Alias table”](#).

# tELTJDBCOutput




## tELTJDBCOutput properties

The three ELT JDBC components are closely related, in terms of their operating conditions. These components should be used to handle JDBC DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/JDBC	
<b>Function</b>	Carries out the action on the table specified and inserts the data according to the output schema defined the ELT Mapper.	
<b>Purpose</b>	Executes the SQL Insert, Update and Delete statement to the JDBC database	
<b>Basic settings</b>	<i>Action on data</i>	<p>On the data of the table defined, you can perform the following operation:</p> <p><b>Insert:</b> Adds new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Updates entries in the table.</p> <p><b>Delete:</b> Deletes the entries which correspond to the entry flow.</p>
	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Where clauses for (for UPDATE and DELETE only)</i>	Enter a clause to filter the data to be updated or deleted during the update or delete operations.
	<i>Default Table Name</i>	Enter the default table name, between double quotation marks.
	<i>Default Schema Name</i>	Enter the default schema name, between double quotation marks.
	<i>Use different table name</i>	Select this check box to define a different output table name, between double quotation marks, in the <b>Table name</b> field which appears.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.



<b>Usage</b>	<p><b>tELTJDBCOutput</b> is to be used along with the <b>tELTJDBCMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>
--------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Related scenarios

For use cases in relation with **tELTJDBCOutput**, see **tELTMySQLMap** scenarios:


- [the section called “Scenario 1: Aggregating table columns and filtering”](#)
- [the section called “Scenario 2: ELT using an Alias table”](#)

# tELTMSSqlInput



## tELTMSSqlInput properties

The three ELT MSSql components are closely related, in terms of their operating conditions. These components should be used to handle MSSql DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/MSSql	
<b>Function</b>	Provides the table schema to be used for the SQL statement to execute.	
<b>Purpose</b>	Allows you to add as many Input tables as required for the most complicated Insert statement.	
<b>Basic settings</b>	<i>Schema</i> and <i>Edit schema</i>	<p>A schema is a row description, i.e., it defines the nature and number of fields to be processed. The schema is either built-in or remotely stored in the Repository. The Schema defined is then passed on to the ELT Mapper to be included to the Insert SQL statement.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Default Table Name</i>	Type in the default table name.
	<i>Default Schema Name</i>	Type in the default schema name.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTMySSqlInput</b> is to be used along with the <b>tELTMSSsqlMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Related scenarios

For use cases in relation with **tELTMSSqlInput**, see **tELTMysqlMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#)
- [the section called “Scenario 2: ELT using an Alias table”](#)





# tELTMSSqlMap



## tELTMSSqlMap properties

The three ELT MSSql components are closely related, in terms of their operating conditions. These components should be used to handle MSSql DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/MSSql	
<b>Function</b>	Helps you to build the SQL statement graphically, using the table provided as input.	
<b>Purpose</b>	Uses the tables provided as input, to feed the parameter in the built statement. The statement can include inner or outer joins to be implemented between tables or between one table and its aliases.	
<b>Basic settings</b>	<p><i>Use an existing connection</i></p>	<p>Select this check box and select the appropriate Connection component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>ELT MSSql Map Editor</i>	The ELT Map editor allows you to define the output schema and make a graphical build of the SQL statement to be executed. The column names of schema can be different from the column names in the database.
	<i>Style link</i>	Select the way in which links are displayed.

		<p><b>Auto:</b> By default, the links between the input and output schemas and the Web service parameters are in the form of curves.</p> <p><b>Bezier curve:</b> Links between the schema and the Web service parameters are in the form of curve.</p> <p><b>Line:</b> Links between the schema and the Web service parameters are in the form of straight lines.</p> <p>This option slightly optimizes performance.</p>
	<i>Property type</i>	Either Built-in or Repository.
		<b>Built-in:</b> No property data stored centrally.
		<b>Repository:</b> Select the Repository file where Properties are stored. The following fields are pre-filled in using fetched data.
	<i>Host</i>	Database server IP address.
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
<b>Advanced settings</b>	<i>Additional parameters</i> <i>JDBC</i>	Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTMSSqlMap</b> is used along with a <b>tELTMSSqlInput</b> and <b>tELTMSSqlOutput</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Related scenario:

For related scenarios, see **tELTMysqlMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#).
- [the section called “Scenario 2: ELT using an Alias table”](#).


# tELTMSSqlOutput



## tELTMSSqlOutput properties

The three ELT MSSql components are closely related, in terms of their operating conditions. These components should be used to handle MSSql DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/MSSql	
<b>Function</b>	Carries out the action on the table specified and inserts the data according to the output schema defined the ELT Mapper.	
<b>Purpose</b>	Executes the SQL Insert, Update and Delete statement to the MSSql database	
<b>Basic settings</b>	<i>Action on data</i>	<p>On the data of the table defined, you can perform the following operation:</p> <p><b>Insert:</b> Adds new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Updates entries in the table.</p> <p><b>Delete:</b> Deletes the entries which correspond to the entry flow.</p>
	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to modify the schema.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Where clauses for (for UPDATE and DELETE only)</i>	Enter a clause to filter the data to be updated or deleted during the update or delete operations.
	<i>Default Table Name</i>	Enter the default table name, between double quotation marks.
	<i>Default Schema Name</i>	Enter the default schema name, between double quotation marks.
	<i>Use different table name</i>	Select this check box to define a different output table name, between double quotation marks, in the <b>Table name</b> field which appears.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<b>tELTMSSqlOutput</b> is to be used along with the <b>tELTMSSqlMap</b> . Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.	

	 Note that the ELT components do not handle actual data flow but only schema information.
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .

## Related scenarios

For use cases in relation with **tELTMSSqlOutput**, see **tELTMysqlMap** scenarios:


- [the section called “Scenario 1: Aggregating table columns and filtering”](#)
- [the section called “Scenario 2: ELT using an Alias table”](#)

# tELTMysqlInput



## tELTMysqlInput properties

The three ELT Mysql components are closely related, in terms of their operating conditions. These components should be used to handle Mysql DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Mysql	
<b>Function</b>	Provides the table schema to be used for the SQL statement to execute.	
<b>Purpose</b>	Allows you to add as many Input tables as required for the most complicated Insert statement.	
<b>Basic settings</b>	<i>Schema</i> and <i>Edit Schema</i>	<p>A schema is a row description, i.e., it defines the nature and number of fields to be processed. The schema is either built-in or remotely stored in the Repository. The Schema defined is then passed on to the ELT Mapper to be included to the Insert SQL statement.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Default Table Name</i>	Enter the default table name, between double quotation marks.
<b>Usage</b>	<p><b>tELTMysqlInput</b> is to be used along with the <b>tELTMysqlMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Related scenarios

For use cases in relation with **tELTMysqlInput**, see **tELTMysqlMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#)
- [the section called “Scenario 2: ELT using an Alias table”](#)





# tELTMysqlMap



## tELTMysqlMap properties

The three ELT Mysql components are closely related, in terms of their operating conditions. These components should be used to handle Mysql DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Mysql	
<b>Function</b>	Helps to graphically build the SQL statement using the table provided as input.	
<b>Purpose</b>	Uses the tables provided as input, to feed the parameter in the built statement. The statement can include inner or outer joins to be implemented between tables or between one table and its aliases.	
<b>Basic settings</b>	<i>Use an existing connection</i>	<p>Select this check box and select the appropriate Connection component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>ELT Mysql Map editor</i>	The ELT Map editor allows you to define the output schema as well as build graphically the SQL statement to be executed. The column names of schema can be different from the column names in the database.
	<i>Style link</i>	Select the way in which links are displayed.

		<p><b>Auto:</b> By default, the links between the input and output schemas and the Web service parameters are in the form of curves.</p> <p><b>Bezier curve:</b> Links between the schema and the Web service parameters are in the form of curve.</p> <p><b>Line:</b> Links between the schema and the Web service parameters are in the form of straight lines.</p> <p>This option slightly optimizes performance.</p>
	<i>Property type</i>	Either <b>Built-in</b> or <b>Repository</b> .
		<b>Built-in:</b> No property data stored centrally.
		<b>Repository:</b> Select the Repository file where Properties are stored. The following fields are pre-filled in using fetched data.
	<i>Host</i>	Database server IP address.
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database.
	<i>Username</i> and <i>Password</i>	DB user authentication data.
<b>Usage</b>	<p><b>tELTMysqlMap</b> is used along with a <b>tELTMysqlInput</b> and <b>tELTMysqlOutput</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> The ELT components do not handle actual data flow but only schema information.</p>	

## Connecting ELT components

The ELT components do not handle any data as such but table schema information that will be used to build the SQL query to execute.

Therefore the only connection required to connect these components together is a simple link.



The output name you give to this link when creating it should always be the exact name of the table to be accessed as this parameter will be used in the SQL statement generated.

Related topic: see *Talend Open Studio for Big Data User Guide*.

## Mapping and joining tables

In the ELT Mapper, you can select specific columns from input schemas and include them in the output schema.

- As you would do it in the regular Map editor, simply drag & drop the content from the input schema towards the output table defined.
- Use the **Ctrl** and **Shift** keys for multiple selection of contiguous or non contiguous table columns.

You can implement explicit joins to retrieve various data from different tables.

- Select the **Explicit join** check box for the relevant column, and select a type of join from the **Join** list.
- Possible joins include: **Inner Join**, **Left Outer Join**, **Right Outer Join** or **Full Outer Join** and **Cross Join**.
- By default the **Inner Join** is selected.

You can also create **Alias** tables to retrieve various data from the same table.

- In the Input area, click on the plus [+] button to create an Alias.
- Define the table to base the alias on.
- Type in a new name for the alias table, preferably not the same as the main table.


## Adding where clauses

You can also restrict the Select statement based on a Where clause. Click the **Add filter row** button at the top of the output table and type in the relevant restriction to be applied.

Make sure that all input components are linked correctly to the ELT Map component to be able to implement all inclusions, joins and clauses.

## Generating the SQL statement

The mapping of elements from the input schemas to the output schemas create instantly the corresponding Select statement.



```


Schema editor | Expression editor | Generated SQL Select query for "table1" output
"SELECT
owners.ID_Owner , owners.Name , owners.ID_Insurance , cars.Registration , cars.Make , cars.Color , resellers.Name_Reseller ,
resellers.City
FROM
owners INNER JOIN cars ON(cars.ID_Owners = owners.ID_Owner)
INNER JOIN resellers ON(resellers.ID_Reseller = cars.ID_Reseller)
WHERE resellers.City = 'Augusta'"

```


The clause are also included automatically.

## Scenario 1: Aggregating table columns and filtering

This scenario describes a Job that gathers together several input DB table schemas and implementing a clause to filter the output using an SQL statement.



- Drop the following components from the **Palette** onto the design workspace: three **tELTMySQLInput** components, a **tELTMySQLMap**, and a **tELTMySQLOutput**. Label these components to best describe their functionality.
- Double-click the first **tELTMySQLInput** component to display its **Basic settings** view.



- Select **Repository** from the **Schema** list, click the three dot button preceding **Edit schema**, and select your DB connection and the desired schema from the **[Repository Content]** dialog box.

The selected schema name appears in the **Default Table Name** field automatically.

In this use case, the DB connection is *Talend\_MySQL* and the schema for the first input component is *owners*.

- Set the second and third **tELTMySQLInput** components in the same way but select *cars* and *resellers* respectively as their schema names.




In this use case, all the involved schemas are stored in the **Metadata** node of the **Repository** tree view for easy retrieval. For further information concerning metadata, see *Talend Open Studio for Big Data User Guide*.

You can also select the three input components by dropping the relevant schemas from the **Metadata** area onto the design workspace and double-clicking **tELTMySQLInput** from the **[Components]** dialog box. Doing so allows you to skip the steps of labeling the input components and defining their schemas manually.

- Connect the three **tELTMySQLInput** components to the **tELTMySQLMap** component using links named following strictly the actual DB table names: *owners*, *cars* and *resellers*.


- Connect the **tELTMysqlMap** component to the **tELTMysqlOutput** component and name the link *agg\_result*, which is the name of the database table you will save the aggregation result to.
- Click the **tELTMysqlMap** component to display its **Basic settings** view.



- Select **Repository** from the **Property Type** list, and select the same DB connection that you use for the input components.

All the database details are automatically retrieved.

- Leave all the other settings as they are.
- Double-click the **tELTMysqlMap** component to launch the ELT Map editor to set up joins between the input tables and define the output flow.




- Add the input tables by clicking the green plus button at the upper left corner of the ELT Map editor and selecting the relevant table names in the **[Add a new alias]** dialog box.
- Drop the *ID\_Owner* column from the *owners* table to the corresponding column of the *cars* table.
- In the *cars* table, select the **Explicit join** check box in front of the *ID\_Owner* column.

As the default join type, **INNER JOIN** is displayed on the **Join** list.

- Drop the *ID\_Reseller* column from the *cars* table to the corresponding column of the *resellers* table to set up the second join, and define the join as an inner join in the same way.
- Select the columns to be aggregated into the output table, *agg\_result*.
- Drop the *ID\_Owner*, *Name*, and *ID\_Insurance* columns from the *owners* table to the output table.


- Drop the *Registration*, *Make*, and *Color* columns from the *cars* table to the output table.
- Drop the *Name\_Reseller* and *City* columns from the *resellers* table to the output table.
- With the relevant columns selected, the mappings are displayed in yellow and the joins are displayed in dark violet.
- Set up a filter in the output table. Click the **Add filter row** button on top of the output table to display the **Additional clauses** expression field, drop the *City* column from the *resellers* table to the expression field, and complete a WHERE clause that reads `resellers.City = 'Augusta'`.




- Click the **Generated SQL Select query** tab to display the corresponding SQL statement.

```
Schema editor | Expression editor | Generated SQL Select query for "table1" output
"SELECT
owners.ID_Owner , owners.Name , owners.ID_Insurance , cars.Registration , cars.Make , cars.Color , resellers.Name_Reseller ,
resellers.City
FROM
owners INNER JOIN cars ON(cars.ID_Owners = owners.ID_Owner)
INNER JOIN resellers ON(resellers.ID_Reseller = cars.ID_Reseller)
WHERE resellers.City ='Augusta'"
```

- Click **OK** to save the ELT Map settings.
- Double-click the **tELTMySQLOutput** component to display its **Basic settings** view.




- Select an action from the **Action on data** list as needed.
  - Select **Repository** as the schema type, and define the output schema in the same way as you defined the input schemas. In this use case, select *agg\_result* as the output schema, which is the name of the database table used to store the mapping result.
-  You can also use a built-in output schema and retrieve the schema structure from the preceding component; however, make sure that you specify an existing target table having the same data structure in your database.
- Leave all the other settings as they are.
  - Save your Job and press **F6** to launch it.

All selected data is inserted in the *agg\_result* table as specified in the SQL statement.


	ID_Owner	Name	ID_Insurance	Registration	Make	Color	Name_Reseller	City
<input type="checkbox"/>	69	John ROOSEVELT	84	UDR 821	Peugeot	green	Bill GARFIELD	AUGUSTA
<input type="checkbox"/>	11	Andrew COOLIDGE	104	ZYX 387	BMW	yellow	Ulysses POLK	AUGUSTA
<input type="checkbox"/>	10	Martin ADAMS	167	ZFF 348	Audi	blue	Rutherford HARRISON	AUGUSTA
*	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)

## Scenario 2: ELT using an Alias table

This scenario describes a Job that maps information from two input tables and an alias table, serving as a virtual input table, to an output table. The *employees* table contains employees' IDs, their department numbers, their names, and the IDs of their respective managers. The managers are also considered as employees and hence included in the *employees* table. The *dept* table contains the department information. The alias table retrieves the names of the managers from the *employees* table.



- Drop two **tELTMySQLInput** components, a **tELTMySQLMap** component, and a **tELTMySQLOutput** component to the design workspace, and label them to best describe their functionality.
- Double-click the first **tELTMySQLInput** component to display its **Basic settings** view.




- Select **Repository** from the **Schema** list, and define the DB connection and schema by clicking the three dot button preceding **Edit schema**.

The DB connection is *Talend\_MySQL* and the schema for the first input component is *employees*.



In this use case, all the involved schemas are stored in the **Metadata** node of the **Repository** tree view for easy retrieval. For further information concerning metadata, see *Talend Open Studio for Big Data User Guide*.


- Set the second **tELTMysqlInput** component in the same way but select *dept* as its schema.
- Double-click the **tELTMysqlOutput** component to display its **Basic settings** view.



- Select an action from the **Action on data** list as needed, **Insert** in this use case.
- Select **Repository** as the schema type, and define the output schema in the same way as you defined the input schemas. In this use case, select *result* as the output schema, which is the name of the database table used to store the mapping result.

The output schema contains all the columns of the input schemas plus a *ManagerName* column.

- Leave all the other parameters as they are.
- Connect the two **tELTMysqlInput** components to the **tELTMysqlMap** component using **Link** connections named strictly after the actual input table names, *employees* and *dept* in this use case.
- Connect the **tELTMysqlMap** component to the **tELTMysqlOutput** component using a **Link** connection. When prompted, click **Yes** to allow the ELT Mapper to retrieve the output table structure from the output schema.
- Click the **tELTMysqlMap** component and select the **Component** tab to display its **Basic settings** view.



- Select **Repository** from the **Property Type** list, and select the same DB connection that you use for the input components.


All the DB connection details are automatically retrieved.




- Leave all the other parameters as they are.
- Click the three-dot button next to **ELT Mysql Map Editor** or double-click the **tELTMysqlMap** component on the design workspace to launch the ELT Map editor.

With the **tELTMysqlMap** component connected to the output component, the output table is displayed in the output area.

- Add the input tables, *employees* and *dept*, in the input area by clicking the green plus button and selecting the relevant table names in the **[Add a new alias]** dialog box.
- Create an alias table based on the *employees* table by selecting *employees* from the **Select the table to use** list and typing in *Managers* in the **Type in a valid alias** field in the **[Add a new alias]** dialog box.



- Drop the *DeptNo* column from the *employees* table to the *dept* table.
- Select the **Explicit join** check box in front of the *DeptNo* column of the *dept* table to set up an inner join.
- Drop the *ManagerID* column from the *employees* table to the *ID* column of the *Managers* table.
- Select the **Explicit join** check box in front of the *ID* column of the *Managers* table and select **LEFT OUTER JOIN** from the **Join** list to allow the output rows to contain Null values.



- Drop all the columns from the *employees* table to the corresponding columns of the output table.
- Drop the *DeptName* and *Location* columns from the *dept* table to the corresponding columns of the output table.
- Drop the *Name* column from the *Managers* table to the *ManagerName* column of the output table.

result (table1)	
Expression	Column
employees.ID	ID
employees.DeptNo	DeptNo
employees.Name	Name
employees.ManagerID	ManagerID
dept.DeptName	DeptName
dept.Location	Location
Managers.Name	ManagerName

- Click on the **Generated SQL Select query** tab to display the SQL query statement to be executed.

```
Schema editor | Expression editor | Generated SQL Select query for "table1" output
"SELECT
employees.ID , employees.DeptNo , employees.Name , employees.ManagerID , dept.DeptName ,
dept.Location , Managers.Name
FROM
employees INNER JOIN dept ON(dept.DeptNo = employees.DeptNo)
LEFT OUTER JOIN employees Managers ON(Managers.ID = employees.ManagerID)"
```

- Save your Job and press **F6** to run it.

The output database table *result* contains all the information about the employees, including the names of their respective managers.



	ID	DeptNo	Name	ManagerID	DeptName	Location	ManagerName
<input type="checkbox"/>	1	10	Alex	(NULL)	R&D	New York	(NULL)
<input type="checkbox"/>	2	20	Peter	(NULL)	Accounting	Dallas	(NULL)
<input type="checkbox"/>	3	10	Mark	1	R&D	New York	Alex
<input type="checkbox"/>	4	10	Michael	1	R&D	New York	Alex
<input type="checkbox"/>	5	20	Christophe	2	Accounting	Dallas	Peter
<input type="checkbox"/>	6	10	Stephane	3	R&D	New York	Mark
<input type="checkbox"/>	7	10	Cedric	3	R&D	New York	Mark
<input type="checkbox"/>	8	10	Bill	4	R&D	New York	Michael
<input type="checkbox"/>	9	20	Jack	2	Accounting	Dallas	Peter
<input type="checkbox"/>	10	10	Andrews	4	R&D	New York	Michael
*	NULL	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)	(NULL)

# tELTMysqlOutput



## tELTMysqlOutput properties

The three ELT Mysql components are closely related, in terms of their operating conditions. These components should be used to handle Mysql DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Mysql	
<b>Function</b>	Carries out the action on the table specified and inserts the data according to the output schema defined the ELT Mapper.	
<b>Purpose</b>	Executes the SQL Insert, Update and Delete statement to the Mysql database	
<b>Basic settings</b>	<i>Action on data</i>	<p>On the data of the table defined, you can perform the following operation:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Updates entries in the table.</p> <p><b>Delete:</b> Deletes the entries which correspond to the entry flow.</p>
 Use <i>tCreateTable</i> as substitute for this function.		
	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Where clauses for (for UPDATE and DELETE only)</i>	Enter a clause to filter the data to be updated or deleted during the update or delete operations.
	<i>Default Table Name</i>	Enter the default table name, between inverted commas.
	<i>Use different table name</i>	Select this check box to define a different output table name, between double quotation marks, in the <b>Table name</b> field which appears.
<b>Usage</b>	<p><b>tELTMysqlOutput</b> is to be used along with the <b>tELTMysqlMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Related scenarios

For use cases in relation with **tELTMySQLOutput**, see **tELTMySQLMap** scenarios:


- [the section called “Scenario 1: Aggregating table columns and filtering”](#)
- [the section called “Scenario 2: ELT using an Alias table”](#)

# tELTOracleInput



## tELTOracleInput properties

The three ELT Oracle components are closely related, in terms of their operating conditions. These components should be used to handle Oracle DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Oracle	
<b>Function</b>	Provides the table schema to be used for the SQL statement to execute.	
<b>Purpose</b>	Allows you to add as many Input tables as required for the most complicated Insert statement.	
<b>Basic settings</b>	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the nature and number of fields to be processed. The schema is either built-in or remotely stored in the Repository. The Schema defined is then passed on to the ELT Mapper to be included to the Insert SQL statement.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p> <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p> <p><b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Default Table Name</i>	Enter the default table name, between double quotation marks.
	<i>Default Schema Name</i>	Enter the default schema name, between double quotation marks.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTOracleInput</b> is to be used along with the <b>tELTOracleMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name</p> <p> The ELT components do not handle actual data flow but only schema information.</p>	

## Related scenarios


For use cases in relation with **tELTOracleInput**, see [the section called “Scenario: Updating Oracle DB entries”](#).


# tELTOracleMap



## tELTOracleMap properties

The three ELT Oracle components are closely related, in terms of their operating conditions. These components should be used to handle Oracle DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Oracle	
<b>Function</b>	Helps to graphically build the SQL statement using the table provided as input.	
<b>Purpose</b>	Uses the tables provided as input, to feed the parameter in the built statement. The statement can include inner or outer joins to be implemented between tables or between one table and its aliases.	
<b>Basic settings</b>	<i>Use an existing connection</i>	<p>Select this check box and select the appropriate <b>tOracleConnection</b> component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>ELT Oracle Map Editor</i>	The ELT Map editor allows you to define the output schema and make a graphical build of the SQL statement to be executed. The column names of schema can be different from the column names in the database.
	<i>Style link</i>	<b>Auto:</b> By default, the links between the input and output schemas and the Web service parameters are in the form of curves.

		<p><b>Bezier curve:</b> Links between the schema and the Web service parameters are in the form of curve.</p> <p><b>Line:</b> Links between the schema and the Web service parameters are in the form of straight lines.</p> <p>This option slightly optimizes performance.</p>
	<i>Property type</i>	Either Built-in or Repository.
		<b>Built-in:</b> No property data stored centrally.
		<b>Repository:</b> Select the Repository file where Properties are stored. The following fields are pre-filled in using fetched data.
	<i>Connection type</i>	Drop-down list of the available drivers.
	<i>DB Version</i>	Select the Oracle version you are using.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
	<i>Mapping</i>	Automatically set mapping parameter.
<b>Advanced settings</b>	<i>Additional Parameters</i> <i>JDBC</i>	Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .
	<i>Use Hint Options</i>	<p>Select this check box to activate the hint configuration area to help you optimize a query's execution. In this area, parameters are:</p> <ul style="list-style-type: none"> <li>- <b>HINT:</b> specify the hint you need, using the syntax <code>/* + */</code>.</li> <li>- <b>POSITION:</b> specify where you put the hint in a SQL statement.</li> <li>- <b>SQL STMT:</b> select the SQL statement you need to use.</li> </ul>
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTOracleMap</b> is used along with a <b>tELTOracleInput</b> and <b>tELTOracleOutput</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Connecting ELT components

For detailed information regarding ELT component connections, see [the section called “Connecting ELT components”](#).

Related topic: see *Talend Open Studio for Big Data User Guide*.

## Mapping and joining tables

In the ELT Mapper, you can select specific columns from input schemas and include them in the output schema.

For detailed information regarding the table schema mapping and joining, see [the section called “Mapping and joining tables”](#).



When you need to join a lot of tables or need to join tables by multiple join conditions with outer joins, it is recommended to use the **LEFT OUTER JOIN (+)** and the **RIGHT OUTER JOIN (+)** options that allow you to use the Oracle private keywords. For further information about these two private keywords, see the site: [http://download.oracle.com/docs/cd/B19306\\_01/server.102/b14200/queries006.htm](http://download.oracle.com/docs/cd/B19306_01/server.102/b14200/queries006.htm)

## Adding where clauses

For details regarding the clause handling, see [the section called “Adding where clauses”](#).


## Generating the SQL statement

The mapping of elements from the input schemas to the output schemas create instantly the corresponding Select statement.

The clause defined internally in the ELT Mapper are also included automatically.

## Scenario: Updating Oracle DB entries

This scenario is based on the data aggregation scenario, [the section called “Scenario 1: Aggregating table columns and filtering”](#). As the data update action is available in Oracle DB, this scenario describes a Job that updates particular data in the *agg\_result* table.



- As described in [the section called “Scenario 1: Aggregating table columns and filtering”](#), set up a Job for data aggregation using the corresponding ELT components for Oracle DB, **tELTOracleInput**, **tELTOracleMap**,




and **tELTOracleOutput**, and execute the Job to save the aggregation result in a database table named *agg\_result*.



When defining filters in the ELT Map editor, note that strings are case sensitive in Oracle DB.

- Launch the ELT Map editor and add a new output table named *update\_data*.
- Add a filter row to the *update\_data* table to set up a relationship between input and output tables: `owners.ID_OWNER = agg_result.ID_OWNER`.
- Drop the *MAKE* column from the *cars* table to the *update\_data* table.
- Drop the *NAME\_RESELLER* column from the *resellers* table to the *update\_data* table.
- Add a model enclosed in single quotation marks, *A8* in this use case, to the *MAKE* column from the *cars* table, preceded by a double pipe.
- Add *Sold by* enclosed in single quotation marks in front of the *NAME\_RESELLER* column from the *resellers* table, with a double pipe in between.



- Check the **Generated SQL select query** tab to be executed.

```
Schema editor | Expression editor | Generated SQL Select query for "table2" output
"SELECT
CARS.MAKE || ' A8', 'Sold by ' || RESELLERS.NAME_RESELLER
FROM
OWNERS INNER JOIN CARS ON(CARS.ID_OWNERS = OWNERS.ID_OWNER)
INNER JOIN RESELLERS ON(RESELLERS.ID_RESELLER = CARS.ID_RESELLER)
WHERE owners.ID_OWNER = agg_result.ID_OWNER"
```

- Click **OK** to validate the changes in the ELT Mapper.
- Deactivate the **tELTOracleOutput** component labeled *Agg\_Result* by right-clicking it and selecting **Deactivate Agg\_Result** from the contextual menu.
- Drop a new **tELTOracleOutput** component from the **Palette** to the design workspace, and label it *Update\_Data* to better identify its functionality.
- Connect the **tELTOracleMap** component to the new **tELTOracleOutput** component using the link corresponding to the new output table defined in the ELT Mapper, *update\_data* in this use case.
- Double-click the new **tELTOracleOutput** component to display its **Basic settings** view.

**Update\_Data(tELTOracleOutput\_2)**

**Basic settings**

Action on data: Update

Schema: Built-In Edit schema Sync columns

WHERE clauses (for UPDATE and DELETE only): "agg\_result.MAKE = 'Audi'"

Default Table Name: "update\_data"

Default Schema Name: ""

Use different table name Table name: "agg\_result"

Mapping: Mapping Oracle

- From the **Action on data** list, select **Update**.
- Check the schema, and click **Sync columns** to retrieve the schema structure from the preceding component if necessary.
- In the **WHERE clauses** area, add a clause that reads `agg_result.MAKE = 'Audi'` to update data relating to the make of *Audi* in the database table *agg\_result*.
- Fill the **Default Table Name** field with the name of the output link, *update\_data* in this use case.
- Select the **Use different table name** check box, and fill the **Table name** field with the name of the database table to be updated, *agg\_result* in this use case.
- Leave the other parameters as they are.
- Save your Job and press **F6** to run it.

The relevant data in the database table is updated as defined.


ID_OW...	NAME	ID_INS...	REGISTR...	MAKE	COLOR	NAME_RESELLER	CITY
10	Martin ADAMS	167	ZFF 348	Audi A8	grey	Sold by Rutherford HARRISON	AUGUSTA
11	Andrew COOLIDGE	104	ZYX 387	BMW	yellow	Ulysses POLK	AUGUSTA
69	John ROOSEVELT	84	UDR 821	Peugeot	green	Bill GARFIELD	AUGUSTA


# tELTOracleOutput



## tELTOracleOutput properties


The three ELT Oracle components are closely related, in terms of their operating conditions. These components should be used to handle Oracle DB schemas to generate Insert, Update or Delete statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Oracle	
<b>Function</b>	Carries out the action on the table specified and inserts the data according to the output schema defined the ELT Mapper.	
<b>Purpose</b>	Executes the SQL Insert, Update and Delete statement to the Mysql database	
<b>Basic Settings</b>	<i>Action on data</i>	<p>On the data of the table defined, you can perform the following operation:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, the Job stops.</p> <p><b>Update:</b> Updates entries in the table. <b>Delete:</b> Deletes the entries which correspond to the entry flow.: <b>MERGE:</b> Updates or adds data to the table.</p> <p> The options available for the MERGE operation are different to those available for the Insert, Update or Delete operations</p>
	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Where clauses for (for UPDATE and DELETE only)</i>	Enter a clause to filter the data to be updated or deleted during the update or delete operations.
	<i>Use Merge Update (for MERGE)</i>	<p>Select this check box to update the data in the output table.</p> <p><b>Column :</b> Lists the columns in the entry flow.</p> <p><b>Update :</b> Select the check box which corresponds to the name of the column you want to update.</p>


		<p><b>Use Merge Update Where Clause</b> : Select this check box and enter the WHERE clause required to filter the data to be updated, if necessary.</p> <p><b>Use Merge Update Delete Clause</b>: Select this check box and enter the WHERE clause required to filter the data to be deleted and updated, if necessary.</p>
	<i>Use Merge Insert</i> (for <b>MERGE</b> )	<p>Select this check box to insert the data in the table.</p> <p><b>Column</b>: Lists the entry flow columns.</p> <p><b>Check All</b>: Select the check box corresponding to the name of the column you want to insert.</p> <p><b>Use Merge Update Where Clause</b>: Select this check box and enter the WHERE clause required to filter the data to be inserted.</p>
	<i>Default Table Name</i>	Enter a default name for the table, between double quotation marks.
	<i>Default Schema Name</i>	Enter a name for the default Oracle schema, between double quotation marks.
	<i>Use different table name</i>	Select this check box to define a different output table name, between double quotation marks, in the <b>Table name</b> field which appears.
<b>Advanced settings</b>	<i>Use Hint Options</i>	<p>Select this check box to activate the hint configuration area when you want to use a hint to optimize a query's execution. In this area, parameters are:</p> <ul style="list-style-type: none"> <li>- <b>HINT</b>: specify the hint you need, using the syntax /* + */.</li> <li>- <b>POSITION</b>: specify where you put the hint in a SQL statement.</li> <li>- <b>SQL STMT</b>: select the SQL statement you need to use.</li> </ul>
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTOracleOutput</b> is to be used along with the <b>tELTOracleInput</b> and <b>tELTOracleMap</b> components. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Scenario: Using the Oracle MERGE function to update and add data simultaneously

This scenario describes a Job that allows you to add new customer information and update existing customer information in a database table using the Oracle MERGE command.



- Drop the following components from the **Palette** to the design workspace: **tELTOracleInput**, **tELTOracleMap**, and **tELTOracleOutput**, and label them to identify their functionality.
- Double-click the **tELTOracleInput** component to display its **Basic settings** view.



- Select **Repository** from the **Schema** list, click the three dot button preceding **Edit schema**, and select your DB connection and the desired schema from the **[Repository Content]** dialog box.

The selected schema name appears in the **Default Table Name** field automatically.


In this use case, the DB connection is *Talend\_Oracle* and the schema is *new\_customers*.



In this use case, the input schema is stored in the **Metadata** node of the **Repository** tree view for easy retrieval. For further information concerning metadata, see *Talend Open Studio for Big Data User Guide*.

You can also select the input component by dropping the relevant schema from the **Metadata** area onto the design workspace and double-clicking **tELTOracleInput** from the **[Components]** dialog box. Doing so allows you to skip the steps of labeling the input component and defining its schema manually.

- Connect the **tELTOracleInput** component to the **tELTOracleMap** component using the link named strictly after the actual DB table name, *new\_customers* in this use case.
- Connect the **tELTOracleMap** component to the **tELTOracleOutput** component and name the link *customers\_merge*, which is the name of the database table you will save the merge result to.
- Click the **tELTOracleMap** component to display its **Basic settings** view.




- Select **Repository** from the **Property Type** list, and select the same DB connection that you use for the input components.


All the database details are automatically retrieved.

- Leave the other settings as they are.
- Double-click the **tELTOracleMap** component to launch the ELT Map editor to set up the data transformation flow.
- Display the input table by clicking the green plus button at the upper left corner of the ELT Map editor and selecting the relevant table name in the **[Add a new alias]** dialog box.


In this use case, the only input table is *new\_customers*.



- Select all the columns in the input table and drop them to the output table.




- Click the **Generated SQL Select query tab** to display the query statement to be executed.



- Click **OK** to validate the ELT Map settings and close the ELT Map editor.

- In the design workspace, double-click the **tELTOracleOutput** component to display its **Basic settings** view.
- From the **Action on data** list, select **MERGE**.
- Click the **Sync columns** button to retrieve the schema from the preceding component.
- Select the **Use Merge Update** check box to update the data using Oracle's MERGE function.
- In the table that appears, select the check boxes for the columns you want to update.

In this use case, we want to update all the data according to the customer ID. Therefore, select all the check boxes except the one for the *ID* column.



The screenshot shows the configuration for the 'merge\_data(tELTOracleOutput\_1)' component. The 'Basic settings' tab is selected. The 'Action on data' dropdown is set to 'MERGE'. The 'Schema' dropdown is set to 'Built-In'. The 'Use Merge Update' checkbox is checked. A table lists columns with checkboxes for updating them:

Column	Update
ID	<input type="checkbox"/>
FIRSTNAME	<input checked="" type="checkbox"/>
LASTNAME	<input checked="" type="checkbox"/>
ADDRESS	<input checked="" type="checkbox"/>
REGISTERDATE	<input checked="" type="checkbox"/>
REVENUE	<input checked="" type="checkbox"/>
STATE	<input checked="" type="checkbox"/>



*The columns defined as the primary key CANNOT and MUST NOT be made subject to updates.*

- Select the **Use Merge Insert** check box to insert new data while updating the existing data by leveraging Oracle's MERGE function.
- In the table that appears, select the check boxes for the columns into which you want to insert new data.

In this use case, we want to insert all the new customer data. Therefore, select all the check boxes by clicking the **Check All** check box.

- Fill the **Default Table Name** field with the name of the target table already existing in your database. In this example, fill in *customers\_merge*.
- Leave the other parameters as they are.

Use Merge Update Where Clause  
 Use Merge Update Delete Clause  
 Use Merge Insert

Column	<input checked="" type="checkbox"/> Check All
ID	<input checked="" type="checkbox"/>
FIRSTNAME	<input checked="" type="checkbox"/>
LASTNAME	<input checked="" type="checkbox"/>
ADDRESS	<input checked="" type="checkbox"/>
REGISTERDATE	<input checked="" type="checkbox"/>
REVENUE	<input checked="" type="checkbox"/>
STATE	<input checked="" type="checkbox"/>

Use Merge Insert Where Clause  
 Default Table Name   
 Default Schema Name   
 Use different table name  
 Mapping

- Save your Job and press **F6** to run it.

The data is updated and inserted in the database. The query used is displayed on the console.

```
[statistics] connecting to socket on port 3712
[statistics] connected
Merge with :
MERGE INTO customers_merge target USING (SELECT NEW_CUSTOMERS.ID ,
NEW_CUSTOMERS.FIRSTNAME , NEW_CUSTOMERS.LASTNAME , NEW_CUSTOMERS.ADDRESS ,
NEW_CUSTOMERS.REGISTERDATE , NEW_CUSTOMERS.REVENUE , NEW_CUSTOMERS.STATE FROM
NEW_CUSTOMERS) source ON (target.ID=source.ID) WHEN MATCHED THEN UPDATE SET
target.FIRSTNAME=source.FIRSTNAME,target.LASTNAME=source.LASTNAME,target.ADDRESS=s
ource.ADDRESS,target.REGISTERDATE=source.REGISTERDATE,target.REVENUE=source.REVENU
E,target.STATE=source.STATE WHEN NOT MATCHED THEN INSERT (
ID,FIRSTNAME, LASTNAME,ADDRESS,REGISTERDATE,REVENUE,STATE) VALUES (
source.ID,source.FIRSTNAME,source.LASTNAME,source.ADDRESS,source.REGISTERDATE,sour
ce.REVENUE,source.STATE)
Merge with :
MERGE INTO customers_merge target USING (SELECT NEW_CUSTOMERS.ID ,
NEW_CUSTOMERS.FIRSTNAME , NEW_CUSTOMERS.LASTNAME , NEW_CUSTOMERS.ADDRESS ,
NEW_CUSTOMERS.REGISTERDATE , NEW_CUSTOMERS.REVENUE , NEW_CUSTOMERS.STATE FROM
NEW_CUSTOMERS) source ON (target.ID=source.ID) WHEN MATCHED THEN UPDATE SET
target.FIRSTNAME=source.FIRSTNAME,target.LASTNAME=source.LASTNAME,target.ADDRESS=s
ource.ADDRESS,target.REGISTERDATE=source.REGISTERDATE,target.REVENUE=source.REVENU
E,target.STATE=source.STATE WHEN NOT MATCHED THEN INSERT (
ID,FIRSTNAME, LASTNAME,ADDRESS,REGISTERDATE,REVENUE,STATE) VALUES (
source.ID,source.FIRSTNAME,source.LASTNAME,source.ADDRESS,source.REGISTERDATE,sour
ce.REVENUE,source.STATE)
[statistics] disconnected
```




# tELTPostgresqlInput



## tELTPostgresqlInput properties

The three ELT Postgresql components are closely related, in terms of their operating conditions. These components should be used to handle Postgresql DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Postgresql	
<b>Function</b>	Provides the table schema to be used for the SQL statement to execute.	
<b>Purpose</b>	Allows you to add as many Input tables as required for the most complicated Insert statement.	
<b>Basic settings</b>	<i>Schema</i> and <i>Edit schema</i>	<p>A schema is a row description, i.e., it defines the nature and number of fields to be processed. The schema is either built-in or remotely stored in the Repository. The Schema defined is then passed on to the ELT Mapper to be included to the Insert SQL statement.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Default Table Name</i>	Enter the default table name, between double quotation marks.
	<i>Default Schema Name</i>	Enter the default schema name, between double quotation marks.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTPostgresqlInput</b> is to be used along with the <b>tELTPostgresqlMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Related scenarios

For use cases in relation with **tELTPostgresqlInput**, see **tELTMysqlMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#)


- [the section called “Scenario 2: ELT using an Alias table”](#)

# tELTPostgresqlMap




## tELTPostgresqlMap properties

The three ELT Postgresql components are closely related, in terms of their operating conditions. These components should be used to handle Postgresql DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Postgresql	
<b>Function</b>	Helps to build the SQL statement graphically, using the table provided as input.	
<b>Purpose</b>	Uses the tables provided as input, to feed the parameter in the built statement. The statement can include inner or outer joins to be implemented between tables or between one table and its aliases.	
<b>Basic settings</b>	<i>Use an existing connection</i>	<p>Select this check box and select the appropriate Connection component from the <b>Component list</b> if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>ELT Postgresql Map Editor</i>	The ELT Map editor allows you to define the output schema and make a graphical build of the SQL statement to be executed. The column names of schema can be different from the column names in the database.
	<i>Style link</i>	Select the way in which links are displayed.

Related scenario:

		<p><b>Auto:</b> By default, the links between the input and output schemas and the Web service parameters are in the form of curves.</p> <p><b>Bezier curve:</b> Links between the schema and the Web service parameters are in the form of curve.</p> <p><b>Line:</b> Links between the schema and the Web service parameters are in the form of straight lines.</p> <p>This option slightly optimizes performance.</p>
	<i>Property type</i>	Either Built-in or Repository.
		<b>Built-in:</b> No property data stored centrally.
		<b>Repository:</b> Select the Repository file where Properties are stored. The following fields are pre-filled in using fetched data.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
<b>Advanced settings</b>	<i>Additional parameters</i> <i>JDBC</i>	Specify additional connection properties for the DB connection you are creating. This option is not available if you have selected the <b>Use an existing connection</b> check box in the <b>Basic settings</b> .
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTPostgresqlMap</b> is used along with a <b>tELTPostgresqlInput</b> and <b>tELTPostgresqlOutput</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Related scenario:

For related scenarios, see **tELTMySQLMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#).
- [the section called “Scenario 2: ELT using an Alias table”](#).

# tELTPostgresqlOutput



## tELTPostgresqlOutput properties

The three ELT Postgresql components are closely related, in terms of their operating conditions. These components should be used to handle Mysql DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Postgresql	
<b>Function</b>	Carries out the action on the table specified and inserts the data according to the output schema defined the ELT Mapper.	
<b>Purpose</b>	Executes the SQL Insert, Update and Delete statement to the Postgresql database	
<b>Basic settings</b>	<i>Action on data</i>	<p>On the data of the table defined, you can perform the following operation:</p> <p><b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.</p> <p><b>Update:</b> Updates entries in the table.</p> <p><b>Delete:</b> Deletes the entries which correspond to the entry flow.</p>
	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Where clauses for (for UPDATE and DELETE only)</i>	Enter a clause to filter the data to be updated or deleted during the update or delete operations.
	<i>Default Table Name</i>	Enter the default table name between double quotation marks.
	<i>Default Schema Name</i>	Enter the default schema name between double quotation marks
	<i>Use different table name</i>	Select this check box to enter a different output table name, between double quotation marks, in the <b>Table name</b> field which appears.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.

**Usage**

**tELTPostgresqlOutput** is to be used along with the **tELTPostgresqlMap**. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.



Note that the ELT components do not handle actual data flow but only schema information.

## Related scenarios

For use cases in relation with **tELTPostgresqlOutput**, see **tELTMysqlMap** scenarios:


- [the section called “Scenario 1: Aggregating table columns and filtering”](#)
- [the section called “Scenario 2: ELT using an Alias table”](#)

# tELTSybaseInput



## tELTSybaseInput properties

The three ELT Sybase components are closely related, in terms of their operating conditions. These components should be used to handle Sybase DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Sybase	
<b>Function</b>	Provides the table schema for the SQL statement to execute	
<b>Purpose</b>	Allows you to add as many Input tables as required, for Insert statements which can be complex.	
<b>Basic settings</b>	<i>Schema</i> and <i>Edit schema</i>	<p>A schema is a row description, i.e., it defines the number and nature of the fields to be processed. The schema is either built-in (local) or stored remotely in the Repository. The Schema defined is then passed on to the ELT Mapper for inclusion in the Insert SQL statement.</p> <p>Click on <b>Edit Schema</b>, to modify the schema. Note that if you modify the schema, it automatically becomes built-in.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository. Hence, it can be re-used for other projects and Jobs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Default Table Name</i>	Enter a default name for the table, between double quotation marks.
	<i>Default Schema Name</i>	Enter a default name for the Sybase schema, between double quotation marks.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p><b>tELTSybaseInput</b> is intended for use with <b>tELTSybaseMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> ELT components only handle schema information. They do not handle actual data flow..</p>	

## Related scenarios

For scenarios in which **tELTSybaseInput** may be used, see **tELTMysqlMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#)

- [the section called “Scenario 2: ELT using an Alias table”](#).





# tELTSybaseMap



## tELTSybaseMap properties

The three ELT Sybase components are closely related in terms of their operating conditions. These components should be used to handle Sybase DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Sybase	
<b>Function</b>	Allows you construct a graphical build of the SQL statement using the table provided as input.	
<b>Purpose</b>	Uses the tables provided as input to feed the parameters required to execute the SQL statement. The statement can include inner or outer joins to be implemented between tables or between a table and its aliases	
<b>Basic settings</b>	<i>Use an existing connection</i>	<p>Select this check box and select the appropriate <b>tSybaseConnection</b> component from the <b>Component</b> list if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, ensure that the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>ELT Sybase Map Editor</i>	The ELT Map editor allows you to define the output schema and make a graphical build of the SQL statement to be executed. The column names of schema can be different from the column names in the database.
	<i>Style link</i>	Select the way in which links are displayed.

		<p><b>Auto:</b> By default, the links between the input and output schemas and the Web service parameters are in the form of curves.</p> <p><b>Bezier curve:</b> Links between the schema and the Web service parameters are in the form of curve.</p> <p><b>Line:</b> Links between the schema and the Web service parameters are in the form of straight lines.</p> <p>This option slightly optimizes performance.</p>
	<i>Property type</i>	Can be either <b>Built-in</b> or <b>Repository</b> .
		<b>Built-in</b> : No property data is stored centrally.
		<b>Repository</b> : Select the Repository file where the component properties are stored. The following fields are pre-filled using collected data
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server
	<i>Database</i>	Name of the database
	<i>Username et Password</i>	DB user authentication data.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at component level.
<b>Usage</b>	<p><b>tELTSybaseMap</b> is intended for use with <b>tELTSybaseInput</b> and <b>tELTSybaseOutput</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> The ELT components only handle schema information. They do not handle actual data flow.</p>	

## Related scenarios

For scenarios in which **tELTSybaseMap** may be used, see the following **tELTMysqlMap** scenarios:


- [the section called “Scenario 1: Aggregating table columns and filtering”](#).
- [the section called “Scenario 2: ELT using an Alias table”](#).


# tELTSybaseOutput



## tELTSybaseOutput properties

The three ELT Sybase components are closely related in terms of their operating conditions. These components should be used to handle Sybase DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Sybase	
<b>Function</b>	Carries out the action on the table specified and inserts the data according to the output schema defined the ELT Mapper.	
<b>Purpose</b>	Executes the SQL Insert, Update and Delete statement in the Mysql database	
<b>Basic settings</b>	<i>Action on data</i>	On the data of the table defined, you can perform the following operation:  <b>Insert:</b> Add new entries to the table. If duplicates are found, the Job stops.  <b>Update:</b> Updates entries in the table.  <b>Delete:</b> Deletes the entries which correspond to the entry flow.
 <i>Use tCreate Table as substitute for this function.</i>		
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number and nature of the fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . The Schema defined is then passed on to the ELT Mapper for inclusion in the Insert SQL statement.  Click on <b>Edit Schema</b> , to modify the schema.
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Where clauses for (for UPDATE and DELETE only)</i>	Enter a clause to filter the data to be updated or deleted during the update or delete operations.
	<i>Default Table Name</i>	Enter a default name for the table, between double quotation marks.
	<i>Default Schema Name</i>	Enter a default name for the Sybase schema, between double quotation marks.
	<i>Use different table name</i>	Select this check box to enter a different output table name, between double quotation marks, in the <b>Table name</b> field which appears.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at component level.
<b>Usage</b>	<b>tELTSybaseOutput</b> is intended for use with the <b>tELTMysqlInput</b> and <b>tELTSybaseMap</b> components. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name..	

	 ELT components only handle schema information. They do not handle actual data flow.
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .

## Related scenarios

For scenarios in which **tELTSybaseOutput** may be used, see the following **tELTMysqlMap** scenarios :


- [the section called “Scenario 1: Aggregating table columns and filtering”](#).
- [the section called “Scenario 2: ELT using an Alias table”](#).

# tELTTeradataInput



## tELTTeradataInput properties

The three ELT Teradata components are closely related, in terms of their operating conditions. These components should be used to handle Teradata DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Teradata	
<b>Function</b>	Provides the table schema to be used for the SQL statement to execute.	
<b>Purpose</b>	Allows you to add as many Input tables as required for the most complicated Insert statement.	
<b>Basic settings</b>	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the nature and number of fields to be processed. The schema is either built-in or remotely stored in the Repository. The Schema defined is then passed on to the ELT Mapper to be included to the Insert SQL statement.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p> <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p> <p><b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Default Table Name</i>	Enter a default name for the table, between double quotation marks.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at component level.
<b>Usage</b>	<p><b>tELTTeradataInput</b> is to be used along with the <b>tELTTeradataMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

## Related scenarios

For use cases in relation with **tELTTeradataInput**, see **tELTMysqlMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#)
- [the section called “Scenario 2: ELT using an Alias table”](#)





# tELTTeradataMap



## tELTTeradataMap properties

The three ELT Teradata components are closely related, in terms of their operating conditions. These components should be used to handle Teradata DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Teradata	
<b>Function</b>	Helps to graphically build the SQL statement using the table provided as input.	
<b>Purpose</b>	Uses the tables provided as input, to feed the parameter in the built statement. The statement can include inner or outer joins to be implemented between tables or between one table and its aliases.	
<b>Basic settings</b>	<i>Use an existing connection</i>	<p>Select this check box and select the appropriate <b>tSybaseConnection</b> component from the <b>Component</b> list if you want to re-use connection parameters that you have already defined.</p> <p> When a Job contains the parent Job and the child Job, <b>Component list</b> presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, make sure that the available connection components are sharing the intended connection.</p> <p>For more information on how to share a DB connection across Job levels, see <b>Use or register a shared DB connection</b> in any database connection component corresponding to the database you are using, in <a href="#">Databases - traditional components</a>, <a href="#">Databases - appliance/datawarehouse components</a>, or <a href="#">Databases - other components</a>.</p> <p>Otherwise, you can as well deactivate the connection components and use <b>Dynamic settings</b> of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about <b>Dynamic settings</b>, see your studio user guide.</p>
	<i>ELT Teradata Map editor</i>	The ELT Map editor allows you to define the output schema as well as build graphically the SQL statement to be executed. The column names of schema can be different from the column names in the database.
	<i>Style link</i>	Select the way in which links are displayed.

		<p><b>Auto:</b> By default, the links between the input and output schemas and the Web service parameters are in the form of curves.</p> <p><b>Bezier curve:</b> Links between the schema and the Web service parameters are in the form of curve.</p> <p><b>Line:</b> Links between the schema and the Web service parameters are in the form of straight lines.</p> <p>This option slightly optimizes performance.</p>
	<i>Property type</i>	Either Built-in or Repository.
		<b>Built-in:</b> No property data stored centrally.
		<b>Repository:</b> Select the Repository file where Properties are stored. The following fields are pre-filled in using fetched data.
	<i>Host</i>	Database server IP address
	<i>Port</i>	Listening port number of DB server.
	<i>Database</i>	Name of the database
	<i>Username</i> and <i>Password</i>	DB user authentication data.
<b>Usage</b>	<p><b>tELTTeradataMap</b> is used along with a <b>tELTTeradataInput</b> and <b>tELTTeradataOutput</b>. Note that the Output link to be used with these components must faithfully reflect the name of the tables.</p> <p> The ELT components do not handle actual data flow but only schema information.</p>	

## Connecting ELT components

For detailed information regarding ELT component connections, see [the section called “Connecting ELT components”](#).

Related topic: see *Talend Open Studio for Big Data User Guide*.

## Mapping and joining tables

In the ELT Mapper, you can select specific columns from input schemas and include them in the output schema.

For detailed information regarding the table schema mapping and joining, see [the section called “Mapping and joining tables”](#).

## Adding WHERE clauses

For details regarding the clause handling, see [the section called “Adding where clauses”](#).



## Generating the SQL statement

The mapping of elements from the input schemas to the output schemas create instantly the corresponding Select statement.

The clause defined internally in the ELT Mapper are also included automatically.

## Related scenarios

For use cases in relation with **tELTTeradataMap**, see **tELTMySQLMap** scenarios:



- [the section called “Scenario 1: Aggregating table columns and filtering”](#).
- [the section called “Scenario 2: ELT using an Alias table”](#).

# tELTTeradataOutput



## tELTTeradataOutput properties

The three ELT Teradata components are closely related, in terms of their operating conditions. These components should be used to handle Teradata DB schemas to generate Insert statements, including clauses, which are to be executed in the DB output table defined.

<b>Component family</b>	ELT/Map/Teradata	
<b>Function</b>	Carries out the action on the table specified and inserts the data according to the output schema defined the ELT Mapper.	
<b>Purpose</b>	Executes the SQL Insert, Update and Delete statement to the Teradata database	
<b>Basic settings</b>	<i>Action on data</i>	On the data of the table defined, you can perform the following operation:  <b>Insert:</b> Add new entries to the table. If duplicates are found, Job stops.  <b>Update:</b> Updates entries in the table.  <b>Delete:</b> Deletes the entries which correspond to the entry flow.
 <i>Use tCreate Table as substitute for this function.</i>		
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .  Click <b>Edit Schema</b> to modify the schema.
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Where clauses for (for UPDATE and DELETE only)</i>	Enter a clause to filter the data to be updated or deleted during the update or delete operations.
	<i>Default Table Name</i>	Enter a default name for the table, between double quotation marks.
	<i>Use different table name</i>	Select this check box to enter a different output table name, between double quotation marks, in the <b>Table name</b> field which appears.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at component level.
<b>Usage</b>	<p><b>tELTTeradataOutput</b> is to be used along with the <b>tELTTeradataMap</b>. Note that the Output link to be used with these components must correspond strictly to the syntax of the table name.</p> <p> Note that the ELT components do not handle actual data flow but only schema information.</p>	

---

<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Related scenarios

For use cases in relation with **tELTTeradataOutput**, see **tELTMysqlMap** scenarios:

- [the section called “Scenario 1: Aggregating table columns and filtering”](#).
- [the section called “Scenario 2: ELT using an Alias table”](#).

# tSQLTemplateAggregate



## tSQLTemplateAggregate properties

<b>Component family</b>	ELT/SQLTemplate	
<b>Function</b>	<b>tSQLTemplateAggregate</b> collects data values from one or more columns with the intent to manage the collection as a single unit. This component has real-time capabilities since it runs the data transformation on the DBMS itself.	
<b>Purpose</b>	Helps to provide a set of matrix based on values or calculations.	
<b>Basic settings</b>	<i>Database Type</i>	Select the database type you want to connect to from the list.
	<i>Component List</i>	Select the relevant DB connection component in the list if you use more than one connection in the current Job.
	<i>Database name</i>	Name of the database.
	<i>Source table name</i>	Name of the table holding the data you want to collect values from.
	<i>Target table name</i>	Name of the table you want to write the collected and transformed data in.
	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p>
		<b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> You have already created the schema and stored it in the Repository. You can reuse it in various projects and Job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>
	<i>Operations</i>	Select the type of operation along with the value to use for the calculation and the output field.
		<b>Output Column:</b> Select the destination field in the list.
		<b>Function:</b> Select any of the following operations to perform on data: <b>count</b> , <b>min</b> , <b>max</b> , <b>avg</b> , <b>sum</b> , and <b>count (distinct)</b> .
		<b>Input column position:</b> Select the input column from which you want to collect the values to be aggregated.
	<i>Group by</i>	Define the aggregation sets, the values of which will be used for calculations.
		<b>Output Column:</b> Select the column label in the list offered according to the schema structure you defined.

		You can add as many output columns as you wish to make more precise aggregations.
		<b>Input Column position:</b> Match the input column label with your output columns, in case the output label of the aggregation set needs to be different.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>SQL Template</b>	<i>SQL Template List</i>	<p><b>To add a default system SQL template:</b> Click the <b>Add</b> button to add the default system SQL template(s) in the <b>SQL Template List</b>.</p> <p>Click in the SQL template field and then click the arrow to display the system SQL template list. Select the desired system SQL template provided by <b>Talend</b>.</p> <p><b>Note:</b> You can create your own SQL template and add them to the <b>SQL Template List</b>.</p> <p><b>To create a user-defined SQL template:</b></p> <ul style="list-style-type: none"> <li>-Select a system template from the <b>SQL Template list</b> and click on its code in the code box. You will be prompted by the system to create a new template.</li> <li>-Click <b>Yes</b> to open the SQL template wizard.</li> <li>-Define your new SQL template in the corresponding fields and click <b>Finish</b> to close the wizard. An SQL template editor opens where you can enter the template code.</li> <li>-Click the <b>Add</b> button to add the new created template to the <b>SQL Template list</b>.</li> </ul> <p>For more information, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Usage</b>	This component is used as an intermediate component with other relevant DB components, especially the DB connection and commit components.	
<b>Limitation</b>	n/a	


## Scenario: Filtering and aggregating table columns directly on the DBMS

The following Java scenario creates a Job that opens a connection to a Mysql database and:

- instantiates the schemas from a database table whose rows match the column names specified in the filter,
- filters a column in the same database table to have only the data that matches a WHERE clause,
- collects data grouped by specific value(s) from the filtered column and writes aggregated data in a target database table.


To filter and aggregate database table columns:

- Drop the following components from the **Palette** onto the design workspace: **tELTMySQLConnection**, **tSQLTemplateFilterColumns**, **tSQLTemplateFilterRows**, **tSQLTemplateAggregate**, **tSQLTemplateCommit**, and **tSQLTemplateRollback**.
- Connect the five first components using **OnComponentOk** links.
- Connect **tSQLTemplateAggregate** to **tSQLTemplateRollback** using an **OnComponentError** link.




- In the design workspace, select **tMySQLConnection** and click the **Component** tab to define the basic settings for **tMySQLConnection**.
- In the **Basic settings** view, set the database connection details manually or select **Repository** from the **Property Type** list and select your DB connection if it has already been defined and stored in the **Metadata** area of the **Repository** tree view.

For more information about Metadata, see *Talend Open Studio for Big Data User Guide*.



- In the design workspace, select **tSQLTemplateFilterColumns** and click the **Component** tab to define its basic settings.



- On the **Database type** list, select the relevant database.
- On the **Component list**, select the relevant database connection component if more than one connection is used.
- Enter the names for the database, source table, and target table in the corresponding fields and click the three-dot buttons next to **Edit schema** to define the data structure in the source and target tables.



When you define the data structure for the source table, column names automatically appear in the **Column** list in the **Column filters** panel.

In this scenario, the source table has five columns: *id*, *First\_Name*, *Last\_Name*, *Address*, and *id\_State*.

- In the **Column filters** panel, set the column filter by selecting the check boxes of the columns you want to write in the source table.

In this scenario, the **tSQLTemplateFilterColumns** component instantiates only three columns: *id*, *First\_Name*, and *id\_State* from the source table.



In the **Component** view, you can click the **SQL Template** tab and add system SQL templates or create your own and use them within your Job to carry out the coded operation. For more information, see [the section called “tSQLTemplateFilterColumns Properties”](#).

- In the design workspace, select **tSQLTemplateFilterRows** and click the **Component** tab to define its basic settings.

tSQLTemplateFilterRows_1	
<b>Basic settings</b>	Database Type: Mysql   Component List: tMysqlConnection_1
Advanced settings	Database name: "customers"
Dynamic settings	Source table name: "staging_columns"   Schema: Built-In   Edit schema
SQL Template	Target table name: "staging_rows"   Schema: Built-In   Edit schema
View	Where condition: "First_Name like '%a%'"
Documentation	

- On the **Database type** list, select the relevant database.
- On the **Component list**, select the relevant database connection component if more than one connection is used.
- Enter the names for the database, source table, and target table in the corresponding fields and click the three-dot buttons next to **Edit schema** to define the data structure in the source and target tables.


In this scenario, the source table has the three initially instantiated columns: *id*, *First\_Name*, and *id\_State* and the source table has the same three-column schema.

- In the **Where condition** field, enter a WHERE clause to extract only those records that fulfill the specified criterion.

In this scenario, the **tSQLTemplateFilterRows** component filters the *First\_Name* column in the source table to extract only the first names that contain the “a” letter.

- In the design workspace, select **tSQLTemplateAggregate** and click the **Component** tab to define its basic settings.
- On the **Database type** list, select the relevant database.
- On the **Component list**, select the relevant database connection component if more than one connection is used.
- Enter the names for the database, source table, and target table in the corresponding fields and click the three-dot buttons next to **Edit schema** to define the data structure in the source and target tables.

The schema for the source table consists of the three columns: *id*, *First\_Name*, and *id\_State*. The schema for the target table consists of two columns: *customers\_status* and *customers\_number*. In this scenario, we want to group customers by their marital status and count customer number in each marital group. To do that, we define the **Operations** and **Group by** panels accordingly.



- In the **Operations** panel, click the plus button to add one or more lines and then click in the **Output column** line to select the output column that will hold the counted data.
- Click in the **Function** line and select the operation to be carried on.
- In the **Group by** panel, click the plus button to add one or more lines and then click in the **Output column** line to select the output column that will hold the aggregated data.
- In the design workspace, select **tSQLTemplateCommit** and click the **Component** tab to define its basic settings.
- On the **Database type** list, select the relevant database.
- On the **Component list**, select the relevant database connection component if more than one connection is used.
- Do the same for **tSQLTemplateRollback**.
- Save your Job and press **F6** to execute it.

A two-column table *aggregate\_customers* is created in the database. It groups customers according to their marital status and count customer number in each marital group.

customers_status	customers_number
Married	1
Single	3



# tSQLTemplateCommit



## tSQLTemplateCommit properties

This component is closely related to **tSQLTemplateRollback** and to the **ELT** connection component for the database you work with. **tSQLTemplateCommit**, **tSQLTemplateRollback** and the **ELT** database connection component are usually used together in a transaction.

<b>Component family</b>	ELT/SQLTemplate	
<b>Function</b>	<b>tSQLTemplateCommit</b> validates the data processed in a Job in a specified database.	
<b>Purpose</b>	Using a single connection, this component commits a global action in one go instead of doing so for every row or every batch of rows, separately. This provides a gain in performance.	
<b>Basic settings</b>	<i>Database Type</i>	Select the database type you want to connect to from the list.
	<i>Component List</i>	Select the ELT database connection component in the list if more than one connection is required for the current Job.
	<i>Close Connection</i>	Clear this check box to continue to use the selected connection once the component has performed its task.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>SQL Template</b>	<i>SQL Template List</i>	<p><b>To add a default system SQL template:</b> Click the <b>Add</b> button to add the default system SQL template(s) in the <b>SQL Template List</b>.</p> <p>Click in the SQL template field and then click the arrow to display the system SQL template list. Select the desired system SQL template provided by Talend.</p> <p><b>Note:</b> You can create your own SQL template and add them to the <b>SQL Ttemplate List</b>.</p> <p><b>To create a user-defined SQL template:</b></p> <ul style="list-style-type: none"> <li>-Select a system template from the <b>SQL Template list</b> and click on its code in the code box. You will be prompted by the system to create a new template.</li> <li>-Click <b>Yes</b> to open the SQL template wizard.</li> <li>-Define your new SQL template in the corresponding fields and click <b>Finish</b> to close the wizard. An SQL template editor opens where you can enter the template code.</li> <li>-Click the <b>Add</b> button to add the new created template to the <b>SQL Template list</b>.</li> </ul>

---

		For more information, see <i>Talend Open Studio for Big Data</i> User Guide.
<b>Usage</b>	This component is to be used with ELT components, especially with <b>tSQLTemplateRollback</b> and the relevant database connection component.	
<b>Limitation</b>	n/a	

## Related scenario

This component is closely related to **tSQLTemplateRollback** and to the ELT connection component depending on the database you are working with. It usually does not make much sense to use ELT components without using the relevant ELT database connection component as its purpose is to open a connection for a transaction.

For more information on **tSQLTemplateCommit**, see [the section called “Scenario: Filtering and aggregating table columns directly on the DBMS”](#).

# tSQLTemplateFilterColumns



## tSQLTemplateFilterColumns Properties

<b>Component family</b>	ELT/SQLTemplate	
<b>Function</b>	<b>tSQLTemplateFilterColumns</b> makes specified changes to the defined schema of the database table based on column name mapping. This component has real-time capabilities since it runs the data filtering on the DBMS itself	
<b>Purpose</b>	Helps homogenize schemas by reorganizing, deleting or adding new columns.	
<b>Basic settings</b>	<i>Database Type</i>	Select the type of database you want to work on from the drop-down list.
	<i>Component List</i>	Select the relevant DB connection component in the list if you use more than one connection in the current Job.
	<i>Database name</i>	Name of the database.
	<i>Source table name</i>	Name of the table holding the data you want to filter.
	<i>Target table name</i>	Name of the table you want to write the filtered data in.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.  Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.
		<b>Repository:</b> You have already created the schema and stored it in the Repository. You can reuse it in various projects and Job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Column Filters</i>	In the table, click the <b>Filter</b> check box to filter all of the columns. To select specific columns for filtering, select the check box(es) which correspond(s) to the column name(s).
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>SQL Template</b>	<i>SQL Template List</i>	<b>To add a default system SQL Template:</b> Click the <b>Add</b> button to add the default system SQL template(s) in the <b>SQL Template List</b> .  Click in the SQL template field and then click the arrow to display the system SQL template list. Select the desired system SQL template provided by Talend.

	<p><b>Note:</b> You can create your own SQL templates and add them to the <b>SQL Template List</b>.</p> <p><b>To create a user-defined SQL list:</b></p> <ul style="list-style-type: none"> <li>-Select a system template from the <b>SQL Template list</b> and click on its code in the code box. You will be prompted by the system to create a new template.</li> <li>-Click <b>Yes</b> to open the SQL Template wizard.</li> <li>-Define your new SQL template in the corresponding fields and click <b>Finish</b> to close the wizard. An SQL template editor opens where you can enter the template code.</li> <li>-Click the <b>Add</b> button to add the new created template to the <b>SQL Template list</b>.</li> </ul> <p>For more information, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Usage</b>	This component is used as an intermediary component with other relevant DB components, especially DB connection components.
<b>Limitation</b>	n/a

## Related Scenario

For a related scenario, see [the section called “Scenario: Filtering and aggregating table columns directly on the DBMS”](#).

# tSQLTemplateFilterRows



## tSQLTemplateFilterRows Properties

<b>Component family</b>	ELT/SQLTemplate	
<b>Function</b>	<b>tSQLTemplateFilterRows</b> allows you to define a row filter on one table. This component has real-time capabilities since it runs the data filtering on the DBMS itself.	
<b>Purpose</b>	Helps to set row filters for any given data source, based on a WHERE clause.	
<b>Basic settings</b>	<i>Database Type</i>	Select the type of database you want to work on from the drop down list.
	<i>Component List</i>	Select the relevant DB connection component in the list if you are using more than one connection in the current Job.
	<i>Database name</i>	Name of the database.
	<i>Source table name</i>	Name of the table holding the data you want to filter.
	<i>Target table name</i>	Name of the table you want to write the filtered data in.
	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p>
		<b>Built-in:</b> You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> You have already created the schema and stored it in the Repository. You can reuse it in various projects and Job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Where condition</i>	<p>Use a WHERE clause to set the criteria that you want the rows to meet.</p> <p>You can use the WHERE clause to select specific rows from the table that match specified criteria or conditions.</p>
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>SQL Template</b>	<i>SQL Template List</i>	<p><b>To add a default system SQL template:</b> Click the <b>Add</b> button to add the default system SQL template(s) in the <b>SQL Template List</b>.</p> <p>Click in the SQL template field and then click the arrow to display the system SQL template list. Select the desired system SQL template provided by Talend.</p>

	<p><b>Note:</b> You can create your own SQL template and add them to the <b>SQL Template List</b>.</p> <p><b>To create a user-defined SQL template:</b></p> <ul style="list-style-type: none"> <li>-Select a system template from the <b>SQL Template list</b> and click on its code in the code box. You will be prompted by the system to create a new template.</li> <li>-Click <b>Yes</b> to open the SQL template wizard.</li> <li>-Define your new SQL template in the corresponding fields and click <b>Finish</b> to close the wizard. An SQL template editor opens where you can enter the template code.</li> <li>-Click the <b>Add</b> button to add the new created template to the <b>SQL Template list</b>.</li> </ul> <p>For more information, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Usage</b>	This component is used as an intermediary component with other DB components, particularly DB connection components.
<b>Limitation</b>	n/a

## Related Scenario



For a related scenario, see [the section called “Scenario: Filtering and aggregating table columns directly on the DBMS”](#).

# tSQLTemplateMerge



## tSQLTemplateMerge properties


<b>Component family</b>	ELT/SQLTemplate	
<b>Function</b>	This component creates an SQL MERGE statement to merge data into a database table.	
<b>Purpose</b>	This component is used to merge data into a database table directly on the DBMS by creating and executing a MERGE statement.	
<b>Basic settings</b>	<i>Database Type</i>	Select the type of database you want to work on from the drop-down list.
	<i>Component list</i>	Select the relevant DB connection component from the list if you use more than one connection in the current Job.
	<i>Source table name</i>	Name of the database table holding the data you want to merge into the target table.
	<i>Target table name</i>	Name of the table you want to merge data into.
	<i>Schema and Edit schema</i>	<p>This component involves two schemas: source schema and target schema.</p> <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository.</p> <p>Click <b>Edit Schema</b> to modify the schema. Note that if you make the modification, the schema switches automatically to the <b>Built-in</b> mode.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		<b>Repository:</b> The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	Merge ON	Specify the target and source columns you want to use as the primary keys.
	<i>Use UPDATE (WHEN MATCHED)</i>	Select this check box to update existing records. With the check box selected, the <b>UPDATE Columns</b> table appears, allowing you to define the columns in which records are to be updated.
	<i>Specify additional output columns</i>	Select this check box to update records in additional columns other than those listed in the <b>UPDATE Columns</b> table. With this check box selected, the <b>Additional UPDATE Columns</b> table appears, allowing you to specify additional columns.
	<i>Specify UPDATE WHERE clause</i>	Select this check box and type in a WHERE clause in the <b>WHERE clause</b> field to filter data during the update operation.

		 This option may not work with certain database versions, including Oracle 9i.
	<i>Use INSERT (WHEN MATCHED)</i>	Select this check box to insert new records. With the check box selected, the <b>INSERT Columns</b> table appears, allowing you to specify the columns to be involved in the insert operation.
	<i>Specify additional output columns</i>	Select this check box to insert records to additional columns other than those listed in the <b>INSERT Columns</b> table. With this check box selected, the <b>Additional INSERT Columns</b> table appears, allowing you to specify additional columns.
	<i>Specify INSERT WHERE clause</i>	Select this check box and type in a WHERE clause in the <b>WHERE clause</b> field to filter data during the insert operation.   This option may not work with certain database versions, including Oracle 9i.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at component level.
<b>SQL Template</b>	<i>SQL Template List</i>	<p><b>To add a default system SQL template:</b> Click the <b>Add</b> button to add the default system SQL template(s) in the <b>SQL Template List</b>.</p> <p>Click in the SQL template field and then click the arrow to display the system SQL template list. Select the desired system SQL template provided by <b>Talend</b>.</p> <p><b>Note:</b> You can create your own SQL template and add them to the <b>SQL Template List</b>.</p> <p><b>To create a user-defined SQL template:</b></p> <ul style="list-style-type: none"> <li>-Select a system template from the <b>SQL Template list</b> and click on its code in the code box. You will be prompted by the system to create a new template.</li> <li>-Click <b>Yes</b> to open the SQL template wizard.</li> <li>-Define your new SQL template in the corresponding fields and click <b>Finish</b> to close the wizard. An SQL template editor opens where you can enter the template code.</li> <li>-Click the <b>Add</b> button to add the new created template to the <b>SQL Template list</b>.</li> </ul> <p>For more information, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Usage</b>	This component is used as an intermediate component with other relevant DB components, especially the DB connection and commit components.	



## Scenario: Merging data directly on the DBMS

This scenario describes a simple Job that opens a connection to a MySQL database, merges data from a source table into a target table according to customer IDs, and displays the contents of the target table before and after the merge action. A WHERE clause is used to filter data during the merge operation.




- Drop a **tMysqlConnection** component, a **tSQLTemplateMerge** component, two **tMysqlInput** components and two **tLogRow** components from the **Palette** onto the design workspace.
- Connect the **tMysqlConnection** component to the first **tMysqlInput** component using a **Trigger > OnSubjobOK** connection.
- Connect the first **tMysqlInput** component to the first **tLogRow** component using a **Row > Main** connection. This row will display the initial contents of the target table on the console.
- Connect the first **tMysqlInput** component to the **tSQLTemplateMerge** component, and the **tSQLTemplateMerge** component to the second **tMysqlInput** component using **Trigger > OnSubjobOK** connections.
- Connect the second **tMysqlInput** component to the second **tLogRow** component using a **Row > Main** connection. This row will display the merge result on the console.
- Double-click the **tMysqlConnection** component to display its **Basic settings** view.

Basic settings	
Property Type	Built-In
DB Version	Mysql 5
Host	"localhost"
Port	"3306"
Database	"talend" * Additional JDBC Parameters ""
Username	"root" * Password "talend" *
<input type="checkbox"/> Use or register a shared DB Connection	

- Set the database connection details manually or select **Repository** from the **Property Type** list and select your DB connection if it has already been defined and stored in the **Metadata** area of the **Repository** tree view.


For more information about Metadata, see *Talend Open Studio for Big Data User Guide*.

- Double-click the first **tMySQLInput** component to display its **Basic settings** view.




- Select the **Use an existing connection** check box. If you are using more than one DB connection component in your Job, select the component you want to use from the **Component List**.
- Click the three-dot button next to **Edit schema** and define the data structure of the target table, or select **Repository** from the **Schema** list and select the target table if the schema has already been defined and stored in the **Metadata** area of the **Repository** tree view.

In this scenario, we use built-in schemas.




- Define the columns as shown above, and then click **OK** to propagate the schema structure to the output component and close the schema dialog box.
- Fill the **Table Name** field with the name of the target table, *customer\_info\_merge* in this scenario.
- Click the **Guess Query** button, or type in "SELECT \* FROM customer\_info\_merge" in the **Query** area, to retrieve all the table columns.
- Define the properties of the second **tMySQLInput** component, using exactly the same settings as for the first **tMySQLInput** component.

- In the **Basic settings** view of each **tLogRow** component, select the **Table** option in the **Mode** area so that the contents will be displayed in table cells on the console.



- Double-click the **tSQLTemplateMerge** component to display its **Basic settings** view.



- Type in the names of the source table and the target table in the relevant fields.


In this scenario, the source table is *new\_customer\_info*, which contains eight records; the target table is *customer\_info\_merge*, which contains five records, and both tables have the same data structure.




The source table and the target table may have different schema structures. In this case, however, make sure that the source column and target column specified in each line of the **Merge ON** table, the **UPDATE Columns** table, and the **INSERT Columns** table are identical in data type and the target column length allows the insertion of the data from the corresponding source column.

- Define the source schema manually, or select **Repository** from the **Schema** list and select the relevant table if the schema has already been defined and stored in the **Metadata** area of the **Repository** tree view.

In this scenario, we use built-in schemas.



- Define the columns as shown above and click **OK** to close the schema dialog box, and do the same for the target schema.
- Click the green plus button beneath the **Merge ON** table to add a line, and select the *ID* column as the primary key.




- Select the **Use UPDATE** check box to update existing data during the merge operation, and define the columns to be updated by clicking the green plus button and selecting the desired columns.

In this scenario, we want to update all the columns according to the customer IDs. Therefore, we select all the columns except the *ID* column.

 *The columns defined as the primary key CANNOT and MUST NOT be made subject to updates.*

- Select the **Specify UPDATE WHERE clause** check box and type in `customer_info_merge.ID >= 4` within double quotation marks in the **WHERE clause** field so that only those existing records with an ID equal to or greater than 4 will be updated.



- Select the **Use INSERT** check box and define the columns to take data from and insert data to in the **INSERT Columns** table.

In this example, we want to insert all the records that do not exist in the target table.

Use INSERT (WHEN MATCHED)

INSERT Columns

Target column	Source column
ID	ID
Name	Name
BirthDate	BirthDate
Address	Address
City	City
Revenue	Revenue

- Select the **SQL Template** view to display and add the SQL templates to be used.

By default, the **SQLTemplateMerge** component uses two system SQL templates: **MergeUpdate** and **MergeInsert**.



In the **SQL Template** tab, you can add system SQL templates or create your own and use them within your Job to carry out the coded operation. For more information, see [the section called "tSQLTemplateFilterColumns Properties"](#).

**FLT** tSQLTemplateMerge\_1

Basic settings

Advanced settings

Dynamic settings

**SQL Template**

View

Documentation

SQL Template List	
MergeUpdate	
MergeInsert	
Commit	

- Click the **Add** button to add a line and select **Commit** from the template list to commit the merge result to your database.

Alternatively, you can connect the **tSQLTemplateMerge** component to a **tSQLTemplateCommit** or **tMysqlCommit** component using a **Trigger > OnSubjobOK** connection to commit the merge result to your database.

- Save your Job and press **F6** to run it.

Both the original contents of the target table and the merge result are displayed on the console. In the target table, records No. 4 and No. 5 contain the updated information, and records No.6 through No. 8 contain the inserted information.

```

Starting job MergeData at 10:55 01/04/2011.

[statistics] connecting to socket on port 3580
[statistics] connected

-----+-----+-----+-----+-----+
| tLogRow_1 |
|-----+-----+-----+-----+-----+
|ID|Name |BirthDate |Address |City |Revenue |
|-----+-----+-----+-----+-----+
|1 |Calvin Wilson |06-04-2008|997 East Calle Primera|Topeka |9385 |
|2 |Benjamin Johnson|12-01-2007|386 Newbury Road |Olympia |8418 |
|3 |Millard Hayes |03-05-2007|413 San Marcos |Carson City |1663 |
|4 |George Quincy |01-05-2008|516 Carpinteria South|Bismarck |1997 |
|5 |Ronald Coolidge|22-01-2008|780 Newbury Road |Jackson |5515 |
|-----+-----+-----+-----+-----+

-----+-----+-----+-----+-----+
| tLogRow_2 |
|-----+-----+-----+-----+-----+
|ID|Name |BirthDate |Address |City |Revenue |
|-----+-----+-----+-----+-----+
|1 |Calvin Wilson |06-04-2008|997 East Calle Primera|Topeka |9385 |
|2 |Benjamin Johnson|12-01-2007|386 Newbury Road |Olympia |8418 |
|3 |Millard Hayes |03-05-2007|413 San Marcos |Carson City |1663 |
|4 |Abraham Roosevelt|09-06-2007|792 South Highway |Trenton |3200 |
|5 |Harry Madison |22-05-2008|246 North Preisker Lane|Honolulu |2963 |
|6 |Rutherford Reagan|10-12-2008|356 San Yaidro Blvd |Carson City |2432 |
|7 |Dwight Hayes |21-03-2007|114 Jean de la Fontaine|Providence |7431 |
|8 |Dwight Taft |18-08-2007|326 Via Real |Helena |8807 |
|-----+-----+-----+-----+-----+

[statistics] disconnected
Job MergeData ended at 10:55 01/04/2011. [exit code=0]

```

# tSQLTemplateRollback



## tSQLTemplateRollback properties

This component is closely related to **tSQLTemplateCommit** and to the ELT connection component relative to the database you work with. **tSQLTemplateRollback**, **tSQLTemplateCommit** and the ELT database connection component are usually used together in a transaction.

<b>Component family</b>	ELT/SQLTemplate	
<b>Function</b>	<b>tSQLTemplateRollback</b> cancels the transaction committed in the database you connect to.	
<b>Purpose</b>	To avoid committing transactions accidentally.	
<b>Basic settings</b>	<i>Database Type</i>	Select the database type you want to connect to from the list.
	<i>Component List</i>	Select the ELT database connection component in the list if more than one connection is planned for the current Job.
	<i>Close Connection</i>	Clear this check box to continue to use the selected connection once the component has performed its task.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>SQL Template</b>	<i>SQL Template List</i>	<p><b>To add a default system SQL template:</b> Click the <b>Add</b> button to add the default system SQL template(s) in the <b>SQL Template List</b>.</p> <p>Click in the SQL template field and then click the arrow to display the system SQL template list. Select the desired system SQL template provided by Talend.</p> <p><b>Note:</b> You can create your own SQL template and add them to the <b>SQL Template List</b>.</p> <p><b>To create a user-defined SQL template:</b></p> <ul style="list-style-type: none"> <li>-Select a system template from the <b>SQL Template list</b> and click on its code in the code box. You will be prompted by the system to create a new template.</li> <li>-Click <b>Yes</b> to open the SQL template wizard.</li> <li>-Define your new SQL template in the corresponding fields and click <b>Finish</b> to close the wizard. An SQL template editor opens where you can enter the template code.</li> <li>-Click the <b>Add</b> button to add the new created template to the <b>SQL Template list</b>.</li> </ul> <p>For more information, see <i>Talend Open Studio for Big Data User Guide</i>.</p>

<b>Usage</b>	This component is to be used with ELT components, especially with <b>tSQLTemplateCommit</b> and the relevant database connection component.
<b>Limitation</b>	n/a

## Related scenarios

For a **tSQLTemplateRollback** related scenario, see [the section called “Scenario: Filtering and aggregating table columns directly on the DBMS”](#).



# ESB components

This chapter details the main components that you can find in the **ESB** family of the *Talend Open Studio for Big Data Palette*.

The ESB component family groups together the components dedicated to ESB related tasks.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tESBConsumer



## tESBConsumer properties


<b>Component family</b>	ESB/Web Services	
<b>Function</b>	Calls the defined method from the invoked Web service and returns the class as defined, based on the given parameters.	
<b>Purpose</b>	Invokes a Method through a Web service.	
<b>Basic settings</b>	<i>Property Type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Service configuration</i>	Description of Web service bindings and configuration. The <b>Endpoint</b> field gets filled in automatically upon completion of the service configuration.
	<i>Connection out(second) time</i>	Set a value in seconds for Web service connection time out.
	<i>Receive out(second) time</i>	Set a value in seconds for server answer.
	<i>Input Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . Click <b>Edit schema</b> to make changes to the schema. Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Response Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . Click <b>Edit schema</b> to make changes to the schema.
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Fault Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> . Click <b>Edit schema</b> to make changes to the schema.
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .

	<i>ESB Service Settings</i>	<b>Use Service Locator:</b> Maintains the availability of the service to help meet demands and service level agreements (SLAs).
		<b>Use Service Activity Monitor:</b> Captures events and stores this information to facilitate in-depth analysis of service activity and track-and-trace of messages throughout a business transaction. This can be used to analyze service response times, identify traffic patterns, perform root cause analysis and more.
		<b>Use Authentication:</b> Select this check box to enable the authentication option. Select from <b>Basic HTTP</b> , <b>SAML Token (ESB runtime only)</b> and <b>Username Token</b> . Enter a username and a password in the corresponding fields as required. Authentication with the username token works both from the studio and at runtime. Authentication with the SAML token works at runtime only.
	<i>Use http proxy/Proxy host, Proxy port, Proxy user, and Proxy password</i>	Select this check box if you are using a proxy server and fill in the necessary information.
	<i>Trust server with SSL/TrustStore file and TrustStore password</i>	Select this check box to validate the server certificate to the client via an SSL protocol and fill in the corresponding fields:  <b>TrustStore file:</b> Enter the path (including filename) to the certificate TrustStore file that contains the list of certificates that the client trusts.  <b>TrustStore password:</b> Enter the password used to check the integrity of the TrustStore data.
	<i>Mapping links display as</i>	<b>Auto:</b> By default, the links between the input and output schemas and the Web service parameters are in the form of curves.  <b>Curves:</b> Links between the schema and the Web service parameters are in the form of curves.  <b>Lines (fast):</b> Links between the schema and the Web service parameters are in the form of straight lines. This option slightly optimizes performance.
	<i>Die on error</i>	Select this check box to kill the Job when an error occurs.
<b>Advanced settings</b>	<i>Service Locator Custom Properties</i>	This table appears when <b>Use Service Locator</b> is selected. You can add as many lines as needed in the table to customize the relevant properties. Enter the name and the value of each property between double quotation marks in the <b>Property Name</b> field and the <b>Property Value</b> field respectively.
	<i>Service Activity Custom Properties</i>	This table appears when <b>Use Service Activity Monitor</b> is selected. You can add as many lines as needed in the table to customize the relevant properties. Enter the name and the value of each property between double quotation marks in the <b>Property Name</b> field and the <b>Property Value</b> field respectively.

	<i>Temporary folder (for wsdl2java)</i>	Set or browse to a temporary folder that you configured in order to store the WSDL files.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component can be used as an intermediate component. It requires to be linked to an output component.	
<b>Limitation</b>	A JDK is required for this component to operate.	

## Scenario: Returning valid email

This scenario describes a Job that uses a **tESBConsumer** component to retrieve the valid email.




## Dropping and linking the components

1. Drop the following components from the **Palette** onto the design workspace: a **tFixedFlowInput**, a **tXMLMap**, a **tESBConsumer**, and two **tLogRow** components.
2. Right-click the **tFixedFlowInput** component, select **Row > Main** from the contextual menu and click the **tXMLMap** component.
3. Right-click the **tXMLMap** component, select **Row > \*New Output\* (Main)** from the contextual menu and click the **tESBConsumer** component. Enter *payload* in the popup dialog box to name this row and accept the propagation that prompts you to get the schema from the **tESBConsumer** component.
4. Right-click the **tESBConsumer** component, select **Row > Response** from the contextual menu and click one of the **tLogRow** component.
5. Right-click the **tESBConsumer** component again, select **Row > Fault** from the contextual menu and click the other **tLogRow** component.


## Configuring the components

### Configuring the tFixedFlowInput component

1. Double-click the **tFixedFlowInput** component to open its **Basic settings** view in the **Component** tab.



- Click the three-dot button next to **Edit Schema**. In the schema dialog box, click the plus button to add a new line of **String** type and name it *payloadString*. Click **OK** to close the dialog box.




- In the **Number of rows** field, set the number of rows as *1*.
- In the **Mode** area, select **Use Single Table** and input the following request in double quotation marks into the **Value** field:

nomatter@gmail.com

## Configuring the tXMLMap component


- In the design workspace, double-click the **tXMLMap** component to open the **Map Editor**.
- In the output table, right-click the root node and select **Rename** from the contextual menu. Enter *IsValidEmail* in the dialog box that appears.
- Right-click the *IsValidEmail* node and select **Set A Namespace** from the contextual menu. Enter *http://www.webservicex.net* in the dialog box that appears.
- Right-click the *IsValidEmail* node again and select **Create Sub-Element** from the contextual menu. Enter *Email* in the dialog box that appears.
- Right-click the *Email* node and select **As loop element** from the contextual menu.
- Click the *payloadString* node in the input table and drop it to the **Expression** column in the row of the *Email* node in the output table.




7. Click **OK** to validate the mapping and close the **Map Editor**.

## Configuring the tESBConsumer component

1. In the design workspace, double-click the **tESBConsumer** component to open its **Basic settings** view in the **Component** tab.



2. Click the three-dot button next to **Service configuration**.



3. In the dialog box that appears, type in: `http://www.websvcicex.net/ValidateEmail.asmx?WSDL` in the **WSDL** field and click the refresh button to retrieve port name and operation name. In the **Port Name** list, select the port you want to use, `ValidateEmailSoap` in this example. Click **OK** to validate your settings and close the dialog box.


4. Set the **Input Schema** as follows:



5. Set the **Response Schema** as follows:




6. Set the **Fault Schema** as follows:




## Configuring the tLogRow components


1. In the design workspace, double-click the **tLogRow** component that monitors the fault message to display its **Basic settings** view in the **Component** tab.



- Click the three-dot button next to **Edit Schema** and define the schema as follows:



- In the design workspace, double-click the **tLogRow** component that monitors the response message to display its **Basic settings** view in the **Component** tab.



- Click the three-dot button next to **Edit Schema** and define the schema as follows:






5. Press **Ctrl+S** to save your Job.

## Executing the Job

Click the **Run** view to display it and click the **Run** button to launch the execution of your Job. You can also press **F6** to execute it. In the execution log you will see:



# tESBProviderFault



This component is relevant only when used with the **ESB** version of the Studio, as it should be used with the **Service Repository** node and the **Data Service** creation related wizard(s).

## tESBProviderFault properties


<b>Component family</b>	ESB/Web Services	
<b>Function</b>	Serves a Talend Job cycle result as a Fault message of the Web service in case of a request response communication style.	
<b>Purpose</b>	Acts as Fault message of the Web Service response at the end of a Talend Job cycle.	
<b>Basic settings</b>	<i>Schema</i> and <i>Edit schema</i>	<p>A schema is a row description, i.e. it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p> <p><b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>EBS service settings/fault title</i>	Value of the faultString in the Fault message.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component should only be used with the <b>tESBProviderRequest</b> component.	
<b>Limitation</b>	A JDK is required for this component to operate.	

## Scenario: Returning Fault message


The Jobs, which are built upon the components under the ESB/Web Services family, act as the implementations of web services defined in the **Services** node of the **Repository**. They require the creation of and association with relevant services. For more information about services, see the related topics in the *Talend Open Studio for Big Data User Guide*.

In this scenario, a provider Job and a consumer Job are needed. In the meantime, the related service should already exist in the **Services** node, with the WSDL URI being *http://127.0.0.1:8088/esb/provider/?WSDL*, the port name being *LOCAL\_providerSoapBinding* and the operation being *invoke(anyType):anyType*.


The provider Job consists of a **tESBProviderRequest**, a **tESBProviderFault**, a **tXMLMap**, and two **tLogRow** components.



- From the **Palette**, drop a **tESBProviderRequest**, a **tESBProviderFault**, a **tXMLMap**, and two **tLogRow** onto the design workspace.
- Double-click **tESBProviderRequest\_1** to display its **Component** view and set its **Basic settings**.




- Select **Repository** from the **Property Type** list and click the three-dot button to choose the service, to the granularity of port name and operation.



- Click **OK**.
- Click the three-dot button next to **Edit schema** to view the schema of **tESBProviderRequest\_1**.

Column	Key	Type	N...	Date Patter...	Length	Preci...	De...	Com.
payload	<input type="checkbox"/>	Document	<input checked="" type="checkbox"/>			0		


- Connect **tESBProviderRequest\_1** to **tLogRow\_1**.
- Double-click the **tLogRow\_1** to display its **Component** view and set its **Basic settings**.




- Click the three-dot button next to the **Edit schema** and define the schema as follow.



- Connect **tLogRow\_1** to **tXMLMap\_1**.
- Connect **tXMLMap\_1** to **tLogRow\_2** and name this row as *payload*.
- Double-click **tXMLMap\_1** to open the **Map Editor**.
- In the left table, right-click *root* to open the contextual menu.
- From the contextual menu, select **Create Sub-Element** and type in *request* in the popup dialog box.
- Repeat this operation to create a sub-element *response* of the *root* node in the output table.
- Right-click the *request* node in the input table and select **As loop element** from the contextual menu.
- Click the *request* node in the input table and drop it to the **Expression** column in the row of the *response* node in the output table.
- Click **OK** to validate the mapping and close the **Map Editor**.




- In the design workspace, double-click **tLogRow\_2** to display its **Component** view and set its **Basic settings**.




- Click the three-dot button next to the **Edit schema** and define the schema as follow.



- Connect **tLogRow\_2** to **tESBProviderFault\_1**.
- In the design workspace, double-click **tESBProviderFault\_1** to display its **Component** view and set its **Basic settings**.




- Click the three-dot button next to the **Edit schema** and define the schema as follow.




- The Job can be run without errors.


The consumer Job consists of a **tFixedFlowInput**, a **tXMLMap**, a **tESBConsumer**, and two **tLogRow** components.




- From the **Palette**, drop a **tFixedFlowInput**, a **tXMLMap**, a **tESBConsumer**, and two **tLogRow** components onto the design workspace.
- Double-click **tFixedFlowInput\_1** to display its **Component** view and set its **Basic settings**.



- Click the three-dot button next to **Edit schema**.



- Click the plus button to add a new line of string type and name it *payloadString*.
- Click **OK**.
- In the **Mode** area, select **Use Single Table** and input `Test error` in quotations into the **Value** field.
- Connect **tFixedFlowInput\_1** to **tXMLMap\_1**.
- Connect **tXMLMap\_1** to **tESBConsumer\_1** and name this row as *payload*.
- In the design workspace, double-click **tXMLMap\_1** to open the **Map Editor**.
- On the lower right part of the map editor, click the plus button to add one row to the *payload* table and name this row as *payload*.
- In the **Type** column of this *payload* row, select **Document** as the data type. The corresponding XML root is added automatically to the table on the right side which represents the output flow.
- In the *payload* table, right-click *root* to open the contextual menu.
- From the contextual menu, select **Create Sub-Element** and type in *request* in the popup dialog box.
- Right-click the *request* node and select **As loop element** from the contextual menu.
- Click the *payloadstring* node in the input table and drop it to the **Expression** column in the row of the *request* node in the output table.
- Click **OK** to validate the mapping and close the **Map Editor**.




- Start the provider Job. In the executing log you can see:

```

...
web service [endpoint: http://127.0.0.1:8088/esb/provider] published
...


```

- On the **tESBConsumer\_1 Component** view of the consumer Job, click the three-dot button next to the **Service Configuration** to open the editor.



- In the **WSDL** field, type in: `http://127.0.0.1:8088/esb/provider/?WSDL`.
- Click the Refresh button to retrieve port name and operation name.







- Click **OK**.
- In the **Basic settings** of the **tESBConsumer\_1** component, set the **Input schema** as follow:




- Set the **Response schema** as follow:




- Set the **Fault schema** as follow:




- Connect **tESBConsumer\_1** to **tLogRow\_1** and **tLogRow\_2**.
- Stop the provider Job.
- In the consumer Job, double-click **tLogRow\_1** to display its **Component** view and set its **Basic settings**.



- Click the three-dot button next to **Edit schema** and define the schema as follow:



- In the design workspace, double-click **tLogRow\_2** to display its **Component** view and set its **Basic settings**.



- Click the three-dot button next to **Edit schema** and define the schema as follow:



- The Job can be run without errors.
- Run the provider Job. In the execution log you will see:

```

...
2011-04-19 15:38:33.486:INFO::jetty-7.2.2.v20101205
2011-04-19 15:38:33.721:INFO::Started
SelectChannelConnector@127.0.0.1:8088

```

```
web service [endpoint: http://127.0.0.1:8088/esb/provider] published
```

- Run the consumer Job. In the execution log of the Job you will see:

```
Starting job consumer at 15:39 19/04/2011.

[statistics] connecting to socket on port 3850
[statistics] connected
LOCAL_provider
LOCAL_providerSoapBinding
|
{http://talend.org/esb/service/job}LOCAL_provider
{http://talend.org/esb/service/job}LOCAL_providerSoapBinding
invoke
[tLogRow_1] faultString: TestFaultTitle [tESBProviderFault_1]
faultDetail: <?xml version="1.0" encoding="UTF-8"?>
<response xmlns="http://talend.org/esb/service/job">Fault message
text: Test error!</response>
[statistics] disconnected
Job consumer ended at 15:39 19/04/2011. [exit code=0]
```

- In the provider's log you will see the exception trace log:

```
...
WARNING: Application {http://talend.org/esb/service/
job}LOCAL_provider#{http://talend.org/esb/service/job}invoke
has thrown exception, unwinding now
org.apache.cxf.binding.soap.SoapFault: TestFaultTitle
[tESBProviderFault_1]
...
```

It is expected because the Fault message is generated.

# tESBProviderRequest



This component is relevant only when used with the **ESB** version of the Studio, as it should be used with the **Service Repository** node and the **Data Service** creation related wizard(s).

## tESBProviderRequest properties


<b>Component family</b>	ESB/Web Services	
<b>Function</b>	Wraps Talend Job as web service.	
<b>Purpose</b>	Waits for a request message from a consumer and passes it to the next component.	
<b>Basic settings</b>	<i>Property Type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No WSDL file is configured for the job.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e. it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .  Click <b>Edit schema</b> to make changes to the schema.
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Keep listening</i>	Check this box when you want to ensure that the provider (and therefore Talend Job) will continue listening for requests after processing the first incoming request.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component covers the possibility that a Talend Job can be wrapped as a service, with the ability to input a request to a service into a Job and return the Job result as a service response.  The <b>tESBProviderRequest</b> component should be used with the <b>tESBProviderResponse</b> component to provide a Job result as a response, in case of a request-response communication style.	
<b>Limitation</b>	A JDK is required for this component to operate.	

## Scenario: Service sending a message without expecting a response


The Jobs, which are built upon the components under the ESB/Web Services family, act as the implementations of web services defined in the **Services** node of the **Repository**. They require the creation of and association with relevant services. For more information about services, see the related topics in the *Talend Open Studio for Big Data User Guide*.

In this scenario, a provider Job and a consumer Job are needed. In the meantime, the related service should already exist in the **Services** node, with the WSDL URI being `http://127.0.0.1.8088/esb/provider/?WSDL`, the port name being `TEST_ProviderJobSoapBinding` and the operation being `invoke(anyType):anyType`.


The provider Job consists of a **tESBProviderRequest**, a **tXMLMap**, and two **tLogRow** components.




- Drop the following components from the **Palette** onto the design workspace: a **tESBProviderRequest**, a **tXMLMap**, and two **tLogRow**.
- Double-click **tESBProviderRequest\_1** in the design workspace to display its **Component** view and set its **Basic settings**.




- Select **Repository** from the **Property Type** list and click the three-dot button to choose the service, to the granularity of port name and operation.



- Click **OK**.
- Click the three-dot button next to **Edit schema** to view the schema of **tESBProviderRequest\_1**.



- Click **OK**.
- Connect **tESBProviderRequest\_1** to **tLogRow\_1**.
- Double-click **tLogRow\_1** in the design workspace to display its **Component** view and set its **Basic settings**.




- Click the three-dot button next to **Edit schema**, and define the schema as follow.




- Connect **tLogRow\_1** to **tXMLMap\_1**.
- Connect **tXMLMap\_1** to **tLogRow\_2** and name this row as *payload*.
- In the design workspace, double-click **tXMLMap\_1** to open the **Map Editor**.
- On the lower right part of the map editor, click the plus button to add one row to the *payload* table and name this row as *payload*.
- In the **Type** column of this *payload* row, select **Document** as the data type. The corresponding XML root is added automatically to the top table on the right side which represents the output flow.
- In the *payload* table, right-click *root* to open the contextual menu.
- From the contextual menu, select **Create Sub-Element** and type in *response* in the popup dialog box.
- Right-click the *response* node and select **As loop element** from the contextual menu.
- Repeat this operation to create a sub-element *request* of the *root* node in the input table and set the *request* node as loop element.


- Click the *request* node in the input table and drop it to the **Expression** column in the row of the *response* node in the output table.



- Click **OK** to validate the mapping and close the map editor.
- Double-click **tLogRow\_2** in the design workspace to display its **Component** view and set its **Basic settings**.




- Click the three-dot button next to **Edit Schema** and define the schema as follow.




- Save the Job.


The consumer Job consists of a **tFixedFlowInput**, a **tXMLMap**, a **tESBConsumer**, and two **tLogRow** components.



- Drop the following components from the **Palette** onto the design workspace: a **tFixedFlowInput**, a **tXMLMap**, a **tESBConsumer**, and two **tLogRow**.
- Double-click **tFixedFlowInput\_1** in the design workspace to display its **Component** view and set its **Basic settings**.




- Edit the schema of the **tFixedFlowInput\_1** component.



- Click the plus button to add a new line of string type and name it *payloadString*.
- Click **OK**.




- In the **Number of rows** field, set the number of rows as *1*.
- In the **Mode** area, select **Use Single Table** and input `world` in quotations into the **Value** field.
- Connect **tFixedFlowInput\_1** to **tXMLMap\_1**.
- Connect **tXMLMap\_1** to **tESBConsumer\_1** and name this row as *payload*.
- In the design workspace, double-click **tXMLMap\_1** to open the **Map Editor**.
- In the output table, right-click the *root* node to open the contextual menu.
- From the contextual menu, select **Create Sub-Element** and type in *request* in the popup dialog box.
- Right-click the *request* node and select **As loop element** from the contextual menu.
- Click the *payloadstring* node in the input table and drop it to the **Expression** column in the row of the *request* node in the output table.




- Click **OK** to validate the mapping and close the **Map Editor**.
- Start the Provider Job. In the executing log you can see:

```
...
web service [endpoint: http://127.0.0.1:8088/esb/provider] published
...
```

- In the **tESBConsumer\_1 Component** view, set its **Basic settings**.



- Click the three-dot button next to the **Service Configuration** to open the editor.



- In the **WSDL** field, type in: *http://127.0.0.1:8088/esb/provider?WSDL*.
- Click the Refresh button to retrieve port name and operation name.
- Click **OK**.


- In the **Basic settings** of the **tESBConsumer**, set the **Input Schema** as follow:




- Set the **Response Schema** as follow:




- Set the **Fault Schema** as follow:




- Connect **tESBConsumer\_1** to **tLogRow\_1** and **tLogRow\_2**.
- In the design workspace, double-click the **tLogRow\_1** component to display its **Component** view and set its **Basic settings**.



- Click the three-dot button next to **Edit Schema** and define the schema as follow:



- In the Job Design, double-click **tLogRow\_2** to display its **Component** view and set its **Basic settings**.



- Click the three-dot button next to **Edit Schema** and define the schema as follow.



- Save the Job.
- Run the provider Job. In the execution log you will see:

```
INFO: Setting the server's publish address to be http://127.0.0.1:8088/esb/provider
2011-04-21 14:14:36.793:INFO::jetty-7.2.2.v20101205
2011-04-21 14:14:37.856:INFO::Started
SelectChannelConnector@127.0.0.1:8088
web service [endpoint: http://127.0.0.1:8088/esb/provider] published
```

- Run the consumer Job. In the execution log of the Job you will see:

```
Starting job CallProvider at 14:15 21/04/2011.

[statistics] connecting to socket on port 3942
[statistics] connected
TEST_ESBProvider2
TEST_ESBProvider2SoapBinding
|
[tLogRow_2] payloadString: <request>world</request>
{http://talend.org/esb/service/job}TEST_ESBProvider2
{http://talend.org/esb/service/job}TEST_ESBProvider2SoapBinding
invoke
[tLogRow_1] payload: null
[statistics] disconnected
Job CallProvider2 ended at 14:16 21/04/2011. [exit code=0]
```

- In the provider's log you will see the trace log:

```
web service [endpoint: http://127.0.0.1:8088/esb/provider]
```

```
published
[tLogRow_1] payload: <?xml version="1.0" encoding="UTF-8"?>
<request>world</request>
world
[tLogRow_2] content: world
[tLogRow_3] payload: <?xml version="1.0" encoding="UTF-8"?>
<response xmlns="http://talend.org/esb/service/job">Hello, world!</
response>
web service [endpoint: http://127.0.0.1:8088/esb/provider] unpublished
[statistics] disconnected
Job ESBProvider2 ended at 14:16 21/04/2011. [exit code=0]
```

# tESBProviderResponse



This component is relevant only when used with the **ESB** version of the Studio, as it should be used with the **Service Repository** node and the **Data Service** creation related wizard(s).

## tESBProviderResponse properties


<b>Component family</b>	ESB/Web Services	
<b>Function</b>	Serves a Talend Job cycle result as a response message.	
<b>Purpose</b>	Acts as a service provider response builder at the end of each Talend Job cycle.	
<b>Basic settings</b>	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	The <b>tESBProviderResponse</b> component should only be used with the <b>tESBProviderRequest</b> component to provide a Job result as response for a web service provider, in case of a request-response communication style.	
<b>Limitation</b>	A JDK is required for this component to operate.	

## Scenario: Returning Hello world response


The Jobs, which are built upon the components under the ESB/Web Services family, act as the implementations of web services defined in the **Services** node of the **Repository**. They require the creation of and association with relevant services. For more information about services, see the related topics in the *Talend Open Studio for Big Data User Guide*.

In this scenario, a provider Job and a consumer Job are needed. In the meantime, the related service should already exist in the **Services** node, with the WSDL URI being `http://127.0.0.1:8088/esb/provider/?WSDL`, the port name being `TEST_ProviderJobSoapBinding` and the operation being `invoke(anyType):anyType`.


The provider Job consists of a **tESBProviderRequest**, a **tESBProviderResponse**, a **tXMLMap**, and two **tLogRow** components.




- Drop the following components from the **Palette** onto the design workspace: a **tESBProviderRequest**, a **tESBProviderResponse**, a **tXMLMap**, and two **tLogRow**.
- In the design workspace, double-click **tESBProviderRequest\_1** to display its **Component** view and set its **Basic settings**.



- Select **Repository** from the **Property Type** list and click the three-dot button to choose the service, to the granularity of port name and operation.




- Click **OK**.
- Click the three-dot button next to **Edit schema** to view its schema.




- Connect **tESBProviderRequest\_1** to **tLogRow\_1**.

- Double-click **tLogRow\_1** to display its **Component** view and set its **Basic settings**.




- Click the three-dot button next to **Edit schema** and define the schema as follow.




- Connect **tLogRow\_1** to **tXMLMap\_1**.
- Connect **tXMLMap\_1** to **tLogRow\_2** and name this row as *payload*.
- In the design workspace, double-click **tXMLMap\_1** to open the **Map Editor**.
- On the lower right part of the map editor, click the plus button to add one row to the *payload* table and name this row as *payload*.
- In the **Type** column of this *payload* row, select **Document** as the data type. The corresponding XML root is added automatically to the top table on the right side which represents the output flow.
- In the *payload* table, right-click *root* to open the contextual menu.
- From the contextual menu, select **Create Sub-Element** and type in *response* in the popup dialog box.
- Right-click the *response* node and select **As loop element** from the contextual menu.
- Repeat this operation to create a sub-element *request* of the *root* node in the input table and set the *request* node as loop element.
- Click the *request* node in the input table and drop it to the **Expression** column in the row of the *response* node in the output table.







- Click **OK** to validate the mapping and close the map editor.
- In the design workspace, double-click **tLogRow\_2** to display its **Component** view and set its **Basic settings**.




- Click the three-dot button next to **Edit schema** and define the schema as follow.



- Connect **tLogRow\_2** to **tESBProviderResponse\_1**.
- In the design workspace, double-click **tESBProviderResponse\_1** to open its **Component** view and set its **Basic settings**.




- Click the three-dot button next to **Edit schema** and define the schema as follow.




- Save the provider Job.


The consumer Job consists of a **tFixedFlowInput**, a **tXMLMap**, a **tESBConsumer**, and two **tLogRow** components.




- Drop the following components from the **Palette** onto the design workspace: a **tFixedFlowInput**, a **tXMLMap**, a **tESBConsumer**, and two **tLogRow**.
- Double-click **tFixedFlowInput\_1** in the design workspace to display its **Component** view and set its **Basic settings**.



- Click the three-dot button next to **Edit schema**.



- Click the plus button to add a new line of string type and name it *payloadString*.
- Click **OK**.
- In the **Number of rows** field, set the number of rows as *1*.
- In the **Mode** area, select **Use Single Table** and input `world` in quotations into the **Value** field.
- Connect **tFixedFlowInput** to **tXMLMap**.
- Connect **tXMLMap** to **tESBConsumer** and name this row as *payload*.
- In the design workspace, double-click **tXMLMap\_1** to open the **Map Editor**.
- In the *payload* table, right-click *root* to open the contextual menu.
- From the contextual menu, select **Create Sub-Element** and type in *request* in the popup dialog box.
- Right-click the *request* node and select **As loop element** from the contextual menu.
- Click the *payloadstring* node in the input table and drop it to the **Expression** column in the row of the *request* node in the output table.




- Click **OK** to validate the mapping and close the **Map Editor**.
- Start the Provider Job. In the executing log you can see:


```
...
web service [endpoint: http://127.0.0.1:8088/esb/provider] published
```

...

- In the **tESBConsumer\_1 Component** view, set its **Basic settings**.




- Click the three-dot button next to the **Service Configuration** to open the editor.




- In the **WSDL** field, type in: *http://127.0.0.1:8088/esb/provider/?WSDL*


- Click the Refresh button to retrieve port name and operation name.
- Click **OK**.
- In the **Basic settings** of the **tESBConsumer**, set the **Input Schema** as follow:




- Set the **Response Schema** as follow:




- Set the **Fault Schema** as follow:




- Connect **tESBConsumer\_1** to **tLogRow\_1** and **tLogRow\_2**.
- In the design workspace, double-click **tLogRow\_1** to display its **Component** view and set its **Basic settings**.



- Click the three-dot button next to **Edit Schema** and define the schema as follow.



- In the Job Design, double-click **tLogRow\_2** to display its **Component** view and set its **Basic settings**.



- Click the three-dot button next to **Edit Schema** and define the schema as follow:



- Save the consumer Job.
- Run the provider Job. In the execution log you will see:

```
2011-04-21 15:28:26.874:INFO::jetty-7.2.2.v20101205
2011-04-21 15:28:27.108:INFO::Started
SelectChannelConnector@127.0.0.1:8088
web service [endpoint: http://127.0.0.1:8088/esb/provider] published
```

- Run the consumer Job. In the execution log of the Job you will see:

```
Starting job CallProvider at 15:29 21/04/2011.

[statistics] connecting to socket on port 3690
[statistics] connected
TEST_ProviderJob
TEST_ProviderJobSoapBinding
|
{http://talend.org/esb/service/job}TEST_ProviderJob
{http://talend.org/esb/service/job}TEST_ProviderJobSoapBinding
invoke
[tLogRow_2] payload: <?xml version="1.0" encoding="UTF-8"?>
<response xmlns="http://talend.org/esb/service/job">Hello, world!</
response>
[statistics] disconnected
Job ConsumerJob ended at 15:29 21/04/2011. [exit code=0]
```

- In the provider's log you will see the trace log:

```
[tLogRow_1] payload: <?xml version="1.0" encoding="UTF-8"?>
<request>world</request>
world
[tLogRow_2] content: world
[tLogRow_3] payload: <?xml version="1.0" encoding="UTF-8"?>
<response xmlns="http://talend.org/esb/service/job">Hello, world!</
response>
web service [endpoint: http://127.0.0.1:8088/esb/provider] unpublished
[statistics] disconnected
Job ProviderJob ended at 15:29 21/04/2011. [exit code=0]
```



# tRESTRequest




## tRESTRequest properties



This component is only available in *Talend Open Studio for ESB*.


<b>Component family</b>	ESB/REST	
<b>Function</b>	<p><b>tRESTRequest</b> is a server-side component which accepts the HTTP and/or HTTPS requests from the clients and support GET, POST, PUT and DELETE HTTP methods.</p> <p> To enable the HTTPS support, you have to generate a keystore and add some HTTPS security configuration properties in the <i>org.ops4j.pax.web.cfg</i> file of your Runtime container before deploying the service on it. For more information, see the <i>Talend ESB Container Administration Guide</i>.</p>	
<b>Purpose</b>	This component allows you to receive GET/POST/PUT/DELETE requests from the clients on the server end.	
<b>Basic settings</b>	<i>REST Endpoint</i>	<p>Fill this field with the URI location where REST-ful web service will be accessible for requests.</p> <p> If you want your service to be available on both HTTP and HTTPS, fill the field with a relative path.</p>
	<i>REST API Mapping</i>	<p>Click the [+] button beneath the mapping table to add lines to specify HTTP request:</p> <p><b>Output Flow:</b> Click the [...] button to specify the name of an output flow and set the schema for that output flow in the dialog box afterwards.</p> <p>The schema is not mandatory, so if you do not need to pass additional parameters to the <b>tRESTRequest</b> component, you can leave the schema empty. However, you will have to populate the schema if you have URI Path parameters set in the <b>URI Pattern</b> field or if you need to add optional request parameters such as URI Query, HTTP Header or Form parameters, to the URI specified in the <b>REST Endpoint</b> field. If you specify URI parameters in the output flow schema, you might need to define what type of parameter it is in the <b>Comment</b> field of the schema. By default, if you leave the <b>Comment</b> field empty, the parameter is considered as a Path parameter. Below is a list of supported <b>Comment</b> values:</p> <ul style="list-style-type: none"> <li>• empty or <i>path</i> corresponds to the default @PathParam,</li> <li>• <i>query</i> corresponds to @QueryParam,</li> <li>• <i>form</i> corresponds to @FormParam,</li> <li>• <i>header</i> corresponds to @HeaderParam.</li> </ul>



		<p> We recommend you to set the default values of your optional parameters (Header, Query, Form). To do so, fill in the <b>Default</b> columns of the schema.</p> <p><b>HTTP Verb:</b> Select a HTTP method (GET/POST/PUT/DELETE) from the list.</p> <p><b>URI pattern:</b> Fill this field with REST-ful URIs that describe the resource.</p>
	<i>Use HTTP Basic Authentication</i>	Select this check box to enable the HTTP Basic authentication method for the current service.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	<p>This component covers the possibility that a <i>Talend Job</i> can be wrapped as a service, with the ability to input a request to a service into a Job and return the Job result as a service response.</p> <p>The <b>tRESTRequest</b> component should be used with the <b>tRESTResponse</b> component to provide a Job result as a response, in case of a request-response communication style.</p>	
<b>Limitation</b>	n/a	


## Scenario 1: REST service accepting a HTTP request and sending a response

This scenario describes the process of accepting an HTTP request from the client, processing it and sending the response back.



### Configuring the tRESTRequest component

1. Drop the following components from the **Palette** onto the design workspace: **tRESTRequest**, **tXMLMap** and **tRESTResponse**.
2. Double-click **tRESTRequest** in the design workspace to display its **Basic settings** view.




3. Fill the **REST Endpoint** field with the URI location where the REST-ful web service will be accessible for requests. For example, "http://192.168.0.235:8088/user".



If you want your service to be available on both HTTP and HTTPS, fill the field with a relative path. For example, if you type in "/test", your service will be available on both `http://<DefaultHTTPEndpointAddress>/test` and `https://<DefaultHTTPSEnpointAddress>/test`, provided that you have configured your Runtime container to support HTTPS. For more information, see the *Talend ESB Container Administration Guide*.

4. Click the [+] button to add one line in the **REST API Mapping** table.
5. Select the newly-added line and click the [...] button in the **Output Flow** column to add a schema for the output flow.

In this scenario, the output flow will be named as *GetOneUser*.




Then click the [+] button to add a new line *id* to the schema in the dialog box.


6. Click **OK** to save the schema.
7. Select **GET** from the list in the **HTTP Verb** column.
8. Fill the field in the **URI Pattern** column with "{id}/".

## Configuring the tXMLMap component

1. Connect **tRESTRequest** to **tXMLMap** using the **Row > GetOneUser** connection.
2. Double-click **tXMLMap** in the design workspace to open the **Map Editor**.




3. Click the [+] button on the top right to add an output and name it as *ResponseUsers*.
4. Click the [+] button on the bottom right to add two columns for the output.  
Name the first column as *body* and set the **Type** to **Document**.  
Name the second column as *string* and set the **Type** to **String**.
5. Right-click on the node **root** and select **Create Sub-Element** to create a sub-element.




Name the sub-element as *foo* in the popup dialog box.

6. Right-click on the *foo* node created in the previous step and select **As loop element**.




7. Select the *id* column of the *GetOneUser* table to the left and drop it onto the **Expression** field of the *foo* node of the *ResponseUsers* table to the right.



8. Click **OK** to save the settings.

## Configuring the tRESTRestResponse component

1. Connect **tXMLMap** to **tRESTRestResponse** using **Row > ResponseUsers** connection.
2. Click **Sync columns** to retrieve the schema defined in the preceding component.



3. Select **OK(200)** from the **Return status code** list.
4. Leave the rest of the settings as they are.


## Saving and executing the Job

1. Save the Job and press **F6** to execute it.

```
Starting job tRESTResponse at 16:33 29/12/2011.

[statistics] connecting to socket on port 4031
[statistics] connected
Dec 29, 2011 4:33:10 PM org.apache.cxf.endpoint.ServerImpl
initDestination
INFO: Setting the server's publish address to be
http://192.168.0.235:8088/user
2011-12-29 16:33:10.859:INFO:oejs.Server:jetty-7.5.3.v20111011
2011-12-29 16:33:10.968:INFO:oejs.AbstractConnector:Started
SelectChannelConnector@192.168.0.235:8088 STARTING
2011-12-29 16:33:11.000:INFO:oejsh.ContextHandler:started
o.e.j.s.h.ContextHandler{,null}
rest service [endpoint: http://192.168.0.235:8088/user] published
```

2. Go to your browser if you want to test the service.




The HTTP request for a user id is accepted by the REST service and the HTTP response is sent back to the server.

## Scenario 2: Using URI Query parameters to explore the data of a database

This scenario describes how to use URI query parameters in **tRESTRRequest** to explore data of a database, and send the response via the **tRESTRResponse**.


To do so, you can create two subjobs linked together by an **OnSubjobOk** connection; this way the two subjobs will be executed sequentially. For more information on Trigger connection, see the *Talend Open Studio for Big Data User Guide*. The first subjob will create and populate the database and the second one will allow to explore the database through the REST service.




## Creating the first subjob

To do this, proceed as follows:

1. Drop the following components from the **Palette** onto the design workspace: **tFixedFlowInput** from the **Misc** family and **tMysqlOutput** from the **Databases > Mysql** family.
2. Link **tFixedFlowInput** to **tMysqlOutput** using a **Row > Main** connection.
3. Double-click **tFixedFlowInput** to display its **Basic settings** view:




4. Click the [...] button next to **Edit schema** to open the schema editor.



5. In the schema editor, click the [+] button three times to add three lines and set them as displayed in the above screenshot.
6. Click **Ok**.
7. Back to **tFixedFlowInput Basic settings** view, in the **Mode** area, select the **Use inline table** option.
8. Under the inline table, click the [+] button three times to add three rows in the table.
9. In the inline table, click the *id* field of the first row and type in *1*.

10. Click the *firstname* field of the first row, press **Ctrl+Space** to display the autocompletion list and select the **TalendDataGenerator.getFirstName()** variable in the list.
11. Click the *lastname* field of the first row, press **Ctrl+Space** to display the autocompletion list and select the **TalendDataGenerator.getLastName()** variable in the list.
12. Do the same for the two following rows to obtain the settings displayed in the screenshot.
13. Double-click **tMySQLOutput** to display its **Basic settings** view:



14. From the **Property Type** list, leave **Built-in** and fill in the **Host**, **Port**, **Database**, **Username** and **Password** fields manually. If you centralized your connection information to the database in the **Metadata > DB Connections** node of the **Repository**, you can select **Repository** from the list and the fields will be automatically filled in.

For more information about storing metadata, see *Talend Open Studio for Big Data User guide*.

15. In the **Table** field, type in the name of the table in which the data will be loaded, for example: *users*.
16. From the **Action on table** list, select **Drop table if exists and create**, select **Insert** from the **Action on data** list.
17. Click **Sync columns** to retrieve the schema coming from the previous component.

## Creating the second subjob


To do this, proceed as follows:

- Drop and place the following components as displayed in the first screenshot:
  - **tRESTRRequest** and **tRESTRResponse** from the **ESB > REST** family,
  - **tFlowToIterate** from the **Orchestration** family,
  - **tMySQLInput** from the **Databases > Mysql** family,
  - **tXMLMap** from the **Processing** family.


## Configuring the tRESTRequest component

To do this, proceed as follows:

1. Double-click **tRESTRequest** in the design workspace to display its **Basic settings** view:



2. Fill the **REST Endpoint** field with the URI location where the REST-ful web service will be accessible for requests. For example, `"http://localhost:8088/users"`.
3. Click the **[+]** button to add one line in the **REST API Mapping** table.
4. Select the newly-added line and click the **[...]** button in the **Output Flow** column to add a schema for the output flow.
5. In the dialog box, name the output flow `getUsers`. A schema editor dialog box appears.



6. In the schema editor, click the **[+]** button twice to add two lines and set them as displayed in the above screenshot.
7. Click **OK**.
8. Back to **tRESTRequest Basic settings** view, select **GET** from the list in the **HTTP Verb** column.
9. Leave the **URI Pattern** column as is.

Now that you created the **tRESTRequest** output flow, you can use the corresponding link to connect to the following component:




1. Connect **tRESTRequest** to **tFlowToIterate** using **Row > getUsers** connection.
2. Leave the **tFlowToIterate** settings as is.
3. Connect **tFlowToIterate** to **tMySQLInput** using **Row > Iterate** connection.

## Configuring the tMySQLInput component

To do this, proceed as follows:

1. Double-click **tMySQLInput** to display its **Basic settings** view:



2. From the **Property Type** list, leave **Built-in** and fill in the **Host**, **Port**, **Database**, **Username** and **Password** fields manually. If you centralized your connection information to the database in the **Metadata > DB Connections** node of the **Repository**, you can select **Repository** from the list and the fields will be automatically filled in.

For more information about storing metadata, see *Talend Open Studio for Big Data User guide*.


3. Leave the **Schema** list as **Built-in** and click the [...] button next to the **Edit schema** field.
4. In the schema editor, define the schema exactly like the one of the **tFixedFlowInput**.
5. In the **Table Name** field, fill in the name of the table in which the data are stored: *users*.
6. Leave the **Query Type** list as **Built-in** and fill in the **Query** field with the following SQL query allowing to explore the database data with the URI query set in the **tRESTRequest** component:

```
"select * from users where id >= " + globalMap.get("getUsers.from") + "
and id <= " + globalMap.get("getUsers.to")
```


## Configuring the tXMLMap component

1. Right-click **tMySQLInput**, hold and drag to **tXMLMap** to connect the two components together.

- Double-click **tXMLMap** in the design workspace to open the **Map Editor**.




- Click the [+ ] button on the top right to add an output and name it as *ResponseUsers*.
- Click the [+ ] button on the bottom right to add two columns for the output.  
Name the first column as *body* and set the **Type** to **Document**.  
Name the second column as *string* and set the **Type** to **String**.
- Right-click on the **root** node, select **Rename** in the list and rename it *users*
- Right-click on the **root** node and select **Create Sub-Element** to create a sub-element.




Name the sub-element *user* in the popup dialog box.


- Right-click on the *user* node created in the previous step and select **As loop element**.




8. Select the *id* column of the *row2* table to the left and drop it onto the *user* node of the *ResponseUsers* table to the right.



9. In the [Selection] dialog box, select the **Create as attribute of target node** option and click **OK**.
10. Select the *firstname* and *lastname* columns of the *row2* table to the left and drop it onto the *user* node of the *ResponseUsers* table to the right.




11. In the [Selection] dialog box, select the **Create as sub-element of target node** option and click **OK**.
12. Click the wrench icon on the top of the *ResponseUsers* table to open the setting panel.



13. Set the **All in one** feature as **true**, this way all XML data is outputted in one single flow.
14. Click **OK** to save the settings.

## Configuring the tRESTResponse component

1. Connect **tXMLMap** to **tRESTResponse** using **Row > ResponseUsers** connection.
2. Double-click **tRESTResponse** in the design workspace to display its **Basic settings** view.



3. Click **Sync columns** to retrieve the schema defined in the preceding component.
4. Leave the other settings as they are.

## Connecting the two subjobs

Now that the two subjobs are created, you can connect them together:

1. Right-click the **tFixedFlowInput** component of the first subjob.

2. Select **Trigger > OnSubjobOk** on the list.
3. Click the **tRESTRequest** component of the second subjob.

This way, when executing the job, the second subjob will be executed only if the first one's execution succeeded.

## Saving and executing the Job


1. Save the Job and press **F6** to execute it.

```
Starting job RESTtest at 18:24 29/03/2012.

[statistics] connecting to socket on port 3532
[statistics] connected
Mar 29, 2012 6:24:39 PM org.apache.cxf.endpoint.ServerImpl
initDestination
INFO: Setting the server's publish address to be
http://localhost:8088/users
2012-03-29 18:24:39.711:INFO:oejs.Server:jetty-7.5.4.v20111024
2012-03-29 18:24:39.749:INFO:oejs.AbstractConnector:Started
SelectChannelConnector@localhost:8088 STARTING
2012-03-29 18:24:39.787:INFO:oejsh.ContextHandler:started
o.e.j.s.h.ContextHandler{, null}
```

2. Go to your browser if you want to test the service.

For example, use the URI query `?to=2` to retrieve the data of the two first users.



```
Firefox
http://localhost:8088/users?to=2
This XML file does not appear to have any style
information associated with it. The document tree is
shown below.
- <users>
 - <user id="1">
 <firstname>George</firstname>
 <lastname>Ford</lastname>
 </user>
 - <user id="2">
 <firstname>Rutherford</firstname>
 <lastname>Coolidge</lastname>
 </user>
</users>
```

The HTTP request for a user id is accepted by the REST service and the HTTP response is sent back to the server.

# tRESTRResponse



## tRESTRResponse properties



This component is only available in *Talend Open Studio for ESB*.

<b>Component family</b>	ESB/REST	
<b>Function</b>	<p><b>tRestResponse</b> sends HTTP and/or HTTPS responses to the client end when receiving the HTTP and/or HTTPS requests.</p> <p> To enable the HTTPS support, you have to generate a keystore and add some HTTPS security configuration properties in the <i>org.ops4j.pax.web.cfg</i> file of your Runtime container. For more information, see the <i>Talend ESB Container Administration Guide</i>.</p>	
<b>Purpose</b>	This component allows you to return a specific HTTP status code to the client end as a response to the HTTP request.	
<b>Basic settings</b>	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>
		<b>Built-in:</b> The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Return status code</i>	Select a status code from the list to indicate the request status.
		<b>&lt;&lt;Custom&gt;&gt;</b> : This option allows you to customize the status code. Enter the status code of your choice in the field.
		<b>Bad Request (400)</b> : The request had bad syntax or was inherently impossible to be satisfied.
		<b>Internal Server Error (500)</b> : The server encountered an unexpected condition which prevented it from fulfilling the request.
		<b>OK (200)</b> : The request was fulfilled.
		<b>Resource Not Found (404)</b> : The server has not found anything matching the URI given.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component covers the possibility that a Talend Job can be wrapped as a service, with the ability to input a request to a service into a Job and return the Job result as a service response.	

---

	The <b>tRESTResponse</b> component should only be used with the <b>tRESTRRequest</b> component to provide a Job result as response for a web service provider, in case of a request-response communication style.
<b>Limitation</b>	In the schema of the <b>tRestResponse</b> component, the Document type column must be named <i>body</i> .

## Related scenario

For a scenario in which **tRESTResponse** is used, see [the section called “Scenario 1: REST service accepting a HTTP request and sending a response”](#).





# File components

This chapter details the main components that you can find in **File** family of the *Talend Open Studio for Big Data Palette*.

The File family groups together components that read and write data in all types of files, from the most popular to the most specific format (in the Input and Output subfamilies). In addition, the Management subfamily groups together File-dedicated components that perform various tasks on files, including unarchiving, deleting, copying, comparing files and so on.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

# tAdvancedFileOutputXML



**tAdvancedFileOutputXML** belongs to two component families: File and XML. For more information on **tAdvancedFileOutputXML**, see [the section called “tAdvancedFileOutputXML”](#).

# tApacheLogInput




## tApacheLogInput properties

<b>Component family</b>	File/Input	
<b>Function</b>	<b>tApacheLogInput</b> reads the access-log file for an Apache HTTP server.	
<b>Purpose</b>	<b>tApacheLogInput</b> helps to effectively manage the Apache HTTP Server,. It is necessary to get feedback about the activity and performance of the server as well as any problems that may be occurring.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.  In the context of <b>tApacheLogInput</b> usage, the schema is read-only.
		<b>Built-in:</b> You can create the schema and store it locally for this component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>File Name</i>	Name of the file and/or the variable to be processed.  Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Die on error</i>	Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can collect the rows on error using a <b>Row &gt; Reject</b> link.
<b>Advanced settings</b>	<i>Encoding</i>	Select the encoding type from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
<b>Usage</b>	<b>tApacheLogInput</b> can be used with other components or as a standalone component. It allows you to create a data flow using a <b>Row &gt; Main</b> connection, or to create a reject flow to filter specified data using a <b>Row &gt; Reject</b> connection. For an example of how to use these two links, see <a href="#">the section called “Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file”</a> .	
<b>Limitation</b>	n/a	


## Scenario: Reading an Apache access-log file

The following scenario creates a two-component Job, which aims at reading the access-log file for an Apache HTTP server and displaying the output in the **Run** log console.

1. Drop a **tApacheLogInput** component and a **tLogRow** component from the **Palette** onto the design workspace.
2. Right-click on the **tApacheLogInput** component and connect it to the **tLogRow** component using a **Main Row** link.



3. In the design workspace, select **tApacheLogInput**.
4. Click the **Component** tab to define the basic settings for **tApacheLogInput**.



5. If desired, click the **Edit schema** button to see the read-only columns.
6. In the **File Name** field, enter the file path or browse to the access-log file you want to read.
7. In the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information, see [the section called “tLogRow”](#)
8. Press **F6** to execute the Job.

```
Starting job apach at 12:11 01/09/2008.
194.84.172.4|-|-|27/May/2007|03:06:12|+0200|GET|/forum/index.php|HTTP/
1.0|200|19024|http://www.talendforge.org/forum/index.php|Mozilla/4.0
(compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322)
88.154.28.65|-|-|27/May/2007|05:44:21|+0200|GET|/bugs/view.php?id=205|
HTTP/1.0|200|19456|http://le-gall.net/pierrick/blog/|Mozilla/4.0
(compatible; MSIE 5.0; Windows 98)
72.9.105.42|-|-|27/May/2007|08:53:01|+0200|GET|/forum/register.php|HT
TP/1.0|200|21669|http://www.talendforge.org/register.php|Mozilla/4.0
(compatible; MSIE 7.0b; Windows NT 6.0)
76.171.68.99|-|-|27/May/2007|19:12:33|+0200|GET|/forum/login.php|HTTP/
1.0|200|17445|http://talendforge.org/login.php|Mozilla/4.0
(compatible; MSIE 6.0; Windows NT 5.1) Opera 7.54 [en]
Job apach ended at 12:11 01/09/2008. [exit code=0]
```

The log lines of the defined file are displayed on the console.

# tCreateTemporaryFile



## tCreateTemporaryFile properties


<b>Component family</b>	File/Management	
<b>Function</b>	<b>tCreateTemporaryFile</b> creates and manages temporary files.	
<b>Purpose</b>	<b>tCreateTemporaryFile</b> helps to create a temporary file and puts it in a defined directory. This component allows you to either keep the temporary file or delete it after Job execution.	
<b>Basic settings</b>	<i>Remove file when execution is over</i>	Select this check box to delete the temporary file after Job execution.
	<i>Use default temporary system directory</i>	Select this check box to create the file in the system's default temporary directory.
	<i>Directory</i>	Select this check box to create the temporary file .
	<i>Template</i>	Enter a name to the temporary file respecting the template.
	<i>Suffix</i>	Enter the filename extension to indicate the file format you want to give to the temporary file.
<b>Usage</b>	<b>tCreateTemporaryFile</b> provides the possibility to manage temporary files so that the memory can be freed for other ends and thus optimizes system performance.	
<b>Global Variables</b>		<p><b>Filepath:</b> Retrieves the path to where the file was created. This is available as an <b>After</b> variable.</p> <p>Returns a string.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Connections</b>		<p>Outgoing links (from one component to another):</p> <p><b>Trigger:</b> On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate.</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Limitation</b>	n/a	

## Scenario: Creating a temporary file and writing data in it

The following scenario describes a simple Job that creates an empty temporary file in a defined directory, writes data in it and deletes it after Job execution.


### Dropping and linking components

1. Drop the following components from the **Palette** onto the design workspace: **tCreate temporaryFile**, **tRowGenerator**, **tFileOutputDelimited**, **tFileInputDelimited** and **tLogRow**.
2. Connect **tCreateTemporaryFile** to **tRowGenerator** using a **SubjobOk** link.
3. Connect **tRowGenerator** to **tFileOutputDelimited** using a **Row Main** link.
4. Connect **tRowGenerator** to **tFileInputDelimited** using a **SubjobOk** link.
5. Connect **tFileInputDelimited** to **tLogRow** using a **Row Main** link.




### Configuring the components

1. In the design workspace, select **tCreateTemporaryFile**.
2. Click the **Component** tab to define the basic settings for **tCreateTemporaryFile**.




3. Select the **Remove file when execution is over** check box to delete the created temporary file when Job execution is over.
4. Click the three-dot button next to the **Directory** field to browse to the directory where temporary files will be stored, or enter the path manually.

5. In the **Template** field, enter a name for the temporary file respecting the template format.
6. In the **Suffix** field, enter a filename extension to indicate the file format you want to give to the temporary file.
7. In the design workspace, select **tRowGenerator** and click the **Component** tab to define its basic settings.




8. Set the **Schema** to **Built-In**.
9. Click the **Edit schema** three-dot button to define the data to pass on to the **tFileOutputDelimited** component, one column in this scenario, *value*.


Click **OK** to close the dialog box.



10. Click the **RowGenerator Editor** three-dot button to open the editor dialog box.




11. In the **Number of Rows for Rowgenerator** field, enter 5 to generate five rows and click **Ok** to close the dialog box.
12. In the design workspace, select **tFileOutputDelimited** and click the **Component** tab to define its basic settings.



13. Set **Property Type** to **Built-In**.
14. Click in the **File Name** field and use the **Ctrl+Space bar** combination to access the variable completion list. To output data in the created temporary file, select `tCreateTemporaryFile_1.FILEPATH` on the global variable list.
15. Set the row and field separators in their corresponding fields as needed.
16. Set **Schema** to **Built-In** and click **Sync columns** to synchronize input and output columns. Note that the row connection feeds automatically the output schema.

For more information about schema types, see *Talend Open Studio for Big Data User Guide*.

17. In the design workspace, select the **tFileInputDelimited** component.
18. Click the **Component** tab to define the basic settings of **tFileInputDelimited**.




19. Click in the **File Name** field and use the **Ctrl+Space bar** combination to access the variable completion list. To read data in the created temporary file, select `tCreateTemporaryFile_1.FILEPATH` on the global variable list.
20. Set the row and field separators in their corresponding fields as needed.
21. Set **Schema** to **Built in** and click **Edit schema** to define the data to pass on to the **tLogRow** component. The schema consists of one column here, *value*.

## Saving and executing the Job

1. Press **Ctrl+S** to save the Job.
2. Press **F6** to execute the Job or click the **Run** button of the **Run** tab.





```
Starting job tCreateTemporaryFile at 15:46 19/04/2010.
1
2
3
4
5
Job tCreateTemporaryFile ended at 15:46 19/04/2010. [exit code=0]
```

The temporary file is created in the defined directory during Job execution and the five generated rows are written in it. The temporary file is deleted when Job execution is over.

# tChangeFileEncoding




## tChangeFileEncoding Properties

<b>Component family</b>	File/Management	
<b>Function</b>	<b>tChangeFileEncoding</b> changes the encoding of a given file.	
<b>Purpose</b>	<b>tChangeFileEncoding</b> transforms the character encoding of a given file and generates a new file with the transformed character encoding.	
<b>Basic settings</b>	<i>Use Custom Input Encoding</i>	Select this check box to customize input encoding type. When it is selected, a list of input encoding types appears, allowing you to select an input encoding type or specify an input encoding type by selecting <b>CUSTOM</b> .
	<i>Encoding</i>	From this list of character encoding types, you can select one of the offered options or customize the character encoding by selecting <b>CUSTOM</b> and specifying a character encoding type.
	<i>Input File Name</i>	Path of the input file.
	<i>Output File Name</i>	Path of the output file.
<b>Usage</b>	This component can be used as standalone component.	
<b>Limitation</b>	n/a	


## Scenario: Transforming the character encoding of a file.

This Java scenario describes a very simple Job that transforms the character encoding of a text file and generates a new file with the new character encoding.


1. Drop a **tChangeFileEncoding** component onto the design workspace.



2. Double-click the **tChangeFileEncoding** component to display its **Basic settings** view.



3. Select **Use Custom Input Encoding** check box. Set the **Encoding** type to **GB2312**.
4. In the **Input File Name** field, enter the file path or browse to the input file.
5. In the **Output File Name** field, enter the file path or browse to the output file.
6. Select **CUSTOM** from the second **Encoding** list and enter *UTF-16* in the text field.
7. Press **F6** to execute the Job.




The encoding type of the file *in.txt* is transformed and *out.txt* is generated with the UTF-16 encoding type.

# tFileArchive



## tFileArchive properties


<b>Component Family</b>	File/Management	
<b>Function</b>	The <b>tFileArchive</b> zips one or several files according to the parameters defined and places the archive created in the directory selected.	
<b>Purpose</b>	This component zips one or several files for processing.	
<b>Basic settings</b>	<i>Directory</i>	Path where the zipped file will be created.  <b>Subdirectories:</b> Select this check box if the selected directory contains subfolders.
	<i>Archive file</i>	Destination path and name of the archive file.
	<i>Compress level</i>	Select the compression level you want to apply.  <b>Best:</b> the compression quality will be optimum, but the compression time will be long.  <b>Normal:</b> compression quality and time will be average.  <b>Fast:</b> compression will be fast, but quality will be lower.
	<i>All files</i>	Select this check box if you want all files in the directory to be zipped. Clear it to specify the file(s) you want to zip in the <b>Files</b> table.  <b>Filemask:</b> type in a file name or a file mask using a special character or a regular expression.
	<i>Create directory if not exists</i>	This check box is selected by default. It creates a destination folder for the output table if it does not already exist.
	<i>Encoding</i>	Select the encoding type from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.
	<i>Overwrite Existing Archive</i>	This check box is selected by default. This allows you to save an archive by replacing the existing one. But if you clear the check box, an error is reported, the replacement fails and the new archive cannot be saved.   When the replacement fails, the Job runs.
	<i>Encrypt files</i>	Select this check box if you want your archive to be password protected. The <b>Enter Password</b> text box appears to let you enter your password.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
<b>Usage</b>	This component must be used as a standalone component.	

<b>Global Variables</b>		<p><b>Archive File Path:</b> Retrieves the path to the archive file. This is available as an <b>After</b> variable.</p> <p>Returns a string.</p> <p><b>Archive File Name:</b> Retrieves the name of the archive file. This is available as an <b>After</b> variable.</p> <p>Returns a string.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Connections</b>		<p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main; Reject; Iterate.</p> <p><b>Trigger:</b> On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Main; Reject; Iterate.</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Limitation</b>	n/a	

## Scenario: Zip files using a tFileArchive

This scenario creates a Job with a unique component. It aims at zipping files and recording them in the selected directory.


1. Drop the **tFileArchive** component from the **Palette** onto the workspace.
2. Double-click it to display its **Component** view.



3. In the **Directory** field, click the [...] button, browse your directory and select the directory or the file you want to compress.
4. Select the **Subdirectories** check box if you want to include the subfolders and their files in the archive.
5. Then, set the **Archive file** field, by filling the destination path and the name of your archive file.
6. Select the **Create directory if not exists** check box if you do not have a destination directory yet and you want to create it.
7. In the **Compress level** list, select the compression level you want to apply to your archive. In this example, we use the **normal** level.
8. Clear the **All Files** check box if you only want to zip specific files.

All Files

Files



9. Add a row in the table by clicking the [+] button and click the name which appears. Between two star symbols (ie. \*RG\*), type part of the name of the file that you want to compress.
10. Press **F6** to execute your Job.

The **tFileArchive** has compressed the selected file(s) and created the folder in the selected directory.

# tFileCompare




## tFileCompare properties

<b>Component family</b>	File/Management	
<b>Function</b>	Compares two files and provides comparison data (based on a read-only schema)	
<b>Purpose</b>	Helps at controlling the data quality of files being processed.	
<b>Basic settings</b>	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .
	<i>File to compare</i>	Filepath to the file to be checked.
	<i>Reference file</i>	Filepath to the file, the comparison is based on.
	<i>If differences are detected, display If no difference detected, display</i>	Type in a message to be displayed in the <b>Run</b> console based on the result of the comparison.
	<i>Print to console</i>	Select this check box to display the message.
<b>Advanced settings</b>	<i>Encoding</i>	Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component can be used as standalone component but it is usually linked to an output component to gather the log data.	
<b>Global Variables</b>		<p><b>Difference:</b> Checks whether two files are identical or not. This is available as a <b>Flow</b> variable.</p> <p>Returns a boolean value:</p> <ul style="list-style-type: none"> <li>- true if the two files are identical.</li> <li>- false if there is a difference between them.</li> </ul> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Connections</b>		<p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main.</p> <p><b>Trigger:</b> On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p>


		<p><b>Row:</b> Main; Reject; Iterate.</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Limitation</b>	n/a	

## Scenario: Comparing unzipped files

This scenario describes a Job unarchiving a file and comparing it to a reference file to make sure it did not change. The output of the comparison is stored into a delimited file and a message displays in the console.




1. Drag and drop the following components: **tFileUnarchive**, **tFileCompare**, and **tFileOutputDelimited**.
2. Link the **tFileUnarchive** to the **tFileCompare** with **Iterate** connection.
3. Connect the **tFileCompare** to the output component, using a **Main** row link.
4. In the **tFileUnarchive** component **Basic settings**, fill in the path to the archive to unzip.
5. In the **Extraction Directory** field, fill in the destination folder for the unarchived file.
6. In the **tFileCompare Basic settings**, set the **File to compare**. Press *Ctrl+Space bar* to display the list of global variables. Select `$_globals{tFileUnarchive_1}{CURRENT_FILEPATH}` or `"((String)globalMap.get("tFileUnarchive_1_CURRENT_FILEPATH"))"` according to the language you work with, to fetch the file path from the **tFileUnarchive** component.



7. And set the **Reference file** to base the comparison on it.
8. In the messages fields, set the messages you want to see if the files differ or if the files are identical, for example: `"[job " + JobName + "] Files differ"`.
9. Select the **Print to Console** check box, for the message defined to display at the end of the execution.



10. The schema is read-only and contains standard information data. Click **Edit schema** to have a look to it.



11. Then set the output component as usual with semi-colon as data separators.
12. Save your Job and press **F6** to run it.

```
Starting job CompareFiles at 14:11 19/06/2007.
[job CompareFiles] Files differ
Job CompareFiles ended at 14:11 19/06/2007. [exit code=0]
```

The message set is displayed to the console and the output shows the schema information data.

```
|file;file_ref;moment;job;component;differ;message
C:\Input\Accounts\Sunnyvale_accounts_new.xls;C:/Input/sunnyvale_accounts.csv;
2007-06-19 14:11:59;CompareFiles;tFileCompare_1;1;[job CompareFiles] Files
differ
```

# tFileCopy




## tFileCopy Properties

<b>Component family</b>	File/Management	
<b>Function</b>	Copies a source file into a target directory and can remove the source file if required.	
<b>Purpose</b>	Helps to streamline processes by automating recurrent and tedious tasks such as copy.	
<b>Basic settings</b>	<i>File Name</i>	Path to the file to be copied or moved
	<i>Destination</i>	Path to the directory where the file is copied/moved to.
	<i>Remove source file</i>	Select this check box to move the file to the destination.
	<i>Replace existing file</i>	Select this check box to overwrite any existing file with the newly copied file.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component can be used as standalone component.	
<b>Global Variables</b>		<p><b>Destination File Name:</b> Retrieves the name of the destination file. This is available as an <b>After</b> variable.</p> <p>Returns a string.</p> <p><b>Destination File Path:</b> Retrieves the path to the destination file. This is available as an <b>After</b> variable.</p> <p>Returns a string.</p> <p><b>Source Directory:</b> Retrieves the path to the source directory. This is available as an <b>After</b> variable.</p> <p>Returns a string.</p> <p><b>Destination Directory:</b> Retrieves the path to the destination directory. This is available as an <b>After</b> variable.</p> <p>Returns a string.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Connections</b>		<p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main.</p>

		<p><b>Trigger:</b> On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Main; Reject; Iterate.</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Limitation</b>	n/a	

## Scenario: Restoring files from bin

This scenario describes a Job that iterates on a list of files, copies each file from the defined source directory to a target directory. It then removes the copied files from the source directory.



1. Drop a **tFileList** and a **tFileCopy** from the **Palette** to the design workspace.
2. Link both components using an **Iterate** link.
3. In the **tFileList Basic settings**, set the directory for the iteration loop.

**tFileList\_1**

Directory: "C:/Output/Bin"

Filemask: "\*.txt"

Case Sensitive: No

4. Set the **Filemask** to `"*.txt"` to catch all files with this extension. For this use case, the case is not sensitive.
5. Then select the **tFileCopy** to set its **Basic settings**.

**tFileCopy\_1**

File Name: `((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))*`

Destination: "C:/Input/PopYahoo\*"

Remove source file  Replace existing file

6. In the File Name field, press **Ctrl+Space** bar to access the list of variables.
7. Select the global variable `((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))`. All files from the source directory can be processed.
8. Select the **Remove Source file** check box to get rid of the file that have been copied.

9. Select the **Replace existing file** check box to overwrite any file possibly present in the destination directory.
10. Save your Job and press **F6**.

The files are copied onto the destination folder and are removed from the source folder.

# tFileDelete



## tFileDelete Properties


<b>Component family</b>	File/Management	
<b>Function</b>	Suppresses a file from a defined directory.	
<b>Purpose</b>	Helps to streamline processes by automating recurrent and tedious tasks such as delete.	
<b>Basic settings</b>	<i>File Name</i>	Path to the file to be deleted.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component can be used as standalone component.	
<b>Global Variables</b>		<p><b>Delete path:</b> Returns the path to the location from which the item was deleted. This is available as an <b>After</b> variable.</p> <p>Returns a string.</p> <p><b>Current Status:</b> Indicates whether an item has been deleted or not. This is available as a <b>Flow</b> variable.</p> <p>Returns a string and the delete command label.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Connections</b>		<p>Outgoing links (from one component to another):</p> <p><b>Row:</b> Main.</p> <p><b>Trigger:</b> On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Main; Reject; Iterate.</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Limitation</b>	n/a	

## Scenario: Deleting files


This very simple scenario describes a Job deleting files from a given directory.



1. Drop the following components: **tFileList**, **tFileDelete**, **tJava** from the **Palette** to the design workspace.
2. In the **tFileList Basic settings**, set the directory to loop on in the **Directory** field.



3. The filemask is `*.txt` and no case check is to carry out.
4. In the **tFileDelete Basic settings** panel, set the **File Name** field in order for the current file in selection in the **tFileList** component be deleted. This delete all files contained in the directory, as specified earlier.



5. press **Ctrl+Space bar** to access the list of global variables. In Java, the relevant variable to collect the current file is: `((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))`.
6. Then in the **tJava** component, define the message to be displayed in the standard output (Run console). In this Java use case, type in the Code field, the following script:
 

```
System.out.println(((String)globalMap.get("tFileList_1_CURRENT_FILE"))
+ " has been deleted!");
```
7. Then save your Job and press **F6** to run it.

```

Starting job FileDel at 18:29 20/06/2007.
16.txt has been deleted!
15.txt has been deleted!
14.txt has been deleted!
13.txt has been deleted!
12.txt has been deleted!
11.txt has been deleted!
10.txt has been deleted!
09.txt has been deleted!
08.txt has been deleted!
07.txt has been deleted!
06.txt has been deleted!
05.txt has been deleted!
04.txt has been deleted!
03.txt has been deleted!
02.txt has been deleted!
01.txt has been deleted!
Job FileDel ended at 18:29 20/06/2007. [exit code=0]

```

The message set in the **tJava** component displays in the log, for each file that has been deleted through the **tFileDelete** component.

# tFileExist



## tFileExist Properties


<b>Component family</b>	File/Management	
<b>Function</b>	<b>tFileExist</b> checks if a file exists or not.	
<b>Purpose</b>	<b>tFileExists</b> helps to streamline processes by automating recurrent and tedious tasks such as checking if a file exists.	
<b>Basic settings</b>	<i>File Name</i>	Path to the file you want to check if it exists or not.
<b>Advanced settings</b>	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	This component can be used as standalone component.	
<b>Global Variables</b>		<p><b>Exists:</b> Indicates whether a specified file exists or not. This is available as a <b>Flow</b> variable</p> <p>Returns a boolean value:</p> <ul style="list-style-type: none"> <li>- true if the file exists.</li> <li>- false if the file does not exist.</li> </ul> <p><b>File Name:</b> Retrieves the name and path to a file. This is available as an <b>After</b> variable.</p> <p>Returns a string.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Connections</b>		<p>Outgoing links (from one component to another):</p> <p><b>Trigger:</b> On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p><b>Row:</b> Iterate.</p> <p><b>Trigger:</b> Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<b>Limitation</b>	n/a	

## Scenario: Checking for the presence of a file and creating it if it does not exist

This scenario describes a simple Job that: checks if a given file exists, displays a graphical message to confirm that the file does not exist, reads the input data in another given file and writes it in an output delimited file.

### Dropping and linking the components


1. Drop the following components from the **Palette** onto the design workspace: **tFileExist**, **tFileInputDelimited**, **tFileOutputDelimited**, and **tMsgBox**.
2. Connect **tFileExist** to **tFile InputDelimited** using an **OnSubjobOk** and to **tMsgBox** using a **Run If** link.




3. Connect **tFileInputDelimited** to **tFileOutputDelimited** using a **Row Main** link.

### Configuring the components

1. In the design workspace, select **tFileExist** and click the **Component** tab to define its basic settings.



2. In the **File name** field, enter the file path or browse to the file you want to check if it exists or not.
3. In the design workspace, select **tFileInputDelimited** and click the **Component** tab to define its basic settings.



4. Browse to the input file you want to read to fill out the **File Name** field.




*If the path of the file contains some accented characters, you will get an error message when executing your Job. For more information regarding the procedures to follow when the support of accented characters is missing, see Talend Open Studio for Big Data Installation Guide.*




5. Set the row and field separators in their corresponding fields.
6. Set the header, footer and number of processed rows as needed. In this scenario, there is one header in our table.
7. Set **Schema** to **Built-in** and click the **Edit schema** button to define the data to pass on to the **tFileOutputDelimited** component. Define the data present in the file to read, file2 in this scenario.

For more information about schema types, see *Talend Open Studio for Big Data User Guide*.




The schema in file2 consists of five columns: *Num*, *Ref*, *Price*, *Quant*, and *tax*.


8. In the design workspace, select the **tFileOutputDelimited** component.
9. Click the **Component** tab to define the basic settings of **tFileOutputDelimited**.




10. Set property type to **Built-in**.
11. In the **File name** field, press **Ctrl+Space** to access the variable list and select the global variable **FILENAME**.
12. Set the row and field separators in their corresponding fields.
13. Select the **Include Header** check box as file2 in this scenario includes a header.
14. Set **Schema** to **Built-in** and click **Sync columns** to synchronize the output file schema (file1) with the input file schema (file2).



15. In the design workspace, select the **tMsgBox** component.
16. Click the **Component** tab to define the basic settings of **tMsgBox**.




17. Click the **If** link to display its properties in the **Basic settings** view.
18. In the **Condition** panel, press **Ctrl+Space** to access the variable list and select the global variable EXISTS. Type an exclamation mark before the variable to negate the meaning of the variable.



## Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click the **Run** button in the **Run** tab to execute it.



A dialog box appears to confirm that the file does not exist.

Click **OK** to close the dialog box and continue the Job execution process. The missing file, file1 in this scenario, got written in a delimited file in the defined place.

# tFileInputARFF



## tFileInputARFF properties

<b>Component Family</b>	File/Input	
<b>Function</b>	<b>tFileInputARFF</b> reads a ARFF file row by row, with simple separated fields.	
<b>Purpose</b>	This component opens a file and reads it row by row, in order to divide it in fields and to send these fields to the next component, as defined in the schema, through a Row connection.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>File Name</i>	Name and path of the ARFF file and/or variable to be processed.  Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always <b>Built-in</b> .  Click <b>Edit Schema</b> to make changes to the schema.  Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.
		<b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
<b>Advanced settings</b>	<i>Encoding</i>	Select the encoding type from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
<b>Usage</b>	Use this component to read a file and separate the fields with the specified separator.	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	


## Scenario: Display the content of a ARFF file

This scenario describes a two-component Job in which the rows of an ARFF file are read, the delimited data is selected and the output is displayed in the **Run** view.

An ARFF file looks like the following:

```
@relation vote
@attribute 'handicapped-infants' { 'n', 'y' }
@attribute 'water-project-cost-sharing' { 'n', 'y' }
@attribute 'adoption-of-the-budget-resolution' { 'n', 'y' }
@attribute 'physician-fee-freeze' { 'n', 'y' }
@attribute 'el-salvador-aid' { 'n', 'y' }
@attribute 'religious-groups-in-schools' { 'n', 'y' }
@attribute 'anti-satellite-test-ban' { 'n', 'y' }
@attribute 'aid-to-nicaraguan-contras' { 'n', 'y' }
@attribute 'mx-missile' { 'n', 'y' }
@attribute 'immigration' { 'n', 'y' }
@attribute 'synfuels-corporation-cutback' { 'n', 'y' }
@attribute 'education-spending' { 'n', 'y' }
@attribute 'superfund-right-to-sue' { 'n', 'y' }
@attribute 'crime' { 'n', 'y' }
@attribute 'duty-free-exports' { 'n', 'y' }
@attribute 'export-administration-act-south-africa' { 'n', 'y' }
@attribute 'Class' { 'democrat', 'republican' }
@data
'n','y','n','y','y','y','n','n','n','y','?', 'y','y','y','n','y','republican'
'n','y','n','y','y','y','n','n','n','n','n','y','y','y','n','?', 'republican'
?', 'y','y','?', 'y','y','n','n','n','n','y','n','y','y','n','n','democrat'
```


It is generally made of two parts. The first part describes the data structure, that is to say the rows which begin by @attribute and the second part comprises the raw data, which follows the expression @data.




## Dropping and linking components


1. Drop the **tFileInputARFF** component from the **Palette** onto the workspace.
2. In the same way, drop the **tLogRow** component.
3. Right-click the **tFileInputARFF** and select **Row > Main** in the menu. Then, drag the link to the **tLogRow**, and click it. The link is created and appears.

## Configuring the components

1. Double-click the **tFileInputARFF**.
2. In the **Component** view, in the **File Name** field, browse your directory in order to select your .arff file.
3. In the **Schema** field, select **Built-In**.
4. Click the [...] button next to **Edit schema** to add column descriptions corresponding to the file to be read.
5. Click on the  button as many times as required to create the number of columns required, according to the source file. Name the columns as follows.



6. For every column, the **Nullable** check box is selected by default. Leave the check boxes selected, for all of the columns.
7. Click **OK**.
8. In the workspace, double-click the **tLogRow** to display its **Component** view.



- Click the [...] button next to **Edit schema** to check that the schema has been propagated. If not, click the **Sync columns** button.

## Saving and executing the Job

- Press **Ctrl+S** to save your Job.
- Press **F6** to execute your Job.

```
n|n|n|y|y|y|y|y|n|y|n|y|y|y|n|y|republican
n|n|n|n|n|n|n|y|y|y|y|n|n|y|n|y|y|democrat
y|n|y|n|n|n|y|y|y|y|n|y|n|n|y|y|democrat
n|n|y|y|y|y|n|n|y|y|n|y|y|y|n|y|republican
n|n|y|n|n|n|y|y|y|y|n|n|n|n|n|y|democrat
n|n|n|y|y|y|n|n|n|n|y|y|y|y|n|y|republican
n|n|n|y|y|y|n|n|n|n|n|y|y|y|n|y|republican
n|y|n|y|y|y|n|n|n|y|n|y|y|y|n|n|republican
[statistics] disconnected
Job Test ended at 13:36 16/11/2009. [exit code=0]
```

The console displays the data contained in the ARFF file, delimited using a vertical line (the default separator).

# tFileInputDelimited



## tFileInputDelimited properties

<b>Component family</b>	File/Input	
<b>Function</b>	<b>tFileInputDelimited</b> reads a given file row by row with simple separated fields.	
<b>Purpose</b>	Opens a file and reads it row by row to split them up into fields then sends fields as defined in the Schema to the next Job component, via a Row link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>File Name/Stream</i>	<p><b>File name:</b> Name and path of the file to be processed.</p> <p><b>Stream:</b> The data flow to be processed. The data must be added to the flow in order for <b>tFileInputDelimited</b> to fetch these data via the corresponding representative variable.</p> <p>This variable could be already pre-defined in your Studio or provided by the context or the components you are using along with this component; otherwise, you could define it manually and use it according to the design of your Job, for example, using <b>tJava</b> or <b>tJavaFlex</b>.</p> <p>In order to avoid the inconvenience of hand writing, you could select the variable of interest from the auto-completion list (<b>Ctrl +Space</b>) to fill the current field on condition that this variable has been properly defined.</p> <p>Related topic to the available variables: see <i>Talend Open Studio for Big Data User Guide</i></p>
	<i>Row separator</i>	String (ex: “\n”on Unix) to distinguish rows.
	<i>Field separator</i>	Character, string or regular expression to separate fields.
	<i>CSV options</i>	Select this check box to include CSV specific parameters such as <b>Escape char</b> and <b>Text enclosure</b> .
	<i>Header</i>	Number of rows to be skipped in the beginning of file.
	<i>Footer</i>	Number of rows to be skipped at the end of the file.
	<i>Limit</i>	Maximum number of rows to be processed. If Limit = 0, no row is read or processed.
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p>



		Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.
		<b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Skip empty rows</i>	Select this check box to skip empty rows.
	<i>Uncompress as zip file</i>	Select this check box to uncompress the input file.
	<i>Die on error</i>	Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can collect the rows on error using a <b>Row &gt; Reject</b> link.  To catch the <code>FileNotFoundException</code> , you also need to select this check box.
<b>Advanced settings</b>	<i>Advanced separator (for numbers)</i>	Select this check box to modify the separators used for numbers:  <b>Thousands separator:</b> define separators for thousands.  <b>Decimal separator:</b> define separators for decimals.
	<i>Extract lines at random</i>	Select this check box to set the number of lines to be extracted randomly.
	<i>Encoding</i>	Select the encoding type from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.
	<i>Trim all column</i>	Select this check box to remove leading and trailing whitespace from all columns.
	<i>Check each row structure against schema</i>	Select this check box to synchronize every row against the input schema.
	<i>Check date</i>	Select this check box to check the date format strictly against the input schema.
	<i>Check columns to trim</i>	Select the check box next to the column name you want to remove leading and trailing whitespace from.
	<i>Split row before field</i>	Select this check box to split rows before splitting fields.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
<b>Usage</b>	Use this component to read a file and separate fields contained in this file using a defined separator. It allows you to create a data flow using a <b>Row &gt; Main</b> link or via a <b>Row &gt; Reject</b> link in which case the data is filtered by data that does not correspond to the type defined. For further information, please see <a href="#">the section called “Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file”</a> .	
<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

## Scenario: Delimited file content display

The following scenario creates a two-component Job, which aims at reading each row of a file, selecting delimited data and displaying the output in the **Run** log console.





## Dropping and linking components

1. Drop a **tFileInputDelimited** component and a **tLogRow** component from the **Palette** to the design workspace.
2. Right-click on the **tFileInputDelimited** component and select **Row > Main**. Then drag it onto the **tLogRow** component and release when the plug symbol shows up.


## Configuring the components

1. Select the **tFileInputDelimited** component again, and define its Basic settings:



 For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.

2. Fill in a path to the file in the **File Name** field. This field is mandatory.

 If the path of the file contains some accented characters, you will get an error message when executing your Job. For more information regarding the procedures to follow when the support of accented characters is missing, see *Talend Open Studio for Big Data Installation Guide*.

3. Define the **Row separator** allowing to identify the end of a row. Then define the **Field separator** used to delimit fields in a row.
4. In this scenario, the header and footer limits are not set. And the **Limit** number of processed rows is set on 50.
5. Edit the schema according to the structure of your input file via the **Edit Schema** function to define the data to pass on to the **tLogRow** component.

Related topics: see *Talend Open Studio for Big Data User Guide*.

6. Enter the encoding standard the input file is encoded in. This setting is meant to ensure encoding consistency throughout all input and output files.
7. Select the **tLogRow** and define the **Field separator** to use for the output display. Related topic: [the section called "tLogRow"](#).

8. Select the **Print schema column name in front of each value** check box to retrieve the column labels in the output displayed.

## Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Go to **Run** tab, and click on **Run** to execute the Job.


The file is read row by row and the extracted fields are displayed on the **Run** log as defined in both components **Basic settings**.

```
Starting job FileDel at 10:45 12/04/2007.
ID_Owner: 2 | Name: lebouh | ID_Insurance: PKI2906
ID_Owner: 3 | Name: bouhnan | ID_Insurance: BNU9147
ID_Owner: 4 | Name: hirtle | ID_Insurance: TEV8360
ID_Owner: 5 | Name: bobouh | ID_Insurance: WPM3151
ID_Owner: 6 | Name: carbone | ID_Insurance: IFY9885
```

The Log sums up all parameters in a header followed by the result of the Job.

## Scenario 2: Reading data from a remote file in streaming mode

This scenario describes a four component Job used to fetch data from a voluminous file almost as soon as it has been read. The data is displayed in the **Run** view. The advantage of this technique is that you do not have to wait for the entire file to be downloaded, before viewing the data.




## Dropping and linking components

1. Drop the following components onto the workspace: **tFileFetch**, **tSleep**, **tFileInputDelimited**, and **tLogRow**.
2. Connect **tSleep** and **tFileInputDelimited** using a **Trigger > OnComponentOk** link and connect **tFileInputDelimited** to **tLogRow** using a **Row > Main** link.

## Configuring the components


1. Double-click **tFileFetch** to display the **Basic settings** tab in the **Component** view and set the properties.



2. From the **Protocol** list, select the appropriate protocol to access the server on which your data is stored.
3. In the **URI** field, enter the URI required to access the server on which your file is stored.
4. Select the **Use cache to save the resource** check box to add your file data to the cache memory. This option allows you to use the streaming mode to transfer the data.
5. In the workspace, click **tSleep** to display the **Basic settings** tab in the **Component** view and set the properties.

By default, **tSleep**'s **Pause** field is set to 1 second. Do not change this setting. It pauses the second Job in order to give the first Job, containing **tFileFetch**, the time to read the file data.


6. In the workspace, double-click **tFileInputDelimited** to display its **Basic settings** tab in the **Component** view and set the properties.



7. In the **File name/Stream** field:
  - Delete the default content.
  - Press **Ctrl+Space** to view the variables available for this component.
  - Select **tFileFetch\_1\_INPUT\_STREAM** from the auto-completion list, to add the following variable to the **Filename** field:  
`(( java.io.InputStream)globalMap.get ( "tFileFetch_1_INPUT_STREAM" ) )`.

- From the **Schema** list, select **Built-in** and click [...] next to the **Edit schema** field to describe the structure of the file that you want to fetch. The *US\_Employees* file is composed of six columns: *ID*, *Employee*, *Age*, *Address*, *State*, *EntryDate*.


Click [+] to add the six columns and set them as indicated in the above screenshot. Click **OK**.



- In the workspace, double-click **tLogRow** to display its **Basic settings** in the **Component** view and click **Sync Columns** to ensure that the schema structure is properly retrieved from the preceding component.

## Configuring Job execution and executing the Job

- Click the **Job** tab and then on the **Extra** view.



- Select the **Multi thread execution** check box in order to run the two Jobs at the same time. Bear in mind that the second Job has a one second delay according to the properties set in **tSleep**. This option allows you to fetch the data almost as soon as it is read by **tFileFetch**, thanks to the **tFileDelimited** component.
- Save the Job and press **F6** to run it.

```
105730|Harry QUINCY|32|Woodson Rd., Pierre|FLORIDA|2008-03-09
105731|Ronald EISENHOWER|26|East Calle Primera, Saint
Paul|TEXAS|2008-07-03
105732|Ulysses BUCHANAN|32|North Ventu Park Road,
Lansing|ARKANSAS|2008-02-16
105733|Thomas TAFT|45|Moreno Drive, Boise|WEST VIRGINIA|2008-08-08
105734|John EISENHOWER|45|Steele Lane, Indianapolis|ALASKA|2007-07-17
105735|Andrew QUINCY|33|El Camino Real, Boston|WISCONSIN|2008-08-25
105736|Lyndon ADAMS|49|Harbor Dr, Frankfort|MARYLAND|2008-12-28
105737|George EISENHOWER|38|Monroe Street, Sacramento|UTAH|2008-09-04
105738|Grover EISENHOWER|42|Steele Lane, Pierre|NEVADA|2008-01-17
105739|Chester CARTER|39|Fontaine Road, Augusta|WEST VIRGINIA|2007-12-20
105740|Abraham NIXON|30|Monroe Street, Columbia|NEBRASKA|2008-07-29
Job tFileInputDelimited ended at 17:58 09/02/2010. [exit code=0]
```

The data is displayed in the console as almost as soon as it is read.

# tFileInputExcel



## tFileInputExcel properties

<b>Component family</b>	File/Input	
<b>Function</b>	<b>tFileInputExcel</b> reads an Excel file (.xls or .xlsx) and extracts data line by line.	
<b>Purpose</b>	<b>tFileInputExcel</b> opens a file and reads it row by row to split data up into fields using regular expressions. Then sends fields as defined in the schema to the next component in the Job via a <b>Row</b> link.	
<b>Basic settings</b>	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always <b>Built-in</b> .
		<b>Built-in:</b> No property data stored centrally.
	<i>Read excel2007 file format (xlsx)</i>	Select this check box to read the .xlsx file of Excel 2007.
	<i>File Name/Stream</i>	<b>File name:</b> Name of the file and/or the variable to be processed.  <b>Stream:</b> Data flow to be processed. The data must be added to the flow in order to be collected by <b>tFileInputExcel</b> via the <i>INPUT_STREAM</i> variable in the auto-completion list ( <b>Ctrl+Space</b> ).  Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>All sheets</i>	Select this check box to process all sheets of the Excel file.
	<i>Sheet list</i>	Click the plus button to add as many lines as needed to the list of the excel sheets to be processed:  <b>Sheet (name or position):</b> enter the name or position of the excel sheet to be processed.  <b>Use Regex:</b> select this check box if you want to use a regular expression to filter the sheets to process.
	<i>Header</i>	Number of records to be skipped in the beginning of the file.
	<i>Footer</i>	Number of records to be skipped at the end of the file.
	<i>Limit</i>	Maximum number of lines to be processed.
	<i>Affect each sheet(header&amp;footer)</i>	Select this check box if you want to apply the parameters set in the <b>Header</b> and <b>Footer</b> fields to all excel sheets to be processed.
	<i>Die on error</i>	Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can collect the rows on error using a <b>Row &gt; Reject</b> link.

	<i>First column and Last column</i>	Define the range of the columns to be processed through setting the first and last columns in the <b>First column</b> and <b>Last column</b> fields respectively.
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit Schema</b> to make changes to the schema.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected in the Job.</p>
		<b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
<b>Advanced settings</b>	<i>Advanced separator</i>	Select this check box to change the used data separators.
	<i>Trim all columns</i>	Select this check box to remove the leading and trailing whitespaces from all columns. When this check box is cleared, the <b>Check column to trim</b> table is displayed, which lets you select particular columns to trim.
	<i>Convert date column to string</i>	<p>Available when <b>Read excel2007 file format (xlsx)</b> is selected in the <b>Basic settings</b> view.</p> <p>Select this check box to show the table <b>Check need convert date column</b>. Here you can parse the string columns that contain date values based on the given date pattern.</p> <p><b>Column:</b> all the columns available in the schema of the source .xlsx file.</p> <p><b>Convert:</b> select this check box to choose all the columns for conversion (on the condition that they are all of the string type). You can also select the individual check box next to each column for conversion.</p> <p><b>Date pattern:</b> set the date format here.</p>
	<i>Encoding</i>	Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.
	<i>Read real values for numbers</i>	Select this check box to read numbers in real values.
	<i>Stop to read on empty rows</i>	Select this check box to ignore empty lines.
	<i>Don't validate the cells</i>	Select this check box to in order not to validate data.
	<i>Ignore the warning</i>	Select this check box to ignore all warnings generated to indicate errors in the Excel file.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>		Use this component to read an Excel file and to output the data separately depending on the schemas identified in the file. You can use a <b>Row &gt; Reject</b> link to filter the data which doesn't correspond to the type defined. For an example of how to use these two links, see <a href="#">the section called "Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file"</a> .



---

<b>Limitation</b>	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Related scenarios

No scenario is available for this component yet.

# tFileInputFullRow




## tFileInputFull Row properties

<b>Component family</b>	File/Input	
<b>Function</b>	<b>tFileInputFullRow</b> reads a given file row by row.	
<b>Purpose</b>	<b>tFileInputFullRow</b> opens a file and reads it row by row and sends complete rows as defined in the Schema to the next Job component, via a Row link.	
<b>Basic settings</b>	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always <b>Built-in</b>.</p> <p>Click <b>Edit schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click <b>Sync columns</b> to retrieve the schema from the previous component connected to <b>tFileInputFullRow</b>.</p>
	<i>File Name</i>	<p>Name of the file and/or the variable to be processed</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Row separator</i>	String (ex: “\n” on Unix) to separate rows.
	<i>Header</i>	Number of rows to be skipped at the beginning of a file
	<i>Footer</i>	Number of rows to be skipped at the end of a file.
	<i>Limit</i>	Maximum number of rows to be processed. If Limit = 0, no row is read or processed.
	<i>Skip empty rows</i>	Select this check box to skip empty rows.
	<i>Die on error</i>	Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can collect the rows on error using a <b>Row &gt; Reject</b> link.
<b>Advanced settings</b>	<i>Encoding</i>	Select the encoding from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.
	<i>Extract lines at random</i>	Select this check box to set the number of lines to be extracted randomly.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
<b>Usage</b>	Use this component to read full rows in delimited files that can get very large. You can also create a rejection flow using a <b>Row &gt; Reject</b> link to filter the data which does not correspond to the type defined. For an example of how to use these two links, see <a href="#">the section called “Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file”</a> .	


## Scenario: Reading full rows in a delimited file

The following scenario creates a two-component Job that aims at reading complete rows in a file and displaying the output in the **Run** log console.


1. Drop a **tFileInputFullRow** and a **tLogRow** from the **Palette** onto the design workspace.
2. Right-click on the **tFileInputFullRow** component and connect it to **tLogRow** using a **Row Main** link.



3. In the design workspace, select **tFileInputFullRow**.
4. Click the **Component** tab to define the basic settings for **tFileInputFullRow**.



5. In the **Basic settings** view, set **Schema** to **Built-In**.
6. Click the three-dot [...] button next to the **Edit schema** field to see the data to pass on to the **tLogRow** component. Note that the schema is read-only and it consists of one column, *line*.



7. Fill in a path to the file to process in the **File Name** field, or click the three-dot [...] button. This field is mandatory. In this scenario, the file to read is *test5*. It holds three rows where each row consists of two fields separated by a semi colon.
8. Define the **Row separator** used to identify the end of a row.
9. Set the **Header** to 1, in this scenario the footer and the number of processed rows are not set.
10. From the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information, see [the section called "tLogRow"](#)
11. Save your Job and press **F6** to execute it.

```
Starting job Input_Full_Row at 11:13 26/08/2008.

tLogRow_1

line

Janet,Anderson;19988
Martin,Chairman;9889
Lily,Massy;9988

Job Input_Full_Row ended at 11:14 26/08/2008. [exit
```

**tFileInputFullRow** reads the three rows one by one ignoring field separators, and the complete rows are displayed on the **Run** console.



To extract only fields from rows, you must use **tExtractDelimitedFields**, **tExtractPositionalFields**, and **tExtractRegexFields**. For more information, see [the section called “tExtractDelimitedFields”](#), [the section called “tExtractPositionalFields”](#) and [the section called “tExtractRegexFields”](#).

# tFileInputJSON




## tFileInputJSON properties

<b>Component Family</b>	File	
<b>Function</b>	The <b>tFileInputJSON</b> reads a JSON file and extracts data according to the selected schema.	
<b>Purpose</b>	This component opens a file and reads it in order to isolate data according to the schemas which describe this file structure, and to send the data and schemas to the next component(s), via a Row connection.	
<b>Basic settings</b>	<i>Property type</i>	In Talend Open Studio for Big Data, the Property type is always built-in.
		<b>Built-in:</b> No property data stored centrally.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In Talend Open Studio for Big Data, the schema is always built-in.  Click <b>Edit Schema</b> to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.
		<b>Built-in:</b> The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Use URL</i>	Select this check box to retrieve data directly from the Web.  <b>URL:</b> type in the URL path from which you will retrieve data.
	<i>Filename</i>	Name of the file from which you will retrieve data.
	<i>Mapping</i>	<b>Column:</b> shows the schema as defined in the Schema editor.  <b>JSONPath Query:</b> Type in the fields to extract from the JSON input structure.
<b>Advanced settings</b>	<i>Advanced separator (for numbers)</i>	Select this check box to modify the separators used for numbers:  <b>Thousands separator:</b> define separators for thousands.  <b>Decimal separator:</b> define separators for decimals.
	<i>Encoding</i>	Select the encoding type from the list or select <b>Custom</b> and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.

<b>Usage</b>	Use this component to read a JSON file and separate data according to the identified schemas in this file.
<b>Limitation</b>	n/a


## Scenario: Extracting data from the fields of a JSON format file

This is a 2 component scenario which involves reading a JSON file, and extracting its data.



### Dropping and linking the components

1. Drag and drop a **tFileInputJSON** component from the **File** family and a **tLogRow** from the **Logs & Errors** family from the **Palette** onto the Job designer.
2. Link the components using a **Main > Row** connection.
3. Double-click the **tFileInputJSON** component to set its properties in the **Basic settings**, in the **Component** view:




### Configuring the components

1. If your schema is already stored under the **Db Connections** node in the **Repository**, select **Repository** in the **Schema Type** field, and choose the metadata from the list.
2. If you have not defined a schema yet, select the **Built-in** mode, type in manually the connection details, and the data structure of a schema.
3. Click the [...] button of the **Edit schema** field to open a dialog box in which you will define the output schema to be displayed.
4. Click **OK** to close the dialog box. In the **Mapping** table, the items in the **Column** field are automatically filled in according to the schema you just defined. In this example, the schema is made of four columns: *FirstName*, *LastName*, *Address* and *City*.

- In the **Filename** field, fill in the path to the JSON file from which you want to retrieve data. If your data are stored on the internet, select the **Use URL** check box, and then, in the same way, fill in the access URL to the file to be processed. In this example, the processed file is presented as follows:

```
{
 "firstName": "John",
 "lastName": "Smith",
 "address": {
 "streetAddress": "21 2nd Street",
 "city": "New York",
 "state": "NY",
 "postalCode": "10021"
 },
 "phoneNumbers": [
 { "type": "home", "number": "212 555-1234"
 { "type": "fax", "number": "646 555-4567" }
]
},
```

- In the **Mapping** table, the rows in the **Column** field are already filled in. For each of them, type in the tree view level in which retrieve data, in the **JSONPath query** field.
- In the Job designer, double-click the **tLogRow** to set its properties in the **Basic settings** tab, in the **Component** view.



- Click **Sync Columns** button to retrieve the schema of the previous component.

## Saving and executing the Job

- Press **Ctrl+S** to save your Job.

Press **F6** or click the **Run** button in the **Run** tab to execute it.

- ```
Starting job tFileInputJSON at 13:54 04/11/2009.
```

```
[statistics] connecting to socket on port 3663
[statistics] connected
```

| tLogRow_1 | | | |
|-----------|----------|---------------|----------|
| FirstName | LastName | Address | City |
| John | Smith | 21 2nd Street | New York |

```
[statistics] disconnected
Job tFileInputJSON ended at 13:54 04/11/2009. [exit code=0]
```

The Job returns the customer information according to the parameters selected in the schema.

tFileInputLDIF




tFileInputLDIF Properties

| | | |
|--------------------------|---|--|
| Component Family | File/Input | |
| Function | tFileInputLDIF reads a given LDIF file row by row. | |
| Purpose | tFileInputLDIF opens a file, reads it row by row, et gives the full rows to the next component as defined in the schema, using a Row connection. | |
| Basic settings | <i>Property type</i> | In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in . |
| | | Built-in: No property data stored centrally. |
| | <i>File Name</i> | Name of the file and/or variable to be processed.

Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
| | <i>add operation as prefix when the entry is modify type</i> | Select this check box to display the operation mode. |
| | <i>Value separator</i> | Type in the separator required for parsing data in the given file. By default, the separator used is “,”. |
| | <i>Die on error</i> | Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can collect the rows on error using a Row > Reject link. |
| | <i>Schema and Edit schema</i> | A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit Schema to modify the schema.

Click Sync columns to retrieve the schema from the previous component connected in the Job. |
| Advanced settings | <i>Encoding</i> | Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling. |
| | <i>Use field options (for Base64 decode checked)</i> | Select this check box to specify the Base64-encoded columns of the input flow. Once selected, this check box activates the Decode Base64 encoding values table to enable you to precise the columns to be decoded from Base64.

 The data type of the columns to be handled by this check box is byte[] that you define in the input schema editor. |
| | <i>tStatCatcher Statistics</i> | Select this check box to gather the Job processing metadata at a Job level as well as at each component level. |
| Usage | Use this component to read full rows in a voluminous LDIF file. This component enables you to create a data flow, using a Row > Main link, and to create a reject flow with a Row > Reject link filtering the data which type does not match the defined type. For an | |

| | |
|-------------------|---|
| | example of usage, see the section called “Scenario 2: Extracting erroneous XML data via a reject flow” from tFileInputXML . |
| Limitation | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . |

Related scenario

For a related scenario, see [the section called “Scenario: Writing DB data into an LDIF-type file”](#).

tFileInputMail




tFileInputMail properties

| | | |
|--------------------------|--|--|
| Component family | File/Input | |
| Function | tFileInputMail reads the header and content parts of defined email file. | |
| Purpose | This component helps to extract standard key data from emails. | |
| Basic settings | <i>File name</i> | Browse to the source email file. |
| | <i>Schema</i> and <i>Edit Schema</i> | <p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In Talend Open Studio for Big Data, the schema is always built-in.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component connected in the Job.</p> |
| | | Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
| | <i>Attachment directory</i> <i>export</i> | Enter the path to the directory where you want to export email attachments. |
| | <i>Mail parts</i> | Column: This field is automatically populated with the columns defined in the schema that you propagated. |
| | | Mail part: Type in the label of the header part or body to be displayed on the output. |
| | | Multi value: Select the check box next to the name of the column that is made up of fields of multiple values. |
| | | Field separator: Enter a value separator for the field of multiple values. |
| | <i>Die on error</i> | Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row on error and complete the process for error-free rows. |
| Advanced settings | <i>tStatCatcher Statistics</i> | Select this check box to gather the Job processing metadata at the Job level as well as at each component level. |
| Usage | This component handles flow of data therefore it requires output. It is defined as an intermediary step. | |
| Limitation | n/a | |

Scenario: Extracting key fields from an email

This Java scenario describes a two-component Job that extracts some key standard fields and displays the values on the **Run** console.



1. Drop a **tFileInputMail** and a **tLogRow** component from the **Palette** to the design workspace.
2. Connect the two components together using a **Main Row** link.
3. Double-click **tFileInputMail** to display its **Basic settings** view and define the component properties.

| Column | Mail part | <input type="checkbox"/> | Multi Value | Separator |
|--------|------------|-------------------------------------|-------------------------------------|-----------|
| Date | "Date" | <input type="checkbox"/> | <input type="checkbox"/> | "" |
| Author | "From" | <input type="checkbox"/> | <input type="checkbox"/> | "" |
| Object | "Subject" | <input type="checkbox"/> | <input type="checkbox"/> | "" |
| Status | "Received" | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | "" |

4. Click the three-dot button next to the **File Name** field and browse to the mail file to be processed.
5. Set schema type to **Built-in** and click the three-dot button next to **Edit schema** to open a dialog box where you can define the schema including all columns you want to retrieve on your output.
6. Click the plus button in the dialog box to add as many columns as you want to include in the output flow. In this example, the schema has four columns: *Date*, *Author*, *Object* and *Status*.
7. Once the schema is defined, click **OK** to close the dialog box and propagate the schema into the **Mail parts** table.
8. Click the three-dot button next to Attachment export directory and browse to the directory in which you want to export email attachments, if any.
9. In the **Mail part** column of the **Mail parts** table, type in the actual header or body standard keys that will be used to retrieve the values to be displayed.
10. Select the **Multi Value** check box next to any of the standard keys if more than one value for the relative standard key is present in the input file.
11. If needed, define a separator for the different values of the relative standard key in the **Separator** field.
12. Double-click **tLogRow** to display its **Basic settings** view and define the component properties in order for the values to be separated by a carriage return. On Windows OS, type in `\n` between double quotes.
13. Save your Job and press **F6** to execute it and display the output flow on the console.

```
Starting job tFileInputMail at 11:48 06/11/2009.

[statistics] connecting to socket on port 3437
[statistics] connected
Wed, 4 Nov 2009 19:12:47 +0800
(CST)|musicatcher@gmail.com|Talend multi value test|by
10.142.186.14 with SMTP id j14cs69293wff;
    Wed, 4 Nov 2009 03:13:00 -0800 (PST)by 10.150.45.40
with SMTP id s40mr2413104ybs.260.1257333179981;
    Wed, 04 Nov 2009 03:12:59 -0800 (PST)from
mail-gx0-f210.google.com (mail-gx0-f210.google.com
[209.85.217.210])
    by mx.google.com with ESMTP id
33si1593716ywh.127.2009.11.04.03.12.58;
    Wed, 04 Nov 2009 03:12:58 -0800 (PST)by
mail-gx0-f210.google.com with SMTP id 2so6057662gxk.4
    for <musicatcher0@gmail.com>; Wed, 04 Nov 2009 03:12:58
-0800 (PST)by 10.150.75.12 with SMTP id
x12mr2370266yba.341.1257333175484;
    Wed, 04 Nov 2009 03:12:55 -0800 (PST)from nsun
([219.237.242.224])
    by mx.google.com with ESMTPS id
5sm364705ywd.23.2009.11.04.03.12.53
    (version=SSLv3 cipher=RC4-MD5);
    Wed, 04 Nov 2009 03:12:54 -0800 (PST)
[statistics] disconnected
Job tFileInputMail ended at 11:48 06/11/2009. [exit code=0]
```

The header key values are extracted as defined in the **Mail parts** table. Mail reception date, author, subject and status are displayed on the console.

tFileInputMSDelimited



tFileInputMSDelimited properties

| | | |
|--------------------------|---|---|
| Component family | File/Input | |
| Function | tFileInputMSDelimited reads a complex multi-structured delimited file. | |
| Purpose | tFileInputMSDelimited opens a complex multi-structured file, reads its data structures (schemas) and then uses Row links to send fields as defined in the different schemas to the next Job components. | |
| Basic settings | <i>Multi Schema Editor</i> | The [Multi Schema Editor] helps to build and configure the data flow in a multi-structure delimited file to associate one schema per output.

For more information, see the section called “The Multi Schema Editor” . |
| | <i>Output</i> | Lists all the schemas you define in the [Multi Schema Editor] , along with the related record type and the field separator that corresponds to every schema, if different field separators are used. |
| | <i>Die on error</i> | Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row on error and complete the process for error-free rows. |
| Advanced settings | <i>Trim all column</i> | Select this check box to remove leading and trailing whitespaces from defined columns. |
| | <i>Validate date</i> | Select this check box to check the date format strictly against the input schema. |
| | <i>Advanced separator (for numbers)</i> | Select this check box to modify the separators used for numbers:

Thousands separator: define separators for thousands.


Decimal separator: define separators for decimals. |
| | <i>tStatCatcher Statistics</i> | Select this check box to gather the Job processing metadata at a Job level as well as at each component level. |
| Usage | Use this component to read multi-structured delimited files and separate fields contained in these files using a defined separator. | |
| Limitation | Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> . | |

The Multi Schema Editor


The **[Multi Schema Editor]** enables you to:

- set the path to the source file,


- define the source file properties,
- define data structure for each of the output schemas.

 When you define data structure for each of the output schemas in the **[Multi Schema Editor]**, column names in the different data structures automatically appear in the input schema lists of the components that come after **tFileInputMSDelimited**. However, you can still define data structures directly in the **Basic settings** view of each of these components.

The **[Multi Schema Editor]** also helps to declare the schema that should act as the source schema (primary key) from the incoming data to insure its unicity. The editor uses this mapping to associate all schemas processed in the delimited file to the source schema in the same file.

 The editor opens with the first column, that usually holds the record type indicator, selected by default. However, once the editor is open, you can select the check box of any of the schema columns to define it as a primary key.

The below figure illustrates an example of the **[Multi Schema Editor]**.



The screenshot shows the Multi Schema Editor interface. At the top, the file name is "D:/TIS_builds/Input/multischema_EN.txt". The File Settings section includes options for Encoding, Field Separator (Semicolon), Row Separator (Standard EOL), and checkboxes for Use Multiple Separator and Key Values. The Escape Char Settings section includes options for CSV and Delimit, with an Escape Char field set to Empty. Below these settings is a Preview tab with a Preview... button. The main area displays a table with columns labeled Column 0, Column 1, Column 2, and Column 3. The data rows are as follows:

| Column 0 | Column 1 | Column 2 | Column 3 |
|----------|-------------------------|------------|------------|
| 01 | SOFT MUSIC ALBUM | RICHARDSON | 15/12/2005 |
| 02 | We Danced | | |
| 02 | She's Everything | | |
| 02 | Once in a Lifetime Love | | |
| 03 | National Library | | |
| 01 | COUNTRY MUSIC ALBUM | WHITE | 02/01/2006 |
| 02 | Fall Into Me | | |
| 02 | Another Try | | |
| 02 | Something About Her | | |

Below the data table is a schema configuration table with columns Name, Type, LibraryName, and Column2. The data rows are as follows:

| Name | Type | LibraryName | Column2 |
|----------|--------|-------------|---------|
| TagLevel | 1 | | |
| Key | false | false | |
| Type | String | String | String |
| Length | 2 | 16 | |
| Pattern | | | |

On the right side, there is a Schema list with entries A (01), B (02), and C (03), and buttons for Add and Remove.

For detailed information about the usage of the **Multi Schema Editor**, see [the section called “Scenario: Reading a multi structure delimited file”](#).

Scenario: Reading a multi structure delimited file


The following scenario creates a Java Job which aims at reading three schemas in a delimited file and displaying their data structure on the **Run Job** console.

The delimited file processed in this example looks like the following:

```
01;SOFT MUSIC ALBUM;RICHARDSON;15/12/2005
02;We Danced
02;She's Everything
02;Once in a Lifetime Love
03;National Library
01;COUNTRY MUSIC ALBUM;WHITE;02/01/2006
02;Fall Into Me
02;Another Try
02;Something About Her
```

Dropping and linking components

1. Drop a **tFileInputMSDelimited** component and three **tLogRow** components from the **Palette** onto the design workspace.
2. In the design workspace, right-click **tFileInputMSDelimited** and connect it to **tLogRow1**, **tLogRow2**, and **tLogRow3** using the **row_A_1**, **row_B_1**, and **row_C_1** links respectively.



Configuring the components

1. Double-click **tFileInputMSDelimited** to open the **Multi Schema Editor**.

File name "D:/TIS_builds/Input/multischema_EN.txt"

File Settings

Encoding

Field Separator Corresponding Character

Row Separator Corresponding Character

Use Multiple Separator

Multiple Separators

Key Values

Key Index

Escape Char Settings

CSV Delimited

Escape Char

Text Enclosure

2. Click **Browse...** next to the **File name** field to locate the multi schema delimited file you need to process.

3. In the **File Settings** area:

-Select from the list the encoding type the source file is encoded in. This setting is meant to ensure encoding consistency throughout all input and output files.

-Select the field and row separators used in the source file.



Select the **Use Multiple Separator** check box and define the fields that follow accordingly if different field separators are used to separate schemas in the source file.

A preview of the source file data displays automatically in the **Preview** panel.

File name "D:/TIS_builds/Input/multischema_EN.txt"

File Settings

Encoding: [Dropdown]

Field Separator: Semicolon Corresponding Character: ";"

Row Separator: Standard EOL Corresponding Character: "\n"

Use Multiple Separator

Multiple Separators: [Text Box]

Key Values: [Text Box]

Key Index: 0

Escape Char Settings

CSV Delimit

Escape Char: Empty

Text Enclosure: Empty

Preview Output

Preview...

| <input checked="" type="checkbox"/> Column 0 | <input type="checkbox"/> Column 1 | <input type="checkbox"/> Column 2 | <input type="checkbox"/> Column 3 |
|--|-----------------------------------|-----------------------------------|-----------------------------------|
| 01 | SOFT MUSIC ALBUM | RICHARDSON | 15/12/2005 |
| 02 | We Danced | | |
| 02 | She's Everything | | |
| 02 | Once in a Lifetime Love | | |
| 03 | National Library | | |
| 01 | COUNTRY MUSIC ALBUM | WHITE | 02/01/2006 |
| 02 | Fall Into Me | | |
| 02 | Another Try | | |
| 02 | Something About Her | | |

| Name | Type | LibraryName | Column2 |
|----------|--------|-------------|---------|
| TagLevel | 1 | | |
| Key | | false | false |
| Type | String | String | String |
| Length | 2 | 16 | |
| Pattern | | | |



Column 0 that usually holds the record type indicator is selected by default. However, you can select the check box of any of the other columns to define it as a primary key.

- Click **Fetch Codes** to the right of the **Preview** panel to list the type of schema and records you have in the source file. In this scenario, the source file has three schema types (*A*, *B*, *C*).

Click each schema type in the **Fetch Codes** panel to display its data structure below the **Preview** panel.

- Click in the name cells and set column names for each of the selected schema.

In this scenario, column names read as the following:

-Schema *A*: *Type*, *DiscName*, *Author*, *Date*,

-Schema *B*: *Type*, *SongName*,

-Schema *C*: *Type*, *LibraryName*.

You need now to set the primary key from the incoming data to insure its unicity (*DiscName* in this scenario). To do that:


- In the **Fetch Codes** panel, select the schema holding the column you want to set as the primary key (schema *A* in this scenario) to display its data structure.
- Click in the *Key* cell that corresponds to the *DiscName* column and select the check box that appears.

| Name | Type | DiscName | Author | Date |
|----------|--------|-------------------------------------|--------|--------|
| TagLevel | 0 | | | |
| Key | | <input checked="" type="checkbox"/> | false | false |
| Type | String | String | String | String |
| Length | 2 | 8 | 6 | 4 |
| Pattern | | | | |

- Click anywhere in the editor and the *false* in the *Key* cell will become *true*.

You need now to declare the parent schema by which you want to group the other “children” schemas (*DiscName* in this scenario). To do that:


- In the **Fetch Codes** panel, select schema *B* and click the right arrow button to move it to the right. Then, do the same with schema *C*.



The **Cardinality** field is not compulsory. It helps you to define the number (or range) of fields in “children” schemas attached to the parent schema. However, if you set the wrong number or range and try to execute the Job, an error message will display.


- In the [**Multi Schema Editor**], click **OK** to validate all the changes you did and close the editor.

The three defined schemas along with the corresponding record types and field separators display automatically in the **Basic settings** view of **tFileInputMSDelimited**.



The three schemas you defined in the [Multi Schema Editor] are automatically passed to the three **tLogRow** components.

11. If needed, click the **Edit schema** button in the **Basic settings** view of each of the **tLogRow** components to view the input and output data structures you defined in the **Multi Schema Editor** or to modify them.



Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.

The multi schema delimited file is read row by row and the extracted fields are displayed on the **Run Job** console as defined in the [Multi Schema Editor].

```
Starting job pivot at 10:33 18/01/2010.  
01|SOFT MUSIC ALBUM|RICHARDSON|15/12/2005  
02|We Danced|SOFT MUSIC ALBUM  
02|She's Everything|SOFT MUSIC ALBUM  
02|Once in a Lifetime Love|SOFT MUSIC ALBUM  
03|National Library|SOFT MUSIC ALBUM  
01|COUNTRY MUSIC ALBUM|WHITE|02/01/2006  
02|Fall Into Me|COUNTRY MUSIC ALBUM  
02|Another Try|COUNTRY MUSIC ALBUM  
02|Something About Her|COUNTRY MUSIC ALBUM  
Job pivot ended at 10:33 18/01/2010. [exit code=0]
```

tFileInputMSPositional



tFileInputMSPositional properties

| | | |
|--------------------------|--|--|
| Component family | File/Input | |
| Function | tFileInputMSPositional reads multiple schemas from a positional file. | |
| Purpose | tFileInputMSPositional opens a complex multi-structured file, reads its data structures (schemas) and then uses Row links to send fields as defined in the different schemas to the next Job components. | |
| Basic settings | <i>Property type</i> | In Talend Open Studio for Big Data, the Property type is always built-in.

Built-in: No property data stored centrally. |
| | <i>File Name</i> | Name of the file and/or the variable to be processed

Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
| | <i>Row separator</i> | String (ex: “\n” on Unix) to distinguish rows. |
| | <i>Header Field Position</i> | Start-end position of the schema identifier. |
| | <i>Records</i> | Schema: define as many schemas as needed.

Header value: value in the row that identifies a schema.

Pattern: string which represents the length of each column of the schema, separated by commas. Make sure the values defined in this field are relevant with the defined schema.

Reject incorrect row size: select the check boxes of the schemas where to reject incorrect row size.

Parent key column: Type in the parent key column name.

Key column: Type in the key column name. |
| | <i>Skip from header</i> | Number of rows to be skipped in the beginning of file. |
| | <i>Skip from footer</i> | Number of rows to be skipped at the end of the file. |
| | <i>Limit</i> | Maximum number of rows to be processed. If Limit = 0, no row is read or processed. |
| | <i>Die on parse error</i> | Let the component die if an parsing error occurs. |
| | <i>Die on unknown header type</i> | Length values separated by commas, interpreted as a string between quotes. Make sure the values entered in this fields are consistent with the schema defined. |
| Advanced settings | <i>Process long rows (needed for processing rows longer than 100,000 characters wide)</i> | Select this check box to process long rows (this is necessary to process rows longer than 100 000 characters). |
| | <i>Advanced separator (for numbers)</i> | Select this check box to modify the separators used for numbers: |

| | | |
|--------------|--|---|
| | | Thousands separator: define separators for thousands. |
| | | Decimal separator: define separators for decimals. |
| | <i>Trim all column</i> | Select this check box to remove leading and trailing whitespaces from defined columns. |
| | <i>Validate date</i> | Select this check box to check the date format strictly against the input schema. |
| | <i>Encoding</i> | Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling. |
| | <i>tStatCatcher Statistics</i> | Select this check box to gather the Job processing metadata at a Job level as well as at each component level. |
| Usage | Use this component to read a multi schemas positional file and separate fields using a position separator value. You can also create a rejection flow using a Row > Reject link to filter the data which does not correspond to the type defined. For an example of how to use these two links, see the section called “Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file” . | |

Scenario: Reading data from a positional file


The following scenario reads data from a positional file, which contains two schemas. The positional file is shown below:

```

schema_1 (car_owner):schema_id;car_make;owner;age
schema_2 (car-insurance):schema_id;car_owner;age;car_insurance
1bmw      John      45
1bench    Mike      30
2John     45 yes
2Mike     50 No
    
```


Dropping the components

1. Drop one **tFileInputMSPositional** and two **tLogRow** from the **Palette** to the design workspace.
2. Rename the two **tLogRow** components as **car_owner** and **car_insurance**.




Configuring the components

1. Double-click the **tFileInputMSPositional** component to show its **Basic settings** view and define its properties.




2. In the **File name/Stream** field, type in the path to the input file. Also, you can click the [...] button to browse and choose the file.
3. In the **Header Field Position** field, enter the start-end position for the schema identifier in the input file, *0-1* in this case as the first character in each row is the schema identifier.
4. Click the [+] button twice to added two rows in the **Records** table.
5. Click the cell under the **Schema** column to show the [...] button.

Click the [...] button to show the schema naming box.




6. Enter the schema name and click **OK**.

The schema name appears in the cell and the schema editor opens.



- Define the schema *car_owner*, which has four columns: *schema_id*, *car_make*, *owner* and *age*.
- Repeat the steps to define the schema *car_insurance*, which has four columns: *schema_id*, *car_owner*, *age* and *car_insurance*.



- Connect **tFileInputMSPositional** to the **car_owner** component with the **Row > car_owner** link, and the **car_insurance** component with the **Row > car_insurance** link.
- In the **Header value** column, type in the schema identifier value for the schema, *1* for the schema *car_owner* and *2* for the schema *car_insurance* in this case.
- In the **Pattern** column, type in the length of each field in the schema, i.e. the number of characters, number, etc in each field, *1,8,10,3* for the schema *car_owner* and *1,10,3,3* for the schema *car_insurance* in this case.
- In the **Skip from header** field, type in the number of beginning rows to skip, *2* in this case as the two rows in the beginning just describes the two schemas, instead of the values.
- Choose **Table (print values in cells of a table)** in the **Mode** area of the components **car_owner** and **car_insurance**.

Executing the Job

- Press **Ctrl+S** to save the Job.

2. Press **F6** or click **Run** on the **Run** tab to execute the Job.

```
[statistics] connecting to socket on port 3754
[statistics] connected

-----+-----+-----+-----+
                    car_insurance
-----+-----+-----+-----+
schema_id|car_owner|age|car_insurance
-----+-----+-----+-----+
2        |John     |45 |yes
2        |Mike     |50 |No
-----+-----+-----+-----+

-----+-----+-----+-----+
                    car_owner
-----+-----+-----+-----+
shcema_id|car_make|owner|age
-----+-----+-----+-----+
1        |bmw     |John |45
1        |bench   |Mike |30
-----+-----+-----+-----+
```

The file is read row by row based on the length values defined in the **Pattern** field and output in two tables with different schemas.


tFileInputMSXML




tFileInputMSXML Properties

| | | |
|--------------------------|---|---|
| Component family | XML or File/Input | |
| Function | tFileInputMSXML reads and outputs multiple schema within an XML structured file. | |
| Purpose | tFileInputMSXML opens a complex multi-structured file, reads its data structures (schemas) and then uses Row links to send fields as defined in the different schemas to the next Job components. | |
| Basic settings | <i>File Name</i> | Name of the file and/or the variable to be processed

Related topic: see <i>Talend Open Studio for Big Data User Guide</i> . |
| | <i>Root XPath query</i> | The root of the XML tree, which the query is based on. |
| | <i>Enable XPath in column "Schema XPath loop" But lose the order</i> | Select this check box if you want to define a XPath path in the Schema XPath loop field of th Outputs array.


 <i>This option is only available with the dom4j generation mode. Make sure this mode is selected in the Generation mode list, in the Advanced settings tab of your component. If you use this option, the data will not be returned in order.</i> |
| | <i>Outputs</i> | Schema: define as many schemas as needed.

Schema XPath loop: node of the XML tree or XPath path which the loop is based on.

 <i>If you want to use a XPath path in the Schema XPath loop field, you must select the Enable XPath in column "Schema XPath loop" but lose the order check box.</i>

XPath Queries: Enter the fields to be extracted from the structured input.

Create empty row: select the check boxes of the schemas where you want to create empty rows. |
| | <i>Die on error</i> | Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row on error and complete the process for error-free rows. |
| Advanced settings | <i>Trim all column</i> | Select this check box to remove leading and trailing whitespaces from defined columns. |
| | <i>Validate date</i> | Select this check box to check the date format strictly against the input schema. |

| | | |
|-------------------|--------------------------------|--|
| | <i>Ignore DTD file</i> | Select this check box to ignore the DTD file indicated in the XML file being processed. |
| | <i>Generation mode</i> | Select the appropriate generation mode according to your memory availability. The available modes are: <ul style="list-style-type: none"> • Slow and memory-consuming (Dom4j) <ul style="list-style-type: none">  This option allows you to use dom4j to process the XML files of high complexity. • Fast with low memory consumption (SAX) |
| | <i>Encoding</i> | Select the encoding type from the list or select CUSTOM and define it manually. This field is compulsory for DB data handling. |
| | <i>tStatCatcher Statistics</i> | Select this check box to gather the Job processing metadata at a Job level as well as at each component level. |
| Limitation | n/a | |


Scenario: Reading a multi structure XML file

The following scenario creates a Java Job which aims at reading a multi schema XML file and displaying data structures on the **Run Job** console.


The XML file processed in this example looks like the following:

```
- <root>
- <discotheque>
  <record>Something About Her</record>
  <record>Fall Into Me</record>
  <record>Once In A Lifetime</record>
</discotheque>
- <bookstore>
  <book>Another Try</book>
  <book>By Myself</book>
  <book>null</book>
</bookstore>
</root>
```

1. Drop a **tFileInputMSXML** and two **tLogRow** components from the **Palette** onto the design workspace.
2. Double-click **tFileInputMSXML** to open the component **Basic settings** view.




3. Browse to the XML file you want to process.
4. In the **Root XPath query** field, enter the root of the XML tree, which the query will be based on.
5. Select the **Enable XPath in column “Schema XPath loop” but lose the order** check box if you want to define a XPath path in the **Schema XPath loop** field, in the **Outputs** array. In this scenario, we do not use this option.
6. Click the plus button to add lines in the **Outputs** table where you can define the output schema, two lines in this scenario: *record* and *book*.
7. In the **Outputs** table, click in the **Schema** cell and then click a three-dot button to display a dialog box where you can define the schema name.



8. Enter a name for the output schema and click **OK** to close the dialog box.

The **tFileInputMSXML** schema editor displays.

9. Define the schema you previously defined in the **Outputs** table.
10. Do the same for all the output schemas you want to define.
11. In the design workspace, right-click **tFileInputMSXML** and connect it to **tLogRow1**, and **tLogRow2** using the **record** and **book** links respectively.



12. In the **Basic settings** view and in the **Schema XPath loop** cell, enter the node of the XML tree, which the loop is based on.
13. In the **XPath Queries** cell, enter the fields to be extracted from the structured XML input.
14. Select the check boxes next to schemas' names where you want to create empty rows.
15. Save your Job and press **F6** to execute it. The defined schemas are extracted from the multi schema XML structured file and displayed on the console.

The multi schema XML file is read row by row and the extracted fields are displayed on the **Run Job** console as defined.

```
Starting job tFileInputXML_ at 15:15 21/07/2009.

-----
tLogRow_1
-----
recordname
-----
Something About Her
Fall Into Me
Once In A Lifetime
|

-----
tLogRow_2
-----
bookname
-----
|
Another Try
By Myself
null
|

Job tFileInputXML_ ended at 15:15 21/07/2009. [exit code=0]
```

tFileInputPositional



tFileInputPositional properties

Component family	File/Input	
Function	tFileInputPositional reads a given file row by row and extracts fields based on a pattern.	
Purpose	This component opens a file and reads it row by row to split them up into fields then sends fields as defined in the schema to the next Job component, via a Row link.	
Basic settings	<i>Property type</i>	In Talend Open Studio for Big Data, the Property type is always built-in.
		Built-in: No property data stored centrally.
	<i>File Name/Stream</i>	<p>File name: Name and path of the file to be processed.</p> <p>Stream: The data flow to be processed. The data must be added to the flow in order for tFileInputPositional to fetch these data via the corresponding representative variable.</p> <p>This variable could be already pre-defined in your Studio or provided by the context or the components you are using along with this component, for example, the <i>INPUT_STREAM</i> variable of tFileFetch; otherwise, you could define it manually and use it according to the design of your Job, for example, using tJava or tJavaFlex.</p> <p>In order to avoid the inconvenience of hand writing, you could select the variable of interest from the auto-completion list (Ctrl+Space) to fill the current field on condition that this variable has been properly defined.</p> <p>Related topic to the available variables: see <i>Talend Open Studio for Big Data User Guide</i> Related scenario to the input stream, see the section called “Scenario 2: Reading data from a remote file in streaming mode”.</p>
	<i>Row separator</i>	String (ex: “\n”on Unix) to distinguish rows.
	<i>Use byte length as the cardinality</i>	Select this check box to enable the support of double-byte character to this component. JDK 1.6 is required for this feature.
	<i>Customize</i>	<p>Select this check box to customize the data format of the positional file and define the table columns:</p> <p>Column: Select the column you want to customize.</p> <p>Size: Enter the column size.</p> <p>Padding char: Type in between inverted commas the padding character used in order for it to be removed from the field. A space by default.</p>


		Alignment: Select the appropriate alignment parameter.
	<i>Pattern</i>	Length values separated by commas, interpreted as a string between quotes. Make sure the values entered in this field are consistent with the schema defined.
	<i>Skip empty rows</i>	Select this check box to skip empty rows.
	<i>Uncompress as zip file</i>	Select this check box to uncompress the input file.
	<i>Die on error</i>	Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can collect the rows on error using a Row > Reject link.
	<i>Header</i>	Number of rows to be skipped in the beginning of file
	<i>Footer</i>	Number of rows to be skipped at the end of the file.
	<i>Limit</i>	Maximum number of rows to be processed. If Limit = 0, no row is read or processed.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>Needed to process rows longer than 100 000 characters</i>	Select this check box if the rows to be processed in the input file are longer than 100 000 characters.
	<i>Advanced separator (for numbers)</i>	Select this check box to modify the separators used for numbers: Thousands separator: define separators for thousands. Decimal separator: define separators for decimals.
	<i>Trim all column</i>	Select this check box to remove leading and trailing whitespaces from defined columns.
	<i>Validate date</i>	Select this check box to check the date format strictly against the input schema.
	<i>Encoding</i>	Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to read a file and separate fields using a position separator value. You can also create a rejection flow using a Row > Reject link to filter the data which does not correspond to the type defined. For an example of how to use these two links, see the section called “Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file” .	

Scenario 1: From Positional to XML file

The following scenario describes a two-component Job, which aims at reading data from an input file that contains contract numbers, customer references, and insurance numbers as shown below, and outputting the selected data (according to the data position) into an XML file.

Contract	CustomerRef	InsuranceNr
00001	8200	50330
00001	8201	50331
00002	8202	50332
00002	8203	50333


Dropping and linking components



1. Drop a **tFileInputPositional** component from the **Palette** to the design workspace.
2. Drop a **tFileOutputXML** component as well. This file is meant to receive the references in a structured way.
3. Right-click the **tFileInputPositional** component and select **Row > Main**. Then drag it onto the **tFileOutputXML** component and release when the plug symbol shows up.


Configuring data input

1. Double-click the **tFileInputPositional** component to show its **Basic settings** view and define its properties.




2. Define the Job Property type if needed. For this scenario, we use the built-in Property type. As opposed to the Repository, this means that the Property type is set for this station only.
3. Fill in a path to the input file in the **File Name** field. This field is mandatory.

4. Define the **Row separator** identifying the end of a row if needed, by default, a carriage return.
5. If required, select the **Use byte length as the cardinality** check box to enable the support of double-byte character.
6. Define the **Pattern** to delimit fields in a row. The pattern is a series of length values corresponding to the values of your input files. The values should be entered between quotes, and separated by a comma. Make sure the values you enter match the schema defined.
7. Fill in the **Header**, **Footer** and **Limit** fields according to your input file structure and your need. In this scenario, we only need to skip the first row when reading the input file. To do this, fill the **Header** field with *1* and leave the other fields as they are.
8. Next to **Schema**, select **Repository** if the input schema is stored in the Repository. In this use case, we use a **Built-In** input schema to define the data to pass on to the **tFileOutputXML** component.
9. You can load and/or edit the schema via the **Edit Schema** function. For this schema, define three columns, respectively *Contract*, *CustomerRef* and *InsuranceNr* matching the structure of the input file. Then, click **OK** to close the **[Schema]** dialog box and propagate the changes.



Configuring data output

1. Double-click **tFileOutputXML** to show its **Basic settings** view.



2. Enter the XML output file path.
3. Define the row tag that will wrap each row of data, in this use case *ContractRef*.
4. Click the three-dot button next to **Edit schema** to view the data structure, and click **Sync columns** to retrieve the data structure from the input component if needed.

- Switch to the **Advanced settings** tab view to define other settings for the XML output.

Split output in several files Create directory if not exists

Root tags

Tag
"ContractsList"

Output format

Column	<input type="checkbox"/> As attri...	<input checked="" type="checkbox"/> Use sche...	Label
Contract	<input type="checkbox"/>	<input checked="" type="checkbox"/>	label
CustomerRef	<input type="checkbox"/>	<input checked="" type="checkbox"/>	label
InsuranceNr	<input type="checkbox"/>	<input checked="" type="checkbox"/>	label

- Click the plus button to add a line in the **Root tags** table, and enter a root tag (or more) to wrap the XML output structure, in this case *ContractsList*.
- Define parameters in the **Output format** table if needed. For example, select the **As attribute** check box for a column if you want to use its name and value as an attribute for the parent XML element, clear the **Use schema column name** check box for a column to reuse the column label from the input schema as the tag label. In this use case, we keep all the default output format settings as they are.
- To group output rows according to the contract number, select the **Use dynamic grouping** check box, add a line in the **Group by** table, select **Contract** from the **Column** list field, and enter an attribute for it in the **Attribute label** field.

Use dynamic grouping Group by

Column	Attribute label
Contract	"Nr"

Custom the flush buffer size
 Advanced separator (for numbers)
 Encoding
 Don't generate empty file
 tStatCatcher Statistics

- Leave all the other parameters as they are.

Saving and executing the Job

- Press **Ctrl+S** to save your Job to ensure that all the configured parameters take effect.
- Press **F6** or click **Run** on the **Run** tab to execute the Job.

The file is read row by row based on the length values defined in the **Pattern** field and output as an XML file as defined in the output settings. You can open it using any standard XML editor.

```

1 |<?xml version="1.0" encoding="ISO-8859-15"?>
2 |<ContractsList>
3 |   <Contract Nr="00001">
4 |     <ContractRef>
5 |       <CustomerRef>8200</CustomerRef>
6 |       <InsuranceNr>50330</InsuranceNr>
7 |     </ContractRef>
8 |     <ContractRef>
9 |       <CustomerRef>8201</CustomerRef>
10 |      <InsuranceNr>50331</InsuranceNr>
11 |    </ContractRef>
12 |  </Contract>
13 |  <Contract Nr="00002">
14 |    <ContractRef>
15 |      <CustomerRef>8202</CustomerRef>
16 |      <InsuranceNr>50332</InsuranceNr>
17 |    </ContractRef>
18 |    <ContractRef>
19 |      <CustomerRef>8203</CustomerRef>
20 |      <InsuranceNr>50333</InsuranceNr>
21 |    </ContractRef>
22 |  </Contract>
23 |</ContractsList>

```

Scenario 2: Handling a positional file based on a dynamic schema

This scenario describes a four-component Job that reads data from a positional file, writes the data to another positional file, and replaces the padding characters with space. The schema column details are not defined in the positional file components; instead, they leverage a reusable dynamic schema. The input file used in this scenario is as follows:


```

id----name-----city-----
1----Andrews----Paris-----
2----Mark-----London-----
3----Marie-----Paris-----
4----Michael----Washington--

```

Dropping and linking components

1. Drop the following components from the **Palette** onto the design workspace: **tFixedFlowInput**, **tSetDynamicSchema**, **tFileInputPositional**, and **tFileOutputPositional**.
2. Connect the **tFixedFlowInput** component to the **tSetDynamicSchema** using a **Row > Main** connection to form a subjob. This subjob will define a reusable dynamic schema.
3. Connect the **tFileInputPositional** component to the **tFileOutputPositional** component using a **Row > Main** connection to form another subjob. This subjob will read data from the input positional file and write the data to another positional file based on the dynamic schema set in the previous subjob.
4. Connect the **tFixedFlowInput** component to the **tFileInputPositional** component using a **Trigger > On Subjob Ok** connection to link the two subjobs together.




Configuring the first subjob: creating a dynamic schema


1. Double-click the **tFixedFlowInput** component to show its **Basic settings** view and define its properties.

ColumnName	ColumnType	ColumnLength
"ID"	"id_Integer"	6
"Name"	"id_String"	12
"City"	"id_String"	12

2. Click the [...] button next to **Edit schema** to open the **[Schema]** dialog box.



- Click the [+] button to add three columns: *ColumnName*, *ColumnType*, and *ColumnLength*, and set their types to **String**, **String**, and **Integer** respectively to define the minimum properties required for a positional file schema. Then, click **OK** to close the dialog box.
- Select the **Use Inline Table** option, click the [+] button three times to add three lines, give them a name in the **ColumnName** field, according to the actual columns of the input file to read: *ID*, *Name*, and *City*, set their types in the corresponding **ColumnType** field: *id_Integer* for column *ID*, and *id_String* for columns *Name* and *City*, and set the length values of the columns in the corresponding **ColumnLength** field. Note that the column names you give in this table will compose the header of the output file.
- Double-click the **tSetDynamicSchema** component to open its **Basic settings** view.



- Click **Sync columns** to ensure that the schema structure is properly retrieved from the preceding component.
- Under the **Parameters** table, click the [+] button to add three lines in the table.
- Click in the **Property** field for each line, and select **ColumnName**, **Type**, and **Length** respectively.
- Click in the **Value** field for each line, and select **ColumnName**, **ColumnType**, and **ColumnLength** respectively.

Now, with the values set in the inline table of the **tFixedFlowInput** component retrieved, the following data structure is defined in the dynamic schema:

Column Name	Type	Length
ID	Integer	6
Name	String	12
City	String	12

Configuring the second subjob: reading and writing positional data

1. Double-click the **tFileInputPositional** component to open its **Basic settings** view.

The screenshot shows the configuration for the **tFileInputPositional** component. The **Basic settings** tab is active. The **Property Type** is **Built-In**. The **Use existing dynamic** checkbox is checked, and the **Component List** is set to **tSetDynamicSchema_1**. The **File name/Stream** field contains the path **D:/Talend/Input/Input_pos.txt**. The **Row Separator** is **\r\n**. The **Use byte length as the cardinality** checkbox is unchecked. The **Customize** checkbox is checked. The **Formats** table has the following content:


Column	Size	Padding char	Alignmer
dyn		'-'	Left

The **Skip empty rows** and **Die on error** checkboxes are checked. The **Uncompress as zip file** checkbox is unchecked. The **Header** field is set to **1**, the **Footer** field is set to **0**, and the **Limit** field is empty. The **Schema** dropdown is set to **Built-In**.




*The dynamic schema feature is only supported in **Built-In** mode and requires the input file to have a header row.*

2. Select the **Use existing dynamic** check box, and in from the **Component List** that appears, select the **tSetDynamicSchema** component you use to create the dynamic schema. In this use case, only one **tSetDynamicSchema** component is used, so it is automatically selected.
3. In the **File name/Stream** field, enter the path to the input positional file, or browse to the file path by clicking the [...] button.
4. Fill in the **Header**, **Footer** and **Limit** fields according to your input file structure and your need. In this scenario, we only need to skip the first row when reading the input file. To do this, fill the **Header** field with **1** and leave the other fields as they are.
5. Click the [...] button next to **Edit schema** to open the Schema dialog box, define only one column, **dyn** in this example, and select **Dynamic** from the **Type** list. Then, click **OK** to close the [Schema] dialog box and propagate the changes.




6. Select the **Customize** check box, enter ' - ' in the **Padding char** field, and keep the other settings as they are.
7. Double-click the **tFileOutputPositional** component to open its **Basic settings** view.



8. Select the **Use existing dynamic** check box, specify the output file path, and select the **Include header** check box.
9. In the **Padding char** field, enter ' ' so that the padding characters will be replaced with space in the output file.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job to ensure that all the configured parameters take effect.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.



1	ID	Name	City
2	1	Andrews	Paris
3	2	Mark	London
4	3	Marie	Paris
5	4	Michael	Washington
6			

The data is read from the input positional file and written into the output positional file, with the padding characters replaced by space.

tFileInputProperties



tFileInputProperties properties

Component family	File/Input	
Function	tFileInputProperties reads a text file row by row and extracts the fields.	
Purpose	tFileInputProperties opens a text file and reads it row by row then separates the fields according to the model key = value.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	In Talend Open Studio for Big Data, the Property type is always built-in. The schema is either built-in or remotely stored in the Repository but for this component, the schema is read-only. It is made of two column, <i>Key</i> and <i>Value</i> , corresponding to the parameter name and the parameter value to be copied.
	<i>File format</i>	Select from the list your file format, either: .properties or .ini .
		.properties : data in the configuration file is written in two lines and structured according to the following way: key = value.
		.ini : data in the configuration file is written in two lines and structured according to the following way: key = value and re-grouped in sections. Section Name : enter the section name on which the iteration is based.
	<i>File Name</i>	Name or path to the file to be processed. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>Encoding</i>	Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to read a text file and separate data according to the structure key = value.	

Scenario: Reading and matching the keys and the values of different .properties files and outputting the results in a glossary

This four-component Java Job reads two .properties files, one in French and the other in English. The data in the two input files is mapped to output a glossary matching the English and French terms.


The two input files used in this scenario hold localization strings for the **tMySQLInput** component in *Talend Open Studio for Big Data*.

Scenario: Reading and matching the keys and the values of different .properties files and outputting the results in a glossary

tMysqlInput_messages_en.properties	tMysqlInput_messages_fr.properties
1 DBD-ODBC.INFO=Required for ODBC	1 DBD-ODBC.INFO=Requis pour les cor
2 DBD-Oracle.INFO=Required for Ora	2 DBD-Oracle.INFO=Requis par Oracle
3 DBD-Pg.INFO=Required for Postgre	3 DBD-Pg.INFO=Requis par PostgreSQL
4 DBD-mysql.INFO=Required for MySQ	4 DBD-mysql.INFO=Requis par MySQL
5 DBNAME.NAME=Database	5 DBNAME.NAME=Base de données
6 DBTABLE.NAME=Table Name	6 DBTABLE.NAME=Nom de table
7 ENABLE_STREAM.NAME=Enable stream	7 ENABLE_STREAM.NAME=Activer la dif
8 ENCODING.NAME=Encoding	8 ENCODING.NAME=Encodage
9 HELP=org.talend.help.tMysqlInput	9 HELP=org.talend.help.tMysqlInput
10 HOST.NAME=Host	10 HOST.NAME=Hôte
11 LONG_NAME=Reads a MySQL table an	11 LONG_NAME=Lit une table MySQL et
12 NB_LINE.NAME=Number of line	12 NB_LINE.NAME=Nombre de ligne
13 NULL_CHAR.NAME=Null Char	13 NULL_CHAR.NAME=Caractère Null
14 PASS.NAME=Password	14 PASS.NAME=Mot de passe
15 PORT.NAME=Port	15 PORT.NAME=Port
16 PROPERTIES.NAME=Additional JDBC	16 PROPERTIES.NAME=Paramètres JDBC s
17 QUERY.NAME=Query	17 QUERY.NAME=Requête
18 QUERystore.NAME=Query Type	


Dropping and linking the components

- Drop the following components from the **Palette** onto the design workspace: **tFileInputProperties** (x2), **tMap**, and **tLogRow**.
- Connect the component together using **Row > Main** links. The second properties file, *FR*, is used as a lookup flow.




Configuring the components


- Double-click the first **tFileInputProperties** component to open its **Basic settings** view and define its properties.



- In the **File Format** field, select your file format.
- In the **File Name** field, click the three-dot button and browse to the input .properties file you want to use.
- Do the same with the second **tFileInputProperties** and browse to the French properties file this time.



5. Double-click the **tMap** component to open the tMap editor.



6. Select all columns from the *English_terms* table and drop them to the output table.
Select the *key* column from the *English_terms* table and drop it to the *key* column in the *French_terms* table.
7. In the **glossary** table in the lower right corner of the tMap editor, rename the *value* field as *EN* because it will hold the values of the English file.
8. Click the plus button to add a line to the **glossary** table and rename it as *FR*.
9. In the **Length** field, set the maximum length to 255.
10. In the upper left corner of the tMap editor, select the *value* column in the *English_terms* table and drop it to the *FR* column in the *French_terms* table.
11. Click **OK** to validate your changes and close the editor.
12. In the design workspace, double-click **tLogRow** to display its **Basic settings** and define the component properties.
13. Click **Sync Columns** to retrieve the schema from the preceding component.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click the **Run** button from the **Run** tab to execute it.

Starting job tFileInputProperties at 15:25 29/05/2009.


```
PORT.NAME | Port | Port
HELP | org.talend.help.tMysqlInput | org.talend.help.tMysqlInput
STRING_QUOTE.NAME | String Quote | Séparateur de chaine de
caractère
DBTABLE.NAME | Table Name | Nom de table
QUERYSTORE.NAME | Query Type | Type de requête
SQL_SYNTAX.NAME | Sql Syntax | Syntaxe SQL
TYPE.ITEM.PGSQL | PostgreSQL | PostgreSQL
TYPE.NAME | Database Driver | Pilote de base de données
TABLE.NAME | Table Name | Nom de table
ENCODING.NAME | Encoding | Encodage
QUERY.NAME | Query | Requête
DBD-ODBC.INFO | Required for ODBC-like connection | Requis pour
les connexions de type ODBC
```

The glossary displays on the console listing three columns holding: the key name in the first column, the English term in the second, and the corresponding French term in the third.

tFileInputRegex




tFileInputRegex properties

Component family	File/Input	
Function	Powerful feature which can replace number of other components of the File family. Requires some advanced knowledge on regular expression syntax	
Purpose	Opens a file and reads it row by row to split them up into fields using regular expressions. Then sends fields as defined in the Schema to the next Job component, via a Row link.	
Basic settings	<i>Property type</i>	In Talend Open Studio for Big Data, the Property type is always built-in.
		Built-in: No property data stored centrally.
	<i>File Name/Stream</i>	<p>File name: Name of the file and/or the variable to be processed</p> <p>Stream: Data flow to be processed. The data must be added to the flow so that it can be collected by the tFileInputRegex via the <i>INPUT_STREAM</i> variable in the autocompletion list (Ctrl+Space)</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Row separator</i>	String (ex: “\n” on Unix) to distinguish rows.
	<i>Regex</i>	<p>This field can contain multiple lines. Type in your regular expressions including the subpattern matching the fields to be extracted.</p> <p>Note: Antislashes need to be doubled in regexp</p> <p> <i>Regex syntax requires double quotes.</i></p>
	<i>Header</i>	Number of rows to be skipped in the beginning of file
	<i>Footer</i>	Number of rows to be skipped at the end of the file.
	<i>Limit</i>	Maximum number of rows to be processed. If Limit = 0, no row is read or processed.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In Talend Open Studio for Big Data, the schema is always built-in.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Skip empty rows</i>	Select this check box to skip empty rows.
	<i>Die on error</i>	Select this check box to stop the execution of the Job when an error occurs. Clear the check box to skip the row

		on error and complete the process for error-free rows. If needed, you can collect the rows on error using a Row > Reject link.
Advanced settings	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to read a file and separate fields contained in this file according to the defined Regex. You can also create a rejection flow using a Row > Reject link to filter the data which doesn't correspond to the type defined. For an example of how to use these two links, see the section called "Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file" .	
Limitation	n/a	

Scenario: Regex to Positional file

The following scenario creates a two-component Job, reading data from an Input file using regular expression and outputting delimited data into an XML file.




Dropping and linking the components

1. Drop a **tFileInputRegex** component from the **Palette** to the design workspace.
2. Drop a **tFileOutputPositional** component the same way.
3. Right-click on the **tFileInputRegex** component and select **Row > Main**. Drag this main row link onto the **tFileOutputPositional** component and release when the plug symbol displays.


Configuring the components

1. Select the **tFileInputRegex** again so the **Component** view shows up, and define the properties:




2. The Job is built-in for this scenario. Hence, the Properties are set for this station only.

3. Fill in a path to the file in **File Name** field. This field is mandatory.
4. Define the **Row separator** identifying the end of a row.
5. Then define the **Regular expression** in order to delimit fields of a row, which are to be passed on to the next component. You can type in a regular expression using Java code, and on multiple lines if needed.

 *Regex syntax requires double quotes.*

6. In this expression, make sure you include all subpatterns matching the fields to be extracted.
7. In this scenario, ignore the header, footer and limit fields.
8. Select a local (**Built-in**) **Schema** to define the data to pass on to the **tFileOutputPositional** component.
9. You can load or create the schema through the **Edit Schema** function.
10. Then define the second component properties:



The screenshot shows the configuration window for the **tFileOutputPositional_1** component. The **Basic settings** tab is active. The **Property Type** is set to **Built-In**. The **File Name** is `"C:/outputs/out.txt"`. The **Schema** is **Built-In**. The **Row Separator** is `"\n"`. There are checkboxes for **Append**, **Include header**, and **Compress as zip file**, all of which are currently unchecked. A **Formats** table is visible at the bottom of the settings area.


Column	Size	Padding char	Alignment	Keep
IP	20	" "	Left	All
Date	30	" "	Left	All
Info	50	" "	Left	All

11. Enter the Positional file output path.
12. Enter the **Encoding** standard, the output file is encoded in. Note that, for the time being, the encoding consistency verification is not supported.
13. Select the **Schema** type. Click on **Sync columns** to automatically synchronize the schema with the Input file schema.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Now go to the **Run** tab, and click on **Run** to execute the Job.

The file is read row by row and split up into fields based on the **Regular Expression** definition. You can open it using any standard file editor.



tFileInputXML







tFileInputXML belongs to two component families: File and XML. For more information on **tFileInputXML**, see [the section called “tFileInputXML”](#).

tFileList



tFileList properties


Component family	File/Management	
Function	tFileList iterates on files or folders of a set directory.	
Purpose	tFileList retrieves a set of files or folders based on a filemask pattern and iterates on each unity.	
Basic settings	<i>Directory</i>	Path to the directory where the files are stored.
	<i>FileList Type</i>	Select the type of input you want to iterate on from the list: Files if the input is a set of files, Directories if the input is a set of directories, Both if the input is a set of the above two types.
	<i>Include subdirectories</i>	Select this check box if the selected input source type includes sub-directories.
	<i>Case Sensitive</i>	Set the case mode from the list to either create or not create case sensitive filter on filenames.
	<i>Generate Error if no file found</i>	Select this check box to generate an error message if no files or directories are found.
	<i>Use Glob Expressions as Filemask</i>	This check box is selected by default. It filters the results using a Global Expression (Glob Expressions).
	<i>Files</i>	Click the plus button to add as many filter lines as needed: Filemask: in the added filter lines, type in a filename or a filemask using special characters or regular expressions.
	<i>Order by</i>	The folders are listed first of all, then the files. You can choose to prioritise the folder and file order either: By default: alphabetical order, by folder then file; By file name: alphabetical order or reverse alphabetical order; By file size: smallest to largest or largest to smallest; By modified date: most recent to least recent or least recent to most recent.  If ordering by file name , in the event of identical file names then modified date takes precedence. If ordering by file size , in the event of identical file sizes then file name takes precedence. If ordering by modified date , in

		the event of identical dates then file name takes precedence.
	<i>Order action</i>	Select a sort order by clicking one of the following radio buttons: ASC : ascending order; DESC : descending order;
Advanced settings	<i>Use Exclude Filemask</i>	Select this check box to enable Exclude Filemask field to exclude filtering condition based on file type: Exclude Filemask : Fill in the field with file types to be excluded from the Filemasks in the Basic settings view.  File types in this field should be quoted with double quotation marks and separated by comma.
	<i>Format file path to slash(/) style(useful on Windows)</i>	Select this check box to format the file path to slash(/) style which is useful on Windows.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
	<i>Enable parallel execution</i>	Select this check box to perform high-speed data processing, by treating multiple data flows simultaneously. In the Number of parallel executions field, either: - Enter the number of parallel executions desired. - Press Ctrl + Space and select the appropriate context variable from the list. For further information, see <i>Talend Open Studio for Big Data User Guide</i> .  <i>The Action on table field is not available with the parallelization function. Therefore, you must use a tCreateTable component if you want to create a table.</i>  <i>When parallel execution is enabled, it is not possible to use global variables to retrieve return values in a SubJob.</i>
Usage	tFileList provides a list of files or folders from a defined directory on which it iterates	
Global Variables		Current File Name : Indicates the current file name. This is available as a Flow variable. Returns a string. Current File Name with Path : Indicates the current file name as well as the path to the file. This is available as a Flow variable.

	<p>Returns a string.</p> <p>Current File Extension: Indicates the extension of the current file. This is available as a Flow variable.</p> <p>Returns a string.</p> <p>Current File Directory: Indicates the access path to the folder or subfolder in which the current file is stored. This is available as a Flow variable.</p> <p>Returns a string.</p> <p>Number of files: Indicates the number of files iterated upon so far. This is available as a Flow variable.</p> <p>Returns an integer.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<p>Connections</p>	<p>Outgoing links (from one component to another):</p> <p>Row: Iterate</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Iterate.</p> <p>Trigger: Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
<p>Limitation</p>	<p>n/a</p>


Scenario: Iterating on a file directory

The following scenario creates a three-component Job, which aims at listing files from a defined directory, reading each file by iteration, selecting delimited data and displaying the output in the **Run** log console.




- Drop the following components from the **Palette** to the design workspace: **tFileList**, **tFileInputDelimited**, and **tLogRow**.


- Right-click on the **tFileList** component, and pull an **Iterate** connection to the **tFileInputDelimited** component. Then pull a **Main** row from the **tFileInputDelimited** to the **tLogRow** component.
- Double-click **tFileList** to display its **Basic settings** view and define its properties.



- Browse to the **Directory** that holds the files you want to process. To display the path on the Job itself, use the label (**__DIRECTORY__**) that shows up when you put the pointer anywhere in the **Directory** field. Type in this label in the **Label Format** field you can find if you click the **View** tab in the **Basic settings** view.



- In the **Basic settings** view and from the **FileList Type** list, select the source type you want to process, **Files** in this example.
- In the **Case sensitive** list, select a case mode, **Yes** in this example to create case sensitive filter on file names.
- Keep the **Use Glob Expressions as Filemask** check box selected if you want to use global expressions to filter files.
- In the **Filemask** field, define a file mask, use special characters if need be.
- Double-click **tFileInputDelimited** to display its **Basic settings** view and set its properties.



- Enter the **File Name** field using a variable containing the current filename path, as you filled in the **Basic settings** of **tFileList**. Press **Ctrl+Space bar** to access the autocomplete list of variables.
- Select the global variable `((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))`. This way, all files in the input directory can be processed.
- Fill in all other fields as detailed in the **tFileInputDelimited** section. Related topic: [the section called "tMDMInput properties"](#).

13. Select the last component, **tLogRow**, to display its **Basic settings** view and fill in the separator to be used to distinguish field content displayed on the console. Related topic: [the section called “tLogRow”](#).

Starting job test at 17:16 21/09/2009.

tLogRow_1			
id	CustomerName	CustomerAddress	idState
1	Griffith Paving and Sealcoat	talend@apres91	7
2	Bill's Dive Shop	511 Maple Ave. Apt. 1B	35
3	Childress Child Day Care	662 Lyons Circle	1
4	Facelift Kitchen and Bath	220 Vine Ave.	41
5	Terrinni & Son Auto and Truck	770 Exmoor Rd.	5
6	Kermit the Pet Shop	1860 Parkside Ln.	28
7	Tub's Furniture Store	807 Old Trail Rd.	15
8	Toggle & Myerson Ltd	618 Sheriden rd.	9
9	Childress Child Day Care	788 Tennyson Ave.	12
10	Elle Hypnosis and Therapy Cent	2032 Northbrook Ct.	1

tLogRow_1			
id	CustomerName	CustomerAddress	idState
1	Glenwood Credit Union	511 Maple Ave. Apt. 1B	46
2	Gourmet the Frog	788 Tennyson Ave.	1
3	Acturial Enterprises Ltd.	3385 University Ave.	34
4	Salt & Pepper Catering Service	965 Marion Place Apt. 65C	44
5	Rythmics Ltd.	1875 Roger Williams Ave.	22
6	Parkway Auto Body	1859 Green Bay Rd.	27
7	Futoons Cartoons Emporium	1486 Old Deerfield Rd.	24
8	Glenn Oaks Office Supplies	1882 St. Johns	10
9	Garfield Appliance Service	3150 Skokie Valley Rd.	33
10	New Dehli Auto Exchange	1957 Huntington Ave.	49

Job test ended at 17:16 21/09/2009. [exit code=0]

The Job iterates on the defined directory, and reads all included files. Then delimited data is passed on to the last component which displays it on the console.

For other scenarios using **tFileList**, see [the section called “FileCopy”](#).

tFileOutputARFF



tFileOutputARFF properties

Component family	File/Output	
Function	tFileOutputARFF outputs data to an ARFF file.	
Purpose	This component writes an ARFF file that holds data organized according to the defined schema.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>File name</i>	Name or path to the output file and/or the variable to be used. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Attribute Define</i>	Displays the schema you defined in the [Edit schema] dialog box. Column: Name of the column. Type: Data type. Pattern: Enter the data model (pattern), if necessary.
	<i>Relation</i>	Enter the name of the relation.
	<i>Append</i>	Select this check box to add the new rows at the end of the file.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: You can create the schema and store it locally for this component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Create directory if not exists</i>	This check box is selected by default. It creates a directory to hold the output table if it does not exist.
Advanced settings	<i>Don't generate empty file</i>	Select this check box if you do not want to generate empty files.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component along with a Row link to collect data from another component and to re-write the data to an ARFF file.	
Global Variables		The Global variables can be used as parameters in most of the fields found in the component properties view.

	<p>To view these variables, place the cursor in the field and press Ctrl + Space. Double click the variable to populate the field. The main global variable associated with tFileOutputARFF is:</p> <p><i>Number of lines</i>: Indicates the number of lines processed. This is available as an After variable</p>
Connections	<p>Outgoing links (from one component to another):</p> <p>Row: Main.</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if.</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Reject; Iterate.</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	<p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>

Related scenarios

For **tFileOutputARFF** related scenario, see [the section called “Scenario: Display the content of a ARFF file”](#).

tFileOutputDelimited



tFileOutputDelimited properties


Component family	File/Output	
Function	tFileOutputDelimited outputs data to a delimited file.	
Purpose	This component writes a delimited file that holds data organized according to the defined schema.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Use Output Stream</i>	<p>Select this check box process the data flow of interest. Once you have selected it, the Output Stream field displays and you can type in the data flow of interest.</p> <p>The data flow to be processed must be added to the flow in order for this component to fetch these data via the corresponding representative variable.</p> <p>This variable could be already pre-defined in your Studio or provided by the context or the components you are using along with this component; otherwise, you could define it manually and use it according to the design of your Job, for example, using tJava or tJavaFlex.</p> <p>In order to avoid the inconvenience of hand writing, you could select the variable of interest from the auto-completion list (Ctrl+Space) to fill the current field on condition that this variable has been properly defined.</p> <p>For further information about how to use a stream, see the section called “Scenario 2: Reading data from a remote file in streaming mode”.</p>
	<i>File name</i>	<p>Name or path to the output file and/or the variable to be used.</p> <p>This field becomes unavailable once you have selected the Use Output Stream check box.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Row Separator</i>	String (ex: “\n” on Unix) to distinguish rows in the output file.
	<i>Field Separator</i>	Character, string or regular expression to separate fields of the output file.
	<i>Append</i>	Select this check box to add the new rows at the end of the file.

	<i>Include Header</i>	Select this check box to include the column header to the file.
	<i>Compress as zip file</i>	Select this check box to compress the output file in zip format.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit Schema to make changes to the schema.
		Built-in: You can create the schema and store it locally for this component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Sync columns</i>	Click to synchronize the output file schema with the input file schema. The Sync function only displays once the Row connection is linked with the output component.
Advanced settings	<i>Advanced separator (for numbers)</i>	Select this check box to modify the separators used for numbers: Thousands separator: define separators for thousands. Decimal separator: define separators for decimals.
	<i>CSV options</i>	Select this check box to take into account all parameters specific to CSV files, in particular Escape char and Text enclosure parameters.
	<i>Create directory if not exists</i>	This check box is selected by default. It creates the directory that holds the output delimited file, if it does not already exist.
	<i>Split output in several files</i>	In case of very big output files, select this check box to divide the output delimited file into several files. Rows in each output file: set the number of lines in each of the output files.
	<i>Custom the flush buffer size</i>	Select this check box to define the number of lines to write before emptying the buffer. Row Number: set the number of lines to write.
	<i>Output in row mode</i>	Writes in row mode.
	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Don't generate empty file</i>	Select this check box if you do not want to generate empty files.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to write a delimited file and separate fields using a field separator value.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i>	

and *How to install external modules* sections of *Talend Open Studio for Big Data User Guide*.

Scenario 1: Writing data in a delimited file

This scenario describes a three-component Job that extracts certain data from a file holding information about clients, *customers*, and then writes the extracted data in a delimited file.




Dropping and linking components

1. Drop a **tFileInputDelimited** component, a **tMap** component and a **tFileOutputDelimited** component from the **Palette** to the design workspace.
2. Link the components together using **Row > Main** connections.

Configuring the components

Configuring the input component

1. Double-click **tFileInputDelimited** to open its **Basic settings** view.



! For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see Talend Open Studio for Big Data User Guide.


2. Click the [...] button next to the **File Name** field and browse to the input file, *customer.csv* in this example.

! If the path of the file contains some accented characters, you will get an error message when executing your Job. For more information regarding the procedures to follow when the support of accented characters is missing, see Talend Open Studio for Big Data **Installation Guide**.

3. In the **Row Separators** and **Field Separators** fields, enter respectively "\n" and ";" as line and field separators.
4. If needed, set the number of lines used as header and the number of lines used as footer in the corresponding fields and then set a limit for the number of processed rows.


In this example, **Header** is set to 6 while **Footer** and **Limit** are not set.


- Click the [...] button next to **Edit Schema** to open the [Schema] dialog box and define the input schema as shown below, and then click **OK** to close the dialog box.




Configuring the mapping component

- In the design workspace, double-click **tMap** to open its editor.



- In the **tMap** editor, click  on top of the panel to the right to open the [Add a new output table] dialog box.



- Enter a name for the table you want to create, *row2* in this example.


- Click **OK** to validate your changes and close the dialog box.
- In the table to the left, *row1*, select the first three lines (*Id*, *CustomerName* and *CustomerAddress*) and drop them to the table to the right
- In the **Schema editor** view situated in the lower left corner of the **tMap** editor, change the type of *RegisterTime* to **String** in the table to the right.

Column	Key	Type	<input checked="" type="checkbox"/>	N..	Date Pattern ...	Length	Precision	Def...	Comm...
idState	<input type="checkbox"/>	int	<input type="checkbox"/>			2			
id2	<input type="checkbox"/>	int	<input type="checkbox"/>			2			
RegTime	<input type="checkbox"/>	String	<input type="checkbox"/>			30			
RegisterTime	<input type="checkbox"/>	String	<input type="checkbox"/>			30			
Sum1	<input type="checkbox"/>	float	<input type="checkbox"/>			10	5		
Sum2	<input type="checkbox"/>	float	<input type="checkbox"/>			10	5		

- Click **OK** to save your changes and close the editor.

Configuring the output component

- In the design workspace, double-click **tFileOutputDelimited** to open its **Basic settings** view and define the component properties.



- In the **Property Type** field, set the type to **Built-in** and fill in the fields that follow manually.
- Click the [...] button next to the **File Name** field and browse to the output file you want to write data in, *customerselection.txt* in this example.
- In the **Row Separator** and **Field Separator** fields, set “\n” and “;” respectively as row and field separators.
- Select the **Include Header** check box if you want to output columns headers as well.
- Click **Edit schema** to open the schema dialog box and verify if the recuperated schema corresponds to the input schema. If not, click **Sync Columns** to recuperate the schema from the preceding component.

Saving and executing the Job


- Press **Ctrl+S** to save your Job.
- Press **F6** or click **Run** on the **Run** tab to execute the Job.

```
customerselection.txt
1 id;CustomerName;CustomerAddress
2 1;Griffith Paving and Sealcoat;talend@apres91
3 2;Bill's Dive Shop;511 Maple Ave. Apt. 1B
4 3;Childress Child Day Care;662 Lyons Circle
5 4;Facelift Kitchen and Bath;unknown
6 5;Terrinni & Son Auto and Truck;770 Exmoor Rd.
7 6;Kermit the Pet Shop;1860 Parkside Ln.
8 7;Tub's Furniture Store;807 Old Trail Rd.
9 8;Toggle & Myerson Ltd;618 Sheriden rd.
10 9;Childress Child Day Care;788 Tennyson Ave.
11 10;Elle Hypnosis and Therapy Cent;2032 Northbrook Ct.
```

The three specified columns *Id*, *CustomerName* and *CustomerAddress* are output in the defined output file.

Scenario 2: Utilizing Output Stream to save filtered data to a local file

Based on the preceding scenario, this scenario saves the filtered data to a local file using output stream.




Dropping and linking components

1. Drop **tJava** from the **Palette** to the design workspace.
2. Connect **tJava** to **tFileInputDelimited** using a **Trigger** > **On Subjob OK** connection.

Configuring the components

1. Double-click **tJava** to open its **Basic settings** view.




- In the **Code** area, type in the following command:

```
new java.io.File("C:/myFolder").mkdirs();
globalMap.put("out_file", new
java.io.FileOutputStream("C:/myFolder/customerselection.txt", false));
```



In this scenario, the command we use in the **Code** area of **tJava** will create a new folder *C:/myFolder* where the output file *customerselection.txt* will be saved. You can customize the command in accordance with actual practice.

- Double-click **tFileOutputDelimited** to open its **Basic settings** view.



- Select **Use Output Stream** check box to enable the **Output Stream** field in which you can define the output stream using command.

Fill in the **Output Stream** field with following command:

```
(java.io.OutputStream)globalMap.get("out_file")
```



You can customize the command in the **Output Stream** field by pressing **CTRL+SPACE** to select built-in command from the list or type in the command into the field manually in accordance with actual practice. In this scenario, the command we use in the **Output Stream** field will call the `java.io.OutputStream` class to output the filtered data stream to a local file which is defined in the **Code** area of **tJava** in this scenario.

- Click **Sync columns** to retrieve the schema defined in the preceding component.
- Leave rest of the components as they were in the previous scenario.

Saving and executing the Job

- Press **Ctrl+S** to save your Job.
- Press **F6** or click **Run** on the **Run** tab to execute the Job.

The three specified columns *Id*, *CustomerName* and *CustomerAddress* are output in the defined output file.

```
customerselection.txt
1 id;CustomerName;CustomerAddress
2 1;Griffith Paving and Sealcoat;talend@apres91
3 2;Bill's Dive Shop;511 Maple Ave. Apt. 1B
4 3;Childress Child Day Care;662 Lyons Circle
5 4;Facelift Kitchen and Bath;unknown
6 5;Terrinni & Son Auto and Truck;770 Exmoor Rd.
7 6;Kermit the Pet Shop;1860 Parkside Ln.
8 7;Tub's Furniture Store;807 Old Trail Rd.
9 8;Toggle & Myerson Ltd;618 Sheriden rd.
10 9;Childress Child Day Care;788 Tennyson Ave.
11 10;Elle Hypnosis and Therapy Cent;2032 Northbrook Ct.
```


tFileOutputExcel



tFileOutputExcel Properties

Component family	File/Output	
Function	tFileOutputExcel outputs data to an MS Excel type of file.	
Purpose	tFileOutputExcel writes an MS Excel file with separated data value according to a defined schema.	
Basic settings	<i>Write excel 2007 file format (xlsx)</i>	Select this check box to write the processed data into the <i>.xlsx</i> format of Excel 2007.
	<i>Use Output Stream</i>	<p>Select this check box process the data flow of interest. Once you have selected it, the Output Stream field displays and you can type in the data flow of interest.</p> <p>The data flow to be processed must be added to the flow in order for this component to fetch these data via the corresponding representative variable.</p> <p>This variable could be already pre-defined in your Studio or provided by the context or the components you are using along with this component; otherwise, you could define it manually and use it according to the design of your Job, for example, using tJava or tJavaFlex.</p> <p>In order to avoid the inconvenience of writing manually, you could select the variable of interest from the auto-completion list (Ctrl+Space) to fill the current field on condition that this variable has been properly defined.</p> <p>For further information about how to use a stream, see the section called “Scenario 2: Reading data from a remote file in streaming mode”.</p>
	<i>File name</i>	<p>Name or path to the output file.</p> <p>This field becomes unavailable once you have selected the Use Output Stream check box</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Sheet name</i>	Name of the xsl sheet.
	<i>Include header</i>	Select this check box to include a header row to the output file.
	<i>Append existing file</i>	<p>Select this check box to add the new lines at the end of the file.</p> <p>Append existing sheet: Select this check box to add the new lines at the end of the Excel sheet.</p>

	<i>Is absolute Y pos.</i>	Select this check box to add information in specified cells: First cell X: cell position on the X-axis (X-coordinate or Abcissa). First cell Y: cell position on the Y-axis (Y-coordinate). Keep existing cell format: select this check box to retain the original layout and format of the cell you want to write into.
	<i>Font</i>	Select in the list the font you want to use.
	<i>Define all columns auto size</i>	Select this check box if you want the size of all your columns to be defined automatically. Otherwise, select the Auto size check boxes next to the column names you want their size to be defined automatically.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>Create directory if not exists</i>	This check box is selected by default. This option creates the directory that will hold the output files if it does not already exist.
	<i>Custom the flush buffer size</i>	Available when Write excel2007 file format (xlsx) is selected in the Basic settings view. Select this check box to set the maximum number of rows in the Row number field that are allowed in the buffer.
	<i>Advanced separator (for numbers)</i>	Select this check box to modify the separators you want to use for numbers: Thousands separator: define separators for thousands. Decimal separator: define separators for decimals.
	<i>Encoding</i>	Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to write an XML file with data passed on from other components using a Row link.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Related scenario

For **tFileOutputExcel** related scenario, see [the section called “tSugarCRMInput”](#);

For scenario about the usage of **Use Output Stream** check box, see [the section called “Scenario 2: Utilizing Output Stream to save filtered data to a local file”](#).

tFileOutputJSON




tFileOutputJSON properties


Component Family	File	
Function	tFileOutputJSON writes data to a JSON structured output file.	
Purpose	tFileOutputJSON receives data and rewrites it in a JSON structured data block in an output file.	
Basic settings	<i>File Name</i>	Name and path of the output file.
	<i>Name of data block</i>	Enter a name for the data block to be written, between double quotation marks.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In Talend Open Studio for Big Data, the schema is always built-in. Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and Job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Sync columns</i>	Click to synchronize the output file schema with the input file schema. The Sync function only displays once the Row connection is linked with the Output component.
Advanced settings	<i>Create directory if not exists</i>	This check box is selected by default. This option creates the directory that will hold the output files if it does not already exist.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to rewrite received data in a JSON structured output file.	
Limitation	n/a	

Scenario: Writing a JSON structured file


This is a 2 component scenario in which a **tRowGenerator** component generates random data which a **tFileOutputJSON** component then writes to a JSON structured output file.




1. Drop a **tRowGenerator** and a **tFileOutputJSON** component onto the workspace from the **Palette**.
2. Link the components using a **Row > Main** connection.
3. Double click **tRowGenerator** to define its **Basic Settings** properties in the **Component** view.




4. If the schema you require is already stored under the **Db Connections** node in the **Repository**, select **Repository** in the **Schema** field and choose the metadata from the list.
5. Otherwise, click [...] next to **Edit Schema** to display the corresponding dialog box and define the schema.



6. Click [+] to add the number of columns desired.
7. Under **Columns** type in the column names.
8. Under **Type**, select the data type from the list.
9. Click **OK** to close the dialog box.
10. Click [+] next to **RowGenerator Editor** to open the corresponding dialog box.



11. Under **Functions**, select pre-defined functions for the columns, if required, or select [...] to set customized function parameters in the **Function parameters** tab.
12. Enter the number of rows to be generated in the corresponding field.
13. Click **OK** to close the dialog box.
14. Click **tFileOutputJSON** to set its **Basic Settings** properties in the **Component** view.



15. Click [...] to browse to where you want the output JSON file to be generated and enter the file name.
16. Enter a name for the data block to be generated in the corresponding field, between double quotation marks.
17. Select **Built-In** as the **Schema** type.
18. Click **Sync Columns** to retrieve the schema from the preceding component.
19. Press **F6** to run the Job.

```
{
  "person": [
    {
      "birthplace": "Manchester",
      "age": 48,
      "name": "Carter"
    },
    {
      "birthplace": "Liverpool",
      "age": 39,
      "name": "Clinton"
    },
    {
      "birthplace": "London",
      "age": 53,
      "name": "Taylor"
    }
  ]
}
```

The data from the input schema is written in a JSON structured data block in the output file.

tFileOutputLDIF




tFileOutputLDIF Properties

Component family	File/Output	
Function	tFileOutputLDIF outputs data to an LDIF type of file which can then be loaded into a LDAP directory.	
Purpose	tFileOutputLDIF writes or modifies a LDIF file with data separated in respective entries based on the schema defined, or else deletes content from an LDIF file.	
Basic settings	<i>File name</i>	Name or path to the output file and/or the variable to be used. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Wrap</i>	Wraps the file content, every defined number of characters.
	<i>Change type</i>	Select Add , Modify or Delete to respectively create an LDIF file, modify or remove an existing LDIF file. In case of modification, set the type of attribute changes to be made.
	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Sync columns</i>	Click to synchronize the output file schema with the input file schema. The Sync function only displays once the Row connection is linked with the Output component.
	<i>Append</i>	Select this check box to add the new rows at the end of the file.
Advanced settings	<i>Create directory if not exists</i>	This check box is selected by default. It creates the directory that holds the output delimited file, if it does not already exist.
	<i>Custom the flush buffer size</i>	Select this check box to define the number of lines to write before emptying the buffer. Row Number: set the number of lines to write.
	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Don't generate empty file</i>	Select this check box if you do not want to generate empty files.

	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to write an XML file with data passed on from other components using a Row link.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Scenario: Writing DB data into an LDIF-type file

This scenario describes a two component Job which aims at extracting data from a database table and writing this data into a new output LDIF file.



Dropping and linking components

1. Drop a **tMysqlInput** component and a **tFileOutputLDIF** component from the **Palette** to the design area.
2. Connect the components together using a **Row > Main** link.

Configuring the components


1. Select the **tMysqlInput** component, and go to the **Component** panel then select the **Basic settings** tab.

Property Type	Repository	DB (MYSQL):demoMysql
DB Version		
<input type="checkbox"/> Use an existing connection		
Host	"localhost"	* Port "3306"
Database	"test"	
Username	"root"	* Password "*****"
Schema	Repository	Edit schema
Table Name	""	
Query Type	Built-In	Guess Query Guess schema
Query	"select id, name from employee"	



For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.


2. Define the DB connection and schema manually.
3. Then double-click on **tFileOutputLDIF** and define the **Basic settings**.
4. Browse to the folder where you store the Output file. In this use case, a new LDIF file is to be created. Thus type in the name of this new file.
5. In the **Wrap** field, enter the number of characters held on one line. The text coming afterwards will get wrapped onto the next line.



6. Select **Add** as **Change Type** as the newly created file is by definition empty. In case of modification type of Change, you'll need to define the nature of the modification you want to make to the file.
7. As the **Schema** type, select **Built-in** and use the **Sync Columns** button to retrieve the input schema definition.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.



```
dn: 24
changetype: add
id_owners: 24
registration: 5382 KC 94
make: Volkswagen

dn: 32
changetype: add
id_owners: 32
registration: 9591 OE 79
make: Honda

dn: 35
changetype: add
id_owners: 35
registration: 3129 VH 61
make: Volkswagen
```

The LDIF file created contains the data from the DB table and the type of change made to the file, in this use case, addition.

tFileOutputMSDelimited



tFileOutputMSDelimited properties

Component family	File/ Output	
Function	tFileOutputMSDelimited writes multiple schema in a delimited file.	
Purpose	tFileOutputMSDelimited creates a complex multi-structured delimited file, using data structures (schemas) coming from several incoming Row flows.	
Basic settings	<i>File Name</i>	Name and path to the file to be created and/or the variable to be used. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Row Separator</i>	String (ex: “\n” on Unix) to distinguish rows.
	<i>Field Separator</i>	Character, string or regular expression to separate fields.
	<i>Use Multi Field Separators</i>	Select this check box to set a different field separator for each of the schemas using the Field separator field in the Schemas area.
	<i>Schemas</i>	The table gets automatically populated by schemas coming from the various incoming rows connected to tFileOutputMSDelimited . Fill out the dependency between the various schemas: Parent row: Type in the parent flow name (based on the Row name transferring the data). Parent key column: Type in the key column of the parent row. Key column: Type in the key column for the selected row.
Advanced settings	<i>Advanced separator (for numbers)</i>	Select this check box to modify the separators used for numbers: Thousands separator: define separators for thousands. Decimal separator: define separators for decimals.
	<i>CSV options</i>	Select this check box to take into account all parameters specific to CSV files, in particular Escape char and Text enclosure parameters.
	<i>Create directory if not exists</i>	This check box is selected by default. It creates the directory that holds the output delimited file, if it does not already exist.
	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Don't generate empty file</i>	Select this check box if you do not want to generate empty files.

	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to write a multi-schema delimited file and separate fields using a field separator value.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Related scenarios

No scenario is available for this component yet.

tFileOutputMSPositional



tFileOutputMSPositional properties

Component family	File/Output	
Function	tFileOutputMSPositional writes multiple schemas in a positional file.	
Purpose	tFileOutputMSPositional creates a complex multi-structured file, using data structures (schemas) coming from several incoming Row flows.	
Basic settings	<i>File Name</i>	Name and path to the file to be created and/or variable to be used. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Row separator</i>	String (ex: “\n” on Unix) to distinguish rows.
	<i>Schemas</i>	The table gets automatically populated by schemas coming from the various incoming rows connected to tFileOutputMSPositional . Fill out the dependency between the various schemas: Parent row: Type in the parent flow name (based on the Row name transferring the data). Parent key column: Type in the key column of the parent row Key column: Type in the key column for the selected row. Pattern: Type in the pattern that positions the fields separator for each incoming row. Padding char: type in the padding character to be used Alignment: Select the relevant alignment parameter
Advanced settings	<i>Advanced separator (for numbers)</i>	Select this check box to modify the separators used for numbers: Thousands separator: define separators for thousands. Decimal separator: define separators for decimals.
	<i>Create directory if not exists</i>	This check box is selected by default. It creates the directory that holds the output delimited file, if it does not already exist.
	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to write a multi-schema positional file and separate fields using a position separator value.	

Related scenario

No scenario is available for this component yet.

tFileOutputMSXML




tFileOutputMSXML Properties

Component family	File/Output	
Function	tFileOutputMSXML writes multiple schema within an XML structured file.	
Purpose	tFileOutputMSXML creates a complex multi-structured XML file, using data structures (schemas) coming from several incoming Row flows.	
Basic settings	<i>File Name</i>	Name and path to the file to be created and or the variable to be used. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Configure XML tree</i>	Opens the dedicated interface to help you set the XML mapping. For details about the interface, see the section called “Defining the MultiSchema XML tree” .
Advanced settings	<i>Create directory only if not exists</i>	This check box is selected by default. It creates the directory that holds the output delimited file, if it does not already exist.
	<i>Advanced separator (for numbers)</i>	Select this check box to modify the separators used for numbers: Thousands separator: define separators for thousands. Decimal separator: define separators for decimals.
	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Don't generate empty file</i>	Select this check box if you do not want to generate empty files.
	<i>Trim the whitespace characters</i>	Select this check box to remove leading and trailing whitespace from the columns.
	<i>Escape text</i>	Select this check box to escape special characters.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Limitation	n/a	

Defining the MultiSchema XML tree

Double-click on the **tFileOutputMSXML** component to open the dedicated interface or click on the three-dot button on the **Basic settings** vertical tab of the **Component** tab.



To the left of the mapping interface, under **Linker source**, the drop-down list includes all the input schemas that should be added to the multi-schema output XML file (on the condition that more than one input flow is connected to the **tFileOutputMSXML** component).

And under **Schema List**, are listed all columns retrieved from the input data flow in selection.


To the right of the interface, are expected all XML structures you want to create in the output XML file.

You can create manually or easily import the XML structures. Then map the input schema columns onto each element of the XML tree, respectively for each of the input schemas in selection under **Linker source**.

Importing the XML tree

The easiest and most common way to fill out the XML tree panel, is to import a well-formed XML file.

1. Rename the **root tag** that displays by default on the **XML tree** panel, by clicking on it once.
2. Right-click on the root tag to display the contextual menu.
3. On the menu, select **Import XML tree**.
4. Browse to the file to import and click **OK**.



The **XML Tree** column is hence automatically filled out with the correct elements. You can remove and insert elements or sub-elements from and to the tree:

5. Select the relevant element of the tree.
6. Right-click to display the contextual menu
7. Select Delete to remove the selection from the tree or select the relevant option among: **Add sub-element**, **Add attribute**, **Add namespace** to enrich the tree.

Creating manually the XML tree

If you don't have any XML structure already defined, you can manually create it.

1. Rename the **root tag** that displays by default on the **XML tree** panel, by clicking on it once.
2. Right-click on the root tag to display the contextual menu.
3. On the menu, select **Add sub-element** to create the first element of the structure.

You can also add an attribute or a child element to any element of the tree or remove any element from the tree.

4. Select the relevant element on the tree you just created.
5. Right-click to the left of the element name to display the contextual menu.
6. On the menu, select the relevant option among: **Add sub-element**, **Add attribute**, **Add namespace** or **Delete**.


Mapping XML data from multiple schema sources

Once your XML tree is ready, select the first input schema that you want to map.

You can map each input column with the relevant XML tree element or sub-element to fill out the **Related Column**:

1. Click on one of the **Schema column name**.

2. Drag it onto the relevant sub-element to the right.
3. Release the mouse button to implement the actual mapping.



A light blue link displays that illustrates this mapping. If available, use the **Auto-Map** button, located to the bottom left of the interface, to carry out this operation automatically.

You can disconnect any mapping on any element of the XML tree:

4. Select the element of the XML tree, that should be disconnected from its respective schema column.
5. Right-click to the left of the element name to display the contextual menu.
6. Select **Disconnect link**.

The light blue link disappears.

Defining the node status


Defining the XML tree and mapping the data is not sufficient. You also need to define the loop elements **for each of the source in selection** and if required the group element.

Loop element


The loop element allows you to define the iterating object. Generally the Loop element is also the row generator.

To define an element as loop element:

1. Select the relevant element on the XML tree.
2. Right-click to the left of the element name to display the contextual menu.
3. Select **Set as Loop Element**.



The **Node Status** column shows the newly added status.

 There can only be one loop element at a time.


Group element

The group element is optional, it represents a constant element where the Groupby operation can be performed. A group element can be defined on the condition that a loop element was defined before.

When using a group element, the rows should be sorted, in order to be able to group by the selected node.

To define an element as group element:

1. Select the relevant element on the XML tree.
2. Right-click to the left of the element name to display the contextual menu.
3. Select **Set as Group Element**.



The **Node Status** column shows the newly added status and any group status required are automatically defined, if needed.

Click **OK** once the mapping is complete to validate the definition for this source and perform the same operation for the other input flow sources.

Related scenario

No scenario is available for this component yet.

tFileOutputPositional



tFileOutputPositional Properties

Component Family	File/Output	
Function	tFileOutputPositional writes a file row by row according to the length and the format of the fields or columns in a row.	
Purpose	It writes a file row by row, according to the data structure (schema) coming from the input flow.	
Basic settings	<i>Property type</i>	In Talend Open Studio for Big Data, the Property type is always built-in.
		Built-in: No property data stored centrally.
	<i>Use Output Stream</i>	<p>Select this check box process the data flow of interest. Once you have selected it, the Output Stream field displays and you can type in the data flow of interest.</p> <p>The data flow to be processed must be added to the flow in order for this component to fetch these data via the corresponding representative variable.</p> <p>This variable could be already pre-defined in your Studio or provided by the context or the components you are using along with this component; otherwise, you could define it manually and use it according to the design of your Job, for example, using tJava or tJavaFlex.</p> <p>In order to avoid the inconvenience of hand writing, you could select the variable of interest from the auto-completion list (Ctrl+Space) to fill the current field on condition that this variable has been properly defined.</p> <p>For further information about how to use a stream, see the section called “Scenario 2: Reading data from a remote file in streaming mode”.</p>
	<i>File Name</i>	<p>Name or path to the file to be processed and or the variable to be used.</p> <p>This field becomes unavailable once you have selected the Use Output Stream check box.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In Talend Open Studio for Big Data, the schema is always built-in.

		Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Row separator</i>	String (ex: “\n” on Unix) to distinguish rows in the output file.
	<i>Append</i>	Select this check box to add the new rows at the end of the file.
	<i>Include header</i>	Select this check box to include the column header to the file.
	<i>Compress as zip file</i>	Select this check box to compress the output file in zip format.
	<i>Formats</i>	Customize the positional file data format and fill in the columns in the Formats table. Column: Select the column you want to customize. Size: Enter the column size. Padding char: Type in between quotes the padding characters used. A space by default. Alignment: Select the appropriate alignment parameter. Keep: If the data in the column or in the field are too long, select the part you want to keep.
Advanced settings	<i>Advanced separator (for numbers)</i>	Select this check box to modify the separators used for numbers: Thousands separator: define separators for thousands. Decimal separator: define separators for decimals.
	<i>Use byte length as the cardinality</i>	Select this checkbox to add support of double-byte character to this component. JDK 1.6 is required for this feature.
	<i>Create directory if not exists</i>	This check box is selected by default. It creates a directory to hold the output table if it does not exist.
	<i>Custom the flush buffer size</i>	Select this check box to define the number of lines to write before emptying the buffer. Row Number: set the number of lines to write.
	<i>Output in row mode</i>	Writes in row mode.
	<i>Encoding</i>	Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Don't generate empty file</i>	Select this check box if you do not want to generate empty files.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to read a file and separate the fields using the specified separator.	

Related scenario

For a related scenario, see [the section called “Scenario 2: Handling a positional file based on a dynamic schema”](#).

For scenario about the usage of **Use Output Stream** check box, see [the section called “Scenario 2: Utilizing Output Stream to save filtered data to a local file”](#).

tFileOutputProperties



tFileOutputProperties properties

Component family	File/Output	
Function	tFileInputProperties writes a configuration file of the type .ini or .properties .	
Purpose	tFileInputProperties writes a configuration file containing text data organized according to the model key = value.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In Talend Open Studio for Big Data, the schema is always built-in.</p> <p>The schema is either built-in or remotely stored in the Repository but for this component, the schema is read-only. It is made of two column, <i>Key</i> and <i>Value</i>, corresponding to the parameter name and the parameter value to be copied.</p>
	<i>File format</i>	Select from the list file format: either .properties or .ini .
		.properties : data in the configuration file is written in two lines and structured according to the following way: key = value.
		<p>.ini: data in the configuration file is written in two lines and structured according to the following way: key = value and re-grouped in sections.</p> <p>Section Name: enter the section name on which the iteration is based.</p>
	<i>File Name</i>	<p>Name or path to the file to be processed and/or the variable to be used.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Advanced settings	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to write files where data is organized according to the structure key = value.	

Related scenarios

For a related scenario, see [the section called “Scenario: Reading and matching the keys and the values of different .properties files and outputting the results in a glossary”](#) of the section called “tFileInputProperties”.

tFileOutputXML



tFileOutputXML belongs to two component families: File and XML. For more information on **tFileOutputXML**, see [the section called “tFileOutputXML”](#).

tFileProperties




tFileProperties Properties

Component family	File/Management	
Function	tFileProperties creates a single row flow that displays the properties of the processed file.	
Purpose	tFileProperties obtains information about the main properties of a defined file.	
Basic settings	<i>Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In Talend Open Studio for Big Data, the schema is always built-in.
		Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>File</i>	Name or path to the file to be processed. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Calculate MD5 Hash</i>	Select this check box to check the MD5 of the downloaded file.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component can be used as standalone component.	
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main; Iterate.</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Iterate.</p> <p>Trigger: Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	


Scenario: Displaying the properties of a processed file

This Java scenario describes a very simple Job that displays the properties of the specified file.

1. Drop a **tFileProperties** component and a **tLogRow** component from the **Palette** onto the design workspace.
2. Right-click on **tFileProperties** and connect it to **tLogRow** using a **Main Row** link.



3. In the design workspace, select **tFileProperties**.
4. Click the **Component** tab to define the basic settings of **tFileProperties**.



5. Set **Schema** type to **Built-In**.
6. If desired, click the **Edit schema** button to see the read-only columns.
7. In the **File** field, enter the file path or browse to the file you want to display the properties for.
8. In the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information, see [the section called “tLogRow”](#).
9. Press **F6** to execute the Job.

```
Starting job File_Properties at 14:57 26/08/2008.
+-----+-----+
|          #1. tLogRow_1          |
+-----+-----+
| key          | value          |
+-----+-----+
| abs_path     | C:\test5.txt  |
| dirname     | C:\           |
| basename     | test5.txt     |
| mode_string  | rw            |
| size         | 86            |
| mtime        | 1219674736421 |
| mtime_string | Mon Aug 25 16:32:16 CEST 2008 |
+-----+-----+
Job File_Properties ended at 14:57 26/08/2008. [exit code=0]
```

The properties of the defined file are displayed on the console.

tFileRowCount



tFileRowCount properties

Component Family	File/Management	
Function	tFileRowCount counts the number of rows in a file.	
Purpose	tFileRowCount opens a file and reads it row by row in order to determine the number of rows inside.	
Basic settings	<i>File Name</i>	Name and path of the file to be processed and/or the variable to be used. See also: <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Row separator</i>	String (ex: “\n” on Unix) to distinguish rows in the output file.
	<i>Ignore empty rows</i>	Select this checkbox to ignore the empty rows while the component is counting the rows in the file.
	<i>Encoding</i>	Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	tFileRowCount is a standalone component, it must be used with a OnSubjobOk connection to tJava .	
Global Variables		Number of counted lines: Returns the number of rows in a file. This is available as a Flow variable. Returns an integer. For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i> .
Connections		Outgoing links (from one component to another): Row: Main; Iterate. Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error. Incoming links (from one component to another): Row: Main; Reject; Iterate. Trigger: On Subjob Ok; On Subjob Error; Run if; On component Ok; On Component Error; Synchronize; Parallelize. For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .

Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .
-------------------	---

Related scenario

No scenario is available for this component yet.

tFileTouch



tFileTouch properties

Component Family	File/Management	
Function	tFileTouch creates an empty file.	
Purpose	This component creates an empty file, and creates the destination directory if it does not exist.	
Basic settings	<i>File Name</i>	Path and name of the file to be created and/or the variable to be used. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Create directory if not exists</i>	This check box is selected by default. It creates a directory to hold the output table if it does not exist.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	This component can be used as a standalone component.	
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main.</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Reject; Iterate.</p> <p>Trigger: Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>

Related scenario


No scenario is available for this component yet.

tFileUnarchive



tFileUnarchive Properties

Component family	File/Management	
Function	Decompresses the archive file provided as parameter and puts it in the extraction directory.	
Purpose	Decompresses an archive file for further processing. Such formats are supported: *.tar.gz , *.tgz, *.tar, *.gz and *.zip.	
Basic settings	<i>Archive file</i>	File path to the archive.
	<i>Extraction Directory</i>	Folder where the unzipped file(s) will be put.
	<i>Use archive name as root directory</i>	Select this check box to create a folder named as the archive, if it does not exist, under the specified directory and extract the zipped file(s) to that folder.
	<i>Check the integrity before unzip</i>	Select this check box to run an integrity check before unzipping the archive.
	<i>Extract file paths</i>	Select this check box to reproduce the file path structure zipped in the archive.
	<i>Need a password</i>	Select this check box and provide the correct password if the archive to be unzipped is password protected. Note that the encrypted archive must be one created by the tFileArchive component; otherwise you will see error messages or get nothing extracted even if no error message is displayed.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	This component can be used as a standalone component but it can also be used within a Job as a Start component using an Iterate link.	
Global Variables		<p>Current File: Retrieves the name of the decompressed archive file. This is available as a Flow variable.</p> <p>Returns a string.</p> <p>Current File Path: Retrieves the path to the decompressed archive file. This is available as a Flow variable.</p> <p>Returns a string.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Iterate.</p>

	<p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Iterate.</p> <p>Trigger: Run if; On Subjob Ok; On Subjob Error; On component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	 <i>Such files can be decompressed: *.tar.gz , *.tgz, *.tar, *.gz and *.zip.</i>

Related scenario

For **tFileUnarchive** related scenario, see [the section called “tFileCompare”](#).

tGPGDecrypt




tGPGDecrypt Properties

Component family	File/Management	
Function	Decrypts a GnuPG-encrypted file and saves the decrypted file in the specified target directory.	
Purpose	This component calls the <code>gpg -d</code> command to decrypt a GnuPG-encrypted file and saves the decrypted file in the specified directory.	
Basic settings	<i>Input encrypted file</i>	File path to the encrypted file.
	<i>Output decrypted file</i>	File path to the output decrypted file.
	<i>GPG binary path</i>	File path to the GPG command.
	<i>Secret key</i>	Enter your secret key.
	<i>Passphrase</i>	Enter the passphrase used in encrypting the specified input file.
	<i>No TTY Terminal</i>	Select this check box to specify that no TTY terminal is used by adding the <code>--no-tty</code> option to the decryption command.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	This component can be used as a standalone component.	
Limitation	n/a	

Scenario: Decrypt a GnuPG-encrypted file and display its content

The following scenario describes a three-component Job that decrypts a GnuPG-encrypted file and displays the content of the decrypted file on the **Run** console.



Dragging and linking the components

1. Drop a **tGPGDecrypt** component, a **tFileInputDelimited** component, and a **tLogRow** component from the **Palette** to the design workspace.
2. Connect the **tGPGDecrypt** component to the **tFileInputDelimited** component using a **Trigger > OnSubjobOk** link, and connect the **tFileInputDelimited** component to the **tLogRow** component using a **Row > Main** link.

Configuring the components

1. Double-click the **tGPGDecrypt** to open its **Component** view and set its properties:

Property	Value
Input encrypted file	"D:/Input/states.csv.gpg"
Output decrypted file	"D:/Output/states.csv"
GPG binary path	"C:/GnuPG/pub/gpg.exe"
Passphrase	"talend"
No TTY Terminal	<input type="checkbox"/>

2. In the **Input encrypted file** field, browse to the file to be decrypted.
3. In the **Output decrypted file** field, enter the path to the decrypted file.




If the file path contains accented characters, you will get an error message when running the Job. For more information on what to do when the accents are not supported, see Talend Open Studio for Big Data Installation Guide.

4. In the **GPG binary path** field, browse to the GPG command file.
5. In the **Passphrase** field, enter the passphrase used when encrypting the input file.
6. Double-click the **tFileInputDelimited** component to open its **Component** view and set its properties:


Property	Value
Property Type	Built-In
File name/Stream	"D:/Output/states.csv"
Row Separator	"\n"
Field Separator	";"
Header	1
Footer	0
Limit	10
Skip empty rows	<input checked="" type="checkbox"/>
Uncompress as zip file	<input type="checkbox"/>
Die on error	<input type="checkbox"/>

7. In the **File name/Stream** field, define the path to the decrypted file, which is the output path you have defined in the **tGPGDecrypt** component.
8. In the **Header**, **Footer** and **Limit** fields, define respectively the number of rows to be skipped in the beginning of the file, at the end of the file and the number of rows to be processed.
9. Use a **Built-In** schema. This means that it is available for this Job only.
10. Click **Edit schema** and edit the schema for the component. Click twice the **[+]** button to add two columns that you will call *idState* and *labelState*.

- Click **OK** to validate your changes and close the editor.



- Double-click the **tLogRow** component and set its properties:



- Use a **Built-In** schema for this scenario.
- In the **Mode** area, define the console display mode according to your preference. In this scenario, select **Table (print values in cells of a table)**.

Saving and executing the Job

- Press **Ctrl+S** to save your Job
- Press **F6** or click **Run** from the **Run** tab to run it.

```
Starting job tGPGDecrypt at 18:49
17/11/2010.

[statistics] connecting to socket on port
3990
[statistics] connected
-----+-----
|          tLogRow_1          |
|-----+-----|
|idstate|labelstate|
|-----+-----|
|1      |Alabama  |
|2      |Alaska   |
|3      |Arizona  |
|4      |Arkansas |
|5      |California|
|6      |Colorado |
|7      |Connecticut|
|8      |Delaware |
|9      |Florida  |
|10     |Georgia  |
|-----+-----|

[statistics] disconnected
Job tGPGDecrypt ended at 18:49 17/11/2010.
[exit code=0]
```

The specified file is decrypted and the defined number of rows of the decrypted file are printed on the **Run** console.

tHDFSConnection



tHDFSConnection component belongs to two component families: Big Data and File. For more information about **tHDFSConnection**, see [the section called “tHDFSConnection”](#).

tHDFSDelete



tHDFSDelete component belongs to two component families: Big Data and File. For more information about **tHDFSDelete**, see [the section called “tHDFSDelete”](#).

tHDFSGet



tHDFSGet component belongs to two component families: Big Data and File. For more information about **tHDFSGet**, see [the section called “tHDFSGet”](#).

tHDFSInput



tHDFSInput component belongs to two component families: Big Data and File. For more information about **tHDFSInput**, see [the section called “tHDFSInput”](#).

tHDFSOutput



tHDFSOutput component belongs to two component families: Big Data and File. For more information about **tHDFSOutput**, see [the section called “tHDFSOutput”](#).

tHDFSPut



tHDFSPut component belongs to two component families: Big Data and File. For more information about **tHDFSPut**, see [the section called “tHDFSPut”](#).

tNamedPipeClose



tNamedPipeClose properties

Component family	File/Input	
Function	tNamedPipeClose closes a named-pipe opened with tNamedPipeOpen at the end of a process.	
Purpose	This component is used to close a named-pipe at the end of a process.	
Basic settings	<i>Pipe</i>	Select an existing named-pipe from the list to close.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is usually used to close a named-pipe at the end of a Job.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Related scenario

For a related scenario, see [the section called “Scenario: Writing and loading data through a named-pipe”](#).

tNamedPipeOpen



tNamedPipeOpen properties

Component family	File/Input	
Function	tNamedPipeOpen opens a named-pipe for writing data into it.	
Purpose	This component is used in inner-process communication, it opens a named-pipe for writing data into it.	
Basic settings	<i>Name</i>	Fill in the field with the name of the named-pipe.
	<i>Delete if already exist</i>	Select this checkbox to avoid duplicate named-pipe.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is usually used as the starting component in a inner-process communication Job.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	



Related scenario

For a related scenario, see [the section called “Scenario: Writing and loading data through a named-pipe”](#).

tNamedPipeOutput




tNamedPipeOutput properties

Component family	File/Input	
Function	tNamedPipeOutput writes data into an existing open named-pipe.	
Purpose	This component allows you to write data into an existing open named-pipe.	
Basic settings	<i>Use existing pipe connection</i>	Select this check box to use an existing named-pipe in the Pipe component list, or clear this check box to specify a named-pipe in Pipe name field.
	<i>Pipe component</i>	Select an existing named-pipe component from the list.  This check box will display only when you select Use existing pipe connection .
	<i>Pipe name</i>	Fill in the field with the name of an existing named-pipe.  This check box will display only when you clear Use existing pipe connection .
	<i>Row separator</i>	String (ex: “\n” on Unix) to distinguish rows in the output file.
	<i>Field separator</i>	Character, string or regular expression to separate fields of the output file.
	<i>CSV options</i>	Select this check box to take into account all parameters specific to CSV files, in particular Escape char and Text enclosure parameters.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit Schema to make changes to the schema. Click Sync columns to retrieve the schema from the previous component connected in the Job.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Delete pipe if it exists</i>	Select this checkbox to avoid duplicate named-pipe.
Advanced settings	<i>Boolean type</i>	Select a boolean type from the list.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is usually connected to another component in a subjob that reads data from a source.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for</i>	

Big Data. For details, see the *Warnings and error icons on components* and *How to install external modules* sections of *Talend Open Studio for Big Data User Guide*.

Scenario: Writing and loading data through a named-pipe

The following scenario creates a multi-component Job, which writes data into an open named-pipe and displays the data onto the console.



Dropping and linking the components


1. Drop the following components from the **Palette** to the design workspace: **tNamedPipeOpen**, **tParallelize**, **tNamedPipeClose**, **tFileInputDelimited**, **tSleep**, **tLogRow**, **tRowGenerator** and **tNamedPipeOutput**.
2. Connect **tNamedPipeOpen** to **tParallelize** using a **Trigger > OnSubjobOk** connection.
3. Connect **tParallelize** to **tFileInputDelimited** using a **Trigger > Parallelize** connection.
4. Connect **tParallelize** to **tSleep** using a **Trigger > Parallelize** connection.
5. Connect **tFileInputDelimited** to **tLogRow** using a **Row > Main** connection.
6. Connect **tParallelize** to **tNamedPipeClose** using a **Trigger > Synchronize (Wait for all)** connection.
7. Connect **tSleep** to **tRowGenerator** using a **Trigger > OnComponentOk** connection.
8. Connect **tRowGenerator** to **tNamedPipeOutput** using a **Row > Main** connection.

Configuring the components

Configuring the input component

1. Double-click **tNamedPipeOpen** to define its properties in its **Basic settings** view.


Fill in the **Name** field with the name of a named-pipe and select **Delete if already exist** to avoid duplicate named-pipe.



2. Double-click **tParallelize** to define its properties in its **Basic settings** view.


Select **end of all subjobs** from the **Wait for** list.

Fill in the **Sleep Duration** field with *100* to set the sleep duration.




3. Double-click **tFileInputDelimited** to define its properties in its **Basic settings** view.


Fill in the **File name/Stream** field with the following expression to use the name of the existing named-pipe defined in the **Basic settings** view of **tNamedPipeOpen**:



4. `((String)globalMap.get("tNamedPipeOpen_1_PIPE_NATIVE_NAME"))`
5. Click the three-dot button next to **Edit schema**.



6. Click the plus button to add three columns for **tFileInputDelimited**. Fill the three **Column** fields with *id*, *first_name* and *last_name* and set the **Type** of *id* to **Integer**. Keep the rest of the settings as default.
7. Click **OK** to save the settings for the schema.
8. Keep the rest of the settings in the **Basic settings** view of **tFileInputDelimited** as default.
9. Double-click **tSleep** and fill the **Pause (in seconds)** field with *1*.
10. Double-click **tRowGenerator** to define its properties in its **Basic settings** view.
11. Click **RowGenerator Editor** to define the schema.




12. Click the plus button to add three columns for **tRowGenerator**. Fill the three **Column** fields with *id*, *first_name* and *last_name* and set the **Type** of *id* to **Integer**. Keep the rest of the settings of **Type** as default.
13. Select **sequence** from the list in the **Functions** field for *id*.
14. Select **getFirstName** from the list in the **Functions** field for Column *first_name*.
15. Select **TalendDataGenerator.getLastName** from the list in the **Functions** field for Column *last_name*.
16. Select *id*, fill the **Value** field under **Function parameters** tab with *s1* for **sequence identifier**, *1001* for **start value** and *1* for **step**.


17. Click **OK** to save the settings.

Configuring the output component


1. Double-click **tNamedPipeOutput** to define its properties in its **Basic settings** view.



2. Select the **Use existing pipe connection** checkbox and select **tNamedPipeOpen_1** from the **Pipe component** list.
3. Select **Delete pipe if it exists** to avoid duplicate named-pipe.
4. Click **Sync columns** to retrieve the schema from the preceding component.
5. Leave the rest of the settings as they are.
6. Double-click **tLogRow** to define its properties in its **Basic settings** view.



7. Click **Sync columns** to retrieve the schema from the preceding component.
8. Select **Table** in the **Mode** area.



9. Double-click **tNamedPipeClose** to define its properties in its **Basic settings** view.

10. Select **tNamedPipeOpen_1** from the **Pipe** list.

Saving and executing the Job

- Press **F6** to execute the Job.

```
Starting job namedPipe_Sample_01 at 18:13 19/05/2011.  
[statistics] connecting to socket on port 3842  
[statistics] connected  
+-----+  
|          tLogRow_1          |  
+-----+  
| id | first_name | last_name |  
+-----+  
|1001| Bill      | Cleveland |  
+-----+  
[statistics] disconnected  
Job namedPipe_Sample_01 ended at 18:13 19/05/2011.  
[exit code=0]
```

The data written into the named-pipe is displayed onto the console.

tPivotToColumnsDelimited




tPivotToColumnsDelimited Properties

Component family	File/Output	
Function	tPivotToColumnsDelimited outputs data based on an aggregation operation carried out on a pivot column.	
Purpose	tPivotToColumnsDelimited is used to fine-tune the selection of data to output	
Basic settings	<i>Pivot column</i>	Select the column from the incoming flow that will be used as pivot for the aggregation operation.
	<i>Aggregation column</i>	Select the column from the incoming flow that contains the data to be aggregated.
	<i>Aggregation function</i>	Select the function to be used in case several values are available for the pivot column.
	<i>Group by</i>	Define the aggregation sets, the values of which will be used for calculations.
	<i>File Name</i>	Name or path to the output file and/or the variable to be used. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Field separator</i>	Character, string or regular expression to separate fields of the output file.
	<i>Row separator</i>	String (ex: “\n” on Unix) to distinguish rows in the output file.
Usage	This component requires an input flow.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Scenario: Using a pivot column to aggregate data

The following scenario describes a Job that aggregates data from a delimited input file, using a defined pivot column.



Dropping and linking components

1. Drop the following component from the **Palette** to the design workspace: **tFileInputDelimited**, **tPivotToColumnsDelimited**.
2. Link the two components using a **Row > Main** connection.

Configuring the components

Set the input component

1. Double-click the **tFileInputDelimited** component to open its **Basic settings** view.

Property Type: Built-In

File name/Stream: j:\D:\Input\pivot\in.csv*

Row Separator: "\n" * Field Separator: ";"

CSV options

Header: 1 Footer: 0 Limit:

Schema: Built-In

Skip empty rows Uncompress as zip file Die on error

2. Browse to the input file to fill out the **File Name** field.

The file to use as input file is made of 3 columns, including: *ID*, *Question* and the corresponding *Answer*

Id	Question	Answer
1	Name	Juan
2	Name	Jean
3	Name	John
1	Gender	M
2	Gender	F
3	Gender	M
1	Surgery	Yes
2	Surgery	No
3	Surgery	Yes
1	Age	45
2	Age	23
3	Age	42
1	Name	Mary

3. Define the **Row** and **Field** separators, in this example, respectively: carriage return and semi-colon
4. As the file contains a header line, define it also.
5. Set the schema describing the three columns: *ID*, *Questions*, *Answers*.

Set the output component

1. Double-click the **tPivotToColumnsDelimited** component to open its **Basic settings** view.

Pivot column *

Aggregation column * Aggregation function *

Group by

Input column
id

File Name *

Row Separator

Field Separator

2. In the **Pivot column** field, select the pivot column from the input schema. this is often the column presenting most duplicates (pivot aggregation values).
3. In the **Aggregation column** field, select the column from the input schema that should gets aggregated.
4. In the **Aggregation function** field, select the function to be used in case duplicates are found out.
5. In the **Group by** table, add an Input column, that will be used to group by the aggregation column.
6. In the **File Name** field, browse to the output file path. And on the **Row** and **Field separator** fields, set the separators for the aggregated output rows and data.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.

id	Name	Gender	Surgery	Age
1	Mary	M	Yes	45
2	Jean	M	No	23
3	John	F	Yes	42

The output file shows the newly aggregated data.

tSqoopExport



tSqoopExport component belongs to two component families: Big Data and File. For more information about **tSqoopExport**, see [the section called “tSqoopExport”](#).

tSqoopImport



tSqoopImport component belongs to two component families: Big Data and File. For more information about **tSqoopImport**, see [the section called “tSqoopImport”](#).

tSqoopImportAllTables



tSqoopImportAllTables component belongs to two component families: Big Data and File. For more information about **tSqoopImportAllTables**, see [the section called “tSqoopImportAllTables”](#).

Internet components

This chapter details the main components which belong to the **Internet** family in the *Talend Open Studio for Big Data Palette*.

The Internet family comprises all of the components which help you to access information via the Internet, through various means including Web services, RSS flows, SCP, Emails, FTP etc.





For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

tFileFetch




tFileFetch properties

Component family	Internet	
Function	tFileFetch retrieves a file via a defined protocol	
Purpose	tFileFetch allows you to retrieve file data according to the protocol which is in place.	
Basic settings	<i>Protocol</i>	Select the protocol you want to use from the list and fill in the corresponding fields: http, https, ftp, smb .  The properties differ slightly depending on the type of protocol selected. The additional fields are defined in this table, after the basic settings.
	<i>URI</i>	Type in the URI of the site from which the file is to be fetched.
	<i>Use cache to save resource</i>	Select this check box to save the data in the cache.  This option allows you to process the file data flow (in streaming mode) without saving it on your drive. This is faster and improves performance.
smb	<i>Domain</i>	Enter the Microsoft server domain name
smb	<i>Username and Password</i>	Enter the authentication information required to access the server.
	<i>Destination Directory</i>	Browse to the destination folder where the file fetched is to be placed.
	<i>Destination Filename</i>	Enter a new name for the file fetched.
http, https, ftp	<i>Create full path according to URI</i>	This check box is selected by default. It allows you to reproduce the URI directory path. To save the file at the root of your destination directory, clear the check box.
http, https	<i>Add header</i>	Select this check box if you want to add one or more HTTP request headers as fetch conditions. In the Headers table, enter the name(s) of the HTTP header parameter(s) in the Headers field and the corresponding value(s) in the Value field.
http, https	<i>POST method</i>	This check box is selected by default. It allows you to use the POST method. In the Parameters table, enter the name of the variable(s) in the Name field and the corresponding value in the Value field. Clear the check box if you want to use the GET method.
http, https, ftp	<i>Die on error</i>	Clear this check box to skip the rows in error and to complete the process for the error free rows

http, https, ftp, smb	<i>Read Cookie</i>	Select this check box for tFileFetch to load a web authentication cookie.
http, https, ftp, smb	<i>Save Cookie</i>	Select this check box to save the web page authentication cookie. This means you will not have to log on to the same web site in the future.
http, https, ftp, smb	<i>Cookie directory</i>	Click [...] and browse to where you want to save the cookie in your directory, or to where the cookie is already saved.
http, https, ftp, smb	<i>Cookie policy</i>	Choose a cookie policy from this drop-down list. Four options are available, i.e. BROWSER_COMPATIBILITY, DEFAULT, NETSCAPE and RFC_2109.
http, https, ftp, smb	<i>Single cookie header</i>	Check this box to put all cookies into one request header for maximum compatibility among different servers.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect the log data at each component level.
http, https	<i>Timeout</i>	Enter the number of seconds after which the protocol connection should close.
http, https	<i>Print response to console</i>	Select this check box to print the server response in the console.
http, https	<i>Upload file</i>	Select this check box to upload one or more files to the server. In the Name field, enter the name of the file you want to upload and in the File field, indicate the path.
http, https, ftp	<i>Enable proxy server</i>	Select this check box if you are connecting via a proxy and complete the fields which follow with the relevant information.
http, https	<i>Enable NTLM Credentials</i>	Select this check box if you are using an NTLM authentication protocol. Domain: The client domain name. Host: The client's IP address.
http, https	<i>Need authentication</i>	Select this check box and enter the username and password in the relevant fields, if they are required to access the protocol.
http, https	<i>Support redirection</i>	Select this check box to repeat the redirection request until redirection is successful and the file can be retrieved.
Usage	This component is generally used as a start component to feed the input flow of a Job and is often connected to the Job using an OnSubjobOk or OnComponentOk link, depending on the context.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Scenario 1: Fetching data through HTTP

This scenario describes a three-component Job which retrieves data from an HTTP website and select data that will be stored in a delimited file.



Dropping and linking components

1. Drop a **tFileFetch**, a **tFileInputRegex** and a **tFileOutputDelimited** onto your design workspace.
2. Link **tFileFetch** to **tFileInputRegex** using a **Trigger > On Subjob Ok** or **On Component Ok** connection.
3. Link **tFileInputRegex** to **tFileOutputDelimited** using a **Row > Main** connection.

Configuring the components

1. In the **Basic settings** view of **tFileFetch**, select the protocol you want to use from the list. Here, use the HTTP protocol.
2. Type in the URI where the file to be fetched can be retrieved from.
3. In the **Destination directory** field, browse to the folder where the fetched file is to be stored.
4. In the **Filename** field, type in a new name for the file if you want it to be changed. In this example, *filefetch.txt*.
5. If needed, select the **Add header** check box and define one or more HTTP request headers as fetch conditions. For example, to fetch the file only if it has been modified since 19:43:31 GMT, October 29, 1994, fill in the **Name** and **Value** fields with "If-Modified-Since" and "Sat, 29 Oct 1994 19:43:31 GMT" respectively in the **Headers** table. For details about HTTP request header definitions, see [Header Field Definitions](#).
6. Select the **tFileInputRegex**, set the **File name** so that it corresponds to the file fetched earlier.
7. Using a regular expression, in the **Regex** field, select the relevant data from the fetched file. In this example: `<td(?: class="leftalign")?> \s* (t\w+) \s* </td>`



Regex syntaxe requires double quotation marks.

8. Define the **header**, **footer** and **limit** if need be. In this case, ignore these fields.
9. Define the schema describing the flow to be passed on to the final output.


The schema should be automatically propagated to the final output, but to be sure, check the schema in the **Basic settings** panel of the **tFileOutputDelimited** component.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Then press **F6** or click **Run** on the **Run** tab to execute the Job.

Scenario 2: Reusing stored cookie to fetch files through HTTP

This scenario describes a two-component Job which logs in a given HTTP website and then using cookie stored in a user-defined local directory, fetches data from this website.



Dropping and linking components

1. Drop two **tFileFetch** components onto your design workspace.
2. Link the two components as subjobs using a **Trigger > On Subjob Ok** connection.

Configuring the components

Configuring the first subjob

1. Double click **tFileFetch_1** to open its component view.

Basic settings

Protocol: http

URI: "http://www.codeproject.com/script/Membership/LogOn.aspx?rp=..."

Use cache to save the resource

Destination directory: "C:/Logpage" *

Create full path according to URI

Destination filename: "webpage.html" *

Add header

POST method Die on error

Parameters

Name	Value
"Email"	MyAccount@yahoo.com.cn
"Password"	MyPassword

Read cookie Save cookie

Cookie directory: "C:/temp/Cookie" *


Cookie policy: DEFAULT

Single cookie header

2. In the **Protocol** field, select the protocol you want to use from the list. Here, we use the *HTTP* protocol.
3. In the **URI** field, type in the URI through which you can log in the website and fetch the web page accordingly. In this example, the URI is `http://www.codeproject.com/script/Membership/LogOn.aspx?rp=http%3a%2f%2fwww.codeproject.com%2fKB%2fcross-platform%2fjavacsharp.aspx&download=true`.
4. In the **Destination directory** field, browse to the folder where the fetched file is to be stored. This folder will be created on the fly if it does not exist. In this example, type in *C:/Logpage*.
5. In the **Destination Filename** field, type in a new name for the file if you want it to be changed. In this example, *webpage.html*.
6. Under the **Parameters** table, click the plus button to add two rows.
7. In the **Name** column of the **Parameters** table, type in a new name respectively for the two rows. In this example, they are *Email* and *Password*, which are required by the website you are logging in.
8. In the **Value** column, type in the authentication information.
9. Select the **Save cookie** check box to activate the **Cookie directory** field.
10. In the **Cookie directory** field, browse to the folder where you want to store cookie file and type in a name for the cookie to be saved. This folder must exist already. In this example, the directory is *C:/temp/Cookie*.

Configuring the second subjob

1. Double click **tFileFetch_2** to open its **Component** view.



2. In the **Protocol** list, select **http**.
3. In the **URI** field, type in the address from which you fetch the files of your interest. In this example, the address is `http://www.codeproject.com/KB/java/RemoteShell/RemoteShell.zip`.
4. In the **Destination directory** field, type in the directory or browse to the folder where you want to store the fetched files. This folder can be automatically created if it does not exist yet during the execution process. In this example, type in `C:/JavaProject`.
5. In the **Destination Filename** field, type in a new name for the file if you want it to be changed. In this example, `RemoteShell.zip`.
6. Clear the **Post method** check box to deactivate the **Parameter** table.
7. Select the **Read cookie** check box to activate the **Cookie directory** field.
8. In the **Cookie directory** field, type in the directory or browse to the cookie file you have saved and need to use. In this example, the directory is `C:/temp/Cookie`.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Then press **F6** to run the Job, and check each folder you have used to store the fetched files.

Related scenario

For an example of transferring data in streaming mode, see [the section called “Scenario 2: Reading data from a remote file in streaming mode”](#)

tFileInputJSON



tFileInputJSON belongs to two different component families: Internet and File. For further information, see [the section called “tFileInputJSON”](#).

tFTPConnection



tFTPConnection properties

Component family	Internet/FTP	
Function	tFTPConnection opens an FTP connection in order that a transaction may be carried out.	
Purpose	tFTPConnection allows you to open an FTP connection to transfer files in a single transaction.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Host</i>	The FTP server IP address.
	<i>Port</i>	The FTP server listening port number.
	<i>Username</i> and <i>Password</i>	FTP user authentication data.
	<i>SFTP Support</i>	When you select this check box, the Authentication method appears. It offers two means of authentication: Public key: Enter the access path to the public key. Password: Enter the password.
	<i>FTPS Support</i>	Select this check box to connect to an FTP server via an FTPS connection. Two fields appear: Keystore file: Enter the access path to the keystore file (password protected file containing several keys and certificates). Keystore Password: Enter your keystore password.
	<i>Connect mode</i>	Select the mode: Active or Passive
Usage	This component is typically used as a single-component sub-job. It is used along with other FTP components.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Related scenarios

For a related scenario, see [the section called “Scenario: Putting files on a remote FTP server”](#).


For a related scenario, see [the section called “Scenario: Iterating on a remote directory”](#).

For a related scenario using a different protocol, see [the section called “Scenario: Getting files from a remote SCP server”](#).

tFTPDelete



tFTPDelete properties

Component family	Internet/FTP	
Function	This component deletes specified files via an FTP connection.	
Purpose	tFTPDelete deletes files on a remote FTP server.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Host</i>	FTP IP address
	<i>Port</i>	The FTP server listening port number.
	<i>Username</i> and <i>Password</i>	FTP user authentication data.
	<i>Remote directory</i>	Source directory where the files to be deleted are located.
	<i>SFTPSupport/Authentication method</i>	Select this check box and then in the Authentication method list, select the SFTP authentication method: Password: Type in the password required in the relevant field. Public key: Type in the private key or click the three dot button next to the Private key field to browse to it.  If you select Public Key as the SFTP authentication method, make sure that the key is added to the agent or that no passphrase (secret phrase) is required.
	<i>Files</i>	File name or path to the files to be deleted.
Usage	This component is typically used as a single-component sub-job but can also be used as an output or end object.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Related scenario



For tFTPDelete related scenario, see [the section called “Scenario: Putting files on a remote FTP server”](#).

For tFTPDelete related scenario using a different protocol, see [the section called “Scenario: Getting files from a remote SCP server”](#).

tFTPFileExist



tFTPFileExist properties

Component family	Internet/FTP	
Function	tFTPFileExist checks if a file exists on an FTP server.	
Purpose	tFTPFileExist allows you to check if a file exists on an FTP server.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Use an existing connection/Component List</i>	Select this check box and in the Component List click the relevant connection component to reuse the connection details you already defined.  When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use Dynamic settings to share the intended connection. In this case, make sure that the connection name is unique and distinctive all over through the two Job levels. For more information about Dynamic settings , see your studio user guide.
	<i>Host</i>	FTP IP address.
	<i>Port</i>	The FTP server listening port number.
	<i>Username and Password (or Private key)</i>	User authentication information.
	<i>Remote directory</i>	Path to the remote directory.
	<i>File Name</i>	Name of the file you want to check exists.
	<i>SFTPSupport/Authentication method</i>	Select this check box and then in the Authentication method list, select the SFTP authentication method: Password: Type in the password required in the relevant field. Public key: Type in the private key or click the three dot button next to the Private key field to browse to it.  If you select Public Key as the SFTP authentication method, make sure that the key is added to the agent or that no passphrase (secret phrase) is required.
	<i>Connection Mode</i>	Select the SFTP connection mode you want to use:

		<p>Active: You determine the connection port to use to allow data transfer.</p> <p>Passive: the FTP server determines the connection port to use to allow data transfer.</p>
	<i>Encoding Type</i>	Select an encoding type from the list, or select Custom and define it manually. This field is compulsory for DB data handling.
Advanced settings	Use Socks Proxy	Select this check box if you want to use a proxy. Then, set the Host, Port, User and Password proxy fields.
	<i>Ignore Failure At Quit (FTP)</i>	Select this check box to ignore library closing errors or FTP closing errors.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is typically used as a single-component sub-job but can also be used with other components.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Related scenario


For **tFTPFileExist** related scenario, see [the section called “Scenario: Putting files on a remote FTP server”](#).


For **tFTPFileExist** related scenario using a different protocol, see [the section called “Scenario: Getting files from a remote SCP server”](#).

tFTPFileList



tFTPFileList properties

Component family	Internet/FTP	
Function	tFTPFileList iterates on files and/or folders of a given directory on a remote host.	
Objective	tFTPFileList retrieves files and /or folders based on a defined filemask pattern and iterates on each of them by connecting to a remote directory via an FTP protocol.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Use an existing connection/Component List</i>	Select this check box and in the Component List click the relevant connection component to reuse the connection details you already defined.  When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use Dynamic settings to share the intended connection. For more information about Dynamic settings , see your studio user guide.
	<i>Host</i>	FTP IP address.
	<i>Port</i>	Listening port number of the FTP server.
	<i>Username and Password (or Private key)</i>	User authentication information.
	<i>Remote directory</i>	Path to the remote directory.
	<i>File detail</i>	Select this check box if you want to display the details of each of the files or folders on the remote host. These informative details include: type of rights on the file/folder, name of the author, name of the group of users that have a read-write rights, file size and date of last modification.
	<i>SFTPSupport/ Authentication method</i>	Select this check box and then in the Authentication method list, select the SFTP authentication method: Password: Type in the password required in the relevant field. Public key: Type in the private key or click the three dot button next to the Private key field to browse to it.

		 If you select Public Key as the SFTP authentication method, make sure that the key is added to the agent or that no passphrase (secret phrase) is required.
	<i>Files</i>	Click the plus button to add the lines you want to use as filters: Filemask: enter the filename or filemask using wildcharacters (*) or regular expressions.
	<i>Connect Mode</i>	Select the SFTP connection mode you want to use: Active: You determine the connection port to be used to allow data transfer. Passive: the FTP server determines the connection port to use to allow data transfer.
Usage	This component is typically used as a single-component sub-job but can also be used with other components.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Scenario: Iterating on a remote directory

The following scenario describes a three-component Job that connects to an FTP server, lists files held in a remote directory based on a filemask and finally recuperates and saves the files in a defined local directory.

Dropping and linking components

- Drop the following components from the Palette to the design workspace: **tFTPConnection**, **tFTPFileList** and **tFTPGet**.




- Link **tFTPConnection** to **tFTPFileList** using an **OnSubjobOk** connection and then **tFTPFileList** to **tFTPGet** using an **Iterate** connection.

Configuring the components

Configuring a connection to the FTP server


- Double-click **tFTPConnection** to display its **Basic settings** view and define the component properties.



2. In the **Host** field, enter the IP address of the FTP server.
3. In the **Port** field, enter the listening port number.
4. In the **Username** and **Password** fields, enter your authentication information for the FTP server.
5. In the **Connect Mode** list, select the FTP connection mode you want to use, **Passive** in this example.

Configuring an FTP download list


1. Double-click **tFTPFileList** to open its **Basic settings** view and define the component properties.



2. Select the **Use an existing connection** check box and in the **Component list**, click the relevant FTP connection component, **tFTPConnection_1** in this scenario. Connection information are automatically filled in.
3. In the **Remote directory** field, enter the relative path of the directory that holds the files to be listed.
4. In the **Filemask** field, click the plus button to add one line and then define a file mask to filter the data to be retrieved. You can use special characters if need be. In this example, we want only to recuperate delimited files (*.csv).
5. In the **Connect Mode** list, select the FTP server connection mode you want to use, **Active** in this example.

Configuring file download


1. Double-click **tFTPGet** to display its **Basic settings** view and define the components properties.



2. Select the **Use an existing connection** check box and in the **Component list**, click the relevant FTP connection component, **tFTPConnection_1** in this scenario. Connection information are automatically filled in.
3. In the **Local directory** field, enter the relative path for the output local directory where you want to write the recuperated files.
4. In the **Remote directory** field, enter the relative path of the remote directory that holds the file to be recuperated.
5. In the **Transfer Mode** list, select the FTP transfer mode you want to use, **ascii** in this example.
6. In the **Overwrite file** field, select an option for you want to use for the transferred files.
7. In the **Files** area, click the plus button to add a line in the **Filemask** list, then click in the added line and press **Ctrl+Space** to access the variable list. In the list, select the global variable `((String)globalMap.get("tFTPFileList_1_CURRENT_FILEPATH"))` to process all files in the remote directory.
8. In the **Connect Mode** list, select the connection mode to the FTP server you want to use.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.




All .csv files held in the remote directory on the FTP server are listed in the defined directory, as defined in the filemask. Then the files are retrieved and saved in the defined local output directory.

tFTPFileProperties



tFTPFileProperties Properties

Component family	Internet	
Function	tFTPFileProperties iterates on files and/or folders of a given directory on a remote host.	
Purpose	tFTPFileProperties retrieves files and /or folders based on a defined filemask pattern and iterates on each of them by connecting to a remote directory via an FTP protocol.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Host</i>	FTP IP address
	<i>Port</i>	Listening port number of the FTP server.
	<i>Username</i>	FTP user name.
	<i>Password</i>	FTP password.
	<i>Remote directory</i>	Path to the source directory where the files can be fetched.
	<i>File</i>	Name or path to the file to be processed. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>SFTP Support and Authentication method</i>	<p>Select this check box and then in the Authentication method list, select the SFTP authentication method:</p> <p>Password: Type in the password required in the relevant field.</p> <p>Public key: Type in the private key or click the three dot button next to the Private key field to browse to it.</p> <p> If you select Public Key as the SFTP authentication method, ensure that the key is added to the agent or that no passphrase (secret phrase) is required.</p> <p>If you do not select the check box, choose the connection mode you want to use:</p> <p>Active: You determine the connection port to use to allow data transfer.</p>

		Passive: the FTP server determines the connection port to use to allow data transfer.
	<i>Encoding</i>	Select an encoding type from the list, or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Calculate MD5 Hash</i>	Select this check box to check the of the downloaded file's MD5.
Advanced settings	Use Socks Proxy	Select this check box if you want to use a proxy. Then, set the Host, Port, User and Password proxy fields.
	<i>Ignore Failure At Quit (FTP)</i>	Select this check box to ignore library closing errors or FTP closing errors.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component can be used as standalone component.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Related scenario

For a related scenario, see [the section called “Scenario: Displaying the properties of a processed file”](#)

tFTPGet



tFTPGet properties

Component family	Internet/FTP	
Function	This component retrieves specified files via an FTP connection.	
Purpose	tFTPGet retrieves selected files from a defined remote FTP directory and cop them to a local directory.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Use an existing connection/Component List</i>	Select this check box and then choose the appropriate connection component from the Component list to reuse its connection parameters.
	<i>Host</i>	FTP IP address.
	<i>Port</i>	Listening port number of the FTP server.
	<i>Username</i>	FTP user name.
	<i>Password</i>	FTP password.
	<i>Local directory</i>	Path to where the file is to be saved locally.
	<i>Remote directory</i>	Path to source directory where the files can be fetched.
	<i>Transfer mode</i>	Different FTP transfer modes.
	<i>Overwrite file</i>	List of file transfer options. Append: Select this check box to append the data at the end of the file in order to avoid overwriting data.
	<i>SFTP Support</i>	When you select this check box, the Overwrite file and Authentication method appear. Overwrite file: Offers three options: Overwrite: Overwrite the existing file. Resume: Resume downloading the file from the point of interruption. Append: Add data to the end of the file without overwriting data. Authentication Offers two means of authentication: Public key: Enter the access path to the public key. Password: Enter the password.
	<i>FTPS Support</i>	Select this check box to connect to an FTP server via an FTPS connection. Two fields appear:

		<p>Keystore file: Enter the access path to the keystore file (password protected file containing several keys and certificates).</p> <p>Keystore Password: Enter your keystore password.</p>
	<i>Files</i>	File names or paths to the files to be transferred.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a Job level as well as at each component level.
	<i>Print message</i>	Select this check box to display in the Console the list of files downloaded.
Usage	This component is typically used as a single-component sub-job but can also be used as output or end object.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Related scenario

For an **tFTPGet** related scenario, see [the section called “Scenario: Putting files on a remote FTP server”](#).



For an **tFTPGet** related scenario, see [the section called “Scenario: Iterating on a remote directory”](#).

For an **tFTPGet** related scenario using a different protocol, see [the section called “Scenario: Getting files from a remote SCP server”](#).

tFTPput



tFTPput properties

Component family	Internet/FTP	
Function	This component copies selected files via an FTP connection.	
Purpose	tFTPput copies selected files from a defined local directory to a destination remote FTP directory.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Use an existing connection/Component List</i>	<p>A connection needs to be open to allow the loop to check for FTP data on the defined DB.</p> <p> When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use Dynamic settings to share the intended connection. For more information about Dynamic settings, see your studio user guide.</p>
	<i>Host</i>	FTP IP address.
	<i>Port</i>	FTP server listening port number.
	<i>Username</i>	FTP user name.
	<i>Password</i>	FTP password.
	<i>Local directory</i>	Path to the source location of the file(s).
	<i>Remote directory</i>	Path to the destination directory of the file(s).
	<i>Transfer mode</i>	Different FTP transfer modes.
	<i>Overwrite file or Append</i>	List of available options for the transferred file
	<i>SFTP Support/ Authentication method</i>	<p>Select this check box and then in the Authentication method list, select the SFTP authentication method:</p> <p>Password: Type in the password required in the relevant field.</p> <p>Public key: Type in the private key or click the three dot button next to the Private key field to browse to it.</p> <p> If you select Public Key as the SFTP authentication method, make sure that the key is added to the agent or that no passphrase (secret phrase) is required.</p>


	<i>Files</i>	Click the [+] button to add a new line, then fill in the columns. Filemask: file names or path to the files to be transferred. New name: name to give the FTP file after the transfer.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is typically used as a single-component sub-job but can also be used as output component.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Scenario: Putting files on a remote FTP server

This two-component Job allows you to open a connection to a remote FTP server in order to put specific files on the remote server in one transaction.

Dropping and linking components

1. Drop **tFTPConnection** and **tFTPput** from the **Palette** onto the design workspace. **tFTPConnection** allows you to perform all operations in one transaction.
2. Connect the two components together using an **OnSubJobOk** link.



Configuring the components

Configuring a connection to the FTP server

1. Double-click **tFTPConnection** to display its **Basic settings** view and define its properties.

2. In the **Host** field, enter the server IP address.
3. In the **Port** field, enter the listening port number.
4. In the **Username** and **Password** fields, enter your login and password for the remote server.
5. From the **Connect Mode** list, select the FTP connection mode you want to use, **Active** in this example.

Configuring file upload to the FTP server

1. In the design workspace, double-click **tFTPput** to display its **Basic settings** view and define its properties.

Filemask	New name
"c:\input\comprehensive.txt"	""
"\\server\demo\newline"	""

2. Select the **Use an existing connection** check box and then select **tFTPConnection_1** from the **Component List**. The connection information is automatically filled in.
3. In the **Local directory** field, enter the path to the local directory containing the files, if all your files are in the same directory. If the files are in different directories, enter the path for each file in the **Filemask** column of the **Files** table.

4. In the **Remote directory** field, enter the path to the destination directory on the remote server.
5. From the **Transfer mode** list, select the transfer mode to be used.
6. From the **Overwrite file** list, select an option for the transferred file.
7. In the **Files** table, click twice the plus button to add two lines to the **Filemask** column and then fill in the filemasks of all files to be copied onto the remote directory.

Saving and executing the Job



1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.

The files specified in the **Filemask** column are copied to the remote server.

tFTPRename



tFTPRename Properties

Component Family	Internet/FTP	
Function	tFTPRename renames the selected files via an FTP connection.	
Purpose	tFTPRename renames files selected from a local directory towards a distant FTP directory.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Use an existing connection/Component List</i>	Select this check box and in the Component List click the relevant connection component to reuse the connection details you already defined.  When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use Dynamic settings to share the intended connection. For more information about Dynamic settings , see your studio user guide.
	<i>Host</i>	FTP IP address.
	<i>Port</i>	FTP server listening port number.
	<i>Username</i>	Connection login to the FTP server.
	<i>Password</i>	Connection password to the FTP server.
	<i>Remote directory</i>	Path to the remote directory.
	<i>Overwrite file</i>	List of available options for the transferred file. Append: Select this check box to write the data at the end of the record, to not delete it.
	<i>SFTPSupport/Authentication method</i>	Select this check box and then in the Authentication method list, select the SFTP authentication method: Password: Type in the password required in the relevant field. Public key: Type in the private key or click the three dot button next to the Private key field to browse to it.  If you select Public Key as the SFTP authentication method, make sure that the key is added to the agent or that no passphrase (secret phrase) is required.

	<i>Files</i>	<p>Click the [+] button to add the lines you want to use as filters:</p> <p>Filemask: enter the filename or filemask using wildcharacters (*) or regular expressions.</p> <p>New name: name to give to the FTP file after the transfer.</p>
	<i>Connection Mode</i>	<p>Select the SFTP connection mode you want to use:</p> <p>Active: You determine the connection port to use to allow data transfer.</p> <p>Passive: the FTP server determines the connection port to use to allow data transfer.</p>
	<i>Encoding type</i>	Select an encoding type from the list, or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row in error and complete the process for error-free rows.
Advanced settings	Use Socks Proxy	Select this check box if you want to use a proxy. Then, set the Host, Port, User and Password proxy fields.
	<i>Ignore Failure At Quit (FTP)</i>	Select this check box to ignore library closing errors or FTP closing errors.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is generally used as a subjob with one component, but it can also be used as an output or end component..	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	



Related scenario

For a related scenario, see [the section called “Scenario: Putting files on a remote FTP server”](#) .

tFTPTruncate



tFTPTruncate properties

Component family	Internet/FTP	
Function	tFTPTruncate truncates the selected files via an FTP connection.	
Objective	tFTPTruncate truncates the selected files of a defined local directory via a distant FTP directory.	
Basic settings	<i>Property type</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally.
	<i>Use an existing connection/Component List</i>	Select this check box and in the Component List click the relevant connection component to reuse the connection details you already defined.  When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can use Dynamic settings to share the intended connection. For more information about Dynamic settings , see your studio user guide.
	<i>Host</i>	FTP IP address.
	<i>Port</i>	Listening port number of the FTP server.
	<i>Username and Password (or Private key)</i>	User authentication information.
	<i>Remote directory</i>	Path to the remote directory.
	<i>SFTPSupport/Authentication method</i>	Select this check box and then in the Authentication method list, select the SFTP authentication method: Password: Type in the password required in the relevant field. Public key: Type in the private key or click the three dot button next to the Private key field to browse to it.  If you select Public Key as the SFTP authentication method, make sure that the key is added to the agent or that no passphrase (secret phrase) is required.
	<i>Files</i>	Click the plus button to add the lines you want to use as filters: Filemask: enter the filename or filemask using wildcharacters (*) or regular expressions.

	<i>Connection Mode</i>	Select the SFTP connection mode you want to use: Active: You determine the connection port to use to allow data transfer. Passive: the FTP server determines the connection port to use to allow data transfer.
	<i>Encoding type</i>	Select an encoding type from the list, or select Custom and define it manually. This field is compulsory for DB data handling.
Advanced settings	Use Socks Proxy	Select this check box if you want to use a proxy. Then, set the Host, Port, User and Password proxy fields.
	<i>Ignore Failure At Quit (FTP)</i>	Select this check box to ignore library closing errors or FTP closing errors.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is typically used as a single-component sub-job but can also be used with other components.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Related scenario

For a related scenario, see [the section called “Scenario: Putting files on a remote FTP server”](#).

tHttpRequest



tHttpRequest properties


Component family	Internet	
Function	This component sends an HTTP request to the server end and gets the corresponding response information from the server end.	
Purpose	The tHttpRequest component allows you to send an HTTP request to the server and output the response information locally.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Sync columns</i>	Click this button to retrieve the schema from the preceding component.
	<i>URI</i>	Type in the Uniform Resource Identifier (URI) that identifies the data resource on the server. A URI is similar to a URL, but more general.
	<i>Method</i>	Select an HTTP method to define the action to be performed: Post: Sends data (e.g. HTML form data) to the server end. Get: Retrieves data from the server end.
	<i>Write response content to file</i>	Select this check box to save the HTTP response to a local file. You can either type in the file path in the input field or click the three-dot button to browse to the file path.
	<i>Headers</i>	Type in the name-value pair(s) for HTTP headers to define the parameters of the requested HTTP operation. Key: Fill in the name of the header field of an HTTP header. Value: Fill in the content of the header field of an HTTP header. For more information about definition of HTTP headers, please refer to: en.wikipedia.org/wiki/List_of_HTTP_headers .
	<i>Need authentication</i>	Select this check box to fill in a user name and a password in the corresponding fields if authentication is needed:

		user: Fill in the user name for the authentication. password: Fill in the password for the authentication.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level and at each component level.
Usage	This component can be used in sending HTTP requests to server and saving the response information. This component can be used as a standalone component.	
Limitation	N/A	


Scenario: Sending a HTTP request to the server and saving the response information to a local file

This java scenario describes a two-component Job that uses the **GET** method to retrieve information from the server end and writes the response to a local file as well as to the console.

- Drop the following components from the **Palette** onto the design workspace: **tHttpRequest** and **tLogRow**.



- Connect the **tHttpRequest** component to the **tLogRow** component using a **Row > Main** connection.
- Double-click the **tHttpRequest** component to open its **Basic settings** view and define the component properties.



- Fill in the **URI** field with “*http://192.168.0.63:8081/testHttpRequest/build.xml*”. Note that this URI is for demonstration purpose only and it is not a live address.
- Select **GET** from the **Method** list.
- Select the **Write response content to file** check box and fill in the input field on the right with the file path by manual entry, *D:/test.txt* for this use case.
- Select the **Need authentication** check box and fill in the user and password, both *tomcat* in this use case.

- Double-click the **tLogRow** component to open its **Basic settings** view and select **Table** in the **Mode** area.
- Save your Job and press **F6** to execute it.

Then the response information from the server is saved and displayed.

```
Starting job test at 15:31 07/03/2011.  
  
[statistics] connecting to socket on port 4011  
[statistics] connected  
  
-----  
| tLogRow_1 |  
|-----|  
| ResponseContent |  
|-----|  
| hello world! |  
|-----|  
  
[statistics] disconnected  
Job test ended at 15:31 07/03/2011. [exit  
code=0]
```

tJMSInput



tJMSInput properties

Component Family	Internet	
Function	tJMSInput creates an interface between a Java application and a Message-Oriented middle ware system.	
Purpose	Using a JMS server, tJMSInput makes it possible to have loosely coupled, reliable, and asynchronous communication between different components in a distributed application.	
Basic settings	<i>Module List</i>	Select the library to be used from the list.
	<i>Context Provider</i>	Type in the context URL, for example "com.tibco.tibjms.naming.TibjmsInitialContext Factory". However, be careful, the syntax can vary according to the JMS server used.
	<i>Server URL</i>	Type in the server URL, respecting the syntax, for example "tibjmsnaming://localhost:7222".
	<i>Connection Factory JNDI Name</i>	Type in the JNDI name.
	<i>Use Specified User Identity</i>	If you have to log in, select the check box and type in your login and password.
	<i>Message Type</i>	Select the message type, either: Topic or Queue .
	<i>Message From</i>	Type in the message source, exactly as expected by the server; this must include the type and name of the source. e.g.: queue/A or topic/testtopic Note that the field is case-sensitive.
	<i>Timeout for Next Message (in sec)</i>	Type in the number of seconds before passing to the next message.
	<i>Maximum Messages</i>	Type in the maximum number of messages to be processed.
	<i>Message Selector Expression</i>	Set your filter.
	<i>Processing Mode</i>	Select the processing mode for the messages. Raw Message or Message Content
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The tJMSInput schema is read-only. It is made of only one column: Message
Advanced settings	<i>Properties</i>	Click the plus button underneath the table to add lines that contains username and password required for user authentication.

	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is generally used as an input component. It must be linked to an output component.	
Limitation	<p>Make sure the JMS server is launched.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	

Related scenarios

No scenario is available for this component yet.

tJMSOutput



tJMSOutput properties

Component Family	Internet	
Function	tJMSOutput creates an interface between a Java application and a Message-Oriented middle ware system.	
Purpose	Using a JMS server, tJMSOutput makes it possible to have loosely coupled, reliable, and asynchronous communication between different components in a distributed application.	
Basic settings	<i>Module List</i>	Select the library to be used from the list.
	<i>Context Provider</i>	Type in the context URL, for example "com.tibco.tibjms.naming.TibjmsInitialContext Factory". However, be careful, the syntax can vary according to the JMS server used.
	<i>Server URL</i>	Type in the server URL, respecting the syntax, for example "tibjmsnaming://localhost:7222".
	<i>Connection Factory JNDI Name</i>	Type in the JNDI name.
	<i>Use Specified User Identity</i>	If you have to log in, select the check box and type in your login and password.
	<i>Message Type</i>	Select the message type, either: Topic or Queue .
	<i>To</i>	Type in the message target, as expected by the server.
	<i>Processing Mode</i>	Select the processing mode for the messages. Raw Message or Message Content
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The tJMSOutput schema is read-only. It is made of one column: Message
Advanced settings	<i>Delivery Mode</i>	Select a delivery mode from this list to ensure the quality of data delivery: Not Persistent: This mode allows data loss during the data exchange. Persistent: This mode ensures the integrity of message delivery.
	<i>Properties</i>	Click the plus button underneath the table to add lines that contains username and password required for user authentication.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.

Usage	This component is generally used as an output component. It must be linked to an input component.
Limitation	Make sure the JMS server is launched. Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .

Related scenarios

No scenario is available for this component yet.

tMicrosoftMQInput



tMicrosoftMQInput Properties

Component family	Internet/MOM and JMS	
Function	This component retrieves the first message in a given Microsoft message queue (only support String).	
Purpose	This component allows you to fetch messages one by one in the ID sequence of these messages from the Microsoft message queue. Each execution retrieves only one message.	
Basic settings	<i>PROPERTY</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally. Enter properties manually
	<i>Host</i>	Type in the Host name or IP address of the host server.
	<i>Queue</i>	Enter the queue name you want to retrieve messages from.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is generally used as a start component of a Job or Subjob. It must be linked to an output component.	
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main, Iterate</p> <p>Trigger: Run if; On Subjob Ok, On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Iterate;</p> <p>Trigger: Run if, On Subjob Ok, On Component Ok, On Component Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	<p>This component supports only String type. Also, it only works with the Windows systems.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	

Scenario: Writing and fetching queuing messages from Microsoft message queue


This scenario is made of two Jobs. The first Job posts messages on a Microsoft message queue and the second Job fetches the message from the server.

Posting messages on a Microsoft message queue

In the first Job, a string message is created using a **tRowGenerator** and put on a Microsoft message queue using a **tMicrosoftMQOutput**. An intermediary **tLogRow** component displays the flow being passed.

Dropping and linking components

1. Drop the three components required for the first Job from the **Palette** onto the design workspace.
2. Connect the components using a **Row > Main** link.



Configuring the components

1. Double-click **tRowGenerator** to open its editor.

Schema									Functions	P	
Column	Key	Type	<input checked="" type="checkbox"/>	N..	Le...	Pr...	D...	C...	Functions	Environ...	Pr
ID	<input type="checkbox"/>	Integer	<input checked="" type="checkbox"/>						random	min valu...	
Name	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						getFirst...		
Address	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						getUsCity		


<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Columns	Number of Rows for RowGenerator	12
-------------------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	---------	---------------------------------	----

2. Click the plus button to add three rows into the schema table.
3. In the **Column** column, type in a new name for each row to rename it. Here, we type in *ID*, *Name* and *Address*.
4. In the **Type** column, select **Integer** for the *ID* row from the drop-down list and leave the other rows as **String**.
5. In the **Functions** column, select *random* for the *ID* row, *getFirstName* for the *Name* row and *getUsCity* for the *Address* row.
6. In the **Number of Rows for RowGenerator** field on the right end of the toolbar, type in *12* to limit the number of rows to be generated. Then, Click **Ok** to validate this editing.



In real case, you may use an input component to load the data of your interest, instead of the **tRowGenerator** component.

7. Double click the **tMicrosoftMQOutput** component to open its **Component** view.



8. In the **Host** field, type in the host address. In this example, it is *localhost*.
9. In the **Queue** field, type in the queue name you want to write message in. In this example, name it *AddressQueue*.
10. In **Message column (String Type)** field, select *Address* from the drop-down list to determine the message body to be written.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.

```
Starting job tMicrosoftMQ at 14:03 18/11/2010.

[statistics] connecting to socket on port 3852
[statistics] connected
Queue open failure: Cannot open queue. (hr=MQ_ERROR_QUEUE_NOT_FOUND)
OpenQueueWithAccess (DIRECT=OS:localhost\private$\AddressQueue)
open: fmtname(DIRECT=OS:localhost\private$\AddressQueue) accessmode(1)
sharemode(0)
.....
.....attempting to create queue with
name= '.\private$\AddressQueue', label='Created by
org.talend.msmq.MsmqUtil.java'
OpenQueueWithAccess (DIRECT=OS:.\private$\AddressQueue)
open: fmtname(DIRECT=OS:.\private$\AddressQueue) accessmode(1) sharemode(0)
open: fmtname(DIRECT=OS:.\private$\AddressQueue) accessmode(2) sharemode(0)
7|Theodore|Atlanta
8|Andrew|Saint Paul
7|Benjamin|Oklahoma City
3|Abraham|Providence
4|Rutherford|Lincoln
6|Chester|Little Rock
11|Richard|Lincoln
8|Bill|Boston
9|Herbert|Jackson
10|James|Honolulu
5|Jimmy|Montpelier
9|Woodrow|Nashville
[statistics] disconnected
Job tMicrosoftMQ ended at 14:03 18/11/2010. [exit code=0]
```


You can see that this queue has been created automatically and that the messages have been written.

Fetching the first queuing message from the message queue

Now set the second Job in order to fetch the first queuing message from the message queue.


Dropping and linking components

1. Drop **tMicrosoftMQInput** and **tLogRow** from the **Palette** to the design workspace.
2. Connect these two components using a **Row > Main** link.



Configuring the components

1. Double-click the **tMicrosoftMQInput** to open its **Component** view.



2. In the **Host** field, type in the host name or address. Here, we type in *localhost*.
3. In the **Queue** field, type in the queue name from which you want to fetch the message. In this example, it is *AddressQueue*.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.

```
Starting job MQInput at 16:57 18/11/2010.

[statistics] connecting to socket on port 3719
[statistics] connected
OpenQueueWithAccess
(DIRECT=OS:localhost\private$\AddressQueue)
open:
fmtname(DIRECT=OS:localhost\private$\AddressQueue)
accessmode(1) sharemode(0)
open:
fmtname(DIRECT=OS:localhost\private$\AddressQueue)
accessmode(2) sharemode(0)
Atlanta
[statistics] disconnected
Job MQInput ended at 16:57 18/11/2010. [exit code=0]
```

The message body *Atlanta* fetched from the queue is displayed on the console.

tMicrosoftMQOutput



tMicrosoftMQOutput Properties

Component family	Internet/MOM and JMS	
Function	This component writes a defined column of given inflow data to Microsoft message queue (only support String type).	
Purpose	This component makes it possible to write messages to Microsoft message queue.	
Basic settings	<i>PROPERTY</i>	In <i>Talend Open Studio for Big Data</i> , the Property type is always Built-in .
		Built-in: No property data stored centrally. Enter properties manually
	<i>Host</i>	Type in the Host name or the IP address of the host server.
	<i>Queue</i>	Type in the name of the queue which you want write a given message in. This queue can be created automatically on the fly if it does not exist then.
	<i>Message column</i>	Select the column as message to be written to Microsoft message queue. The selected column must be of String type.
Usage	This component must be linked to an input or intermediary component.	
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main, Iterate</p> <p>Trigger: Run if, On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Reject; Iterate;</p> <p>Trigger: Run if, On Subjob Ok, On Subjob Error; On Component Ok, On Component Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	<p>The message to be output cannot be null.</p> <p>Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i>. For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i>.</p>	


Related scenario


For a related scenario, see [the section called “Scenario: Writing and fetching queuing messages from Microsoft message queue”](#)

tPOP



tPOP properties

Component family	Internet	
Function	The tPOP component fetches one or more email messages from a server using the POP3 or IMAP protocol.	
Purpose	The tPOP component uses the POP or IMAP protocol to connect to a specific email server. Then it fetches one or more email messages and writes the recovered information in specified files. Parameters in the Advanced settings view allows you to use filters on your selection.	
Basic settings	<i>Host</i>	IP address of the email server you want to connect to.
	<i>Port</i>	Port number of the email server.
	<i>Username</i> and <i>Password</i>	User authentication data for the email server. Username: enter the username you use to access your email box. Password: enter the password you use to access your email box.
	<i>Output directory</i>	Enter the path to the file in which you want to store the email messages you retrieve from the email server, or click the three-dot button next to the field to browse to the file.
	<i>Filename pattern</i>	Define the syntax of the names of the files that will hold each of the email messages retrieved from the email server, or press Ctrl+Space to display the list of predefined patterns.
	<i>Retrieve all emails?</i>	By default, all email messages present on the specified server are retrieved. To retrieve only a limited number of these email messages, clear this check box and in the Number of emails to retrieve .field, enter the number of messages you want to retrieve. email messages are retrieved starting from the most recent.
	<i>Delete emails from server</i>	Select this check box if you do not want to keep the retrieved email messages on the server.  For Gmail servers, this option does not work for the pop3 protocol. Select the imap protocol and ensure that the Gmail account is configured to use imap.
	<i>Choose the protocol</i>	From the list, select the protocol to be used to retrieve the email messages from the server. This protocol is the one used by the email server. If you choose the imap protocol, you will be able to select the folder from which you want to retrieve your emails.

	<i>Use SSL</i>	Select this check box if your email server uses this protocol for authentication and communication confidentiality.  This option is obligatory for users of Gmail.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the job processing metadata at a job level as well as at each component level.
	<i>Filter</i>	Click the plus button to add as many lines as needed to filter email messages and retrieve only a specific selection:
		Filter item: select one of the following filter types from the list: From: email messages are filtered according to the sender email address. To: email messages are filtered according to the recipient email address. Subject: email messages are filtered according to the message subject matter. Before date: email messages are filtered by the sending or receiving date. All messages before the set date are retrieved. After date: email messages are filtered by the sending or receiving date. All messages after the set date are retrieved.
		Pattern: press Ctrl+Space to display the list of available values. Select the value to use for each filter.
	<i>Filter condition relation</i>	Select the type of logical relation you want to use to combine the specified filters: and: the conditions set by the filters are combined together, the research is more restrictive. or: the conditions set by the filters are independent, the research is large.
Usage	This component does not handle data flow, it can be used alone.	
Limitation	n/a	

Scenario: Retrieving a selection of email messages from an email server

This Java scenario is a one-component Job that retrieves a predefined number of email messages from an email server.

- Drop the **tPOP** component from the **Palette** to the design workspace.
- Double click **tPOP** to display the **Basic settings** view and define the component properties.

- Enter the email server IP address and port number in the corresponding fields.
- Enter the username and password for your email account in the corresponding fields. In this example, the email server is called *Free*.


The screenshot shows the configuration window for a POP3 account named 'tPOP_1'. The 'Basic settings' tab is selected. The configuration includes the following fields and values:

- Host: "pop.free.fr"
- Port: 110
- Username: "talend.user@free.fr"
- Password: "*****"
- Output directory: "D:/TDQ_EE_MPX-All-r29643-V3.2.0RC1/workspace"
- Filename pattern: "TalendDate.getDate(\"yyyyMMdd-hhmmss\") + \"_\" + (counter_tPOP_1 + 1) + \".txt\""
- Retrieve all emails?
- Number of emails to retrieve: 10
- Delete emails from server
- Choose the protocol: pop3
- Use SSL

- In the **Output directory** field, enter the path to the output directory manually, or click the three-dot button next to the field and browse to the output directory where the email messages retrieved from the email server are to be stored.
- In the **Filename pattern** field, define the syntax you want to use to name the output files that will hold the messages retrieved from the email server, or press **Ctrl+Space** to display a list of predefined patterns. The syntax used in this example is the following: `TalendDate.getDate("yyyyMMdd-hhmmss") + "_" + (counter_tPOP_1 + 1) + ".txt"`.

The output files will be stored as .txt files and are defined by date, time and arrival chronological order.

- Clear the **Retrieve all emails?** field and in the **Number of emails to retrieve** field, enter the number of email messages you want to retrieve, 10 in this example.
- Select the **Delete emails from server** check box to delete the email messages from the email server once they are retrieved and stored locally.
- In the **Choose the protocol** field, select the protocol type you want to use. This depends on the protocol used by the email server. Certain email suppliers, like *Gmail*, use both protocols. In this example, the protocol used is *pop3*.
- Save your Job and press **F6** to execute it.




The **tPOP** component retrieves the 10 recent messages from the specified email server.

In the *tPOP* directory stored locally, a .txt file is created for each retrieved message. Each file holds the metadata of the email message headings (sender's address, recipient's address, subject matter) in addition to the message content.

tREST



tREST properties


Component family	Internet	
Function	The tREST component sends HTTP requests to a REpresentational State Transfer (REST) Web service provider and gets responses correspondingly.	
Purpose	The tREST component serves as a REST Web service client that sends HTTP requests to a REST Web service provider and gets the responses.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component.</p> <p>This component always uses a built-in, read-only schema that contains two columns:</p> <ul style="list-style-type: none"> - Body: stores the result from the server end. - ERROR_CODE: stores the HTTP status code from the server end when an error occurs during the invocation process. The specific meanings of the errors codes are subject to definitions of your Web service provider. For reference information, visit en.wikipedia.org/wiki/List_of_HTTP_status_codes. <p>Click Edit Schema to view the schema structure.</p> <p> <i>Changing the schema type may result in loss of the schema structure and therefore failure of the component.</i></p>
	<i>URL</i>	Type in the URL address of the REST Web server to be invoked.
	<i>HTTP Method</i>	<p>From this list, select an HTTP method that describes the desired action. The specific meanings of the HTTP methods are subject to definitions of your Web service provider. Listed below are the generally accepted HTTP method definitions:</p> <ul style="list-style-type: none"> - GET: retrieves data from the server end based on the given parameters. - POST: creates and uploads data based on the given parameters. - PUT: updates data based on the given parameters, or if the data does not exist, creates it. - DELETE: removes data based on the given parameters.

	<i>HTTP Headers</i>	Type in the name-value pair(s) for HTTP headers to define the parameters of the requested HTTP operation. For the specific definitions of HTTP headers, consult your REST Web service provider. For reference information, visit en.wikipedia.org/wiki/List_of_HTTP_headers .
	<i>HTTP Body</i>	Type in the payload to be uploaded to the server end when the POST or PUT action is selected.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	Use this component as a REST Web service client to communicate with a REST Web service provider. It must be linked to an output component.	
Limitation	JRE 1.6 must be running for this component to work properly.	


Scenario: Creating and retrieving data by invoking REST Web service

This scenario describes a simple Job that invokes a REST Web service to create a new customer record on the server end and then retrieve the customer information. When executed, the Job displays relevant information on the **Run** console.

- Drop the following components from the **Palette** onto the design workspace: two **tREST** components and two **tLogRow** components, and label the two **tREST** components to best describe the actions to perform.
- Connect each **tREST** to one **tLogRow** using a **Row > Main** connection.
- Connect the first **tREST** to the second **tREST** using a **Trigger > OnSubjobOK** connection.



- Double click the first **tREST** component to open its **Basic settings** view.




- Fill the **URL** field with the URL of the Web service you are going to invoke. Note that the URL provided in this use case is for demonstration purpose only and is not a live address.
- From the **HTTP Method** list, select **POST** to send an HTTP request for creating a new record.
- Click the plus button to add a line in the **HTTP Headers** table, and type in the appropriate name-value key pair, which is subject to definition of your service provider, to indicate the media type of the payload to send to the server end. In this use case, type in *Content-Type* and *application/xml*. For reference information about Internet media types, visit www.w3.org/Protocols/rfc2616/rfc2616-sec3.html#sec3.7.
- Fill the **HTTP Body** field with the payload to be uploaded to the server end. In this use case, type in `<Customer><name>Steven</name></Customer>` to create a record for a new customer named *Steven*.



If you want to include double quotation marks in your payload, be sure to use a backslash escape character before each of the quotation marks. In this use case, for example, type in `<Customer><name>\"Steven\"</name></Customer>` if you want to enclose the name *Steven* in a pair of double quotation marks.

- Double click the second **tREST** component to open its **Basic settings** view.
- Fill the **URL** field with the same URL.
- From the **HTTP Method** list, select **GET** to send an HTTP request for retrieving the existing records.
- In the **Basic settings** view of each **tLogRow**, select the **Print component unique name in front of each output row** and **Print schema column name in front of each value** check boxes for better identification of the output flows.



- Save your Job and press **F6** to launch it.

The console shows that the first **tREST** component sends an HTTP request to the server end to create a new customer named *Steven*, and the second **tREST** component successfully reads data from the server end, which includes the information of the new customer you just created.

```
Starting job feature_17587_tREST at 11:34 22/02/2011.
[statistics] connecting to socket on port 3761
[statistics] connected
[tLogRow_1] Body: <?xml version='1.0' encoding='UTF-8'
standalone='yes'?
><Customer><id>124</id><name>Steven</name></Customer>|ERROR_CODE
[tLogRow_2] Body:
<Customers><Customer><id>124</id><name>Steven</name></Customer><C
ustomer><id>123</id><name>John</name></Customer></Customers>|ERR
OR_CODE:
[statistics] disconnected
Job feature_17587_tREST ended at 11:34 22/02/2011. [exit code=0]
```

tRSSInput




tRSSInput Properties

Component family	Internet	
Function	tRSSInput reads RSS-Feeds using URLs.	
Purpose	tRSSInput makes it possible to keep track of blog entries on websites to gather and organize information for quick and easy access.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . The tRSSInput component has a read-only schema that is made of four columns: TITLE , DESCRIPTION , PUBDATE , and Link .
	<i>RSS URL</i>	Enter the URL for the RSS_Feed to read.
	<i>Read articles from</i>	If selected, tRSSInput reads articles on the RSS_Feed from the date set through the three-dot [...] button next to the date time field.
	<i>Max number of articles</i>	If selected, tRSSInput reads as many articles as the number entered in the max amount field.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows.
Usage	This component is generally used as an input component. It requires an output component.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	


Scenario: Fetching frequently updated blog entries.

This two-component scenario aims at retrieving frequently updated blog entries from a **Talend** local news RSS feed using the **tRSSInput** component.

1. Drop the following components from the **Palette** onto the design workspace: **tRSSInput** and **tLogRow**.
2. Right-click to connect them using a **Row > Main** link.



- In the design workspace, select **tRSSInput**, and click the **Component** tab to define the basic settings for **tRSSInput**.



- Enter the URL for the RSS_Feed to access. In this scenario, **tRSSInput** links to the **Talend** RSS_Feed: *http://feeds.feedburner.com/Talend*.
- Select/clear the other check boxes as required. In this scenario, we want to display the information about two articles dated from July 20, 2008.
- In the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information about **tLogRow** properties, see [the section called “tLogRow properties”](#).
- Save the Job and press **F6** to execute it.

```
Starting job RSSInput at 15:17 07/08/2008.
-----
#1. tLogRow_1
-----
| key          | value                                                                 |
|-----|-----|
| TITLE        | Welcoming Jean-Luc Solans                                             |
| DESCRIPTION   | Jean-Luc Solans joins Talend as VP of Strategy and Busines         |
| PUBDATE      | 24 Jul 2008 19:40:11 GMT                                             |
| LINK         | http://feeds.feedburner.com/~r/Talend/~3/344920575/                  |
|-----|-----|
#2. tLogRow_1
-----
| key          | value                                                                 |
|-----|-----|
| TITLE        | Talend Open Profiler gets rave reviews                              |
| DESCRIPTION   | An interview and a product review of Talend Open Profiler.         |
| PUBDATE      | 23 Jul 2008 21:12:53 GMT                                             |
| LINK         | http://feeds.feedburner.com/~r/Talend/~3/343928056/                  |
|-----|-----|
Job RSSInput ended at 15:17 07/08/2008. [exit code=0]
```


The **tRSSInput** component accessed the RSS feed of **Talend** website on your behalf and organized the information for you.

Two blog entries are displayed on the console. Each entry has its own title, description, publication date, and the corresponding RSS feed URL address. Blogs show the last entry first, and you can scroll down to read earlier entries.

tRSSOutput



tRSSOutput Properties

Component family	Internet	
Function	tRSSOutput writes RSS_Feed or Atom_Feed XML files.	
Purpose	tRSSOutput makes it possible to create XML files that hold RSS or Atom feeds.	
Basic settings	<i>File name</i>	Name or path to the output XML file. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Encoding</i>	Select an encoding type from the list, or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Append</i>	Select this check box to add the new rows to the end of the file.
	<i>Mode</i>	Select between RSS or ATOM according to the feed you want to generate.
	<i>Channel (in RSS mode)</i>	 The information to be typed in here concerns your entire input data, site etc, rather than a particular item. Title: Enter a meaningful title. Description: Enter a description that you think will describe your content. Publication date: Enter the relevant date. Link: Enter the relevant URL.
	<i>Feed (in ATOM mode)</i>	Title: Enter a meaningful title. Link: Enter the relevant URL. Id: Enter the valid URL corresponding to the Link . Update date: Enter the relevant date . Author name: Enter the relevant name.
	<i>Optionnal Elements</i>	<i>Channel</i> Click the [+] button below the table to add new lines and enter the information relative to the RSS flow metadata: Element Name: name of the metadata. Element Value: content of the metadata.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .

		By default, the schema of tRSSOutput is made of five read-only columns: id , title , link , updated , and summary . You can add new columns or click Syn columns to retrieve the schema structure from the preceding component.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component must be linked to an input or intermediary component.	
Limitation	n/a	

Scenario 1: Creating an RSS flow and storing files on an FTP server


In this scenario we:

- create an RSS flow for files that you would like to share with other people, and
- store the complete files on an FTP server.

This scenario writes an RSS feed XML file about a Mysql table holding information about books. It adds links to the files stored on an FTP server in case users want to have access to the complete files.


Dropping and linking components

1. Drop the following components from the **Palette** onto the design workspace: **tMySQLInput**, **tRSSOutput**, and **tFTPput**.
2. Right-click **tMySQLInput** and connect it to **tRSSOutput** using a **Row** > **Main** link.
3. Right-click **tMySQLInput** and connect it to **tFTPput** using a **Trigger** > **OnSubjobOk** link.



Defining the data source

1. In the design workspace, select **tMySQLInput**, and click the **Component** tab to define the basic settings for **tMySQLInput**.




*For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.*

2. Define the database connection details and the input schema.
3. In the **Table Name** field, either type your table name or click the three dots button [...] and select your table name from the list. In this scenario, the Mysql input table is called “rss_talend” and the schema is made up of four columns, *TITLE*, *Description*, *PUBDATE*, and *LINK*.
4. In the **Query** field, enter your DB query paying particular attention to properly sequence the fields in order to match the schema definition, or click **Guess Query**.

Creating an RSS flow

1. In the design workspace, select **tRSSOutput**, and click the **Component** view to define the basic settings for **tRSSOutput**.

2. In the **File name** field, use the by default file name and path, or browse to set your own for the output XML file.
3. Select the encoding type on the **Encoding Type** list.
4. In the **Mode** area, select **RSS**.
5. In the **Channel** panel, enter a title, a description, a publication date, and a link to define your input data as a whole.
6. Click **Edit Schema** to modify the schema if necessary.
 -  You can click **Sync columns** to retrieve the generated schema from the preceding component.
7. Save your Job and press **F6** to execute this first part.

```

<?xml version="1.0" encoding="UTF-8" ?>
- <rss version="2.0">
- <channel>
  <title>library index</title>
  <description>grouping new books</description>
  <pubdate>2008-08-16 14:55:29</pubdate>
  <link>http://feeds.feedburner.com/Talend</link>
- <item>
  <title>Book 1</title>
  <description>Summary of book1</description>
  <pubdate>2008-01-02</pubdate>
  <link>ftp://localhost/file_1.txt</link>
</item>
- <item>
  <title>Book 2</title>
  <description>Summary of book2</description>
  <pubdate>2008-01-02</pubdate>
  <link>ftp://localhost/file_2.txt</link>
</item>
- <item>
  <title>Book 3</title>
  <description>Summary of book3</description>
  <pubdate>2008-01-02</pubdate>
  <link>ftp://localhost/file_3.txt</link>
</item>
</channel>
</rss>


```

The **tRSSOutput** component created an output RSS flow in an XML format for the defined files.

Writing the complete files to an FTP server

To store the complete files on an FTP server:

1. In the design workspace, select **FTPPut**, and click the **Component** tab to define the basic settings for **tFTPPut**.



2. Enter the host name and the port number in their corresponding fields.
3. Enter your connection details in the corresponding **Username** and **Password** fields.
4. Browse to the local directory, or enter it manually in the **Local directory** field.
5. Enter the details of the remote server directory.
6. Select the transfer mode from the **Transfer mode** list.
7. On the **Files** panel, click on the plus button to add new lines and fill in the filemasks of all files to be copied onto the remote directory. In this scenario, the files to be saved on the FTP server are all text files.
8. Save your Job and press **F6** to execute it.


Files defined in the Filemask are copied on the remote server.

Scenario 2: Creating an RSS flow that contains metadata

This scenario describes a two-component Job that creates an RSS flow that holds metadata and then redirects the obtained information in an XML file of the output RSS flow.


Dropping and linking components

1. Drop **tRSSInput** and **tRSSOutput** from the **Palette** to the design workspace.
2. Connect the two components together using a **Row** > **Main** link.




Configuring the components

1. Double-click **tRSSInput** to open its **Basic settings** view and define the component properties.



2. Enter the URL for the RSS_Feed to access. In this scenario, **tRSSInput** links to the **Talend RSS_Feed**: *http://feeds.feedburner.com/Talend*.
3. In the design workspace, double-click **tRSSOutput** to display its **Basic settings** view and define the component properties.



4. In the **File name** field, use the by default file name and path, or browse to set your own for the output XML file.
5. Select the encoding type on the **Encoding Type** list.
6. In the **Mode** area, select **RSS**.
7. In the **Channel** panel, enter a title, a description, a publication date and a link to define your input data as a whole.
8. In the **Optional Channel Element**, define the RSS flow metadata. In this example, the flow has two metadata: *copyright*, which value is *tos*, and *language* which value is *en_us*.
9. Click **Edit Schema** to modify the schema if necessary.



You can click **Sync Column** to retrieve the generated schema from the preceding component.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.

```

1  <?xml version="1.0" encoding="UTF-8" ?>
2
3  <rss version="2.0">
4    <channel>
5      <title>myRSS</title>
6      <description>test RSS optional elements</description>
7      <pubdate>2008-08-21</pubdate>
8      <link>www.mywebsite.com</link>
9      <copyright>tos</copyright>
10     <language>en_us</language>
11     <item>
12       <title>Linking technology and society</title>
13       <description>Technology reflects and influences the
14       values and culture of the society that produced it.
15     </description>
16     <pubdate>31 Oct 2009 13:26:45 GMT</pubdate>
17     <link>
18     http://feedproxy.google.com/~r/Talend/~3/rNNbiD5K39k/</link>
19   </item>
20 </channel>
21 </rss>

```


The defined files are copied in the output XML file and the metadata display under the `<channel>` node above the information about the RSS flow.

Scenario 3: Creating an ATOM feed XML file

This scenario describes a two component Job that generates data and writes them in an ATOM feed XML file.


Dropping and linking components

1. Drop the following components from the **Palette** onto the design workspace: **tFixedFlowInput** of the **Misc** component group and **tRSSOutput** of the **Internet** component group.
2. Right-click **tFixedFlowInput** and connect it to **tRSSOutput** using a **Row Main** link.
3. When asked whether you want to pass on the schema of **tRSSOutput** to **tFixedFlowInput**, click **Yes**.



Configuring the components

1. In the design workspace, double-click **tFixedFlowInput** to display its corresponding **Component** view and define its basic settings.



2. In the **Number of rows** field, leave the default setting to **1** to only generate one line of data.
3. In the **Mode** area, leave the **Use Single Table** option selected and fill in the **Values** table. Note that the **Column** field of the **Values** table is filled in by the columns of the schema defined in the component.
4. In the **Value** field of the **Values** table, type in the data you want to be sent to the following component.
5. In the design workspace, double-click **tRSSOutput** to display its corresponding **Component** view and define its basic settings.

The screenshot shows the configuration window for the **tRSSOutput_1** component. On the left, there is a navigation pane with options: **Basic settings**, **Advanced settings**, **Dynamic settings**, **View**, and **Documentation**. The **Basic settings** tab is active.

File Name: "D:/talend_files/Output/tRSSOutput_ATOM.xml" (with a [...] button to the right).

Append: (unchecked).

Encoding: UTF-8 (dropdown menu).

Mode: RSS, ATOM.

Feed:

- Title:** "Job using tRSSOutput" *
- Link:** "http://feeds.feedburner.com/Talend/" *
- Id:** "http://feeds.feedburner.com/Talend/" *
- Update date:** "2008-07-03T16:41:00Z" *
- Author name:** "Talend Open Studio" *

Optional Channel Elements: A table with columns **Element Name** and **Element Value**. The table is currently empty.

Schema: Built-In (dropdown menu). Buttons for **Edit schema** [...] and **Sync columns** are also present.

6. Click the [...] button next to the **File Name** field to set the output XML file directory and name.
7. In the **Mode** area, select **ATOM** to generate an ATOM feed XML file.




As the ATOM feed format is strict, some default information is required to create the XML file. So, the schema **tRSSOutput** contains default columns that will contain those information. Those default columns are greyed out to indicate that they must not be modified. If you choose to modify the schema of the component, the ATOM XML file created will not be valid.

8. In the **Feed** area, enter a title, link, id, update date, author name to define your input data as a whole.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** on the **Run** tab to execute the Job.



```
1 <?xml version="1.0" encoding="UTF-8"?>
2
3 <feed xmlns="http://www.w3.org/2005/Atom">
4   <title>Job using trSSOutput</title>
5   <id>http://feeds.feedburner.com/Talend/</id>
6   <updated>2008-07-03T16:41:00Z</updated>
7   <link href="http://feeds.feedburner.com/Talend/" />
8   <author>
9     <name>Talend Open Studio</name>
10  </author>
11  <entry>
12    <id>urn:uuid:1225c695-cfb8-4ebb-aaaa-80da344efa6a</id>
13    <title>Job using trSSOutput in Talend Open Studio</title>
14    <link href="http://feeds.feedburner.com/Talend/" />
15    <updated>2010-09-07T15:43:02Z</updated>
16    <summary>This is a Job made in Talend Open Studio and using
17  </entry>
18 </feed>
19
```

The **trSSOutput** component creates an output ATOM flow in an XML format.

tSCPClose



tSCPClose Properties

Component family	Internet/SCP	
Function	tSCPClose closes a connection to a fully encrypted channel.	
Purpose	This component closes a connection to an SCP protocol.	
Basic settings	<i>Component list</i>	If there is more than one connection in the current Job, select tSCPConnection from the list.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level
Usage	tSCPClose is generally used as a start component. It requires an output component.	
Limitation	n/a	

Related scenario

This component is closely related to **tSCPConnection** and **tSCPRollback**. It is generally used with **SCPConnection** as it allows you to close a connection for the transaction which is underway.

For a related scenario see [the section called “tMysqlConnection”](#).

tSCPConnection



tSCPConnection properties

Component family	Internet/SCP	
Function	tSCPConnection opens an SCP connection for the current transaction.	
Purpose	tSCPConnection allows you to open an SCP connection to transfer files in one transaction.	
Basic settings	<i>Host</i>	IP address of the SCP server.
	<i>Port</i>	Number of listening port of the SCP server.
	<i>Username</i>	User name for the SCP server.
	<i>Authentication method</i>	SCP authentication method.
	<i>Password</i>	User password for the SCP server.
Usage	This component is typically used as a single-component sub-job. It is used along with other SCP components.	
Limitation	n/a	

Related scenarios

For a related scenario, see [the section called “Scenario: Putting files on a remote FTP server”](#).

For a related scenario using a different protocol, see [the section called “Scenario: Getting files from a remote SCP server”](#).

tSCPDelete



tSCPDelete properties

Component family	Internet/SCP	
Function	This component deletes files from remote hosts over a fully encrypted channel.	
Purpose	tSCPDelete allows you to remove a file from the defined SCP server.	
Basic settings	<i>Host</i>	SCP IP address.
	<i>Port</i>	Listening port number of the SCP server.
	<i>Username</i>	SCP user name.
	<i>Authentication method</i>	SCP authentication method.
	<i>Password</i>	SCP password.
	<i>Filelist</i>	File name or path to the files to be deleted.
	Usage	This component is typically used as a single-component sub-job but can also be used with other components.
Limitation	n/a	

Related scenario

For tSCPDelete related scenario, see [the section called “Scenario: Getting files from a remote SCP server”](#).

For tSCPDelete related scenario using a different protocol, see [the section called “Scenario: Putting files on a remote FTP server”](#).

tSCPFileExists



tSCPFileExists properties

Component family	Internet/SCP	
Function	This component checks, over a fully encrypted channel, if a file exists on a remote host.	
Purpose	tSCPFileExists allows you to verify the existence of a file on the defined SCP server.	
Basic settings	<i>Host</i>	SCP IP address.
	<i>Port</i>	Listening port number of the SCP server.
	<i>Username</i>	SCP user name.
	<i>Authentication method</i>	SCP authentication method.
	<i>Password</i>	SCP password.
	<i>Remote directory</i>	File path on the remote directory.
	<i>Filename</i>	Name of the file to check.
Usage	This component is typically used as a single-component sub-job but can also be used with other components.	
Limitation	n/a	

Related scenario

For tSCPFileExists related scenario, see [the section called “Scenario: Getting files from a remote SCP server”](#).

For tSCPFileExists related scenario using a different protocol, see [the section called “Scenario: Putting files on a remote FTP server”](#).

tSCPFileList



tSCPFileList properties

Component family	Internet/SCP	
Function	This component iterates, over a fully encrypted channel, on files of a given directory on a remote host.	
Purpose	tSCPFileList allows you to list files from the defined SCP server.	
Basic settings	<i>Host</i>	SCP IP address.
	<i>Port</i>	Listening port number of the SCP server.
	<i>Username</i>	SCP user name.
	<i>Authentication method</i>	SCP authentication method.
	<i>Password</i>	SCP password.
	<i>Command separator</i>	The character used to separate multiple commands.
	<i>Filelist</i>	Directory name or path to the directory holding the files to list.
Usage	This component is typically used as a single-component sub-job but can also be used with other components.	
Limitation	n/a	

Related scenario

For tSCPFileList related scenario, see [the section called “Scenario: Getting files from a remote SCP server”](#).

For tSCPFileList related scenario using a different protocol, see [the section called “Scenario: Putting files on a remote FTP server”](#).

tSCPGet




tSCPGet properties

Component family	Internet/SCP	
Function	This component transfers defined files via an SCP connection over a fully encrypted channel.	
Purpose	tSCPGet allows you to copy files from the defined SCP server.	
Basic settings	<i>Host</i>	SCP IP address.
	<i>Port</i>	Listening port number of the SCP server.
	<i>Username</i>	SCP user name.
	<i>Authentication method</i>	SCP authentication method.
	<i>Password</i>	SCP password.
	<i>Local directory</i>	Path to the destination folder.
	<i>Overwrite or Append</i>	List of available options for the transferred files.
	<i>Filelist</i>	File name or path to the file(s) to copy.
Usage	This component is typically used as a single-component sub-job but can also be used with other components.	
Limitation	n/a	

Scenario: Getting files from a remote SCP server

This scenario creates a single-component Job which gets the defined file from a remote SCP server.

- Drop a **tSCPGet** component from the **Palette** onto the design workspace.
- In the design workspace, select **tSCPGet** and click the **Component** tab to define its basic settings.



- Fill in the **Host** IP address, the listening **Port** number, and the user name in the corresponding fields.
- On the **Authentication method** list, select the appropriate authentication method.

Note that the field to follow changes according to the selected authentication method. The authentication form used in this scenario is password.

- Fill in the local directory details where you want to copy the fetched file.
- On the **Overwrite or Append** list, select the action to be carried out.
- In the **Filelist** area, click the plus button to add a line in the **Source** list and fill in the path to the given file on the remote SCP server.

In this scenario, the file to copy from the remote SCP server to the local disk is *backport*.

- Save the Job and press **F6** to execute it.

The given file on the remote server is copied on the local disk.

tSCPPut



tSCPPut properties

Component family	Internet/SCP	
Function	This component copies defined files to a remote SCP server over a fully encrypted channel.	
Purpose	tSCPPut allows you to copy files to the defined SCP server.	
Basic settings	<i>Host</i>	SCP IP address.
	<i>Port</i>	Listening port number of the SCP server.
	<i>Username</i>	SCP user name.
	<i>Authentication method</i>	SCP authentication method.
	<i>Password</i>	SCP password.
	<i>Remote directory</i>	Path. to the destination folder.
	<i>Filelist</i>	File name or path to the file(s) to copy.
Usage	This component is typically used as a single-component sub-job but can also be used with other components.	
Limitation	n/a	

Related scenario

For tSCPPut related scenario, see [the section called “Scenario: Getting files from a remote SCP server”](#).

For tSCPput related scenario using a different protocol, see [the section called “Scenario: Putting files on a remote FTP server”](#).

tSCPRename



tSCPRename properties

Component family	Internet/SCP	
Function	This component renames files on a remote SCP server.	
Purpose	tSCPRename allows you to rename file(s) on the defined SCP server.	
Basic settings	<i>Host</i>	SCP IP address.
	<i>Port</i>	Listening port number of the SCP server.
	<i>Username</i>	SCP user name.
	<i>Authentication method</i>	SCP authentication method.
	<i>Password</i>	SCP password.
	<i>File to rename</i>	Enter the name or path to the file you want to rename.
	<i>Rename to</i>	Enter the file new name.
Usage	This component is typically used as a single-component sub-job but can also be used with other components.	
Limitation	n/a	

Related scenario

For **tSCPRename** related scenario, see [the section called “Scenario: Getting files from a remote SCP server”](#).

tSCPTtruncate



tSCPRename properties

Component family	Internet/SCP	
Function	This component removes all the data from a file via an SCP connection.	
Purpose	tSCPTtruncate allows you to remove data from file(s) on the defined SCP server.	
Basic settings	<i>Host</i>	SCP IP address.
	<i>Port</i>	Listening port number of the SCP server.
	<i>Username</i>	SCP user name.
	<i>Authentication method</i>	SCP authentication method.
	<i>Password</i>	SCP password.
	<i>Remote directory</i>	Path. to the destination file.
	<i>Filelist</i>	File name or path to the file(s) to truncate.
Usage	This component is typically used as a single-component sub-job but can also be used with other components.	
Limitation	n/a	

Related scenario

For tSCPTtruncate related scenario, see [the section called “Scenario: Getting files from a remote SCP server”](#).

tSendMail




tSendMail Properties

Component family	Internet	
Function	tSendMail sends emails and attachments to defined recipients.	
Purpose	tSendMail purpose is to notify recipients about a particular state of a Job or possible errors.	
Basic settings	<i>To</i>	Main recipient email address.
	<i>From</i>	Sending server email address.
	<i>Show sender's name</i>	Select this check box if you want the sender name to show in the messages.
	<i>Cc</i>	Email addresses of secondary recipients of the email message directed to another.
	<i>Bcc</i>	Email addresses of secondary recipients of the email message. Recipients listed in the Bcc field receive a copy of the message but are not shown on any other recipient's copy.
	<i>Subject</i>	Heading of the mail.
	<i>Message</i>	Body message of the email. Press Ctrl+Space to display the list of available variables.
	<i>Die if the attachment file doesn't exist</i>	This check box is selected by default. Clear this check box if you want the message to be sent even if there are no attachments.
	<i>Attachments / File and Content Transfer Encoding</i>	Click the plus button to add as many lines as needed where you can put filemask or path to the file to be sent along with the mail, if any. Two options are available for content transfer encoding, i.e. Default and Base64.
	<i>Other Headers</i>	Click the plus button to add as many lines as needed where you can type the Key and the corresponding Value of any header information that does not belong to the standard header.
	<i>SMTP Host and Port</i>	IP address of SMTP server used to send emails.
	<i>SSL Support</i>	Select this check box to authenticate the server at the client side via an SSL protocol.
	<i>STARTTLS Support</i>	Select this check box to authenticate the server at the client side via a STARTTLS protocol.
	<i>Importance</i>	Select in the list the priority level of your messages.
	<i>Need authentication / Username and Password</i>	Select this check box and enter a username and a password in the corresponding fields if this is necessary to access the service.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows.


Advanced settings	<i>MIME subtype from the 'text' MIME type</i>	Select in the list the structural form for the text of the message.
	<i>Encoding type</i>	Select the encoding from the list or select Custom and define it manually.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is typically used as one sub-job but can also be used as output or end object. It can be connected to other components with either Row or Iterate links.	
Limitation	n/a	

Scenario: Email on error

This scenario creates a three-component Job which sends an email to defined recipients when an error occurs.









- Drop the following components from your **Palette** to the design workspace: **tFileInputDelimited**, **tFileOutputXML**, **tSendMail**.
- Define **tFileInputdelimited** properties. Related topic: [the section called “tFileInputDelimited”](#).
- Right-click on the **tFileInputDelimited** component and select *Row > Main*. Then drag it onto the **tFileOutputXML** component and release when the plug symbol shows up.
- Define **tFileOutputXML** properties.
- Drag a **Run on Error** link from **tFileDelimited** to **tSendMail** component.
- Define the **tSendMail** component properties:



- Enter the recipient and sender email addresses, as well as the email subject.
- Enter a message containing the error code produced using the corresponding global variable. Access the list of variables by pressing **Ctrl+Space**.
- Add attachments and extra header information if any. Type in the SMTP information.







Attachments

File
'c:\Input\error.log'

Other headers

Key	Value
-----	-------

SMTP host * SMTP port *

In this scenario, the file containing data to be transferred to XML output cannot be found. **tSendmail** runs on this error and sends a notification email to the defined recipient.

tSetKerberosConfiguration



tSetKerberosConfiguration properties

Component family	Internet	
Function	<p>tSetKerberosConfiguration is designed to configure Kerberos authentication for enhanced security of network communications.</p> <p>For more information on the Kerberos protocol, go to http://www.kerberos.org.</p>	
Purpose	<p>tSetKerberosConfiguration allows you to enter the relevant information for Kerberos authentication.</p>	
Basic settings	<i>KDC Server</i>	Address of the Key Distribution Center (KDC) server.
	<i>Realm</i>	Name of the Kerberos realm.
	<i>Username and Password</i>	Kerberos authentication credentials.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is typically used as a sub-job by itself and is used along with tSoap .	
Limitation	n/a	

Related scenarios

No scenario is available for this component.

tSetKeystore



tSetKeystore properties

Component family	Internet	
Function	tSetKeystore submits authentication data of a truststore with or without keystore to validation for the SSL connection.	
Purpose	This component allows you to set the authentication data type between PKCS 12 and JKS .	
Basic settings	<i>TrustStore type</i>	Select the type of the TrustStore to be used. It may be PKCS 12 or JKS .
	<i>TrustStore file</i>	Type in the path, or browse to the certificate TrustStore file (including filename) that contains the list of certificates that the client trusts.
	<i>TrustStore password</i>	Type in the password used to check the integrity of the TrustStore data.
	<i>Need authentication</i> <i>Client</i>	Select this check box to validate the keystore data. Once doing so, you need complete three fields: - Keystore type : select the type of the keystore to be used. It may be PKCS 12 or JKS . - Keystore file : type in the path, or browse to the file (including filename) containing the keystore data. - Keystore password : type in the password for this keystore.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is used standalone.	
Connections		Outgoing links (from one component to another): Trigger : Run if; On Subjob Ok, On Subjob Error, On Component Ok; On Component Error. Incoming links (from one component to another): Trigger : Run if, On Subjob Ok, On Component Ok, On Component Error. For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .
Limitation	n/a.	

Scenario: Extracting customer information from a private WSDL file

This scenario describes a three-component Job that connects to a private WSDL file in order to extract customer information.

The WSDL file used in this Job accesses the corresponding web service under the SSL protocol. For this purpose, the most relative code in this file reads as follows :


```
<wsdl:port name="CustomerServiceHttpSoap11Endpoint"
binding="ns:CustomerServiceSoap11Binding">
  <soap:address location="https://192.168.0.22:8443/axis2/
services/CustomerService.CustomerServiceHttpSoap11Endpoint/" />
</wsdl:port>
```

Accordingly, we enter the following code in the *server.xml* file of Tomcat:


```
<Connector port="8443" protocol="HTTP/1.1" SSLEnabled="true"
  maxThreads="150" scheme="https" secure="true"
  clientAuth="true" sslProtocol="TLS"
  keystoreFile="D:/server.keystore" keystorePass="password"
  keystoreType="JKS"
  truststoreFile="D:/server.p12" truststorePass="password"
  truststoreType="PKCS12"
/>
```

So we need keystore files to connect to this WSDL file. To replicate this Job, proceed as follows:


- Drop the following components from the **Palette** onto the design workspace: **tSetKeystore**, **tWebService**, and **tLogRow**.



- Right-click **tSetKeystore** to open its contextual menu.
- In this menu, select **Trigger > On Subjob Ok** to connect this component to **tWebService**.
- Right-click **tWebService** to open its contextual menu.
- In this menu, select **Row > Main** to connect this component to **tLogRow**.
- Double-click **tSetKeystore** to open its **Basic settings** view and define the component properties.




- In the **TrustStore type** field, select **PKCS12** from the drop-down list.
- In the **TrustStore file** field, browse to the corresponding truststore file. Here, it is *server.p12*.
- In the **TrustStore password** field, type in the password for this truststore file. In this example, it is *password*.
- Select the **Need Client authentication** check box to activate the keystore configuration fields.
- In the **KeyStore type** field, select **JKS** from the drop-down list.
- In the **KeyStore file** field, browse to the corresponding keystore file. Here, it is *server.keystore*.
- Double-click **tWebService** to open the component editor, or select the component in the design workspace and in the **Basic settings** view, click the three-dot button next to **Service configuration**.



- In the **WSDL** field, browse to the private WSDL file to be used. In this example, it is *CustomerService.wsdl*.
- Click the refresh button next to the **WSDL** field to retrieve the WSDL description and display it in the fields that follow.
- In the **Port Name** list, select the port you want to use, *CustomerServiceHttpSoap11Endpoint* in this example.
- In the **Operation** list, select the service you want to use. In this example the selected service is *getCustomer(parameters):Customer*.


- Click **Next** to open a new view in the editor.



In the panel to the right of the **Input mapping** view, the input parameter of the service displays automatically. However, you can add other parameters if you select **[+] parameters** and then click the plus button on top to display the **[Parameter Tree]** dialog box where you can select any of the listed parameters.

The Web service in this example has only one input parameter, **ID**.

- In the **Expression** column of the *parameters.ID* row, type in the customer ID of your interest between quotation marks. In this example, it is *A00001*.
- Click **Next** to open a new view in the editor.




In the **Element** list to the left of the view, the output parameter of the web service displays automatically. However, you can add other parameters if you select **[+] parameters** and then click the plus button on top to display the **[Parameter Tree]** dialog box where you can select any of the parameters listed.

The Web service in this example has four output parameter: *return.address*, *return.email*, *return.name* and *return.phone*.

You now need to create a connection between the output parameter of the defined Web service and the schema of the output component. To do so:

- In the panel to the right of the view, click the three-dot button next to **Edit Schema** to open a dialog box in which you can define the output schema.



- In the schema editing dialog box, click the plus button to add four columns to the output schema.
- Click in each column and type in the new names, *Name*, *Phone*, *Email* and *Address* in this example. This will retrieve the customer information of your interest.
- Click **OK** to validate your changes and to close the schema editing dialog box.
- In the **Element** list to the right of the editor, drag each parameter to the field that corresponds to the column you have defined in the schema editing dialog box.



If available, use the **Auto map!** button, located at the bottom left of the interface, to carry out the mapping operation automatically.

- Click **OK** to validate your changes and to close the editor.
- In the design workspace, double-click **tLogRow** to open its **Basic settings** view and define its properties.
- Click **Sync columns** to retrieve the schema from the preceding component.
- Save your Job and press **F6** to execute it.

The information of the customer with ID *A00001* is returned and displayed in the console of *Talend Open Studio for Big Data*.

```

-----
tLogRow_2
-----
name      | phone      | email      | address
-----
Rose Gonzalez | (512) 757-9000 | rose@edge.com | 313 Constitution Place Austin, TX 78767 USA
-----
[statistics] disconnected
Job tSetKeyStore ended at 19:01 24/11/2010. [exit code=0]

```

tSocketInput




tSocketInput properties

Component family	Internet	
Function	tSocketInput component opens the socket port and listens for the incoming data.	
Purpose	tSocketInput component is a listening component, allowing to pass data via a defined port	
JAVA Basic settings	<i>Host name</i>	Name or IP address of the Host server
	<i>Port</i>	Listening port to open
	<i>Timeout</i>	Number of seconds for the port to listen before closing.
	<i>Uncompress</i>	Select this check box to unzip the data if relevant
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a Row > Rejects link.
	<i>Field separator</i>	Character, string or regular expression to separate fields.
	<i>Row separator</i>	String (ex: “\n” on Unix) to distinguish rows.
	<i>Escape Char</i>	Character of the row to be escaped
	<i>Text enclosure</i>	Character used to enclose text.
	<i>Schema type</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit Schema to make changes to the schema.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Encoding type</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
JAVA Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component opens a point of access to a workstation or server. This component starts a Job and only stops after the time goes out.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Scenario: Passing on data to the listening port

The following scenario describes two Jobs aiming at passing data via a listening port. The first Job (*SocketInput*) opens the listening port and waits for the data to be sent over. The second Job (*SocketOutput*) passes delimited data from a file to a defined port number corresponding to the listening port.

Another application for the Socket components would be to allow controlled communication between servers which cannot communicate directly.



Dropping and linking components

1. For the first Job, drop a **tSocketInput** component and a **tLogRow** component from the **Palette** to the design workspace, and link them using a **Row > Main** connection.
2. For the second Job, drop a **tFileInputDelimited** component and a **tSocketOutput** component from the **Palette** to the design workspace, and link them using a **Row > Main** connection.

Configuring the Jobs

1. On the second Job, select the **tFileInputDelimited** and on the **Basic Settings** tab of the **Component** view, set the access parameters to the input file.

Property Type	Built-In	
File name/Stream	"D:/Input/us_state.txt" *	
Row Separator	"\n" *	Field Separator ";" *
<input type="checkbox"/> CSV options		
Header	1	Footer 0
		Limit 50
Schema	Repository	DELIM:Us_States - metadata *
		Edit schema
<input checked="" type="checkbox"/> Skip empty rows	<input type="checkbox"/> Uncompress as zip file	<input type="checkbox"/> Die on error



For Talend Open Studio for Big Data, the **Schema** of components is always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.

- In **File Name**, browse to the file, and fill the **Row**, **Field separators**, and **Header** fields according to the input file used.
- Describe the **Schema** of the data to be passed on to the **tSocketOutput** component.

tFileInputDelimited_1

Column	Key	Type	Nullable	Date Patt...	Length	Pre...	D...	Co...
Postal	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		2			
State	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		14			
Capital	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		14			
MostPopulousCity	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		14			

The schema should be propagated automatically to the output component.

- Select the **tSocketOutput** component and set the parameters on the **Basic Settings** tab of the **Component** view.

Host Port

Compress Retry Times Timeout

Row Separator Field Separator

Escape char Text enclosure

Schema

Encoding Type

- Define the **Host IP** address and the **Port** number where the data will be passed on to.
- Set the number of retries in the **Retry** field and the amount of time (in seconds) after which the Job will time out.
- Now on the other Job (*SocketInput*) design, define the parameters of the **tSocketInput** component.

Host name Port

Timeout Uncompress Die on error

Row separator Field separator

Escape Char Test Enclosure

Schema

Encoding Type

- Define the **Host IP** address and the listening **Port** number where the data are passed on to.
- Set the amount of time (in seconds) after which the Job will time out.
- Edit the schema and set it to reflect the whole or part of the other Job's schema.

Executing the Jobs

- Press **F6** to execute this Job (SocketInput) first, in order to open the listening port and prepare it to receive the passed data.

2. Before the time-out, launch the other Job (SocketOutput) to pass on the data.

The result displays on the **Run** view, along with the opening socket information.

```
Starting job SocketInput at 17:53 04/02/2008.
socket connected
AL|Alabama|Montgomery|Birmingham
AK|Alaska|Juneau|Anchorage
AZ|Arizona|Phoenix|Phoenix
AR|Arkansas|Little Rock|Little Rock
CA|California|Sacramento|Los Angeles
CO|Colorado|Denver|Denver
CT|Connecticut|Hartford|Bridgeport
DE|Delaware|Dover|Wilmington
FL|Florida|Tallahassee|Jacksonville
GA|Georgia|Atlanta|Atlanta
HI|Hawaii|Honolulu|Honolulu
ID|Idaho|Boise|Boise
IL|Illinois|Springfield|Chicago
IN|Indiana|Indianapolis|Indianapolis
```

tSocketOutput



tSocketOutput properties

Component family	Internet	
Function	tSocketOutput component writes data to a listening port.	
Purpose	tSocketOutput sends out the data from the incoming flow to listening socket port.	
Basic settings	<i>Host name</i>	Name or IP address of the Host server
	<i>Port</i>	Listening port to open
	<i>Compress</i>	Select this check box to zip the data if relevant.
	<i>Retry times</i>	Number of retries before the Job fails.
	<i>Timeout</i>	Number of seconds for the port to listen before closing.
	<i>Die on error</i>	Clear this check box to skip the row on error and complete the process for error-free rows.
	<i>Field separator</i>	Character, string or regular expression to separate fields.
	<i>Row separator</i>	String (ex: “\n” on Unix) to distinguish rows.
	<i>Escape Char</i>	Character of the row to be escaped
	<i>Text enclosure</i>	Character used to enclose text.
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Encoding type</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
Usage	This component opens a point of access to a workstation or server. This component starts a Job and only stops after the time goes out.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	


Related Scenario




For use cases in relation with **tSocketOutput**, see [the section called “Scenario: Passing on data to the listening port”](#)

tSOAP



tSOAP properties

Component family	Internet	
Function	tSOAP sends the defined SOAP message with the given parameters to the invoked Web service and returns the value as defined, based on the given parameters.	
Purpose	This component calls a method via a Web service in order to retrieve the values of the parameters defined in the component editor.	
Basic settings	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component.</p> <p>This component always uses a built-in, read-only schema.</p> <p>By default, the schema contains three String type columns:</p> <ul style="list-style-type: none"> - Header: stores the SOAP message header of the response from the server end. - Body: stores the SOAP message body of the response from the server end. - Fault: stores the error information when an error occurs during the SOAP message processing. <p>If the Output in Document check box is selected, the schema then contains only one Document type column named Soap, which stores the whole response SOAP message in the XML format.</p> <p>Click Edit schema to view the schema structure.</p> <p> <i>Changing the schema type may result in loss of the schema structure and therefore failure of the component.</i></p>
	<i>Use NTLM</i>	<p>Select this check box if you want to use the NTLM authentication protocol.</p> <p>Domain: Name of the client domain.</p>
	<i>Need authentication</i>	Select this check box and enter a user name and a password in the corresponding fields if this is necessary to access the service.
	<i>Use http proxy</i>	Select this check box if you are using a proxy server and fill in the necessary information.

	<i>Trust server with SSL</i>	<p>Select this check box to validate the server certificate to the client via an SSL protocol and fill in the corresponding fields:</p> <p>TrustStore file: enter the path (including filename) to the certificate TrustStore file that contains the list of certificates that the client trusts.</p> <p>TrustStore password: enter the password used to check the integrity of the TrustStore data.</p>
	<i>ENDPOINT</i>	Type in the URL address of the invoked Web server.
	<i>SOAP Action</i>	Type in the URL address of the SOAPAction HTTP header field to be used to identify the intent of the SOAP HTTP request.
	<i>SOAP version</i>	<p>Select the version of the SOAP system you are using.</p> <p> <i>The required SOAP Envelope varies among versions.</i></p>
	<i>Use a message from the input schema</i>	<p>Select this check box to read a SOAP message from the preceding component to send to the invoked Web service.</p> <p>When this check box is selected, the SOAP message field becomes a drop-down list allowing you to select a Document type column to read an input XML file.</p> <p> <i>This option makes sense only when the tSOAP component is connected with an input component the schema of which contains a Document type column to read a valid SOAP message.</i></p>
	<i>Output in Document</i>	Select this check box to output the response message in XML format.
	<i>SOAP message</i>	<p>Type in the SOAP message to be sent to the invoked Web service. The global and context variables can be used when you write a SOAP message.</p> <p>For further information about the context variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Advanced settings	<i>Use Kerberos</i>	<p>Select this check box to choose a tSetKerberosConfiguration component from the Kerberos configuration list.</p> <p> The OnSubjobOk trigger of tSetKerberosConfiguration should be used for connection with tSoap.</p>
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component can be used as an input or as an intermediate component.	
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main; Iterate</p>


		<p>Trigger: Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Iterate</p> <p>Trigger: Run if; On Component Ok; On Component Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	N/A	

Scenario 1: Extracting the weather information using a Web service

This scenario describes a two-component Job that uses a Web service to retrieve the weather information of a given American city.

The Web service to be used is <http://www.deeptraining.com/webservices/weather.asmx>.

1. Drop the following components from the **Palette** onto the design workspace: **tSOAP** and **tLogRow**.



2. Right click **tSOAP**, select **Row > Main** from the contextual menu, and click **tLogRow** to connect the components together using a **Main Row** link.
3. Double-click **tSOAP** to open its **Basic settings** view and define the component properties.

The screenshot shows the configuration interface for a SOAP client. The 'Basic settings' tab is active, displaying the following fields and values:

- Schema:** Built-In (with an 'Edit schema' button)
- Use NTLM:**
- Need authentication?:**
- Use http proxy:**
- Trust server with SSL:**
- ENDPOINT:** "http://www.deepraining.com/webservices/weather.asmx" *
- SOAP Action:** "http://litwinconsulting.com/webservices/GetWeather" *
- SOAP Version:** SOAP 1.1
- Use a message from the schema:**
- Output in Document:**
- SOAP Message:**

```
<soapenv:Envelope xmlns:soapenv=
\"http://schemas.xmlsoap.org/soap/envelope/\"
xmlns:web=
\"http://litwinconsulting.com/webservices/\">
  <soapenv:Header/>
  <soapenv:Body>
    <web:GetWeather>
      <web:City>Chicago</web:City>
    </web:GetWeather>
  </soapenv:Body>
</soapenv:Envelope>
```

- In the **ENDPOINT** field, type in or copy-paste the URL address of the Web service to be used between the quotation marks: "http://www.deepraining.com/webservices/weather.asmx".
- In the **SOAP Action** field, type in or copy-paste the URL address of the SOAPAction HTTP header field that indicates that you want to retrieve the weather information: http://litwinconsulting.com/webservices/GetWeather.



You can see this address by looking at the WSDL for the Web service you are calling. For the Web service of this example, in a web browser, append ?wsdl on the end of the URL of the Web service used in the **ENDPOINT** field, open the corresponding web page, and then see the SOAPAction defined under the operation node:

```
<wsdl:operation name="GetWeather">
<soap:operation soapAction="http://litwinconsulting.com/
webservices/GetWeather"
style="document" />
```


- In the **SOAP version** field, select the version of the SOAP system being used. In this scenario, the version is *SOAP 1.1*.
- In the **SOAP message** field, enter the XML-format message used to retrieve the weather information from the invoked Web service. In this example, the weather information of Chicago is needed, so the message is:

```
"<soapenv:Envelope xmlns:soapenv= \"http://schemas.xmlsoap.org/soap/
envelope/\"
xmlns:web= \"http://litwinconsulting.com/webservices/\">
  <soapenv:Header/>
  <soapenv:Body>
    <web:GetWeather>
      <web:City>Chicago</web:City>
    </web:GetWeather>
  </soapenv:Body>
```

```
</soapenv:Envelope>"
```

8. Save your Job and press **F6** to execute it.

The weather of Chicago is returned and displayed in the console of the **Run** view.




Scenario 2: Using a SOAP message from an XML file to get weather information and saving the information to an XML file

This scenario describes a three-component Job that uses a SOAP message from an input XML file to invoke a Web service for weather information of Paris, and writes the response to an XML file.

As in the previous scenario, the Web service to be used is <http://www.deeptraining.com/webservices/weather.asmx>.

Dropping and linking the components


1. Drop the following components from the **Palette** onto the design workspace: **tFileInputXML**, **tSOAP**, and **tFileOutputXML**.
2. Connect the components using **Main > Row** links.




Configuring the input component

1. Double-click the **tFileInputXML** component to open its **Basic settings** view and define the component properties.

Scenario 2: Using a SOAP message from an XML file to get weather information and saving the information to an XML file



2. Click the [...] button next to **Edit schema** to open the [Schema] dialog box.



3. Click the [+] button to add a column, give it a name, *getWeather* in this example, and select **Document** from the **Type** list. Then, click **OK** to close the dialog box.

4. In the **File name/Stream** field, enter the path to the input XML file that contains the SOAP message to be used, or browse to the path by clicking the [...] button.

The input file contains the following SOAP message:


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:web="http://litwinconsulting.com/webservices/">
  <soapenv:Header/>
  <soapenv:Body>
    <web:GetWeather>
      <web:City>Paris</web:City>
    </web:GetWeather>
  </soapenv:Body>
</soapenv:Envelope>
```

5. In the **Loop XPath query** field, enter "/" to define the root as the loop node of the input file structure.

6. In the **Mapping** table, fill the **XPath query** column with "." to extract all data from context node of the source, and select the **Get Nodes** check box to build a **Document** type data flow.

Configuring the Web service via the tSOAP component


1. Double-click the **tSOAP** component to open its **Basic settings** view and define the component properties.



2. In **ENDPOINT** field, enter or copy-paste the URL address of the Web service to be used between the quotation marks: `"http://www.deeprtraining.com/webservices/weather.asmx"`.
3. In the **SOAP Action** field, enter or copy-paste the URL address of the SOAPAction HTTP header field that indicates that you want to retrieve the weather information: `http://litwinconsulting.com/webservices/GetWeather`.
4. Select the **Use a message from the input schema** check box, and select a **Document** type column from the **SOAP Message** list to read the SOAP message from the input file to send to the Web service. In this example, the input schema has only one column, `getWeather`.

Configuring the output component

1. Double-click the **tFileOutputXML** component to open its **Basic settings** view.



2. In the **File Name** field, enter the path to the output XML file.
3. Select the **Incoming record is a document** check box to retrieve the incoming data flow as an XML document. Note that a **Column list** appears allowing you choose a column to retrieve data from. In this example, the schema contains only one column.

Executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6**, or click **Run** on the **Run** tab to execute the Job.



The weather of Paris is returned and the information is saved in the defined XML file.

```
<?xml version="1.0" encoding="ISO-8859-15"?>
- <soap:Envelope xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  - <soap:Body>
    - <GetWeatherResponse xmlns="http://litwinconsulting.com/webservices/">
      <GetWeatherResult>Rain</GetWeatherResult>
    </GetWeatherResponse>
  </soap:Body>
</soap:Envelope>
```

tWebServiceInput



tWebServiceInput Properties


Component family	Internet	
Function	Calls the defined method from the invoked Web service, and returns the class as defined, based on the given parameters.	
Purpose	<p>Invokes a Method through a Web service.</p> <p> To handle complex hierarchical data, use the advanced features of tWebServiceInput and provide Java code directly in the Code field of the Advanced Settings view.</p>	
Basic settings	<i>Property type</i>	Either Built-in or Repository .
		Built-in: No property data stored centrally.
		Repository: Select the Repository file where the properties are stored. The fields that follow are completed automatically using the data retrieved.
		<p>Click this icon to open a WSDL schema wizard and store your WSDL connection in the Repository tree view.</p> <p>For more information about setting up and storing database connection parameters, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component in the Job.</p>
		Built-in: You create the schema and store it locally for the relevant component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository. You can reuse it in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>WSDL</i>	Description of Web service bindings and configuration.
	<i>Need authentication / Username and Password</i>	<p>Select this check box and:</p> <p>-enter a username and a password in the corresponding fields if this is necessary to access the service. Or,</p>

		-select the Windows authentication check box and enter the windows domain in the corresponding field if this is necessary to access the service.
	<i>Use http proxy</i>	Select this check box if you are using a proxy server and fill in the necessary information.
	<i>Trust server with SSL</i>	Select this check box to validate the server certificate to the client via an SSL protocol and fill in the corresponding fields: TrustStore file: enter the path (including filename) to the certificate TrustStore file that contains the list of certificates that the client trusts. TrustStore password: enter the password used to check the integrity of the TrustStore data.
	<i>Time out (second)</i>	Set a value in seconds for Web service connection time out.
	<i>Method Name</i>	Enter the exact name of the Method to be invoked. The Method name MUST match the corresponding method described in the Web Service. The Method name is also case-sensitive.
	<i>Parameters</i>	Enter the parameters expected and the sought values to be returned. Make sure that the parameters entered fully match the names and the case of the parameters described in the method.
	<i>Advanced Use</i>	Select this check box to display the fields dedicated for the advanced use of tWebServiceInput : WSDL2java: click the three-dot button to generate Talend routines that hold the Java code necessary to connect and query the Web service. Code: replace the generated model Java code with the code necessary to connect and query the specified Web service using the code in the generated Talend routines. Match Brackets: select the number of brackets to be used to close the <code>for</code> loop based on the number of open brackets.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is generally used as a Start component. It must be linked to an output component.	
Limitation	n/a	

Scenario 1: Extracting images through a Web service

This scenario describes a two-component Job which uses a Web service method and displays the output on the **Run** console view.

The method retrieves a full URL as an input string and returns a string array of images from a given Web page.



- Drop a **tWebServiceInput** component and a **tLogRow** component from the **Palette** onto the design workspace.
- On the **Component** view of the **tWebServiceInput** component, define the WSDL specifications, such as **End Point URI**, **WSDL** and **SOAPAction URI** where required.
- If the Web service you invoke requires authentication details, select the **Need authentication** check box and provide the relevant authentication information.

tWebServiceInput_1

Basic settings

Property Type: Built-In

Schema Type: Built-In

WSDL: "http://www.deeptraining.com/webservices/weather.asmx?WSDL" *

Need authentication?

Username: "username" *

Password: "password" *

Use http proxy

- If you are using a proxy server, select the **Use http proxy** check box and enter the necessary connection information.
- In the **Method Name** field, enter the method name as defined in the Web Service description. The name and the case of the method entered must match the corresponding Web service method exactly.

tWebServiceInput_1

Basic settings

Method name: "GetWeather" *

Time out(second): 20 *

Parameters:

value	value
	"newLine"

Buttons: +, -, up, down, refresh, save

- In the **Parameters** area, click the plus [+] button to add a row to the table, then enter the exact name of the parameters which correspond to the method.
- In the **Value** column, type in the URL of the Website that the images are to be extracted from.
- Link the **tWebServiceInput** component to the standard output component, **tLogRow**.
- Then save your Job and press **F6** to execute it.


```
Starting job WebService at 16:30 06/06/2007.
</img>
</img>
</img>
</img>
</img>
</img>
</img>
</img>
</img>
Job WebService ended at 16:30 06/06/2007. [exit code=0]
```

All of the images extracted from the Web site are returned as a list of URLs on the **Run** view.


Scenario 2: Reading the data published on a Web service using the tWebServiceInput advanced features

This scenario describes a two-component Job that retrieves a list of funds published by a financial Web service (distributed by *www.xignite.com*) and displays the output on the standard console (the **Run** view).

This scenario is designed for advanced users with basic knowledge of Java. Since the aim of this Job is to retrieve complex hierarchical data, you need to code the necessary functions in Java.




- Drop the following components from the **Palette** onto the design workspace: **tWebServiceInput** and **tLogRow**.
- Link the two components together using a **Row Main** connection.
- Double-click **tWebServiceInput** to show the **Component** view and set the component properties:



In the **Basic settings** view:


- In the **Property Type** list, select **Built-in** and complete the fields that follow manually.
- In the **Schema Type** list, select **Built-in** and click the [...] button to configure the data structure (schema) manually, as shown in the figure below:




- Click **OK** to validate the schema and close the window.

A dialog box opens and asks you if you want to propagate the modifications.

- Click **Yes**.
- In the **WSDL** field, enter the URL from which to get the WSDL.
- In the **Time out** field, enter the desired duration of the Web Service connection.
- Click the **Advanced settings** tab to display the corresponding view where you can set the **tWebServiceInput** advanced features:



- Select the check box next to **Advanced Use** to display the advanced configuration fields.
- Click the [...] button next to the **WSDL2Java** field in order to generate routines from the WSDL Web service.



The routines generated display automatically under **Code > Routines** in the **Repository** tree view. These routines can thus easily be called in the code to build the function required to fetch complex hierarchical data from the Web Service.

- Enter the relevant function in the **Code** field. By default, two examples of code are provided in the Code field. The first example returns one piece of data, and the second example returns several.
- In this scenario, several data are to be returned. Therefore, remove the first example of code and use the second example of code to build the function.
- Replace the pieces of code provided as examples with the relevant routines that have been automatically generated from the WSDL.
- Change `TalendJob_PortType` to the routine name ending with **_Port_Type**, such as: `XigniteFundHoldingsSoap_PortType`.
- Replace the various instances of `TalendJob` with a more relevant name such as the name of the method in use. In this use case: *fundHolding*
- Replace `TalendJobServiceLocator` with the name of the routine ending with **Locator**, such as: `XigniteFundHoldingLocator`.
- Replace both instances of `TalendJobSoapBindingStub` with the routine name ending with **BindingStub**, such as: `XigniteFundHoldingsSoap_BindingStub`.
- Within the brackets corresponding to the pieces of code: `stub.setUsername` and `stub.setPassword`, enter your username and password respectively, between quotes.

For the sake of confidentiality or maintenance, you can store your username and password in context variables.

- The list of funds provided by the *Xignite* Web service is identified using so-called “*symbols*”, which are of string type. In this example, we intend to fetch the list of funds of which the symbol is between “I” and “J”. To do so, define the following statements: `string startSymbol="I"` and `string endSymbol="J"`.
- Then enter the piece of code to create the result table showing the list of funds (**listFunds**) of funds holdings using the statements defined earlier on: `routines.Fund[] result = fundHoldings.listFunds(startSymbol, endSymbol);`
- Run a loop on the fund list to fetch the funds ranging from “I” to “J”: `for(int i = 0; i < result.length; i++) {`.
- Define the results to return, for example: fetch the **CIK** data from the **Security** schema using the code `getSecurity().getCIK()`, then pass them on to the **CIK** output schema.

The function that operates the Web service should read as follows:

```

routines.XigniteFundHoldingsSoap_PortType
fundHoldings = new
  routines.XigniteFundHoldingsLocator().getXigniteFundHoldingsSoap(
);

routines.XigniteFundHoldingsSoap_BindingStub
stub = (routines.XigniteFundHoldingsSoap_BindingStub)fundHoldings;

stub.setUsername("identifiant");
Stub.setPassword("mot de passe");

String startSymbol="I";
String endSymbol="J";

routines.Fund[ ] result = fundHoldings.listFunds(startSymbol,
endSymbol); for(int i = 0; i < result.length; i++) {

output_row.CIK = (result[i]).getSecurity().getCIK();
output_row.cusip = (result[i]).getSecurity().getCusip();
output_row.symbol = (result[i]).getSecurity().getSymbol();
output_row.ISIN = (result[i]).getSecurity().getISIN();
output_row.valoren = (result[i]).getSecurity().getValoren();
output_row.name = (result[i]).getSecurity().getName();
output_row.market = (result[i]).getSecurity().getMarket();
output_row.category =
(result[i]).getSecurity().getCategoryOrIndustry();
output_row.asOfDate = (result[i]).getAsOfDate();

```



The outputs defined in the Java function `output_row`.output must match the columns defined in the component schema exactly. The case used must also be matched in order for the data to be retrieved.

- In the **Match Brackets** field, select the number of brackets to use to end the For loop, based on the number of open brackets. For this scenario, select one bracket only as only one bracket has been opened in the function.
- Double-click the **tLogRow** component to display the **Component** view and set its parameters.
- Click the [...] button next to the **Edit Schema** field in order to check that the preceding component schema was properly propagated to the output component. If needed, click the **Sync Columns** button to retrieve the schema.
- Save your Job and press **F6** to run it.

Starting job tWebServiceInput_scenario2 at 13:59 27/07/2009.

```
[statistics] connecting to socket on port 3922
[statistics] connected

|893957753|IAAAX|||Ta Idex Asset Allocation Growth |FUNDS|Large
Blend|7/27/2009
|893957746|IAABX|||Ta Idex Asset Allocation Growth |FUNDS|Large
Blend|7/27/2009
|893957720|IAALX|||Ta Idex Asset Allocation Growth |FUNDS|Large
Blend|7/27/2009
0000895430|44980Q724|IACAX|||ING International Capital Appre
|FUNDS|Foreign Large Growth|7/27/2009
N/A|893958454|IACBx|||Ta Idex Salomon All Cap Class B |FUNDS|Large
Blend|7/27/2009
N/A|00141T122|IACFX|||Aim China Institutional Class
|FUNDS|Pacific/Asia ex-Japan Stk|7/27/2009
```

The funds comprised between “I” and “J” are returned and displayed in the *Talend Open Studio for Big Data* console.

tXMLRPCInput




tXMLRPCInput Properties

Component family	Internet	
Function	Calls the defined method from the invoked RPC service, and returns the class as defined, based on the given parameters.	
Purpose	Invokes a Method through a Web service and for the described purpose	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component connected in the Job.</p> <p>In the RPC context, the schema corresponds to the output parameters. If two parameters are meant to be returned, then the schema should contain two columns.</p>
	<i>Server URL</i>	URL of the RPC service to be accessed
	<i>Need authentication / Username and Password</i>	Select this check box and fill in a username and password if required to access the service.
	<i>Method Name</i>	<p>Enter the exact name of the Method to be invoked.</p> <p>The Method name MUST match the corresponding method described in the RPC Service. The Method name is also case-sensitive.</p>
	<i>Return class</i>	Select the type of data to be returned by the method. Make sure it fully matches the one defined in the method.
	<i>Parameters</i>	Enter the parameters expected by the method as input parameters.
Usage	This component is generally used as a Start component. It requires to be linked to an output component.	
Limitation	n/a	

Scenario: Guessing the State name from an XMLRPC

This scenario describes a two-component Job aiming at using a RPC method and displaying the output on the console view.



- Drop the **tXMLRPCInput** and a **tLogRow** components from the **Palette** to the design workspace.
- Set the **tXMLRPCInput** basic settings.

Schema Type: **Built-In** Edit schema

Server url: "http://phpxmlrpc.sourceforge.net/server.php"

Need authentication?

Method: "examples.getStateName" return class: java.lang.String.class

name	value	class
"State Nr"	42	java.lang.Byte.class

+ - ↑ ↓ [] []

- Define the **Schema type** as **Built-in** for this use case.
- Set a single-column schema as the expected output for the called method is only one parameter: *StateName*.

Schema of tXMLRPCInput_1

Column	Key	Type	N..	Date P...	Length	P...	D..
StateName		String			255		

- Then set the **Server url**. For this demo, use: *http://phpxmlrpc.sourceforge.net/server.php*
- No authentication details are required in this use case.
- The **Method** to be called is: *examples.getStateName*
- The **return class** is not compulsory for this method but might be strictly required for another. Leave the default setting for this use case.
- Then set the input **Parameters** required by the method called. The **Name** field is not used in the code but the value should follow the syntax expected by the method. In this example, the Name used is *State Nr* and the value randomly chosen is *42*.
- The class has not much impact using this demo method but could have with another method, so leave the default setting.
- On the **tLogRow** component **Component** view, check the box: **Print schema column name in front of each value**.
- Then save the Job and press **F6** to execute it.

```
Starting job xmlrpc at 16:25 21/09/2007.
StateName: South Dakota
Job xmlrpc ended at 16:25 21/09/2007. [exit code=0]
```

South Dakota is the state name found using the `GetStateName` RPC method and corresponds the 42nd State of the United States as defined as input parameter.

Logs & Errors components

This chapter details the main components that you can find in the **Logs & Errors** family of the *Talend Open Studio for Big Data Palette*.

The Logs & Errors family groups together the components which are dedicated to log information catching and Job error handling.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

tAssert



tAssert Properties

The **tAssert** component works alongside **tAssertCatcher** to evaluate the status of a Job execution. It concludes with the boolean result based on an assertive statement related to the execution and feed the result to **tAssertCatcher** for proper Job status presentation.

Component family	Logs & Errors	
Function	Provides the Job status messages to tAssertCatcher .	
Purpose	Generates the boolean evaluation on the concern for the Job execution status. The status includes: - Ok : the Job execution succeeds. - Fail : the Job execution fails. The tested Job's result does not match the expectation or an execution error occurred at runtime.	
Basic settings	<i>Description</i>	Type in your descriptive message to help identify the assertion of a tAssert .
	<i>Expression</i>	Type in the assertive statement you base the evaluation on.
Usage	This component follows the action the assertive condition is directly related to. It can be the intermediate or end component of the main Job, or the start, intermediate or end component of the secondary Job.	
Limitation	The evaluation of tAssert is captured only by tAssertCatcher .	


Scenario: Setting up the assertive condition for a Job execution

This scenario describes how to set up an assertive condition in **tAssert** in order to evaluate that a Job execution succeeds or not. Moreover, you can also find out how the two different evaluation results display and the way to read them. Apart from **tAssert**, the scenario uses the following components as well:


- **tFileInputDelimited** and **tFileOutputDelimited**. The two components compose the main Job of which the execution status is evaluated. For the detailed information on the two components, see [the section called “tFileInputDelimited”](#) and [the section called “tFileOutputDelimited”](#).
- **tFileCompare**. It realizes the comparison between the output file of the main Job and a standard reference file. The comparative result is evaluated by **tAssert** against the assertive condition set up in its settings. For more detailed information on **tFileCompare**, see [the section called “tFileCompare”](#).
- **tAssertCatcher**. It captures the evaluation generated by **tAssert**. For more information on **tAssertCatcher**, see [the section called “tAssertCatcher”](#).
- **tLogRow**. It allows you to read the captured evaluation. For more information on **tLogRow**, see [the section called “tLogRow”](#).


First proceed as follows to design the main Job:

- Prepare a delimited .csv file as the source file read by your main Job.
- Edit two rows in the delimited file. The contents you edit are not important, so feel free to simplify them.
- Name it *source.csv*.
- In *Talend Open Studio for Big Data*, create a new job *JobAssertion*.
- Place **tFileInputDelimited** and **tFileOutputDelimited** on the workspace.
- Connect them with a **Row Main** link to create the main Job.




- Double-click **tFileInputDelimited** to open its **Component** view.
- In the **File Name** field of the **Component** view, fill in the path or browse to *source.csv*.



- Still in the **Component** view, set **Property Type** to **Built-In** and click  next to **Edit schema** to define the data to pass on to **tFileOutputDelimited**. In the scenario, define the data presented in *source.csv* you created.

For more information about schema types, see *Talend Open Studio for Big Data User Guide*.


- Define the other parameters in the corresponding fields according to *source.csv* you created.
- Double-click **tFileOutputDelimited** to open its **Component** view.
- In the **File Name** field of the **Component** view, fill in or browse to specify the path to the output file, leaving the other fields as they are by default.




- Press **F6** to execute the main Job. It reads *source.csv*, pass the data to **tFileOutputDelimited** and output an delimited file, *out.csv*.

Then continue to edit the Job to see how **tAssert** evaluates the execution status of the main Job.

- Rename *out.csv* as *reference.csv*. This file is used as the expected result the main Job should output.
- Place **tFileCompare**, **tAssert** and **tLogRow** on the workspace.
- Connect them with **Row Main** link.
- Connect **tFileInputDelimited** to **tFileCompare** with **OnSubjobOk** link.




- Double-click **tFileCompare** to open its **Component** view.
- In the **Component** view, fill in the corresponding file paths in the **File to compare** field and the **Reference file** field, leaving the other fields as default.



For more information on the **tFileCompare** component, see [the section called “tFileCompare”](#).

- Then click **tAssert** and click the **Component** tab on the lower side of the workspace.



- In the **Component** view, edit the assertion `row2.differ==0` in the **expression** field and the descriptive message of the assertion in **description** field.

In the **expression** field, `row2` is the data flow transmitting from **tFileCompare** to **tAssert**, `differ` is one of the columns of the **tFileCompare** schema and presents whether the compared files are identical, and 0 means no difference is detected between the `out.csv` and `reference.csv` by **tFileCompare**. Hence when the compared files are identical, the assertive condition is thus fulfilled, **tAssert** concludes that the main Job succeeds; otherwise, it concludes failure.



The `differ` column is in the read-only **tFileCompare** schema. For more information on its schema, see the section called “**tFileCompare**”.


- Press **F6** to execute the Job.
- Check the result presented in the **Run** view

```
Starting job JobAssertion at 14:00 29/01/2010.
[statistics] connecting to socket on port 3788
[statistics] connected
[job JobAssertion] Files are identical
-----+-----+-----+-----+-----+-----+-----+-----+
|                                     |tLogRow_1|                                     |
+-----+-----+-----+-----+-----+-----+-----+-----+
|file      |file_ref  |moment    |job       |component |differ|message|
+-----+-----+-----+-----+-----+-----+-----+
|C:/out.csv|C:/reference.csv|2010-01-29 14:00:17|JobAssertion|tFileCompare_1|0|[job|
|JobAssertion] Files are identical|
+-----+-----+-----+-----+-----+-----+-----+-----+
[statistics] disconnected
Job JobAssertion ended at 14:00 29/01/2010. [exit code=0]
```


The console shows the comparison result of **tFileCompare**: Files are identical. But you find nowhere the evaluation result of **tAssert**.

So you need **tAssertCatcher** to capture the evaluation.

- Place **tAssertCatcher** and **tLogRow** on the workspace.
- Connect them with **Row Main** link.



- Use the default configuration in the **Component** view of **tAssertCatcher**.



- Press **F6** to execute the Job.
- Check the result presented in the **Run** view. You will see the Job status information is added in:

```
2010-01-29 15:37:33|fAvAzH|TASSERT|JobAssertion|java|tAssert_1|Ok|--|
The output file should be identical with the reference file
```

```
Starting job JobAssertion at 19:33 01/02/2010.
[statistics] connecting to socket on port 3556
[statistics] connected
[job JobAssertion] Files are identical
2010-02-01
19:33:40|r9FqSQ|TASSERT|JobAssertion|java|tAssert_1|Ok|--|The
output file should be identical with the reference file.
```

The descriptive information on *JobAssertion* in the console is organized according to the **tAssertCatcher** schema. This schema includes, in the following order, the execution time, the process ID, the project name, the Job name, the code language, the evaluation origin, the evaluation result, detailed information of the evaluation, descriptive message of the assertion. For more information on the schema of **tAssertCatcher**, see [the section called “tAssertCatcher”](#).

The console indicates that the execution status of Job *JobAssertion* is *Ok*. In addition to the evaluation, you can still see other descriptive information about *JobAssertion* including the descriptive message you have edited in the **Basic settings** of **tAssert**.

Then you will perform operations to make the main Job fail to generate the expected file. To do so, proceed as follows in the same Job you have executed:

- Delete a row in *reference.csv*.
- Press **F6** to execute the Job again.
- Check the result presented in **Run** view.

```
2010-02-01 19:47:43|GeHJNO|TASSERT|JobAssertion|tAssert_1|Failed|Test
logically failed|The output file should be identical with the reference
file
```

```
Starting job JobAssertion at 19:47 01/02/2010.
[statistics] connecting to socket on port 4001
[statistics] connected
[job JobAssertion] Files differ
2010-02-01
19:47:43|GeHJNO|TASSERT|JobAssertion|java|tAssert_1|Failed|Test
logically failed|The output file should be identical with the
reference file.
```

The console shows that the execution status of the main Job is *Failed*. The detailed explanation for this status is closely behind it, reading `Test logically failed`.

You can thus get a basic idea about your present Job status: it fails to generate the expected file because of a logical failure. This logical failure could come from a logical mistake during the Job design.

The status and its explanatory information are presented respectively in the *status* and the *substatus* columns of the **tAssertCatcher** schema. For more information on the columns, see [the section called “tAssertCatcher”](#).

tAssertCatcher



tAssertCatcher Properties

Component family	Logs & Errors	
Function	Based on its pre-defined schema, fetches the execution status information from repository, Job execution and tAssert .	
Purpose	Generates a data flow consolidating the status information of a job execution and transfer the data into defined output files.	
Basic settings	<i>Schema type</i>	A schema is a row description, i.e., it defines the fields to be processed and passed on to the next component. In this particular case, the schema is read-only, as this component gathers standard log information including:
		Moment: Processing time and date.
		Pid: Process ID.
		Project: Project which the job belongs to.
		Job: Job name.
		Language: Language used by the Job (Java)
		Origin: Status evaluation origin. The origin may be different tAssert components.
		Status: Evaluation fetched from tAssert . They may be <ul style="list-style-type: none"> - Ok: if the assertive statement of tAssert is evaluated as true at runtime. - Failed: if the assertive statement of tAssert is evaluated as false or an execution error occurs at runtime. The tested Job's result does not match the expectation or an execution error occurred at runtime.
		Substatus: Detailed explanation for failed execution. The explanation can be: <ul style="list-style-type: none"> - Test logically failed: the investigated Job does not produce the expected result. - Execution error: an execution error occurred at runtime.
		Description: Descriptive message you typed in in Basic settings of tAssert .
	<i>Catch Java Exception</i>	This check box allows to capture Java exception errors, once checked.
	<i>Catch tAssert</i>	This check box allows to capture the evaluations of tAssert .
Usage	This component is the start component of a secondary Job which fetches the execution status information from several sources. It generates a data flow to transfer the information to the component which proceeds.	

Limitation

This component must be used with **tAssert** together.

Related scenarios

For using case in relation with **tAssertCatcher**, see **tAssert** scenario:

- [the section called “Scenario: Setting up the assertive condition for a Job execution”](#)

tChronometerStart



tChronometerStart Properties

Component family	Logs & Errors	
Function	Starts measuring the time a subjob takes to be executed.	
Purpose	Operates as a chronometer device that starts calculating the processing time of one or more subjobs in the main Job, or that starts calculating the processing time of part of your subjob.	
Usage	You can use tChronometerStart as a start or middle component. It can precede one or more processing tasks in the subjob. It can precede one or more subjobs in the main Job.	
Limitation	n/a	

Related scenario

For related scenario, see [the section called “Scenario: Measuring the processing time of a subjob and part of a subjob”](#).

tChronometerStop



tChronometerStop Properties

Component family	Logs & Errors	
Function	Measures the time a subjob takes to be executed.	
Purpose	Operates as a chronometer device that stops calculating the processing time of one or more subjobs in the main Job, or that stops calculating the processing time of part of your subjob. tChronometerStop displays the total execution time.	
Basic settings	<i>Since options</i>	Select either check box to select measurement starting point: Since the beginning: stops time measurement launched at the beginning of a subjob. Since a tChronometerStart: stops time measurement launched at one of the tChronometerStart components used on the data flow of the subjob.
	<i>Display duration in console</i>	When selected, it displays subjob execution information on the console.
	<i>Display component name</i>	When selected, it displays the name of the component on the console.
	<i>Caption</i>	Enter desired text, to identify your subjob for example.
	<i>Display human readable duration</i>	When selected, it displays subjob execution information in readable time unites.
Usage	Cannot be used as a start component.	
Limitation	n/a	

Scenario: Measuring the processing time of a subjob and part of a subjob

This scenario is a subjob that does the following in a sequence:

- generates 1000 000 rows of first and last names,
- gathers first names with their corresponding last names,
- stores the output data in a delimited file,
- measures the duration of the subjob as a whole,
- measures the duration of the name replacement operation,


- displays the gathered information about the processing time on the **Run** log console.

To measure the processing time of the subjob:


- Drop the following components from the **Palette** onto the design workspace: **tRowGenerator**, **tMap**, **tFileOutputDelimited**, and **tChronometerStop**.
- Connect the first three components using **Main Row** links.



When connecting **tMap** to **tFileOutputDelimited**, you will be prompted to name the output table. The name used in this example is “new_order”.



- Connect **tFileOutputDelimited** to **tChronometerStop** using an **OnComponentOk** link.
- Select **tRowGenerator** and click the **Component** tab to display the component view.
- In the **component** view, click **Basic settings**. The **Component** tab opens on the **Basic settings** view by default.




- Click **Edit schema** to define the schema of the **tRowGenerator**. For this Job, the schema is composed of two columns: *First_Name* and *Last_Name*, so click twice the [+] button to add two columns and rename them.
- Click the **RowGenerator Editor** three-dot button to open the editor and define the data to be generated.

Schema								Functions	Preview	
Column	Key	Type	<input checked="" type="checkbox"/>	Le...	P...	D.	Co...	Functions	Envir...	Preview
First_Name	<input checked="" type="checkbox"/>	String	<input checked="" type="checkbox"/>					getFirstName		
Last_Name	<input checked="" type="checkbox"/>	String	<input checked="" type="checkbox"/>					TalendDataGenerator.getLastName		


Number of Rows for RowGenerator: 1000000

- In the **RowGenerator Editor**, specify the number of rows to be generated in the **Number of Rows for RowGenerator** field and click **OK**. The **RowGenerator Editor** closes.
- You will be prompted to propagate changes. Click **Yes** in the popup message.

- Double-click on the **tMap** component to open the Map editor. The Map editor opens displaying the input metadata of the **tRowGenerator** component.




- In the **Schema editor** panel of the Map editor, click the plus button of the output table to add two rows and define them.
- In the Map editor, drag the *First_Name* row from the input table to the *Last_Name* row in the output table and drag the *Last_Name* row from the input table to the *First_Name* row in the output table.
- Click **Apply** to save changes.
- You will be prompted to propagate changes. Click **Yes** in the popup message.
- Click **OK** to close the editor.




- Select **tFileOutputDelimited** and click the **Component** tab to display the component view.

- In the **Basic settings** view, set **tFileOutputDelimited** properties as needed.



- Select **tChronometerStop** and click the **Component** tab to display the component view.
- In the **Since options** panel of the **Basic settings** view, select **Since the beginning** option to measure the duration of the subjob as a whole.

t



- Select/clear the other check boxes as needed. In this scenario, we want to display the subjob duration on the console preceded by the component name.
- If needed, enter a text in the **Caption** field.
- Save your Job and press **F6** to execute it.

```
Starting job tChronometerStop at 11:40 05/03/2010.
[statistics] connecting to socket on port 3399
[statistics] connected
[ tChronometerStop_1 ]      2seconds   duration of the subjob
2968 milliseconds
[statistics] disconnected
Job tChronometerStop ended at 11:40 05/03/2010. [exit code=0]
```



You can measure the duration of the subjob the same way by placing **tChronometerStop** below **tRowGenerator**, and connecting the latter to **tChronometerStop** using an **OnSubjobOk** link.

tDie



tDie properties

Both **tDie** and **tWarn** components are closely related to the **tLogCatcher** component. They generally make sense when used alongside a **tLogCatcher** in order for the log data collected to be encapsulated and passed on to the output defined.

Component family	Logs & Errors	
Function	Kills the current Job. Generally used with a tCatch for log purpose.	
Purpose	Triggers the tLogCatcher component for exhaustive log before killing the Job.	
Basic settings	<i>Die message</i>	Enter the message to be displayed before the Job is killed.
	<i>Error code</i>	Enter the error code if need be, as an integer
	<i>Priority</i>	Set the level of priority, as an integer
Usage	Cannot be used as a start component.	
Limitation	n/a	

Related scenarios

For use cases in relation with **tDie**, see **tLogCatcher** scenarios:

- [the section called “Scenario 1: warning & log on entries”](#)
- [the section called “Scenario 2: Log & kill a Job”](#)

tFlowMeter



tFlowMeter Properties

Component family	Logs & Errors	
Function	Counts the number of rows processed in the defined flow.	
Purpose	The number of rows is then meant to be caught by the tFlowMeterCatcher for logging purpose.	
Basic settings	<i>Use input connection name as label</i>	Select this check box to reuse the name given to the input main row flow as label in the logged data.
	<i>Mode</i>	Select the type of values for the data measured: Absolute: the actual number of rows is logged Relative: a ratio (%) of the number of rows is logged. When this option is selected, a Connections List shows to let you select a reference connection.
	<i>Thresholds</i>	Adds a threshold to watch proportions in volumes measured. you can decide that the normal flow has to be between low and top end of a row number range, and if the flow is under this low end, there is a bottleneck.
Usage	Cannot be used as a start component as it requires an input flow to operate.	
Limitation	n/a	

If you have a need of log, statistics and other measurement of your data flows, see *Talend Open Studio for Big Data User Guide*.

Related scenario

For related scenario, see [the section called “Scenario: Catching flow metrics from a Job”](#)

tFlowMeterCatcher




tFlowMeterCatcher Properties

Component family	Logs & Errors	
Function	Based on a defined schema, the tFlowMeterCatcher catches the processing volumetric from the tFlowMeter component and passes them on to the output component.	
Purpose	Operates as a log function triggered by the use of a tFlowMeter component in the Job.	
Basic settings	<i>Schema type</i>	A schema is a row description, i.e., it defines the fields to be processed and passed on to the next component. In this particular case, the schema is read-only, as this component gathers standard log information including:
		Moment: Processing time and date
		Pid: Process ID
		Father_pid: Process ID of the father Job if applicable. If not applicable, Pid is duplicated.
		Root_pid: Process ID of the root Job if applicable. If not applicable, pid of current Job is duplicated.
		System_pid: Process id generated by the system
		Project: Project name, the Job belongs to.
		Job: Name of the current Job
		Job_repository_id: ID generated by the application.
		Job_version: Version number of the current Job
		Context: Name of the current context
		Origin: Name of the component if any
		Label: Label of the row connection preceding the tFlowMeter component in the Job, and that will be analyzed for volumetrics.
		Count: Actual number of rows being processed
		Reference: Number of rows passing the reference link.
		Thresholds: Only used when the relative mode is selected in the tFlowMeter component.
Usage	This component is the start component of a secondary Job which triggers automatically at the end of the main Job.	
Limitation	The use of this component cannot be separated from the use of the tFlowMeter . For more information, see the section called “tFlowMeter”	

Scenario: Catching flow metrics from a Job

The following basic Job aims at catching the number of rows being passed in the flow processed. The measures are taken twice, once after the input component, that is, before the filtering step and once right after the filtering step, that is, before the output component.




- Drop the following components from the **Palette** to the design workspace: **tMysqlInput**, **tFlowMeter** (x2), **tMap**, **tLogRow**, **tFlowMeterCatcher** and **tFileOutputDelimited**.
- Link components using row main connections and click on the label to give consistent name throughout the Job, such as *US_States* from the input component and *filtered_states* for the output from the **tMap** component, for example.
- Link the **tFlowMeterCatcher** to the **tFileOutputDelimited** component using a row main link also as data is passed.
- On the **tMysqlInput** Component view, configure the connection properties as **Repository**, if the table metadata are stored in the Repository. Or else, set the Type as **Built-in** and configure manually the connection and schema details if they are built-in for this Job.

Property Type	Repository	DB (MYSQL):Us_states
DB Version	Mysql 5	
<input type="checkbox"/> Use an existing connection		
Host	"localhost"	Port "3306"
Database	"tos410"	
Username	"root"	Password "*****"
Schema	Built-In	Edit schema
Table Name	"states"	
Query Type	Built-In	Guess Query Guess schema
Query	"SELECT * FROM states"	

- The 50 States of the USA are recorded in the table *states*. In order for all 50 entries of the table to get selected, the query to run onto the Mysql database is as follows:


```
select * from states.
```
- Select the relevant **encoding type** on the Advanced settings vertical tab.
- Then select the following component which is a **tFlowMeter** and set its properties.




- Select the check box **Use input connection name as label**, in order to reuse the label you chose in the log output file (**tFileOutputDelimited**).
- The mode is **Absolute** as there is no reference flow to meter against, also no **Threshold** is to be set for this example.
- Then launch the **tMap** editor to set the filtering properties.
- For this use case, drag and drop the ID and State columns from the Input area of the **tMap** towards the Output area. No variable is used in this example.



- On the Output flow area (labelled *filtered_states* in this example), click the arrow & plus button to activate the expression filter field.
- Drag the *State* column from the Input area (*row2*) towards the expression filter field and type in the rest of the expression in order to filter the state labels starting with the letter *M*. The final expression looks like: `row2.State.startsWith("M")`
- Click **OK** to validate the setting.
- Then select the second **tFlowMeter** component and set its properties.



- Select the check box **Use input connection name as label**.
- Select **Relative** as **Mode** and in the **Reference connections** list, select *US_States* as reference to be measured against.
- Once again, no threshold is used for this use case.
- No particular setting is required in the **tLogRow**.
- Neither does the **tFlowMeterCatcher** as this component's properties are limited to a preset schema which includes typical log information.
- So eventually set the log output component (**tFileOutputDelimited**).



- Select the **Append** check box in order to log all **tFlowMeter** measures.
- Then save your Job and press **F6** to execute it.

```
Starting job FlowMeterCatcher at 17:56 29/08/2007.
19|Maine
20|Maryland
21|Massachusetts
22|Michigan
23|Minnesota
24|Mississippi
25|Missouri
26|Montana
Job FlowMeterCatcher ended at 17:56 29/08/2007. [exit code=0]
```

The **Run** view shows the filtered state labels as defined in the Job.

	A	K	L	M	N	O
1	moment	origin	label	count	reference	thresholds
2	08/29/07 05:56 PM	tFlowMeter_1	US_States	50		
3	08/29/07 05:56 PM	tFlowMeter_2	filtered_states	8	50	

In the delimited csv file, the number of rows shown in column **count** varies between **tFlowMeter1** and **tFlowMeter2** as the filtering has then been carried out. The *reference* column shows also this difference.

tLogCatcher



tLogCatcher properties

Both **tDie** and **tWarn** components are closely related to the **tLogCatcher** component. They generally make sense when used alongside a **tLogCatcher** in order for the log data collected to be encapsulated and passed on to the output defined.


Component family	Logs & Errors	
Function	Fetches set fields and messages from Java Exception, tDie and/or tWarn and passes them on to the next component.	
Purpose	Operates as a log function triggered by one of the three: Java exception, tDie or tWarn , to collect and transfer log data.	
Basic settings	<i>Schema type and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Catch Java Exception</i>	Select this check box to trigger the tCatch function when a Java Exception occurs in the Job
	<i>Catch tDie</i>	Select this check box to trigger the tCatch function when a tDie is called in a Job
	<i>Catch tWarn</i>	Select this check box to trigger the tCatch function when a tWarn is called in a Job
Usage	This component is the start component of a secondary Job which automatically triggers at the end of the main Job	
Limitation	n/a	

Scenario 1: warning & log on entries


In this basic scenario made of three components, a **tRowGenerator** creates random entries (id to be incremented). The input hits a **tWarn** component which triggers the **tLogCatcher** subjob. This subjob fetches the warning message as well as standard predefined information and passes them on to the **tLogRow** for a quick display of the log data.




- Drop a **tRowGenerator**, a **tWarn**, a **tLogCatcher** and a **tLogRow** from the **Palette**, on your design workspace
- Connect the **tRowGenerator** to the **tWarn** component.
- Connect separately the **tLogCatcher** to the **tLogRow**.
- On the **tRowGenerator** editor, set the random entries creation using a basic function:



- On the **tWarn Component** view, set your warning message, the code the priority level. In this case, the message is “this is a warning”.
- For this scenario, we will concatenate a function to the message above, in order to collect the first value from the input table.




- On the **Basic settings** view of **tLogCatcher**, select the **tWarn** check box in order for the message from the latter to be collected by the subjob.
- Click **Edit Schema** to view the schema used as log output. Notice that the log is comprehensive.



Press **F6** to execute the Job. Notice that the Log produced is exhaustive.

Scenario 2: Log & kill a Job

This scenario uses a **tLogCatcher** and a **tDie** component. A **tRowGenerator** is connected to a **tFileOutputDelimited** using a Row link. On error, the **tDie** triggers the catcher subjob which displays the log data content on the **Run** console.



- Drop all required components from various folders of the **Palette** to the design workspace: **tRowGenerator**, **tFileOutputDelimited**, **tDie**, **tLogCatcher**, **tLogRow**.
- On the **tRowGenerator Component** view, define the setting of the input entries to be handled.


Schema						Functions		Previe
Column	Key	Type	<input checked="" type="checkbox"/>	N..	Length	Functions	Environme...	Preview
ID	<input checked="" type="checkbox"/>	Integer	<input checked="" type="checkbox"/>			sequence	sequence id...	
name	<input type="checkbox"/>	String	<input type="checkbox"/>			getFirstName		
quantity	<input type="checkbox"/>	int	<input type="checkbox"/>			random	min value=...	
flag	<input type="checkbox"/>	int	<input type="checkbox"/>			...	0,1	
creation	<input type="checkbox"/>	Date	<input type="checkbox"/>			getRandom...	min=>"201...	

Columns Number of Rows for RowGenerator 0

- Edit the schema and define the following columns as random input examples: *id*, *name*, *quantity*, *flag* and *creation*.
- Set the **Number of rows** onto 0. This will constitute the error which the Die operation is based on.
- On the **Values** table, define the functions to feed the input flow.
- Define the **tFileOutputDelimited** to hold the possible output data. The **row** connection from the **tRowGenerator** feeds automatically the output schema. The separator is a simple semi-colon.
- Connect this output component to the **tDie** using a **Trigger > If** connection. Double-click on the newly created connection to define the if:

```
((Integer)globalMap.get("tRowGenerator_1_NB_LINE")) <=0
```

- Then double-click to select and define the **Basic settings** of the **tDie** component.



- Enter your **Die** message to be transmitted to the **tLogCatcher** before the actual kill-job operation happens.
- Next to the Job but not physically connected to it, drop a **tLogCatcher** from the **Palette** to the design workspace and connect it to a **tLogRow** component.
- Define the **tLogCatcher Basic settings**. Make sure the **tDie** box is selected in order to add the Die message to the Log information transmitted to the final component.

```
Starting job tLogCatcher2 at 10:10 20/04/2010.  
No row defined  
2010-04-20  
10:10:57|RPa7uU|RPa7uU|RPa7uU|TDQ_EE_MPX_JAVA|tLogCatcher2|Default|5|tDie|tDie_  
1|No row defined|4  
Job tLogCatcher2 ended at 10:10 20/04/2010. [exit code=4]
```

- Press **F6** to run the Job and notice that the log contains a black message and a red one.
- The black log data come from the **tDie** and are transmitted by the **tLogCatcher**. In addition the normal Java Exception message in red displays as a Job abnormally died.

tLogRow



tLogRow properties

Component family	Logs & Errors	
Function	Displays data or results in the Run console.	
Purpose	tLogRow is used to monitor data processed.	
Basic settings	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p>
		Built-in: You can create the schema and store it locally for this component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created and stored the schema in the Repository. You can reuse it in various projects and Job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Sync columns</i>	Click to synchronize the output file schema with the input file schema. The Sync function is available only when the component is linked with the preceding component using a Row connection.
	<i>Basic</i>	Displays the output flow in basic mode.
	<i>Table</i>	Displays the output flow in table cells.
	<i>Vertical</i>	<p>Displays each row of the output flow as a key-value list.</p> <p>With this mode selected, you can choose to show either the unique name or the label of component, or both of them, for each output row.</p>
	<i>Separator</i> (For Basic mode only)	Enter the separator which will delimit data on the Log display.
	<i>Print header</i> (For Basic mode only)	Select this check box to include the header of the input flow in the output display.
	<i>Print component unique name in front of each output row</i> (For Basic mode only)	Select this check box to show the unique name the component in front of each output row to differentiate outputs in case several tLogRow components are used.
	<i>Print schema column name in front of each value</i>	Select this check box to retrieve column labels from output schema.

	(For Basic mode only)	
	<i>Use fixed length for values</i> (For Basic mode only)	Select this check box to set a fixed width for the value display.
Usage	This component can be used as intermediate step in a data flow or as a n end object in the Job flowchart.	
Limitation	n/a	

Scenario: Delimited file content display

For related scenarios, see:

- [the section called “Scenario: Reading master data in an MDM hub”](#).
- [the section called “Scenario: Dynamic context use in MySQL DB insert”](#).
- [the section called “Scenario 1: warning & log on entries”](#).
- [the section called “Scenario 2: Log & kill a Job”](#).

tStatCatcher




tStatCatcher Properties

Component family	Logs & Errors	
Function	Based on a defined schema, gathers the Job processing metadata at a Job level as well as at each component level.	
Purpose	Operates as a log function triggered by the StatsCatcher Statistics check box of individual components, and collects and transfers this log data to the output defined.	
Basic settings	<i>Schema type</i>	A schema is a row description, i.e., it defines the fields to be processed and passed on to the next component. In this particular case, the schema is read-only, as this component gathers standard log information including:
		Moment: Processing time and date
		Pid: Process ID
		Father_pid: Process ID of the father Job if applicable. If not applicable, Pid is duplicated.
		Root-pid: Process ID of the root Job if applicable. If not applicable, pid of current Job is duplicated.
		Project: Project name, the Job belongs to.
		Job: Name of the current Job
		Context: Name of the current context
		Origin: Name of the component if any
		Message: Begin or End.
Usage	This component is the start component of a secondary Job which triggers automatically at the end of the main Job. The processing time is also displayed at the end of the log.	
Limitation	n/a	

Scenario: Displaying job stats log

This scenario describes a four-component Job, aiming at displaying on the **Run** console the statistics log fetched from the file generation through the tStatCatcher component.




- Drop the required components: **tRowGenerator**, **tFileOutputDelimited**, **tStatCatcher** and **tLogRow** from the **Palette** to the design workspace.
- In the **Basic settings** panel of **tRowGenerator**, define the data to be generated. For this Job, the schema is composed of three columns: *ID_Owners*, *Name_Customer* and *ID_Insurance*.


Schema				Functions		Preview
Column	Key	Type	Null...	Func...	Parameters	Preview
ID_Owner	<input checked="" type="checkbox"/>	int	<input type="checkbox"/>	...	sub("owner")	
Name_Customer	<input type="checkbox"/>	String	<input type="checkbox"/>	...	sub(getRandomString(2, ["sab", "ot", "le", "gall", "car", ...	
ID_Insurance	<input type="checkbox"/>	String	<input type="checkbox"/>	...	sub(getRandomString(3, ["X"."Z"]), getRandomStrin...	

Columns ▾ Number of Rows for RowGenerator

- The number of rows can be restricted to 100.
- Click on the **Main** tab of the Component view.



- And select the **tStatCatcher Statistics** check box to enable the statistics fetching operation.
- Then, define the output component's properties. In the **tFileOutputDelimited** Component view, browse to the output file or enter a name for the output file to be created. Define the delimiters, such as semi-colon, and the encoding.
- Click on **Edit schema** and make sure the schema is recollected from the input schema. If need be, click on **Sync Columns**.
- Then click on the **Basic settings** tab of the **Component** view, and select here as well the **tStatCatcher Statistics** check box to enable the processing data gathering.
- In the secondary Job, double-click on the **tStatCatcher** component. Note that the Properties are provided for information only as the schema representing the processing data to be gathered and aggregated in statistics, is defined and read-only.



- Define then the **tLogRow** to set the delimiter to be displayed on the console.
- Eventually, press **F6** to run the Job and display the Job result.

```

Starting job StatsCatch at 15:10 23/02/2007.
2007-02-23 15:10:30|3656|StatsCatch|Default||begin
2007-02-23
15:10:30|3656|StatsCatch|Default|tFileOutputDelimited_1|begin
2007-02-23 15:10:30|3656|StatsCatch|Default|tRowGenerator_1|begin
2007-02-23 15:10:30|3656|StatsCatch|Default|tRowGenerator_1|end
2007-02-23 15:10:30|3656|StatsCatch|Default|tRowGenerator_1|0.0 seconds
2007-02-23 15:10:30|3656|StatsCatch|Default|tFileOutputDelimited_1|end
2007-02-23 15:10:30|3656|StatsCatch|Default|tFileOutputDelimited_1|0.0
seconds
2007-02-23 15:10:30|3656|StatsCatch|Default||end
2007-02-23 15:10:30|3656|StatsCatch|Default||0.0 seconds
Job StatsCatch ended at 15:10 23/02/2007. [exit code=0]

```

The log shows the Begin and End information for the Job itself and for each of the component used in the Job.

tWarn



tWarn Properties

Both **tDie** and **tWarn** components are closely related to the **tLogCatcher** component. They generally make sense when used alongside a **tLogCatcher** in order for the log data collected to be encapsulated and passed on to the output defined.

Component family	Logs & Errors	
Function	Provides a priority-rated message to the next component.	
Purpose	Triggers a warning often caught by the tLogCatcher component for exhaustive log.	
Basic settings	<i>Warn message</i>	Type in your warning message.
	<i>Code</i>	Define the code level.
	<i>Priority</i>	Enter the priority level as an integer.
Usage	Cannot be used as a start component. If an output component is connected to it, an input component should be preceding it.	
Limitation	n/a	

Related scenarios

For use cases in relation with **tWarn**, see **tLogCatcher** scenarios:

- [the section called “Scenario 1: warning & log on entries”](#)
- [the section called “Scenario 2: Log & kill a Job”](#)

Misc group components

This chapter details the main components that you can find in **Misc** family of the *Talend Open Studio for Big Data Palette*.

The **Misc** family gathers miscellaneous components covering needs such as the creation of sets of dummy data rows, buffering data or loading context variables.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

tAddLocationFromIP



tAddLocationFromIP Properties


Component family	Misc	
Function	tAddLocationFromIP replaces IP addresses with geographical locations.	
Purpose	tAddLocationFromIP helps you to geolocate visitors through their IP addresses. It identifies visitors' geographical locations i.e. country, region, city, latitude, longitude, ZIP code...etc.using an IP address lookup database file.	
Basic settings	<i>Schema type</i> and <i>Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. In Talend Open Studio for Big Data, the schema is always built-in.
		Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Database Filepath</i>	The path to the IP address lookup database file.
	Input parameters	Input column: Select the input column from which the input values are to be taken.
		input value is a hostname: Check if the input column holds hostnames.
		input value is an IP address: Check if the input column holds IP addresses.
	<i>Location type</i>	Country code: Check to replace IP with country code.
		Country name: Check to replace IP with country name.
Usage	This component is an intermediary step in the data flow allowing to replace IP with geolocation information. It can not be a start component as it requires an input flow. It also requires an output component.	
Limitation	Due to license incompatibility, the following JAR required to use this component is not provided. You can easily add the JAR by following the <i>How to install external modules</i> section of <i>Talend Open Studio for Big Data User Guide</i> .	
	<ul style="list-style-type: none"> • geoip.jar 	

Scenario: Identifying a real-world geographic location of an IP

The following scenario creates a three-component Job that associates an IP with a geographical location. It obtains a site visitor's geographical location based on its IP.


Dropping and linking components

1. Drop the following components from the **Palette** onto the design workspace: **tFixedFlowInput**, **tAddLocationFromIP**, and **tLogRow**.
2. Connect the three components using **Row Main** links.




Configuring the components


1. In the design workspace, select **tFixedFlowInput**, and click the **Component** tab to define the basic settings for **tFixedFlowInput**.
2. Click the [...] button next to **Edit Schema** to define the structure of the data you want to use as input. In this scenario, the schema is made of one column that holds an IP address.




3. Click **OK** to close the dialog box, and accept propagating the changes when prompted by the system. The defined column is displayed in the **Values** panel of the **Basic settings** view.
4. In the **Number of rows** field, enter the number of rows to be generated, and click in the **Value** cell and set the value for the IP address.



5. In the design workspace, select **tAddLocationFromIP** and click the **Component** tab to define the basic settings for **tAddLocationFromIP**.



6. Click the **Sync columns** button to synchronize the schema with the input schema set with **tFixedFlowInput**.
7. Browse to the *GeoIP.dat* file to set its path in the **Database filepath** field.
 -  Ensure to download the latest version of the IP address lookup database file from the relevant site as indicated in the **Basic settings** view of **tAddLocationFromIp**.
8. In the **Input parameters** panel, set your input parameters as needed. In this scenario, the input column is the *ip* column defined earlier that holds an IP address.
9. In the **Location type** panel, set location type as needed. In this scenario, we want to display the country name.
10. In the design workspace, select **tLogRow** and click the **Component** tab and define the basic settings for **tLogRow** as needed. In this scenario, we want to display values in cells of a table.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6** or click **Run** in the **Run** tab to execute the Job.

```
Starting job add_location at 11:00 06/08/2008.
+-----+
| tLogRow_1 |
+-----+
| ip        | location |
+-----+
| 88.131.8.250 | Sweden  |
+-----+
Job add_location ended at 11:00 06/08/2008. [exit code=0]
```

One row is generated to display the country name that is associated with the set IP address.

tBufferInput




tBufferInput properties

Component family	Misc	
Function	This component retrieves buffered data in order to process it in a second subjob.	
Purpose	The tBufferInput component retrieves data buffered via a tBufferOutput component, for example, to process it in another subjob.	
Basic settings	<i>Schema type</i> and <i>Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>In the case of tBufferInput, the column position is more important than the column label as this will be taken into account.</p>
		Built-in: You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository, hence can be reused in various projects and Job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Usage	This component is the start component of a secondary Job which is triggered automatically at the end of the main Job.	

Scenario: Retrieving buffered data

This scenario describes a Job that retrieves buffered data from a subjob and displays it on the console.



- Drop the following components from the **Palette** onto the design workspace: **tFileInputDelimited** and **tBufferOutput**.

- Select the **tFileInputDelimited** and on the **Basic Settings** tab of the **Component** view, set the access parameters to the input file.

- In the **File Name** field, browse to the delimited file holding the data to be buffered.
- Define the **Row** and **Field separators**, as well as the **Header**.
- Click [...] next to the **Schema type** field to describe the structure of the file.

Column	Key	Type	Nullable	Date Patt...	Length	Pre...	D...	Co...
Postal	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		2			
State	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		14			
Capital	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		14			
MostPopulousCity	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		14			

- Describe the **Schema** of the data to be passed on to the **tBufferOutput** component.
- Select the **tBufferOutput** component and set the parameters on the **Basic Settings** tab of the **Component** view.



Generally speaking, the schema is propagated from the input component and automatically fed into the **tBufferOutput** schema. But you can also set part of the schema to be buffered if you want to.

- Drop the **tBufferInput** and **tLogRow** components from the **Palette** onto the design workspace below the subjob you just created.
- Connect **tFileInputDelimited** and **tBufferInput** via a **Trigger > OnSubjobOk** link and connect **tBufferInput** and **tLogRow** via a **Row > Main** link.
- Double-click **tBufferInput** to set its **Basic settings** in the **Component** view.
- In the **Basic settings** view, click [...] next to the **Edit Schema** field to describe the structure of the file.

- Use the schema defined for the **tFileInputDelimited** component and click **OK**.
- The schema of the **tBufferInput** component is automatically propagated to the **tLogRow**. Otherwise, double-click **tLogRow** to display the **Component** view and click **Sync column**.
- Save your Job and press **F6** to execute it.

```
Starting job BufferFatherJob at 10:41 05/02/2008.  
AL|Alabama|Montgomery|Birmingham  
AK|Alaska|Juneau|Anchorage  
AZ|Arizona|Phoenix|Phoenix  
AR|Arkansas|Little Rock|Little Rock  
CA|California|Sacramento|Los Angeles  
CO|Colorado|Denver|Denver  
CT|Connecticut|Hartford|Bridgeport  
DE|Delaware|Dover|Wilmington  
FL|Florida|Tallahassee|Jacksonville  
GA|Georgia|Atlanta|Atlanta  
HI|Hawaii|Honolulu|Honolulu  
ID|Idaho|Boise|Boise  
IL|Illinois|Springfield|Chicago  
IN|Indiana|Indianapolis|Indianapolis  
IA|Iowa|Des Moines|Des Moines  
KS|Kansas|Topeka|Wichita  
KY|Kentucky|Frankfort|Louisville  
LA|Louisiana|Baton Rouge|New Orleans *
```

The standard console returns the data retrieved from the buffer memory.

tBufferOutput




tBufferOutput properties

Component family	Misc	
Function	This component collects data in a buffer in order to access it later via webservice for example.	
Purpose	This component allows a Webservice to access data. Indeed it had been designed to be exported as Webservice in order to access data on the web application server directly. For more information, see <i>Talend Open Studio for Big Data User Guide</i> .	
Basic settings	<i>Schema type and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>In the case of the tBufferOutput, the column position is more important than the column label as this will be taken into account.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and Job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Usage	This component is not startable (green background) and it requires an output component.	

Scenario 1: Buffering data (Java)

This scenario describes an intentionally basic Job that bufferizes data in a child job while a parent Job simply displays the bufferized data onto the standard output console. For an example of how to use **tBufferOutput** to access output data directly on the Web application server, see [the section called “Scenario 2: Buffering output data on the webapp server”](#).



- Create two Jobs: a first Job (*BufferFatherJob*) runs the second Job and displays its content onto the **Run** console. The second Job (*BufferChildJob*) stores the defined data into a buffer memory.
- On the first Job, drop the following components: **tRunJob** and **tLogRow** from the **Palette** to the design workspace.
- On the second Job, drop the following components: **tFileInputDelimited** and **tBufferOutput** the same way.

Let's set the parameters of the second Job first:

- Select the **tFileInputDelimited** and on the **Basic Settings** tab of the **Component** view, set the access parameters to the input file.

Property Type	Built-In	
File name/Stream	"D:/Input/us_state.txt" *	
Row Separator	"\n" *	Field Separator ";" *
<input type="checkbox"/> CSV options		
Header	1	Footer 0 Limit 50
Schema	Built-In	
<input checked="" type="checkbox"/> Skip empty rows	<input type="checkbox"/> Uncompress as zip file	<input type="checkbox"/> Die on error


- In **File Name**, browse to the delimited file whose data are to be buffered.
- Define the **Row** and **Field separators**, as well as the **Header**.

Column	Key	Type	Nullable	Date Patt...	Length	Pre...	D...	Co...
Postal	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		2			
State	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		14			
Capital	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		14			
MostPopulousCity	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		14			

- Describe the **Schema** of the data to be passed on to the **tBufferOutput** component.
- Select the **tBufferOutput** component and set the parameters on the **Basic Settings** tab of the **Component** view.

Schema Type	Built-In		
-------------	----------	--	--

- Generally the schema is propagated from the input component and automatically fed into the **tBufferOutput** schema. But you could also set part of the schema to be buffered if you want to.
- Now on the other Job (*BufferFatherJob*) Design, define the parameters of the **tRunJob** component.



- Edit the Schema if relevant and select the column to be displayed. The schema can be identical to the buffered schema or different.
- You could also define context parameters to be used for this particular execution. To keep it simple, the default context with no particular setting is used for this use case.

Press **F6** to execute the parent Job. The **tRunJob** looks after executing the child Job and returns the data onto the standard console:

```
Starting job BufferFatherJob at 10:41 05/02/2008.
AL|Alabama|Montgomery|Birmingham
AK|Alaska|Juneau|Anchorage
AZ|Arizona|Phoenix|Phoenix
AR|Arkansas|Little Rock|Little Rock
CA|California|Sacramento|Los Angeles
CO|Colorado|Denver|Denver
CT|Connecticut|Hartford|Bridgeport
DE|Delaware|Dover|Wilmington
FL|Florida|Tallahassee|Jacksonville
GA|Georgia|Atlanta|Atlanta
HI|Hawaii|Honolulu|Honolulu
ID|Idaho|Boise|Boise
IL|Illinois|Springfield|Chicago
IN|Indiana|Indianapolis|Indianapolis
IA|Iowa|Des Moines|Des Moines
KS|Kansas|Topeka|Wichita
KY|Kentucky|Frankfort|Louisville
LA|Louisiana|Baton Rouge|New Orleans *
```


Scenario 2: Buffering output data on the webapp server

This scenario describes a Job that is called as a Webservice and stores the output data in a buffer directly on the server of the Web application. This scenario creates first a Webservice oriented Job with context variables, and next exports the Job as a Webservice.


Creating a Webservice-oriented Job with context variables:

- Drop the following components from the **Palette** onto the design workspace: **tFixedFlowInput** and **tBufferOutput**.


- Connect **tFixedFlowInput** to **tBufferOutput** using a **Row Main** link.



- In the design workspace, select **tFixedFlowInput**.
- Click the **Component** tab to define the basic settings for **tFixedFlowInput**.
- Set the **Schema Type** to **Built-In** and click the three-dot [...] button next to **Edit Schema** to describe the data structure you want to create from internal variables. In this scenario, the schema is made of three columns, *now*, *firstname*, and *lastname*.



- Click the plus button to add the three parameter lines and define your variables.
- Click **OK** to close the dialog box and accept propagating the changes when prompted by the system. The three defined columns display in the **Values** panel of the **Basic settings** view of **tFixedFlowInput**.




- Click in the **Value** cell of each of the first two defined columns and press **Ctrl+Space** to access the global variable list.
- From the global variable list, select *TalendDate.getCurrentDate()* and *talendDatagenerator.getFirstName()*, for the *now* and *firstname* columns respectively.

For this scenario, we want to define two context variables: *nb_lines* and *lastname*. In the first we set the number of lines to be generated, and in the second we set the last name to display in the output list. The **tFixedFlowInput** component will generate the number of lines set in the context variable with the three columns: *now*, *firstname*


and *lastname*. For more information about how to create and use context variables, see *Talend Open Studio for Big Data User Guide*.

To define the two context variables:


- Select **tFixedFlowInput** and click the **Contexts** tab.
- In the **Variables** view, click the plus button to add two parameter lines and define them.



- Click the **Values as table** tab and define the first parameter to set the number of lines to be generated and the second to set the last name to be displayed.




- Click the **Component** tab to go back to the **Basic settings** view of **tFixedFlowInput**.
- Click in the **Value** cell of *lastname* column and press **Ctrl+Space** to access the global variable list.
- From the global variable list, select *context.lastname*, the context variable you created for the last name column.



Exporting your Job as a Webservice:

Before exporting your Job as a Web service, see *Talend Open Studio for Big Data User Guide* for more information.

- In the **Repository** tree view, right-click on the above created Job and select **Export Job Scripts**. The [**Export Job Scripts**] dialog box displays.




- Click the **Browse...** button to select a directory to archive your Job in.
- In the **Export type** panel, select the export type you want to use in the Tomcat webapp directory (WAR in this example) and click **Finish**. The [**Export Job Scripts**] dialog box disappears.
- Copy the War folder and paste it in a Tomcat webapp directory.

Scenario 3: Calling a Job with context variables from a browser

This scenario describes how to call the Job you created in scenario 2 from your browser with/without modifying the values of the context variables.

Type the following URL into your browser: `http://localhost:8080/export_job/services/export_job3?method=runJob` where “export_job” is the name of the webapp directory deployed in Tomcat and “export_job3” is the name of the Job.



Click **Enter** to execute your Job from your browser.

```

- <soapenv:Envelope>
- <soapenv:Body>
- <runJobReturn xsi:type="ns1:runJobReturn">
- <ns1:item xsi:type="ns1:ArrayOf_xsd_string">
  <ns1:item xsi:type="xsd:string">31-07-2008</ns1:item>
  <ns1:item xsi:type="xsd:string">William</ns1:item>
  <ns1:item xsi:type="xsd:string">Ford</ns1:item>
</ns1:item>
- <ns1:item xsi:type="ns1:ArrayOf_xsd_string">
  <ns1:item xsi:type="xsd:string">31-07-2008</ns1:item>
  <ns1:item xsi:type="xsd:string">Millard</ns1:item>
  <ns1:item xsi:type="xsd:string">Ford</ns1:item>
</ns1:item>
- <ns1:item xsi:type="ns1:ArrayOf_xsd_string">
  <ns1:item xsi:type="xsd:string">31-07-2008</ns1:item>
  <ns1:item xsi:type="xsd:string">James</ns1:item>
  <ns1:item xsi:type="xsd:string">Ford</ns1:item>
</ns1:item>
</runJobReturn>
</soapenv:Body>
</soapenv:Envelope>

```

The Job uses the default values of the context variables: *nb_lines* and *lastname*, that is it generates three lines with the current date, first name and Ford as a last name.

You can modify the values of the context variables directly from your browser. To call the Job from your browser and modify the values of the two context variables, type the following URL:

```

http://localhost:8080/export_job/services/export_job3?method=runJob&arg1=--context_param
%20lastname=MASSY&arg2=--context_param%20nb_lines=2.

```

%20 stands for a blank space in the URL language. In the first argument “arg1”, you set the value of the context variable to display “MASSY” as last name. In the second argument “arg2”, you set the value of the context variable to “2” to generate only two lines.

Click **Enter** to execute your Job from your browser.

```

- <soapenv:Envelope>
- <soapenv:Body>
- <runJobReturn xsi:type="ns1:runJobReturn">
- <ns1:item xsi:type="ns1:ArrayOf_xsd_string">
  <ns1:item xsi:type="xsd:string">31-07-2008</ns1:item>
  <ns1:item xsi:type="xsd:string">Richard</ns1:item>
  <ns1:item xsi:type="xsd:string">MASSY</ns1:item>
</ns1:item>
- <ns1:item xsi:type="ns1:ArrayOf_xsd_string">
  <ns1:item xsi:type="xsd:string">31-07-2008</ns1:item>
  <ns1:item xsi:type="xsd:string">Theodore</ns1:item>
  <ns1:item xsi:type="xsd:string">MASSY</ns1:item>
</ns1:item>
</runJobReturn>
</soapenv:Body>
</soapenv:Envelope>


```

The Job generates two lines with MASSY as last name.


Scenario 4: Calling a Job exported as Webservice in another Job

This scenario describes a Job that calls another Job exported as a Webservice using the **tWebServiceInput**. This scenario will call the Job created in scenario 2.


- Drop the following components from the **Palette** onto the design workspace: **tWebServiceInput** and **tLogRow**.
- Connect **tWebServiceInput** to **tLogRow** using a **Row Main** link.




- In the design workspace, select **tWebServiceInput**.
- Click the **Component** tab to define the basic settings for **tWebServiceInput**.



- Set the **Schema Type** to **Built-In** and click the three-dot [...] button next to **Edit Schema** to describe the data structure you want to call from the exported Job. In this scenario, the schema is made of three columns, *now*, *firstname*, and *lastname*.



- Click the plus button to add the three parameter lines and define your variables. Click **OK** to close the dialog box.
- In the **WSDL** field of the **Basic settings** view of **tWebServiceInput**, enter the URL `http://localhost:8080/export_job/services/export_job3?WSDL` where “export_job” is the name of the webapp directory where the Job to call is stored and “export_job3” is the name of the Job itself.



- In the **Method name** field, enter *runJob*.
- In the **Parameters** panel, Click the plus button to add two parameter lines to define your context variables.
- Click in the first **Value** cell to enter the parameter to set the number of generated lines using the following syntax: *--context_param nb_line=3*.
- Click in the second **Value** cell to enter the parameter to set the last name to display using the following syntax: *--context_param lastname=Ford*.
- Select **tLogRow** and click the **Component** tab to display the component view.
- Set the **Basic settings** for the **tLogRow** component to display the output data in a tabular mode. For more information, see [the section called “tLogRow”](#).
- Save your Job and press **F6** to execute it.

```
Starting job Call_Webservice_In_Job at 14:12 01/08/2008.
+-----+
|          | tLogRow_1 |          |
+-----+-----+
| now      | firstname | lastname |
+-----+-----+
| 01-08-2008 | Ronald   | Ford     |
| 01-08-2008 | Woodrow  | Ford     |
| 01-08-2008 | Franklin | Ford     |
+-----+-----+
Job Call_Webservice_In_Job ended at 14:12 01/08/2008. [exit code=0]
```

The system generates three columns with the current date, first name, and last name and displays them onto the log console in a tabular mode.

tContextDump



tContextDump properties

Component family	Misc	
Function	tContextDump makes a dump copy the values of the active Job context.	
Purpose	tContextDump can be used to transform the current context parameters into a flow that can then be used in a tContextLoad . This feature is very convenient in order to define once only the context and be able to reuse it in numerous Jobs via the tContextLoad .	
Basic settings	<i>Schema type and Edit schema</i>	<p>In the tContextDump use, the schema is read only and made of two columns, Key and Value, corresponding to the parameter name and the parameter value to be copied.</p> <p>A schema is a row description, i.e., it defines the fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and Job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Print operations</i>	Select this check box to display the context parameters set in the Run view.
Usage	This component creates from the current context values, a data flow, therefore it requires to be connected to an output component.	
Limitation	tContextDump does not create any non-defined context variable.	

Related Scenario

No scenario is available for this component yet.

tContextLoad




tContextLoad properties

Component family	Misc	
Function	tContextLoad modifies dynamically the values of the active context.	
Purpose	<p>tContextLoad can be used to load a context from a flow.</p> <p>This component performs also two controls. It warns when the parameters defined in the incoming flow are not defined in the context, and the other way around, it also warns when a context value is not initialized in the incoming flow.</p> <p>But note that this does not block the processing.</p>	
Basic settings	<i>Schema type and Edit schema</i>	<p>In tContextLoad, the schema must be made of two columns, including the parameter name and the parameter value to be loaded.</p> <p>A schema is a row description, i.e., it defines the fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>If a variable loaded, but not in the context</i>	If a variable is loaded but does not appear in the context, select how the notification must be displayed. In the shape of an Error , a warning or an information (info).
	<i>If a variable in the context, but not loaded</i>	If a variable appears in the context but is not loaded, select how the notification must be displayed. In the shape of an Error , a warning or an information (info)
	<i>Print operations</i>	Select this check box to display the context parameters set in the Run view.
	<i>Disable errors</i>	Select this check box to prevent the error from displaying.
	<i>Disable warnings</i>	Select this check box to prevent the warning from displaying.
	<i>Disable infos</i>	Select this check box to prevent the information from displaying.


	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component relies on the data flow to load the context values to be used, therefore it requires a preceding input component and thus cannot be a start component.	
Limitation	tContextLoad does not create any non-defined variable in the default context.	

Scenario: Dynamic context use in MySQL DB insert

This scenario is made of two subjobs. The first subjob aims at dynamically load the context parameters, and the second subjob uses the loaded context to display the content of a DB table.




- For the first subjob, drop a **tFileList**, **tFileInputDelimited**, **tContextLoad** from the **Palette** to the design workspace.
- Drop **tMysqlInput** and a **tLogRow** the same way for the second subjob.
- Connect all the components together.
- Create as many delimited files as there are different contexts and store them in a specific directory, named *Contexts*. In this scenario, *test.txt* contains the local database connection details for testing purpose. And *prod.txt* holds the actual production db details.
- Each file is made of two fields, contain the parameter name and the corresponding value, according to the context.



- In the **tFileList** component **Basic settings** panel, select the directory where both context files, *test* and *prod*, are held.

- In the **tFileInputDelimited** component **Basic settings** panel, press **Ctrl+Space bar** to access the global variable list. Select `tFileList_1.CURRENT_FILEPATH` to loop on the context files' directory.
- Define the schema manually (Built-in). It contains two columns defined as: *Key* and *Value*.
- Accept the defined schema to be propagated to the next component (**tContextLoad**).
- For this scenario, select the **Print operations** check box in order for the context parameters in use to be displayed on the **Run** panel.
- Then double-click to open the **tMySQLInput** component **Basic settings**.
- For each of the field values being stored in a context file, press **F5** and define the user-defined context parameter. For example: The **Host** field has for value parameter `context.host`, as the parameter name is *host* in the context file. Its actual value being *talend-dbms*.



- Then fill in the **Schema** information. If you stored the schema in the **Repository Metadata**, then you can retrieve it by selecting **Repository** and the relevant entry in the list.
- In the **Query** field, type in the SQL query to be executed on the DB table specified. In this case, a simple **SELECT** of the columns of the table, which will be displayed on the **Run** tab, through the **tLogRow** component.
- Eventually, press **F6** to run the Job.

```
Starting job tContextLoad at 16:19 05/03/2010.
tContextLoad_1 set key "host" with value "talend-dbms"
tContextLoad_1 set key "port" with value "3306"
tContextLoad_1 set key "database" with value "talend"
tContextLoad_1 set key "username" with value "root"
tContextLoad_1 set key "password" with value "toor"
12|4322 DP 76|BMW|purple|1|vaesneng|DFA6968
15|0142 CB 08|BMW|yellow|9|mauant|GCY8927
18|8545 GP 25|Mercedes|pink|2|vaesot|BNC6696
24|5382 KC 94|Volkswagen|grey|10|otbouh|GZE3017
40|8386 GH 71|Mercedes|orange|8|carmau|
67|0261 PY 55|Honda|green|6|hirtken|QXK4682
70|1850 CL 46|Mercedes|purple|7|oinegall|WAS9249
77|5653 HW 34|Toyota|yellow|2|carbone|GLN1029
91|6016 DF 08|Renault|pink|5|nanhirt|HWR9250
```


The context parameters as well as the select values from the DB table are all displayed on the **Run** view.

tFixedFlowInput



tFixedFlowInput properties

Component family	Misc	
Function	tFixedFlowInput generates as many lines and columns as you want using the context variables.	
Purpose	tFixedFlowInput allows you to generate fixed flow from internal variables.	
Basic settings	<i>Schema type and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository, hence can be reused in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Mode</i>	From the three options, select the mode that you want to use. Use Single Table : Enter the data that you want to generate in the relevant value field. Use Inline Table : Add the row(s) that you want to generate. Use Inline Content : Enter the data that you want to generate, separated by the separators that you have already defined in the Row and Field Separator fields.
	<i>Number of rows</i>	Enter the number of lines to be generated.
	<i>Values</i>	Between inverted commas, enter the values corresponding to the columns you defined in the schema dialog box via the Edit schema button.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component can be used as a start or intermediate component and thus requires an output component.	

Related scenarios

For related scenarios, see:

- [the section called “Scenario 2: Buffering output data on the webapp server”](#).

- [the section called “Scenario: Iterating on a DB table and listing its column names”](#).
- [the section called “Scenario: Filtering and searching a list of names”](#).

tMemorizeRows




tMemorizeRows properties

Component family	Misc	
Function	tMemorizeRows temporarily memorizes an array of incoming data in a row by row sequence and instantiates this array by indexing each of the memorized rows from 0. The maximum number of rows to be memorized at any given time is defined in the Basic settings view.	
Purpose	tMemorizeRows memorizes a sequence of rows that pass this component and then allows its following component(s) to perform operations of your interest on the memorized rows.	
Basic settings	<i>Schema type</i> and <i>Edit schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <ul style="list-style-type: none"> - Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in. - Click Sync columns to retrieve the schema from the previous component connected in the Job.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository, hence can be reused in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Row count to memorize</i>	Define the row count to be memorized.
	<i>Columns to memorize</i>	Select the columns to be memorized from the incoming data schema.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	<p>This component can be used as intermediate step in a data flow or the last step before beginning a subjob.</p> <p>Note: You can use the global variable NB_LINE_ROWS to retrieve the value of the Row count to memorize field of the tMemorizeRows component.</p>	
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main</p> <p>Trigger: Run if; On Component Ok; On Component Error.</p>

	<p>Incoming links (from one component to another):</p> <p>Row: Main;</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
--	--

Scenario: Counting the occurrences of different ages

This scenario counts how many different ages there are within a group of 12 customers. In this scenario, the customer data is generated at random.




This Job uses 5 components which are:


- **tRowGenerator**: it generates 12 rows of customer data containing IDs, names and ages of the 12 customers.
- **tSortRow**: it sorts the 12 rows according to the age data.
- **tMemorizeRows**: it temporarily memorizes a specific number of incoming data rows at any give time and indexes the memorized data rows.
- **tJavaFlex**: it compares the age values of the data memorized by the preceding component, counts the occurrences of different ages and displays these ages in the **Run** view.
- **tJava**: it displays the number of occurrences of different ages.

To replicate this scenario, proceed as follows:

- Drop **tRowGenerator**, **tSortRow**, **tMemorizeRows**, **tJavaFlex** and **tJava** on the design workspace.
- Right-click **tRowGenerator** In the contextual menu, select the **Row > Main** link.
- Click **tSortRow** to link these two components.
- Do the same to link together **tSortRow**, **tMemorizeRows** and **tJavaFlex** using the **Row > Main** link.
- Right-click **tRowGenerator** In the contextual menu, select the **Trigger > On Subjob Ok** link.
- Click **tJava** to link these two components.
- Double click the **tRowGenerator** component to open the its editor.




- In this editor, click the plus button three times to add three columns and name them as: *id*, *name*, *age*.
- In the **Type** column, select **Integer** for *id* and *age*.
- In the **Length** column, enter *50* for *name*.
- In the **Functions** column, select **random** for *id* and *age*, then select **getFirstName** for *name*.
- In the field of **Number of Rows for RowGenerator**, type in 12.
- In the **Column** column, click *age* to open its corresponding **Function parameters** view in the lower part of this editor.




- In the **Value** column of the **Function parameters** view, type in the minimum age and maximum age that will be generated for the 12 customers. In this example, they are 10 and 25.
- Click **OK** to save the configuration.
- In the dialog box that pops up, click **OK** to propagate the change to the other components.


- Double click **tSortRow** to open its **Component** view.



- In the **Criteria** table, click the plus button to add one row.
- In the **Schema column** column, select the data column you want to base the sort on. In this example, select *age* as it is the ages that should be compared and counted.
- In the **Sort num or alpha** column, select the type of the sort. In this example, as *age* is integer, select **num**, that is numerical, for this sort.
- In the **Order asc or desc** column, select **desc** as the sort order for this scenario.
- Double click **tMemorizeRows** to open its **Component** view.



- In the **Row count to memorize** field, type in the maximum number of rows to be memorized at any given time. As you need to compare ages of two customers for each time, enter 2. Thus this component memorizes two rows at maximum at any given moment and always indexes the newly incoming row as 0 and the previously incoming row as 1.
- In the **Memorize** column of the **Columns to memorize** table, select the check box(es) to determine the column(s) to be memorized. In this example, select the check box corresponding to *age*.
- Double click **tJavaFlex** to open its **Component** view.




- In the **Start code** area, enter the Java code that will be called during the initialization phase. In this example, type in `int count=0;` in order to declare a variable `count` and assign the value `0` to it.
- In the **Main code** area, enter the Java code to be applied for each row in the data flow. In this scenario, type in

```
if(age_tMemorizeRows_1[1]!=age_tMemorizeRows_1[0])
{
    count++;
}
System.out.println(age_tMemorizeRows_1[0]);
```

This code compares two ages memorized by **tMemorizeRows** each time and count one change every time when the ages are found different. Then this code displays the ages that have been indexed as 0 by **tMemorizeRows**.

- In the **End code** area, enter the Java code that will be called during the closing phase. In this example, type in `globalMap.put("count", count);` to output the count result.
- Double click **tJava** to open its **Component** view.



- In the **Code** area, type in the code `System.out.println("Different ages : "+globalMap.get("count"));` to retrieve the count result.
- Press **F6** to run the Job. Then the result displays in the console of the **Run** view.


```
Starting job test at 18:32 23/09/2010.  
[statistics] connecting to socket on port 3348  
[statistics] connected  
25  
24  
19  
18  
17  
16  
14  
13  
13  
12  
11  
Different ages: 10  
[statistics] disconnected  
Job test ended at 18:32 23/09/2010. [exit code=0]
```

In the console, you can read that there are 10 different ages within the group of 12 customers.

tMsgBox




tMsgBox properties

Component family	Misc	
Function	Opens a dialog box with an OK button requiring action from the user.	
Purpose	tMsgBox is a graphical break in the job execution progress.	
Basic settings	<i>Title</i>	Text entered shows on the title bar of the dialog box created.
	<i>Buttons</i>	Listbox of buttons you want to include in the dialog box. The button combinations are restricted and cannot be changed. The Question button displays the Mask Answer check box. Select this check box if you want to mask the answer you type in the pop-up window that opens when you run the Job.
	<i>Icon</i>	Icon shows on the title bar of the dialog box.
	<i>Message</i>	Free text to display as message on the dialog box. Text can be dynamic (for example: retrieve and show a file name).
Usage	This component can be used as intermediate step in a data flow or as a start or an end object in the Job flowchart. It can be connected to the next/previous component using either a Row or Iterate link.	
Limitation	n/a	

Scenario: ‘Hello world!’ type test


The following scenario creates a single-component Job, where **tMsgBox** is used to display the pid (process id) in place of the traditional “Hello World!” message.

- Drop a **tMsgBox** component from the **Palette** to the design workspace.
- Define the dialog box display properties:



- 'Title' is the message box title, it can be any variable.
- In the Message field, enter "Current date is: " between double quotation marks. Then click CTRL+Space to display the autocompletion list and select the following system routine, `TalendDate.getCurrentDate`. Put brackets around this routine.
- Switch to the **Run** tab to execute the Job defined.

The Message box displays the message and requires the user to click **OK** to go to the next component or end the Job.



After the user clicked **OK**, the **Run** log is updated accordingly.

Related topic: see *Talend Open Studio for Big Data User Guide*.

tRowGenerator



tRowGenerator properties

Component family	Misc	
Function	tRowGenerator generates as many rows and fields as are required using random values taken from a list.	
Purpose	Can be used to create an input flow in a Job for testing purposes, in particular for boundary test sets	
Basic settings	<i>Schema type</i> and <i>Edit schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or stored remotely in the Repository.
		Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: Select the Repository file where the properties are stored. When selected, the fields that follow are filled in automatically using fetched data.
	<i>RowGenerator editor</i>	The editor allows you to define the columns and the nature of data to be generated. You can use predefined routines or type in the function to be used to generate the data specified
Usage	The tRowGenerator Editor's ease of use allows users without any Java knowledge to generate random data for test purposes.	
Limitation	n/a	


The **tRowGenerator** Editor opens up on a separate window made of two parts:

- a **Schema** definition panel at the top of the window
- and a **Function** definition and preview panel at the bottom.

Defining the schema

First you need to define the structure of data to be generated.

- Add as many columns to your schema as needed, using the **plus (+)** button.
- Type in the names of the columns to be created in the **Columns** area and select the **Key** check box if required
- Make sure you define then the nature of the data contained in the column, by selecting the **Type** in the list. According to the type you select, the list of **Functions** offered will differ. This information is therefore compulsory.




- Some extra information, although not required, might be useful such as **Length**, **Precision** or **Comment**. You can also hide these columns, by clicking on the **Columns** drop-down button next to the toolbar, and unchecking the relevant entries on the list.
- In the **Function** area, you can select the predefined routine/function if one of them corresponds to your needs. You can also add to this list any routine you stored in the **Routine** area of the **Repository**. Or you can type in the function you want to use in the **Function** definition panel. Related topic: see *Talend Open Studio for Big Data User Guide*.
- Click **Refresh** to have a preview of the data generated.
- Type in a number of rows to be generated. The more rows to be generated, the longer it'll take to carry out the generation operation.

Defining the function

Select the [...] under **Function** in the Schema definition panel in order to customize the function parameters.


- Select the **Function parameters** tab
- The **Parameter** area displays **Customized parameter** as function name (read-only)



- In the **Value** area, type in the Java function to be used to generate the data specified.
- Click on the **Preview** tab and click **Preview** to check out a sample of the data generated.

Scenario: Generating random java data

The following scenario creates a two-component Job, generating 50 rows structured as follows: a randomly picked-up ID in a 1-to-3 range, a random ascii First Name and Last Name generation and a random date taken in a defined range.



- Drop a **tRowGenerator** and a **tLogRow** component from the **Palette** to the design workspace.
- Right-click **tRowGenerator** and select **Row > Main**. Drag this main row link onto the **tLogRow** component and release when the plug symbol displays.
- Double click **tRowGenerator** to open the Editor.
- Define the fields to be generated.

Schema				Functions		Preview
Column	Key	Type	Nullable	Func...	Parameters	Preview
Random_ID	<input type="checkbox"/>	int	<input type="checkbox"/>	...	1,2,3	3
First_Name	<input type="checkbox"/>	String	<input type="checkbox"/>	getAs...	length=>6 ;	bF1lbp
Last_Name	<input type="checkbox"/>	String	<input type="checkbox"/>	getAs...	length=>6 ;	2lT4mM
Date	<input type="checkbox"/>	Date	<input type="checkbox"/>	getRa...	min =>"2004-01-...	Sun Jun 29 11:19:3...

Columns

- The random ID column is of integer type, the First and Last names are of string type and the Date is of date type.
- In the **Function** list, select the relevant function or set on the three dots for custom function.
- On the **Function parameters** tab, define the Values to be randomly picked up.

Parameter	Value	Comment
customize parameter	1,2,3	

- *First_Name* and *Last_Name* columns are to be generated using the `getAsciiRandomString` function that is predefined in the system routines. By default the length defined is 6 characters long. You can change this if need be.
- The *Date* column calls the predefined `getRandomDate` function. You can edit the parameter values in the **Function parameters** tab.
- Set the **Number of Rows** to be generated to 50.
- Click **OK** to validate the setting.
- Double click **tLogRow** to view the Basic settings. The default setting is retained for this Job.
- Press **F6** to run the Job.

```

Starting job JavaRowGenerate at 11:44 10/04/2007.
Running process with context: Default
1 | iH6mtj | y3hSXH | Wed Apr 16 11:44:15 CEST 2008
3 | cityeQ | uvnKkO | Sun Jan 06 11:44:16 CET 2008
2 | X200DF | 1SVzKT | Wed Oct 26 11:44:16 CEST 2005
1 | DSLuE1 | S8u15i | Sat Mar 04 11:44:16 CET 2006
3 | cc4znX | yuc9cf | Thu Jan 20 11:44:16 CET 2005
3 | NwK3PN | lnNyDU | Mon Jun 06 11:44:16 CEST 2005
3 | CtO6Ba | pCQgwp | Sat Aug 07 11:44:16 CEST 2004
3 | XMt7KN | SUIzFn | Sun May 09 11:44:16 CEST 2004
1 | jiPcr7 | l45rp7 | Wed Aug 25 11:44:16 CEST 2004
1 | OBN4TX | hywNdP | Sat Feb 09 11:44:16 CET 2008
2 | kbWUuE | s21FA0 | Tue Jan 27 11:44:16 CET 2004
2 | zQlteU | VNhb5w | Sun Oct 05 11:44:16 CEST 2008
3 | 4nrniu | 5Tbnxd | Fri Nov 14 11:44:16 CET 2008
2 | 7A0qqu | s3jEzJ | Tue Feb 13 11:44:16 CET 2007
3 | FgVoTg | uYhJmF | Thu Mar 01 11:44:16 CET 2007
1 | Sp4e9P | zXcTK5 | Thu Apr 08 11:44:16 CEST 2004
1 | E3A4Q3 | vKNocj | Wed Jan 11 11:44:16 CET 2006
1 | pOMGpG | koklW2 | Thu Apr 22 11:44:16 CEST 2004
3 | 9XQgm8 | CCbFya | Sat Feb 18 11:44:16 CET 2006
2 | itZXWx | LhQBx1 | Tue Apr 18 11:44:16 CEST 2006
1 | Onldwv | E7Yaqn | Fri Dec 10 11:44:16 CET 2004
1 | UPTZ9M | 8s902c | Fri Nov 11 11:44:16 CET 2005
1 | WhIT0u | KWn8hO | Mon May 07 11:44:16 CEST 2007
1 | LbbeFv | Eyn1lc | Thu Mar 16 11:44:16 CET 2006

```

The 50 rows are generated following the setting defined in the **tRowGenerator** editor and the output is displayed in the **Run** console.

Orchestration components

This chapter details the main components that you can find in **Orchestration** family of the *Talend Open Studio for Big Data Palette*.

The Orchestration family groups together components that help you to sequence or orchestrate tasks or processing in your Jobs or subjobs and so on.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

tFileList



tFileList belongs to two component families: File and Orchestration. For more information on **tFileList**, see [the section called “tFileList”](#).

tFlowToIterate




tFlowToIterate Properties

Component family	Orchestration	
Function	tFlowToIterate transforms a data flow into a list.	
Purpose	Allows you to transform a processable flow into non processable data.	
Basic settings	<i>Use the default (key, value) in global variables</i>	When selected, the system uses the default value of the global variable in the current Job.
	<i>Customize</i>	key: Type in a name for the new global variable. Press Ctrl+Space to access all available variables either global or user-defined.
		value: Click in the cell to access a list of the columns attached to the defined global variable.
Usage	You cannot use this component as a start component. tFlowToIterate requires an output component.	
Global Variables		<p>Number of Lines: Indicates the number of lines processed. This is available as an After variable.</p> <p>Returns an integer.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Iterate</p> <p>Trigger: Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Main;</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	

Scenario: Transforming data flow to a list

The following scenario describes a Job that reads a list of files from a defined input file, iterates on each of the files, selects input data and displays the output on the **Run** log console.


- Drop the following components from the **Palette** onto the design workspace: **tFileInputDelimited** (x2), **tFlowToIterate**, and **tLogRow**.
- Via a right-click on each of the components, connect the first **tFileInputdelimited** to **tFlowToIterate** using a **Row Main** link, **tFlowToIterate** to the second **tFileInputdelimited** using an **Iterate** link, and the second **tFileInputdelimited** to **tLogRow** using a **Row Main** link.



- In the design workspace, select the first **tFileInputDelimited**.
- Click the **Component** tab to display the relevant view where you can define the basic settings for **tFileInputDelimited**.
- In the **Basic settings** view, click the three-dot [...] button next to the **File Name** field to select the path to the input file.




The **File Name** field is mandatory.




The input file used in this scenario is called *Customers*. It is a text file that holds three other simple text files: *Name*, *E-mail* and *Address*. The first text file, *Name*, is made of one column holding customers' names. The second text file, *E-mail*, is made of one column holding customers' e-mail addresses. The third text file, *Address*, is made of one column holding customers' postal addresses.

- Fill in all other fields as needed. For more information, see [the section called "tMDMInput properties"](#). In this scenario, the header and the footer are not set and there is no limit for the number of processed rows
- Click **Edit schema** to describe the data structure of this input file. In this scenario, the schema is made of one column, *FileName*.



- In the design workspace, select **tFlowToIterate**.
- Click the **Component** tab to define the basic settings for **tFlowToIterate**.




- If needed, select the **Use the default (key, value) in global variables** check box to use the default value of the global variable.
- Click the plus button to add new parameter lines and define your variables.
- Click in the **key** cell to modify the variable name as desired.




You can press **Ctrl+Space** in the **key** cell to access the list of global and user-specific variables.

- In the design workspace, select the second **tFileInputDelimited**.
- Click the **Component** tab to define the basic settings for the second **tFileInputDelimited**.



- In the **File Name** field, enter the file name using the variable containing the name of the file. The relevant syntax is `+globalMap.get("file")`.
- Fill in all other fields as needed. For more information, see [the section called "tMDMInput properties"](#).
- In the design workspace, select the last component, **tLogRow**.

- Click the **Component** tab to define the basic settings for **tLogRow**.



- Define your settings as needed. For more information, see [the section called “tLogRow properties”](#).
- Save your Job and press **F6** to execute it

```
Starting job flow to iterate at 16:32 25/07/2008.  
coll: Madison Moore  
coll: Andrew Taylor  
coll: Christopher Anderson  
coll: madison_moor@hotmail.com  
coll: Andrew_taylor@usamaill.com  
coll: Madison Moore  
coll: 100 MAIN ST  
coll: PO BOX 1022  
coll: SEATTLE WA 98104  
coll: USA  
coll: Andrew Taylor  
coll: 300 BOYLSTON AVE E  
coll: SEATTLE WA 98102  
coll: USA  
Job flow to iterate ended at 16:32 25/07/2008. [exit code=0]
```

Customers' names, customers' e-mails, and customers' postal addresses display on the console preceded by the schema column name.

tForeach




tForeach Properties

Component Family	Orchestration	
Function	tForeach creates a loop on a list for an iterate link.	
Purpose	tForeach allows you to to create a loop on a list for an iterate link.	
Basic settings	<i>Values</i>	Use the [+] button to add rows to the Values table. Then click on the fields to enter the list values to be iterated upon, between double quotation marks.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect the log data at a component level.
Usage	tForeach is an input component and requires an Iterate link to connect it to another component.	
Limitation	n/a	


Scenario: Iterating on a list and retrieving the values

This scenario describes a two component Job in which a list is created and iterated upon in a **tForEach** component. The values are then retrieved in a **tJava** component.


- rop a **tForEach** and a **tJava** component onto the design workspace:



- Link **tForEach** to **tJava** using a **Row > Iterate** connection.
- Double-click **tForEach** to open its **Basic settings** view:




- Click the [+] button to add as many rows to the **Values** list as required.
- Click on the **Value** fields to enter the list values, between double quotation marks.
- Double-click **tJava** to open its **Basic settings** view:



- Enter the following Java code in the **Code** area:
`System.out.println(globalMap.get("tForeach_1_CURRENT_VALUE")+"_out");`
- Save the Job and press **F6** to run it

The **tJava** run view displays the list values retrieved from **tForeach**, each one suffixed with `_out`:



tInfiniteLoop



tInfiniteLoop Properties

Component Family	Orchestration	
Function	tInfiniteLoop runs an infiite loop on a task.	
Purpose	tInfiniteLoop allows you to to execute a task or a Job automatically, based on a loop.	
Basic settings	<i>Wait at each iteration (in milliseconds)</i>	Enter the time delay between iterations.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect the log data at a component level.
Usage	tInifniteLoop is an input component and requires an Iterate link to connect it to the following component.	
Global Variables		<p>Current iteration: Indicates the current iteration number. This is available as a Flow variable.</p> <p>Returns an integer.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Iterate</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Iterate;</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	

Related scenario

For an example of the kind of scenario in which **tInifniteLoop** might be used, see [the section called “Scenario: Job execution in a loop”](#), regarding the **tLoop** component.

tIterateToFlow




tIterateToFlow Properties


Component family	Orchestration	
Function	tIterateToFlow transforms a list into a data flow that can be processed.	
Purpose	Allows you to transform non processable data into a processable flow.	
Basic settings	<i>Schema type and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>In the case of tIterateToFlow, the schema is to be defined</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and Job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Mapping</i>	<p>Column: Enter a name for the column to be created</p> <p>Value: Press Ctrl+Space to access all of the available variables, be they global or user-defined.</p>
Advanced Settings	<i>tStatCatcher Statistics</i>	Select this check box to collect the log data at a component level.
Usage	This component is not startable (green background) and it requires an output component.	
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main.</p> <p>Trigger: Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Iterate;</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>

Scenario: Transforming a list of files as data flow

The following scenario describes a Job that iterates on a list of files, picks up the filename and current date and transforms this into a flow, that gets displayed on the console.



- Drop the following components: **tFileList**, **tIterateToFlow** and **tLogRow** from the **Palette** to the design workspace.
- Connect the **tFileList** to the **tIterateToFlow** using an **iterate** link and connect the Job to the **tLogRow** using a **Row main** connection.
- In the **tFileList Component** view, set the directory where the list of files is stored.



- In this example, the files are three simple .txt files held in one directory: *Countries*.
- No need to care about the case, hence clear the **Case sensitive** check box.
- Leave the **Include Subdirectories** check box unchecked.
- Then select the **tIterateToFlow** component et click **Edit Schema** to set the new schema

Column	Key	Type	<input checked="" type="checkbox"/>	N..	Date Pattern (...)	Length	Precision	Default	Comment
Filename	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						
Date	<input type="checkbox"/>	Date	<input checked="" type="checkbox"/>		"dd-MM-yyyy"				

- Add two new columns: *Filename* of **String** type and *Date* of **date** type. Make sure you define the correct pattern in Java.
- Click **OK** to validate.
- Notice that the newly created schema shows on the **Mapping** table.

Schema	Built-In <input type="button" value="Edit schema"/>						
Mapping	<table border="1"> <thead> <tr> <th>Column</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>Filename</td> <td>((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))</td> </tr> <tr> <td>Date</td> <td>TalendDate.getDate("CCYY-MM-DD hh:mm:ss")</td> </tr> </tbody> </table>	Column	Value	Filename	((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))	Date	TalendDate.getDate("CCYY-MM-DD hh:mm:ss")
Column	Value						
Filename	((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))						
Date	TalendDate.getDate("CCYY-MM-DD hh:mm:ss")						

tLoop




tLoop Properties

Component family	Orchestration	
Function	tLoop iterates on a task execution.	
Purpose	tLoop allows you to execute a task or a Job automatically, based on a loop	
Basic settings	<i>Loop Type</i>	Select a type of loop to be carried out: either For or While . For: The task or Job is carried out for the defined number of iteration While: The task or Job is carried until the condition is met.
For	<i>From</i>	Type in the first instance number which the loop should start from. A start instance number of 2 with a step of 2 means the loop takes on every even number instance.
	<i>To</i>	Type in the last instance number which the loop should finish with.
	<i>Step</i>	Type in the step the loop should be incremented of. A step of 2 means every second instance.
While	<i>Declaration</i>	Type in an expression initiating the loop.
	<i>Condition</i>	Type in the condition that should be met for the loop to end.
	<i>Iteration</i>	Type in the expression showing the operation to be performed at each loop.
	<i>Values are increasing</i>	Select this check box to only allow an increasing sequence. Deselect this check box to only allow a decreasing sequence.
Usage	tLoop is to be used as a start component and can only be used with an iterate connection to the next component.	
Global Variables		Current value: Indicates the current value. This is available as a Flow variable. Returns an integer. Current iteration: Indicates the number of the current iteration. This is available as a Flow variable Returns an integer. The CURRENT_VALUE variable is available only in case of a For type loop. For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i> .
Connections		Outgoing links (from one component to another): Row: Iterate.

		<p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Iterate;</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	

Scenario: Job execution in a loop

This scenario describes a Job composed of a parent Job and a child Job. The parent Job implements a loop which executes n times a child Job, with a pause between each execution.



- In the parent Job, drop a **tLoop**, a **tRunJob** and a **tSleep** component from the **Palette** to the design workspace.
- Connect the **tLoop** to the **tRunJob** using an **Iterate** connection.
- Then connect the **tRunJob** to a **tSleep** component using a **Row** connection.
- On the child Job, drop the following components: **tPOP**, **tFileInputMail** and **tLogRow** the same way.
- On the **Basic settings** panel of the **tLoop** component, type in the instance number to start from (*I*), the instance number to finish with (*5*) and the step (*1*)
- On the **Basic settings** panel of the **tRunJob** component, select the child Job in the list of stored Jobs offered. In this example: *popinputmail*
- Select the context if relevant. In this use case, the context is *default* with no variables stored.

- In the **tSleep Basic settings** panel, type in the time-off value in second. In this example, type in *3 seconds* in the **Pause** field.
- Then in the child Job, define the connection parameters to the pop server, on the **Basic settings** panel.
- In the **tFileInputMail Basic settings** panel, select a global variable as **File Name**, to collect the current file in the directory defined in the **tPOP** component. Press **Ctrl+Space bar** to access the variable list. In this example, the variable to be used is: `((String)globalMap.get("tPOP_1_CURRENT_FILEPATH"))`
- Define the **Schema**, for it to include the mail element to be processed, such as *author*, *topic*, *delivery date* and *number of lines*.
- In the **Mail Parts** table, type in the corresponding **Mail part** for each column defined in the schema. ex: *author* comes from the *From* part of the email file.
- Then connect the **tFileInputMail** to a **tLogRow** to check out the execution result on the **Run** view.
- Press **F6** to run the Job.

tPostjob



tPostjob Properties

Component family	Orchestration	
Function	tPostjob starts the execution of a postjob.	
Purpose	tPostjob triggers a task required after the execution of a Job	
Usage	tPostjob is a start component and can only be used with an iterate connection to the next component.	
Connections		<p>Outgoing links (from one component to another):</p> <p>Trigger: On Component Ok.</p> <p>Incoming links (from one component to another):</p> <p>Trigger: Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	

For more information about the **tPostjob** component, see *Talend Open Studio for Big Data User Guide*.

Related scenario

No scenario is available for this component yet.

tPrejob



tPrejob Properties

Component family	Orchestration
Function	tPrejob starts the execution of a prejob.
Purpose	tPrejob triggers a task required for the execution of a Job
Usage	tPrejob is a start component and can only be used with an iterate connection to the next component.
Connections	<p>Outgoing links (from one component to another):</p> <p>Trigger: On Component Ok..</p> <p>Incoming links (from one component to another):</p> <p>Trigger: Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a

For more information about the **tPrejob** component, see *Talend Open Studio for Big Data User Guide*.

Related scenario

No scenario is available for this component yet.

tReplicate



tReplicate Properties

Component family	Orchestration	
Function	Duplicate the incoming schema into two identical output flows.	
Purpose	Allows you to perform different operations on the same schema.	
Basic settings	<i>Schema type</i> and <i>Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit schema to make changes to the schema. Note that if you make changes to a remote schema, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component in the Job.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and Job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Usage	This component is not startable (green background), it requires an Input component and an output component.	
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main.</p> <p>Trigger: Run if; On Component Ok; On Component Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Reject;</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>

Related scenario

For a use case showing this component in use, see [the section called “tReplaceList”](#).

tRunJob



tRunJob belongs to two component families: System and Orchestration. For more information on **tRunJob**, see [the section called “tRunJob”](#).

tSleep



tSleep Properties

Component family	Orchestration	
Function	tSleep implements a time off in a Job execution.	
Purpose	Allows you to identify possible bottlenecks using a time break in the Job for testing or tracking purpose. In production, it can be used for any needed pause in the Job to feed input flow for example.	
Basic settings	<i>Pause (in second)</i>	Time in second the Job execution is stopped for.
Usage	tSleep component is generally used as a middle component to make a break/pause in the Job, before resuming the Job.	
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main; Iterate.</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Reject; Iterate.</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	

Related scenarios

For use cases in relation with **tSleep**, see [the section called “Scenario: Job execution in a loop”](#).

tUnite




tUnite Properties

Component family	Orchestration	
Function	Merges data from various sources, based on a common schema.	
Purpose	Centralize data from various and heterogeneous sources.	
Basic settings	<i>Schema type</i> and <i>Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit schema to make changes to the schema. Note that if you make changes to a remote schema, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component in the Job.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and Job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component is not startable and requires one or several input components and an output component.	
Global Variables		<p>Number of lines: Indicates the number of lines processed. This is available as an After variable.</p> <p>Returns an integer.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main.</p> <p>Trigger: Run if; On Component Ok; On Component Error</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Reject.</p>

		For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .
Limitation	n/a	

Scenario: Iterate on files and merge the content

The following Job iterates on a list of files then merges their content and displays the final 2-column content on the console.




Dropping and linking the components


1. Drop the following components onto the design workspace: **tFileList**, **tFileInputDelimited**, **tUnite** and **tLogRow**.
2. Connect the **tFileList** to the **tFileInputDelimited** using an **Iterate** connection and connect the other component using a **row main** link.

Configuring the components


1. In the **tFileList Basic settings** view, browse to the directory, where the files to merge are stored.



The files are pretty basic and contain a list of countries and their respective score.



- In the **Case Sensitive** field, select **Yes** to consider the letter case.
- Select the **tFileInputDelimited** component, and display this component's **Basic settings** view.



- Fill in the **File Name/Stream** field by using the **Ctrl+Space bar** combination to access the variable completion list, and selecting `tFileList.CURRENT_FILEPATH` from the global variable list to process all files from the directory defined in the **tFileList**.
- Click the **Edit Schema** button and set manually the 2-column schema to reflect the input files' content.

Column	Key	Type	<input checked="" type="checkbox"/> Nullable	Date...	Len...	Pre...	De...	Comment
Country	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>					
Points	<input type="checkbox"/>	Integer	<input checked="" type="checkbox"/>					

For this example, the 2 columns are *Country* and *Points*. They are both **nullable**. The *Country* column is of **String** type and the *Points* column is of **Integer** type.

- Click **OK** to validate the setting and accept to propagate the schema throughout the Job.
- Then select the **tUnite** component and display the **Component** view. Notice that the output schema strictly reflects the input schema and is read-only.
- In the **Basic settings** view of **tLogRow**, select the **Table** option to display properly the output values.

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6**, or click **Run** on the **Run** console to execute the Job.

The console shows the data from the various files, merged into one single table.

```
Starting job fetch at 16:11 08/03/2010.

+-----+
| tLogRow_1 |
+-----+
| Country | Points |
+-----+
| france  | 12     |
| usa     | 10     |
| france  | 14     |
| uk      | 13     |
| usa     | 9      |
| france  | 5      |
| france  | 16     |
| uk      | 13     |
+-----+

Job fetch ended at 16:11 08/03/2010. [exit code=0]
```


tWaitForFile



tWaitForFile properties


Component family	Orchestration	
Function	tWaitForFile component iterates on a given folder for file insertion or deletion then triggers a subjob to be executed when the condition is met.	
Purpose	This component allows a subjob to be triggered given a condition linked to file presence or removal.	
Basic settings	<i>Time (in seconds) between iterations</i>	Set the time interval in seconds between each check for the file.
	<i>Max. number of iterations (infinite loop if empty)</i>	Number of checks for file before the jobs times out.
	<i>Directory to scan</i>	Name of the folder to be checked for insert or removal
	<i>File mask</i>	Mask of the file to be searched for insertion or removal.
	<i>Include subdirectories</i>	Select this check box to include the sub-folders.
	<i>Case sensitive</i>	Select this check box to activate case sensitivity.
	<i>Include present file</i>	Select this check box to include the file in use.
	<i>Trigger action when</i>	Select the condition to be met for the action to be carried out: A file is created A file is deleted A file is updated A file is created or updated or deleted.
	<i>Then</i>	Select the action to be carried out: either stop the iterations when the condition is met (exit loop) or continue the loop until the end of the max iteration number (continue loop).
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository. .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and Job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced Settings	<i>Wait for file to be released</i>	Select this check box so that the subjob only triggers after the file insertion/update/removal operation is complete. In case the operation is incomplete, the subjob will not trigger.

Usage	This component plays the role of the start (or trigger) component of the subjob which gets executed under the condition described. Therefore this component requires a subjob to be connected to via an Iterate link.
Global Variables	<p>Current iteration: Indicates the number of the current iteration. This is available as a Flow variable.</p> <p>Returns an integer.</p> <p>Present File: Indicates the name of the current file in the iteration which activated the trigger. This is available as a Flow variable.</p> <p>Returns a string.</p> <p>Deleted File: Indicates the path and name of the deleted file, which activated the trigger. This is available as a Flow variable</p> <p>Returns a string.</p> <p>Created File Name: Indicates the name and path to a newly created file which activated the trigger. This is available as a Flow variable.</p> <p>Returns a string.</p> <p>Updated File: Indicates the name and path to a file which has been updated, thereby activating the trigger. This is available as a Flow variable.</p> <p>Returns a string.</p> <p>File Name: Indicates the name of a file which has been created, deleted or updated, thereby activating the trigger. This is available as a Flow variable.</p> <p>Returns a string.</p> <p>Not Updated File Name: Indicates the names of files which have not been updated, thereby activating the trigger. This is available as a Flow variable.</p> <p>Returns a string.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data</i> User Guide.</p>
Connections	<p>Outgoing links (from one component to another):</p> <p>Row: Main; Iterate.</p> <p>Trigger: On Subjob Ok; Run if; On Component Ok; On Component Error</p>


		<p>Incoming links (from one component to another):</p> <p>Row: Iterate.</p> <p>Trigger: On Subjob Ok; Run if; On Component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	

Scenario: Waiting for a file to be removed

This scenario describes a Job scanning a directory and waiting for a file to be removed from this directory, in order for a subjob to be executed. When the condition of file removal is met, then the subjob simply displays a message box showing the file being removed.



- This use case only requires two components from the **Palette**: **tWaitForFile** and **tMsgbox**
- Click and place these components on the design workspace and connect them using an **Iterate** link to implement the loop.
- Then select the **tWaitForFile** component, and on the **Basic Settings** view of the **Component** tab, set the condition and loop properties:




- In the **Time (in seconds) between iteration** field, set the time in seconds you want to wait before the next iteration starts. In this example, the directory will be scanned every 5 seconds.
- In the **Max. number of iterations (infinite loop if empty)** field, fill out the number of iterations max you want to have before the whole Job is forced to end. In this example, the directory will be scanned a maximum of 5 times.
- In the **Directory to scan** field, type in the path to the folder to scan.
- In the **Trigger action when** field, select the condition to be met, for the subjob to be triggered. In this use case, the condition is a file is deleted (or moved) from the directory.

- In the **Then** field, select the action to be carried out when the condition is met before the number of iteration defined is reached. In this use case, as soon as the condition is met, the loop should be ended.
- Then set the subjob to be executed when the condition set is met. In this use case, the subjob simply displays a message box.
- Select the **tMsgBox** component, and on the **Basic Setting** view of the **Component** tab, set the message to be displayed.
- Fill out the **Title** and **Message** fields.
- Select the type of **Buttons** and the **Icon**
- In the **Message** field, you can write any type of message you want to display and use global variables available in the auto-completion list via **Ctrl+Space** combination.
- The message is:

```
"Deleted file: "+((String)globalMap.get("tWaitForFile_1_DELETED_FILE"))+"
on iteration
Nr: "+((Integer)globalMap.get("tWaitForFile_1_CURRENT_ITERATION"))
```

Title	<input type="text" value="Your message title"/>
Buttons	<input type="button" value="OK"/>
Icon	<input type="button" value="Icon Information"/>
Message	<pre>"Deleted file: "+((String)globalMap.get("tWaitForFile_1_DELETED_FILE"))+" on iteration Nr: "+((Integer)globalMap.get("tWaitForFile_1_CURRENT_ITER ATION"))</pre>

Then execute the Job via the **F6** key. While the loop is executing, remove a file from the location defined. The message pops up and shows the defined message.



tWaitForSocket



tWaitForSocket properties

Component Family	Orchestration	
Function	tWaitForSocket component makes a loop on a defined port, to look for data, and triggers a subjob when the condition is met.	
Purpose	This component triggers a Job based on a defined condition.	
Basic settings	<i>Port</i>	DB server listening port.
	<i>End of line separator</i>	Enter the end of line separator to be used..
	<i>Then</i>	Select the action to be carried out: keep on listening or close socket
	<i>Print client/server data</i>	Select this check box to display the client or server data.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect the log data at a component level.
Usage	This is an input, trigger component for the subjob executed depending on the condition set. Hence, it needs to be connected to a subjob via an Iterate link.	
Global Variables		Client input data: Returns the data transmitted by the client. This is available as a Flow variable. Returns a string. For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i> .
Connections		Outgoing links (from one component to another): Row: Iterate. Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error. Incoming links (from one component to another): Row: Iterate. Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error; Synchronize; Parallelize. For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .

Related scenario

Limitation	n/a
-------------------	-----


Related scenario

No scenario is available for this component yet.

tWaitForSqlData



tWaitForSqlData properties

Component family	Orchestration	
Function	tWaitForSqlData component iterates on a given connection for insertion or deletion of rows and triggers a subjob to be executed when the condition is met.	
Purpose	This component allows a subjob to be triggered given a condition linked to sql data presence.	
Basic settings	<i>Wait at each iteration (in seconds)</i>	Set the time interval in seconds between each check for the sql data.
	<i>Max. iterations (infinite if empty)</i>	Number of checks for sql data before the Jobs times out.
	<i>Use an existing connection/Component List</i>	<p>A connection needs to be open to allow the loop to check for sql data on the defined DB.</p> <p> When a Job contains the parent Job and the child Job, Component list presents only the connection components in the same Job level, so if you need to use an existing connection from the other level, you can</p> <p>From the available database connection component in the level where the current component is, select the Use or register a shared DB connection check box. For more information about this check box, see Databases - traditional components, Databases - appliance/datawarehouse components, or Databases - other components for the connection components according to the database you are using.</p> <p>Otherwise, still in the level of the current component, deactivate the connection components and use Dynamic settings of the component to specify the intended connection manually. In this case, make sure the connection name is unique and distinctive all over through the two Job levels. For more information about Dynamic settings, see your studio user guide.</p>
	<i>Table to scan</i>	Name of the table to be checked for insert or deletion
	<i>Trigger action when rowcount is</i>	<p>Select the condition to be met for the action to be carried out:</p> <p>Equal to Not Equal to Greater than Lower than Greater or equal to Lower or equal to</p>
	<i>Value</i>	Define the value to take into account.

	<i>Then</i>	Select the action to be carried out: either stop the iterations when the condition is met (exit loop) or continue the loop until the end of the max iteration number (continue loop).
Usage	Although this component requires a Connection component to open the DB access, it plays also the role of the start (or trigger) component of the subjob which gets executed under the condition described. Therefore this component requires a subjob to be connected to via an Iterate link.	
Global Variables		<p>Current iteration: Returns the number of the current iteration. This is available as a Flow variable.</p> <p>Returns an integer.</p> <p>Row count: Indicates the number of records detected in the table. This is available as a Flow variable.</p> <p>Returns an integer.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	

Scenario: Waiting for insertion of rows in a table

This scenario describes a Job reading a DB table and waiting for data to be put in this table in order for a subjob to be executed. When the condition of the data insertion in the table is met, then the subjob performs a Select* on the table and simply displays the content of the inserted data onto the standard console.



- Drop the following components from the **Palette** onto the design workspace: **tMySQLConnection**, **tWaitForSqlData**, **tMySQLInput**, **tLogRow**.
- Connect the **tMySQLConnection** component to the **tWaitforSqlData** using an **OnSubjobOK** link, available on the right-click menu.
- Then connect the **tWaitForSqlData** component to the subjob using an **Iterate** link as no actual data is transferred in this part. Indeed, simply a loop is implemented by the **tWaitForSqlData** until the condition is met.
- On the subjob to be executed if the condition is met, a **tMySQLInput** is connected to the standard console component, **tLogRow**. As the connection passes on data, use a Row main link.
- Now, set the connection to the table to check at regular intervals. On the **Basic Settings** view of the **tMySQLConnection Component** tab, set the DB connection properties.

Property Type	Built-In
Host	'localhost'
Port	'3306'
Database	'mytalenddb' *
Username	'root' *
Password	" *
Encoding Type	ISO-8859-15

- Fill out the **Host**, **Port**, **Database**, **Username**, **Password** fields to open the connection to the Database table.
- Select the relevant **Encoding** if needed.
- Then select the **tWaitForSqlData** component, and on the **Basic Setting** view of the **Component** tab, set its properties.
- In the **Wait at each iteration** field, set the time in seconds you want to wait before the next iteration starts.

Wait at each iteration (in seconds)	5	*
Max iterations (infinite loop if empty)	5	
<input checked="" type="checkbox"/> Use an existing connection	Component List	tMysqlConnection_1 *
Table to scan	'test_datatypes'	*
Trigger action when rowcount is	Greater or equals to *	Value 1 *
Then	exit loop *	

- In the **Max iterations** field, fill out the number of iterations max you want to have before the whole Job is forced to end.
- The **tWaitForSqlData** component requires a connection to be open in order to loop on the defined number of iteration. Select the relevant connection (if several) in the **Component List** combo box.
- In the **Table to scan** field, type in the name of the table in the DB to scan. In this example: *test_datatypes*.
- In the **Trigger action when rowcount is** and **Value** fields, select the condition to be met, for the subjob to be triggered. In this use case, the number of rows in the scanned table should *be greater or equal to 1*.
- In the **Then** field, select the action to be carried out when the condition is met before the number of iteration defined is reached. In this use case, as soon as the condition is met, the loop should be ended.
- Then set the subjob to be executed when the condition set is met. In this use case, the subjob simply selects the data from the scanned table and displays it on the console.
- Select the **tMySQLInput** component, and on the **Basic Setting** view of the **Component** tab, set the connection to the table.

Property Type: Built-In

Use an existing connection Component List: tMysqlConnection_1

Schema: Repository DB (MYSQL):test - test_datatypes* Edit schema ...

Table Name: 'test_datatypes' ...

Query Type: Built-In Guess Query Guess schema

Query: 'select * from test_datatypes'*

- If the connection is set in the Repository, select the relevant entry on the list. Or alternatively, select the **Use an existing connection** check box and select the relevant connection component on the list.
- In this use case, the schema corresponding to the table structure is stored in the **Repository**.
- Fill out the **Table Name** field with the table the data is extracted from, *Test_datatypes*.
- Then in the **Query** field, type in the Select statement to extract the content from the table.
- No particular setting is required in the **tLogRow** component for this use case.

Then before executing the Job, make sure the table to scan (*test_datatypes*) is empty, in order for the condition (greater or equal to 1) to be met. Then execute the Job by pressing the **F6** key on your keyboard. Before the end of the iterating loop, feed the *test_datatypes* table with one or more rows in order to meet the condition.

	id	log_msg
	2	143.112.32.4 -- [04/Mar/2008:00:00:00 +0100] "GET /c...
	1	143.112.32.4 -- [04/Mar/2008:00:00:00 +0100] "GET /c...

The Job ends when this table insert is detected during the loop, and the table content is thus displayed on the console.

```
Starting job tWaitForSql at 16:55 06/03/2008.
2| 143.112.32.4 -- [04/Mar/2008:00:00:00 +0100] "GET
/components/none HTTP/1.1" 404 354 "-" "Mozilla/4.0 (compatible
1| 143.112.32.4 -- [04/Mar/2008:00:00:00 +0100] "GET
/components/none HTTP/1.1" 404 354 "-" "Mozilla/4.0 (compatible
Job tWaitForSql ended at 16:55 06/03/2008. [exit code=0]
```

Processing components

This chapter details the main components that you can find in **Processing** family of the *Talend Open Studio for Big Data Palette*.

The Processing family gathers together components that help you to perform all types of processing tasks on data flows, including aggregation, mapping, transformation, denormalizing, filtering and so on.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

tAggregateRow




tAggregateRow properties

Component family	Processing	
Function	tAggregateRow receives a flow and aggregates it based on one or more columns. For each output line, are provided the aggregation key and the relevant result of set operations (min, max, sum...).	
Purpose	Helps to provide a set of metrics based on values or calculations.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Group by</i>	Define the aggregation sets, the values of which will be used for calculations.
		<p>Output Column: Select the column label in the list offered based on the schema structure you defined. You can add as many output columns as you wish to make more precise aggregations.</p> <p>Ex: Select Country to calculate an average of values for each country of a list or select Country and Region if you want to compare one country's regions with another country' regions.</p>
		Input Column: Match the input column label with your output columns, in case the output label of the aggregation set needs to be different.
	<i>Operations</i>	Select the type of operation along with the value to use for the calculation and the output field.
		Output Column: Select the destination field in the list.
		Function: Select the operator among: count, min, max, avg, sum, first, last, list, list(objects), count(distinct), standard deviation.
		Input column: Select the input column from which the values are taken to be aggregated.
		Ignore null values: Select the check boxes corresponding to the names of the columns for which you want the NULL value to be ignored.
Advanced settings	<i>Delimiter(only for list operation)</i>	Enter the delimiter you want to use to separate the different operations.

	<i>Use financial precision, this is the max precision for “sum” and “avg” operations, checked option heaps more memory and slower than unchecked.</i>	Select this check box to use a financial precision. This is a max precision but consumes more memory and slows the processing. ⚠ <i>We advise you to use the BigDecimal type for the output in order to obtain precise results.</i>
	<i>Check type overflow (slower)</i>	Checks the type of data to ensure that the Job doesn't crash.
	<i>Check ULP (Unit in the Last Place), ensure that a value will be incremented or decremented correctly, only float and double types. (slower)</i>	Select this check box to ensure the most precise results possible for the Float and Double types.
	<i>tStatCatcher Statistics</i>	Check this box to collect the log data at component level.
Usage	This component handles flow of data therefore it requires input and output, hence is defined as an intermediary step. Usually the use of tAggregateRow is combined with the tSortRow component	
Limitation	n/a	


Scenario 1: Aggregating values and sorting data

The following scenario describes a four-component Job. As input component, a CSV file contains countries and notation values to be sorted by best average value. This component is connected to a **tAggregateRow** operator, in charge of the average calculation then to a **tSortRow** component for the ascending sort. The output flow goes to the new csv file.




- From the **File** folder in the **Palette**, drop a **tFileInputDelimited** component to the design workspace.
- Click the label and rename it as *Countries*. Or rename it from the **View** tab panel
- In the **Basic settings** tab panel of this component, define the filepath and the delimitation criteria. Or select the metadata file in the repository if it exists.
- Click **Edit schema...** and set the columns: *Countries* and *Points* to match the file structure. If your file description is stored in the Metadata area of the Repository, the schema is automatically uploaded when you click **Repository** in **Schema type** field.
- Then from the **Processing** folder in the **Palette**, drop a **tAggregateRow** component to the design workspace. Rename it as *Calculation*.
- Connect *Countries* to *Calculation* via a right-click and select **Row > Main**.


- Double-click *Calculation* (**tAggregateRow** component) to set the properties. Click **Edit schema** and define the output schema. You can add as many columns as you need to hold the set operations results in the output flow.




- In this example, we'll calculate the average notation value per country and we will display the max and the min notation for each country, given that each country holds several notations. Click **OK** when the schema is complete.
- To carry out the various set operations, back in the **Basic settings** panel, define the sets holding the operations in the **Group By** area. In this example, select **Country** as group by column. Note that the output column needs to be defined a key field in the schema. The first column mentioned as output column in the **Group By** table is the main set of calculation. All other output sets will be secondary by order of display.
- Select the input column which the values will be taken from.
- Then fill in the various operations to be carried out. The functions are *average*, *min*, *max* for this use case. Select the input columns, where the values are taken from and select the check boxes in the **Ignore null values** list as needed.



- Drop a **tSortRow** component from the **Palette** onto the design workspace. For more information regarding this component, see [the section called “tSortRow properties”](#).
- Connect the **tAggregateRow** to this new component using a row main link.
- On the **Component** view of the **tSortRow** component, define the column the sorting is based on, the sorting type and order.




- In this case, the column to be sorted by is *Country*, the sort type is alphabetical and the order is ascending.
- Drop a **tFileOutputDelimited** from the **Palette** to the design workspace and define it to set the output flow.
- Connect the **tSortRow** component to this output component.
- In the **Component** view, enter the output filepath. Edit the schema if need be. In this case the delimited file is of csv type. And select the **Include Header** check box to reuse the schema column labels in your output flow.
- Press **F6** to execute the Job. The csv file thus created contains the aggregating result.



tAggregateSortedRow



tAggregateSortedRow properties

Component family	Processing	
Function	tAggregateSortedRow receives a sorted flow and aggregates it based on one or more columns. For each output line, are provided the aggregation key and the relevant result of set operations (min, max, sum...).	
Purpose	Helps to provide a set of metrics based on values or calculations. As the input flow is meant to be sorted already, the performance are hence greatly optimized.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema.</p> <p>Click Sync columns to retrieve the schema from the previous component connected in the Job.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Input rows count</i>	<p>Specify the number of rows that are sent to the tAggregateSortedRow component.</p> <p> If you specified a Limit for the number of rows to be processed in the input component, you will have to use that same limit in the Input rows count field.</p>
	<i>Group by</i>	Define the aggregation sets, the values of which will be used for calculations.
		<p>Output Column: Select the column label in the list offered based on the schema structure you defined. You can add as many output columns as you wish to make more precise aggregations.</p> <p>Ex: Select Country to calculate an average of values for each country of a list or select Country and Region if you want to compare one country's regions with another country' regions.</p>
		Input Column: Match the input column label with your output columns, in case the output label of the aggregation set needs to be different.
	<i>Operations</i>	Select the type of operation along with the value to use for the calculation and the output field.
		Output Column: Select the destination field in the list.
		Function: Select the operator among: count, min, max, avg, first, last.

		Input column: Select the input column from which the values are taken to be aggregated.
		Ignore null values: Select the check boxes corresponding to the names of the columns for which you want the NULL value to be ignored.
Usage	This component handles flow of data therefore it requires input and output, hence is defined as an intermediary step.	
Limitation	n/a	

Related scenario

For related use case, see [the section called “Scenario 1: Aggregating values and sorting data”](#).

tConvertType



tConvertType properties

Component family	Processing	
Function	tConvertType allows specific conversions at run time from one Talend java type to another.	
Purpose	Helps to automatically convert one Talend java type to another and thus avoid compiling errors.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit Schema to make changes to the schema.
		Built-in: You create and store the schema locally for only the current component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Auto Cast</i>	This check box is selected by default. It performs an automatic java type conversion.
	<i>Manual Cast</i>	This mode is not visible if the Auto Cast check box is selected. It allows you to precise manually the columns where a java type conversion is needed.
	<i>Set empty values to Null before converting</i>	This check box is selected to set the empty values of String or Object type to null for the input data.
	<i>Die on error</i>	This check box is selected to kill the Job when an error occurs.
Usage	This component cannot be used as a start component as it requires an input flow to operate.	
Limitation	n/a	

Scenario: Converting java types

This Java scenario describes a four-component Job where the **tConvertType** component is used to convert Java types in three columns, and a **tMap** is used to adapt the schema and have as an output the first of the three columns and the sum of the two others after conversion.



In this scenario, the input schemas for the input delimited file are stored in the repository, you can simply drag and drop the relevant file node from **Repository - Metadata - File delimited** onto the design workspace to automatically retrieve the **tFileInputDelimited** component's setting. For more information, see *Talend Open Studio for Big Data User Guide*.

Dropping the components


1. Drop the following components from the **Palette** onto the design workspace: **tConvertType**, **tMap**, and **tLogRow**.
2. In the Repository tree view, expand **Metadata** and from **File delimited** drag the relevant node, *JavaTypes* in this scenario, to the design workspace.

The [**Components**] dialog box displays.

3. From the component list, select **tFileInputDelimited** and click **Ok**.

A **tFileInputComponent** called *Java types* displays in the design workspace.

4. Connect the components using **Row > Main** links.




Configuring the components

1. Double-click **tFileInputDelimited** to enter its **Basic settings** view.
2. Set **Property Type** to **Repository** since the file details are stored in the repository. The fields to follow are pre-defined using the fetched data.




For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.

The input file used in this scenario is called *input*. It is a text file that holds string, integer, and float java types.




Fill in all other fields as needed. For more information, see [the section called “tMDMInput properties”](#). In this scenario, the header and the footer are not set and there is no limit for the number of processed rows.


- Click **Edit schema** to describe the data structure of this input file. In this scenario, the schema is made of three columns, *StringtoInteger*, *IntegerField*, and *FloatToInteger*.



- Click **Ok** to close the dialog box.
- Double-click **tConvertType** to enter its **Basic settings** view.



- Set **Schema Type** to **Built in**, and click **Sync columns** to automatically retrieve the columns from the **tFileInputDelimited** component.
- Click **Edit schema** to describe manually the data structure of this processing component.




In this scenario, we want to convert a string type data into an integer type and a float type data into an integer type.


Click **OK** to close the [Schema of tConvertType] dialog box.

- Double-click **tMap** to open the Map editor.

The Map editor displays the input metadata of the **tFileInputDelimited** component



- In the **Schema editor** panel of the Map editor, click the plus button of the output table to add two rows and name them as *StringToInteger* and *Sum*.
- In the Map editor, drag the *StringToInteger* row from the input table to the *StringToInteger* row in the output table.
- In the Map editor, drag each of the *IntegerField* and the *FloatToInteger* rows from the input table to the *Sum* row in the output table and click **OK** to close the Map editor.



12. In the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information, see [the section called “tLogRow”](#).

Executing the Job

1. Press **Ctrl+S** to save the Job.
2. Press **F6** to execute it.

```
Starting job tConvertType at 18:03 19/11/2008.
+-----+-----+
|          |          |
| tLogRow_1 |          |
|-----+-----|
| StringToInteger | sum |
|-----+-----|
| 3           | 579 |
|-----+-----|
Job tConvertType ended at 18:03 19/11/2008. [ex
```

The string type data is converted into an integer type and displayed in the *StringToInteger* column on the console. The float type data is converted into an integer and added to the *IntegerField* value to give the addition result in the *Sum* column on the console.

tDenormalize




tDenormalize Properties


Component family	Processing/Fields	
Function	Denormalizes the input flow based on one column.	
Purpose	tDenormalize helps synthesize the input flow.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . In this component, the schema is read-only.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>To denormalize</i>	In this table, define the parameters used to denormalize your columns. Column: Select the column to denormalize. Delimiter: Type in the separator you want to use to denormalize your data between double quotes. Merge same value: Select this check box to merge identical values.
Advanced settings		
	<i>tStatCatcher Statistics</i>	Select this ccheck box to collect the log data at component level.
Usage	This component can be used as intermediate step in a data flow.	
Limitation	n/a	

Scenario 1: Denormalizing on one column


This scenario illustrates a Job denormalizing one column in a delimited file.




- Drop the following components: **tFileInputDelimited**, **tDenormalize**, **tLogRow** from the **Palette** to the design workspace.
- Connect the components using **Row main** connections.
- On the **tFileInputDelimited Component** view, set the filepath to the file to be denormalized.



- Define the **Header**, **Row Separator** and **Field Separator** parameters.
- The input file schema is made of two columns, *Fathers* and *Children*.



- In the **Basic settings** of **tDenormalize**, define the column that contains multiple values to be grouped.
- In this use case, the column to denormalize is *Children*.



- Set the **Delimiter** to separate the grouped values. Beware as only one column can be denormalized.
- Select the **Merge same value** check box, if you know that some values to be grouped are strictly identical.
- Save your Job and press **F6** to execute it.



```
Starting job tDenormalize at 10:50 09/03/2016.
```

```
Mickael|Océane
Stéphane|Agathe;Clémence
Pierrick|Erwann;Tiphaine
Robert|Manon
Richard|Roméo
Fabrice|Martin
Job tDenormalize ended at 10:50 09/03/2016. [exit code=0]
```


All values from the column *Children* (set as column to denormalize) are grouped by their *Fathers* column. Values are separated by a comma.

Scenario 2: Denormalizing on multiple columns


This scenario illustrates a Job denormalizing two columns from a delimited file.




- Drop the following components: **tFileInputDelimited**, **tDenormalize**, **tLogRow** from the **Palette** to the design workspace.
- Connect all components using a **Row main** connection.
- On the **tFileInputDelimited Basic settings** panel, set the filepath to the file to be denormalized.



- Define the **Row** and **Field separators**, the **Header** and other information if required.
- The file schema is made of four columns including: **Name**, **FirstName**, **HomeTown**, **WorkTown**.



- In the **tDenormalize** component **Basic settings**, select the columns that contain the repetition. These are the column which are meant to occur multiple times in the document. In this use case, *FirstName*, *HomeCity* and *WorkCity* are the columns against which the denormalization is performed.
- Add as many line to the table as you need using the plus button. Then select the relevant columns in the drop-down list.



- In the **Delimiter** column, define the separator between double quotes, to split concatenated values. For *FirstName* column, type in “#”, for *HomeCity*, type in “\$”, and for *WorkCity*, type in “x”.
- Save your Job and press **F6** to execute it.

```
Starting job tDenormalize2 at 12:03 09/03/2010.
Moore|Demi#Demi|New York$Rio de Janeiro|Paris^Los Angeles
Joli|Angelina#Angelina#Angelina|Berlin$Berlin$Los
Angeles|Berlin^Los Angeles^Los Angeles
Pitt|Brad#Brad|Beverly Hills$Paris|Los Angeles^London
Willis|Bruce#Bruce#Bruce#Bruce|Paris$Paris$Madrid$Roma|Los
Angeles^Madrid^Madrid^Dublin
Job tDenormalize2 ended at 12:03 09/03/2010. [exit code=0]
```

- The result shows the denormalized values concatenated using a comma.
- Back to the **tDenormalize** components **Basic settings**, in the To denormalize table, select the **Merge same value** check box to remove the duplicate occurrences.
- Save your Job again and press **F6** to execute it.

```
Starting job tDenormalize2 at 13:44 09/03/2010.
Moore|Demi|New York$Rio de Janeiro|Paris^Los Angeles
Joli|Angelina|Berlin$Los Angeles|Berlin^Los Angeles
Pitt|Brad|Beverly Hills$Paris|Los Angeles^London
Willis|Bruce|Paris$Madrid$Roma|Los Angeles^Madrid^Dublin
Job tDenormalize2 ended at 13:44 09/03/2010. [exit code=0]
```

This time, the console shows the results with no duplicate instances.

tDenormalizeSortedRow




tDenormalizeSortedRow properties

Component family	Processing/Fields	
Function	tDenormalizeSortedRow combines in a group all input sorted rows. Distinct values of the denormalized sorted row are joined with item separators.	
Purpose	tDenormalizeSortedRow helps synthesizing sorted input flow to save memory.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in. Click Sync columns to retrieve the schema from the previous component in the Job.
		Built-in: You create the schema and store it locally for the relevant component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Input rows count</i>	Enter the number of input rows.
	<i>To denormalize</i>	Enter the name of the column to denormalize.
Usage	This component handles flows of data therefore it requires input and output components.	
Limitation	n/a	


Scenario: Regrouping sorted rows

This Java scenario describes a four-component Job. It aims at reading a given delimited file row by row, sorting input data by sort type and order, denormalizing all input sorted rows and displaying the output on the **Run** log console.


- Drop the following components from the **Palette** onto the design workspace: **tFileInputDelimited**, **tSortRow**, **tDenormalizeSortedRow**, and **tLogRow**.
- Connect the four components using **Row Main** links.




- In the design workspace, select **tFileInputDelimited**.
- Click the **Component** tab to define the basic settings for **tFileInputDelimited**.




- Set **Property Type** to **Built-In**.
- Fill in a path to the processed file in the **File Name** field. The *name_list* file used in this example holds two columns, *id* and *first name*.




- If needed, define row and field separators, header and footer, and the number of processed rows.
- Set **Schema** to **Built in** and click the three-dot button next to **Edit Schema** to define the data to pass on to the next component. The schema in this example consists of two columns, *id* and *name*.



- In the design workspace, select **tSortRow**.
- Click the **Component** tab to define the basic settings for **tSortRow**.



- Set the **Schema Type** to **Built-In** and click **Sync columns** to retrieve the schema from the **tFileInputDelimited** component.
- In the **Criteria** panel, use the plus button to add a line and set the sorting parameters for the schema column to be processed. In this example we want to sort the *id* columns in ascending order.
- In the design workspace, select **tDenormalizeSortedRow**.
- Click the **Component** tab to define the basic settings for **tDenormalizeSortedRow**.



- Set the **Schema Type** to **Built-In** and click **Sync columns** to retrieve the schema from the **tSortRow** component.
- In the **Input rows count** field, enter the number of the input rows to be processed or press **Ctrl+Space** to access the context variable list and select the variable: `tFileInputDelimited_1_NB_LINE`.
- In the **To denormalize** panel, use the plus button to add a line and set the parameters to the column to be denormalize. In this example we want to denormalize the *name* column.
- In the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information about **tLogRow**, see [the section called “tLogRow”](#).
- Save your Job and press **F6** to execute it.

```
Starting job denormalize1 at 14:42 01/09/2008.
bufferSize=100000 objects
Sorting buffer...
0 milliseconds for 9 objects to sort in memory. 2147483647
items/s
Writing ordered buffer in file...
16 milliseconds for 9 objects to write in file. 562 items/s
-----+-----
|          tLogRow_1          |
|-----+-----|
| id | name |
|-----+-----|
| 1  | Harrison; Jerry |
| 2  | Ford |
| 3  | James; Goldman |
| 4  | Bill; Ford; Harry; Sue |
|-----+-----|
Job denormalize1 ended at 14:42 01/09/2008. [exit code=0]
```

The result displayed on the console shows how the *name* column was denormalize.

tExternalSortRow



tExternalSortRow properties

Component family	Processing	
Function	Uses an external sort application to sort input data based on one or several columns, by sort type and order	
Purpose	Helps create metrics and classification table.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component connected in the Job.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>File Name</i>	<p>Name of the file to be processed.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
	<i>Field separator</i>	Character, string or regular expression to separate fields.
	<i>External command "sort" path</i>	Enter the path to the external file containing the sorting algorithm to use.
	<i>Criteria</i>	Click the plus button to add as many lines as required for the sort to be complete. By default the first column defined in your schema is selected.
		Schema column: Select the column label from your schema, which the sort will be based on. Note that the order is essential as it determines the sorting priority.
		Sort type: Numerical and Alphabetical order are proposed. More sorting types to come.
		Order: Ascending or descending order.
Advanced settings	<i>Maximum memory</i>	Type in the size of physical memory you want to allocate to sort processing.
	<i>Temporary directory</i>	Specify the temporary directory to process the sorting command.
	<i>Set temporary input file directory</i>	Select the check box to activate the field in which you can specify the directory to handle your temporary input file.

Related scenario

	<i>Add a dummy EOF line</i>	Select this check box when using the tAggregateSortedRow component.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component handles flow of data therefore it requires input and output, hence is defined as an intermediary step.	
Limitation	n/a	


Related scenario

For related use case, see [the section called “tSortRow”](#).

tExtractDelimitedFields



tExtractDelimitedFields properties


Component family	Processing/Fields	
Function	tExtractDelimitedFields generates multiple columns from a given column in a delimited file.	
Purpose	tExtractDelimitedFields helps to extract 'fields' from within a string to write them elsewhere for example.	
Basic settings	<i>Field to split</i>	Select an incoming field from the Field to split list to split.
	<i>Field separator</i>	Set field separator.  Since this component uses regex to split a field and the regex syntax uses special characters as operators, make sure to precede the regex operator you use as a field separator by a double backslash. For example, you have to use "\\ " instead of " ".
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a Row > Reject link.
	<i>Schema type and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in. Click Sync columns to retrieve the schema from the previous component connected to tExtractDelimitedFields .
		Built-in: You create the schema and store it locally for the component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>Advanced separator (for number)</i>	Select this check box to modify the separators used for numbers.
	<i>Trim column</i>	Select this check box to remove leading and trailing whitespace from all columns.
	<i>Check each row structure against schema</i>	Select this check box to synchronize every row against the input schema.
	<i>Validate date</i>	Select this check box to check the date format strictly against the input schema.

	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	This component handles flow of data therefore it requires input and output components. It allows you to extract data from a delimited field, using a Row > Main link, and enables you to create a reject flow filtering data which type does not match the defined type.	
Limitation	n/a	

Scenario: Extracting fields from a comma-delimited file

This scenario describes a three-component Job where the **tExtractDelimitedFields** component is used to extract two columns from a comma-delimited file.

- Drop the following components from the **Palette** onto the design workspace: **tFileInputDelimited**, **tExtractDelimitedFields**, and **tLogRow**.
- Via a right-click each of the three components, connect them using **Row Main** links.



- In the design workspace, select **tFileInputDelimited**.
- Click the **Component** tab to define the basic settings for **tFileInputDelimited**.
- In the **Basic settings** view, set **Property Type** to **Built-In**.
- Click the three-dot [...] button next to the **File Name** field to select the path to the input file.



The **File Name** field is mandatory.


The input file used in this scenario is called *test5*. It is a text file that holds comma-delimited data.

```


Fichier  Edition  Format  Affichage  ?
|-----|-----|-----|-----|
|firstnme,lastname;number
Janet,Anderson;19988
Martin,Chairman;9889
Lily,Massy;9988

```


- In the **Basic settings** view, fill in all other fields as needed. For more information, see [the section called “tMDMInput properties”](#). In this scenario, the header and the footer are not set and there is no limit for the number of processed rows
- Click **Edit schema** to describe the data structure of this input file. In this scenario, the schema is made of one column, *name*.



- In the design workspace, select **tExtractDelimitedFields**.
- Click the **Component** tab to define the basic settings for **tExtractDelimitedFields**.



- From the **Field to split** list, select the column to split, *name* in this scenario.
- In the **Field separator** field, enter the corresponding separator.
- Click **Edit schema** to describe the data structure of this processing component.
- In the output panel of the **[Schema of tExtractDelimitedFields]** dialog box, click the plus button to add two columns for the output schema, *firstname* and *lastname*.



In this scenario, we want to split the *name* column into two columns in the output flow, *firstname* and *lastname*.

- Click **OK** to close the [Schema of tExtractDelimitedFields] dialog box.
- In the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information, see [the section called “tLogRow”](#).
- Save your Job and press **F6** to execute it.


```
Starting job extract_delimited at 16:39 25/08/2008.
-----+-----
| tLogRow_1 |
|-----+-----|
| firstname | lastname |
|-----+-----|
| Janet     | Anderson |
| Martin    | Chairman |
| Lily      | Massy    |
|-----+-----|
Job extract_delimited ended at 16:39 25/08/2008. [exit]
```



First names and last names are extracted and displayed in the corresponding defined columns on the console.

tExtractEBCDICFields



tExtractEBCDICFields properties

Component family	Processing/Fields	
Function	tExtractEBCDICFields generates multiple columns from a given column using regex matching.	
Purpose	tExtractEBCDICFields allows you to use regular expressions to extract data from a formatted string.	
Basic settings	<i>Field</i>	Select an incoming field from the Field list to extract.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a Row > Reject connection.
	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: Select this option to edit the Built-in schema for the data to be processed.
	<i>Edit schema</i>	Click [...] to edit the Built-in or Repository schema for the data to be processed.
	<i>Sync columns</i>	Click this button to retrieve the schema defined in the input component.  This button is available only when an input component is connected to this component via a Row > Main connection.
Advanced settings	<i>Encoding</i>	Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Trim all column</i>	Select this check box to remove leading and trailing whitespaces from defined columns.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
	<i>Enable parallel execution</i>	Select this check box to perform high-speed data processing, by treating multiple data flows simultaneously. In the Number of parallel executions field, either: - Enter the number of parallel executions desired. - Press Ctrl + Space and select the appropriate context variable from the list. For further information, see <i>Talend Open Studio for Big Data User Guide</i> .

	<p> <i>The Number of parallel executions field is not available with the parallelization function. Therefore, you must use a tCreateTable component if you want to create a table.</i></p> <p> <i>When parallel execution is enabled, it is not possible to use global variables to retrieve return values in a SubJob.</i></p>
Usage	This component handles flow of data therefore it requires input and output components. It allows you to extract data from a delimited field, using a Row > Main link, and enables you to create a reject flow filtering data which type does not match the defined type.
Limitation	n/a

Related scenario

For a related scenario, see [the section called “Scenario: Extracting name, domain and TLD from e-mail addresses”](#).

tExtractPositionalFields



tExtractPositionalFields properties

Component family	Processing/Fields	
Function	tExtractPositionalFields generates multiple columns from one column using positional fields.	
Purpose	tExtractPositionalFields allows you to use a positional pattern to extract data from a formatted string.	
Basic settings	<i>Field</i>	Select an incoming field from the Field list to extract.
	<i>Customize</i>	Select this check box to customize the data format of the positional file and define the table columns: Column: Select the column you want to customize. Size: Enter the column size. Padding char: Type in between inverted commas the padding character used, in order for it to be removed from the field. A space by default. Alignment: Select the appropriate alignment parameter.
	<i>Pattern</i>	Enter the pattern to use as basis for the extraction. A pattern is length values separated by commas, interpreted as a string between quotes. Make sure the values entered in this fields are consistent with the schema defined.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a Row > Reject link.
	<i>Schema type and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in. Click Sync columns to retrieve the schema from the previous component connected to tPositionalFields .
		Built-in: You create the schema and store it locally for the component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>Advanced separator (for number)</i>	Select this check box to modify the separators used for numbers.

Related scenario

	<i>Trim Column</i>	Select this check box to remove leading and trailing whitespace from all columns.
	<i>Check each row structure against schema</i>	Select this check box to synchronize every row against the input schema.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	This component handles flow of data therefore it requires input and output components. It allows you to extract data from a delimited field, using a Row > Main link, and enables you to create a reject flow filtering data which type does not match the defined type.	
Limitation	n/a	

Related scenario

For a related scenario, see [the section called “Scenario: Extracting name, domain and TLD from e-mail addresses”](#).

tExtractRegexFields




tExtractRegexFields properties

Component family	Processing/Fields	
Function	tExtractRegexFields generates multiple columns from a given column using regex matching.	
Purpose	tExtractRegexFields allows you to use regular expressions to extract data from a formatted string.	
Basic settings	<i>Field to split</i>	Select an incoming field from the Field to split list to split.
	<i>Regex</i>	Enter a regular expression according to the programming language you are using.
	<i>Schema type and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema.</p> <p>Click Sync columns to retrieve the schema from the previous component connected to tExtractRegexFields.</p>
		Built-in: You create and store the schema locally for the component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a Row > Reject link.
	<i>Check each row structure against schema</i>	Select this check box to synchronize every row against the input schema.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	This component handles flow of data therefore it requires input and output components. It allows you to extract data from a delimited field, using a Row > Main link, and enables you to create a reject flow filtering data which type does not match the defined type.	
Limitation	n/a	

Scenario: Extracting name, domain and TLD from e-mail addresses

This Java scenario describes a three-component Job where **tExtractRegexFields** is used to specify a regular expression that corresponds to one column in the input data, *email*. The **tExtractRegexFields** component is used to perform the actual regular expression matching. This regular expression includes field identifiers for user name, domain name and Top-Level Domain name portions in each e-mail address. If the given e-mail address is valid, the name, domain and TLD are extracted and displayed on the console in three separate columns. Data in the other two input columns, *id* and *age* is extracted and routed to destination as well.


- Drop the following components from the **Palette** onto the design workspace: **tFileInputDelimited**, **tExtractRegexFields**, and **tLogRow**.
- Connect the three components using **Row Main** links.



- In the design workspace, select **tFileInputDelimited**.
- Click the **Component** tab to define the basic settings for **tFileInputDelimited**.
- In the **Basic settings** view, set **Property Type** to **Built-In**.
- Click the three-dot [...] button next to the **File Name** field to select the path to the input file.




The **File Name** field is mandatory.




The input file used in this scenario is called *test4*. It is a text file that holds three columns: *id*, *email*, and *age*.

- Fill in all other fields as needed. For more information, see [the section called “tMDMInput properties”](#). In this scenario, the header and the footer are not set and there is no limit for the number of processed rows
- Click **Edit schema** to describe the data structure of this input file. In this scenario, the schema is made of the three columns, *id*, *email* and *age*.
- In the design workspace, select **tExtractRegexFields**.
- Click the **Component** tab to define the basic settings for **tExtractRegexFields**.

- From the **Field to split** list, select the column to split, *email* in this scenario.
- In the **Regex** panel, enter the regular expression you want to use to perform data matching, java regular expression in this scenario.



- Click **Edit schema** to describe the data structure of this processing component.
- In the output panel of the [**Schema of tExtractRegexFields**] dialog box, click the plus button to add five columns for the output schema.



In this scenario, we want to split the input *email* column into three columns in the output flow, *name*, *domain*, and *tld*. The two other input columns will be extracted as they are.

- Click **OK** to close the [**Schema of tExtractRegexFields**] dialog box.
- In the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information, see [the section called “tLogRow”](#).
- Save your Job and press **F6** to execute it.

```
Starting job extract_regex_mine at 10:46 29/08/2008.
-----
|      tLogRow_1      |
|-----|-----|-----|-----|
| id | name | domain | tld | age |
|-----|-----|-----|-----|
| 1  | name | domain | com | 24  |
| 2  | name | domain | net | 31  |
| 3  | name | domain | org | 13  |
|-----|-----|-----|-----|
Job extract_regex_mine ended at 10:46 29/08/2008. [exit code=0]
```

The **tExtractRegexFields** component matches all given e-mail addresses with the defined regular expression and extracts the name, domain, and TLD names and displays them on the console in three separate columns. The two other columns, *id* and *age*, are extracted as they are.

tExtractXMLField



tExtractXMLField belongs to two component families: Processing and XML. For more information on tExtractXMLField, see [the section called “tExtractXMLField”](#).

tFilterColumns



tFilterColumns Properties

Component family	Processing	
Function	Makes specified changes to the schema defined, based on column name mapping.	
Purpose	Helps homogenize schemas either on the columns order or by removing unwanted columns or adding new columns.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema.</p> <p>Click Sync columns to retrieve the schema from the previous component in the Job.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
Usage	This component is not startable (green background) and it requires an output component.	


Related Scenario

For more information regarding the **tFilterColumns** component in use, see [the section called “Scenario: multiple replacements and column filtering”](#).

tFilterRow




tFilterRow Properties

Component family	Processing	
Function	tFilterRow filters input rows by setting conditions on the selected columns.	
Purpose	tFilterRow helps parametrizing filters on the source data.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p> <i>The schema is read-only.</i></p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Logical operator used to combine conditions</i>	In the case you want to combine simple filtering and advanced mode, select the operator to combine both modes.
	<i>Conditions</i>	<p>Click the plus button to add as many conditions as needed. The conditions are performed one after the other for each row.</p> <p>Input column: Select the column of the schema the function is to be operated on</p> <p>Function: Select the function on the list</p> <p>Operator: Select the operator to bind the input column with the value</p> <p>Value: Type in the filtered value, between quotes if need be.</p>
	<i>Use advanced mode</i>	Select this check box when the operation you want to perform cannot be carried out through the standard functions offered. In the text field, type in the regular expression as required.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component is not startable (green background) and it requires an output component.	

Scenario: Filtering and searching a list of names

The following scenario is a Java Job that uses a simple condition and a regular expression to filter a list of records. This scenario will output two tables: the first will list all Italian records where first names are shorter than six

characters; the second will list all rejected records. An error message for each rejected record will display in the same table to explain why such a record has been rejected.



- Drop **tFixedFlowInput**, **tFilterRow** and **tLogRow** from the **Palette** onto the design workspace.
- Connect the **tFixedFlowInput** to the **tFilterRow**, using a **Row > Main** link. Then, connect the **tFilterRow** to the **tLogRow**, using a **Row > Filter** link.
- Drop **tLogRow** from the **Palette** onto the design workspace and rename it as *reject*. Then, connect the **tFilterRow** to the *reject*, using a **Row > Reject** link.
- Double-click **tFixedFlowInput** to display its **Basic settings** view and define its properties.
- Select the **Use Inline Content(delimited file)** option in the **Mode** area to define the input mode.

Schema Built-In Edit schema

Number of rows

Mode

Use Single Table

Use Inline Table

Use Inline Content(delimited file)

Row Separator * Field Separator *

Content *

- Set the row and field separators in the corresponding fields. The row separator is a carriage return and the field separator is a semi-colon.
- From the **Schema** list, select **Built-in**. The properties and schema are **Built-in** for this Job. This means, the schema is not stored in the **Repository**.
- Click the three-dot button next to **Edit schema** to define the schema for the input file. In this example, the schema is made of the following four columns: *firstname*, *gender*, *language* and *frequency*. In the **Type** column, select **String** for the first three rows and select **Integer** for frequency.

Column	Key	Type	<input checked="" type="checkbox"/>	N..	Date Patt...	Length	Pre...	D...	Co...
firstname	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						
gender	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						
language	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						
frequency	<input type="checkbox"/>	Integer	<input checked="" type="checkbox"/>						

- Click **OK** to validate and close the editor. A dialog box opens and asks you if you want to propagate the schema. Click **Yes**.
- Type in content in the Content multiline textframe according to the setting in the schema.
- Double-click **tFilterRow** to display its **Basic settings** view and define its properties.

Schema Built-In Edit schema Sync columns

Logical operator used to combine conditions And*


Conditions

InputColumn	Function	Operator	Value
firstname	Length	Lower than	6

Use advanced mode

Advanced

```
// code sample : use input_row to define the condition.
// input_row.columnName1.equals("foo") |||
(input_row.columnName2.equals("bar"))
// replace the following expression by your own filter
condition
input_row.language.equals("italian")
```

- In the **Conditions** table, fill in the filtering parameters based on the *firstname* column.
- In **InputColumn**, select *firstname*, in **Function**, select **Length**, in **Operator**, select **Lower than**.
- In the **Value** column, type in *6* to filter only first names of which length is lower than six characters.
-  In the **Value** column, you must type in your values between double quotes for all data types, except for the **Integer** type, which does not need quotes.
- Then to implement the search on names whose language is italian, select the **Use advanced mode** check box and type in the following regular expression that includes the name of the column to be searched: `input_row.language.equals("italian")`
- To combine both conditions (simple and advanced), select **And** as logical operator for this example.
- In the **Basic settings** of **tLogRow** components, select **Table (print values in cells of a table)** in the **Mode** area.
- Save your Job and press **F6** to execute it.

Starting job FilterRow at 18:32 16/12/2010.

```
[statistics] connecting to socket on port 3601
[statistics] connected
```

tLogRow_2			
firstname	gender	language	frequency
romeo	m	italian	29

reject				
firstname	gender	language	frequency	errorMessage
romain	m	french	16	firstname.length()<6 faild advanced condition failed
roman	m	russian_polish_czech	55	advanced condition failed
romano	m	italian41	null	firstname.length()<6 faild advanced condition failed
romolo	m	italian	0	firstname.length()<6 faild
romulus	m	roman mythology	42	firstname.length()<6 faild advanced condition failed

```
[statistics] disconnected
Job FilterRow ended at 18:32 16/12/2010. [exit code=0]
```

Thus, the first table lists records that have Italian names made up of less than six characters and the second table lists all records that do not match the filter condition “rejected record”. Each rejected record has a corresponding error message that explains the reason of rejection.

tJoin



tJoin properties

Component family	Processing	
Function	tJoin joins two tables by doing an exact match on several columns. It compares columns from the main flow with reference columns from the lookup flow and outputs the main flow data and/or the rejected data.	
Purpose	This component helps you ensure the data quality of any source data against a reference data source.	
Basic settings	<i>Schema and Edit schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in . Click Edit schema to make changes to the schema. Note that if you make changes to a remote schema, the schema automatically becomes built-in.
		Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Include lookup columns in output</i>	Select this check box to include the lookup columns you define in the output flow.
<i>Key definition</i>	<i>Input key attribute</i>	Select the column(s) from the main flow that needs to be checked against the reference (lookup) key column.
	<i>Lookup key attribute</i>	Select the lookup key columns that you will use as a reference against which to compare the columns from the input flow.
	<i>Inner join (with reject output)</i>	Select this check box to join the two tables first and gather the rejected data from the main flow.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component is not startable and it requires two input components and one or more output components.	
Limitation/prerequisite	n/a	

Scenario 1: Doing an exact match on two columns and outputting the main and rejected data


This scenario describes a five-component Job aiming at carrying out an exact match between the *firstnameClient* column of an input file against the data of the reference input file, and the *lastnameClient* column against the data of the reference input file. The outputs of this exact match are written in two separate files: exact data are written in an Excel file, and inaccurate data are written in a delimited file.

In this scenario, we have already stored the input schemas of the input and reference files in the Repository. For more information about storing schema metadata in the **Repository** tree view, see *Talend Open Studio for Big Data User Guide*.

Dropping and linking the components

1. In the **Repository** tree view, expand **Metadata** and the file node where you have stored the input schemas and drop the relevant file onto the design workspace.


The **[Components]** dialog box appears.



2. Select **tFileInputDelimited** from the list and click **OK** to close the dialog box.

The **tFileInputDelimited** component displays in the workspace. The input file used in this scenario is called *ClientSample*. It holds four columns including the two columns *firstnameClient* and *lastnameClient* we want to do the exact match on.


3. Do the same for the second input file you want to use as a reference, *ClientSample_Update* in this scenario.
4. Drop the following components from the **Palette** onto the design workspace: **tJoin**, **tFileOutputExcel**, and **tFileOutputDelimited**.




5. Connect the main and reference input files to **tJoin** using **Main** links. The link between the reference input file and **tJoin** appears as a lookup link on the design workspace.
6. Connect **tJoin** to **tFileOutputExcel** using the **Main** link and **tJoin** to **tFileOutputDelimited** using the **Inner join reject** link.

Configuring the components

1. If needed, double-click the main and reference input files to display their **Basic settings** views. All their property fields are automatically filled in. If you do not define your input files in the **Repository**, fill in the details manually after selecting **Built-in** in the **Property Type** field.
2. Double click **tJoin** to display its **Basic settings** view and define its properties.




3. Click the **Edit schema** button to open a dialog box that displays the data structure of the input files, define the data you want to pass to the output components, three columns in this scenario, *idClient*, *firstnameClient* and *lastnameClient*, and then click **OK** to validate the schema and close the dialog box.




4. In the **Key definition** area of the **Basic settings** view of **tJoin**, click the plus button to add two columns to the list and then select the input columns and the output columns you want to do the exact matching on from the **Input key attribute** and **Lookup key attribute** lists respectively, *firstnameClient* and *lastnameClient* in this example.
5. Select the **Inner join (with reject output)** check box to define one of the outputs as inner join reject table.

- Double click **tFileOutputExcel** to display its **Basic settings** view and define its properties.



- Set the destination file name and the sheet name, and select the **Include header** check box.


- Double click **tFileOutputDelimited** to display its **Basic settings** view and define its properties.



- Set the destination file name, and select the **Include header** check box.

Saving and executing the Job

- Press **Ctrl+S** to save your Job.
- Press **F6**, or click **Run** on the **Run** tab to execute the Job.



The output of the exact match on the *firstnameClient* and *lastnameClient* columns is written to the defined Excel file.

	A	B	C
1	idClient	firstnameClient	lastnameClient
2	28	Herbert	Eisenhower
3	36	Chester	Grant

The rejected data is written to the defined delimited file.


```

1 idClient;firstnameClient;lastnameClient
2 1;Dwight;Madison
3 2;Franklin;Jackson
4 3;Ronald;Buchanan
5 4;Bill;Cleveland
6 5;William;Harrison
7 6;William;Fillmore
8 7;Harry;Adams
9 8;Harry;McKinley
10 9;Herbert;Reagan
11 10;Lyndon;Jefferson
12 11;Bill;Jackson
13 12;John;Hayes
14 13;Ulysses;Reagan
    
```

tMap



tMap properties


Component family	Processing	
Function	tMap is an advanced component, which integrates itself as plugin to <i>Talend Open Studio for Big Data</i> .	
Purpose	tMap transforms and routes data from single or multiple sources to single or multiple destinations.	
Basic settings	<i>Preview</i>	The preview is an instant shot of the Mapper data. It becomes available when Mapper properties have been filled in with data. The preview synchronization takes effect only after saving changes.
	<i>Mapping links display as</i>	<p>Auto: the default setting is curves links</p> <p>Curves: the mapping display as curves</p> <p>Lines: the mapping displays as straight lines. This last option allows to slightly enhance performance.</p>
	<i>Map editor</i>	<p>It allows you to define the tMap routing and transformation properties.</p> <p> If you do not want to handle execution errors, you can click the Property Settings button at the top of the input area and select the Die on error check box (selected by default) in the [Property Settings] dialog box. It will kill the Job if there is an error.</p>
Usage	Possible uses are from a simple reorganization of fields to the most complex Jobs of data multiplexing or demultiplexing transformation, concatenation, inversion, filtering and more...	
Limitation	<p>The use of tMap supposes minimum Java knowledge in order to fully exploit its functionalities.</p> <p>This component is a junction step, and for this reason cannot be a start nor end component in the Job.</p>	




For further information, see *Talend Open Studio for Big Data User Guide*.

Scenario 1: Mapping data using a filter and a simple explicit join

The Job described below aims at reading data from a csv file with its schema stored in the Repository, looking up at a reference file, the schema of which is also stored in the Repository, then extracting data from these two files based on a defined filter to an output file and reject files.



- Click **File** in the **Palette** of components, select **tFileInputDelimited** and drop it onto the design workspace. Rename the component *Cars*, either by double-clicking the label in the design workspace or via the **View** tab of the **Component** view.
- Repeat this operation, and rename this second input component *Owners*.
- Click **Processing** in the **Palette** of components, select **tMap** and drop it onto the design workspace.
- Connect the two input components to the mapping component using **Row > Main** connections and label the connections *Cars_data* and *Owners_data* respectively.
- Double-click the **tFileInputDelimited** component labelled *Cars* to display its **Basic settings** view.



- Select **Repository** from the **Property type** list and select the component's schema, *cars* in this scenario, from the **[Repository Content]** dialog box. The rest fields are automatically filled.
- Double-click the component labelled *Owners* and repeat the setting operation. Select the appropriate metadata entry, *owners* in this scenario.




In this scenario, the input schemas are stored in the **Metadata** node of the **Repository** tree view for easy retrieval. For further information regarding metadata creation in the Repository, see *Talend Open Studio for Big Data User Guide*.

- Double-click the **tMap** component to open the **Map Editor**.

Note that the input area is already filled with the defined input tables and that the top table is the main input table, and the respective row connection labels are displayed on the top bar of the table.

- Create a join between the two tables on the *ID_Owner* column by simply dropping the *ID_Owner* column from the *Cars_data* table onto the *ID_Owner* column in the *Owners_data* table.
- Define this join as an inner join by clicking the **tMap settings** button, clicking in the **Value** field for **Join Model**, clicking the small button that appears in the field, and selecting **Inner Join** from the **[Options]** dialog box.




- Click the [+] button on the output area of the **Map Editor** to add three output tables: *Insured*, *Reject_NoInsur*, *Reject_OwnerID*.
- Drag all the columns of the *Cars_data* table to the *Insured* table.
- Drag the *ID_Owner*, *Registration*, and *ID_Reseller* columns of the *Cars_data* table and the *Name* column of the *Owners_data* table to the *Reject_NoInsur* table.
- Drag all the columns of the *Cars_data* table to the *Reject_OwnerID* table.


For more information regarding data mapping, see *Talend Open Studio for Big Data User Guide*.

- Click the plus arrow button at the top of the *Insured* table to add a filter row.
- Drag the *ID_Insurance* column of the *Owners_data* table to the filter condition area and enter the formula meaning ‘not undefined’: `Owners_data.ID_Insurance != null`.


With this filter, the *Insured* table will gather all the records that include an insurance ID.




- Click the **tMap settings** button at the top of the *Reject_NoInsur* table and set **Catch output reject** to **true** to define the table as a standard reject output flow to gather the records that do not include an insurance ID.



- Click the **tMap settings** button at the top of the *Reject_OwnerID* table and set **Catch lookup inner join reject** to **true** so that this output table will gather the records from the *Cars_data* flow with missing or unmatched owner IDs.




- Click **OK** to validate the mappings and close the **Map Editor**.
- Add three **tFileOutputDelimited** components to the design workspace and connect the **tMap** component to the three output components using the relevant **Row** connections.
- Relabel the three output components accordingly.
- Double-click each of the output components, one after the other, to define their properties. If you want a new file to be created, browse to the destination output folder, and type in a file name including the extension.
- Select the **Include header** check box to reuse the column labels from the schema as header row in the output file.




- Save your Job and press **F6** to run it.

The output files are created, which contain the relevant data as defined.




Scenario 2: Mapping data using inner join rejections

This scenario, based on scenario 1, adds one input file containing details about resellers and extra fields in the main output table. Two filters on inner joins are added to gather specific rejections.



- Click **File** in the **Palette** of Components, and drop a **tFileInputDelimited** component to the design workspace, and label the component *Resellers*.
- Connect it to the Mapper using a **Row > Main** connection, and label the connection *Resellers_data*.
- Double-click the *Resellers* component to display its **Basic settings** view.



- Select **Repository** from the **Property type** list and select the component's schema, *resellers* in this scenario, from the **[Repository Content]** dialog box. The rest fields are automatically filled.




In this scenario, the input schemas are stored in the **Metadata** node of the **Repository** tree view for easy retrieval. For further information regarding metadata creation in the Repository, see *Talend Open Studio for Big Data User Guide*.


- Double-click the **tMap** component to open the **Map Editor**.

Note that the schema of the new input component is already added in the Input area.

- Create a join between the main input flow and the new input flow by dropping the *ID_Reseller* column of the *Cars_data* table to the *ID_Reseller* column of the *Resellers_data* table.
- Click the **tMap settings** button at the top of the *Resellers_data* table and set **Join Model** to **Inner Join**.




- Drag all the columns except *ID_Reseller* of the *Resellers_data* table to the main output table, *Insured*.



When two inner joins are defined, you either need to define two different inner join reject tables to differentiate the two rejections or, if there is only one inner join reject output, both inner join rejections will be stored in the same output.


- Click the [+] button at the top of the output area to add a new output table, and name this new output table *Reject_ResellerID*.
- Drag all the columns of the *Cars_data* table to the *Reject_ResellerID* table.
- Click the **tMap settings** button and select **Catch lookup inner join reject** to **true** to define this new output table as an inner join reject output.

If the defined inner join cannot be established, the information about the relevant cars will be gathered through this output flow.




- Now apply filters on the two Inner Join reject outputs, in order for to distinguish the two types of rejection.
- In the first Inner Join output table, *Reject_OwnerID*, click the plus arrow button to add a filter line and fill it with the following formula to gather only owner ID related rejection: `Owners_data . ID_Owner==null`

- In the second Inner Join output table, *Reject_ResellerID*, repeat the same operation using the following formula: `Resellers_data.ID_Reseller==null`



- Click **OK** to validate the map settings and close the **Mapper Editor**.
- Drop a new **tFileOutputDelimited** component from the **Palette** to the design workspace, and label the component *No_Reseller_ID*.
- Define the properties of the new **tFileOutputDelimited** component, as shown below.

In this use case, simply specify the output file path and select the **Include Header** check box, and leave the other parameters as they are.



- Connect the **tMap** component to the new **tFileOutputDelimited** component by using the **Row** connection named *Reject_ResellerID*.
- To demonstrate the work of the Mapper, in this example, remove reseller IDs 5 and 8 from the input file *Resellers.csv*.
- Save your Job and press **F6** to run it.

The four output files are all created in the specified folder, containing information as defined. The output file *No_Reseller_ID.csv* contains the *cars* information related to reseller IDs 5 and 8, which are missing in the input file *Resellers.csv*.

```

Insured_all.csv Not_Insured.csv No_Owner_ID.csv No_Reseller_ID.csv
1 ID_Owner;Registration;Make;Color;ID_Reseller
2 21;SCZ 288;Lexus;grey;8
3 36;IGX 588;BMW;white;5
4 58;LBX 751;BMW;green;5
5 67;ZMU 329;Peugeot;grey;5
6 83;XUO 308;BMW;grey;8
7 86;OTT 313;Audi;black;8
8 89;RLD 32;BMW;black;8
9 93;CIY 918;Mercedes;red;5
10
    
```


Scenario 3: Cascading join mapping

As third advanced use scenario, based on the scenario 2, add a new Input table containing Insurance details for example.

Set up an Inner Join between two lookup input tables (Owners and Insurance) in the Mapper to create a cascade lookup and hence retrieve Insurance details via the Owners table data.

Scenario 4: Advanced mapping using filters, explicit joins and rejections


This scenario introduces a Job that allows you to find BMW owners who have two to six children (inclusive), for sales promotion purpose for example.



- Drop three **tFileInputDelimited** components, a **tMap** component, and two **tFileOutputDelimited** components from the **Palette** onto the design workspace, and label them to best describe their functions.
- Connect the input components to the **tMap** using **Row > Main** connections.

Pay attention to the file you connect first as it will automatically be set as **Main** flow, and all the other connections will be **Lookup** flows. In this example, the connection for the input component *Owners* is the **Main** flow.

- Define the properties of each input components in the respective **Basic settings** view. Define the properties of *Owners*.




- Select **Repository** from the **Property type** list and select the component's schema, *owners* in this scenario, from the **[Repository Content]** dialog box. The rest fields are automatically filled.




In this scenario, the input schemas are stored in the **Metadata** node of the **Repository** tree view for easy retrieval. For further information regarding metadata creation in the Repository, see *Talend Open Studio for Big Data User Guide*.

- In the same way, set the properties of the other input components: *Cars* and *Resellers*. These two **Lookup** flows will fill in secondary (lookup) tables in the input area of the **Map Editor**.
- Then double-click the **tMap** component to launch the **Map Editor** and define the mappings and filters.
- Set an explicit join between the **Main** flow *Owner* and the **Lookup** flow *Cars* by dropping the *ID_Owner* column of the *Owners* table to the *ID_Owner* column of the *Cars* table.


The explicit join is displayed along with a hash key.



- In the **Expr. Key** field of the *Make* column, type in a filter. In this use case, simply type in "BMW" as the search is focused on the owners of this particular make.



- Implement a cascading join between the two lookup tables *Cars* and *Resellers* on the *ID_Reseller* column in order to retrieve resellers information.
- As you want to reject the null values into a separate table and exclude them from the standard output, click the **tMap settings** button and set **Join Model** to **Inner Join** in each of the **Lookup** tables.




- In the tMap settings, you can set **Match Model** to **Unique match**, **First match**, or **All matches**. In this use case, the **All matches** option is selected. Thus if several matches are found in the Inner Join, i.e. rows matching the explicit join as well as the filter, all of them will be added to the output flow (either in rejection or the regular output).




The **Unique match** option functions as a **Last match**. The **First match** and **All matches** options function as named.

- On the output area of the **Map Editor**, click the plus button to add two tables, one for the full matches and the other for the rejections.
- Drag all the columns of the *Owners* table, the *Registration*, *Make* and *Color* columns of the *Cars* table, and the *ID_Reseller* and *Name_Reseller* columns of the *Resellers* table to the main output table.
- Drag all the columns of the *Owners* table to the reject output table.
- Click the **Filter** button at the top of the main output table to display the **Filter** expression area.
- Type in a filter statement to narrow down the number of rows loaded in the main output flow. In this use case, the statement reads: `Owners.Children_Nr >= 2 && Owners.Children_Nr <= 6`.
- In the reject output table, click the **tMap settings** button and set the reject types.
- Set **Catch output reject** to **true** to collect data about BMW car owners who have less than two or more than six children.
- Set **Catch lookup inner join reject** to **true** to collect data about owners of other car makes and owners for whom the reseller information is not found.




- Click **OK** to validate the mappings and close the **Map Editor**.
- On the design workspace, right-click the **tMap** and pull the respective output link to the relevant output components.
- Define the properties of the output components in their respective **Basic settings** view.

In this use case, simply specify the output file paths and select the **Include Header** check box, and leave the other parameters as they are.




- Save your Job and press **F6** to run it.

The main output file contains the information related to BMW owners who have two to six children, and the reject output file contains the information about the rest of the car owners.



Scenario 5: Advanced mapping with filters and different rejections

This scenario is a modified version of the preceding scenario. It describes a Job that applies filters to limit the search to BMW and Mercedes owners who have two to six children and divides unmatched data into different reject output flows.



- Take the same Job as in [the section called “Scenario 4: Advanced mapping using filters, explicit joins and rejections”](#).
- Drop a new **tFileOutputDelimited** component from the **Palette** on the design workspace, and name it *Rejects_BMW_Mercedes* to present its functionality.
- Connect the **tMap** component to the new output component using a **Row** connection and label the connection according to the functionality of the output component.

This connection label will appear as the name of the new output table in the **Map Editor**.


- Relabel the existing output connections and output components to reflect their functionality.

The existing output tables in the **Map Editor** will be automatically renamed according to the connection labels. In this example, relabel the existing output connections *BMW_Mercedes_withChildren* and *Owners_Other_Makes* respectively.

- Double-click the **tMap** component to launch the **Map Editor** to change the mappings and the filters.

Note that the output area contains a new, empty output table named *Rejects_BMW_Mercedes*. You can adjust the position of the table by selecting it and clicking the **Up** or **Down** arrow button at the top of the output area.

- Remove the **Expr. key** filter (“*BMW*”) from the *Cars* table in the input area.
- Click the **Filters** button to display the **Filter** field, and type in a new filter to limit the search to *BMW* or *Mercedes* car makes. The statement reads as follows: `Cars.Make.equals("BMW") || Cars.Make.equals("Mercedes")`



- Select all the columns of the main output table and drop them down to the new output table.


Alternatively, you can also drag the corresponding columns from the relevant input tables to the new output table.

- Click the **tMap settings** button at the top of the new output table and set **Catch output reject** to **true** to collect data about BMW and Mercedes owners who have less than two or more than six children.
- In the *Owners_Other_Makes* table, set **Catch lookup inner join reject** to **true** to collect data about owners of other car makes and owners for whom the reseller information is not found.



- Click **OK** to validate the mappings and close the **Map Editor**.
- Define the properties of the output components in their respective **Basic settings** view.

In this use case, simply specify the output file paths and select the **Include Header** check box, and leave the other parameters as they are.



- Save the Job and press **F6** to run it.

The output files content of the main output flow shows that the filtered rows have correctly been passed on.

Scenario 6: Advanced mapping with lookup reload at each row

The following scenario describes a Job that retrieves people details from a lookup database, based on a join on the age. The main flow source data is read from a MySQL database table called *people_age* that contains people details such as numeric id, alphanumeric first name and last name and numeric age. The people age is either 40 or 60. The number of records in this table is intentionally restricted.

The reference or lookup information is also stored in a MySQL database table called *large_data_volume*. This lookup table contains a number of records including the city where people from the main flow have been to. For the sake of clarity, the number of records is restricted but, in a normal use, the usefulness of the feature described in the example below is more obvious for very large reference data volume.

To optimize performance, a database connection component is used in the beginning of the Job to open the connection to the lookup database table in order not to do that every time we want to load a row from the lookup table.


An Expression Filter is applied to this lookup source flow, in order to select only data from people whose age is equal to 60 or 40. This way only the relevant rows from the lookup database table are loaded for each row from the main flow.

Therefore this Job shows how, from a limited number of main flow rows, the lookup join can be optimized to load only results matching the expression key.



Generally speaking, as the lookup loading is performed for each main flow row, this option is mainly interesting when a limited number of rows is processed in the main flow while a large number of reference rows are to be looked up to.


The join is solved on the *age* field. Then, using the relevant loading option in the **tMap** component editor, the lookup database information is loaded for each main flow incoming row.



For this Job, the metadata has been prepared for the source and connection components. For more information on how to set up the DB connection schema metadata, see the relevant section in the *Talend Open Studio for Big Data User Guide*.


This Job is formed with five components, four database components and a mapping component.

- Drop the DB Connection under the **Metadata** node of the **Repository** to the design workspace. In this example, the source table is called *people_age*.
- Select **tMysqlInput** from the list that pops up when dropping the component.




- Drop the lookup DB connection table from the **Metadata** node to the design workspace selecting **tMysqlInput** from the list that pops up. In this Job, the lookup is called *large_data_volume*.

- The same way, drop the DB connection from the **Metadata** node to the design workspace selecting **tMySQLConnection** from the list that pops up. This component creates a permanent connection to the lookup database table in order not to do that every time we want to load a row from the lookup table.
- Then pick the **tMap** component from the **Processing** family, and the **tMySQLOutput** and **tMySQLCommit** components from the **Database** family in the **Palette** to the right hand side of the editor.
- Now connect all the components together. To do so, right-click the **tMySQLInput** component corresponding to the *people* table and drag the link towards **tMap**.
- Release the link over the **tMap** component, the main row flow is automatically set up.
- Rename the **Main** row link to *people*, to identify more easily the main flow data.
- Perform the same operation to connect the lookup table (*large_data_volume*) to the **tMap** component and the **tMap** to the **tMySQLOutput** component.
- A dialog box prompts for a name to the output link. In this example, the output flow is named: *people_mixandmatch*.
- Rename also the lookup row connection link to *large_volume*, to help identify the reference data flow.
- Connect **tMySQLConnection** to **tMySQLInput** using the trigger link **OnSubjobOk**.
- Connect the **tMySQLInput** component to the **tMySQLCommit** component using the trigger link **OnSubjobOk**.
- Then double-click the **tMap** component to open the graphical mapping editor.




- The **Output** table (that was created automatically when you linked the **tMap** to the **tMySQLOutput** will be formed by the matching rows from the lookup flow (*large_data_volume*) and the main flow (*people_age*).

- Select the main flow rows that are to be passed on to the output and drag them over to paste them in the Output table (to the right hand side of the mapping editor).
- In this example, the selection from the main flow include the following fields: *id*, *first_name*, *last_Name* and *age*.
- From the lookup table, the following column is selected: *city*.
- Drop the selected columns from the input tables (*people* and *large_volume*) to the output table.
- Now set up the join between the main and lookup flows.
- Select the *age* column of the main flow table (on top) and drag it towards the *age* column of the lookup flow table (*large_volume* in this example).
- A key icon appears next to the linked expression on the lookup table. The join is now established.
- Click the **tMap settings** button, click the three-dot button corresponding to **Lookup Model**, and select the **Reload at each row** option from the **[Options]** dialog box in order to reload the lookup for each row being processed.




- In the same way, set **Match Model** to **All matches** in the Lookup table, in order to gather all instances of *age* matches in the output flow.
- Now implement the filtering, based on the *age* column, in the Lookup table. The **GlobalMapKey** field is automatically created when you selected the **Reload at each row** option. Indeed you can use this expression to dynamically filter the reference data in order to load only the relevant information when joining with the main flow.


As mentioned in the introduction of the scenario, the main flow data contains only people whose age is either 40 or 60. To avoid the pain of loading all lookup rows, including ages that are different from 40 and 60, you can use the main flow age as global variable to feed the lookup filtering.



- Drop the *Age* column from the main flow table to the **Expr.** field of the lookup table.
- Then in the **globalMap Key** field, put in the variable name, using the expression. In this example, it reads: "people.Age"
- Click **OK** to save the mapping setting and go back to the design workspace.
- To finalize the implementation of the dynamic filtering of the lookup flow, you need now to add a **WHERE** clause in the query of the database input.




- At the end of the **Query** field, following the **Select** statement, type in the following **WHERE** clause: `WHERE AGE = \'' + ((Integer)globalMap.get("people.Age")) + '\''`
- Make sure that the type corresponds to the column used as variable. In this use case, *Age* is of *Integer* type. And use the variable the way you set in the **globalMap key** field of the map editor.
- Double-click the **tMySqloutput** component to define its properties.



- Select the **Use an existing connection** check box to leverage the created DB connection.
- Define the target table name and relevant DB actions.
- Click the **Run** tab at the bottom of the design workspace, to display the Job execution tab.
- From the **Debug Run** view, click the **Traces Debug** button to view the data processing progress.

For more comfort, you can maximize the Job design view while executing by simply double-clicking on the Job name tab.




The lookup data is reloaded for each of the main flow's rows, corresponding to the age constraint. All *age* matches are retrieved in the lookup rows and grouped together in the output flow.

Therefore if you check out the data contained in the newly created *people_mixandmatch* table, you will find all the *age* duplicates corresponding to different individuals whose age equals to 60 or 40 and the city where they have been to.

id	First_Name	Last_...	AGE	CITY
1	Rutherford	Polk	40	Montpelier
1	Rutherford	Polk	40	Austin
1	Rutherford	Polk	40	Providence
1	Rutherford	Polk	40	Lansing
1	Rutherford	Polk	40	Denver
1	Rutherford	Polk	40	Jefferson City
2	Harry	Tyler	40	Montpelier
2	Harry	Tyler	40	Austin
2	Harry	Tyler	40	Providence
2	Harry	Tyler	40	Lansing
2	Harry	Tyler	40	Denver
2	Harry	Tyler	40	Jefferson City
3	Martin	John...	60	Harrisburg
4	Rutherford	Taylor	40	Montpelier

Scenario 7: Mapping with join output tables

The following scenario describes a Job that processes reject flows without separating them from the main flow.



- In the **Repository** tree view, click **Metadata** > **File delimited**. Drag and drop the *customers* metadata onto the workspace.

The *customers* metadata contains information about customers, such as their ID, their name or their address, etc.


For more information about centralizing metadata, see *Talend Open Studio for Big Data User Guide*.

- In the dialog box that asks you to choose which component type you want to use, select **tFileInputDelimited** and click **OK**.
- Drop the *states* metadata onto the design workspace. Select the same component in the dialog box and click **OK**.


The *states* metadata contains the ID of the state, and its name.

- Drop a **tMap** and two **tLogRow** components from the **Palette** onto the design workspace.
- Connect the *customers* component to the **tMap**, using a **Row > Main** connection.
- Connect the *states* component to the **tMap**, using a **Row > Main** connection. This flow will automatically be defined as **Lookup**.
- Double-click the **tMap** component to open the **Map Editor**.
- Drop the *idState* column from the main input table to the *idState* column of the lookup table to create a join.
- Click the **tMap settings** button and set **Join Model** to **Inner Join**.
- Click the **Property Settings** button at the top of the input area to open the **[Property Settings]** dialog box, and clear the **Die on error** check box in order to handle the execution errors.

The **ErrorReject** table is automatically created.




- Select the *id*, *idState*, *RegTime* and *RegisterTime* in the input table and drag them to the **ErrorReject** table.



- Click the **[+]** button at the top right of the editor to add an output table. In the dialog box that opens, select **New output**. In the field next to it, type in the name of the table, *out1*. Click **OK**.
- Drag the following columns from the input tables to the *out1* table: *id*, *CustomerName*, *idState*, and *LabelState*.
- Add two columns, *RegTime* and *RegisterTime*, to the end of the *out1* table and set their date formats: "dd/MM/yyyy HH:mm" and "yyyy-MM-dd HH:mm:ss.SSS" respectively.

- Click in the **Expression** field for the *RegTime* column, and press **Ctrl+Space** to display the auto-completion list. Find and double-click `TalendDate.parseDate`. Change the pattern to (`"dd/MM/yyyy HH:mm", row1.RegTime`).
- Do the same thing for the *RegisterTime* column, but change the pattern to (`"yyyy-MM-dd HH:mm:ss.SSS", row1.RegisterTime`).



- Click the **[+]** button at the top of the output area to add an output table. In the dialog box that opens, select **Create join table from**, choose *Out1*, and name it *rejectInner*. Click **OK**.
- Click the **tMap settings** button and set **Catch lookup inner join reject** to **true** in order to handle rejects.
- Drag the *id*, *CustomerName*, and *idState* columns from the input tables to the corresponding columns of the *rejectInner* table.
- Click in the **Expression** field for the *LabelState* column, and type in "UNKNOWN".
- Click in the **Expression** field for the *RegTime* column, press **Ctrl+Space**, and select `TalendDate.parseDate`. Change the pattern to (`"dd/MM/yyyy HH:mm", row1.RegTime`).
- Click in the **Expression** field for the *RegisterTime* column, press **Ctrl+Space**, and select `TalendDate.parseDate`, but change the pattern to (`"yyyy-MM-dd HH:mm:ss.SSS", row1.RegisterTime`).

If the data from *row1* has a wrong pattern, it will be returned by the `ErrorReject` flow.

Expression	Column
row1.id	id
row1.CustomerName	CustomerName
row2.idState	idState
row2.LabelState	LabelState
TalendDate.parseDate("dd/MM/yyyy HH:mm",row1.RegTime)	RegTime
TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS",row1.RegisterTime)	RegisterTime

Property	Value
Catch output reject	false
Catch lookup inner join reject	true
Schema Type	Built-In

Expression	Column
row1.id	id
row1.CustomerName	CustomerName
row1.idState	idState
"UNKNOWN"	LabelState
TalendDate.parseDate("dd/MM/yyyy HH:mm",row1.RegTime)	RegTime
TalendDate.parseDate("yyyy-MM-dd HH:mm:ss.SSS",row1.RegisterTime)	RegisterTime

- Click **OK** to validate the changes and close the editor.
- Double-click the first **tLogRow** component to display its **Component** view.
- Click **Sync columns** to retrieve the schema structure from the mapper if needed.
- In the **Mode** area, select **Table**.
- Do the same thing with the second **tLogRow**.
- Save your Job and press **F6** to execute it.

The **Run** console displays the main out flow and the ErrorReject flow. The main output flow unites both valid data and inner join rejects, while the ErrorReject flow contains the error information about rows with unparseable date formats.

```

+-----+-----+-----+-----+-----+
|                                     | tLogRow_1 |                                     |
+-----+-----+-----+-----+-----+
|CustomerName|idstate|Labelstate|RegTime|RegisterTime|
+-----+-----+-----+-----+-----+
|Griffith Paving and Sealcoatin|7|Connecticut|03/11/2006 09:20|2001-01-17 06:26:40.000|
|Bill's Dive Shop|35|Ohio|19/11/2004 15:48|2002-06-07 09:40:00.000|
|Childress Child Day Care|60|UNKNOWN|16/02/2005 08:27|1990-04-01 21:00:00.000|
|Facelift Kitchen and Bath|10|UNKNOWN|22/08/2002 09:55|1972-04-23 18:00:00.000|
|Terrinni & Son Auto and Truck|15|California|28/06/2001 09:15|1982-04-19 10:26:40.000|
|Kermit the Pet Shop|28|Nevada|17/08/2003 10:07|2006-05-27 17:00:00.000|
|Maha's Furniture Store|15|Towa|27/08/2000 02:12|1970-02-27 22:09:16.000|

```

tNormalize



tNormalize Properties

Component family	Processing/Fields	
Function	Normalizes the input flow following SQL standard.	
Purpose	tNormalize helps improve data quality and thus eases the data update.	
Basic settings	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Get rid of duplicated rows from output</i>	Select this check box to deduplicate rows in the data of the output flow.
	<i>Use CSVparameters</i>	Select this check box to include CSV specific parameters such as escape mode and enclosure character.
	<i>Column to normalize</i>	Select the column from the input flow which the normalization is based on
	<i>Item separator</i>	Enter the separator which will delimits data in the input flow.
Usage	This component can be used as intermediate step in a data flow.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	

Scenario: Normalizing data

This simple scenario illustrates a Job that normalizes a list of tags for Web forum topics and outputs them into a table in the standard output console (**Run** tab).



1. Drop the following components from the **Palette** to the design workspace: **tFileInputDelimited**, **tNormalize**, **tLogRow**.
2. Double-click the **tFileInputDelimited** component to open its **Basic settings** view.

Property Type: Repository | DELIM:Tags

File Name: "D:/Input/labels_raw.txt" *


Row Separator: "\n" * Field Separator: "," *

CSV options


Header: 0 * Footer: 0 * Limit: *

Schema: Repository | DELIM:Tags - metadata * | Edit schema

Skip empty rows Die on error

 For Talend Open Studio for Big Data, the **Property type** and **Schema** of components are always **Built-in**. For how to edit a built-in schema, see *Talend Open Studio for Big Data User Guide*.

- In the **File Name** field, specify the path to the input file to be normalized.



- Define the input schema manually. It is made of one column, called *Tags*, containing rows with one or more keywords.
- Set the **Row Separator** and the **Field Separator**.
- On the **Basic settings** view of **tNormalize**, define the column the normalization operation is based on.
- In this use case, the column to normalize is *Tags*.

tNormalize_1

Schema Type: Built-In | Edit schema | Sync columns

Column to normalize: Tags * | Item separator: ","

Basic settings | Advanced settings | Dynamic settings | View | Documentation

- The **Item separator** is the comma, surrounded by double quotes (required in Java).
- In the **tLogRow** component, select the **Print values in the cells of table** check box.
- Save the Job and press **F6** to execute it.

```
Starting job tNormalize at 16:13 09/03/2010.
[statistics] connecting to socket on port 3820
[statistics] connected
-----
      tLogRow_1
-----
Tags
-----
ldap
db2
jdbc driver
grid computing
talend architecture
context
environment
tmap
eclipse
database
java
postgresql
tmap
database
java
sybase
deployment
perl
repository
database
informix
java
[statistics] disconnected
Job tNormalize ended at 16:13 09/03/2010. [exit code=0]
```

The values are normalized and displayed in a table cell on the console.

tPigAggregate



tPigAggregate component belongs to two component families: Big Data and Processing. For more information about **tPigAggregate**, see [the section called “tPigAggregate”](#).

tPigCode



tPigCode component belongs to two component families: Big Data and Processing. For more information about **tPigCode**, see [the section called “tPigCode”](#).

tPigCross



tPigCross component belongs to two component families: Big Data and Processing. For more information about **tPigCross**, see [the section called “tPigCross”](#).

tPigDistinct



tPigDistinct component belongs to two component families: Big Data and Processing. For more information about **tPigDistinct**, see [the section called “tPigDistinct”](#).

tPigFilterColumns



tPigFilterColumns component belongs to two component families: Big Data and Processing. For more information about **tPigFilterColumns**, see [the section called “tPigFilterColumns”](#).

tPigFilterRow



tPigFilterRow component belongs to two component families: Big Data and Processing. For more information about **tPigFilterRow**, see [the section called “tPigFilterRow”](#).

tPigJoin



tPigJoin component belongs to two component families: Big Data and Processing. For more information about **tPigJoin**, see [the section called “tPigJoin”](#).

tPigLoad



tPigLoad component belongs to two component families: Big Data and Processing. For more information about **tPigLoad**, see [the section called “tPigLoad”](#).

tPigSort



tPigSort component belongs to two component families: Big Data and Processing. For more information about **tPigSort**, see [the section called “tPigSort”](#).

tPigStoreResult



tPigStoreResult component belongs to two component families: Big Data and Processing. For more information about **tPigStoreResult**, see [the section called “tPigStoreResult”](#).

tReplace




tReplace Properties

Component family	Processing	
Function	Carries out a Search & Replace operation in the input columns defined.	
Purpose	Helps to cleanse all files before further processing.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Two read-only columns, Value and Match are added to the output schema automatically.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Simple Mode Search / Replace</i>	<p>Click Plus to add as many conditions as needed. The conditions are performed one after the other for each row.</p> <p>Input column: Select the column of the schema the search & replace is to be operated on</p> <p>Search: Type in the value to search in the input column</p> <p>Replace with: Type in the substitution value.</p> <p>Whole word: Select this check box if the searched value is to be considered as whole.</p> <p>Case sensitive: Select this check box to care about the case.</p> <p>Note that you cannot use regular expression in these columns.</p>
	<i>Use advanced mode</i>	Select this check box when the operation you want to perform cannot be carried out through the simple mode. In the text field, type in the regular expression as required.
Usage	This component is not startable as it requires an input flow. And it requires an output component.	

Scenario: multiple replacements and column filtering

This following Job searches and replaces various typos and defects in a csv file then operates a column filtering before producing a new csv file with the final output.



- Drop the following components from the **Palette** onto the design workspace: **tFileInputDelimited**, **tReplace**, **tFilterColumn** and **tFileOutputDelimited**.
- Connect the components using **Main Row** connections via a right-click each component.
- Select the **tFileInputDelimited** component and set the input flow parameters.

Property Type

File Name *

Row Separator Field Separator

Header Footer Limit

Schema Edit schema Skip empty rows

Extract lines at random

Encoding Type

- The **Property type** for this scenario is **Built-in**. Therefore the following fields are to be set manually unlike the Properties stored centrally in the repository, that are retrieved automatically.
- The **File** is a simple csv file stored locally. The **Row Separator** is a carriage return and the **Field Separator** is a semi-colon. In the **Header** is the name of the column, and no **Footer** nor **Limit** are to be set.
- The file contains characters such as: *t, . or Nikson which we want to turn into Nixon, and streat, which we want to turn into Street.

Street	FirstName	Name	Amount
streat	John	Kennedy	98.30\$
streat	Richad	Nikson	78.23\$
streat	Richard	Nikson	78.2\$
streat	toto	Nikson	78.23\$
streat	Richard	Nikson	78.23\$
street	Georges *t	bush	99.99\$

- The schema for this file is built in also and made of four columns of various types (string or int).
- Now select the **tReplace** component to set the search & replace parameters.

InputColumn	Search	Replace with	<input type="checkbox"/> Whole w...	<input type="checkbox"/> Case Sen...	<input type="checkbox"/>
Amount	"."	","	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Street	"street"	"Street"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Amount	"\$"	"£"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Name	"Nikson"	"Nixon"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
FirstName	"*t"	""	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

- The schema can be synchronized with the incoming flow.
- Select the **Simple mode** check box as the search parameters can be easily set without requiring the use of regexp.
- Click the plus sign to add some lines to the parameters table.
- On the first parameter line, select *Amount* as **InputColumn**. Type "." in the **Search** field, and "," in the **Replace** field.
- On the second parameter line, select *Street* as **InputColumn**. Type "street" in the **Search** field, and "Street" in the **Replace** field.
- On the third parameter line, select again *Amount* as **InputColumn**. Type "\$" in the **Search** field, and "£" in the **Replace** field.
- On the fourth parameter line, select *Name* as **InputColumn**. Type "Nikson" in the **Search** field, and "Nixon" in the **Replace** field.
- On the fifth parameter line, select *Firstname* as **InputColumn**. Type "*t" in the **Search** field, and replace them with nothing between double quotes.
- The advanced mode isn't used in this scenario.
- Select the next component in the Job, **tFilterColumn**.

tReplace_1 (Input - Main)										tFilterColumns_1 (Output)									
Column	Key	Type	<input type="checkbox"/>	N.	Date Pa...	Len...	Pre...	D...	Co...	Column	Key	Type	<input type="checkbox"/>	N.	Date Pa...	Len...	Pre...	D...	Co...
Street	<input type="checkbox"/>	Stri...	<input type="checkbox"/>			6	0			empty_field	<input type="checkbox"/>	Stri...	<input type="checkbox"/>						
FirstName	<input type="checkbox"/>	Stri...	<input type="checkbox"/>			9	0			FirstName	<input type="checkbox"/>	Stri...	<input type="checkbox"/>			9	0		
Name	<input type="checkbox"/>	Stri...	<input type="checkbox"/>			7	0			Name	<input type="checkbox"/>	Stri...	<input type="checkbox"/>			7	0		
Amount	<input type="checkbox"/>	Stri...	<input type="checkbox"/>			6	0			Street	<input type="checkbox"/>	Stri...	<input type="checkbox"/>			6	0		
										Amount	<input type="checkbox"/>	Stri...	<input type="checkbox"/>			6	0		

- The **tFilterColumn** component holds a schema editor allowing to build the output schema based on the column names of the input schema. In this use case, add one new column named *empty_field* and change the order of the input schema columns to obtain a schema as follows: *empty_field*, *Firstname*, *Name*, *Street*, *Amount*.
- Click **OK** to validate.

Property Type Built-In

File Name *

Row Separator Field Separator Append

Include Header

Schema Built-In Edit schema

Encoding Type ISO-8859-15

- Set the **tFileOutputDelimited** properties manually.
- The schema is built-in for this scenario, and comes from the preceding component in the Job.
- Save the Job and press **F6** to execute it.

	John	Kennedy	Street	98,30€
	Richad	Nixon	Street	78,23€
	Richard	Nixon	Street	78,2€
	toto	Nixon	Street	78,23€
	Richard	Nixon	Street	78,23€
	Georges	bush	street	99,99€

The first column is empty, the rest of the columns have been cleaned up from the parasitical characters, and *Nikson* was replaced with *Nixon*. The street column was moved and the decimal delimiter has been changed from a dot to a comma, along with the currency sign.

tSampleRow



tSampleRow properties


Component family	Processing	
Function	tSampleRow filters rows according to line numbers.	
Purpose	tSampleRow helps to select rows according to a list of single lines and/or a list of groups of lines.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component in the Job.</p>
		Built-in: You create the schema and store it locally for the relevant component. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Range</i>	Enter a range using the relevant syntax to choose a list of single lines and/or a list of groups of lines.
Usage	This component handles flows of data therefore it requires input and output components.	
Limitation	n/a	

Scenario: Filtering rows and groups of rows

This scenario describes a three-component Job. A **tRowGenerator** is used to create random entries which are directly sent to a **tSampleRow** where they will be filtered according to a defined range. In this scenario, we suppose the input flow contains names of salespersons along with their respective number of sold products and their years of presence in the enterprise. The result of the filtering operation is displayed on the **Run** console.


Dropping and linking the components

1. Drop the following components from the **Palette** onto the design workspace: **tRowGenerator**, **tSampleRow**, and **tLogRow**.
2. Connect the three components using **Row > Main** links.




Configuring the components


1. In the design workspace, select **tRowgenerator**, and click the **Component** tab to define the basic settings for **tRowGenerator**.
2. Click the [...] button next to **Edit Schema** to define the data you want to use as input. In this scenario, the schema is made of five columns.



3. In the **Basic settings** view, click **RowGenerator Editor** to define the data to be generated.
4. In the **RowGenerator Editor**, specify the number of rows to be generated in the **Number of Rows for RowGenerator** field and click **OK**. The **RowGenerator Editor** closes.



5. In the design workspace, select **tSampleRow** and click the **Component** tab to define the basic settings for **tSampleRow**.



6. In the **Basic settings** view, set the **Schema** to **Built-In** and click **Sync columns** to retrieve the schema from the **tRowGenerator** component.
7. In the **Range** panel, set the filter to select your rows using the correct syntax as explained. In this scenario, we want to select the first and fifth lines along with the group of lines between 9 and 12.
8. In the design workspace, select **tLogRow** and click the **Component** tab to define its basic settings. For more information about **tLogRow**, see [the section called “tLogRow”](#).

Saving and executing the Job

1. Press **Ctrl+S** to save your Job.
2. Press **F6**, or click **Run** on the **Run** tab to execute the Job.

```
Starting job sample_Row at 11:16 20/08/2008.
+-----+
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
+-----+
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
|          |          |          |          |          |
+-----+
Job sample_Row ended at 11:16 20/08/2008. [exit code=0]
```

The filtering result displayed on the console shows the first and fifth rows and the group of rows between 9 and 12.

tSortRow




tSortRow properties

Component family	Processing	
Function	Sorts input data based on one or several columns, by sort type and order	
Purpose	Helps creating metrics and classification table.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component connected in the Job.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Criteria</i>	Click + to add as many lines as required for the sort to be complete. By default the first column defined in your schema is selected.
		Schema column: Select the column label from your schema, which the sort will be based on. Note that the order is essential as it determines the sorting priority.
		Sort type: Numerical and Alphabetical order are proposed. More sorting types to come.
		Order: Ascending or descending order.
Advanced settings	Sort on disk	<p>Customize the memory used to temporarily store output data.</p> <p>Temp data directory path: Set the location where the temporary files should be stored.</p> <p>Create temp data directory if not exists: Select this checkbox to create the directory if it does not exist.</p> <p>Buffer size of external sort: Type in the size of physical memory you want to allocate to sort processing.</p>
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component handles flow of data therefore it requires input and output, hence is defined as an intermediary step.	
Limitation	n/a	

Scenario 1: Sorting entries

This scenario describes a three-component Job. A **tRowGenerator** is used to create random entries which are directly sent to a **tSortRow** to be ordered following a defined value entry. In this scenario, we suppose the input flow contains names of salespersons along with their respective sales and their years of presence in the company. The result of the sorting operation is displayed on the **Run** console.



- Drop the three components required for this use case: **tRowGenerator**, **tSortRow** and **tLogRow** from the **Palette** to the design workspace.
- Connect them together using **Row main** links.
- On the **tRowGenerator** editor, define the values to be randomly used in the Sort component. For more information regarding the use of this particular component, see [the section called “tRowGenerator”](#)

Schema				Functions		Preview	
Column	Key	Type	<input type="checkbox"/>	N...	Functions	Environment variables	Preview
ID	<input checked="" type="checkbox"/>	int	<input type="checkbox"/>		sequence	sequence identifier=...	1
YearsInComp	<input type="checkbox"/>	int	<input type="checkbox"/>		random	min value=>1 ; max ...	2
Name	<input type="checkbox"/>	String	<input type="checkbox"/>		getLast...		Harrison
Sales	<input type="checkbox"/>	int	<input type="checkbox"/>		random	min value=>1 ; max ...	33

Columns Number of Rows for RowGenerator 10

- In this scenario, we want to rank each salesperson according to its *Sales* value and to its number of years in the company.
- Double-click **tSortRow** to display the **Basic settings** tab panel. Set the sort priority on the Sales value and as secondary criteria, set the number of years in the company.


Schema column	sort num or alpha?	Order asc or desc?
Sales	num	desc
ID	num	desc

- Use the plus button to add the number of rows required. Set the type of sorting, in this case, both criteria being integer, the sort is numerical. At last, given that the output wanted is a rank classification, set the order as descending.
- Display the **Advanced Settings** tab and select the **Sort on disk** check box to modify the temporary memory parameters. In the **Temp data directory path** field, type the path to the directory where you want to store the temporary data. In the **Buffer size of external sort** field, set the maximum buffer value you want to allocate to the processing.



The default buffer value is 1000000 but the more rows and/or columns you process, the higher the value needs to be to prevent the Job from automatically stopping. In that event, an “out of memory” error message displays.

- Make sure you connected this flow to the output component, **tLogRow**, to display the result in the Job console.
- Press **F6** to run the Job. The ranking is based first on the Sales value and then on the number of years of experience.



tSplitRow




tSplitRow properties

Component family	Processing/Fields	
Function	tSplitRow splits one row into several rows.	
Purpose	This component helps splitting one input row into several output rows.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i>, the schema is always Built-in.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component connected in the Job.</p>
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Columns mapping</i>	Click the plus button to add as many lines as needed by mappings from input columns onto output columns.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	This component splits one input row into multiple output rows by mapping input columns onto output columns.	
Limitation	n/a	


Scenario 1: Splitting one row into two rows

This scenario describes a three-component Job. A row of data containing information of two companies will be split up into two rows.



1. Drop the following components required for this use case: **tFixedFlowInput**, **tSplitRow** and **tLogRow** from the **Palette** to the design workspace.
2. Connect them together using **Row Main** connections.

3. Double-click **tFixedFlowInput** to open its **Basic settings** view.




4. Select **Use Inline Content(delimited file)** in the **Mode** area.

5. Fill the **Content** area with the following scripts:

Talend;LA;California;537;5thAvenue;IT;Lionbridge;Memphis;Tennessee;537;Lincoln Road;IT Service;


6. Click **Edit schema** to open a dialog box to edit the schema for the input data.




7. Click the plus button to add twelve lines for the input columns: *Company*, *City*, *State*, *CountryCode*, *Street*, *Industry*, *Company2*, *City2*, *State2*, *CountryCode2*, *Street2* and *Industry2*.

8. Click **OK** to close the dialog box.

9. Double-click **tSplitRow** to open its **Basic settings** view.




10. Click **Edit schema** to set the schema for the output data.



11. Click the plus button beneath the *tSplitRow_1(Output)* table to add four lines for the output columns: *Company*, *CountryCode*, *Address* and *Industry*.

12. Click **OK** to close the dialog box. Then an empty table with column names defined in the preceding step will appear in the **Columns mapping** area:



13. Click the plus button beneath the empty table in the **Columns mapping** area to add two lines for the output rows.

14. Fill the table in the **Columns mapping** area by columns with the following values:

Company: row1.Company, row1.Company2;

Country: row1.CountryCode, row1.CountryCode2;

Scenario 1: Splitting one row into two rows

Address: row1.Street+", "+row1.City+", "+row1.State, row1.Street2+", "+row1.City2+", "+row1.State2;

Industry: row1.Industry, row1.Industry2;


Columns mapping

Company	CountryCode	Address	Industry
row1.Company	row1.CountryCode	row1.Street+row1.City+row1.State	row1.Industry
row1.Company2	row1.CountryCode2	row1.Street2+row1.City2+row1.State2	row1.Industry2



The value in *Address* column, for example, *row1.Street+", "+row1.City+", "+row1.State*, will display an absolute address by combining values in *Street* column, *City* column and *State* column together. The "row1" used in the values of each column refers to the input row from **tFixedFlowInput**.

15. Double-click **tLogRow** to open its **Basic settings** view.



16. Click **Sync columns** to retrieve the schema defined in the preceding component.

17. Select **Table** in the **Mode** area.

18. Save the Job and press **F6** to run it.

```
[statistics] connecting to socket on port 3706
[statistics] connected
-----+-----+-----+-----+
|                                     | tLogRow_1 |                                     |
|-----+-----+-----+-----+
| Company | CountryCode | Address | Industry |
|-----+-----+-----+-----+
| Talend | 537 | 5thAvenue, LA, California | IT |
| Lionbridge | 537 | Lincoln Road, Memphis, Tennessee | IT Service |
|-----+-----+-----+-----+
[statistics] disconnected
Job Split ended at 16:21 27/10/2011. [exit code=0]
```

The input data in one row is split into two rows of data containing the same company information.

tWriteJSONField



tWriteJSONField properties

Component family	Processing/Fields	
Function	tWriteJSONField outputs JSON objects to the defined field of an output file.	
Purpose	tWriteJSONField reads data from an input file, assembles it into JSON objects and outputs them to the defined field of an output file.	
Basic settings	<i>Output Column</i>	Select the destination field in the output component where you want to write the JSON objects.
	<i>Configure JSON Tree</i>	Opens the interface that supports the creation of the JSON data structure you want to write to a field. For more information about the interface, see the section called “Defining the XML tree” .
	<i>Schema type and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. In <i>Talend Open Studio for Big Data</i> , the schema is always Built-in .
		Built-in: You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Sync columns</i>	Click to synchronize the output file schema with the input file schema. The Sync function only displays once the Row connection is linked with the output component.
	<i>Group by</i>	Define the aggregation set, the columns you want to use to regroup the data.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component can be used as intermediate step in a data flow.	
Limitation	n/a	

Related Scenario

For a related scenario, see [the section called “Scenario: Extracting the structure of an XML file and inserting it into the fields of a database table”](#).

tXMLMap



tXMLMap properties

Component family	Processing/XML	
Function	tXMLMap is an advanced component fine-tuned for transforming and routing XML data flow (data of the Document type), especially when processing numerous XML data sources, with or without joining flat data.	
Purpose	tXMLMap transforms and routes data from single or multiple sources to single or multiple destinations.	
Basic settings	<i>Map editor</i>	It allows you to define the tXMLMap routing and transformation properties.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at the Job level as well as at each component level.
Usage	<p>Possible uses are from a simple reorganization of fields to the most complex jobs of data multiplexing or demultiplexing transformation, concatenation, inversion, filtering and so on.</p> <p>When needs be, you can define sophisticated outputting strategy for the output XML flows using group element, aggregate element, empty element and many other features such as All in one. For further information about these features, see <i>Talend Open Studio for Big Data User Guide</i>.</p> <p>It is used as an intermediate component and fits perfectly the process requiring many XML data sources, such as, the ESB request-response processes.</p>	
Limitation	<p>The limitations to be kept in mind are:</p> <ul style="list-style-type: none"> - The use of this component supposes minimum Java and XML knowledge in order to fully exploit its functionalities. - This component is a junction step, and for this reason cannot be a start nor end component in the Job. - At least one loop element is required for each XML data flow involved. 	

The following sections present several generic use cases about how to use the **tXMLMap** component, while if you need some specific examples using this component along with the **ESB** components to build data services, see the user guide for the *Talend ESB Studio*.


If you need further information about the principles of mapping multiple input and output flows, see *Talend Open Studio for Big Data User Guide*.

Scenario 1: Mapping and transforming XML data

In this scenario, a three-component Job is run to map and transform data from one XML source, *customer.xml* and generate a XML output flow which could be reused for various purposes in the future, such as, for a ESB request.

These three components are:

- **tFileInputXML**: this component is used to provide input data to **tXMLMap**.
- **tXMLMap**: this component maps and transforms the received XML data flows into one single XML data flow.
- **tLogRow**: this component is used to display the output data.



To replicate this scenario, proceed as the following sections illustrate.

Dropping and linking the components


To do this, proceed as follows:

1. From the **Palette**, drop **tFileInputXML**, **tXMLMap** and **tLogRow** into the **Design** workspace.



A component used in the workspace can be labelled the way you need. In this scenario, this input component is labelled *Customers* for **tFileInputXML**. For further information about how label a component, see *Talend Open Studio for Big Data User Guide*

2. Double click the **tFileInputXML** component labelled *Customers* to open its contextual menu.
3. From this menu, select **Row > Main** link to connect this component to **tXMLMap**.
4. Repeat this operation to connect **tXMLMap** to **tLogRow** using **Row > *New output* (Main)** link. A dialog box pops up to prompt you to name this output link. In this scenario, name it as *Customer_States*.




Then you can continue to configure each component.


Configuring the input flow

To do this, proceed as follows:

1. Double-click the **tFileInputXML** component labelled *Customers* to display its **Basic settings** view.



2. Next to **Edit schema**, click the three-dot button to open the schema editor.



3. In the schema editor, click the plus button to add one row.

4. In the **Column** column, type in a new name for this row. In this scenario, it is *Customer*.

5. In the **Type** column, select the data type of this row. In this scenario, it is *Document*. The document data type is essential for making full use of **tXMLMap**. For further information about this data type, see *Talend Open Studio for Big Data User Guide*.

6. Click **OK** to validate this editing and accept the propagation prompted by the popup dialog box. One row is added automatically to the **Mapping** table.

7. In the **File name / Stream** field, browse to, or type in the path to the XML source that provides the customer data.

8. In the **Loop XPath query** field, type in `/` to replace the default one. This means the source data is queried from the root.

9. In the **XPath query** column of the **Mapping** table, type in the XPath. In this scenario, type in `"/`, meaning that all of the data from source are queried.

10. In the **Get Nodes** column of the **Mapping** table, select the check box.



In order to build the **Document** type data flow, it is necessary to get the nodes from this component.


Configuring tXMLMap for transformation

To do this, proceed as follows:

1. Double-click the **tXMLMap** component to open the **Map Editor**.

Note that the input area is already filled with the defined input tables and that the top table is the main input table.

2. In the left table, right-click **Customer** to open the contextual menu.




3. From this contextual menu, select **Import From File** and in the pop-up dialog box, browse to the corresponding source file in order to import therefrom the XML structure used by the data to be received by **tXMLMap**. In this scenario, the source file is *Customer.xml*, which is the data input to **tFileInputXML** (*Customers*).




You can also import an XML tree from an XSD file. When importing either an input or an output XML tree structure from an XSD file, you can choose an element as the root of your XML tree. For more information on importing an XML tree from an XSD file, see *Talend Open Studio for Big Data User Guide*.


4. In the imported XML tree, right click the *Customer* node and select **As loop element** to set it as the loop element.




5. On the lower part of this map editor, click the **schema editor** tab to display the corresponding view.
6. On the right side of this view, click the plus button to add one row to the *Customer* table and rename this row as *Customer_States*.



7. In the **Type** column of this *Customer_States* row, select **Document** as the data type. The corresponding XML root is added automatically to the top table on the right side which represents the output flow.




8. On the right side in the top table labelled *Customer_States*, import the XML data structure that you need to use from the corresponding XML source file. In this scenario, it is *Customer_State.xml*.



9. Right click the *customer* node and select **As loop element** from the contextual menu.

Then you can begin to map the input flow to the output flow.

10. In the top table on the input side (left) of the map editor, click the *id* node and drop it to the **Expression** column in the row corresponding to the output row you need map. In this scenario, it is the *@id* node.




11. Do the same to map *CustomerName* to *CustomerName*, *CustomerAddress* to *CustomerAddress* and *idState* to *idState* from the left side to the right side.



In the real project, you may have to keep empty elements in your output XML tree. If so, you can use **tXMLMap** to manage them. For further information about how to manage empty elements using **tXMLMap**, see *Talend Open Studio for Big Data User Guide*.

12. If required to generate single XML flow, click the wrench icon on top of the output side to open the setting panel and set the **All in one** feature as **true**. In this example, this option is set as **true**. For further information about the **All in one** feature, see *Talend Open Studio for Big Data User Guide*.



13. Click **OK** to validate the mappings and close the **Map Editor**.



If you close the **Map Editor** without having set the required loop elements as described earlier in this scenario, the root element will be automatically set as loop element.

Then you can run this Job.

Executing the Job


To execute this Job, Press **F6**.

```
Starting job tXMLMap at 11:23 28/04/2011.
[statistics] connecting to socket on port 3382
[statistics] connected
<?xml version="1.0" encoding="UTF-8"?>
<customers><customer id="1"><CustomerName>Griffith Paving and
Sealcoatin</CustomerName><CustomerAddress>talend@apres91</CustomerAddress><idState>7</idState></
customer><customer id="2"><CustomerName>Bill's Dive Shop</CustomerName><CustomerAddress>511
Maple Ave. Apt. 1B</CustomerAddress><idState>35</idState></customer><customer
id="3"><CustomerName>Childress Child Day Care</CustomerName><CustomerAddress>662 Lyons
Circle</CustomerAddress><idState>1</idState></customer><customer id="4"><CustomerName>Facelift
Kitchen and
Bath</CustomerName><CustomerAddress>unknown</CustomerAddress><idState>0</idState></customer><cus
```

Scenario 2: Launching a lookup in a second XML flow to join complementary data

Based on the previous scenario, this scenario shows how to use lookup in an XML flow to join the data of interest to a given XML flow. The XML data for lookup is held in the *USstates.xml* file.

To do this, a **tFileInputXML** component is added to the previous Job in order to load and send the complementary data to **tXMLMap**. Thus this Job looks like as follows:



To replicate this scenario, proceed as the following sections illustrate.

Configuring the data flow for lookup

To do this, proceed as follows:


1. From the **Palette**, drop **tFileInputXML** into the Design workspace.




A component used in the workspace can be labelled the way you need. In this scenario, the newly added **tFileInputXML** is labelled *USStates*. For further information about how to label a component, see *Talend Open Studio for Big Data User Guide*


2. Double click the **tFileInputXML** component labelled *USStates* to open its contextual menu and select **Row > Main** connection to connect this component to **tXMLMap**. As you create this connection in the second place, this connection is of type **Lookup**.

3. Double click the **tFileInputXML** component labelled *USStates* to open its **Component** view.



4. Next to **Edit schema**, click the three-dot buttons to open the schema editor.
5. Click the plus button to add one rows and rename it, for example, as *USState*.
6. In the **Type** column, select the **Document** option from the drop-down list.



7. Click **OK** to validate this editing and accept the propagation prompted by the pop-up dialog box.
8. In the **File name/Stream** field, browse to or type in the path to the *USStates.xml* file.
 -  The input schemas could be stored in the **Metadata** node of the **Repository** tree view for easy retrieval. For further information regarding metadata creation in the Repository, see *Talend Open Studio for Big Data User Guide*.
9. In the **Loop XPath query** field, type in "/" to replace the default value. This means the loop is based on the root.
10. In the **Mapping** table, where one row is already added automatically, enter "." in the **XPath query** column to retrieve US States data from the source file.
11. In the **Get Nodes** column, select the check box. This retrieves the XML structure for the **Document** type data.


Configuring the transformation

To do this, proceed as follows


1. Double-click the **tXMLMap** component to open the **Map Editor**.

Note that the input area is already filled with the defined input tables and that the top table is the main input table.


2. In the top table, click the *idState* node and drop it, in the lower table, to the **Exp.key** column in the row corresponding to the *idState* row. This creates a join between the two tables on the *idState* data, among which the *idState* node from the main flow provides the lookup key.




Then you can begin to modify the mapping you have done in the previous scenario to join the complementary data into the input flow. This mapping then should look like as follows:



- In the **lookup** table on the input side (left) of the map editor, click the *LabelState* row and drop it on the *customer* node on the output side. A dialog box pops up.



- In this dialog box, select **Create as sub-element of target node** and click **OK**. This operation adds a new sub-element to the output XML tree and maps it with *LabelState* on the input inside at the same time.
- If required to generate single XML flow, click the wrench icon on top of the output side to open the setting panel and set the **All in one** feature as **true**. In this example, this option is set as **true**. For further information about the **All in one** feature, see *Talend Open Studio for Big Data User Guide*.



- Click **OK** to validate the mappings and close the **Map Editor**.
- Press **F6** to run this Job.

The **Run** view presents the execution result which may read as follows:

```
[statistics] connecting to socket on port 3683
[statistics] connected
<?xml version="1.0" encoding="UTF-8"?>
<customers><customer id="1"><CustomerName>Griffith Paving and
Sealcoat</CustomerName><CustomerAddress>talend@apres91</CustomerAddress>
<idState>7</idState><LabelState>Connecticut</LabelState></customer><customer
id="56"><CustomerName>Glenn Oaks Office
Supplies</CustomerName><CustomerAddress>1859 Green Bay
Rd.</CustomerAddress><idState>7</idState><LabelState>Connecticut</LabelState></customer><customer id="2"><CustomerName>Bill's Dive
Shop</CustomerName><CustomerAddress>511 Maple Ave. Apt.
1B</CustomerAddress><idState>35</idState><LabelState>Ohio</LabelState></customer><customer id="61"><CustomerName>DBN
Bank</CustomerName><CustomerAddress>456 Grossman
Ln.</CustomerAddress><idState>35</idState><LabelState>Ohio</LabelState></customer><customer id="63"><CustomerName>Pivot Point
College</CustomerName><CustomerAddress>1547 Knolwood
Rd.</CustomerAddress><idState>9</idState><LabelState>Florida</LabelState></customer></customers>
[statistics] disconnected
```

The US state labels that correspond to the state IDs provided as the lookup key by the main data flow are selected and outputted.

A step-by-step tutorial related to this Join topic is available on the Talend Technical Community Site. For further information, see <http://talendforge.org/tutorials/tutorial.php?language=english&idTuto=101>.


Scenario 3: Mapping data using a filter

Based on the section called “Scenario 2: Launching a lookup in a second XML flow to join complementary data”, this scenario presents how to apply filter condition(s) to select the data of interest using **tXMLMap**.


For example, you need to select the customer data where the state id is 9.


To replicate this scenario, proceed as follows:


1. In your Studio, open the Job used in the previous scenario to display it in the Design workspace.



2. Double click **tXMLMap** to open its editor. In this editor, the input and output data flows have been mapped since the replication of the previous scenario.




- 3. On the output side (right), click the  button to open the filter area.



- 4. In this filter area, drop the *idState* node from the tree view of the input data flow. The Xpath of *idState* is added automatically to this filter area.

5. Still in this area, write down the filter condition of interest in Java. In this scenario, this condition reads:
`"9".equals([row1.Customer:/Customers/Customer/Address/idState])`
6. If required to generate single XML flow, click the wrench icon on top of the output side to open the setting panel and set the **All in one** feature as **true**. In this example, this option is set as **true**. For further information about the **All in one** feature, see *Talend Open Studio for Big Data User Guide*.



7. Click **OK** to validate this editing and close this editor.

8. Press **F6** to run this Job.

The execution result is displayed in the **Run** view as follows:

```
[statistics] connecting to socket on port 3385
[statistics] connected
<?xml version="1.0" encoding="UTF-8"?>
<customers><customer id="63"><CustomerName>Pivot Point
College</CustomerName><CustomerAddress>1547 Knolwood
Rd.</CustomerAddress><idState>9</idState><LabelState>Florida</LabelState>
</customer></customers>
[statistics] disconnected
```


The result says that the customer *Pivot Point College* is selected as its state ID is 9, representing the *Florida* state in this scenario.

Scenario 4: Catching the data rejected by lookup and filter

The data rejected by the lookup and filter conditions you set in **tXMLMap** can be caught and outputted by this component itself.


Based on [the section called "Scenario 3: Mapping data using a filter"](#), this scenario presents how to catch the data rejected by the lookup and the filter set up in the previous sections.

In this scenario, another **tLogRow** component is added to the Job used in the previous scenario and thus the Job displays as follows:




To replicate this scenario, proceed as follows:

1. In your Studio, open the Job used in the previous scenario to display it in the Design workspace.
2. From the **Palette**, drop the **tLogRow** component on the workspace.
3. Right-click **tXMLMap** to open its contextual menu and select **Row > *New Output* (Main)** to connect this component to the newly added **tLogRow** component. A dialog box pops up to prompt you to name this output link. In this scenario, name it as *Reject*.



4. Click **OK** to validate this creation.
5. Double click the **tXMLMap** component to open its editor. An empty *Reject* table has been added to the output side to represent the output data flow carrying the rejected data. You need to complete this table to make this editor look like as follows:



6. Select this empty *Reject* table.
7. In the lower part of this editor, click the **Schema editor** tab to open the corresponding view.
8. On the right part of this **Schema editor** view, click the plus button to add the rows you need to use. In this scenario, click four times to add four rows to the *Reject* table.

Column	Key	Type	<input checked="" type="checkbox"/>	N..	Modèle ...	Lo...	Pre...	D...	Co...
ID	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						
Customer	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						
idState	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						
LableState	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>						

9. In the *Reject* table presented on the right part of this **Schema editor** view, rename each of the four newly added rows. They are: *ID*, *Customer*, *idState*, *LabelState*.




In this scenario, the *Reject* output flow uses flat data type. However, you can create an XML tree view for this flow using the **Document** data type. For further information about how to use this **Document** type, see [the section called “Scenario 1: Mapping and transforming XML data”](#).

The *Reject* table is completed and thus you have defined the schema of the output flow used to carry the captured rejected data. Then you need to set up the condition(s) to catch the rejected data of interest.

10. On the upper part of the output side in this **Map editor**, select the *Reject* table.

11. At the top of this table, click the  button to open the setting area.



12. In the **Catch Output Reject** row of the setting area, select **true** from the drop-down list. Thus **tXMLMap** outputs the data rejected by the filter set up in the previous scenario for the *Customer* output flow.

13. Do the same thing to switch the **Catch Lookup Inner Join Reject** row to the **true** option.

14. Click **OK** to validate this editing and close this editor.

15. Press **F6** to run this Job.

The captured data rejected by the filter and the lookup reads as follows in the **Run** view:

```
1|Griffith Paving and Sealcoatin|7|Connecticut
56|Glenn Oaks Office Supplies|7|Connecticut
2|Bill's Dive Shop|35|Ohio
61|DBN Bank|35|Ohio
62|BBQ Smith's Tex Mex|60|Ohio
```


None of the State IDs of these customers is 9. The customer *BBQ Smith's Tex Mex* is marked with the state ID 60. This number does not exist in the *idState* column of *USState.txt* where the defined lookup was done, so the data of this customer is rejected by the lookup and the other data rejected by the filter.

The data selected by the filter you set up in the previous scenario reads as follows in XML format.

```
<?xml version="1.0" encoding="UTF-8"?>
<customers><customer id="63"><CustomerName>Pivot Point
College</CustomerName><CustomerAddress>1547 Knolwood
Rd.</CustomerAddress><idState>9</idState><LabelState>Florida</LabelState>
</customer></customers>
```


Scenario 5: Mapping data using a group element

Based on the Job used in [the section called "Scenario 2: Launching a lookup in a second XML flow to join complementary data"](#), this scenario presents how to set up an element as **group element** in the **Map editor** of **tXMLMap** to group the output data.



To replicate this scenario, you can reuse the Job in the section called “Scenario 2: Launching a lookup in a second XML flow to join complementary data”.

In this Job, double click **tXMLMap** to open the **Map editor**.



The objective of this scenario is to group the customer id and the customer name information according to the States the customers come from. To do this, you need to adjust the XML structure with considering the following factors:

- The elements tagging the customer id and the customer name information should be located under the loop element. Thus they are the sub-elements of the loop element.
- The loop element and its sub-elements should be dependent directly on the group element.
- The element tagging the States used as grouping condition should be dependent directly on the group element.


- The group element cannot be the root element.



To put a group element into effect, the XML data to be processed should have been sorted, for example via your XML tools, around the element you need to use as the grouping condition. The figure below presents part of the sorted source data used in this scenario. The customers possessing the same State id is already put together.

```
<?xml version="1.0" encoding="ISO-8859-15"?>
<Customers>
  <Customer RegisterTime="2001-01-17 06:26:40.000">
    <Name>
      <id>1</id>
      <CustomerName>Griffith Paving and Sealcoatin</CustomerName>
    </Name>
    <Address>
      <CustomerAddress>talend@apres91</CustomerAddress>
      <idState>7</idState>
    </Address>
    <Revenue>
      <Sum1>67852</Sum1>
    </Revenue>
  </Customer>
  <Customer RegisterTime="1987-02-23 17:33:20.000">
    <Name>
      <id>56</id>
      <CustomerName>Glenn Oaks Office Supplies</CustomerName>
    </Name>
    <Address>
      <CustomerAddress>1859 Green Bay Rd.</CustomerAddress>
      <idState>7</idState>
    </Address>
    <Revenue>
      <Sum1>1225.</Sum1>
    </Revenue>
  </Customer>
  <Customer RegisterTime="2002-06-07 09:40:00.000">
    <Name>
      <id>2</id>
      <CustomerName>Bill's Dive Shop</CustomerName>
    </Name>
  </Customer>
</Customers>
```

Based on this analysis, the structure of the output data should read as follows:



In this figure, the *customers* node is the root, the *Customer* element is set as **group element** and the output data is grouped according to the *LabelState* element.




To set a group element, two restrictions must be respected:

- the root node cannot be set as **group element**;
- the **group element** must be the parent of the loop element.

Once the group element is set, the first element except the loop one is used as condition to group the output data.

To perform the adjustment according to this analysis, proceed as follows:


1. In the XML tree view of the output side, right-click the *customer (loop:true)* node to open the contextual menu and select **Delete**. Thus all of the elements under the root *customers* are removed. Then you can reconstruct the XML tree view to have the best structure used to group the output data of interest.




2. Again in the XML tree view of the output side, right-click the root node *customers* to open the contextual menu and select **Create sub-element**. Then a dialog box pops up.



3. Type in the name of the new sub-element. In this scenario, it is *Customer*.
4. Repeat the previous operations to create two more sub-elements under this *Customer* node. They are: *LabelState* and *Name*.
5. Do these operations again to create two more sub-elements under this newly created *Name* node. They are: *id* and *CustomerName*.
6. Right-click the *Name* node to open the contextual menu and select **As loop element** to set this element as loop.
7. Right-click the *Customer* node to open its contextual menu and select **As group element**. This means that the output data is grouped according to the *LabelState* element.
8. From the lookup data flow on the input side, click and drop the *LabelState* row to the row of the *LabelState* node in the **Expression** column on the output side. Thus the corresponding data is mapped.
9. Do the same to map the *id* element and the *CustomerName* elements between both sides. Then this modification is done.



10. If required to generate single XML flow, click the wrench icon on top of the output side to open the setting panel and set the **All in one** feature as **true**. In this example, this option is set as **true**. For further information about the **All in one** feature, see *Talend Open Studio for Big Data User Guide*.
11. Click **OK** to validate this modification and close this editor.

 If you close the **Map Editor** without having set the required loop elements as described earlier in this scenario, the root element will be automatically set as loop element.

12. Press **F6** to run this Job.

The execution result reads as follows in the **Run** view.

```
<?xml version="1.0" encoding="UTF-8"?>
<customers><Customer><LabelState>Connecticut</LabelState><Name><id>1
</id><CustomerName>Griffith Paving and
Sealcoat</CustomerName></Name><Name><id>56</id><CustomerName>Glen
n Oaks Office
Supplies</CustomerName></Name></Customer><Customer><LabelState>Ohio<
/LabelState><Name><id>2</id><CustomerName>Bill's Dive
Shop</CustomerName></Name><Name><id>61</id><CustomerName>DBN
Bank</CustomerName></Name></Customer><Customer><LabelState>Florida</
LabelState><Name><id>63</id><CustomerName>Pivot Point
College</CustomerName></Name></Customer></customers>
```

The *id* element and the *CustomerName* element contained in the loop are grouped according to the *LabelState* element. The group element *Customer* tags the start and the end of each group.




tXMLMap provides **group element** and **aggregate element** to classify data in the XML tree structure. When handling one row of data (one complete XML flow), the behavioral difference between them is:


- The **group element** processes the data always within one single flow.
- The **aggregate element** splits this flow into separate and complete XML flows.

Scenario 6: classing the output data with aggregate element

Based on the Job used in [the section called “Scenario 5: Mapping data using a group element”](#), this scenario presents how to set up an element as **aggregate element** in the **Map editor** of **tXMLMap** in order to class the output data into separate XML flows.



On the Design workspace, double-click the **tXMLMap** component to open its **Map editor**. There the output side reads as follows:



The objective of this scenario is to class the customer information using aggregate element in accordance with the States they come from and then to send these classes separately in different XML flows to the component that follows.



To put an aggregate element into effect, the XML data to be processed should have been sorted, for example via your XML tools, around the element you need to use as the aggregating condition. The figure below presents part of the sorted source data used in this scenario. The customers possessing the same State id is already put together.

```

<?xml version="1.0" encoding="ISO-8859-15"?>
<Customers>
  <Customer RegisterTime="2001-01-17 06:26:40.000">
    <Name>
      <id>1</id>
      <CustomerName>Griffith Paving and Sealcoatin</CustomerName>
    </Name>
    <Address>
      <CustomerAddress>talend@apres91</CustomerAddress>
      <idState>7</idState>
    </Address>
    <Revenue>
      <Sum1>67852</Sum1>
    </Revenue>
  </Customer>
  <Customer RegisterTime="1987-02-23 17:33:20.000">
    <Name>
      <id>56</id>
      <CustomerName>Glenn Oaks Office Supplies</CustomerName>
    </Name>
    <Address>
      <CustomerAddress>1859 Green Bay Rd.</CustomerAddress>
      <idState>7</idState>
    </Address>
    <Revenue>
      <Sum1>1225.</Sum1>
    </Revenue>
  </Customer>
  <Customer RegisterTime="2002-06-07 09:40:00.000">
    <Name>
      <id>2</id>
      <CustomerName>Bill's Dive Shop</CustomerName>
    </Name>
  </Customer>
</Customers>

```

To do this, adjust the output XML tree as follows:

1. Right-click the **Customer** element to open its contextual menu and from this menu, select **Remove group element**.
2. Click the wrench icon on top of the output side to open the setting panel and set the **All in one** feature as **false**.
3. Right-click the **LabelState** element to open its context menu and from this menu, select **As aggregate element**. This element tags the State information of each customer and the customer information will be classed under the State information.



To make the aggregate element available, ensure that the **All in one** feature is set as **false**. For further information about the **All in one** feature, see *Talend Open Studio for Big Data User Guide*

4. Click **OK** to validate these changes and close the **Map editor**.
5. Press **F6** to run this Job.

Once done, the **Run** view is opened automatically, where you can check the execution result.

Démarrage du job tXMLMap a 15:51 04/04/2012.

```
[statistics] connecting to socket on port 3364
[statistics] connected
<?xml version="1.0" encoding="UTF-8"?>
<root><Customers><LabelState>Connecticut</LabelState><Name><id>1</id><CustomerName>Griffith Paving and Sealcoat</CustomerName></Name><Name><id>56</id><CustomerName>Glenn Oaks Office Supplies</CustomerName></Name></Customers></root>
<?xml version="1.0" encoding="UTF-8"?>
<root><Customers><LabelState>Ohio</LabelState><Name><id>2</id><CustomerName>Bill's Dive Shop</CustomerName></Name><Name><id>61</id><CustomerName>DBN Bank</CustomerName></Name></Customers></root>
<?xml version="1.0" encoding="UTF-8"?>
<root><Customers><LabelState>Florida</LabelState><Name><id>63</id><CustomerName>Ivot Point College</CustomerName></Name></Customers></root>
[statistics] disconnected
Job tXMLMap terminé à 15:51 04/04/2012. [Code sortie=0]
```

tXMLMap outputs three separate XML flows, each of which carries the information of one State and the customers from that State.




tXMLMap provides **group element** and **aggregate element** to classify data in the XML tree structure. When handling one row of data (one complete XML flow), the behavioral difference between them is:

- The **group element** processes the data always within one single flow.
- The **aggregate element** splits this flow into separate and complete XML flows.

Scenario 7: Restructuring products data using multiple loop elements

This scenario uses a four-component Job to restructure the products data given by a document flow using multiple loop elements.



The components used are:

- **tFileInputXML**: it reads the source product data and pass them to the tXMLMap component.
- **tXMLMap**: it transforms the input flows with the expected structure streamlined.
- **tLogRow**: it presents the execution result in the console.
- **tFileOutputDelimited**: it generates the output flow into an XML file.

The input flow reads as follows:

```

<?xml version="1.0" encoding="ISO-8859-15"?>
<products category="1" name="laptop">

  <!-- Summary -->
  <summary>
    <company>DELL, HP</company>
    <sales unit="Dollars">12345678910.12345</sales>
    <model>business</model>
  </summary>

  <!-- Loop1 manufacture -->
  <manufacture id="manu_1" date="2012-10-30">
    <name>DELL</name>
  </manufacture>
  <manufacture id="manu_2" date="2012-10-28">
    <name>HP</name>
  </manufacture>

  <!-- Loop2 types -->
  <types model="business1">
    <type>DELL123</type>
    <manufacture_id>manu_1</manufacture_id>
  </types>

  <types model="business2">

  <types model="business3">

  <types model="business4">

  <!-- Loop3 sale -->
  <sales>
    <sale unit="Dollars" type="DELL123">
      <quarter>1</quarter>
      <income>12345</income>
    </sale>

    <sale unit="Dollars" type="DELL456">

    <sale unit="Dollars" type="HP123">

    <sale unit="Dollars" type="HP456">
  </sales>
</products>

```

The objective of this restructuring is to streamline the presentation of the products information to serve the manufacturing operations.

The output flow is expected to read as follows:

```

<?xml version="1.0" encoding="UTF-8"?>
<manufactures category="1" name="laptop">
  <sales unit="Dollars">
    <sale sales_type="DELL123">12345</sale>
    <sale sales_type="DELL456">6789</sale>
    <sale sales_type="HP123">12345.123</sale>
    <sale sales_type="HP456">6789.678</sale>
  </sales>
  <manufacture id="manu_1" date="2012-10-30" name="DELL"/>
  <manufacture id="manu_2" date="2012-10-28" name="HP"/>
  <types>
    <type>DELL123</type>
    <manufacture_id>manu_1</manufacture_id>
  </types>
  <types>
    <type>DELL123</type>
    <manufacture_id>manu_2</manufacture_id>
  </types>
  <types>
    <type>DELL456</type>
    <manufacture_id>manu_1</manufacture_id>
  </types>
  <types>
    <type>DELL456</type>
    <manufacture_id>manu_2</manufacture_id>
  </types>
  <types>
    <type>HP123</type>
    <manufacture_id>manu_1</manufacture_id>
  </types>
  <types>
    <type>HP123</type>
    <manufacture_id>manu_2</manufacture_id>
  </types>
  <types>
    <type>HP456</type>
    <manufacture_id>manu_1</manufacture_id>
  </types>
  <types>
    <type>HP456</type>
    <manufacture_id>manu_2</manufacture_id>
  </types>
</manufactures>

```

In the output flow, the root element is changed to *manufactures*, the sales information is selected and consolidated into the *sale* element and the *manufacture* element is reduced to one single level.

To replicate this scenario, proceed as follows:

Dropping and linking the components


To do this, perform the following operations:

1. On the workspace, drop **tFileInputXML**, **tXMLMap**, **tLogRow** and **tFileOutputDelimited** from the **Palette**.
2. Right-click **tFileInputXML** to open its contextual menu and select the **Row > Main** link from this menu to connect this component to the **tXMLMap** component.
3. Repeat this operation to connect **tXMLMap** to **tLogRow** using **Row > *New output* (Main)** link. A dialog box pops up to prompt you to name this output link. In this scenario, name it as *outDoc*.
4. Do the same to connect **tLogRow** to **tFileOutputDelimited** using the **Row > Main** link.


Configuring the input flow

To do this, do the following:

1. Double-click **tFileInputXML** to open its **Component** view.



2. Click the [...] button next to **Edit schema** to open the schema editor.



3. Click the [+] button to add one row to the editor and rename it as *doc*.
4. In the **Type** column, select **Document** from the drop-down list as the type of the input flow.
5. In the **File name / Stream** field, browse to, or type in the path to the XML source that provides the customer data.

6. In the **Loop XPath query** field, type in "/" to replace the default one. This means the source data is queried from the root.
7. In the **XPath query** column of the **Mapping** table, type in the XPath. In this scenario, type in ". .", meaning that all of the data from source are queried.
8. In the **Get Nodes** column of the **Mapping** table, select the check box.


Configuring tXMLMap with multiple loops

To do this, proceed as follows:


1. Double-click the **tXMLMap** component to open the **Map Editor**.

Note that the input area is already filled with the default basic XML structure and that the top table is the main input table.

2. In the left table, right-click *doc* to open the contextual menu.



3. From this contextual menu, select **Import From File** and in the pop-up dialog box, browse to the corresponding source file in order to import therefrom the XML structure used by the data to be received by **tXMLMap**. In this scenario, the source file is *input2.xml*, which provides the data read and loaded by **tFileInputXML**.
4. In the imported XML tree, right-click the *manufacture* node and select **As loop element** to set it as the loop element. Then do the same to set the *types* node and the *sale* node as loop element, respectively.
5. On the lower part of this map editor, click the **schema editor** tab to display the corresponding view.
6. On the right side of this view, click the [+] button to add one row to the *outDoc* table and rename this row as *outDoc*.



7. In the **Type** column of this *outDoc* row, select **Document** as the data type. The corresponding XML root is added automatically to the top table on the right side which represents the output flow.

Expression	Column
	outdoc
	- root (loop)


- On the right side in the top table labelled *outDoc*, import the XML data structure that you need to use from the corresponding XML source file. In this scenario, it is *ref.xml*. This file provides the expected XML structure mentioned earlier.

outDoc	
Property	Value
Catch Output Reject	false
Catch Lookup Inner Join Reject	false
All in one	true
Create empty element	true
Expression	Column
	outDoc
	└─ manufactures
• [row1.doc:/products/@catego...	└─ @category
• [row1.doc:/products/@name]	└─ @name
	└─ manufacture (loop)
• [row1.doc:/products/manufact...	└─ @id
• [row1.doc:/products/manufact...	└─ @date
• [row1.doc:/products/manufact...	└─ @name
	└─ types ... (loop)
• [row1.doc:/products/types/ty...	└─ type
• [row1.doc:/products/manufac...	└─ manufacture id
	└─ sales
• [row1.doc:/products/summary...	└─ @unit
• [row1.doc:/products/sales/sal...	└─ sale (loop)
• [row1.doc:/products/sales/sal...	└─ @sales type

- Right-click the *manufacture* node and select **As loop element** from the contextual menu. Then do the same to set the *types* node and the *sale* node as loop element, respectively.

Then you can begin to map the input flow to the output flow.

- In the top table on the input side (left) of the map editor, click the *@category* node and drop it to the **Expression** column in the row corresponding to the output row you need to map. In this scenario, it is the *@category* node.




11. Do the same to map:

- *@name* to *@name*
- *@unit* under the *summary* node to *@unit*
- *@id* to *@id* and to *manufacture id*, respectively
- *@date* to *@date*
- *name* to *@name*
- *type* to *type*
- *@type* to *@sales_type*
- *income* to *sale (loop)*

12. If required to generate single XML flow, click the wrench icon on top of the output side to open the setting panel and set the **All in one** feature as **true**. In this example, this option is set as **true**. For further information about the **All in one** feature, see *Talend Open Studio for Big Data User Guide*.

13. Click the [...] button next to the **types** loop element to open the loop sequence table. In this table, ensure that the *types* input loop is the primary loop, meaning that its sequence number is *1*. This way, the relative part of the output flow will be sorted with regards to the values of the *type* element.





When a loop element receives mappings from more than one loop element of the input flow, a [...] button appears next to this receiving loop element and allows you to set the sequence of the input loops. For example, in this scenario the *types* loop element of the output flow is mapped with *@id* and *type* which belong to the *manufacture* loop element and the *types* loop element, respectively, so the [...] button appears beside this *types* loop element.

If the receiving flow is flat data, once it receives mappings from more than one loop element, this [...] button appears as well, on the head of the table representing the flat data flow, though.

14. Click **OK** to validate the mappings and close the **Map Editor**.



If you close the **Map Editor** without having set the required loop elements as described earlier in this scenario, the root element will be automatically set as loop element.

Configuring the output flow


To do this, proceed as follows:

1. Double-click **tLogRow** to open its **Component** view.
2. If this component does not have the same schema of the preceding component, a warning icon appears. In this case, click the **Sync columns** button to retrieve the schema from the preceding one and once done, the warning icon disappears.
3. Click **OK** to validate these changes and accept the propagation prompted by the pop-up dialog box.
4. Double-click **tFileOutputDelimited** to open its **Component** view.
5. In the **File Name** field, browse to, or enter the path to the file you need to generate the output flow in.

Executing the Job

To execute this Job, press **F6**.

Once done, the **Run** view is opened automatically, where you can check the execution result.



The screenshot shows the Execution console window with the following content:

```
Starting job simple_20380 at 15:01 13/04/2012.

[statistics] connecting to socket on port 3739
[statistics] connected
<?xml version="1.0" encoding="UTF-8"?>
<manufactures category="1" name="laptop"><sales
unit="Dollars"><sale
sales_type="DELL123">12345</sale><sale
sales_type="DELL456">6789</sale><sale
sales_type="HP123">12345.123</sale><sale
sales_type="HP456">6789.678</sale></sales><manu
facture id="manu_1" date="2012-10-30"
name="DELL"/><manufacture id="manu_2"
date="2012-10-28"
name="HP"/><types><type>DELL123</type><manufact
ure_id>manu_1</manufacture_id></types><types><t
ype>DELL123</type><manufacture_id>manu_2</manuf
```

At the bottom of the console, there are two checkboxes: "Line limit" (unchecked) with a value of "100" in a text box, and "Wrap" (checked).

Open the file generated, and you will see the expected products data restructured for manufacturing.

System components

This chapter details the main components that you can find in the **System** family of the *Talend Open Studio for Big Data Palette*.

The System family groups together components that help you to interact with the operating system.




For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

tRunJob



tRunJob Properties


Component family	System	
Function	tRunJob executes the Job called in the component's properties, in the frame of the context defined.	
Purpose	tRunJob helps mastering complex Job systems which need to execute one Job after another.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p>
		Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository. You can reuse it in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>
	<i>Use dynamic job</i>	<p>Select this check box to allow multiple Jobs to be called and processed. When this option is enabled, only the latest version of the Jobs can be called and processed. An independent process will be used to run the subjob. The Context and the Use an independent process to run subjob options disappear.</p> <p> <i>The options Use dynamic job and Use an independent process to run subjob are not compatible with the Jobserver cache. Therefore, the execution may fail if you run a job that contains tRunjob in Talend Administration Center.</i></p>
	<i>Context job</i>	This field is visible only when the Use dynamic job option is selected. Enter the name of the Job that you want to call from the list of Jobs selected.
	<i>CopyChild Job Schema</i>	Click to fetch the child Job schema.
	<i>Job</i>	Select the Job to be called in and processed. Make sure you already executed once the Job called, beforehand, in order to ensure a smooth run through tRunJob .
	<i>Version</i>	Select the child Job version that you want to use.

	<i>Context</i>	If you defined contexts and variables for the Job to be run by the tRunJob , select the applicable context entry on the list.
	<i>Use an independent process to run subjob</i>	Select this check box to use an independent process to run the subjob. This helps in solving issues related to memory limits.
	<i>Die on child error</i>	Clear this check box to execute the parent Job even though there is an error when executing the child Job.
	<i>Transmit whole context</i>	Select this check box to get all the context variables from the parent Job. Deselect it to get all the context variables from the child Job.
	<i>Context Param</i>	You can change the selected context parameters. Click the plus button to add the parameters as defined in the Context of the child Job. For more information on context parameters, see <i>Talend Open Studio for Big Data User Guide</i> .
Advanced settings	<i>Print Parameters</i>	Select this check box to display the internal and external parameters in the Console .
	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	This component can be used as a standalone Job or can help clarifying complex Job by avoiding having too many sub-jobs all together in one Job.	
Global Variables		<p>Child return code: Indicates the Java return code of the child Job. This is available as an After variable.</p> <p>Returns an integer:</p> <ul style="list-style-type: none"> - if no errors > the code value is 0. - if errors > an exception message shows. <p>Child exception stack trace: Returns a Java stack trace from a child Job. This is available as an After variable.</p> <p>Returns a string.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
		<p>Outgoing links (from one component to another):</p> <p>Row: Main.</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Reject; Iterate.</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error; Synchronize; Parallelize.</p>

		For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i> .
Limitation	n/a	


Scenario: Executing a child Job

This scenario describes a single-component Job calling in and executing another Job. The Job to be executed reads a basic delimited file and simply displays its content on the **Run** log console. The particularity of this Job lies in the fact that this latter Job is executed from a separate Job and uses a context variable to prompt for the input file to be processed.



Create the first Job reading the delimited file.

- Drop a **tFileInputDelimited** and a **tLogRow** from the **Palette** to the design workspace.
- Connect the two components together using a **Row Main** link.
- Double-click **tFileInputDelimited** to open its **Basic settings** view and define its properties.



- Set the **Property type** to **Built-In** for this Job.
- Click in the **File Name** field and then press **F5** to open the **[New Context Parameter]** dialog box and configure the context variable.

- In the **Name** field, enter a name for this new context variable, *File* in this example.

In this example, there is no need to either select the **Prompt for value** check box or to set a prompt message, as the default parameter value can be used.

- Click **Finish** to validate the modification and press **Enter** on your keyboard to make sure the new context variable is stored the **File Name** field.
- In the **Basic settings** view, type in the field and row separators used in the input file.
- If needed, set **Header**, **Footer**, and **Limit**. In this example, no header or footer are used and no limit for the number of processed rows is set.
- Set **Schema type** to **Built-in** for this example. Click the three-dot button next to the field name to open the schema dialog box where you can configure the schema manually.
- In the dialog box, click the plus button to add two columns and name them following the first and second column names of your input file, *username* and *age* in this example.




If you store your schema in the **Repository** tree view, you only need to select the relevant metadata entry corresponding to your input file structure.

- Double-click **tLogRow** to display its **Basic settings** view and define its properties.
- Click **Sync columns** to retrieve the schema of the input component and then set other options according to your needs.
- Save your Job and press **F6** to make sure that it executes without error.


Create the second Job that will be the parent Job.

- Drop a **tFileList** and a **tRunJob** from the **Palette** to the design workspace.
- Connect the two components together using an **Iterate** link.


- Double-click **tFileList** to open its **Basic settings** view and define its properties.



- In the **Directory** field, set the path to the directory that holds the files to be processed, or click the three-dot button next to the field to browse to the directory. In this example, the directory is called *tRunJob* and it holds three delimited files.
- In the **FileList Type** list, select **Files**.
- Select the **Use Glob Expressions as Filemask** check box to be able to use regular expressions in your file masks.
- In the **Files** area, click the plus button to add a line where you can set the filter to apply. In this example, we want only to retrieve delimited files “*.*.csv”.
- Double-click **tRunJob** to display its **Basic settings** view and define its properties.



- Click the three-dot button next to the **Job** field to open the **[Find a Job]** dialog box.



- Select the child Job you want to execute and click **OK** to close the dialog box. The name of the selected Job displays in the **Job** field in the **Basic settings** view of **tRunJob**.
- Click **Copy Child Job Schema** to retrieve the schema from the child Job.
- In the **Context Param** area, click the plus button to add a line and define the context parameter.
- Click in the **Values** cell and then press **Ctrl+Space** on your keyboard to access the list of context variables.
- In the list, select *tFileList-1.CURRENT_FILEPATH*. The corresponding context variable displays in the **Values** cell: `((String)globalMap.get("tFileList-1.CURRENT_FILEPATH"))`.

For more information on context variables, see *Talend Open Studio for Big Data User Guide*.

- Save your Job and press **F6** to execute it.

```
Starting job tRunJob_father at 12:17 06/10/2009.
[statistics] connecting to socket on port 4043
[statistics] connected
clevenes|25
elsabot|32
mlelandais|26
hmassy|31
abibota|24
ychen|27
plegall|28
smallet|34
scorreia|37
[statistics] disconnected
Job tRunJob_father ended at 12:17 06/10/2009. [exit code=0]
```

The called-in Job reads the data contained in the input file, as defined by the input schema, and the result of this Job is displayed directly in the **Run** console.

Related topic: [the section called “tLoop”](#), and [the section called “Scenario 1: Buffering data \(Java\)”](#) of the **tBufferOutput** component.

tSetEnv



tSetEnv Properties

Component family	System	
Function	tSetEnv adds variables temporarily to system environment during the execution of a Job.	
Purpose	tSetEnv allows to create variables and execute a Job script through communicating the information about the newly created variables between subjobs. After job execution, the newly created variables are deleted.	
Basic settings	<i>Parameters</i>	<p>Click the plus button to add the variables needed for the job. name: Enter the syntax for the new variable.</p> <p>value: Enter a parameter value according to the context.</p> <p>append: Select this check box to add the new variable at the end.</p>
Usage	tSetEnv can be used as a start or an intermediate component.	
Limitation	n/a	


Scenario: Modifying a variable during a Job execution

The following scenario is made of two Jobs parent and child. With the **tSetEnv** component, you can transfer and modify in a child Job a value created in a parent Job. As part of this Job, the **tMsgBox** components allow you to display, for information purposes only, that a variable is properly set, via an info-box.


To modify the value of the parent Job by using a variable set in the **tSetEnv** component, do as described in the following sections:

Drop and link components

1. Create a first Job named *parentJob*: right-click on the **Job Design** node of the **Repository**, and choose **Create a Job**.
2. From the **Palette**, drop a **tSetEnv** component, two **tMsgBox** components, and one **tRunJob** component onto the design workspace.
3. Connect the **tSetEnv** component to a first **tMsgBox** component with a **OnSubjobOk** link : right-click on the start component, select *Trigger*, then **OnSubjobOk**. Then click on the end component you want to connect.
4. Connect the first **tMsgBox** component to the **tRunJob** with a **OnSubjobOk** link.
5. Then connect the **tRunJob** component to the second **tMsgbox** with a **OnSubjobOk** link.



6. Now create a child Job named *ChildJob*.
7. From the **Palette**, drop a **tSetEnv** component onto the design workspace.
8. Connect the **tSetEnv** component to the **tMsgBox** with a **OnSubjobOk** link : right click on the start component, select *Trigger*, then **OnSubjobOk**. Then click on the end component you want to connect.



Set the components

In this example, the value set in the parent Job is transferred to the child Job. There, it is modified and adopts the value of the child Job, and then transferred to the parent Job again.

1. In *parentJob*, select the **tSetEnv** component and click the **Component** tab. Add a variable row by clicking the [+] button to set the initial value of the variable. Type *Variable_1* in the **Name** field, and *Parent job value* in the **Value** field.
2. Select the first **tMsgBox** component, and click the **Component** tab. In the **Message** field, type the message displayed in the info-box which confirms that your variable has properly been taken into account. For example: `"Parent: "+System.getProperty("Variable_1")` displays the variable set in the **tSetEnv** component (here *Parent job value*).

3. Select the second **tMsgBox** component, and click the **Component** tab. In the **Message** field, type the `"Parent: "+System.getProperty("Variable_1")` line again. It makes the variable set in the child Job appear.
4. Select the **tRunJob** component and click the **Component** tab. In the **Job** field, type the name of your child Job, here *ChildJob*. This will run the child Job when you run the parent Job.

Schema Edit schema

Use dynamic job

Job Version * Context *

Use an independent process to run subjob

Die on child error

Transmit whole context

Context Param

Parameters	Values

5. Now double-click the **tRunJob** component to open the child Job *ChildJob*.
6. Select the **tSetEnv** component, and click the **Component** tab. Add a variable row by clicking the **[+]** button to set the initial value of the variable. Type *Variable_1* in the **Name** field, and *Child job value* in the **Value** field.
7. Select the **tMsgBox** component and click the **Component** tab. In the **Message** field, type the message displayed in the info-box which confirms that your variable has properly been taken into account. For example: `"Parent: "+System.getProperty("Variable_1")` displays the variable set in the **tSetEnv** component (here *Child job value*).

Title

Buttons

Icon

Message

8. Save your Job, go back to *parentJob*, then run the Job by pressing **F6**.

Run the Job

Three info-boxes are displayed one after the other:

- *Parent: Parent job value:* parent Job's value is *Parent job value*.
- *Child: Child job value:* Child Job's value is *Child job value*.
- *Parent: Parent job value:* parent Job's value was modified by the variable set in the **tSetEnv** of the child Job, then transferred again to the parent Job. parent Job's value is now the one set in the child Job.

tSSH



tSSH Properties

Component family	System	
Function	Returns data from a remote computer, based on the secure shell command defined.	
Purpose	Allows to establish a communication with distant server and return securely sensible information.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the preceding component in the Job.</p>
		Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository. You can reuse it in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>
	<i>Host</i>	IP address
	<i>Port</i>	Listening port number
	<i>User</i>	User authentication information
<i>Authentication method</i>	<i>Public Key/Key Passphrase/Private Key</i>	<p>Select the relevant option.</p> <p>In case of Public Key, type in the passphrase, if required, in the Key Passphrase field and then in the Private key field, type in the private key or click the three dot button next to the Private key field to browse to it.</p>
<i>Authentication method</i>	<i>Password/Password</i>	<p>Select the relevant option.</p> <p>In case of Password, type in the required password in the Password field.</p>
<i>Authentication method</i>	<i>Keyboard Interactive/ Password</i>	<p>Select the relevant option.</p> <p>In case of Keyboard Interactive, type in the required password in the Password field.</p>
	<i>Pseudo terminal</i>	Select this check box to call the interactive shell that performs the terminal operations.

	<i>Command separator</i>	Type in the command separator required. Once the Pseudo terminal check box is selected, this field becomes unavailable.
	<i>Commands</i>	Type in the command for the relevant information to be returned from the remote computer. When you select the Pseudo terminal check box, this table becomes a terminal emulator and each row in this table is a single command.
	<i>Use timeout/timeout in seconds</i>	Define the timeout time period. A timeout message will be generated if the actual response time exceeds this expected processing time.
	<i>Standard Output</i>	Select the destination to which the standard output is returned. The output may be returned to: <ul style="list-style-type: none"> - to console: the output is displayed in the console of the Run view. - to global variable: the output is indicated by the corresponding global variable. - both to console and global variable: the output is indicated both of the two means. - normal: the output is a standard ssh output.
	<i>Error Output</i>	Select the destination to which the error output is returned. The output may be returned to: <ul style="list-style-type: none"> - to console: the output is displayed in the console of the Run view. - to global variable: the output is indicated by the corresponding global variable. - both to console and global variable: the output is indicated both of the two means. - normal: the output is a standard ssh output.
Usage	This component can be used as standalone component.	
Global variables		<p>Standard Output: Indicates the standard execution output of the remote command. It is available as an After variable.</p> <p>Returns a String.</p> <p>Error output: Indicates the error execution output of the remote command. It is available as an After variable.</p> <p>Returns a String.</p> <p>Exit value: Indicates the exit status of the remote command. It is available as an After variable.</p> <p>Returns an Integer.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data</i> User Guide.</p>
Connections		Outgoing links (from one component to another):


	<p>Row: Main</p> <p>Trigger: Run if; On Component Ok; On Component Error; On Subjob Ok; On Subjob Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Iterate</p> <p>Trigger: Run if; On Component Ok; On Component Error; On Subjob Ok; On Subjob Error.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	The component use is optimized for Unix-like systems.

Scenario: Remote system information display via SSH

The following use case describes a basic Job that uses SSH command to display the hostname of the distant server being connected to, and the current date on this remote system.

The **tSSH** component is sufficient for this Job. Drop it from the **Palette** to the design workspace.

Double-click on the **tSSH** component and select the **Basic settings** view tab.



- Type in the name of the **Host** to be accessed through SSH as well as the **Port** number.

- Fill in the **User** identification name on the remote machine.
- Select the **Authentication method** on the list. For this use case, the authentication method used is the public key.
- Thus fill in the corresponding **Private key**.
- On the **Command** field, type in the following command. For this use case, type in `hostname ; date` between double quotes.
- Select the **Use timeout** check box and set the time before falling in error to 5 seconds.


```
Starting job uniteElisa at 16:26 26/09/2007.  
picasso  
Wed Sep 26 14:24:15 CEST 2007  
Job uniteElisa ended at 16:26 26/09/2007. [exit code=0]
```

The remote machine returns the host name and the current date and time as defined on its system.

tSystem



tSystem Properties

Component family	System	
Function	tSystem executes one or more system commands.	
Purpose	tSystem can call other processing commands, already up and running in a larger Job.	
Basic settings	<i>Use home directory</i>	Select this check box to change the name and path of a dedicated directory.
	<i>Use Single Command</i>	<p>When the required command is very simple, to the degree that, for example, only one parameter is used and without space, select this option to activate its Command field. In this field, enter the simple system command. Note that the syntax is not checked.</p> <p> <i>In Windows, the MS-DOS commands do not allow you to pass directly from the current folder to the folder containing the file to be launched. To launch a file, you must therefore use an initial command to change the current folder, then a second one to launch the file</i></p>
	<i>Use Array Command</i>	<p>Select this option to activate its Command field. In this field, enter the system command in array, one parameter per line.</p> <p>For example, enter the following command with consecutive spaces in array for Linux:</p> <pre>" cp " " /temp/source.txt " " /temp/copy to/ "</pre>
	<i>Standard Output and Error Output</i>	Select the type of output for the processed data to be transferred to.
		to console: data is passed on to be viewed in the Run view.
		to global variable: data is passed on to an output variable linked to the tSystem component.
		to console and to global variable: data is passed on to the Run view and to an output variable linked to the tSystem component.
		normal: data is passed on to the component that comes next.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.

		<p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the preceding component in the Job.</p>
		<p>Built-in: You create and store the schema locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>
		<p>Repository: You have already created the schema and stored it in the Repository. You can reuse it in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i></p>
	<i>Environment variables</i>	<p>Click the [+] button to add as many global variables as needed.</p> <p>name: Enter the syntax of the new variable.</p> <p>value: Enter a value for this variable according to the context.</p>
Usage	<p>This component can typically used for companies which already implemented other applications that they want to integrate into their processing flow through Talend.</p>	
Global Variables		<p>Standard Output: Returns the standard output from a process. This is available as an After variable</p> <p>Returns a string.</p> <p>Error Output: Returns the erroneous output from a process. This is available as an After variable.</p> <p>Returns a string.</p> <p>Exit Value: Returns an exit code. This is available as an After variable.</p> <p>Returns an integer:</p> <ul style="list-style-type: none"> - if there are no errors > the exit code is 0. - if there are errors > the exit code is 1. <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main.</p> <p>Trigger: On Subjob Ok; On Subjob Error; Run if.</p> <p>Incoming links (from one component to another):</p> <p>Row: Main; Reject; Iterate.</p>

		<p>Trigger: On Subjob Ok; On Subjob Error; Run if; On Component Ok; On Component Error; Synchronize; Parallelize.</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	


Scenario: Echo 'Hello World!'

This scenario is one single component **tSystem** to execute a system command and shows the results in the **Run** view "console".



To replicate this scenario, proceed as follows:

1. Drop a **tSystem** component from the **Palette** to the design workspace.
2. Double-click **tSystem** to open its **Component** view.



3. Select the **Use Single Command** option to activate its **Command** field and type in "cmd /c echo Hello World!".
4. In the **Standard Output** drop-down list, select **to both console and global variable**.
5. Press **F6** to run this Job.

```
Starting job tSystem_scenario at 17:26 08/10/2009.  
[statistics] connecting to socket on port 3961  
[statistics] connected  
Hello World!  
[statistics] disconnected  
Job tSystem_scenario ended at 17:26 08/10/2009. [exit code=0]
```

The Job executes an echo command and shows the output in the Console of the **Run** view.

Talend MDM components

This chapter details the main components that you can find in the **Talend MDM** family of the *Talend Open Studio for Big Data Palette*.

The **Talend MDM** family groups together connectors that read and write master data in the MDM Hub.






For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

tMDMBulkLoad



tMDMBulkLoad properties

Component family	Talend MDM	
Function	tMDMBulkLoad writes XML structured master data into the MDM hub in bulk mode.	
Purpose	This component uses bulk mode to write data so that big batches of data or data of high complexity can be fast uploaded onto the MDM server.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to modify the schema.</p> <p> If you modify the schema, it automatically becomes built-in.</p> <p>Click Sync columns to collect the schema from the previous component.</p>
		Built-in: You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository. You can reuse it in various projects and Job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>XML field</i>	Select the name of the column in which you want to write the XML data.
	<i>URL</i>	Type in the URL required to access the MDM server.
	<i>Username and Password</i>	Type in the user authentication data for the MDM server.
	<i>Version</i>	Type in the name of the Version of master data you want to connect to, for which you have the required user rights. Leave this field empty if you want to display the default Version of master data.
	<i>Data model</i>	Type in the name of the data model against which the data to be written is validated.
	<i>Data Container</i>	Type in the name of the data container where you want to write the master data.
	<i>Entity</i>	Type in the name of the entity that holds the data record(s) you want to write.
	<i>Validate</i>	Select this checkbox to validate the data you want to write onto the MDM server against validation rules defined for the current data model.


		<p>For more information on how to set the validation rules, see Administrator Guide.</p> <p> <i>If you need faster loading performance, do not select this checkbox.</i></p>
	<i>Generate ID</i>	<p>Select this check box to generate an ID number for all of the data written.</p> <p> <i>If you need faster loading performance, do not select this checkbox.</i></p>
	<i>Commit size</i>	Type in the row count of each batch to be written onto the MDM server.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Main,</p> <p>Trigger: Run if; On Component Ok; On Component Error, On Subjob Ok, On Subjob Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Main</p> <p>Trigger: Run if, On Component Ok, On Component Error, On Subjob Ok, On Subjob Error</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Usage	<p>This component needs always an incoming link to offer XML structured data. If your data offered is not yet in the XML structure, you need use components like tWriteXMLField to transform this data into the XML structure. For further information about tWriteXMLField, see the section called “tWriteXMLField”.</p>	

Enhancing the MDM bulk data load

The information below concerns only MDM used with eXist.


As XML parsing is a CPU and memory consuming process, it is not really compatible with large datasets. The following Scenario: [the section called “Scenario: Loading records into a business entity”](#), which shows how to use the **tMDMBulkLoad** component, has some limitations because it cannot work with large dataset, for the time being at least.

An alternative scenario in which you process the dataset file per bulk load iterations can be designed as the following:




In such a scenario, the **tMDMBulkLoad** component waits for XML data as an input. You must manually format this incoming data to match the entity schema defined in the MDM Studio. Most of the time, the data you want to import is in a flat “format”, and you have to transform it into XML.

As XML parsing is memory consuming, you can work around this problem by splitting your source file into several files using the **tAdvancedFileOutputXML** component. To do this, you select the **Split output in several files** option in the **Advanced settings** view of the component and then set the rows in each output file through a context variable (*context.chunkSize*), for example.




The XML schema you must define in the XML editor of this component should be an exact match of the business entity defined in the MDM Studio. The XML schema in the editor must represent a single `<root>` element which contains all the other elements, so that you can loop on each of the element. The path of the file should be defined in a temporary folder.

Use a **tFileList** component to read all the XML files that have just been created. This component enables you to parallelize the process. Connect it to a **tFileInputXML** component using the **Iterate** link.




For the **Iterate** link, it is recommended that you set as many threads as the number of the physical cores of the computer. You can achieve that using `Runtime.getRuntime().availableProcessors()`

The **tFileInputXML** component will read the data from the XML files you have created, by defining a loop on the elements, and getting all the nodes that are already formatted as XML. You must then select the **Get Nodes** check box.



Finally, you must setup the **tMDMBulkLoad** component as the following:



Ensure that you set the commit size to the same value you defined in the **tAdvancedfileOutputXML**, the `context.chunkSize` context variable.

The **tFiledelete** component in such a scenario will delete all the temporary data at the end of the Job.

Scenario: Loading records into a business entity

This scenario describes a Job that loads records into the *ProductFamily* business entity defined by a specific data model in the MDM hub.

Prerequisites of this Job:

- The *Product* data container: this data container is used to separate the product master data domain from the other master data domains.
- The *Product* data model: this data model is used to define the attributes, validation rules, user access rights and relationships of the entities of interest. Thus it defines the attributes of the *ProductFamily* business entity.


- The *ProductFamily* business entity: this business entity contains *Id*, *Name*, both defined by the *Product* data model.

For further information about how to create a data container, a data model, and a business entity along with its attributes, see Administrator Guide.

The Job in this scenario uses three components.




- **tFixedFlowInput**: this component generates the records to be loaded into the *ProductFamily* business entity. In the real case, your records to be loaded are often voluminous and stored in a specific file, while in order to simplify the replication of this scenario, this Job uses **tFixedFlowInput** to generate four sample records.
- **tWriteXMLField**: this component transforms the incoming data into XML structure.
- **tMDMBulkLoad**: this component writes the incoming data into the *ProductFamily* business entity in bulk mode, generating ID value for each of the record data.


 For the time being, **tWriteXMLField** has some limitations when used with very large datasets. Another scenario is possible to enhance the MDM bulk data load. For further information, see [the section called “Enhancing the MDM bulk data load”](#).

To replicate this scenario, proceed as follows:


- Drop **tFixedFlowInput**, **tWriteXMLField** and **tMDMBulkLoad** onto the design workspace.
- Right click **tFixedFlowInput** to open its contextual menu.
- Select **Row > Main** to connect **tFixedFlowInput** to the following component using **Main** link.
- Do the same to link the other components.
- Double click **tFixedFlowInput** to open its **Basic settings** view.




- Click the three-dot button next to **Edit schema** to open the schema editor.




- In the schema editor, click the plus button to add one row.
- In the schema editor, click the new row and type in the new name: *family*.
- Click **OK**.
- In the **Mode** area of the **Basic settings** view, select the **Use inline table** option.
- Under the inline table, click the plus button four times to add four rows in the table.
- In the inline table, click each of the added rows and type in their names between the quotation marks: *Shirts*, *Hats*, *Pets*, *Mugs*.
- Double click **tWriteXMLField** to open its **Basic settings** view.



- Click the three-dot button next to the **Edit schema** field to open the schema editor where you can add a row by clicking the plus button.




- Click the newly added row to the right view of the schema editor and type in the name of the output column where you want to write the XML content. In this example, type in *xmlRecord*.
- Click **OK** to validate this output schema and close the schema editor.
- In the popped up dialog box, click **OK** to propagate this schema to the following component.
- On the **Basic settings** view, click the three-dot button next to **Configure Xml Tree** to open the interface that helps to create the XML structure.



- In the **Link Target** area, click *rootTag* and rename it as *ProductFamily*, which is the name of the business entity used in this scenario.
- In the **Linker source** area, drop *family* to *ProductFamily* in the **Link target** area.


A dialog box displays asking what type of operation you want to do.

- Select **Create as sub-element of target node** to create a sub-element of the *ProductFamily* node. Then the *family* element appears under the *ProductFamily* node.
- In the **Link target** area, click the **family** node and rename it as **Name**, which is one of the attributes of the **ProductFamily** business entity.
- Right-click the *Name* node and select from the contextual menu **Set As Loop Element**.
- Click **OK** to validate the XML structure you defined.
- Double-click **tMDMBulkLoad** to open its **Basic settings** view.



- In **XML Field**, click this field and select *xmlRecord* from the drop-down list.
- In the **URL** field, enter the MDM server URL, between quotes: for example, *http://localhost:8080/talend/TalendPort*.

- In the **Username** and **Password** fields, enter your login and password to connect to the MDM server.
- In the **Data Model** and the **Data Container** fields, enter the names corresponding to the data model and the data container you need to use. Both are *Product* for this scenario.
- In the **Entity** field, enter the name of the business entity which the records are to be loaded in. In this example, type in *ProductFamily*.
- Select the **Generate ID** check box in order to generate ID values for the records to be loaded.
- In the **Commit size** field, type in the batch size to be written into the MDM hub in bulk mode.
- Press **F6** to run the Job.
- Log into your to check the newly added records for the *ProductFamily* business entity.



tMDMClose



tMDMClose properties

Component family	Talend MDM	
Function	tMDMClose closes an opened MDM server connection.	
Purpose	This component is used to terminate an opened MDM server connection after the execution of the proceeding subjob.	
Basic settings	<i>Component List</i>	Select the tMDMConnection component from the list if more than one connection is planned for the current Job.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	This component is to be used along with the tMDMConnection component.	

Related scenario

For a related use case, see [the section called “Scenario: Deleting master data from an MDM Hub”](#).

tMDMConnection



tMDMConnection properties

Component family	Talend MDM	
Function	tMDMConnection opens an MDM server connection for convenient reuse in the current transaction.	
Purpose	This component is used to open a connection to an MDM server for convenient reuse in the subsequent subjob or subjobs.	
Basic settings	<i>URL</i>	Type in the URL required to access the MDM server.
	<i>Username</i> and <i>Password</i>	Type in the user authentication data for the MDM server.
	<i>Version</i>	Type in the name of the Version of master data you want to connect to. Leave this field empty if you want to display the default Version of master data.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	This component is to be used along with the tMDMSP , tMDMViewSearch , tMDMInput , tMDMDelete , tMDMRouteRecord , tMDMOutput , and tMDMClose components.	


Related scenario

For a related use case, see [the section called “Scenario: Deleting master data from an MDM Hub”](#).

tMDMDelete




tMDMDelete properties

Component family	Talend MDM	
Function	tMDMDelete deletes data records from specific entities in the MDM Hub.	
Purpose	This component deletes master data in an MDM hub.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to modify the schema.</p> <p> If you modify the schema, it automatically becomes built-in.</p> <p>Click Sync columns to collect the schema from the previous component.</p>
		Built-in: You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository. You can reuse it in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Use an existing connection</i>	Select this check box if you want to use a configured tMDMConnection component.
	<i>URL</i>	Type in the URL required to access the MDM server.
	<i>Username and Password</i>	Type in the user authentication data for the MDM server.
	<i>Version</i>	<p>Type in the name of the Version of master data you want to connect to, for which you have the required user rights.</p> <p>Leave this field empty if you want to display the default Version of master data.</p>
	<i>Entity</i>	Type in the name of the entity that holds the data record(s) you want to delete.
	<i>Data Container</i>	Type in the name of the data container that holds the data record(s) you want to delete.
	<i>Keys</i>	Specify the field(s) (in sequence order) composing the key when the entity have a multiple key.
	<i>Logical delete</i>	Select this check box to send the master data to the Recycle bin and fill in the Recycle bin path . Once in the Recycle bin, the master data can be definitely deleted or restored. If you leave this check box clear, the master data will be permanently deleted.

	<i>Die on error</i>	Select this check box to skip the row in error and complete the process for error-free rows. If needed, you can retrieve the rows in error via a Row > Rejects link.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage		Use this component to write a file and separate the fields using a specific separator.

Scenario: Deleting master data from an MDM Hub

This scenario describes a four-component Job that deletes the specified data record from the MDM Hub.




Dropping and linking the components

1. Drop **tMDMConnection**, **tMDMInput**, **tMDMDelete**, and **tMDMClose** of the **Talend MDM** family from the **Palette** onto the design workspace.
2. Connect **tMDMInput** to **tMDMDelete** using a **Row > Main** link.
3. Connect **tMDMConnection** to **tMDMInput**, and **tMDMInput** to **tMDMClose** using **Trigger > OnSubjobOK** links.

Configuring the MDM server connection


In this scenario, a **tMDMConnection** component is used to open an MDM server connection for convenient reuse in the subsequent subjob that performs the data record deletion task.

1. Double-click **tMDMConnection** to display its **Basic settings** view and define the component properties.



2. In the **URL** field, enter the MDM server URL, between quotation marks: for example, *"http://localhost:8180/talend/TalendPort"*.
3. In the **Username** and **Password** fields, enter your login user name and password to connect to the MDM server.
4. In the **Version** field, enter the name of the master data Version you want to access, between quotation marks. Leave this field empty to access the default master data Version.
5. Double-click **tMDMClose** to display its **Basic settings** view and define the component properties.


This component closes the opened MDM server connection after the successful execution of the proceeding subjob.



6. From the **Component List** list, select the component for the server connection you want to close if you have configured more than one MDM server connection. In this use case, there is only one MDM server connection opened, so simply use the default setting.

Configuring data retrieval

1. Double-click **tMDMInput** to display its **Basic settings** view and define the component properties.




- From the **Property Type** list, select **Built-in** to complete the fields manually.

If you have stored the MDM connection information in the repository metadata, select **Repository** from the list and the fields will be completed automatically.

- From the **Schema** list, select **Built-in** and click [...] next to **Edit schema** to open a dialog box.

Here you can define the structure of the master data you want to read in the MDM hub.




- The master data is collected in a four column schema of the type **String**: *Id*, *Name*, *City* and *State*. Click **OK** to close the dialog box and proceed to the next step.
- Select the **Use an existing connection** check box, and from the **Component List** list that appears, select the component you have configured to open your MDM server connection.

In this scenario, only one MDM server connection exists, so simply use the default selection.

- In the **Entity** field, enter the name of the business entity that holds the data record(s) you want to read, between quotation marks. Here, we want to access the *Agency* entity.


7. In the **Data Container** field, enter the name of the data container that holds the master data you want to read, between quotation marks. In this example, we use the *DStar* container.

 The **Use multiple conditions** check box is selected by default.

8. In the **Operations** table, define the conditions to filter the master data you want to delete as follows:

- Click the plus button to add a new line.
- In the **Xpath** column, enter the Xpath and the tag of the XML node on which you want to apply the filter, between quotation marks. In this example, we work with the **Agency** entity, so enter “*Agency/Id*”.
- In the **Function** column, select the function you want to use. In this scenario, we use the *Starts With* function.
- In the **Value** column, enter the value of your filter. Here, we want to filter the master data which Id starts with *TA*.

9. In the **Component** view, click **Advanced settings** to set the advanced parameters.




10. In the **Loop XPath query** field, enter the structure and the name of the XML node on which the loop is to be carried out, between quotation marks.


11. In the **Mapping** table and in the **XPath query** column, enter the name of the XML tag in which you want to collect the master data, next to the corresponding output column name, between quotation marks.

Configuring data record deletion

1. In the design workspace, double-click the **tMDMDelete** component to display the **Basic settings** view and set the component properties.




- From the **Schema** list, select **Built-in** and click the three-dot button next to the **Edit Schema** field to describe the structure of the master data in the MDM hub.



- Click the plus button to the right to add one column of the type **String**. In this example, name this column *outputXML*. Click **OK** to close the dialog box and proceed to the next step.
- Select the **Use an existing connection** check box, and from the **Component List** list that appears, select the component you have configured to open your MDM server connection.

In this scenario, only one MDM server connection exists, so simply use the default selection.

- In the **Entity** field, enter the name of the business entity that holds the master data you want to delete, the *Agency* entity in this example.

6. In the **Data Container**, enter the name of the data container that holds the data to be deleted, *DStar* in this example.
7. In the **Keys** table, click the plus button to add a new line. In the **Keys** column, select the column that holds the key of the *Agency* entity. Here, the key of the *Agency* entity is set on the *Id* field.
 If the entity has multiple keys, add as many line as required for the keys and select them in sequential order.
8. Select the **Logical delete** check box if you do not want to delete the master data permanently. This will send the deleted data to the Recycle bin. Once in the Recycle bin, the master data can be restored or permanently deleted. If you leave this check box clear, the master data will be permanently deleted.
9. Fill in the **Recycle bin path** field. Here, we left the default path but if your recycle bin is in a path different from the default, specify the path.

Saving and executing the Job


1. Press **Ctrl+S** to save your Job to ensure that all the parameters you have configured take effect.
2. Press **F6** to execute your Job.



The master data with the Id starting with “TA” have been deleted and sent to MDM Recycle bin.

tMDMInput




tMDMInput properties

Component family	Talend MDM	
Function	tMDMInput reads master data in the MDM Hub.	
Purpose	This component reads master data in an MDM Hub and thus makes it possible to process this data.	
Basic Settings	<i>Property Type</i>	Either Built in or Repository.
		Built-in: No property data stored centrally
		Repository: Select the repository file where properties are stored. The fields that follow are completed automatically using the fetched data
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to modify the schema.</p> <p> If you modify the schema, it automatically becomes built-in.</p>
		Built-in: The schema will be created and stored for this component only. Related Topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the repository. You can reuse it in various projects and jobs. Related Topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Use an existing connection</i>	Select this check box if you want to use a configured tMDMConnection component.
	<i>URL</i>	Type in the URL to access the MDM server.
	<i>Username and Password</i>	Type in user authentication data for the MDM server.
	<i>Version</i>	<p>Type in the name of the master data Version you want to connect to and to which you have access rights.</p> <p>Leave this field empty if you want to display the default Version.</p>
	<i>Entity</i>	Type in the name of the business entity that holds the master data you want to read.
	<i>Data Container</i>	Type in the name of the data container that holds the master data you want to read.
	<i>Use multiple conditions</i>	Select this check box to filter the master data using certain conditions.

		<p>Xpath: Enter between quotes the path and the XML node to which you want to apply the condition.</p> <p>Function: Select the condition to be used from the list.</p> <p>Value: Enter between inverted commas the value you want to use.</p> <p>Predicate: Select a predicate if you use more than one condition.</p> <p>If you clear this check box, you have the option of selecting particular IDs to be displayed in the ID value column of the IDS table.</p> <p> If you clear the Use multiple conditions check box, the Batch Size option in the Advanced Settings tab will no longer be available</p>
	<i>Skip rows</i>	Enter the number of lines to be ignored.
	<i>Limit</i>	Maximum number of rows to be processed. If Limit = 0, no row is read or processed.
	<i>Die on error</i>	Select this check box to skip the row in error and complete the process for error-free rows. If needed, you can retrieve the rows in error via a Row > Rejects link.
Advanced settings	<i>Batch Size</i>	<p>Number of lines in each processed batch.</p> <p> This option is not displayed if you have cleared the Use multiple conditions check box in the Basic settings view.</p>
	<i>Loop XPath query</i>	The XML structure node on which the loop is based.
	<i>Mapping</i>	<p>Column: reflects the schema as defined in the Edit schema editor.</p> <p>XPath query: Type in the name of the fields to extract from the input XML structure.</p> <p>Get Nodes: Select this check box to retrieve the Xml node together with the data.</p>
	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	Use this component as a start component. It needs an output flow.	

Scenario: Reading master data in an MDM hub

This scenario describes a two-component Job that reads master data on an MDM server. The master data is fetched and displayed in the log console.



- From the **Palette**, drop **tMDMInput** and **tLogRow** onto the design workspace.
- Connect the two components together using a **Row Main** link.
- Double-click **tMDMInput** to open the **Basic settings** view and define the component properties.

The screenshot shows the 'Basic settings' dialog for 'tMDMInput_2'. The 'Property Type' is set to 'Built-In'. The 'Schema' is also 'Built-In'. The 'URL' is 'http://localhost:8080/taled/TalendPort'. The 'Username' is 'admin_acme' and the 'Password' is 'acme'. The 'Version' field is empty. The 'Entity' is 'Country' and the 'Data Container' is 'ACME_DC'. The 'Use multiple conditions' checkbox is checked. The 'Operations' table is empty. The 'skip rows' field is 0 and 'max rows' is 0. The 'Die on error' checkbox is checked.

- In the **Property Type** list, select **Built-In** to complete the fields manually. If you have stored the MDM connection information in the repository metadata, select **Repository** from the list and the fields will be completed automatically.
- In the **Schema** list, select **Built-In** and click the three-dot button next to **Edit schema** to open a dialog box. Here you can define the structure of the master data you want to read on the MDM server.


The screenshot shows the 'Schema of tMDMInput_2' dialog box. It contains a table with the following data:

Column	Key	Type	N.	Dat...	Length
ISO2Code	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		
Name	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		
Currency	<input type="checkbox"/>	String	<input checked="" type="checkbox"/>		

At the bottom of the dialog, there are 'OK' and 'Cancel' buttons.

- The master data is collected in a three column schema of the type **String**: *ISO2Code*, *Name* and *Currency*. Click **OK** to close the dialog box and proceed to the next step.
- In the **URL** field, enter between inverted commas the URL of the MDM server.
- In the **Username** and **Password** fields, enter your login and password to connect to the MDM server.
- In the **Version** field, enter between inverted commas the name of the master data Version you want to access. Leave this field empty to display the default Version.
- In the **Entity** field, enter between inverted commas the name of the business entity that holds the master data you want to read.
- In the **Data Container** field, enter between inverted commas the name of the data container that holds the master data you want to read.

- In the **Component** view, click **Advanced settings** to set the advanced parameters.



- In the **Loop XPath query** field, enter between inverted commas the structure and the name of the XML node on which the loop is to be carried out.
- In the **Mapping** table and in the **XPath query** column, enter between inverted commas the name of the XML tag in which you want to collect the master data, next to the corresponding output column name.
- In the design workspace, click on the **tLogRow** component to display the **Basic settings** in the **Component** view and set the properties.
- Click on **Edit Schema** and ensure that the schema has been collected from the previous component. If not, click **Sync Columns** to fetch the schema from the previous component.
- Save the Job and press **F6** to run it.


```
Starting job docFays at 16:18 03/11/2009.
[statistics] connecting to socket on port 3916
[statistics] connected
AD|Andorra|[EUR]
AE|United Arab Emirates|[AED]
AF|Afghanistan|[AFN]
AG|Antigua and Barbuda|[XCD]
AI|Anguilla|[XCD]
AL|Albania|[ALL]
AM|Armenia|[AMD]
AN|Netherlands Antilles|[ANG]
AO|Angola|[AOA]
AR|Argentina|[ARS]
AS|American Samoa|[USD]
AT|Austria|[EUR]
AU|Australia|[AUD]
AW|Aruba|[AWG]
```


The list of different countries along with their codes and currencies is displayed on the console of the **Run** view.

tMDMOutput




tMDMOutput properties

Component family	Talend MDM	
Function	tMDMOutput writes master data in an MDM Hub.	
Purpose	This component writes master data on the MDM server.	
Basic settings	<i>Property Type</i>	Either Built-in or Repository.
		Built-in: No property data stored centrally
		Repository: Select the repository file where the properties are stored. The fields which follow are filled in automatically using the fetched data.
	<i>Schema and Edit schema</i>	<p>An input schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to modify the schema. Note that if you modify the schema, it automatically becomes built-in.</p> <p>Click Sync columns to collect the schema from the previous component.</p>
		Built-in: You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository. You can reuse it in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>XML Field</i>	Lists the name of the xml output column that will hold the XML data.
	<i>Use an existing connection</i>	Select this check box if you want to use a configured tMDMConnection component.
	<i>URL</i>	Type in the URL of the MDM server.
	<i>Username and Password</i>	<p>Type in the user authentication data for the MDM server.</p> <p> This user should have the right role in MDM, i.e. can connect through a Job or any other web service call. For further information, see Administrator Guide.</p>
	<i>Version</i>	<p>Type in the name of the master data management Version you want to connect to, for which you have the user rights required.</p> <p>Leave this field empty if you want to display the default perspective.</p>
	<i>Data Model</i>	Type in the name of the data model against which the data to be written is validated.


	<i>Data Container</i>	<p>Type in the name of the data container where you want to write the master data.</p> <p> This data container must already exist.</p>
	<i>Return Keys</i>	<p>Columns corresponding to IDs in order: in sequential order, set the output columns that will store the return key values (primary keys) of the item(s) that will be created.</p>
	<i>Is Update</i>	<p>Select this check box to update the modified fields.</p> <p>If you leave this check box unchecked, all fields will be replaced by the modified ones.</p>
	<i>Fire Create/Update event</i>	<p>Select this check box to add the actions carried out to a modification report.</p> <p>Source Name: Between quotes, enter the name of the application to be used to carry out the modifications.</p> <p>Enable verification by “before saving” process: Select this check box to verify the commit that has been just added; prior to saving.</p>
	<i>Use partial update</i>	<p>Select this check box if you need to update multi-occurrences elements (attributes) of an existing item (entity) from the content of a source XML stream.</p> <p>Once selected, you need to set the parameters presented below:</p> <p>- Pivot: type in the xpath to the multi-occurrences sub-element where data need to be added or replaced in the item of interest.</p> <p>For example, if you need to add a child sub-element to the below existing item:</p> <pre data-bbox="683 1249 1351 1507" style="background-color: #f0f0f0;"> <Person> <Id>1</Id> <!-- record key is mandatory --> <Children> <Child>[1234]</Child> <!-- FK to a Person Entity --> </Children> </Person> </pre> <p>then the Xpath you enter in this Pivot field must read as the following: <code>Person/Children/Child</code> where the Overwrite check box is set to false.</p> <p>And, if you need to replace a child sub-element in an existing item:</p> <pre data-bbox="683 1749 1351 2031" style="background-color: #f0f0f0;"> <Person> <Id>1</Id> <Addresses> <Address> <Type>office</Type> (...address elements are here....) </Address> <Address> </pre>

		<pre> <Type>home</Type> (...address elements are here....) </Address> <Addresses> </Person> </pre> <p>then the Xpath you enter in this Pivot field must read as the following: Person/Addresses/Adress where the Overwrites check box is set to true, and the Key field is set to Person/Addresses/Address/Type .</p> <p>In such example, assuming the item in MDM only has an <i>office</i> address, the <i>office</i> address will be replaced, and the <i>home</i> address will be added.</p> <p>- Overwrite: select this check box if you need to replace or update the original sub-elements with the input sub-elements. Leave unselected if you want to add a sub-element.</p> <p>- Key: type in the xpath relative to the pivot that will help matching a sub-element of the source XML with a sub-element of the item. If a key is not supplied, all sub-elements of an item with an XPath matching that of the sub-element of the source XML will be replaced.</p> <p>-Position: type in a number to indicate the position after which the new elements (those that do not match the <i>key</i>) will be added. If you do not provide a value in this field, the new element will be added at the end.</p>
	<i>Die on error</i>	Select this check box to skip the row in error and complete the process for error-free rows. If needed, you can retrieve the rows in error via a Row > Rejects link.
Advanced settings	<i>Extended Output</i>	Select this check box to commit master data in batches. You can specify the number of lines per batch in the Rows to commit field.
	<i>Configure Xml Tree</i>	Opens the interface which helps create the XML structure of the master data you want to write.
	<i>Group by</i>	Select the column to be used to regroup the master data.
	<i>Create empty element if needed</i>	This check box is selected by default. If the content of the interface's Related Column which enables creation of the XML structure is null, or if no column is associated with the XML node, this option creates an opening and closing tag at the required places.
	<i>Advanced separator (for number)</i>	Select this check box to modify the number of separators used by default. <p>- Thousands separator: enter between inverted commas the separator for thousands.</p> <p>- Decimal separator: enter between inverted commas the decimal separator.</p>
	<i>Generation mode</i>	Select the appropriate generation mode according to your memory availability. The available modes are:

		<ul style="list-style-type: none"> • Slow and memory-consuming (Dom4j) <p> This option allows you to use dom4j to process the XML files of high complexity.</p> <ul style="list-style-type: none"> • Fast with low memory consumption
	<i>Encoding</i>	Select the encoding type from the list or else select Custom and define it manually. This is an obligatory field for the manipulation of data on the server.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	Use this component to write a data record and separate the fields using a specific separator.	

Scenario: Writing master data in an MDM hub

This scenario describes a two-component Job that generates a data record, transforms it into XML and loads it into the defined business entity in the MDM server.



In this example, we want to load a new agency in the *Agency* business entity. This new agency should have an id, a name and a city.

- From the **Palette**, drop **tFixedFlowInput** and **tMDMOutput** onto the design workspace.
- Connect the components using a **Row Main** link.
- Double-click **tFixedFlowInput** to view its **Basic settings**, in the **Component** tab and set the component properties.

tFixedFlowInput_1

Schema: Built-In [v] Edit schema [...]


Number of rows: 1

Mode:


- Use Single Table
- Use Inline Table
- Use Inline Content(delimited file)

Column	Value
Id	"PA05"
Name	"Talend"
City	"Suresnes"

- In the **Schema** list, select **Built-In** and click the three-dot button next to **Edit schema** to open a dialog box in which you can define the structure of the master data you want to write on the MDM server.




- Click the plus button and add three columns of the type **String**. Name the columns: *Id*, *Name* and *City*.
- Click **OK** to validate your changes and proceed to the next step.
- In the **Number of rows** field, enter the number of rows you want to generate.
- In the **Mode** area, select the **Use Single Table** option to generate just one table.
- In the **Value** fields, enter between inverted commas the values which correspond to each of the schema columns.
- In the design workspace, click **tMDMOutput** to open its **Basic settings** view and set the component properties.



- In the **Property Type** list, select **Built-In** and complete the fields manually.

If you have saved the MDM connection information under **Metadata** in the repository, select **Repository** from the list and the fields which follow will be completed automatically.

- In the **Schema** list, select **Built-In** and, if required, click on the three dot button next to the **Edit Schema** field to see the structure of the master data you want to load on the MDM server.




The **tMDMOutput** component basically generates an XML document, writes it in an output field, and then sends it to the MDM server, so the output schema always has a read-only *xml* column.


- Click **OK** to proceed to the next step.

The **XML Field** list in the **Basic settings** view is automatically filled in with the output *xml* column.

- In the **URL** field, enter the URL of the MDM server.
- In the **Username** and **Password** fields, enter the authentication information required to connect to the MDM server.
- In the **Version** field, enter between inverted commas the name of the master data Version you want to access, if more than one exists on the server. Leave the field blank to access the default Version.
- In the **Data Model** field, enter between inverted commas the name of the data model against which you want to validate the master data you want to write.
- In the **Data Container**, enter between inverted commas the name of the data container into which you want to write the master data.
- In the **Component** view, click **Advanced settings** to set the advanced parameters for the **tMDMOutput** component.




- Select the **Extended Output** check box if you want to commit master data in batches. You can specify the number of lines per batch in the **Rows to commit** field.
- Click the three-dot button next to **Configure Xml Tree** to open the **tMDMOutput** editor.




- In the **Link target** area to the right, click in the **Xml Tree** field and then replace **rootTag** with the name of the business entity in which you want to insert the data record, *Agency* in this example.
- In the **Linker source** area, select your three schema columns and drop them on the **Agency** node.

The **[Selection]** dialog box displays.



- Select the **Create as sub-element of target node** option so that the three columns are linked to the three XML sub-elements of the **Agency** node and then click **OK** to close the dialog box.



- Right-click the element in the **Link Target** area you want to set as a loop element and select **Set as Loop Element** from the contextual menu. In this example, we want **City** to be the iterating object.
- Click **OK** to validate your changes and close the dialog box.
- Save your Job and press **F6** to run it.

The new data record is inserted in the *Agency* business entity in the *DStar* data container on the MDM server. This data records holds, as you defined in the schema, the agency id, the agency name and the agency city.

Data Container Browser DStar

From To Entity

Keys Keywords Use Full Text Search

Page 3 of 3 Number of lines per page: Display items of 41-43 of 43

Date	Entity	Keys
20101102 17:19:17	Agency	NV01
20101102 17:19:17	Agency	UT01
20101123 17:03:23	Agency	PA05

XML Editor/Viewer

Tree Source


- Agency
 - Id: PA05
 - Name: Talend
 - City: Suresnes

Data Model

tMDMReceive



tMDMReceive properties

Component family	Talend MDM	
Function	tMDMReceive receives an MDM record in XML from MDM triggers or MDM processes.	
Purpose	This component decodes a context parameter holding MDM XML data and transforms it into a flat schema.	
Basic Settings	<i>Property Type</i>	Either Built in or Repository.
		Built-in: No property data stored centrally
		Repository: Select the repository file where properties are stored. The fields that follow are completed automatically using the fetched data
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to modify the schema.</p> <p> If you modify the schema, it automatically becomes built-in.</p>
		Built-in: The schema will be created and stored for this component only. Related Topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the repository. You can reuse it in various projects and jobs. Related Topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>XML Record</i>	Enter the context parameter allowing to retrieve the last changes made to the MDM server. For more information about creating and using a context parameter, see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>XPath Prefix</i>	<p>If required, select from the list the looping xpath expression which is a concatenation of the prefix + looping xpath.</p> <p>/item: select this xpath prefix when the component receives the record from a process because processes encapsulate the record within an item element only.</p> <p>/exchange/item: select this xpath prefix when the component receives the record from a trigger because triggers encapsulate the record within an item element which is within an exchange element.</p>
	<i>Loop XPath query</i>	Set the XML structure node on which the loop is based.

	<i>Mapping</i>	<p>Column: reflects the schema as defined in the Edit schema editor.</p> <p>XPath query: Type in the name of the fields to extract from the input XML structure.</p> <p>Get Nodes: Select this check box to retrieve the XML node together with the data.</p>
	<i>Limit</i>	Maximum number of rows to be processed. If Limit = 0, no row is read or processed.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process for error-free rows. If needed, you can retrieve the rows on error via a Row > Reject link.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	Use this component as a start component. It needs an output flow.	

Related scenario

No scenario is available for this component yet.

tMDMRouteRecord




tMDMRouteRecord properties

Component family	Talend MDM	
Function	<p>tMDMRouteRecord submits the primary key of a record stored in your MDM Hub to Event Manager in order for Event Manager to trigger the due process(es) against some specific conditions that you can define in the process or trigger pages of the MDM Studio.</p> <p>For more information on Event Manager and on a MDM process, see Administrator Guide.</p>	
Purpose	This component helps Event Manager identify the changes which you have made on your data so that correlative actions can be triggered.	
Basic Settings	<i>Use an existing connection</i>	Select this check box if you want to use a configured tMDMConnection component.
	<i>URL</i>	Type in the URL of the MDM server.
	<i>Username</i> and <i>Password</i>	Type in the user authentication data for the MDM server.
	<i>Version</i>	Type in the name of the master data management Version you want to connect to, for which you have the user rights required. Leave this field empty if you want to display the default perspective.
	<i>Data Container</i>	Type in the name of the data container that holds the record you want Event Manager to read.
	<i>Entity Name</i>	Type in the name of the business entity that holds the record you want Event Manager to read.
	<i>IDS</i>	Specify the primary key(s) of the record(s) you want Event Manager to read.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Global Variables		<p>Number of Lines: Indicates the number of lines processed. This is available as an After variable.</p> <p>Returns an integer.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Iterate</p> <p>Trigger: Run if; On Component Ok; On Component Error, On Subjob Ok, On Subjob Error.</p>

	<p>Incoming links (from one component to another):</p> <p>Row: Iterate;</p> <p>Trigger: Run if, On Component Ok, On Component Error, On Subjob Ok, On Subjob Error</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Usage	Use this component as a start component. It needs an output flow.

Scenario: Routing a record to Event Manager


In this scenario, the **tMDMRouteRecord** component is used to submit the primary key of a record noting an update to **Event Manager** in order for this element to trigger a process that informs the user of this update.

 *Talend MDM is case-sensitive, so respect the differences of uppercase and lowercase when realizing the scenario.*

Scenario prerequisites

The following prerequisites must be met in order to replicate this scenario:

- A data container stores several records using a specific model. In this scenario, the container is named *Product*, and a record in the container is entered against the model named *Product*:




This figure shows one of the stored product records with all of its viewable attributes.

For further information about how to create a data container, a data model, see your Administrator Guide.

For further information about how to create a record and access its viewable attributes, see [User Guide](#).

- A Job used to inform the user of the update and already deployed on the MDM server. In this scenario, the Job is called *message*, using only the **tMsgBox** component.
- Double-click the component to display and configure its **Basic settings** :



- In the **Title** field, type in “*Talend MDM*”.
- In the **Message** field to be popped up, type in “*A record is updated*”.

For further information about the **tMsgBox** component, see [the section called “tMsgBox”](#).


For further information about how to deploy a Job onto the **MDM server**, see [Administrator Guide](#).


Routing a record to trigger the corresponding process

This section shows you how to replicate the whole scenario using **tMDMRouteRecord** to trigger a process.

- Log onto your **Talend MDM Web UI** and click **Browse Records**.

For further details about how to log onto the **Talend MDM Web UI** and open the **Browse Records** view, see [User Guide](#).

- In the upper right corner of the web page, click on the  button to show the **Actions** panel.
- On the **Actions** panel on the right, select the required data container and data model in which is the record to be updated. In this scenario, the data container and the data model are both *Product*.
- Click **Save** to save the selected data container and data model.
- In the **Browse Records** view, select the entity of your interest. In this example, it is *Product*.



- Click **Search** to open the record list on the lower part of the Web page.

Unique Id	Name	Description	Price	Availability
231035938	Talend Mug	Large mug, easy-grip	10.99	false
231035937	Talend Stein	22 oz. ceramic stein v	13.99	false
231035933	Talend Dog T-Shirt	Doggie t-shirt from Arr	16.99	true
231035941	Talend Trucker Hat	Standard Trucker Hat,	10.99	false
231035940	Talend Cap	Adjustable, 100% bru:	14.99	false
231035936	Talend Fitted T-Shirt	Fitted T. ultra-fine corr	15.99	false
231035935	Talend Golf Shirt	Golf-style, collared t-s	16.99	true
231035934	Talend Jr. Spaghetti Tank	Spaghetti tank from Ai	16.99	true
231035939	Talend Large Mug	15 oz. ceramic Large	11.99	false
231035942	Tshirt Grand Mug	Large style, no logo	10.00	false

- Double-click one of the product records to display its viewable attributes in a new view dedicated to this product. For example, open the product *Talend Mug* with unique Id *231035938*.


Browse Records
Product 231035938

Save | Save and close | Send to Trash | Duplicate | Journal


Product

- Picture Picture
- Unique Id *
- Name *
- Description *
- Features
- Availability
- Price *
- Family
- OnlineStore [Talend Shop](#)


- In this view, modify one of the attribute values. You can, for example, update this product and make it available by selecting the **Availability** check box.
- Click **Save** to validate this update.
- Open your **Talend MDM studio** and access the MDM Hub. For further information about how to launch the **Talend MDM studio** and connect it to the MDM hub, see Administrator Guide.



- Under the **Job Repository** node of the **MDM Server** tree view, right click the *message* Job.
- In the contextual menu, select **Generate Talend Job Caller Process**. The process used to call this Job is generated and displays in the directory **Event Management > Process**.



- Under the **Event Management** node, right click **Trigger**.
- In the contextual menu, select **New**.
- In the pop-up **New Trigger** wizard, name the trigger as, for example, *TriggerMessage*.



- Click **OK** to open the new trigger’s view in the workspace of your studio.
- In the trigger’s view, configure the trigger to make it launch the process that calls the *message* Job once an update is done.

Trigger TriggerMessage[HEAD]

Description

Entity ...

Execute Synchronously Deactive

Service


Service JNDI Name ?


Service Parameters

Trigger XPath Expressions


XPath	Operator	Value	Condition Id
Update/OperationType	Contains	UPDATE	C1


Conditions: () And Or Not

- In the **Description** field, enter, for example, *Trigger that calls the Talend Job: message_0.1.war* to describe the trigger being created.
- In the **Entity** field, select or type in the business entity you want to trigger the process on. In this example, it is exactly *Update*.
- In the **Service JNDI Name** field, select **callprocess** from the drop-down list.
- In the Service Parameters field, complete the parameter definition by giving the value: *CallJob_message_0.1.war*. This value is the name of the process to be called that you can find in the directory **Event Management > Process** in the **MDM server** tree view.
- In the **Trigger XPath Expressions** area, click the  button under the table to add a new XPath line.
- In the newly added line, click the three-dot button to open a dialog box where you can select the entity or element on which you want to define conditions. In this example, it is *Update/OperationType*.




- In the **Value** column, enter a value for this line. In this example, it is exactly *UPDATE*.
- In the **Condition Id** column, enter a unique identifier for the condition you want to set, for example, *CI*.
- In the **Conditions** area, enter the query you want to undertake on the data record using the condition ID *CI* you set earlier.
- Press **Ctrl+S** to save the trigger.
- In the **MDM server** tree view, double click **Data container** > **system** > **UpdateReport** to open the **Data Container Browser UpdateReport** view. An Update Report is a complete track of all create, update or delete actions on any master data




- Next to the **Entity** field of this view, click the  button to search all the action records in the **UpdateReport**. Note that the **Update** entity does not necessarily mean that the corresponding action recorded is the update, as it is just the entity name defined by the data model of **UpdateReport** and may record different actions including create, delete, update.

- The last record corresponds to what is done on the product record at the beginning of the scenario. The primary key of this record is *genericUI.1283244014172* and this is the record that will be routed to **Event trigger**.
- On the menu bar of the studio, click **Window > Perspective > Integration** to design the Job routing a record.
- On the **Integration** perspective, create a Job and name it *RouteRecord*.
- To do so, right-click **Job Designs**, in the **Repository** tree view. In the contextual menu, select **Create Job**.
- A wizard opens. In the **Name** field, type in *RouteRecord*, and click **Finish**.
- Drop the **tMDMRouteRecord** component from the **Palette** onto the design workspace.
- Double click this component to open its **Component** view.



- In the **URL** field, enter the address of your **MDM server**. This example uses *http://localhost:8080/talend/TalendPort*.
- In the **Username** and the **Password** fields, type in the connection parameters.
- In the **Data Container** field, enter the data container name that stores the record you want to route. It is *UpdateReport* in this example.
- In the **Entity Name** field, enter the entity name that the record you want to route belongs to. In this example, the entity name is *Update*.
- In the **IDS** area, click the plus button under the table to add a new line.
- In the newly added line, fill in the primary key of the record to be routed to **Event Manager**, that is, *genericUI.1283244014172*, as was read earlier from the **Data Container Browser UpdateReport**.
- Press **F6** to run this Job. **Event Manager** calls the process to execute the *message* Job and generate the dialog box informing the user that this record has been updated.




This component submits the primary key of the record noting the update to **Event Manager**. When **Event Manager** checks this record and finds that this record meets the conditions you have defined on the trigger *TriggerMessage*'s configuration view, it calls the process that launches the *message* Job to pop up the dialog box informing the user of this update.

tMDMSP




tMDMSP Properties

Component family	Talend MDM	
Function	tMDMSP calls the MDM Hub stored procedure.	
Purpose	tMDMSP offers a convenient way to centralize multiple or complex queries in a MDM Hub and call them easily.	
Basic settings	<i>Schema</i> and <i>Edit Schema</i>	In SP principle, the schema is an input parameter. A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository.
		Built-in: The schema is created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Use an existing connection</i>	Select this check box if you want to use a configured tMDMConnection component.
	<i>URL</i>	Type in the URL of the MDM server.
	<i>Username</i> and <i>Password</i>	Type in the user authentication data for the MDM server.
	<i>Version</i>	Type in the name of the master data management Version you want to connect to, for which you have the user rights required. Leave this field empty if you want to display the default perspective.
	<i>Data Container</i>	Type in the name of the data container that stores the procedure you want to call.
	<i>SP Name</i>	Type in the exact name of the Stored Procedure
	<i>Parameters (in order)</i>	Click the Plus button and select the various Input Columns that will be required by the procedures.  The SP schema can hold more columns than there are parameters used in the procedure.
Connections		Outgoing links (from one component to another): Row: Main Trigger: Run if; On Component Ok; On Component Error, On Subjob Ok, On Subjob Error. Incoming links (from one component to another):

	<p>Row: Main, Iterate;</p> <p>Trigger: Run if, On Component Ok, On Component Error, On Subjob Ok, On Subjob Error</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Usage	This component is used as intermediary component. It can be used as start component but only no input parameters are thus needed for the procedure to be called. An output link is required.
Limitation	N/A

Scenario: Executing a stored procedure in the MDM Hub

The following job is intended for calculating the total price of each kind of products recorded on your MDM Web UI.




This Job will generate parameters used to execute a stored procedure in the MDM Hub, then extract the desired data from the returned XML-format result and present the extracted data in the studio.

The products of which the prices are to be treated are listed on your MDM Web UI.

Unique Id	Name	Description	Price	Availability
231035938	Talend Mug	Large mug, easy-grip handle	10.99	true
231035937	Talend Mug	22 oz. ceramic stein with gold trim	13.99	true
231035933	Talend Mug	Doggie t-shirt from American Apparel	16.99	true
231035941	Talend Mug	Standard Trucker Hat, resilient polyester foam front, adjustable	10.99	false
231035940	Talend Mug	Adjustable, 100% brushed cotton Cap	14.99	false
231035936	Talend Mug	Fitted T. ultra-fine combed ring spun cotton	15.99	false
231035935	Talend Golf Shirt	Golf-style, collared t-shirt	16.99	false
231035934	Talend Jr. Spaghetti Tank	Spaghetti tank from American Apparel	16.99	false
231035939	Talend Large Mug	15 oz. ceramic Large Mug	11.99	false
231035999	Talend Mug	Large mug, easy-grip handle	10.99	true


The stored procedure to be executed can be found in **Stored Procedure** node of the MDM server’s tree view and reads as follows:




For more information on a stored procedure in the MDM server, see Administrator Guide.

To realize this Job, proceed as follows:


- Drag and drop the following components used in this example: **tFixedFlowInput**, **tMDMSP**, **tExtractXMLField**, **tLogRow**.
- Connect the components using the **Row Main** link.
- The **tFixedFlowInput** is used to generate the price range of your interest for this calculation. In this example, define 10 as the minimum and 17 as the maximum in order to cover all of the products.
- Double-click on **tFixedFlowInput** to open its **Component** view.
- On the **Component** view, click the [...] button next to **Edit schema** to open the schema editor of this component.
- In the schema editor, add the two parameters *min* and *max* that are used to define the price range.




- Click **OK** to validate this editing.
- On the **Values** table in the **Mode** area of the **Component** view, the two parameters *min* and *max* that you have defined in the schema editor of this component display.
- In the **Value** column of the **Values** table, enter 10 for the *min* parameter and 17 for the *max* parameter.




- Double-click on **tMDMSP** to open its **Component** view.




- In the **URL** field of the **Component** view, type in the MDM server address, in this example, *http://localhost:8080/talend/TalendPort*.
- In **Username** and **Password**, enter the authentication information, in this example, *admin* and *talend*.
- In **Data Container** and **Procedure Name**, enter the exact names of the data container *Product* and of the stored procedure *PriceAddition*.
- Under the **Parameters (in order)** table, click the plus button two times to add two rows in this table.
- In the **Parameters (in order)** table, click each of both rows you have added and from the drop-down list, select the *min* parameter for one and the *max* parameter for the other.
- Double-click on **tExtractXMLField** to open its **Component** view.



- On the **Component** view, click the [...] button next to **Edit schema** to open the schema editor of this component.
- In the schema editor, add two columns to define the structure of the outgoing data. These two columns are *name* and *sum*. They represent respectively the name and the total price of each kind of product recorded in the MDM Web UI.



- Click **OK** to validate the configuration and the two columns display in the **Mapping** table of the **Component** view.
- In the **Loop XPath query** field, type in the node of the XML tree, which the loop is based on. In this example, the node is `/result` as you can read in the procedure code: `return <result><Name>{$d}</Name><Sum>{sum($product/Price)}</Sum></result>`.
- In **XPath query** of the **Mapping** table, enter the exact node name on which the loop is applied. They are `/result/Name` used to extract the product names and `/result/Sum` used to extract the total prices.
- Eventually, double-click **tLogRow** to open its **Component** view.



- Synchronize the schema with the preceding component.
- And select the **Print values in cells of a table** check box for reading convenience.
- Then press **F6** to execute the Job.
- See the outcoming data in the console of the **Run** view.



```
Starting job feature14026_tMDNSP at 17:29 25/08/2010.
[statistics] connecting to socket on port 3487
[statistics] connected
-----
|                               |
|                               |
|-----|-----|
| name                | sum |
|-----|-----|
| Talend Golf Shirt   | 16.99 |
| Talend Jr. Spaghetti Tank | 16.99 |
| Talend Large Mug    | 11.99 |
| Talend Mug           | 94.92999999999999 |
|-----|-----|
|                               |
|                               |
[statistics] disconnected
Job feature14026_tMDNSP ended at 17:29 25/08/2010. [exit code=0]
```

The output lists the four kinds of products recorded in the MDM Web UI and the total price for each of them.

tMDMTriggerInput



tMDMTriggerInput properties

Component family	Talend MDM	
Function	<p>Once executed, tMDMTriggerInput reads the XML message (Document type) sent by MDM and passes them to the component that follows.</p> <p> This component works alongside the new trigger service and process plug-in in MDM version 5.0 and higher. The MDM Jobs, triggers and processes developed in previous MDM versions remain supported. However, we recommend using this component when designing new MDM Jobs.</p>	
Purpose	<p>Every time when you save a change in your MDM, the corresponding change record is generated in XML format. At runtime, this component reads this record and sends the relative information to the following component.</p> <p>With this component, you do not need to configure your Job any more in order to communicate the data changes from MDM to your Job.</p>	
Basic settings	<i>Property Type</i>	Either Built-in or Repository .
		<p>Built-in: No property data stored centrally.</p> <p>tMDMTriggerInput is expected to use this option in order to apply the default read-only schema. MDM_message is the only column of this schema.</p>
		<p>Repository: Select the repository file where properties are stored. The fields that follow are completed automatically using the fetched data.</p> <p>As tMDMTriggerInput provides a fixed read-only schema, you are expected to use the Built-in option.</p>
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to modify the schema.</p> <p> If you modify the schema, it automatically becomes built-in.</p>
		<p>Built-in: The schema will be created and stored for this component only. Related Topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p> <p>This is the default option for tMDMTriggerInput. With this option, the read-only schema is used to deal with the XML-format MDM message.</p>
		<p>Repository: The schema already exists and is stored in the repository. You can reuse it in various projects and jobs.</p>

		<p>Related Topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p> <p>As tMDMTriggerInput provides a fixed read-only schema, you are expected to use the Built-in option.</p>
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	<p>Use this component as a start component. It needs an output flow.</p> <p>To receive the message from MDM, you need to deploy the Job using this component on your MDM server and generate the corresponding trigger and process in MDM to invoke this Job.</p> <p>For further information about how to deploy a Job onto MDM server and how to generate a trigger or a process, see Administrator Guide.</p> <p>For further information about how to change a record in MDM, see User Guide.</p>	
Limitation	<p>During the deployment of this component on the MDM server, you need to select the Hosted (Zip) type as the format of the deployed Job. If you deploy it in the Distributed (War) type, the relative Job cannot be invoked. For further information about the available types, see Administrator Guide.</p>	

Scenario: Exchanging the event information about an MDM record

In this scenario, a four-component Job is used to exchange the event information about a product record. Using an established MDM connection from the **Repository**, this Job is triggered by once you have updated a product record.

To replicate this scenario, accomplish the following tasks sequentially:

1. Create an MDM connection of the **Receive** type in the **Repository** of the Studio. This connection is to the MDM hub holding the record you want to update.
2. Create the Job receiving and sending the MDM update message.
3. Generate the process invoking this Job created.
4. Update a specific MDM record.

To create the MDM records, model and container used in this scenario, you can execute the Jobs in the MDM demo project in the integration Studio and then update the MDM server to deploy the objects thus created for them to be taken into account at runtime. You will use this server all through this scenario.

For further information about how to import a demo project, see *Talend Open Studio for Big Data User Guide*.

For further information about how to update the server for deploying objects, see *Administrator Guide*.

For further information about an MDM event and the event management, see *Administrator Guide*.

Creating an MDM connection

Establishing the connection

1. Launch the MDM server with which you need to communicate the update message.

2. In the **Integration** perspective of the Studio, expand the **Metadata** node in the **Repository**.
3. Right-click the **Talend MDM** item and select **Create MDM connection**.

Talend MDM
Create a MDM Connection

Name:

Purpose:

Description:

Author:

Locker:


Version:

Status:

Path:

4. Enter the **Name** you want to use for this connection and if required, added the **Purpose** and the **Description** in the corresponding fields. For example, we name this connection as *receive_update*.
5. In the **Next** step, enter the authentication information used to connect to the MDM web service through which you manage the record to be updated.


Once you click the **Check** button and the connection is shown successful, the **Next** button becomes clickable.




6. In the **Next** step, select the **Version**, the **Data model** and the **Data Container** used by the record to be updated. In this scenario, the model and the container are both *Product*.
7. Click **Finish** to validate the creation. The connection created appears under the **Metadata** node in the **Repository**.

Retrieving entities


1. Right-click the connection created and from the contextual menu, select **Retrieve entities**. Then the wizard appears.
2. Select **Receive MDM** and click **Next** to continue.



3. Select the entity to be retrieved. In this scenario, it is *Product*. Then the name field is entered automatically.



4. In the **Next** step, drop the elements you need to retrieve from the **Source Schema** area to the **Target Schema** area. In this scenario, the *Features* element is the loop and the *Id*, the *Name* and the *Description* elements are the fields to extract.




- In the **Next** step, if required, change the description of the schema retrieved; otherwise, click **Finish** to finalize retrieving this entity. In this scenario, we keep the default schema description and click **Finish**.

The schema of the product entity is retrieved. For further information about the container and the data model used by the MDM, see *Administrator Guide*.


Creating the Job communicating the MDM message

Linking the components

1. In the **Integration** perspective of the Studio, select **Create Job** from the **Job Design** node in the **Repository** tree view. Then the **New Job** wizard appears.



2. Name this new Job and click **Finish** to close the wizard and validate the creation. An empty Job is opened on the workspace of the Studio.
3. Drop **tMDMTriggerInput**, **tXMLMap**, **tMDMTriggerOutput** and **tLogRow** from **Palette** onto the workspace.
4. Right-click **tMDMTriggerInput** and from the contextual menu, select the **Row** > **Main** link to connect it to **tXMLMap**.
5. Do the same to connect **tXMLMap** to **tMDMTriggerOutput**. When doing so, a dialog box appears to prompt you to name this link created.




6. Double-click **tMDMTriggerOutput** to open its **Component** view.
7. Click **Edit schema** to open the editor.


8. Select the single pre-defined column of **tMDMTriggerOutput**, then, click  to reproduce this column on the input side (left).

Configuring the transformation of the MDM message

1. Double-click **tXMLMap** to open its editor.
2. In the table representing the input flow (up-left of the editor), right-click the column name **MDM_Message** on the top of the XML tree and select **Import from repository**. The **[Metadata]** wizard appears.
3. Select the entity schema retrieved earlier using the **Receive MDM** model, then click OK. In this scenario, the entity schema is *ProductReceive*.
4. A dialog box appears prompting you to add the schema of the Update Report to the input XML tree. Click **OK** to accept it. This builds a complete input document for an MDM event. In the input XML tree, the *Features* element is set as loop element automatically.



5. In the table representing the output flow (up-right of the editor), develop the output XML tree as presented in the figure below. This tree is constructed depending on the required static model of the MDM output report.



6. Map the *OperationType* element on the input side with the *message* element on the output side. This will output the information about the type of the event occurring on the MDM record.

To get more information, you can build the concatenation of the input elements you need to extract in the **Expression** column of this message element. Both **tMap** and **tXMLMap** allow you to edit expressions using the expression editor. For further information about how to edit an expression, see *Talend Open Studio for Big Data User Guide*.


7. In the **Expression** column, enter "info" in the row corresponding to @type.
8. Click the pincer icon to display the output settings panel, then set the **All in one** option as **true**.
9. Click **OK** to close the editor and validate these changes.
10. Double click **tLogRow** to open its **Component** view, then, click **Sync columns**.

This Job is finalized. For further information about the input document and the output report of an MDM event, see *Administrator Guide*.

Generating the process invoking the Job created

Deploying the Job to be called onto the MDM server


1. Switch to the **MDM** perspective by clicking the corresponding button in the up-right corner of the Studio.
2. In **MDM Repository**, click the refresh button so that the Job created appears under the **Job Designs** node of this Repository's tree view.
3. Right-click this Job created, *update_product* in this scenario, and from the contextual menu, select **Deploy to** in order to deploy it to the MDM server.




4. The deployment wizard appears. From the server list, select the MDM server you are using, then click **OK**.
5. In the **[Deploy to Talend MDM]** window that pops up, select the **Export type** and the **Context scripts** for the Job to be deployed. In this scenario, keep the default settings: **Export type** is **Hosted (zip)** and **Context scripts** is **Default**.

For further information about these settings, see *Administrator Guide*.

6. Click **Finish** to validate these settings and start the deployment. When the deployment is done, a message box pops up to indicate that the deployment is successful.




7. Click **OK** to close this message box, then a window pops up to list the objects deployed. In this scenario, it is the Job, *update_product*.




8. Click **OK** to terminate the deployment procedure.

Generating the process used to call the Job

1. Right-click the Job *update_product* again and select **Generate Talend Job Caller Process** from the contextual menu.
2. In the pop-up window, keep the default settings for this scenario: **Integrated** and **Embedded**. For further information about the available options in this window, see *Administrator Guide*.



3. Click **Generate** to start the generation. Once done, a process named *CallJob_update_product* appears under the **Process** node in **MDM Repository**.
4. Right-click this process, then select **Deploy to** from the contextual menu to deploy it onto the MDM server.
5. In the pop-up wizard, select the server you are using, then , click **OK** to open the window listing the objects deployed.




6. Click **OK** to close this window and finalize the deployment. The question mark disappears from the icon of this process.

7. In **MDM Repository**, right-click the *CallJob_update_prodcut* process, then select **Rename** from the contextual menu.
8. In the pop-up window, rename this process as *beforeSaving_update_product* depending on the required process naming pattern. Then click **OK** to validate it.
9. Deploy this process again as described earlier.

Updating a product record

1. Log in the web service of the MDM hub you are using.
2. In the **Actions** panel on the right side, verify the **Data Container** and the **Data Model** you are using are both *Product*.
3. In the **Data Browser** page, launch the search in the product entities so as to list all the available product records



4. Select the product record you need to update from the list, for example, *Talend Trucker Hat*. The details of this record appears in the *Product* tab view.
5. Update one of its attributes. For example, update the price to *11.00*, then click **Save**.

The message about the operation type of this event has been sent to the MDM server and thanks to **tLogRow**, this message is displayed on the window of this MDM server.



```
10:33:21,244 INFO [STDOUT] <?xml version="1.0" encoding="UTF-8"?>
<root><report><message type="info">UPDATE</message></report></root>
```

For further information about how to use the MDM web service, see *User Guide*

tMDMTriggerOutput



tMDMTriggerOutput properties

Component family	Talend MDM	
Function	<p>tMDMTriggerOutput receives an XML flow (Document type) from its preceding component.</p> <p> This component works alongside the new trigger service and process plug-in in MDM version 5.0 and higher. The MDM Jobs, triggers and processes developed in previous MDM versions remain supported. However, we recommend using this component when designing new MDM Jobs.</p>	
Purpose	This component receives an XML flow to set the MDM message so that MDM retrieves this message at runtime. With this component, you do not need to configure your Job any more in order to communicate the data changes from MDM to your Job.	
Basic settings	<i>Property Type</i>	Either Built-in or Repository .
		<p>Built-in: No property data stored centrally.</p> <p>tMDMTriggerOutput is expected to use this option in order to apply the default read-only schema. MDM_message is the only column of this schema.</p>
		<p>Repository: Select the repository file where properties are stored. The fields that follow are completed automatically using the fetched data.</p> <p>As tMDMTriggerOutput provides a fixed read-only schema, you are expected to use the Built-in option.</p>
	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.</p> <p>Click Edit Schema to modify the schema.</p> <p> If you modify the schema, it automatically becomes built-in.</p>
		<p>Built-in: The schema will be created and stored for this component only. Related Topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p> <p>This is the default option for tMDMTriggerOutput. With this option, the read-only schema is used to deal with the XML-format MDM message.</p>
		<p>Repository: The schema already exists and is stored in the repository. You can reuse it in various projects and jobs. Related Topic: see <i>Talend Open Studio for Big Data User Guide</i>.</p>

		As tMDMTriggerOutput provides a fixed read-only schema, you are expected to use the Built-in option.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	<p>Use this component as an end component. It needs an input flow.</p> <p>To send message to MDM, you need to deploy the Job using this component on your MDM server and generate the corresponding trigger and process to invoke this Job in MDM.</p> <p>For further information about how to deploy a Job onto MDM server and how to generate a trigger or a process, see Administrator Guide.</p>	
Limitation	<p>During the deployment of this component on the MDM server, you need to select the Hosted (Zip) type as the format of the deployed Job. If you deploy it in the Distributed (War) type, the relative Job cannot be invoked. For further information about the available types, see Administrator Guide.</p>	

Related scenario




For a related scenario, see [the section called “Scenario: Exchanging the event information about an MDM record”](#)

tMDMViewSearch



tMDMViewSearch properties


Component family	Talend MDM	
Function	<p>tMDMViewSearch selects records from an MDM Hub by applying filtering criteria you have created in a specific view. The resulting data is in XML structure.</p> <p>For more information on a view on which you can define filtering criteria, see Administrator Guide.</p>	
Purpose	This component allows you to retrieve the MDM records from an MDM hub.	
Basic settings	<i>Schema and Edit Schema</i>	<p>A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either Built-in or remote in the Repository.</p> <p>Click Edit Schema to modify the schema. Note that if you modify the schema, it automatically becomes built-in.</p> <p>Click Sync columns to collect the schema from the previous component.</p>
		Built-in: You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You have already created the schema and stored it in the Repository. You can reuse it in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>XML Field</i>	Select the name of the column in which you want to write the XML data.
	<i>Use an existing connection</i>	Select this check box if you want to use a configured tMDMConnection component.
	<i>URL</i>	Type in the URL of the MDM server.
	<i>Username and Password</i>	Type in the user authentication data for the MDM server.
	<i>Version</i>	<p>Type in the name of the master data management Version you want to connect to, for which you have the user rights required.</p> <p>Leave this field empty if you want to display the default perspective.</p>
	<i>Data Container</i>	Type in the name of the data container that holds the master data you want to read.
	<i>View Name</i>	Type in the name of the view whose filters will be applied to process the records.
	<i>Operations</i>	Complete this table to create the WHERE clause. The parameters to be set are:

		<p>- XPath: define the path expression to select the XML node at which point the filtering is operated.</p> <p>- Functions: select an operator from the drop-down list, like Contains, Starts with, Equals, etc.</p> <p>- Value: type in the value you want to retrieve.</p> <p>- Predicate: select the predicate to combine the filtering conditions in different manners. The predicate may be none, or, and, exactly, etc.</p> <p> <i>The parameters are case sensitive.</i></p>
	<i>Order (One Row)</i>	<p>Complete this table to decide the presentation order of the retrieved records. The parameters to be set are:</p> <p>- XPath: define the path expression to select the XML node at which point the sorting operation is performed.</p> <p>- Order: select the presentation order that may be asc (ascending) or desc (descending).</p> <p> <i>The parameters are case sensitive.</i></p> <p> <i>For the time being, only the first row created in the Order table is valid.</i></p>
	<i>Spell Threshold</i>	Set it to -1 to deactivate this threshold. This threshold is used to decide the spell checking level.
	<i>Skip Rows</i>	Type in the count of rows to be ignored to specify from which row the process should begin. For example, if you type 8 in the field, the process will begin from the 9th row.
	<i>Max Rows</i>	Type in the maximum number of rows to be processed. If Limit = 0, no row is read or processed. By default, the limit is -1, meaning that no limit is set.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the processing metadata at the Job level as well as at each component level.
Usage	Use this component to retrieve specific records.	
Global Variables		<p>Number of Lines: Indicates the number of lines processed. This is available as an After variable.</p> <p>Returns an integer.</p> <p>For further information about variables, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Connections		<p>Outgoing links (from one component to another):</p> <p>Row: Iterate</p> <p>Trigger: Run if; On Component Ok; On Component Error, On Subjob Ok, On Subjob Error.</p> <p>Incoming links (from one component to another):</p> <p>Row: Iterate;</p>

		<p>Trigger: Run if, On Component Ok, On Component Error, On Subjob Ok, On Subjob Error</p> <p>For further information regarding connections, see <i>Talend Open Studio for Big Data User Guide</i>.</p>
Limitation	n/a	


Scenario: Retrieving records from an MDM hub via an existing view

This scenario describes a two-component Job that retrieves a data record in XML structure.




In this example, you will select the T-shirt information from the *Product* entity via the *Browse_items_Product* view created from *Talend Open Studio for Big Data*. Each record in the entity contains the details defined as filtering criteria: *Id*, *Name*, *Description* and *Price*.


- From the **Palette**, drop **tMDMViewSearch** and **tLogRow** onto the design workspace.
- Connect the components using a **Row Main** link.
- Double-click **tMDMViewSearch** to view its **Basic settings**, in the **Component** tab and set the component properties.




- In the **Schema** list, select **Built-In** and click the three-dot button next to **Edit schema** to open a dialog box in which you can define the structure of the XML data you want to write in.



- Click the plus button and add one column of the type **String**. Name the column as *Tshirt*.
- Click **OK** to validate your creation and proceed to the next step.
- In the **XML Field** field, select *Tshirt* as the column you will write the retrieved data in.
- Use your MDM server address in the **URL** field and type in the corresponding connection data in the **Username** and the **Password** fields. In this example, use the default url, then enter *admin* as username as well as password.
- In the **Data Container** field, type in the container name: *Product*.
- In the **View Name** field, type in the view name: *Browse_item_Product*.
- Below the **Operations** table, click the plus button to add one row in this table.
- In the **Operations** table, define the **XPath** as *Product/Name*, meaning that the filtering operation will be performed at the *Name* node, then select *Contains* in the **Function** column and type in *Tshirt* in the **Value** column.
- Below the **Order (One Row)** table, click the plus button to add one row in this table.
- In the **Order (One Row)** table, define the **XPath** as *Product/Id* and select the **asc** order for the **Order** column.
- In the design workspace, click **tLogRow** to open its **Basic settings** view and set the properties.



- Next to the three-dot button used for editing schema, click **Sync columns** to acquire the schema from the preceding component.
- Press **F6** to execute the Job.

A screenshot of a console window with a light blue border and a vertical scrollbar on the right. The text is as follows:

```
Starting job feature14031_tMDNViewSearch at 17:37 10/08/2010.  
[statistics] connecting to socket on port 3920  
[statistics] connected  
<result>  
  <Id>1</Id>  
  <Name>Tshirt-V</Name>  
  <Description>green</Description>  
  <Price>16.00 </Price>  
</result>  
<result>  
  <Id>2</Id>  
  <Name>Tshirt-G</Name>  
  <Description>Green</Description>  
  <Price>17.00</Price>  
</result>  
[statistics] disconnected  
Job feature14031_tMDNViewSearch ended at 17:37 10/08/2010.  
[exit code=0]
```

In the console docked in the **Run** view, you can read the retrieved *Tshirt* records in XML structure, which are sorted in the ascending order.

Technical components

This chapter details the components you can find in the **Technical** group of the *Talend Open Studio for Big Data Palette*.

The Technical components are Java-oriented components that perform very technical actions such as loading data in memory (in small subset of information) and keep it to allow its reuse at various stage of the processing.



For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.

tHashInput



tHashInput Properties

This component is used along with **tHashOutput**. It reads from the cache memory data loaded by **tHashOutput**. Together, these twin components offer high-speed data access to facilitate transactions involving a massive amount of data.

Component family	Technical	
Function	tHashInput reads from the cache memory data loaded by tHashOutput to offer high-speed data stream.	
Purpose	This component reads from the cache memory data loaded by tHashOutput to offer high-speed data feed, facilitating transactions involving a large amount of data.	
Basic settings	<i>Schema</i> and <i>Edit schema</i>	A schema is a row description, i.e. it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository. Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.
		Built-in: The schema is created and stored locally for this component only. Related topic: see the <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused. Related topic: see the <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Link with a tHashOutput</i>	Select this check box to connect to a tHashOutput component. It is always selected by default.
	<i>Component list</i>	Drop-down list of available tHashOutput components.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.
Usage	This component is used along with tHashOutput . It reads from the cache memory data loaded by tHashOutput . Together, these twin components offer high-speed data access to facilitate transactions involving a massive amount of data.	
Limitation	n/a	


Scenario 1: Reading data from the cache memory for high-speed data access

The following Job reads from the cache memory a huge amount of data loaded by two **tHashOutput** components and pass it to a **tFileOutputDelimited**. The goal of this scenario is to show the speed at which mass data is read

and written. In practice, data feed generated in this way can be used as lookup table input for some use cases where a big amount of data needs to be referenced.

Dropping and linking the components


1. Drag and drop the following components from the **Palette** to the workspace: **tFixedFlowInput** (X2), **tHashOutput** (X2), **tHashInput** and **tFileOutputDelimited**.
2. Connect the first **tFixedFlowInput** to the first **tHashOutput** using a **Row > Main** link.
3. Connect the second **tFixedFlowInput** to the second **tHashOutput** using a **Row > Main** link.
4. Connect the first subjob (from **tFixedFlowInput_1**) to the second subjob (to **tFixedFlowInput_2**) using an **OnSubjobOk** link.
5. Connect **tHashInput** to **tFileOutputDelimited** using a **Row > Main** link.
6. Connect the second subjob to the last subjob using an **OnSubjobOk** link.



Configuring the components

Configuring data inputs and hash cache

1. Double-click the first **tFixedFlowInput** component to display its **Basic settings** view.




2. Select **Built-In** from the **Schema** drop-down list.




You can select **Repository** from the **Schema** drop-down list to fill in the relevant fields automatically if the relevant metadata has been stored in the **Repository**. For more information about **Metadata**, see the *Talend Open Studio for Big Data User Guide*.

3. Click **Edit schema** to define the data structure of the input flow. In this case, the input has two columns: *ID* and *ID_Insurance*, and then click **OK** to close the dialog box.




4. Fill in the **Number of rows** field to specify the entries to output, e.g. *50000*.
5. Select the **Use Single Table** check box. In the **Values** table and in the **Value** column, assign values to the columns, e.g. *1* for *ID* and *3* for *ID_Insurance*.
6. Perform the same operations for the second **tFixedFlowInput** component, with the only difference in the values. That is, *2* for *ID* and *4* for *ID_Insurance* in this case.
7. Double-click the first **tHashOutput** to display its **Basic settings** view.




8. Select **Built-In** from the **Schema** drop-down list and click **Sync columns** to retrieve the schema from the previous component. Select **Keep all** from the **Keys management** drop-down list and keep the **Append** check box selected.
9. Perform the same operations for the second **tHashOutput** component, and select the **Link with a tHashOutput** check box.

Configuring data retrieval from hash cache and data output

1. Double-click **tHashInput** to display its **Basic settings** view.



2. Select **Built-In** from the **Schema** drop-down list. Click **Edit schema** to define the data structure, which is the same as that of **tHashOutput**.
3. Select **tHashOutput_1** from the **Component list** drop down list.
4. Double-click **tFileOutputDelimited** to display its **Basic settings** view.




5. Select **Built-In** from the **Property Type** drop-down list. In the **File Name** field, enter the full path and name of the file, e.g. `"E:/Allr70207V5.0/Talend-All-r70207-V5.0.ONB/workspace/out.csv"`.
6. Select the **Include Header** check box and click **Sync columns** to retrieve the schema from the previous component.

Saving and executing the Job

1. Press **Ctrl+S** to save the Job.
2. Press **F6**, or click **Run** on the **Run** tab to execute the Job.

You can find that mass entries are written and read very rapidly.




Scenario 2: Clearing the memory before loading data to it in case an iterator exists in the same subjob

In this scenario, the usage of the **Append** option of **tHashOutput** is demonstrated as it helps remove repetitive or unwanted data in case an iterator exists in the same subjob as **tHashOutput**.

To build the Job, do the following:

Dropping and linking the components


1. Drag and drop the following components from the **Palette** to the workspace: **tLoop**, **tFixedFlowInput**, **tHashOutput**, **tHashInput** and **tLogRow**.
2. Connect **tLoop** to **tFixedFlowInput** using a **Row > Iterate** link.
3. Connect **tFixedFlowInput** to **tHashOutput** using a **Row > Main** link.
4. Connect **tHashInput** to **tLogRow** using a **Row > Main** link.
5. Connect **tLoop** to **tHashInput** using an **OnSubjobOk** link.




Configuring the components

Configuring data input and hash cache

1. Double-click the **tLoop** component to display its **Basic settings** view.



2. Select **For** as the loop type. Type in *1, 2 1* in the **From**, **To** and **Step** fields respectively. Keep the **Values are increasing** check box selected.
3. Double-click the **tFixedFlowInput** component to display its **Basic settings** view.




4. Select **Built-In** from the **Schema** drop-down list.



You can select **Repository** from the **Schema** drop-down list to fill in the relevant fields automatically if the relevant metadata has been stored in the **Repository**. For more information about **Metadata**, see the *Talend Open Studio for Big Data User Guide*.

5. Click **Edit schema** to define the data structure of the input flow. In this case, the input has one column: *Name*.




6. Click **OK** to close the dialog box.

7. Fill in the **Number of rows** field to specify the entries to output, for example *1*.

8. Select the **Use Single Table** check box. In the **Values** table, assign a value to the **Name** field, e.g. *Marx*.


9. Double-click **tHashOutput** to display its **Basic settings** view.




10. Select **Built-In** from the **Schema** drop-down list and click **Sync columns** to retrieve the schema from the previous component. Select **Keep all** from the **Keys management** drop-down list and deselect the **Append** check box.

Configuring data retrieval from hash cache and data output

1. Double-click **tHashInput** to display its **Basic settings** view.



2. Select **Built-In** from the **Schema** drop-down list. Click **Edit schema** to define the data structure, which is the same as that of **tHashOutput**.
3. Select **tHashOutput_2** from the **Component list** drop-down list.
4. Double-click **tLogRow** to display its **Basic settings** view.




5. Select **Built-In** from the **Schema** drop-down list and click **Sync columns** to retrieve the schema from the previous component. In the **Mode** area, select **Table (print values in cells of a table)**.

Saving and executing the Job

1. Press **Ctrl+S** to save the Job.
2. Press **F6**, or click **Run** on the **Run** tab to execute the Job.

You can find that only one row was output although two rows were generated by **tFixedFlowInput**.





tHashOutput



tHashOutput Properties

This component writes data to the cache memory and is closely related to **tHashInput**. Together, these twin components offer high-speed data access to facilitate transactions involving a massive amount of data.

Component family	Technical	
Function	tHashOutput writes data to the cache memory for high-speed access.	
Purpose	This component loads data to the cache memory to offer high-speed access, facilitating transactions involving a large amount of data.	
Basic settings	<i>Schema and Edit schema</i>	<p>A schema is a row description, i.e. it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository.</p> <p>Click Edit Schema to make changes to the schema. Note that if you make changes, the schema automatically becomes built-in.</p> <p>Click Sync columns to retrieve the schema from the previous component connected in the Job.</p>
		Built-in: The schema is created and stored locally for this component only. Related topic: see the <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused. Related topic: see the <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Link with a tHashOutput</i>	<p>Select this check box to connect to a tHashOutput component.</p> <p> If multiple tHashOutput components are linked in this way, the data loaded to the cache by all of them can be read by a tHashInput component that is linked with any of them.</p>
	<i>Component list</i>	Drop-down list of available tHashOutput components.
	<i>Data write model</i>	Drop-down list of available data write modes.
	<i>Keys management</i>	Drop-down list of available keys management modes.
	<i>Append</i>	<p>Selected by default, this option is designed to append data to the memory in case an iterator exists in the same subjob. If it is unchecked, tHashOutput will clear the memory before loading data to it.</p> <p> If Link with a tHashOutput is selected, this check box will be hidden but is always enabled.</p>
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to collect log data at the component level.

Usage	This component writes data to the cache memory and is closely related to tHashInput . Together, these twin components offer high-speed data access to facilitate transactions involving a massive amount of data.
Limitation	n/a

Related scenarios

For related scenarios, see:

- [the section called “Scenario 1: Reading data from the cache memory for high-speed data access”](#).
- [the section called “Scenario 2: Clearing the memory before loading data to it in case an iterator exists in the same subjob”](#).

XML components

This chapter details the main components that you can find in the **XML** family of the *Talend Open Studio for Big Data Palette*.

The XML family groups together the components dedicated to XML related tasks such as parsing, validation, XML structure creation and so on.




For *Talend Open Studio for Big Data*, the **Property type**, **Schema** and **Query Type** of components are always **Built-in**. For how to edit a Built-in schema, see *Talend Open Studio for Big Data User Guide*.


tAdvancedFileOutputXML



tAdvancedFileOutputXML properties


Component family	XML or File/Output	
Function	tAdvancedFileOutputXML outputs data to an XML type of file and offers an interface to deal with loop and group by elements if needed.	
Purpose	tAdvancedFileOutputXML writes an XML file with separated data values according to an XML tree structure.	
Basic settings	<i>Use Output Stream</i>	<p>Select this check box process the data flow of interest. Once you have selected it, the Output Stream field displays and you can type in the data flow of interest.</p> <p>The data flow to be processed must be added to the flow in order for this component to fetch these data via the corresponding representative variable.</p> <p>This variable could be already pre-defined in your Studio or provided by the context or the components you are using along with this component; otherwise, you could define it manually and use it according to the design of your Job, for example, using tJava or tJavaFlex.</p> <p>In order to avoid the inconvenience of hand writing, you could select the variable of interest from the auto-completion list (Ctrl+Space) to fill the current field on condition that this variable has been properly defined.</p> <p>For further information about how to use a stream, see the section called “Scenario 2: Reading data from a remote file in streaming mode”.</p>
	<i>File name</i>	<p>Name or path to the output file and/or the variable to be used.</p> <p>This field becomes unavailable once you have selected the Use Output Stream check box.</p> <p>Related topic: see <i>Talend Open Studio for Big Data User Guide</i></p>
	<i>Configure XML tree</i>	Opens the dedicated interface to help you set the XML mapping. For details about the interface, see the section called “Defining the XML tree” .
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.

		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Sync columns</i>	Click to synchronize the output file schema with the input file schema. The Sync function only displays once the Row connection is linked with the Output component.
	<i>Append the source xml file</i>	Select this check box to add the new lines at the end of your source XML file.
	<i>Generate compact file</i>	Select this check box to generate a file that does not have any empty space or line separators. All elements then are presented in a unique line and this will reduce considerably file size.
	<i>Include DTD or XSL</i>	Select this check box to to add the DOCTYPE declaration, indicating the root element, the access path and the DTD file, or to add the processing instruction, indicating the type of stylesheet used (such as XSL types), along with the access path and file name.
Advanced settings	<i>Split output in several files</i>	If the XML file output is big, you can split the file every certain number of rows.
	<i>Trim data</i>	This check box is activated when you are using the dom4j generation mode. Select this check box to trim the leading or trailing whitespace from the value of a XML element.
	<i>Create directory only if not exists</i>	This check box is selected by default. It creates a directory to hold the output XML files if required.
	<i>Create empty element if needed</i>	This box is selected by default. If no column is associated to an XML node, this option will create an open/close tag in place of the expected tag.
	<i>Create attribute even if its value is NULL</i>	Select this check box to generate XML tag attribute for the associated input column whose value is null.
	<i>Create attribute even if it is unmapped</i>	Select this check box to generate XML tag attribute for the associated input column that is unmapped.
	<i>Create associated XSD file</i>	If one of the XML elements is defined as a Namespace element, this option will create the corresponding XSD file.  To use this option, you must select Dom4J as the generation mode.
	<i>Advanced separator (for number)</i>	Select this check box to change the expected data separator. Thousands separator: define the thousands separator, between inverted commas Decimal separator: define the decimals separator between inverted commas
	<i>Generation mode</i>	Select the appropriate generation mode according to your memory availability. The available modes are:

		<ul style="list-style-type: none"> • Slow and memory-consuming (Dom4j) <p> This option allows you to use dom4j to process the XML files of high complexity.</p> <ul style="list-style-type: none"> • Fast with low memory consumption <p>Once you select Append the source xml file in the Basic settings view, this field disappears because in this situation, your generation mode is set automatically as dom4j.</p>
	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Don't generate empty file</i>	Select the check box to avoid the generation of an empty file.
	<i>tStatCatcher Statistics</i>	Select the check box to collect the log data at a Job level as well as at each component level.
Usage	Use this component to write an XML file with data passed on from other components using a Row link.	
Limitation	n/a	

Defining the XML tree

Double-click on the **tAdvancedFileOutputXML** component to open the dedicated interface or click on the three-dot button on the **Basic settings** vertical tab of the **Component Settings** tab.



To the left of the mapping interface, under **Schema List**, all of the columns retrieved from the incoming data flow are listed (on the condition that an input flow is connected to the **tAdvancedFileOutputXML** component).

To the right of the interface, define the XML structure you want to obtain as output.

You can easily import the XML structure or create it manually, then map the input schema columns onto each corresponding element of the XML tree.

Importing the XML tree

The easiest and most common way to fill out the XML tree panel, is to import a well-formed XML file.

1. Rename the **root tag** that displays by default on the **XML tree** panel, by clicking on it once.
2. Right-click on the root tag to display the contextual menu.
3. On the menu, select **Import XML tree**.
4. Browse to the file to import and click **OK**.



- You can import an XML tree from files in XML, XSD and DTD formats.
- When importing an XML tree structure from an XSD file, you can choose an element as the root of your XML tree.

XML Tree	Related Column	Node Status	
[-] VideoCollection			
[-] Movie			
@id		-	
Category			
Year			
Language			
Title			
[-] Crew			
Director			
Cast			

The **XML Tree** column is hence automatically filled out with the correct elements. You can remove and insert elements or sub-elements from and to the tree:

1. Select the relevant element of the tree.
2. Right-click to display the contextual menu
3. Select **Delete** to remove the selection from the tree or select the relevant option among: **Add sub-element**, **Add attribute**, **Add namespace** to enrich the tree.

Creating the XML tree manually

If you don't have any XML structure defined as yet, you can create it manually.

1. Rename the **root tag** that displays by default on the **XML tree** panel, by clicking on it once.
2. Right-click on the root tag to display the contextual menu.
3. On the menu, select **Add sub-element** to create the first element of the structure.


You can also add an attribute or a child element to any element of the tree or remove any element from the tree.

1. Select the relevant element on the tree you just created.
2. Right-click to the left of the element name to display the contextual menu.
3. On the menu, select the relevant option among: **Add sub-element**, **Add attribute**, **Add namespace** or **Delete**.

Mapping XML data

Once your XML tree is ready, you can map each input column with the relevant XML tree element or sub-element to fill out the **Related Column**:

1. Click on one of the **Schema column name**.
2. Drag it onto the relevant sub-element to the right.
3. Release to implement the actual mapping.



A light blue link displays that illustrates this mapping. If available, use the **Auto-Map** button, located to the bottom left of the interface, to carry out this operation automatically.

You can disconnect any mapping on any element of the XML tree:

1. Select the element of the XML tree, that should be disconnected from its respective schema column.
2. Right-click to the left of the element name to display the contextual menu.
3. Select **Disconnect linker**.

The light blue link disappears.

Defining the node status


Defining the XML tree and mapping the data is not sufficient. You also need to define the loop element and if required the group element.

Loop element

The loop element allows you to define the iterating object. Generally the Loop element is also the row generator.

To define an element as loop element:

1. Select the relevant element on the XML tree.
2. Right-click to the left of the element name to display the contextual menu.
3. Select **Set as Loop Element**.



The **Node Status** column shows the newly added status.



There can only be one loop element at a time.


Group element

The group element is optional, it represents a constant element where the groupby operation can be performed. A group element can be defined on the condition that a loop element was defined before.

When using a group element, the rows should sorted, in order to be able to group by the selected node.

To define an element as group element:

1. Select the relevant element on the XML tree.
2. Right-click to the left of the element name to display the contextual menu.
3. Select **Set as Group Element**.




The **Node Status** column shows the newly added status and any group status required are automatically defined, if needed.

Click **OK** once the mapping is complete to validate the definition and continue the job configuration where needed.


Scenario: Creating an XML file using a loop

The following scenario describes the creation of an XML file from a sorted flat file gathering a video collection.




Configuring the source file

1. Drop a **tFileInputDelimited** and a **tAdvancedFileOutputXML** from the **Palette** onto the design workspace.
2. Alternatively, if you configured a description for the input delimited file in the **Metadata** area of the **Repository**, then you can directly drag & drop the metadata entry onto the editor, to set up automatically the input flow.
3. Right-click on the input component and drag a row main link towards the **tAdvancedFileOutputXML** component to implement a connection.
4. Select the **tFileInputDelimited** component and display the **Component settings** tab located in the tab system at the bottom of the Studio.




5. Select the **Property type**, according to whether you stored the file description in the Repository or not. If you dragged & dropped the component directly from the Metadata, no changes to the setting should be needed.
6. If you didn't setup the file description in the **Repository**, then select **Built-in** and manually fill out the fields displayed on the **Basic settings** vertical tab.

The input file contains the following type of columns separated by semi-colons: *id*, *name*, *category*, *year*, *language*, *director* and *cast*.



In this simple use case, the **Cast** field gathers different values and the id increments when changing movie.


7. If needed, define the **tFileDelimitedInput** schema according to the file structure.



- Once you checked that the schema of the input file meets your expectation, click on **OK** to validate.

Configuring the XML output and mapping

- Then select the **tAdvancedFileOutputXML** component and click on the **Component settings** tab to configure the basic settings as well as the mapping. Note that a double-click on the component will open directly the mapping interface.



- In the **File Name** field, browse to the file to be written if it exists or type in the path and file name that needs to be created for the output.

By default, the schema (file description) is automatically propagated from the input flow. But you can edit it if you need.

- Then click on the three-dot button or double-click on the **tAdvancedFileOutputXML** component on the design workspace to open the dedicated mapping editor.

To the left of the interface, are listed the columns from the input file description.

- To the right of the interface, set the XML tree panel to reflect the expected XML structure output.

You can create the structure node by node. For more information about the manual creation of an XML tree, see [the section called "Defining the XML tree"](#).

In this example, an XML template is used to populate the XML tree automatically.


- Right-click on the **root tag** displaying by default and select **Import XML tree** at the end of the contextual menu options.
- Browse to the XML file to be imported and click **OK** to validate the import operation.



You can import the XML structure from XSMML, XSD and STS files.

- Then drag & drop each column name from the **Schema List** to the matching (or relevant) **XML tree** elements as described in [the section called "Mapping XML data"](#).

The mapping is shown as blue links between the left and right panels.



Finally, define the node status where the loop should take place. In this use case, the *Cast* being the changing element on which the iteration should operate, this element will be the loop element.


Right-click on the *Cast* element on the XML tree, and select **Set as loop element**.

8. To group by movie, this use case needs also a group element to be defined.

Right-click on the *Movie* parent node of the XML tree, and select **Set as group element**.

The newly defined node status show on the corresponding element lines.

9. Click **OK** to validate the configuration.
10. Press **F6** to execute the Job.



The output XML file shows the structure as defined.

tDTDValidator



tDTDValidator Properties


Component family	XML	
Function	Validates the XML input file against a DTD file and sends the validation log to the defined output.	
Purpose	Helps at controlling data and structure quality of the file to be processed	
Basic settings	<i>Schema type and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository but in this case, the schema is read-only. It contains standard information regarding the file validation.
	<i>DTD file</i>	Filepath to the reference DTD file.
	<i>XML file</i>	Filepath to the XML file to be validated.
	<i>If XML is valid, display</i> <i>If XML is not valid detected, display</i>	Type in a message to be displayed in the Run console based on the result of the comparison.
	<i>Print to console</i>	Select this check box to display the validation message.
Usage	This component can be used as standalone component but it is usually linked to an output component to gather the log data.	
Limitation	n/a	

Scenario: Validating XML files

This scenario describes a Job that validates the specified type of files from a folder, displays the validation result on the Run tab console, and outputs the log information for the invalid files into a delimited file.



1. Drop the following components from the **Palette** to the design workspace: **tFileList**, **tDTDValidator**, **tMap**, **tFileOutputDelimited**.
2. Connect the **tFileList** to the **tDTDValidator** with an **Iterate** link and the remaining component using a **main** row.
3. Set the **tFileList** component properties, to fetch an XML file from a folder.




Click the plus button to add a filemask line and enter the filemask: *.xml. Remember Java code requires double quotes.

Set the path of the XML files to be verified.

Select **No** from the Case Sensitive drop-down list.

- In the **tDTDValidate Component** view, the schema is read-only as it contains standard log information related to the validation process.




In the **Dtd file** field, browse to the DTD file to be used as reference.

- Click in the XML file field, press **Ctrl+Space bar** to access the variable list, and double-click the current filepath global variable: `tFileList.CURRENT_FILEPATH`.
- In the various messages to display in the **Run** tab console, use the `jobName` variable to recall the job name tag. Recall the filename using the relevant global variable: `((String)globalMap.get("tFileList_1_CURRENT_FILE"))`. Remember Java code requires double quotes.

Select the **Print to Console** check box.

- In the **tMap** component, drag and drop the information data from the standard schema that you want to pass on to the output file.



- Once the Output schema is defined as required, add a filter condition to only select the log information data when the XML file is invalid.

Follow the best practice by typing first the wanted value for the variable, then the operator based on the type of data filtered then the variable that should meet the requirement. In this case: `0 == row1.validate`.

- Then connect (if not already done) the **tMap** to the **tFileOutputDelimited** component using a **Row > Main** connection. Name it as relevant, in this example: *log_errorsOnly*.
- In the **tFileOutputDelimited Basic settings**, Define the destination filepath, the field delimiters and the encoding.
- Save your Job and press **F6** to run it.

```
Starting job tDTDValidator_oj at 14:28 14/10/2010.
[statistics] connecting to socket on port 3420
[statistics] connected
[job tDTDValidator_oj]employee_1.xml is Valid
[job tDTDValidator_oj]employee_2.xml is Invalid
[job tDTDValidator_oj]employee_3.xml is Valid
[job tDTDValidator_oj]employee_4.xml is Invalid
[job tDTDValidator_oj]employee_5.xml is Invalid
[statistics] disconnected
Job tDTDValidator_oj ended at 14:28 14/10/2010. [exit
code=0]
```

On the **Run** console the messages defined display for each of the files. At the same time the output file is filled with the log data for invalid files.

tExtractXMLField



tExtractXMLField properties

Component family	XML	
Function	tExtractXMLField reads an input XML field of a file or a database table and extracts desired data.	
Purpose	tExtractXMLField opens an input XML field, reads the XML structured data directly without having first to write it out to a temporary file, and finally sends data as defined in the schema to the following component via a Row link.	
Basic settings	<i>Property type</i>	Either Built-in or Repository .
		Built-in: No property data is stored centrally.
		Repository: Properties are stored in a repository file. When this file is selected, the fields that follow are pre-filled in using fetched data.
	<i>Schema type and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.
		Built-in: You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>
		Repository: You already created the schema and stored it in the Repository, hence can be reused in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>XML field</i>	Name of the XML field to be processed. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>
	<i>Loop XPath query</i>	Node of the XML tree, which the loop is based on.
	<i>Mapping</i>	Column: reflects the schema as defined by the Schema type field. XPath Query: Enter the fields to be extracted from the structured input. Get nodes: Select this check box to recuperate the XML content of all current nodes specified in the Xpath query list or select the check box next to specific XML nodes to recuperate only the content of the selected nodes.
	<i>Limit</i>	Maximum number of rows to be processed. If Limit is 0, no rows are read or processed.
	<i>Die on error</i>	This check box is selected by default. Clear the check box to skip the row on error and complete the process


		for error-free rows. If needed, you can retrieve the rows on error via a Row > Reject link.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component is an intermediate component. It needs an input and an output components.	
Limitation	n/a	

Scenario 1: Extracting XML data from a field in a database table

This three-component Java scenario allows to read the XML structure included in the fields of a database table and then extracts the data.

- Drop the following components from the **Palette** onto the design workspace: **tMysqlInput**, **tExtractXMLField**, and **tFileOutputDelimited**.

Connect the three components using **Main** links.



- Double-click **tMysqlInput** to display its **Basic settings** view and define its properties.

Property Type: **Repository** | DB (MYSQL):localDBMS

Use an existing connection

Host: "localhost" | Port: "3306"

Database: "test"

Username: "root" | Password: "*****"

Schema: **Repository** | DB (MYSQL):localDBMS - customerdetails | Edit schema

Table Name: "customerdetails"

Query Type: **Built-In** | Guess Query | Guess schema

Query: "SELECT customerdetails.CustomerDetails FROM customerdetails"


- If you have already stored the input schema in the **Repository** tree view, select **Repository** first from the **Property Type** list and then from the **Schema** list to display the [Repository Content] dialog box where you can select the relevant metadata.

For more information about storing schema metadata in the **Repository** tree view, see *Talend Open Studio for Big Data User Guide*.

- If you have not stored the input schema locally, select **Built-in** in the **Property Type** and **Schema** fields and enter the database connection and the data structure information manually. For more information about **tMysqlInput** properties, see [the section called "tMysqlInput"](#).

- In the **Table Name** field, enter the name of the table holding the XML data, *customerdetails* in this example.
Click **Guess Query** to display the query corresponding to your schema.

- Double-click **tExtractXMLField** to display its **Basic settings** view and define its properties.



- In the **Property type** list, select **Repository** if you have already stored the description of your file in the **Repository** tree view. The fields that follow are filled in automatically with the stored data.

If not, select **Built-in** and fill in the fields that follow manually.

- Click **Sync columns** to retrieve the schema from the preceding component. You can click the three-dot button next to **Edit schema** to view/modify the schema.


Column in the **Mapping** table will be automatically populated with the defined schema.

- In the **Xml field** list, select the column from which you want to extract the XML data. In this example, the field holding the XML data is called *CustomerDetails*.

In the **Loop XPath query** field, enter the node of the XML tree on which to loop to retrieve data.

In the **Xpath query** column, enter between inverted commas the node of the XML field holding the data you want to extract, *CustomerName* in this example.

- Double-click **tFileOutputDelimited** to display its **Basic settings** view and define its properties.



- In the **File Name** field, define or browse to the path of the output file you want to write the extracted data in.

Click **Sync columns** to retrieve the schema from the preceding component. If needed, click the three-dot button next to **Edit schema** to view the schema.

- Save your Job and click **F6** to execute it.

```

1 Griffith Paving and Sealcoatin
2 Bill's Dive Shop
3 Childress Child Day Care
4 Facelift Kitchen and Bath
5 Terrinni & Son Auto and Truck
6 Kermit the Pet Shop
7 Tub's Furniture Store
8 Toggle & Myerson Ltd
9 Childress Child Day Care
10 Elle Hypnosis and Therapy Cent
11 Lennox Air Pollution Control

```

tExtractXMLField read and extracted the clients names under the node `CustomerName` of the `CustomerDetails` field of the defined database table.


Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file

This Java scenario describes a four-component Job that reads an XML structure from a delimited file, outputs the main data and rejects the erroneous data.


- Drop the following components from the **Palette** to the design workspace: **tFileInputDelimited**, **tExtractXMLField**, **tFileOutputDelimited** and **tLogRow**.

Connect the first three components using **Row Main** links.

Connect **tExtractXMLField** to **tLogRow** using a **Row Reject** link.



- Double-click **tFileInputDelimited** to open its **Basic settings** view and define the component properties.



3. Select **Built-in** in the **Schema** list and fill in the file metadata manually in the corresponding fields.

Click the three-dot button next to **Edit schema** to display a dialog box where you can define the structure of your data.

Click the plus button to add as many columns as needed to your data structure. In this example, we have one column in the schema: *xmlStr*.

Click **OK** to validate your changes and close the dialog box.



If you have already stored the schema in the **Metadata** folder under **File delimited**, select **Repository** from the **Schema** list and click the three-dot button next to the field to display the **[Repository Content]** dialog box where you can select the relevant schema from the list. Click **Ok** to close the dialog box and have the fields automatically filled in with the schema metadata.

For more information about storing schema metadata in the Repository tree view, see *Talend Open Studio for Big Data User Guide*.

4. In the **Property type** list, select:

- Repository** if you have already stored the metadata of your input file in the Repository, the fields that follow are automatically filled in with the stored information, or

- select **Built-in** and fill in the fields that follow manually.

For this example, we use the **Built-in** mode.


5. In the **File Name** field, click the three-dot button and browse to the input delimited file you want to process, *CustomerDetails_Error* in this example.

This delimited file holds a number of simple XML lines separated by double carriage return.

Set the row and field separators used in the input file in the corresponding fields, double carriage return for the first and nothing for the second in this example.

If needed, set **Header**, **Footer** and **Limit**. None is used in this example.

6. In the design workspace, double-click **tExtractXMLField** to display its **Basic settings** view and define the component properties.



7. In the **Property type** list, select:

-**Repository** if you have already stored the metadata of your file in the Repository, the fields that follow are automatically filled in with the stored information, or

-select **Built-in** and fill in the fields that follow manually.

For this example, we use the **Built-in** mode.


8. Click **Sync columns** to retrieve the schema from the preceding component. You can click the three-dot button next to **Edit schema** to view/modify the schema.

Column in the **Mapping** table will be automatically populated with the defined schema.

9. In the **Xml field** list, select the column from which you want to extract the XML data. In this example, the field holding the XML data is called *xmlStr*.

In the **Loop XPath query** field, enter the node of the XML tree on which to loop to retrieve data.

10. In the design workspace, double-click **tFileOutputDelimited** to open its **Basic settings** view and display the component properties.



11. Set **Property Type** to **Built-in**.

In the **File Name** field, define or browse to the output file you want to write the correct data in, *CustomerNames_right.csv* in this example.

Click **Sync columns** to retrieve the schema of the preceding component. You can click the three-dot button next to **Edit schema** to view/modify the schema.

12. In the design workspace, double-click **tLogRow** to display its **Basic settings** view and define the component properties.

Click **Sync Columns** to retrieve the schema of the preceding component. For more information on this component, see [the section called “tLogRow”](#).

13. Save your Job and press **F6** to execute it.

```
Starting job A at 14:22 05/11/2009.

[statistics] connecting to socket on port 3845
[statistics] connected
|
<CustomerDetails>
  <CustomerName>Childress Child Day Care</CustomerName>
  <id>9</id>
</CustomerDetails>||Error on line 3 of document : The element type
"CustomerName" must be terminated by the matching end-tag "</CustomerName>".
Nested exception: The element type "CustomerName" must be terminated by the
matching end-tag "</CustomerName>". - Line: 8
[statistics] disconnected
Job A ended at 14:22 05/11/2009. [exit code=0]
```



tExtractXMLField reads and extracts in the output delimited file, *CustomerNames_right*, the client information for which the XML structure is correct, and displays as well erroneous data on the console of the **Run** view.


tFileInputXML



tFileInputXML Properties


Component family	XML or File/Input	
Function	tFileInputXML reads an XML structured file and extracts data row by row.	
Purpose	Opens an XML structured file and reads it row by row to split them up into fields then sends fields as defined in the Schema to the next component, via a Row link.	
Basic settings	<i>Property type</i>	Either Built-in or Repository.
		Built-in: No property data stored centrally.
		Repository: Select the Repository file where Properties are stored. The following fields are pre-filled in using fetched data.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i>
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>File Name/Stream</i>	<p>File name: Name and path of the file to be processed.</p> <p>Stream: The data flow to be processed. The data must be added to the flow in order for tFileInputXML to fetch these data via the corresponding representative variable.</p> <p>This variable could be already pre-defined in your Studio or provided by the context or the components you are using along with this component, for example, the <i>INPUT_STREAM</i> variable of tFileFetch; otherwise, you could define it manually and use it according to the design of your Job, for example, using tJava or tJavaFlex.</p> <p>In order to avoid the inconvenience of hand writing, you could select the variable of interest from the auto-completion list (Ctrl+Space) to fill the current field on condition that this variable has been properly defined.</p> <p>Related topic to the available variables: see <i>Talend Open Studio for Big Data User Guide</i>. Related scenario to the input stream, see the section called “Scenario 2: Reading data from a remote file in streaming mode”.</p>

	<i>Loop XPath query</i>	Node of the tree, which the loop is based on.
	<i>Mapping</i>	<p>Column: Columns to map. They reflect the schema as defined in the Schema type field.</p> <p>XPath Query: Enter the fields to be extracted from the structured input.</p> <p>Get nodes: Select this check box to recuperate the XML content of all current nodes specified in the Xpath query list, or select the check box next to specific XML nodes to recuperate only the content of the selected nodes. These nodes are important when the output flow from this component needs to use the XML structure, for example, the Document data type.</p> <p>For further information about the Document type, see <i>Talend Open Studio for Big Data User Guide</i>.</p> <p> The Get Nodes option functions in the DOM4j and SAX modes, although in SAX mode namespaces are not supported. For further information concerning the DOM4j and SAX modes, please see the properties noted in the Generation mode list of the Advanced Settings tab..</p>
	<i>Limit</i>	Maximum number of rows to be processed. If Limit = 0, no row is read nor processed. If -1, all rows are read or processed.
	<i>Die on error</i>	This check box is selected by default and stops the job in the event of error. Clear the check box to skip erroneous rows. The process will still be completed for error-free rows. If needed, you can retrieve the erroneous rows using a Row > Reject link.
Advanced settings	<i>Ignore DTD file</i>	Select this check box to ignore the DTD file indicated in the XML file being processed.
	<i>Advanced separator (for number)</i>	<p>Select this check box to change data separator for numbers:</p> <p>Thousands separator: define the separators to use for thousands.</p> <p>Decimal separator: define the separators to use for decimals.</p>
	<i>Ignore the namespaces</i>	<p>Select this check box to ignore name spaces.</p> <p>Generate a temporary file: click the three-dot button to browse to the XML temporary file and set its path in the field.</p>
	<i>Use Separator for mode Xerces</i>	<p>Select this check box if you want to separate concatenated children node values.</p> <p> This field can only be used if the selected Generation mode is Xerces.</p> <p>The following field displays:</p>

		Field separator: Define the delimiter to be used to separate the children node values.
	<i>Encoding Type</i>	Select the encoding type from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Generation mode</i>	From the drop-down list select the generation mode for the XML file, according to the memory available and the desired speed: <ul style="list-style-type: none"> • Slow and memory-consuming (Dom4j)  This option allows you to use dom4j to process the XML files of high complexity. • Memory-consuming (Xerces). • Fast with low memory consumption (SAX)
	<i>Validate date</i>	Select this check box to check the date format strictly against the input schema.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	tFileInputXML is for use as an entry component. It allows you to create a flow of XML data using a Row > Main link. You can also create a rejection flow using a Row > Reject link to filter the data which doesn't correspond to the type defined. For an example of how to use these two links, see the section called "Scenario 2: Extracting correct and erroneous data from an XML field in a delimited file" .	
Limitation	n/a	

Scenario 1: Reading and extracting data from an XML structure

This scenario describes a basic Job that reads a defined XML directory and extracts specific information and outputs it on the **Run** console via a **tLogRow** component.



1. Drop **tFileInputXML** and **tLogRow** from the **Palette** to the design workspace.
2. Connect both components together using a **Main Row** link.
3. Double-click **tFileInputXML** to open its **Basic settings** view and define the component properties.

tFileInputXML

Property Type: Repository: *

Schema Type: Repository: * Edit schema

Filename: *

Loop XPath query:

Mapping column/XPath query:

Column	XPath query
City	'../@city'
District	'@district'
Street	'.'

Limit:

Encoding: *

4. As the street dir file used as input file has been previously defined in the Metadata area, select **Repository** as **Property type**. This way, the properties are automatically leveraged and the rest of the properties fields are filled in (apart from Schema). For more information regarding the metadata creation wizards, see *Talend Open Studio for Big Data User Guide*.
5. Select the same way the relevant schema in the Repository metadata list. **Edit schema** if you want to make any change to the schema loaded.
6. The **Filename** shows the structured file to be used as input
7. In **Loop XPath query**, change if needed the node of the structure where the loop is based.
8. On the **Mapping** table, fill the fields to be extracted and displayed in the output.
9. If the file size is consequent, fill in a **Limit** of rows to be read.
10. Enter the encoding if needed then double-click on **tLogRow** to define the separator character.
11. Save your Job and press **F6** to execute it.

```
Starting job XMLStreetFinder at 12:42 05/01/2007.
Paris|2eme arrondissement|Rue de la Paix
Paris|8eme arrondissement|Champs Elysees
New York City|Manhattan|Madison avenue
New York City|Brooklyn|Washington heights
Job XMLStreetFinder ended at 12:42 05/01/2007. [exit code
```

The fields defined in the input properties are extracted from the XML structure and displayed on the console.

Scenario 2: Extracting erroneous XML data via a reject flow


This Java scenario describes a three-component Job that reads an XML file and:

1. first, returns correct XML data in an output XML file,
2. and second, displays on the console erroneous XML data which type does not correspond to the defined one in the schema.


- Drop the following components from the **Palette** to the design workspace: **tFileInputXML**, **tFileOutputXML** and **tLogRow**.

Right-click **tFileInputXML** and select **Row > Main** in the contextual menu and then click **tFileOutputXML** to connect the components together.

Right-click **tFileInputXML** and select **Row > Reject** in the contextual menu and then click **tLogRow** to connect the components together using a reject link.




- Double-click **tFileInputXML** to display the **Basic settings** view and define the component properties.



- In the **Property Type** list, select **Repository** and click the three-dot button next to the field to display the **[Repository Content]** dialog box where you can select the metadata relative to the input file if you have already stored it in the **File xml** node under the **Metadata** folder of the **Repository** tree view. The fields that follow are automatically filled with the fetched data. If not, select **Built-in** and fill in the fields that follow manually.

For more information about storing schema metadata in the Repository tree view, see *Talend Open Studio for Big Data User Guide*.

- In the **Schema Type** list, select **Repository** and click the three-dot button to open the dialog box where you can select the schema that describe the structure of the input file if you have already stored it in the **Repository** tree view. If not, select **Built-in** and click the three-dot button next to **Edit schema** to open a dialog box where you can define the schema manually.




The schema in this example consists of five columns: *id*, *CustomerName*, *CustomerAddress*, *idState* and *id2*.

- Click the three-dot button next to the **Filename** field and browse to the XML file you want to process.
- In the **Loop XPath query**, enter between inverted commas the path of the XML node on which to loop in order to retrieve data.

In the **Mapping** table, **Column** is automatically populated with the defined schema.

In the **XPath query** column, enter between inverted commas the node of the XML file that holds the data you want to extract from the corresponding column.

- In the **Limit** field, enter the number of lines to be processed, the first 10 lines in this example.
- Double-click **tFileOutputXML** to display its **Basic settings** view and define the component properties.



- Click the three-dot button next to the **File Name** field and browse to the output XML file you want to collect data in, *customer_data.xml* in this example.

In the **Row tag** field, enter between inverted commas the name you want to give to the tag that will hold the recuperated data.

Click **Edit schema** to display the schema dialog box and make sure that the schema matches that of the preceding component. If not, click **Sync columns** to retrieve the schema from the preceding component.

- Double-click **tLogRow** to display its **Basic settings** view and define the component properties.

Click **Edit schema** to open the schema dialog box and make sure that the schema matches that of the preceding component. If not, click **Sync columns** to retrieve the schema of the preceding component.

In the **Mode** area, select the **Vertical** option.

- Save your Job and press **F6** to execute it.

Starting job tFileInputXML at 14:34 06/11/2009.

[statistics] connecting to socket on port 3996
[statistics] connected

#1. tLogRow_1	
key	value
id	null
CustomerName	null
CustomerAddress	null
idState	null
id2	null
errorCode	null
errorMessage	For input string: "ab" - Line: 1

#2. tLogRow_1	
key	value
id	9
CustomerName	Childress Child Day Care
CustomerAddress	788 Tennyson Ave.
idState	12
id2	null
errorCode	null
errorMessage	For input string: "cd" - Line: 8

[statistics] disconnected

Job tFileInputXML ended at 14:35 06/11/2009. [exit code=0]


The output file *customer_data.xml* holding the correct XML data is created in the defined path and erroneous XML data is displayed on the console of the **Run** view.

tFileOutputXML



tFileOutputXML properties

Component family	XML or File/Output	
Function	tFileOutputXML outputs data to an XML type of file.	
Purpose	tFileOutputXML writes an XML file with separated data value according to a defined schema.	
Basic settings	<i>File name</i>	Name or path to the output file and/or the variable to be used. Related topic: see Defining variables from the Component view section in <i>Talend Open Studio for Big Data User Guide</i>
	<i>Incoming record is a document</i>	Select this check box if the data from the preceding component is in XML format. When this check box is selected, a Column list appears allowing you to select a Document type column of the schema that holds the data, and the Row tag field disappears.
	<i>Row tag</i>	Specify the tag that will wrap data and structure per row.
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.
		Built-in: The schema will be created and stored locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: The schema already exists and is stored in the Repository, hence can be reused in various projects and job designs. Related topic: see <i>Talend Open Studio for Big Data</i> .
	<i>Sync columns</i>	Click to synchronize the output file schema with the input file schema. The Sync function only displays once the Row connection is linked with the Output component.
Advanced settings	<i>Split output in several files</i>	If the output is big, you can split the output into several files, each containing the specified number of rows. Rows in each output file: Specify the number of rows in each output file.
	<i>Create directory if not exists</i>	This check box is selected by default. It creates a directory to hold the output XML files if required.

	<i>Root tags</i>	Specify one or more root tags to wrap the whole output file structure and data. The default root tag is <i>root</i> .
	<i>Output format</i>	<p>Define the output format.</p> <p>Column: The columns retrieved from the input schema.</p> <p>As attribute: select check box for the column(s) you want to use as attribute(s) of the parent element in the XML output.</p> <p> If the same column is selected in both the Output format table as an attribute and in the Use dynamic grouping setting as the criterion for dynamic grouping, only the dynamic group setting will take effect for that column.</p> <p>Use schema column name: By default, this check box is selected for all columns so that the column labels from the input schema are used as data wrapping tags. If you want to use a different tag than from the input schema for any column, clear this check box for that column and specify a tag label between quotation marks in the Label field.</p>
	<i>Use dynamic grouping</i>	<p>Select this check box if you want to dynamically group the output columns. Click the plus button to add one ore more grouping criteria in the Group by table.</p> <p>Column: Select a column you want to use as a wrapping element for the grouped output rows.</p> <p>Attribute label: Enter an attribute label for the group wrapping element, between quotation marks.</p>
	<i>Custom the flush buffer size</i>	<p>Select this check box to define the number of rows to buffer before the data is written into the target file and the buffer is emptied.</p> <p>Row Number: Specify the number of rows to buffer.</p>
	<i>Advanced separator (for numbers)</i>	<p>Select this check box to modify the separators used for numbers:</p> <p>Thousands separator: define separators for thousands.</p> <p>Decimal separator: define separators for decimals.</p>
	<i>Encoding</i>	Select the encoding from the list or select Custom and define it manually. This field is compulsory for DB data handling.
	<i>Don't generate empty file</i>	Select the check box to avoid the generation of an empty file.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	Use this component to write an XML file with data passed on from other components using a Row link.	
Limitation	n/a	


Related scenarios


For related scenarios using **tFileOutputXML**, see [the section called “Scenario 1: From Positional to XML file”](#) and [the section called “Scenario 2: Using a SOAP message from an XML file to get weather information and saving the information to an XML file”](#).

tWriteXMLField



tWriteXMLField properties

Component family	XML	
Function	tWriteXMLField outputs data to defined fields of the output XML file.	
Purpose	tWriteXMLField reads an input XML file and extracts the structure to insert it in defined fields of the output file.	
Basic settings	<i>Output Column</i>	Select the destination field in the output component where you want to write the XML structure.
	<i>Configure Xml Tree</i>	Opens the interface that supports the creation of the XML structure you want to write in a field. For more information about the interface, see the section called “Defining the XML tree” .
	<i>Schema type and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields that will be processed and passed on to the next component. The schema is either built-in or remote in the Repository.
		Built-in: You create the schema and store it locally for this component only. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
		Repository: You already created the schema and stored it in the Repository, hence can be reused in various projects and job flowcharts. Related topic: see <i>Talend Open Studio for Big Data User Guide</i> .
	<i>Sync columns</i>	Click to synchronize the output file schema with the input file schema. The Sync function only displays once the Row connection is linked with the output component.
	<i>Group by</i>	Define the aggregation set, the columns you want to use to regroup the data.
Advanced settings	<i>Remove the xml declaration</i>	Select this check box if you do not want to include the XML header.
	<i>Create empty element if needed</i>	This check box is selected by default. If the Related Column in the interface that supports the creation of the XML structure has null values, or if no column is associated with the XML node, this option creates an open/close tag in the expected place.
	<i>Create associated XSD file</i>	If one of the XML elements is defined as a Namespace element, this option will create the corresponding XSD file.  To use this option, you must select the Dom4J generation mode.
	<i>Advanced separator (for number)</i>	Select this check box if you want to modify the separators used by default for numbers.


		<p>Thousands separator: enter between brackets the separators to use for thousands.</p> <p>Decimal separator: enter between brackets the separators to use for decimals.</p>
	<i>Generation mode</i>	<p>Select the appropriate generation mode according to your memory availability. The available modes are:</p> <ul style="list-style-type: none"> • Slow and memory-consuming (Dom4j) <p> This option allows you to use dom4j to process the XML files of high complexity.</p> <ul style="list-style-type: none"> • Fast with low memory consumption
	<i>Encoding Type</i>	Select the encoding type in the list or select Custom and define it manually. This field is compulsory when working with databases.
	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	This component can be used as intermediate step in a data flow.	
Limitation	n/a	

Scenario: Extracting the structure of an XML file and inserting it into the fields of a database table

This three-component scenario allows to read an XML file, extract the XML structure, and finally outputs the structure to the fields of a database table.

1. Drop the following components from the **Palette** onto the design workspace: **tFileInputXml**, **tWriteXMLField**, and **tMysqlOutput**.

Connect the three components using **Main** links.



2. Double-click **tFileInputXml** to open its **Basic settings** view and define its properties.

Property Type: Repository | XML:customers

Schema Type: Built-In | Edit schema

Filename: "D:/03_Formation/jobs/customer.xml" *

Loop XPath query: "/customers/customer"

Column	XPath query
id	"@id"
CustomerName	"CustomerName"
CustomerAddress	"CustomerAddress"
idState	"idState"

- If you have already stored the input schema in the **Repository** tree view, select **Repository** first from the **Property Type** list and then from the **Schema** list to display the [**Repository Content**] dialog box where you can select the relevant metadata.

For more information about storing schema metadata in the **Repository** tree view, see *Talend Open Studio for Big Data User Guide*.


- If you have not stored the input schema locally, select **Built-in** in the **Property Type** and **Schema** fields and fill in the fields that follow manually. For more information about **tFileInputXML** properties, see the section called “**tFileInputXML**”.

If you have selected **Built-in**, click the three-dot button next to the **Edit schema** field to open a dialog box where you can manually define the structure of your file.


- In the **Look Xpath query** field, enter the node of the structure where the loop is based. In this example, the loop is based on the *customer* node. **Column** in the **Mapping** table will be automatically populated with the defined file content.

In the **Xpath query** column, enter between inverted commas the node of the XML file that holds the data corresponding to each of the **Column** fields.

- In the design workspace, click **tWriteXMLField** and then in the **Component** view, click **Basic settings** to open the relevant view where you can define the component properties.



- Click the three-dot button next to the **Edit schema** field to open a dialog box where you can add a line by clicking the plus button.




- Click in the line and enter the name of the output column where you want to write the XML content, *CustomerDetails* in this example.

Define the type and length in the corresponding fields, *String* and *255* in this example.

Click **Ok** to validate your output schema and close the dialog box.

In the **Basic settings** view and from the **Output Column** list, select the column you already defined where you want to write the XML content.

- Click the three-dot button next to **Configure Xml Tree** to open the interface that helps to create the XML structure.



- In the **Link Target** area, click *rootTag* and rename it as *CustomerDetails*.


In the **Linker source** area, drop *CustomerName* and *CustomerAddress* to *CustomerDetails*. A dialog box displays asking what type of operation you want to do.

Select **Create as sub-element of target node** to create a sub-element of the *CustomerDetails* node.

Right-click *CustomerName* and select from the contextual menu **Set As Loop Element**.

Click **OK** to validate the XML structure you defined.

- Double-click **tMySQLOutput** to open its **Basic settings** view and define its properties.



- If you have already stored the schema in the **DB Connection** node in the **Repository** tree view, select **Repository** from the **Schema** list to display the **[Repository Content]** dialog box where you can select the relevant metadata.

For more information about storing schema metadata in the **Repository** tree view, see *Talend Open Studio for Big Data User Guide*.

If you have not stored the schema locally, select **Built-in** in the **Property Type** and **Schema** fields and enter the database connection and data structure information manually. For more information about **tMySQLOutput** properties, see [the section called “tMySQLOutput”](#).

In the **Table** field, enter the name of the database table to be created, where you want to write the extracted XML data.

From the **Action on table** list, select **Create table** to create the defined table.

From the **Action on data** list, select Insert to write the data.

Click **Sync columns** to retrieve the schema from the preceding component. You can click the three-dot button next to **Edit schema** to view the schema.

13. Save your Job and click **F6** to execute it.

CustomerDetails
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>talend@apres91</CustomerAddress>·...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>511 Maple Ave. Apt. 1B</CustomerA...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>662 Lyons Circle</CustomerAddress>·...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>unknown</CustomerAddress>· <Cust...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>770 Exmoor Rd.</CustomerAddress>·...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>1860 Parkside Ln.</CustomerAddress...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>807 Old Trail Rd.</CustomerAddress>·...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>618 Sheriden rd.</CustomerAddress>·...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>788 Tennyson Ave.</CustomerAddre...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>2032 Northbrook Ct.</CustomerAddre...
<?xml version="1.0" encoding="ISO-8859-15"?>·<CustomerDetails>· <CustomerAddress>4522 N. Greenview Apt. 1B</Custom...

tWriteXMLField fills every field of the *CustomerDetails* column with the XML structure of the input file: the XML processing instruction `<?xml version="1.0" encoding="ISO-8859-15"?>`, the first node that separates each client `<CustomerDetails>` and finally customer information `<CustomerAddress>` and `<CustomerName>`.

tXMLMap








tXMLMap belongs to two component families: Processing and XML. For more information on it, see [the section called “tXMLMap”](#).

tXSDValidator




tXSDValidator Properties

Component family	XML	
Function	Validates an input XML file or an input XML flow against an XSD file and sends the validation log to the defined output.	
Purpose	Helps at controlling data and structure quality of the file or flow to be processed	
Basic settings	<i>Mode</i>	From this dropdown list, select: - File , to validate an input file - Flow , to validate an input flow
	<i>Schema and Edit Schema</i>	A schema is a row description, i.e., it defines the number of fields to be processed and passed on to the next component. The schema is either built-in or remotely stored in the Repository but in this case, the schema is read-only. It contains standard information regarding the file validation.
 <i>File mode only</i>	<i>XSD file</i>	Filepath to the reference XSD file. HTTP URL also supported, e.g. <i>http://localhost:8080/book.xsd</i> .
 <i>File mode only</i>	<i>XML file</i>	Filepath to the XML file to be validated.
 <i>File mode only</i>	<i>If XML is valid, display If XML is invalid, display</i>	Type in a message to be displayed in the Run console based on the result of the comparison.
 <i>File mode only</i>	<i>Print to console</i>	Select this check box to display the validation message.
 <i>Flow mode only</i>	<i>Allocate</i>	Specify the column or columns to be validated and the path to the reference XSD file.
Advanced settings	<i>tStatCatcher Statistics</i>	Select this check box to gather the Job processing metadata at a Job level as well as at each component level.
Usage	When used in File mode, this component can be used as standalone component but it is usually linked to an output component to gather the log data.	
Limitation	n/a	


Scenario: Validating data flows against an XSD file

This scenario describes a Job that validates an XML column in an input file against a reference XSD file and outputs the log information for the invalid rows of the column into a delimited file. For the **tXSDValidator** use case that validates an XML file, see [the section called “Scenario: Validating XML files”](#).

1. Drop a **tFileInputDelimited** component, a **tXSDValidator** component, and two **FileOutputDelimited** components from the **Palette** to the design workspace.



2. Double-click the **tFileInputDelimited** to open its **Component** view and set its properties:




3. Use the **Built-In** property type for this scenario.


Browse to the input file, and define the number of rows to be skipped in the beginning of the file.

Use a **Built-In** schema for this scenario. This means that it is available for this Job only.

Click Edit schema and edit the schema according to the input file. In this scenario, the input file has only two columns: *ID* and *ShipmentInfo*. The *ShipmentInfo* column is an XML column and needs to be validated.



4. On your design workspace, connect the **tFileInputDelimited** component to the **tXSDValidator** component using a **Row > Main** link.
5. Double-click the **tXSDValidator** component, and set its properties:



- From the **Mode** dropdown list, select **Flow Mode**.

Use a **Built-In** schema for this scenario. Click **Sync columns** to retrieve the schema from the preceding component. To view or modify the schema, click the three-dot button next to **Edit schema**.

Add a line in the **Allocate** table by clicking the plus button. The name of the first column of the input file automatically appears in the **Input Column** field. Click in the field and select the column you want to validate.


In the **XSD File** field, fill in the path to your reference XSD file.

- On your design workspace, connect the **tXSDValidator** component to one **tFileOutputDelimited** component using a **Row > Main** link to output the information about valid XML rows.
- Connect the **tXSDValidator** component to the other **tFileOutputDelimited** component using a **Row > Rejects** link to output the information about invalid XML rows.
- Double-click each of the two **tFileOutputDelimited** components and configure the component properties.

In the **Property Type** field, select **Built-In**.

In the **File Name** field, enter or, if you want to use an existing output file, browse to the output file path.

- Select **Built-In** from the **Schema** list and click **Sync columns** to retrieve the schema from the preceding component.



- Save your Job and press **F6** to run it.



```
validation_reject.csv  validation_ok.csv
1 ID;ShipmentInfo;errorMessage
2 ;<shiporder orderid="889924"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="shiporder.xsd"><orderperson>
  GeorgeBush</orderperson><shipto><name>Sor
  Chen</name><address>Washington Av.</address><city>New
  York</city><country>USA</shipto><item><title>Empire
  Burlesque</title><note>Special
  Edition</note><quantity>1</quantity><price>10.90</price></i
  tem><item><title>Hide your
  heart</title><quantity>1</quantity><price>9.90</price></ite
  m></shiporder>;ShipmentInfo: There is a Fatal Error on
  line 1 : The element type "country" must be terminated by
  the matching end-tag "</country>".
3 There is an Error on line 1 : The element type "country"
  must be terminated by the matching end-tag "</country>".
4
```

The output files contain the validation information about the valid and invalid XML rows of the specified column respectively.

tXSLT




tXSLT Properties

Component family	XML	
Function	Refers to an XSL stylesheet, to transform an XML source file into a defined output file.	
Purpose	Helps to transform data structure to another structure.	
Basic settings	<i>XML file</i>	File path to the XML file to be validated.
	<i>XSL file</i>	File path to the reference XSL transformation file.
	<i>Output file</i>	File path to the output file. If the file does not exist, it will be created. The output file can be any structured or unstructured file such as html, xml, txt or even pdf or edifact depending on your xsl.
	<i>Parameters</i>	Click the plus button to add new lines in the Parameters list and define the transformation parameters of the XSLT file. Click in each line and enter the key in the <i>name</i> list and its associated value in the <i>value</i> list.
Usage	This component can be used as standalone component.	
Limitation	Due to license incompatibility, one or more JARs required to use this component are not provided. You can easily find out and add such JARs in <i>Talend Open Studio for Big Data</i> . For details, see the <i>Warnings and error icons on components</i> and <i>How to install external modules</i> sections of <i>Talend Open Studio for Big Data User Guide</i> .	


Scenario: Transforming XML to html using an XSL stylesheet

This scenario describes a two-component Job that converts xml data into an html document using an xsl stylesheet. It as well defines a transformation parameter of the xsl stylesheet to change the background color of the header of the created html document.

1. Drop the **tXSLT** and **tMsgBox** components from the **Palette** to the design workspace.



2. Double-click **tXSLT** to open its **Basic settings** view where you can define the component properties.



- In the **XML file** field, set the path or browse to the xml file to be transformed. In this example, the xml file holds a list of MP3 song titles and related information including artist names, company etc.

```

1      <?xml version="1.0" encoding="ISO-8859-1" ?>
2      <catalog>
3      <cd>
4          <title>Empire Burlesque</title>
5          <artist>Bob Dylan</artist>
6          <country>USA</country>
7          <company>Columbia</company>
8          <price>10.90</price>
9          <year>1985</year>
10     </cd>
11     .
12     .
13
14 </catalog>
    
```

- In the **XSL file** field in the **Basic settings** view, set the path or browse to the relevant xsl file.
- In the **Output file** field, set the path or browse to the output html file.

In this example, we want to convert the xml data into an html file holding a table heading followed by a table listing artists' names next to song titles.

```

<?xml version="1.0" encoding="ISO-8859-1" ?>


<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">

  <xsl:param name="bgcolor" />


  <xsl:template match="/">
    <html>
    <body>
    <h2>My CD Collection</h2>
    <table border="1">
      <tr bgcolor="{ $bgcolor }">
        <th>Title</th>
        <th>Artist</th>
      </tr>
      <xsl:for-each select="catalog/od">
      <tr>
        <td><xsl:value-of select="title"/></td>
        <td><xsl:value-of select="artist"/></td>
      </tr>
      </xsl:for-each>
    </table>
    </body>
    </html>
  </xsl:template>
</xsl:stylesheet>

```

6. In the **Parameters** area of the **Basic settings** view, click the plus button to add a line where you can define the name and value of the transformation parameter of the xsl file. In this example, the name of the transformation parameter we want to use is *bgcolor* and the value is *green*.
7. Double-click the **tMsgBox** to display its **Basic settings** view and define its display properties as needed.



8. Save the Job and press **F6** to execute it. The message box displays confirming that the output html file is created and stored in the defined path.



9. Click **OK** to close the message box.

You can now open the output html file to check the transformation of the xml data and that of the background color of the table heading.

My CD Collection

Title	Artist
Empire Burlesque	Bob Dylan
Hide your heart	Bonnie Tyler
Greatest Hits	Dolly Parton
Still got the blues	Gary Moore