

## NAME

CPANPLUS - API & CLI access to the CPAN mirrors

## SYNOPSIS

```
### standard invocation from the command line
$ cpanp
$ cpanp -i Some::Module

$ perl -MCPANPLUS -eshell
$ perl -MCPANPLUS -e'fetch Some::Module'
```

## DESCRIPTION

The `CPANPLUS` library is an API to the `CPAN` mirrors and a collection of interactive shells, commandline programs, etc, that use this API.

## GUIDE TO DOCUMENTATION

### GENERAL USAGE

This is the document you are currently reading. It describes basic usage and background information. Its main purpose is to assist the user who wants to learn how to invoke `CPANPLUS` and install modules from the commandline and to point you to more indepth reading if required.

### API REFERENCE

The `CPANPLUS` API is meant to let you programmatically interact with the `CPAN` mirrors. The documentation in `CPANPLUS::Backend` shows you how to create an object capable of interacting with those mirrors, letting you create & retrieve module objects. `CPANPLUS::Module` shows you how you can use these module objects to perform actions like installing and testing.

The default shell, documented in `CPANPLUS::Shell::Default` is also scriptable. You can use its API to dispatch calls from your script to the `CPANPLUS` Shell.

## COMMANDLINE TOOLS

### STARTING AN INTERACTIVE SHELL

You can start an interactive shell by running either of the two following commands:

```
$ cpanp

$ perl -MCPANPLUS -eshell
```

All commans available are listed in the interactive shells help menu. See `cpanp -h` or `CPANPLUS::Shell::Default` for instructions on using the default shell.

### CHOOSE A SHELL

By running `cpanp` without arguments, you will start up the shell specified in your config, which defaults to `CPANPLUS::Shell::Default`. There are more shells available. `CPANPLUS` itself ships with an emulation shell called `CPANPLUS::Shell::Classic` that looks and feels just like the old `CPAN.pm` shell.

You can start this shell by typing:

```
$ perl -MCPANPLUS -e'shell Classic'
```

Even more shells may be available from `CPAN`.

Note that if you have changed your default shell in your configuration, that shell will be used instead. If

for some reason there was an error with your specified shell, you will be given the default shell.

## BUILDING PACKAGES

`cpan2dist` is a commandline tool to convert any distribution from CPAN into a package in the format of your choice, like for example `.deb` or FreeBSD ports.

See `cpan2dist -h` for details.

## FUNCTIONS

For quick access to common commands, you may use this module, `CPANPLUS` rather than the full programmatic API situated in `CPANPLUS::Backend`. This module offers the following functions:

### **\$bool = install( Module::Name | /A/AU/AUTHOR/Module-Name-1.tgz )**

This function requires the full name of the module, which is case sensitive. The module name can also be provided as a fully qualified file name, beginning with a `/`, relative to the `/authors/id` directory on a CPAN mirror.

It will download, extract and install the module.

### **\$where = fetch( Module::Name | /A/AU/AUTHOR/Module-Name-1.tgz )**

Like `install`, `fetch` needs the full name of a module or the fully qualified file name, and is case sensitive.

It will download the specified module to the current directory.

### **\$where = get( Module::Name | /A/AU/AUTHOR/Module-Name-1.tgz )**

`Get` is provided as an alias for `fetch` for compatibility with `CPAN.pm`.

### **shell()**

`Shell` starts the default CPAN shell. You can also start the shell by using the `cpanp` command, which will be installed in your perl bin.

## FAQ

For frequently asked questions and answers, please consult the `CPANPLUS::FAQ` manual.

## BUG REPORTS

Please report bugs or other issues to [bug-cpanplus@rt.cpan.org](mailto:bug-cpanplus@rt.cpan.org).

## AUTHOR

This module by Jos Boumans <[kane@cpan.org](mailto:kane@cpan.org)>.

## COPYRIGHT

The CPAN++ interface (of which this module is a part of) is copyright (c) 2001 - 2007, Jos Boumans <[kane@cpan.org](mailto:kane@cpan.org)>. All rights reserved.

This library is free software; you may redistribute and/or modify it under the same terms as Perl itself.

## SEE ALSO

`CPANPLUS::Shell::Default`, `CPANPLUS::FAQ`, `CPANPLUS::Backend`, `CPANPLUS::Module`, `cpanp`, `cpan2dist`

## CONTACT INFORMATION

\* Bug reporting: [bug-cpanplus@rt.cpan.org](mailto:bug-cpanplus@rt.cpan.org)

\* Questions & suggestions: [cpanplus-devel@lists.sourceforge.net](mailto:cpanplus-devel@lists.sourceforge.net)