

NAME

perl5111delta - what is new for perl v5.11.1

DESCRIPTION

This document describes differences between the 5.11.0 release and the 5.11.1 release.

Incompatible Changes

- The boolkeys op moved to the group of hash ops. This breaks binary compatibility.
- `\s \w` and `\d` once again have the semantics they had in Perl 5.8.x.

Core Enhancements

Add package NAME VERSION syntax

This new syntax allows a module author to set the `$VERSION` of a namespace when the namespace is declared with `'package'`. It eliminates the need for `our $VERSION = ...` and similar constructs. E.g.

```
package Foo::Bar 1.23;  
# $Foo::Bar::VERSION == 1.23
```

There are several advantages to this:

- `$VERSION` is parsed in *exactly* the same way as `use NAME VERSION`
- `$VERSION` is set at compile time
- Eliminates `$VERSION = ...` and `eval $VERSION` clutter
- As it requires `VERSION` to be a numeric literal or v-string literal, it can be statically parsed by toolchain modules without `eval` the way `MM->parse_version` does for `$VERSION = ...`
- Alpha versions with underscores do not need to be quoted; static parsing will preserve the underscore, but during compilation, Perl will remove underscores as it does for all numeric literals

It does not break old code with only `package NAME`, but code that uses `package NAME VERSION` will need to be restricted to perl 5.11.X or newer. This is analogous to the change to `open` from two-args to three-args. Users requiring the latest Perl will benefit, and perhaps N years from now it will become standard practice when Perl 5.12 is targeted the way that 5.6 is today.

Modules and Pragmata

Updated Modules

- Upgrade to Test-Simple 0.94
- Upgrade to Storable 2.21
- Upgrade to Pod-Simple 3.08
- Upgrade to Parse-CPAN-Meta 1.40
- Upgrade to ExtUtils-Manifest 1.57
- Upgrade to ExtUtils-CBuilder 0.260301
- Upgrade to CGI.pm-3.48
- Upgrade CPANPLUS to CPAN version 0.89_02
- Upgrade to threads::shared 1.32

- Upgrade ExtUtils::ParseXS to 2.21
- Upgrade File::Path to 2.08 (and add taint.t test)
- Upgrade Module::CoreList to 2.20
- Updated Object::Accessor to 0.36

New Documentation

- *perlpolicy* extends the "Social contract about contributed modules" into the beginnings of a document on Perl porting policies.

Changes to Existing Documentation

Documentation for `$!` in `perlvar.pod` clarified

Performance Enhancements

`if (%foo)` has been optimized to be faster than `if (keys %foo)`

Platform Specific Notes

Darwin (Mac OS X)

- Skip testing the `be_BY.CP1131` locale on Darwin 10 (Mac OS X 10.6), as it's still buggy.
- Correct infelicities in the regexp used to identify buggy locales on Darwin 8 and 9 (Mac OS X 10.4 and 10.5, respectively).

DragonFly BSD

- Fix thread library selection [perl #69686]

Win32

- Initial support for mingw64 is now available
- Various bits of Perl's build infrastructure are no longer converted to win32 line endings at release time. If this hurts you, please speak up.

Selected Bug Fixes

- Perl now properly returns a syntax error instead of segfaulting if `each`, `keys` or `values` is used without an argument
- `tell()` now fails properly if called without an argument and when no previous file was read
`tell()` now returns `-1`, and sets `errno` to `EBADF`, thus restoring the 5.8.x behaviour
- `overload` no longer implicitly unsets fallback on repeated 'use overload' lines
- `POSIX::strftime()` can now handle Unicode characters in the format string.
- The Windows `select()` implementation now supports all empty `fd_sets` more correctly.

New or Changed Diagnostics

- The 'syntax' category was removed from 5 warnings that should only be in 'deprecated'.
- Three fatal `pack/unpack` error messages have been normalized to "panic: %s"
- "Unicode character is illegal" has been rephrased to be more accurate
It now reads `Unicode non-character is illegal in interchange` and the `perldiag` documentation has been expanded a bit.
- Perl now defaults to issuing a warning if a deprecated language feature is used.

To disable this feature in a given lexical scope, you should use `no warnings 'deprecated'`; For information about which language features are deprecated and explanations of various deprecation warnings, please see *perldiag*

Testing

- Significant cleanups to core tests to ensure that language and interpreter features are not used before they're tested.
- `make test_porting` now runs a number of important pre-commit checks which might be of use to anyone working on the Perl core.
- `t/porting/podcheck.t` automatically checks the well-formedness of POD found in all `.pl`, `.pm` and `.pod` files in the *MANIFEST*, other than in dual-lived modules which are primarily maintained outside the Perl core.
- `t/porting/manifest.t` now tests that all files listed in *MANIFEST* are present.

Known Problems

Untriaged test crashes on Windows 2000

Several porters have reported mysterious crashes when Perl's entire test suite is run after a build on certain Windows 2000 systems. When run by hand, the individual tests reportedly work fine.

Known test failures on VMS

Perl 5.11.1 fails a small set of core and CPAN tests as of this release. With luck, that'll be sorted out for 5.11.2

Errata for 5.11.0

The Perl 5.11.0 release notes incorrectly described 'delete local'

Acknowledgements

Perl 5.11.1 represents approximately 3 weeks development since Perl 5.11.0 contains 22,000 lines of changes across 396 files from 26 authors and committers:

Abigail, Alex Vandiver, brian d foy, Chris Williams, Craig A. Berry, David Fifield, David Golden, demerphq, Eric Brine, Geoffrey T. Dairiki, George Greer, H.Merijn Brand, Jan Dubois, Jerry D. Hedden, Jesse Vincent, Josh ben Jore, Max Maischein, Nicholas Clark, Rafael Garcia-Suarez, Simon Schubert, Sisyphus, Smylers, Steve Hay, Steve Peters, Vincent Pit and Yves Orton.

Many of the changes included in this version originated in the CPAN modules included in Perl's core. We're grateful to the entire CPAN community for helping Perl to flourish.

Reporting Bugs

If you find what you think is a bug, you might check the articles recently posted to the `comp.lang.perl.misc` newsgroup and the perl bug database at <http://rt.perl.org/perlbug/>. There may also be information at <http://www.perl.org/>, the Perl Home Page.

If you believe you have an unreported bug, please run the **perlbug** program included with your release. Be sure to trim your bug down to a tiny but sufficient test case. Your bug report, along with the output of `perl -v`, will be sent off to `perlbug@perl.org` to be analysed by the Perl porting team.

If the bug you are reporting has security implications, which make it inappropriate to send to a publicly archived mailing list, then please send it to `perl5-security-report@perl.org`. This points to a closed subscription unarchived mailing list, which includes all the core committers, who be able to help assess the impact of issues, figure out a resolution, and help co-ordinate the release of patches to mitigate or fix the problem across all platforms on which Perl is supported. Please only use this address for security issues in the Perl core, not for modules independently distributed on CPAN.

SEE ALSO

The *Changes* file for an explanation of how to view exhaustive details on what changed.

The *INSTALL* file for how to build Perl.

The *README* file for general stuff.

The *Artistic* and *Copying* files for copyright information.